

| Pricing Pages | | | | |
|----------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------|------------|---------------|
| Proposer: | | | | |
| Manufacturer: Mack | | | | |
| Description: 2017 or Current Model Year Medium and Heavy Duty Trucks and Options | | | | |
| Item # | Mfg. | Description | Est. Qty. | Unit Price |
| Base Truck Models | | | | |
| M-17-004 | | Mack TERRAPRO 64R heavy duty cab over engine truck 6X4, 66,000 GVW cab and cl | 2 | \$160,579 |
| | | customer choice of color paint | | |
| | | | | |
| Item # | Mfg. | Description | Unit Price | |
| OEM Options & Equipment | | | | |
| Engine Options | | | | |
| 102 | | Mack MP7-325M, 325 HP@1400-1700 RPM, 1260 lb/ft torque | | std |
| 103 | | Mack MP7-355A, 355HP@ 1500-1800 RPM, 1260 lb/ft torque | | \$ 750.00 |
| 104 | | Auxiliary cooling | | \$ 1,900.00 |
| Transmission Options | | | | |
| 105 | | Allison 4500 RDS 6 speed rugged duty series Gen 5 w/prognostics | | std |
| 106 | | Allison 3000 RDS-6 | | \$ (3,500.00) |
| Front Axle/Suspension Options | | | | |
| 107 | | 20,000 lb. Mack FXL20 with taperleaf springs | | std |
| 108 | | 14,600 lb. Mack FXL14.6 w/ multileaf springs | | \$ (475.00) |
| 109 | | 18,000 lb. Mack FXL18 w/multileaf springs | | n/c |
| 110 | | 20,000 lb. Mack FXL20 w/multileaf springs | | \$ 50.00 |
| 111 | | 20,000 lb. Mack FXL20 w/heavy duty multileaf springs | | \$ 100.00 |
| Rear Axle Options | | | | |
| 112 | | 46,000 lb. Mack S462 dual reduction axle w/Camelback spring suspension | | std |
| 113 | | 52,000 lb. Mack S52 dual reduction axle w/camelback springs | | \$ 4,975.00 |
| 114 | | 58,000 lb. Mack S58 dual reduction axle w/camelback springs | | \$ 12,175.00 |
| 115 | | 46,000 lb. Mack S462 dual reduction axle w/parabolic 3 leaf spring | | \$ 1,675.00 |
| 116 | | 52,000 lb. Mack S52 dual reduction axle w/heavy duty camelback springs | | \$ 5,175.00 |
| 117 | | 52,000 lb. Mack S52 dual reduction axle w/parabolic 3 leaf springs | | \$ 6,225.00 |
| Frame Rail Options | | | | |
| 118 | | 5/16"X13 1/4"X 3 1/4" frame rail with 1/4" full frame reinforcement | | std |
| Cab/Chassis Options | | | | |
| 119 | | Meritor/Wabco 636 37.4 CFM air compressor | | std |
| 120 | | Alternator- Delco 12V 130A (24SI) brush type | | std |
| 121 | | (3) Mack 12V M/F group 31 650/1950 CCA batteries | | std |
| 122 | | Mack Powerleash engine brake | | std |

| | | | |
|-----|--|---------------------------------------------------------------------------|-----|
| 123 | | 120V 1500W engine block heater | std |
| 124 | | Behr fan and electronic modulating fan drive | std |
| 125 | | Mack fuel/water separator w/manual drain valve | std |
| 126 | | silicone radiator and heater hoses with Breeze constant torque clamps | std |
| 127 | | corrosion resistant oil pan | std |
| 128 | | 12V Delco starter 39MT-MXT | std |
| 129 | | Flaming River Big Switch wired to positive side | std |
| 130 | | Mack Cleartech DPF vertical LH side back of cab w/SCR vert RH back of cab | std |
| 131 | | 6.6 gallon DEF tank | std |
| 132 | | painted DEF tank cover | std |
| 133 | | painted DPF cover | std |
| 134 | | Spicer 1810 HD main driveline with coated splines | std |
| 135 | | Spicer 1710 HD interaxle driveline with coated splines | std |
| 136 | | Transynd synthetic transmission lube | std |
| 137 | | Gauges-transmission and transmission oil high temp light | std |
| 138 | | rubber floor mat | std |
| 139 | | AM/FM premium stereo, CD, weatherband, Bluetooth | std |
| 140 | | Heater/Air conditioner w/R134A refrigerant | std |
| 141 | | Sears seating C-2 cloth mid back air suspension driver seat | std |
| 142 | | Sears seating C-2 cloth mid back non suspension rider seat | std |
| 143 | | orange lap and shoulder belts | std |
| 144 | | hand crank windows | std |
| 145 | | exterior windshield protector | std |
| 146 | | (7) clearance and marker lights | std |
| 147 | | (1) twin trumpet air horn under cab | std |
| 148 | | heated RH and LH bright finish Mack Bulldog mirrors w/8" convex mirror | std |
| 149 | | rectangular convex mirror above RH door window | std |
| 150 | | tinted windshield, side and rear windows | std |
| 151 | | 210" wheelbase | std |
| 152 | | 90" afterframe | std |
| 153 | | skid plate under bumper and radiator | std |
| 154 | | steel swept back extended bumper | std |
| 155 | | steel crossmembers | std |
| 156 | | 70 gallon rectangular fuel tank | std |
| 157 | | 10" front frame extension for refuse service | std |
| 158 | | bright finish fuel tank straps | std |
| 159 | | Bridgestone 315/80R22.5 M860A front tires | std |
| 160 | | hub piloted 22.5"X9" aluminum front wheels | std |
| 161 | | Meritor S Cam 16.5"X6" Q+ front drum brakes with dust shields | std |
| 162 | | Haldex automatic slack adjusters | std |

| | | | |
|--------|------|---------------------------------------------------------------------------|-------------|
| 163 | | Sheppard XD120 steering gear | std |
| 164 | | Bronze rear trunnion bushing | std |
| 165 | | 11R24.5 Bridgestone M843 drive tires | std |
| Item # | Mfg. | Description | |
| 166 | | hub piloted 24.5"X8.25" aluminum disc rear wheels | std |
| 167 | | Meritor S Cam 16.5"X7" Q+ rear drum brakes with dust shields | std |
| 168 | | 4.80 rear axle ratio | std |
| 169 | | Power divider lockout w/buzzer and light | std |
| 170 | | Pump mounting provisions to include wiring, switches and indicators | std |
| 171 | | 1350 series PTO flange | std |
| 172 | | PTO switch and light with wiring and piping for local installation of PTO | std |
| 173 | | 22.5"X9" steel hub piloted front wheels | \$ (25.00) |
| 174 | | 22.5"X12.25" steel hub piloted front wheels | n/c |
| 175 | | 425/65R22.5 Bridgestone M860A front tires | \$ 200.00 |
| 177 | | 22.5"X8.25" steel hub piloted rear wheels | \$ (25.00) |
| 178 | | 22.5"X8.25" aluminum hub piloted rear wheels | \$ 50.00 |
| 179 | | 24.5"X8.25" steel hub piloted rear wheels | \$ (25.00) |
| 180 | | 22.5"X9" steel hub piloted rear wheels | \$ (25.00) |
| 181 | | 22.5"X9" aluminum hub piloted rear wheels | \$ 150.00 |
| 182 | | 11R22.5 Bridgestone M843 rear tires | n/c |
| 183 | | 12R22.5 Bridgestone M843 rear tires | \$ 325.00 |
| 184 | | 12R24.5 Bridgestone M843 rear tires | \$ 350.00 |
| 185 | | 315/80R22.5 Bridgestone M860A rear tires | \$ 350.00 |
| 186 | | wheelbase range 159"-232"-contact sales rep to determine appropriate wb | n/c |
| 188 | | polished aluminum battery box cover | \$ 75.00 |
| 189 | | steel, lockable battery box cover | \$ 50.00 |
| 190 | | LH 50 gallon steel rectangular fuel tank | \$ 850.00 |
| 191 | | LH 70 gallon steel rectangular fuel tank | \$ 850.00 |
| 192 | | LH 80 gallon steel rectangular fuel tank | \$ 950.00 |
| 193 | | LH 50 gallon aluminum rectangular fuel tank | \$ 900.00 |
| 194 | | LH 70 gallon aluminum rectangular fuel tank | \$ 1,000.00 |
| 195 | | LH 80 gallon aluminum rectangular fuel tank | \$ 1,075.00 |
| 196 | | RH 70 gallon 24" diameter steel fuel tank | n/c |
| 197 | | RH 70 gallon 24" diameter aluminum fuel tank | \$ 100.00 |
| 198 | | RH 50 gallon steel rectangular fuel tank | n/c |
| 199 | | RH 80 gallon steel rectangular fuel tank | \$ 100.00 |
| 200 | | RH 50 gallon aluminum rectangular fuel tank | \$ 50.00 |
| 201 | | RH 70 gallon aluminum rectangular fuel tank | \$ 150.00 |
| 202 | | RH 80 gallon aluminum rectangular fuel tank | \$ 250.00 |
| 203 | | Rear View camera prep kit | \$ 1,200.00 |

| | | | |
|---------------------------------------------|-------------------|--------------------------------------------------------------------------------------------|---------------|
| 204 | | Anti scuff cab entry driver side | \$ 25.00 |
| 205 | | MC doors LH and RH roll up windows | \$ 150.00 |
| Extended Service Contracts | | | |
| 228 | | Mack engine plan 2 w/EATS 460 HP or less 6 year/250,000 miles | \$ 4,625.00 |
| 229 | | Mack engine plan 2 w/EATS 460 HP or less 7 year/250,000 miles | \$ 5,250.00 |
| 230 | | Mack engine plan 2 w/EATS 460 HP or greater 5 year/250,000 miles | \$ 3,595.00 |
| 231 | | Mack engine plan 2 w/EATS 460 HP or greater 6 year/250,000 miles | \$ 6,500.00 |
| 232 | | Mack engine plan 2 w/EATS 460 HP or greater 7 year/250,000 miles | \$ 7,400.00 |
| 233 | | Mack T300 manual transmission extended coverage to 5 year/500,000 miles | \$ 500.00 |
| 234 | | Mack mDrive transmission normal duty ext coverage to 5 year/500,000 miles | \$ 2,067.00 |
| 235 | | Mack mDrive transmission heavy duty ext coverage to 5 year/500,000 miles | \$ 2,300.00 |
| 236 | | Mack mDrive transmission heavy duty ext coverage to 5 year/250,000 miles | \$ 1,150.00 |
| 237 | | Mack mDrive clutch (only avail w/purchase of transmission ext coverage) | \$ 695.00 |
| 238 | | Allison 3000RDS refuse application extended coverage to 5 years | \$ 910.00 |
| 239 | | Allison 3000RDS non refuse application extended coverage to 5 years | \$ 468.00 |
| 240 | | Allison 4500RDS refuse application extended coverage to 5 years | \$ 1,001.00 |
| 241 | | Allison 4500RDS non refuse application extended coverage to 5 years | \$ 786.00 |
| Trash Collection/Recycling Equipment | | | |
| 368 | Heil Mini REL | Refuse Body: Nine (9) Cubic Yards, Rear Load | \$ 45,128.00 |
| 369 | Heil Mini REL | Refuse Body: Eleven (11) Cubic Yards, Rear Load | \$ 48,036.00 |
| 370 | Heil Mini REL | Refuse Body: Thirteen (13) Cubic Yards, Rear Load | \$ 50,612.00 |
| 371 | N/A | Automatic Back Pack | N/A |
| 372 | 15,000 Reeving | Semi-Automatic Packing Controls with Container Winch | \$ 6,968.00 |
| 373 | Heil PT 1000 | Rear Loader: Sixteen (16) Cubic Yards | \$ 51,970.00 |
| 374 | Heil PT1000 | Rear Loader: Eighteen (18) Cubic Yards | \$ 53,758.00 |
| 375 | Heil PT1000 | Rear Loader: Twenty (20) Cubic Yards | \$ 54,650.00 |
| 376 | Heil 40/60 | Split Rear Loader (20) Cubic Yards - Recycle Packer | N/A |
| 377 | Heil 40/60 | Split Rear Loader (25) Cubic Yards - Recycle Packer | \$ 138,938.00 |
| 378 | Heil DP5000 | Rear Loader High-Compaction: Twenty-Five (25) Cubic Yards | \$ 63,823.00 |
| 379 | Heil DP5000 | Rear Loader High-Compaction: Thirty-One (32) Cubic Yards | \$ 66,894.00 |
| 380 | Bayne Tipper | Barrel Dumper/Tipper - Domestic for Packer | \$ 6,140.00 |
| 381 | Heil | Container Handling Hoist Option 15,000 reeving cylinder 81" Wings | \$ 8,250.00 |
| 382 | 3rd Eye | Video System: Rear View Single Camera | \$ 2,489.00 |
| 383 | Air Weigh LoadMax | On Board Scale System > Suspension Mounted | \$ 5,760.00 |
| 384 | N/A | Balk-Talk Two (2) Way Communication System | N/A |
| 385 | Heil | Custom Paint Color ILO White | \$ 383.00 |
| 386 | Heil Python ASL | Recycling Body: (28) Cubic Yards, Side Load, Rear Dump, heavy duty RH arm, fully automated | \$ 101,744.00 |
| 387 | Heil Python ASL | Recycling Body: (33) Cubic Yards, Side Load, Rear Dump, heavy duty RH arm, fully automated | \$ 104,266.00 |
| 388 | N/A | Recycling Body: (31) Cubic Yards, dual side load, rear dump, drop-frame, Manual load | N/A |

| | | | |
|-----|-------------------|--------------------------------------------------------------------------------------|---------------|
| 389 | N/A | Recycling Body: (35) Cubic Yards, Dual Side Load, Rear Dump, drop-frame, manual load | N/A |
| 390 | Heil 254-4548-100 | Automatic Neutral for Recycler/Packer | \$105.00 |
| 391 | Add JoyStick | Dual Driver Controls with Right Hand Stand Up Drive | \$ 1,749.00 |
| 392 | N/A | Cart Tipper - Domestic for Recycler | N/A |
| 370 | New Way | Refuse Body: Six (6) Cubic Yards, Rear Load | \$43,500.00 |
| 371 | New Way | Refuse Body: Eight (8) Cubic Yards, Rear Load | \$44,500.00 |
| 372 | New Way | Refuse Body: Ten (10) Cubic Yards, Rear Load | \$50,000.00 |
| 373 | | Automatic Back Pack | |
| 374 | | Semi-Automatic Packing Controls Container Winch | |
| 375 | New Way | Rear Loader: 16 Cubic Yards | \$58,000.00 |
| 376 | New Way | Rear Loader: 18 Cubic Yards | \$59,000.00 |
| 377 | New Way | Rear Loader: 20 Cubic Yards | \$61,000.00 |
| 378 | New Way | Rear Loader Hi-Compaction: 25 Cubic Yards | \$72,000.00 |
| 379 | New Way | Rear Loader Hi-Compaction: 32 Cubic Yards | \$74,500.00 |
| 380 | | Barrel Tipper | \$8,000.00 |
| 381 | | Container handling hoist | \$9,000.00 |
| 382 | | Video System: Rear View | \$2,500.00 |
| 383 | | Scale System | \$13,000.00 |
| 384 | | Custom paint color - in lieu of white | \$2,800.00 |
| 385 | New Way | Recycle Body - 31 cu/yd, side load, rear dump, Fully Automated | \$122,000.00 |
| 386 | New Way | Recycle Body - 35 cu/yd, side load, rear dump, Fully Automated | \$123,500.00 |
| 387 | | Dual driver controls with right hand Sit-Down drive | |
| 388 | | Dual driver controls with right hand Stand-Up drive | |
| 389 | | Cart Dumper - each | |
| 368 | Heil Mini REL | Refuse Body: Nine (9) Cubic Yards, Rear Load | \$ 45,128.00 |
| 369 | Heil Mini REL | Refuse Body: Eleven (11) Cubic Yards, Rear Load | \$ 48,036.00 |
| 370 | Heil Mini REL | Refuse Body: Thirteen (13) Cubic Yards, Rear Load | \$ 50,612.00 |
| 371 | N/A | Automatic Back Pack | N/A |
| 372 | 15,000 Reeving | Semi-Automatic Packing Controls with Container Winch | \$ 6,968.00 |
| 373 | Heil PT 1000 | Rear Loader: Sixteen (16) Cubic Yards | \$ 51,970.00 |
| 374 | Heil PT1000 | Rear Loader: Eighteen (18) Cubic Yards | \$ 53,758.00 |
| 375 | Heil PT1000 | Rear Loader: Twenty (20) Cubic Yards | \$ 54,650.00 |
| 376 | Heil 40/60 | Split Rear Loader (20) Cubic Yards - Recycle Packer | N/A |
| 377 | Heil 40/60 | Split Rear Loader (25) Cubic Yards - Recycle Packer | \$ 138,938.00 |
| 378 | Heil DP5000 | Rear Loader High-Compaction: Twenty-Five (25) Cubic Yards | \$ 63,823.00 |
| 379 | Heil DP5000 | Rear Loader High-Compaction: Thirty-One (32) Cubic Yards | \$ 66,894.00 |
| 380 | Bayne Tipper | Barrel Dumper/Tipper - Domestic for Packer | \$ 6,140.00 |
| 381 | Heil | Container Handling Hoist Option 15,000 reeving cylinder 81" Wings | \$ 8,250.00 |
| 382 | 3rd Eye | Video System: Rear View Single Camera | \$ 2,489.00 |

| | | | |
|-----|--|---------------------------------------------------------------------------|------------|
| 126 | | Flaming River Big Switch wired to positive side | std |
| 127 | | DPF-Mack Cleartech one DPF/SCR vertical LH side back of cab | std |
| 128 | | Meritor 176 MXL "xtended lube" main drive line | std |
| 129 | | Meritor 17MXL "xtended lube" interaxle drive line | std |
| 130 | | Furnish pump mounting provision-including wiring, switches and indicators | std |
| 131 | | 1350 series flange for PTO | std |
| 132 | | RH and LH sit down driving position | std |
| 133 | | rubber floor mats | std |
| 134 | | AM/FM stereo, CD,weatherband, bluetooth | std |
| 135 | | Heater/air conditioner w/R134A refrigerant | std |
| 136 | | LH and RH hinged doors | std |
| 137 | | Power windows both sides | std |
| 138 | | Sears seating mid back C-2 air suspended driver and rider seats | std |
| 139 | | transmission oil temp gauge and hight temp light | std |
| 140 | | Orange High Visibility Seat Belts | std |
| 141 | | tilt/telescopic steering column | std |
| 142 | | windshield protector | std |
| 143 | | (1) twin trumpet horn under cab w/dual lanyard control | std |
| 144 | | LED roof marker lights | std |
| 145 | | Mirrors-LH and RH electric heated and operated | std |
| 146 | | black square convex mirrors | std |
| 147 | | rectangular convex mirrors mounted above LH and RH doors | std |
| 148 | | 246" wheelbase | std |
| 149 | | 111" afterframe | std |
| 150 | | steel, flush painted steel | std |
| 151 | | skid plate under bumper and radiator | std |
| 152 | | Fuel tank-LH steel 80 gallon rectangular | std |
| 153 | | DEF tank 6.6 gallon | std |
| 154 | | front wheels- 22.5"x9.0" steel disc wheels | std |
| 155 | | front tires- 315/80R22.5 Bridgestone 860A | std |
| 156 | | Meritor S cam 16.5"x6" Q+ drum front brakes | std |
| 157 | | automatic slack adjusters-front | std |
| 158 | | Sheppard M110P steering | std |
| 159 | | rear wheels-22.5"x9.0" hub piloted steel | std |
| 160 | | rear tires- 315/80R22.5 Bridgestone 860A | std |
| 161 | | Meritor S cam 16.5"x7" Q+ drum rear brakes | std |
| 162 | | 4.50 ratio | std |
| 163 | | Urethane shock insulators-rear | std |
| 164 | | Automatic slack adjusters-rear | std |
| 165 | | MGM spring brake chambers-rear | std |
| 166 | | 55" rear axle spacing | std |
| 167 | | Power divider lockout w/buzzer and light | std |
| 168 | | front wheels-22.5"x9.0" hub piloted aluminum | \$ 125.00 |
| 169 | | front wheels-22.5"x12.25" hub piloted aluminum | \$ 150.00 |
| 170 | | front wheels 22.5"x12.25" hub piloted steel | \$ 25.00 |
| 171 | | front tires-425/65R22.5 bridgestone M860A | \$ 200.00 |
| 172 | | rear wheels-22.5"x9.0" hub piloted aluminum | \$ 100.00 |

| | | | | |
|-----------------------------------|--|---------------------------------------------------------------------------|-----|-----------------|
| 173 | | rear wheels-24.5"x8.25" hub piloted aluminum | \$ | 100.00 |
| 174 | | rear wheels-22.5"x8.25" hub piloted steel | n/c | |
| 175 | | rear wheels-24.5"x8.25" hub piloted steel | \$ | 25.00 |
| 176 | | rear tires-11R22.5 Bridgestone M843 | \$ | 200.00 |
| 177 | | rear tires-12R22.5 Bridgestone M843 | \$ | 325.00 |
| 178 | | rear tires-11R24.5 Bridgestone M843 | \$ | 225.00 |
| 179 | | rear tires-12R24.5 Bridgestone M843 | \$ | 350.00 |
| 180 | | Wheelbase 171-199 | \$ | (350.00) |
| 181 | | Wheelbase 200-212 | \$ | (150.00) |
| 182 | | Wheelbase 213-250 | n/c | |
| 183 | | Aluminum air reservoirs | \$ | 325.00 |
| 184 | | Battery box cover-polished aluminum | \$ | 75.00 |
| 185 | | Battery box cover-molded plastic | \$ | (25.00) |
| 186 | | Steering-TAS-65 w. right side assist | n/c | |
| 187 | | RH stand up, LH sit down cab option | n/c | |
| 188 | | windshield protector-omit | \$ | (125.00) |
| 189 | | Air assist cab tilt pump | \$ | 150.00 |
| 190 | | LH fuel tank 50 gallon steel | \$ | (25.00) |
| 191 | | LH fuel tank 50 gallon aluminum | n/c | |
| 192 | | LH fuel tank 70 gallon steel | \$ | (25.00) |
| 193 | | LH fuel tank 70 gallon aluminum | \$ | 50.00 |
| 194 | | LH fuel tank 80 gallon aluminum | \$ | 175.00 |
| 195 | | RH fuel tank 50 gallon steel | \$ | 775.00 |
| 196 | | RH fuel tank 50 gallon aluminum | \$ | 850.00 |
| 197 | | RH fuel tank 70 gallon steel | \$ | 800.00 |
| 198 | | RH fuel tank 70 gallon aluminum | \$ | 950.00 |
| 199 | | RH fuel tank 80 gallon steel | \$ | 900.00 |
| 200 | | RH fuel tank 80 gallon aluminum | \$ | 1,050.00 |
| 201 | | omit standard 80 gallon fuel tank | \$ | (750.00) |
| 202 | | flush mount steel bumper for Curotto Can | \$ | 150.00 |
| 203 | | LH drive, RH stand up cab | n/c | |
| 204 | | | | |
| Extended Service Contracts | | | | |
| 228 | | Mack engine plan 2 w/EATS 460 HP or less 6 year/250,000 miles | \$ | 4,625.00 |
| 229 | | Mack engine plan 2 w/EATS 460 HP or less 7 year/250,000 miles | \$ | 5,250.00 |
| 230 | | Mack engine plan 2 w/EATS 460 HP or greater 5 year/250,000 miles | \$ | 3,595.00 |
| 231 | | Mack engine plan 2 w/EATS 460 HP or greater 6 year/250,000 miles | \$ | 6,500.00 |
| 232 | | Mack engine plan 2 w/EATS 460 HP or greater 7 year/250,000 miles | \$ | 7,400.00 |
| 233 | | Mack T300 manual transmission extended coverage to 5 year/500,000 miles | \$ | 500.00 |
| 234 | | Mack mDrive transmission normal duty ext coverage to 5 year/500,000 miles | \$ | 2,067.00 |
| 235 | | Mack mDrive transmission heavy duty ext coverage to 5 year/500,000 miles | \$ | 2,300.00 |
| 236 | | Mack mDrive transmission heavy duty ext coverage to 5 year/250,000 miles | \$ | 1,150.00 |
| 237 | | Mack mDrive clutch (only avail w/purchase of transmission ext coverage) | \$ | 695.00 |
| 238 | | Allison 3000RDS refuse application extended coverage to 5 years | \$ | 910.00 |
| 239 | | Allison 3000RDS non refuse application extended coverage to 5 years | \$ | 468.00 |
| 240 | | Allison 4500RDS refuse application extended coverage to 5 years | \$ | 1,001.00 |
| 241 | | Allison 4500RDS non refuse application extended coverage to 5 years | \$ | 786.00 |

| | | | | |
|---------------------------------------------|----------------|------------------------------------------------------|-----------------------------------------------------|--------------|
| 217 | | | | |
| 218 | | | | |
| Trash Collection/Recycling Equipment | | | | |
| 316 | New Way | Diamondback | Refuse B | \$43,500.00 |
| 317 | New Way | Diamondback | Refuse B | \$44,500.00 |
| 318 | New Way | Viper - 11 Yd | Refuse B | \$50,000.00 |
| 319 | | | Automatic Back Pack | |
| 320 | | | Semi-Automatic Packing Controls Container Winch | |
| 321 | New Way | Cobra | Rear Loa | \$58,000.00 |
| 322 | New Way | Cobra | Rear Loa | \$59,000.00 |
| 323 | New Way | Cobra | Rear Loa | \$61,000.00 |
| 324 | New Way | King Cobra | Rear Loa | \$72,000.00 |
| 325 | New Way | King Cobra | Rear Loa | \$74,500.00 |
| 326 | | | Barrel Tip | \$8,000.00 |
| 327 | | | Containe | \$9,000.00 |
| 328 | | | Video Sys | \$2,500.00 |
| 329 | | | Scale Sys | \$13,000.00 |
| 330 | | | Custom p | \$2,800.00 |
| 331 | New Way | Sidewinder | Recycle B | \$122,000.00 |
| 332 | New Way | Sidewinder - 33 Yd | Recycle B | \$123,500.00 |
| 333 | | | Dual driver controls with right hand Sit-Down drive | |
| 334 | | | Dual driver controls with right hand Stand-Up drive | |
| 335 | | | Cart Dumper - each | |
| 368 | Heil Mini REL | Refuse Body: Nine (9) Cubic Yards, Rear Load | \$ | 45,128.00 |
| 369 | Heil Mini REL | Refuse Body: Eleven (11) Cubic Yards, Rear Load | \$ | 48,036.00 |
| 370 | Heil Mini REL | Refuse Body: Thirteen (13) Cubic Yards, Rear Load | \$ | 50,612.00 |
| 371 | N/A | Automatic Back Pack | N/A | |
| 372 | 15,000 Reeving | Semi-Automatic Packing Controls with Container Winch | \$ | 6,968.00 |
| 373 | Heil PT 1000 | Rear Loader: Sixteen (16) Cubic Yards | \$ | 51,970.00 |
| 374 | Heil PT1000 | Rear Loader: Eighteen (18) Cubic Yards | \$ | 53,758.00 |
| 375 | Heil PT1000 | Rear Loader: Twenty (20) Cubic Yards | \$ | 54,650.00 |
| 376 | Heil 40/60 | Split Rear Loader (20) Cubic Yards - Recycle Packer | N/A | |
| 377 | Heil 40/60 | Split Rear Loader (25) Cubic Yards - Recycle Packer | \$ | 138,938.00 |

Pricing Pages

Proposer:

Manufacturer: Mack

Description: 2017 or Current Model Year Medium and Heavy Duty Trucks and Options

| Item # | Mfg. | Description | Est. Qty. | Unit Price |
|--------------------------------------|------|-----------------------------------------------------------------------------|-----------|----------------|
| Base Truck Models | | | | |
| M-17-002 | | Mack Truck Model: GRANITE 64FR 6X4 (64,000 GVW) | 16 | \$ 126,731.00 |
| | | customer choice of color paint | | std |
| OEM Options & Equipment | | | | |
| Engine Options | | | | |
| 102 | | Mack MP7-355M, 355 HP@1500-1800 RPM, 1260 lb/ft torque | | std |
| 103 | | Mack MP7-325M 325 HP @1400-1900 1260 LB-FT TORQUE | | \$ (200.00) |
| 104 | | Mack MP7-375M 375 HP @1500-1900 1360 LB-FT TORQUE | | \$ 450.00 |
| 105 | | Mack MP7-425M 425 HP @1500-1800 1560 LB-FT TORQUE | | \$ 1,350.00 |
| 106 | | MackMP7-345C 345 HP @1450-1700 1360 LB-FT TORQUE | | \$ (200.00) |
| 107 | | Mack MP7-365C 365 HP @1400-1700 1460 LB-FT TORQUE | | \$ 225.00 |
| 108 | | Mack MP7-395A 395 HP @1450-1700 1560 LB-FT TORQUE | | \$ 825.00 |
| 109 | | Mack MP7-395C 395 HP @1450-1700 1560 LB-FT TORQUE | | \$ 825.00 |
| 110 | | Mack MP8-415C 415 HP @1400-1700 1660 LB-FT TORQUE | | \$ 2,075.00 |
| 111 | | Mack MP8-445C 445 HP @1300-1700 1860 LB-FT TORQUE | | \$ 2,750.00 |
| 112 | | Mack MP8-505C 505 HP @1500-1700 1860 LB-FT TORQUE | | \$ 3,700.00 |
| 113 | | Mack MP8-425M 425 HP @1500-1900 1560 LB-FT TORQUE | | \$ 2,300.00 |
| 114 | | Mack MP8-455M 455 HP @1500-1900 1760 LB-FT TORQUE | | \$ 2,800.00 |
| 115 | | Mack MP8-505M 505 HP @1500-1800 1860 LB-FT TORQUE | | \$ 4,275.00 |
| Transmission Options | | | | |
| 116 | | Allison 4500-RDS-6, 6 speed rugged duty series GEN 5 with PTO provisions | | std |
| 117 | | Mack M-drive automated TMD12AFO-HD 12 speed | | \$ (8,200.00) |
| 118 | | Mack M-drive automated TMD13AFO-HD 13 speed | | \$ (4,550.00) |
| 119 | | Mack T310M 10 speed manual with low hole | | \$ (12,475.00) |
| Front Axle/Suspension Options | | | | |
| 120 | | 18,000 lb. Mack FXL18 with taperleaf springs | | std |
| 121 | | 18,000 lb Mack FXL18 with multileaf springs | | n/c |
| 122 | | 20,000 lb. Mack FXL20 with taperleaf springs | | \$ 1,200.00 |
| 123 | | 20,000 lb. Mack FXL20 with HD taperleaf springs | | \$ 1,200.00 |
| 124 | | 20,000 lb. Mack FXL20 with multileaf springs | | \$ 1,200.00 |
| 125 | | 20,000 lb. Mack FXL20 with HD multileaf springs | | \$ 1,200.00 |
| Rear Axle Options | | | | |
| 126 | | 46,000 lb Mack S462 dual reduction axle with multileaf springs | | std |
| 127 | | 46,000 lb Mack S462 dual reduction axle with parabolic 3 leaf spring | | \$ 1,125.00 |
| 128 | | 46,000 lb. Mack S462 dual reduction axle with Hendrickson HMX suspension | | \$ 1,000.00 |
| 129 | | 46,000 lb. Mack S462 dual reduction axle with Hendrickson HN462 | | \$ 1,000.00 |
| 130 | | 40,000 lb Mack S40 dual reduction axle with multileaf springs | | \$ (1,475.00) |
| 131 | | 44,000 lb Mack S440 dual reduction axle with extra thick multileaf springs | | \$ (475.00) |
| 132 | | 52,000 lb. Mack S522 dual reduction axle with extra thick multileaf springs | | \$ 2,300.00 |
| 133 | | 52,000 lb. Mack S522 dual reduction axle with Hendrickson HN522 susp | | \$ 2,350.00 |
| 134 | | 52,000 lb. Mack S522 dual reduction axle with parabolic 3 leaf springs | | \$ 2,400.00 |
| 135 | | 58,000 lb. Mack S582 dual reduction axle with multileaf springs | | \$ 8,000.00 |
| Frame Rail Options | | | | |
| 136 | | 11.81"x3.54"x37" frame rail | | std |
| 137 | | 6" bolt on frame extension | | std |
| 138 | | inner frame reinforcement full length of frame | | \$ 1,500.00 |
| 139 | | 20" front frame extension (constant rail) for snow plow | | \$ 1,500.00 |
| Cab/Chassis Options | | | | |
| 140 | | Air compressor-Meritor/Wabco 318 18.7 CFM | | std |
| 141 | | Alternator-Delco 12V 130A (24SI) brush type | | std |
| 142 | | Batteries- (3) Mack 12V M/F group 31 650/1950 CCA | | std |
| 143 | | Engine brake-Mack Powerleash | | std |
| 144 | | 120V 1500W engine block heater | | std |
| 145 | | Behr fan and electronic modulating fan drive | | std |
| 146 | | Mack fuel/water separator w/manual drain valve | | std |
| 147 | | silicone radiator and heater hoses with Breeze constant torque clamps | | std |
| 148 | | corrosion resistant oil pan | | std |
| 149 | | Starter- 12V Delco 39MT-MXT | | std |
| 150 | | Air dryer-Wabco heated 1200UPw/T cutoff valve w/coalescing air filter | | std |
| 151 | | DPF-Mack Cleartech One DPF/SCR system mounted RH side under cab | | std |
| 152 | | vertical exhaust | | std |
| 153 | | 6.6 gallon SCR tank | | std |
| 154 | | Spicer 1810 HD main driveline with coated splines | | std |
| 155 | | Spicer 1710 HD interaxle driveline with coated splines | | std |
| 156 | | dash mounted shifter | | std |
| 157 | | dash control/power supply for local installation of plow lamps | | std |
| 158 | | leads for plow lamps furnished at grille | | std |
| 159 | | air suspended cab | | std |
| 160 | | 2 extra dash mounted toggle switches | | std |
| 161 | | padded vinyl door panels w/arm rests | | std |
| 162 | | Mack integral heater/air conditioner | | std |
| 163 | | 5 lb. fire extinguisher mounted between driver seat and door | | std |
| 164 | | polyurethane floor covering | | std |

| | | | | | |
|--------------------------------------------------------|--|-------------------------------------------------------------------------------|-----|---------|--|
| 165 | | exhaust pyrometer and transmission oil temp gauges | std | | |
| 166 | | bright finish exterior grab handles | std | | |
| 167 | | lack finish interior grab handle ounted on driver's side windshield post | std | | |
| 168 | | foam padded headliner | std | | |
| 169 | | 2 roof mounted Mack rectangular single trumpet air horns | std | | |
| 170 | | (5) bullet type chrome marker and clearance lights | std | | |
| 171 | | LCD display in dash w/4 button stalk control and diagnostic display | std | | |
| 172 | | vinyl seat covering | std | | |
| 173 | | tilt/telescopic steering wheel | std | | |
| 174 | | hand crank windows | std | | |
| 175 | | slate gray "Purebred" interior | std | | |
| 176 | | orange lap and shoulder belts | std | | |
| 177 | | Bostrom Talladega 915 mid back driver seat | std | | |
| 178 | | Mack fixed mid back seat | std | | |
| 179 | | AM/FM stereo w/CD,MP3, Weatherband, Bluetooth | std | | |
| 180 | | 2 speed electric windshield wiper | std | | |
| 181 | | self cancelling turn signals | std | | |
| 182 | | Bright finish Mack Bulldog heated west coast mirrors | std | | |
| 183 | | 8" convex bright finish mirrors, mounted below lower are of west coast mirror | std | | |
| 184 | | Fiberglass sun visor | std | | |
| 185 | | 2 piece windshield | std | | |
| 186 | | grille painted gray | std | | |
| 187 | | painted hood latches | std | | |
| 188 | | 189" wheelbase | std | | |
| 189 | | 71" afterframe | std | | |
| 190 | | bumper-extended, swept back steel channel | std | | |
| 191 | | fuel tank-single LH aluminum 66 gallon | std | | |
| 192 | | DEF tank mounte on LH side | std | | |
| 193 | | aluminum air reservoirs | std | | |
| 194 | | bright finish fuel tank straps | std | | |
| 195 | | Meritor S Cam 16.5"X6" Q+ front drum brakes with dust shields | std | | |
| 196 | | HalDEX automatic slack adjusters-front | std | | |
| 197 | | Sheppard SD110 steering gear | std | | |
| 198 | | Meritor S Cam 16.5"X7" rear drum brakes with dust shields | std | | |
| 199 | | 4.50 ratio | std | | |
| 200 | | 50" rear axle spacing | std | | |
| 201 | | bronze trunnion bushing | std | | |
| 202 | | power divider lockout w/buzzer and light | std | | |
| 203 | | HalDEX automatic slack adjusters-rear | std | | |
| 204 | | MGM spring brake chambers | std | | |
| 205 | | Bendix anti lock brake system with traccioin control | std | | |
| OEM Options & Equipment - Heavy Duty Trucks | | | | | |
| 206 | | Front wheels-steel 22.5"X8.25" hub piloted | n/c | | |
| 207 | | Front wheels-steel 24.5"X8.25" hub piloted | n/c | | |
| 208 | | Front wheels-aluminum 22.5"X8.25" hub piloted | \$ | 100.00 | |
| 209 | | Front wheels-aluminum 24.5"X8.25" hub piloted | \$ | 100.00 | |
| 210 | | Front wheels-aluminum 22.5"X9" hub piloted | \$ | 125.00 | |
| 211 | | Rear wheels-steel 24.5"X8.25" hub piloted | std | | |
| 212 | | Rear wheels-aluminum 22.5"X8.25" hub piloted | \$ | 125.00 | |
| 213 | | Rear wheels-aluminum 24.5"X8.25" hub piloted | \$ | 125.00 | |
| 214 | | Front tires-11R22.5 Bridgestone M843 | \$ | (25.00) | |
| 215 | | Front tires-11R22.5 Bridgestone M853 | \$ | 25.00 | |
| 216 | | Front tires-11R24.5 Bridgestone M843 | \$ | 25.00 | |
| 217 | | Front tires-11R24.5 Bridgestone M853 | \$ | 50.00 | |
| 218 | | Front tires-12R22.5 Bridgestone M843 | \$ | 75.00 | |
| 219 | | Front tires-12R24.5 Bridgestone M843 | \$ | 75.00 | |
| 220 | | Rear tires-11R22.5 Bridgestone M843 | \$ | (25.00) | |
| 221 | | Rear tires-11R24.5 Bridgestone L320 | \$ | 100.00 | |
| 222 | | Rear tires-11R24.5 Bridgestone M843 | \$ | 100.00 | |
| 223 | | Rear tires-12R24.5 Bridgestone M843 | \$ | 125.00 | |
| 224 | | Wheelbase 171"-188" | \$ | (50.00) | |
| 225 | | Wheelbase 190"-246" | std | | |
| 226 | | Wheelbase 247"-276" | \$ | 550.00 | |
| 227 | | Wheelbase 277"-304" | \$ | 650.00 | |
| 228 | | Heated Tinted windshield | \$ | 450.00 | |
| 229 | | dash mounted body/hoist up lamp | \$ | 100.00 | |
| 230 | | hood inspection hatch for snow plow application | \$ | 500.00 | |
| 231 | | heated convex mirrors | \$ | 50.00 | |
| 232 | | visibility mirror above passenger window | \$ | 25.00 | |
| 233 | | LED marker and clearance lamps | \$ | 125.00 | |
| 234 | | High back driver seat-air suspension | \$ | 200.00 | |
| 235 | | Extended rider seat | \$ | 200.00 | |
| 236 | | Power windows | \$ | 425.00 | |
| 237 | | One piece windshield | \$ | 125.00 | |
| 238 | | Inside/outside air intake for snow plow application | \$ | 375.00 | |
| 239 | | Alternator-Leece Neville 12V 140A | \$ | 75.00 | |
| 240 | | Alternator-Leece Neville 12V 160A | \$ | 150.00 | |
| 241 | | Alternator-Leece Neville 12V 200A | \$ | 625.00 | |
| 242 | | Alternator-Delco 12V 145A | \$ | 25.00 | |
| 243 | | Alternator-Delco 12V 165A-brushless | \$ | 250.00 | |
| 244 | | Battery box cover-polished aluminum | \$ | 75.00 | |
| 245 | | Emergency start studs | \$ | 150.00 | |

| | | | | |
|-----|--|----------------------------------------------------------------------|-------------|--|
| 246 | | Front and rear differential lock for rear axles | \$ 1,275.00 | |
| 247 | | Front rear only differential lock | \$ 650.00 | |
| 248 | | Rear rear only differential lock | \$ 650.00 | |
| 249 | | 20,000 lb. steerable pusher axle (does not include wheels and tires) | \$ 8,500.00 | |
| 250 | | 20,000 lb. fixed pusher axle (does not include wheels and tires) | \$ 5,400.00 | |
| 251 | | LH fuel tank 88 gallon aluminum | \$ 325.00 | |
| 252 | | LH fuel tank 111 gallon aluminum | \$ 400.00 | |
| 253 | | LH fuel tank 66 gallon steel | \$ 50.00 | |
| 254 | | LH fuel tank 88 gallon steel | \$ 275.00 | |
| 255 | | RH fuel tank 66 gallon aluminum | \$ 825.00 | |
| 256 | | RH fuel tank 88 gallon aluminum | \$ 1,075.00 | |
| 257 | | RH fuel tank 66 gallon steel | \$ 750.00 | |
| 258 | | RH fuel tank 88 gallon steel | \$ 975.00 | |
| 259 | | Increased air capacity for pusher axle | \$ 375.00 | |
| 260 | | Hand control valve for trailer brakes | \$ 75.00 | |
| 261 | | Trailer air brakes to the end of frame | \$ 425.00 | |
| 262 | | Trailer electrical cord (7pin) to end of frame | \$ 175.00 | |
| 263 | | 1000/1100 series flange crankshaft adapter for PTO | \$ 150.00 | |
| 264 | | 1350 series flange crankshaft adapter for PTO | \$ 150.00 | |
| 265 | | GU front axle back option | \$ 1,700.00 | |
| 266 | | | | |

Extended Service Contracts

| | | | | |
|-----|--|---------------------------------------------------------------------------|--------------------|--|
| 228 | | Mack engine plan 2 w/EATS 460 HP or less 6 year/250,000 miles | \$ 4,625.00 | |
| 229 | | Mack engine plan 2 w/EATS 460 HP or less 7 year/250,000 miles | \$ 5,250.00 | |
| 230 | | Mack engine plan 2 w/EATS 460 HP or greater 5 year/250,000 miles | \$ 3,595.00 | |
| 231 | | Mack engine plan 2 w/EATS 460 HP or greater 6 year/250,000 miles | \$ 6,500.00 | |
| 232 | | Mack engine plan 2 w/EATS 460 HP or greater 7 year/250,000 miles | \$ 7,400.00 | |
| 233 | | Mack T300 manual transmission extended coverage to 5 year/500,000 miles | \$ 500.00 | |
| 234 | | Mack mDrive transmission normal duty ext coverage to 5 year/500,000 miles | \$ 2,067.00 | |
| 235 | | Mack mDrive transmission heavy duty ext coverage to 5 year/500,000 miles | \$ 2,300.00 | |
| 236 | | Mack mDrive transmission heavy duty ext coverage to 5 year/250,000 miles | \$ 1,150.00 | |
| 237 | | Mack mDrive clutch (only avail w/purchase of transmission ext coverage) | \$ 695.00 | |
| 238 | | Allison 300ORDS refuse application extended coverage to 5 years | \$ 910.00 | |
| 239 | | Allison 300ORDS non refuse application extended coverage to 5 years | \$ 468.00 | |
| 240 | | Allison 450ORDS refuse application extended coverage to 5 years | \$ 1,001.00 | |
| 241 | | Allison 450ORDS non refuse application extended coverage to 5 years | \$ 786.00 | |

| Item # | Mfg. | Description | Unit Price | |
|--------|------|-------------|------------|--|
|--------|------|-------------|------------|--|

Aftermarket Equipment for Medium & Heavy Duty Trucks

Body Options

| | | | | |
|-----|----------------|-------------|-------------------------------------------------------------------------|--------------------------|
| 315 | STAHL | CST134VD | Ten (11) Foot Custom Utility Body | \$10,750.00 |
| 316 | | | Upgrade to Composite Material Utility Body | N/A |
| 317 | | | Upgrade to Aluminum Utility Body | N/A |
| 318 | | | 185 CFM Under-Deck Air-Compressor | N/A |
| 319 | VMAC | VC150 | 150 CFM Under-Hood Air-Compressor - UNDERHOOD OPERATED | \$18,500.00 |
| 320 | VMAC | VC70 | 70 CFM Under-Hood Air-Compressor - PTO OPERATED | \$16,000.00 |
| 321 | REELCRAFT | | Manual Rewind Air Hose Reel with 50 ft. of .75" hose | \$750.00 |
| 322 | THOR | | 2000W Power Inverter w/ 2 Batteries | \$2,850.00 |
| 323 | | | 120VAC GFCI Outlet | N/A |
| 324 | TAFCO | STD DUTY | Twelve (12) Foot Stationary Rack Body - INSTALLED | \$5,500.00 |
| 325 | | | Add for each 2 Ft. Increment | \$600.00 |
| 326 | TAFCO | MAGNUM | Upgrade to Aluminum Rack Body | \$1,950.00 |
| 327 | | | Add for each 2 Ft. Increment - Aluminum Body | \$950.00 |
| 328 | | | Stationary Steel Headboard for Rack Body | \$650.00 |
| 329 | | | Diamond Plate Steel Flooring for Rack Body - per foot | \$38.00 |
| 330 | TAFCO / HARSH | RL C20 | Twelve (12) Foot Dumping Rack Body with Electric/Hydraulic Hoist | \$9,000.00 |
| 331 | | | Add for each 2 Ft. Increment | \$900.00 |
| 332 | | | Fourteen (14) Foot Dry Van Body | N/A |
| 333 | | | Add for each 2 Ft. Increment | N/A |
| 334 | IROUOIS | | Fourteen (14) Ft. Enclosed Chipper Body - PTO OPERATED INSTALLED | \$18,250.00 |
| 335 | FLEET ENGINEER | | Polymer Rear Fenders - SINGLE AXLE | \$850.00 |
| 336 | LIFETIME | CORRUGATED | Stainless Steel Rear Fenders - SINGLE AXLE | \$995.00 |
| 337 | DEWEZE | CLUTCH PUMP | Belt Driven Hydraulic System - WITH ONE VALVE | \$5,350.00 |
| 338 | CHELSEA/MUNCIE | | PTO & Pump for Automatic or Manual Transmission | \$2,250.00 / \$ 1,400.00 |
| 339 | TOMMIGATE | 89-25 TP42 | Electric/Hydraulic Liftgate - 2,500 lb. Capacity | \$6,500.00 |
| 340 | ON SPOT | | Automatic Tire Chains - On Spot or Equal | \$3,000.00 |
| 341 | TECONSEH | VOYAGER | Dash Mounted Electric Brake Controller | \$300.00 |
| 342 | BUYERS | 30 TON | Plate Mounted Pintle Hook with Trailer Plug | \$800.00 |
| 343 | | | Automatic Lube System for Truck Chassis | N/A |

Aerial Lift Equipment

| | | | | |
|-----|--|--|----------------------------------------------------------|-----|
| 344 | | | Knuckle Boom Crane with Grapple Loader | N/A |
| 345 | | | Service Body Crane - 6,000 lb. CAPACITY | N/A |
| 346 | | | Aerial Lift 36' Device with Utility Service Body | N/A |
| 347 | | | Aerial Lift 38' Device with Utility Service Body | N/A |
| 348 | | | Aerial Lift 40' Device with Utility Service Body | N/A |
| 349 | | | Aerial Lift 42' Device with Utility Service Body | N/A |
| 350 | | | Aerial Lift 44' Device with Utility Service Body | N/A |
| 351 | | | Aerial Lift 47' Device with Utility Service Body | N/A |
| 352 | | | Aerial Lift 65' Device with Utility Service Body | N/A |
| 353 | | | Aerial Lift 72' Device with Utility Service Body | N/A |
| 354 | | | Platform Body L.L.O. Utility Service Body | N/A |
| 355 | | | 47' Corner Mount Digger Derrick with Pole Glass, Full | N/A |

| | | | | |
|---------------------------------------------|--------------|---------|---------------------------------------------------------------------------|-------------|
| 356 | | | Upgrade to Insulated Boom | N/A |
| 357 | | | 10' Elevator for Aerial Lift Device | N/A |
| 358 | | | Forestry Package: Includes 65' Aerial Lift Device with HD | N/A |
| 359 | | | Hydraulic Material Handling Ib. | N/A |
| 360 | | | Two (2) Man Bucket/Basket - 500 lb. Capacity | N/A |
| 361 | | | Hydraulic Tool Console at Bucket | N/A |
| 362 | | | Remote Engine Start/Stop - Requires 6/12 Pack with Remote S/S Programming | N/A |
| 363 | | | Emergency 12 Volt Hydraulic System | N/A |
| 364 | | | Hydraulic Outriggers - Two (2) A-Frame | N/A |
| 365 | | | Bucket Liner | N/A |
| 366 | | | Single Stick Control System | N/A |
| 367 | | | Removable Utility Vise | N/A |
| 368 | | | Hydraulic Rotating Basket, 180° | N/A |
| 369 | | | Hydraulic Chain Saw with Scabbard | N/A |
| Trash Collection/Recycling Equipment | | | | |
| 370 | | | Refuse Body: Six (6) Cubic Yards, Rear Load | N/A |
| 371 | | | Refuse Body: Eight (8) Cubic Yards, Rear Load | N/A |
| 372 | | | Refuse Body: Ten (10) Cubic Yards, Rear Load | N/A |
| 373 | | | Automatic Back Pack | N/A |
| 374 | | | Semi-Automatic Packing Controls Container Winch | N/A |
| 375 | | | Rear Loader: 16 Cubic Yards | N/A |
| 376 | | | Rear Loader: 18 Cubic Yards | N/A |
| 377 | | | Rear Loader: 20 Cubic Yards | N/A |
| 378 | | | Rear Loader Hi-Compaction: 25 Cubic Yards | N/A |
| 379 | | | Rear Loader Hi-Compaction: 32 Cubic Yards | N/A |
| 380 | | | Barrel Tipper | N/A |
| 381 | | | Container handling hoist | N/A |
| 382 | | | Video System: Rear View | N/A |
| 383 | | | Scale System | N/A |
| 384 | | | Custom paint color - in lieu of white | N/A |
| 385 | | | Recycle Body - 31 cu/yd, side load, rear dump, Fully Automated | N/A |
| 386 | | | Recycle Body - 35 cu/yd, side load, rear dump, Fully Automated | N/A |
| 387 | | | Dual driver controls with right hand Sit-Down drive | N/A |
| 388 | | | Dual driver controls with right hand Stand-Up drive | N/A |
| 389 | | | Cart Dumper - each | N/A |
| Asphalt Patching Equipment | | | | |
| 390 | | | Slide-in 2 cu/yd - 3 Ton hot box Asphalt pre-heater | N/A |
| 391 | | | Slide-in 3 cu/yd - 4.5 Ton hot box Asphalt pre-heater | N/A |
| 392 | | | Slide-in 4 cu/yd - 6 Ton hot ton hot box Asphalt pre-heater | N/A |
| 393 | | | 4/5 cu/yd hot box Asphalt pre-heater | N/A |
| 394 | | | 6/7 cu/yd hot box Asphalt pre-heater | N/A |
| 395 | | | Add for Hot Box Asphalt Recycler - Dual Burner Option | N/A |
| 396 | | | Add for Stepp Oil Jacketed Design | N/A |
| 397 | | | Asphalt Recycler - Tailgate Mount | N/A |
| 398 | | | Tack Tank with Diesel Burner & Auto Controls | N/A |
| 399 | | | Compactor Carrying Plate | N/A |
| 400 | | | Electric Overnight Heater | N/A |
| 401 | | | Cold Weather Upgrade Package | N/A |
| 402 | | | Upgrade from Diesel to Propane | N/A |
| Dump Body Options | | | | |
| 403 | | | Front PTO Mounted Central Hydraulic System - WITH ONE VALVE | \$4,800.00 |
| 404 | | | Automatic Transmission Mounted Central Hydraulic System - WITH VALVE | \$5,500.00 |
| 405 | | | Dry Valve or Pressure Compensating Pump - ADD | \$850.00 |
| 406 | | | Low Hydraulic Fluid Alarm/ Shutoff | N/A |
| 407 | GODWIN | 184U | 9' - 2 to 4 Cubic Yard Dump Body - NO HYDRAULICS / BLACK | \$7,700.00 |
| 408 | DONOVAN | 106 | 10' - 6 to 8 Cubic Yard Dump - NO HYDRAULICS / BLACK | \$10,750.00 |
| 409 | HARSH | RL F 60 | Class 60 Arm Type with a Capacity of 17 Tons - NO HYDRAULICS | \$6,500.00 |
| 410 | | | Upgrade Dump Body to 7 Gauge Steel | \$1,100.00 |
| 411 | BRANDON | HD | Add for 12'/13'/14' Dump with Front Telescopic Hoist - 14' BODY UPGRADE | \$6,500.00 |
| 412 | | | Add for 12'/13'/14' Dump with Twin Cylinder Hoist | N/A |
| 413 | | | Add for 100" Wide Dump Body | \$1,200.00 |
| 414 | BRANDON | HD | 17' Monoshell Dump Body - NO HYDRAULICS / BLACK | \$18,200.00 |
| 415 | | | Custom Fabricated Tailgate Asphalt Door (Each) | \$500.00 |
| 416 | | | Air Operated Tailgate | \$550.00 |
| 417 | BEAU-ROC | | Barn Door Tailgate | \$1,950.00 |
| 418 | WEATHERGUARD | | 30" Stainless Steel Underbody Tool Box | \$575.00 |
| 419 | WEATHERGUARD | | 30" Aluminum Underbody Tool Box | \$700.00 |
| 420 | | | Heat Diverter Valve and Connection for Dump Body | \$800.00 |
| 421 | AERO | 575 | Electric Automatic Load Cover | \$2,100.00 |
| 422 | BEAU-ROC | | Semi-Automatic Load Cover | \$750.00 |
| 423 | PIONEER | G1500D | Semi-Automatic Load Cover with Ground Control | \$1,500.00 |
| 424 | | | Manually Retracted Load Cover | \$250.00 |
| 425 | | | Side Boards: Oak 2" x 10" | 13/FT |
| 426 | | | Steel Side Boards: "C" Channel | 38/FT |
| 427 | | | Two (2) Chock Blocks and Holders | \$250.00 |
| 428 | | | Full Width Steel Asphalt Apron, 8-7" Depth | \$400.00 |
| 429 | BEAU-ROC | | Upcharge for 10' Stainless Steel Dump Body ILO Steel | \$15,000.00 |
| 430 | BEAU-ROC | | Upcharge for 12'/13' Stainless Steel Dump Body ILO Steel | \$16,000.00 |
| 431 | BEAU-ROC | | Upcharge for 14' Stainless Steel Dump Body ILO Steel | \$16,500.00 |
| 432 | BEAU-ROC | DH | Upcharge for 10' HARDOX Steel Dump Body ILO CarbonSteel | \$5,100.00 |
| 433 | BEAU-ROC | DH | Upcharge for 12'/13' HARDOX Steel Dump Body ILO CarbonSteel | \$7,200.00 |
| 434 | BEAU-ROC | DH | Upcharge for 14' HARDOX Steel Dump Body ILO CarbonSteel | \$7,900.00 |

| | | | | |
|-----------------------------------------|--------------|-------------------------|-----------------------------------------------------------------------------|-------------|
| 435 | | | Upcharge for 10' Aluminum Dump Body | N/A |
| 436 | | | Upcharge for 12'/13' Aluminum Dump Body | N/A |
| 437 | | | Upcharge for 14' Aluminum Dump Body | N/A |
| 438 | LIFETIME | | Polymer Rear Fenders - TANDEM AXLE | \$1,950.00 |
| Snow Plow Equipment | | | | |
| 439 | MONROE | MP36R10-ISCT | Medium Duty 10 Ft. Power Angle Snow Plow Package | \$7,700.00 |
| 440 | MONROE | | Heavy Duty Plow Frame - Statix PIN | \$4,900.00 |
| 441 | MONROE | | Heavy Duty Plow Frame - Powe PIN | \$5,800.00 |
| 442 | MONROE | 8003 | Heavy Duty Plow Frame - Hinged with Lights and Control Valve | \$4,900.00 |
| 443 | | | Heavy Duty Husting Type Plow Frame with Lights and Control Valve | \$5,500.00 |
| 444 | MONROE | 5000 | Heavy Duty Stationary Quick Hitch with Lights and Control Valve | \$5,300.00 |
| 445 | MONROE | | Heavy Duty Power Tilt Quick Hitch with lights and control valve | \$5,950.00 |
| 446 | MONROE | | Heavy Duty Arrowhead Type Plow Frame with Lights and Control Valve | \$5,500.00 |
| 447 | MONROE | | Heavy Duty Quick Link Hitch with Lights and Control Valve | \$5,500.00 |
| 448 | FLINK | 2PRS59U | Heavy Duty 10' Power Reversing Trip Edge Plow | \$10,150.00 |
| 449 | FLINK | 2PRS54U | Heavy Duty 11' Power Reversing Trip Edge Plow | \$10,950.00 |
| 450 | FLINK | 2PRS54486DORT | Heavy Duty 11' "Vortex" Power Reversing Trip Edge Plow | \$12,500.00 |
| 451 | FLINK | 2PRS55 | Heavy Duty 12' Power Reversing Trip Edge Plow | \$12,600.00 |
| 452 | MONROE | MPFA-R - 39 - 52 - ISCT | Heavy Duty 11' Power Reversing One-Way Plow | \$7,750.00 |
| 453 | | | Power Reverse Hydraulics with Controls | \$950.00 |
| 454 | | | Add for Hydraulic Latching of Plow Angle | N/A |
| 455 | | | Heavy Duty Truck Folding V Plow - Minimum 41" Height - Trip Edge - 11' | N/A |
| 456 | FLINK | 472 | Heavy Duty 10' Non-Reversing Trip Edge Plow | \$7,500.00 |
| 457 | FLINK | 475 | Heavy Duty 11' Non-Reversing Trip Edge Plow | \$8,500.00 |
| 458 | | | Heavy Duty 13' Fixed Angle Trip Edge Plow | N/A |
| 459 | | | Husting Attachment for Snow Plow | \$2,200.00 |
| 460 | | | Arrowhead Attachment for Snow Plow | \$1,200.00 |
| 461 | | | Quick Hitch Attachment for Snow Plow | \$1,000.00 |
| 462 | | | Add for "Polymer" Moldboard in Lieu of Steel | \$500.00 |
| 463 | MONROE | 11DFWMB-FT | Hydraulic Full Wing System, Attachments, Valves, and Full Trip Wing | \$14,250.00 |
| 464 | | | Timbren Custom Front Spring System for Wing Plows | \$950.00 |
| 465 | | | Air-Bag Auxiliary Front Spring for Wing Plow | \$1,300.00 |
| 466 | | | Laser Guidance System for Wing Plows | N/A |
| 467 | MONROE | | Manual Reverse Underbody Scraper - 10' | \$8,500.00 |
| 468 | | | Ground Clearance Package for Scraper Installation with 50 gallon fuel tank | N/A |
| Snow & Ice Control Equipment | | | | |
| 469 | MONROE/FLINK | MSV-120 / LMC5H | 10 ft. drop-in type Spreader - 7 YARDS STEEL | \$11,500.00 |
| 470 | MONROE/FLINK | MSV-120 / LMC5H | 10 ft. chassis mounted Spreader - 7 YARDS STEEL | \$12,500.00 |
| 471 | | | Upgrade to 13'/14 Ft. 10 Cubic Yard Spreader - Add - 10 YARD STEEL | \$3,150.00 |
| 472 | MONROE/FLINK | STAINLESS STEEL | Stainless Steel Spreader - Upgrade: for 10 Ft. Spreader | \$4,500.00 |
| 473 | | | Stainless Steel Spreader - Upgrade: for 13'/14 Ft. Spreader | \$7,500.00 |
| 474 | | 2FFL DIAL VALVE | Manual Spreader Fluid Control Valve, Plumbed | \$1,750.00 |
| 475 | | | Reinforced Bumper to Protect Spinner Chute | \$750.00 |
| 476 | MONROE | DTS | 10' Combination Dump/Spreader: 6 - 8 Cubic Yard | \$38,900.00 |
| 477 | | | Spreader Control Systems - MANUAL VALVES | \$1,750.00 |
| 478 | | | Sander Spill Shields - STEEL | \$900.00 |
| 479 | | | 24" Cab Shield for Chassis Mounted Spreader - STEEL | \$750.00 |
| 480 | | | Rear Deflector for Spreader | \$750.00 |
| 481 | | | 4" Flood Light for Spreader | \$250.00 |
| 482 | | | Dual Rear Facing 7" Red Flashers for Spreader | \$450.00 |
| 483 | | | Dual Steel Diamond Tread Cat Walks with Access Steps | \$1,250.00 |
| 484 | | | Calcium Applicator, Single Frame Mounted Tank | N/A |
| 485 | | | Calcium Applicator, Dual Stainless Steel Tanks | N/A |
| 486 | REED | SBV-90 | Calcium Applicator, Dual Poly Tanks | \$3,950.00 |
| 487 | REED | | Calcium Application System - Tailgate Mount | \$4,000.00 |
| 488 | | | 950/1000 Gallon Direct Application Calcium System | N/A |
| 489 | | | 1600/1650 Gallon Direct Application Calcium System | N/A |
| 490 | | | Combination Dump/Spreader: Tenco 12M | N/A |
| 491 | | | Combination Dump/Spreader: Everest SDS | N/A |
| 492 | | | Combination Dump/Spreader: Air Flo/N Dump | N/A |
| 493 | | | Combination Dump/Spreader: Tarco T-3000 | N/A |
| 494 | | | Combination Dump/Spreader: Henderson Muni-Body | N/A |
| 495 | FLINK | MPB | Combination Dump/Spreader: Flink MPB | \$34,500.00 |
| 496 | | | Combination Dump/Spreader: Viking Proline | N/A |
| 497 | | | Combination Dump/Spreader: Hi-Way XT-3 | N/A |
| 498 | MONROE | | Combination Dump/Spreader: Monroe RDS | \$36,140.00 |
| 499 | | | Combination Dump/Spreader - Swenson | N/A |
| 500 | | | Combination Dump/Spreader - MG | N/A |
| 501 | | | Corten Steel Upgrade for 10' Dump/Spreader | N/A |
| 502 | | | Stainless Steel Upgrade for 10' Dump/Spreader | \$12,000.00 |
| 503 | | | Add for 12'/13' Dump/Spreader | \$8,000.00 |
| 504 | | | Stainless Steel Upgrade for 12'/13' Dump/Spreader | \$17,500.00 |
| 505 | | | Corten Steel Upgrade for 12'/13' Dump/Spreader | N/A |
| 506 | | | Automatic Grease System for Dump/Spreader Body | N/A |
| 507 | | | Custom Paint Color | \$1,200.00 |
| 508 | MUNCIE | MESP | Electronic Spreader Control - Low Tier - Dual Flow / Ground Speed Capable | \$3,000.00 |
| 509 | FORCE AMER. | 5100X | Electronic Spreader Control - Mid Tier - ADD Programmable & Data Logging | \$6,500.00 |
| 510 | FORCE AMER. | 6100X | Electronic Spreader Control - High Tier - ADD Wifi , GPS & Joystick Control | \$8,500.00 |
| 511 | | | Front Discharge for Spreader | \$750.00 |
| 512 | | | Dual Discharge for Dump/Spreader | \$3,950.00 |
| 513 | | | Dual Auger, Conveyor Body Upgrade | N/A |
| 514 | | | Top Sectional Screens for Dump/Spreader | \$2,500.00 |

| | | | | |
|----------------------------------|----------------|----------------|----------------------------------------------------------------------------------|--------------|
| 515 | | | Asphalt Curb Chute | N/A |
| 516 | FLINK | FLS18 | Tailgate Mounted Dual Discharge Cross Conveyor - STEEL | \$8,950.00 |
| 517 | | | Slide-In, Anti-Icing System - 735 Gallons (Inside box width of 83" or greater) | N/A |
| 518 | | | Slide-In, Anti-Icing System - Add per 100 Gallon Increase in Size | N/A |
| 519 | FLEET ENGINEER | | Polymer Rear Fenders - SINGLE AXLE | \$950.00 |
| Street Sweeping Equipment | | | | |
| 520 | | | TYMCO model 500X Regenerative Air Sweeper, Dual Steering - ADD to Base 4300 C | \$280,600.00 |
| 521 | | | TYMCO model 600 Regenerative Air Sweeper, Dual Steering - ADD to Base 4300 Ch | \$265,800.00 |
| 522 | | | Stainless Steel Hopper Upgrade - model 600 | INCLUDED |
| 523 | | | Catch Basin Cleaner Attachment | INCLUDED |
| 524 | | | Dustless Sweeping Technology - model 600 | \$67,520.00 |
| 525 | | | Gator Getter High Speed Debris Remover Attachment | N/A |
| 526 | | | Paint Color other than White | \$4,300.00 |
| 527 | | | ASI - Auto Sweep Interrupt | INCLUDED |
| 528 | | | Elgin Broom Bear Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 529 | | | Elgin Eagle Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 530 | | | Elgin Crosswind Regenerative Air Sweeper - Dual Steering - Add to Base 4300 Chas | N/A |
| 531 | | | Elgin Whirlwind Vacuum Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| 532 | | | Johnson ES351 Mechanical Sweeper - Dual Steering - Add to base 4300 Chassis | N/A |
| 533 | | | Schwartz Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 534 | | | Schwartz Regenerative Air Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| 535 | | | Schwartz Vacuum Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| Hook Loader Equipment | | | | |
| 536 | PALFINGER | PALIFT T60 | Hook loader for 20' to 24' Bodies, 65,000 lbs. Capacity | \$45,000.00 |
| 537 | PALFINGER | PALIFT T50 | Hook loader for 17' to 22' Bodies, 54,000 lbs. Capacity | \$40,000.00 |
| 538 | PALFINGER | PALIFT T50 | Hook loader for 19' to 24' Bodies, 50,000 lbs. Capacity | \$40,000.00 |
| 539 | PALFINGER | PALIFT T40L | Hook loader for 14' to 18' Bodies, 40,000 lbs. Capacity | \$37,500.00 |
| 540 | PALFINGER | HAD300M | Hook loader for 14' to 18' Bodies, 33,000 lbs. Capacity | \$29,950.00 |
| 541 | PALFINGER | HAD250S | Hook loader for 10' to 14' Bodies, 24,000 lbs. Capacity | \$28,500.00 |
| 542 | PALFINGER | HAD250M | Hook loader for 14' to 18' Bodies, 24,000 lbs. Capacity | \$28,950.00 |
| 543 | PALFINGER | HAD200L | Hook loader for 14' to 18' Bodies, 18,000 lbs. Capacity | \$24,000.00 |
| 544 | PALFINGER | HAD185 | Hook loader for 12' to 15' Bodies, 14,000 lbs. Capacity | \$23,500.00 |
| 545 | PALFINGER | HAD130S | Hook loader for 10' to 10' Bodies, 9,500 lbs. Capacity | \$22,950.00 |
| 546 | | | Hook loader Skid for Mounting Optional Bodies - STEEL INSTALLED | \$2,950.00 |
| 547 | | | Custom Support Legs for Specialized Bodies | N/A |
| 548 | VALLEY | | Open Top Container Body - 14' / 15 YARDS / BLACK | \$4,200.00 |
| 549 | | | Switch N Go - 9' to 14' Detachable Truck Body System | N/A |
| 550 | | | Switch N Go - Skid for Mounting Optional Bodies | N/A |
| 551 | PIONEER | HR1500HS | Hydraulic Tower & Load Cover - STEEL ARMS | \$3,950.00 |
| 552 | | | Custom Cab Guard (Headache Rack) | \$2,500.00 |
| Sewer Cleaning Equipment | | | | |
| 553 | | | Stetco: Model 950 Catch Basin Cleaner | N/A |
| 554 | | | Stetco: Custom stainless debris dump body | N/A |
| 555 | | | Stetco: Truck mounted Jetter | N/A |
| 556 | | | Pipehunter 700 gal. - 3000 psi Sewer Jet | N/A |
| 557 | | | High-Pressure Sewer Flushing Machine | N/A |
| 558 | | | Rear Mounted Rotating/Telescoping Safety Hose Reel | N/A |
| 559 | | | Rear Mounted Rotating/Telescoping Dual Reel with T.V. | N/A |
| 560 | | | Telescoping Sewer Hose Reel | N/A |
| 561 | | | Heated Rear Compartment for Jet Truck | N/A |
| 562 | | | High Pressure Wash Down System | N/A |
| 563 | | | Single Reel Video Inspection System | N/A |
| 564 | | | Vactor Combo Jetting and Vacuum Body: Fan Blower Type | N/A |
| 565 | | | Vactor Combo. Jetting and Vacuum Body: PD Pump Type | N/A |
| 566 | | | Vac-Con Combo Jetting and Vacuum Body: Fan Blower Type | N/A |
| 567 | | | Vac-Con Combo Jetting and Vacuum Body: PD Pump Type | N/A |
| 568 | | | Aquatech B-10 Combo Jetting and Vacuum Body | \$272,000.00 |
| 569 | | | Aquatech B-15 Combo Jetting and Vacuum Body | \$290,000.00 |
| 570 | | | Tool Box: 45" x 16" x 12" - Aluminum | \$1,500.00 |
| 571 | | | Tool Box: 24" x 24" x 24" - Aluminum | \$1,050.00 |
| 572 | | | Body Color - Other Than Acrylic White | \$4,500.00 |
| 573 | | | Video System - front, side & rear view | \$4,800.00 |
| 574 | | | Automatic Lube System | \$12,500.00 |
| Lighting Systems | | | | |
| 575 | | | LED Strobe System: One Cab Mounted Flasher and Two | \$1,200.00 |
| 576 | | | LED Strobe System: Two Flashers Mounted in Front | \$1,100.00 |
| 577 | | | LED Strobe System: Two Marker Light Mounted Strobes | \$1,100.00 |
| 578 | | | LED Strobe System: Two Rear Mounted Flashers with | \$1,100.00 |
| 579 | | | Rear Flashers Mounted in Steel Case - ADD | \$750.00 |
| 580 | | | Rear Flashers Mounted in Stainless Steel Case - ADD | \$950.00 |
| 581 | | | Rear Flashers Mounted in Aluminum Case - ADD | N/A |
| 582 | | | Front marker light mounted LED Flashers | \$500.00 |
| 583 | | | Small Roof Mounted LED Light Bar | \$1,600.00 |
| 584 | | | Large LED Traffic Advisor Arrow Board | \$3,200.00 |
| 585 | | | Small LED Arrow Board | \$1,250.00 |
| 586 | ACNS | SRC400 DONOVAN | 26' x 60' DONOVAN DUMP TRAILER - CONVENTIONAL FRAME | \$61,000.00 |
| 587 | PALFINGER | ARB-T5-22 | ROLL OFF UNIT | \$ 33,250.00 |

Pricing Pages

Proposer:

Manufacturer: Mack

Description: 2017 or Current Model Year Medium and Heavy Duty Trucks and Options

| Item # | Mfg. | Description | Est. Qty. | Unit Price |
|--------------------------|------|---------------------------------------|-----------|------------|
| Base Truck Models | | | | |
| M-17-005 | | Mack Truck Model: PINNACLE 64T DAYCAB | 2 | |
| | | customer choice of color | | |

| Item # | Mfg. | Description | Unit Price |
|--------|------|-------------|------------|
|--------|------|-------------|------------|

OEM Options & Equipment - Medium Duty Trucks

Engine Options

| | | | |
|-----|--|--------------------------------------------------------|-------------|
| 102 | | Mack MP8-415C, 415 HP@ 1400-1700 RPM 1660 lb/ft torque | std |
| 103 | | Mack MP8-445C, 445 HP@ 1300-1700 RPM 1860 lb/ft torque | \$ 700.00 |
| 104 | | Mack MP8-505C, 505 HP@ 1300-1700 RPM 1860 lb/ft torque | \$ 1,625.00 |

Transmission Options

| | | | |
|-----|--|--------------------------------------------------------------|-------------|
| 105 | | Fuller RTO-16908LL | std |
| 106 | | Mack mDrive automated 12 speed overdrive TMD12AFO | \$ 5,000.00 |
| 107 | | Mack mDrive automated 12 speed overdrive heavy duty TMD12AFO | \$ 5,875.00 |
| 108 | | Mack T310M 10 speed manual w/6 reverse gears | \$ (300.00) |
| 109 | | Mack T318LR 18 speed manual | \$ (25.00) |
| 110 | | Fuller RTLO-18918B 18 speed | \$ 1,850.00 |
| 111 | | Allison 4500-RDS-6 6 speed automatic | \$ 9,100.00 |

Front Axle/Suspension Options

| | | | |
|-----|--|---------------------------------------------|-------------|
| 112 | | 12,000 lb. Mack FXL12 w/taperleaf springs | std |
| 113 | | 14,600 lb. Mack FXL14.6 w/taperleaf springs | \$ 1,275.00 |

Rear Axle Options

| | | | |
|-----|--|-----------------------------------------------------------------------------------------------|-------------|
| 114 | | 44,000 lb. Mack S440 dual reduction axle w/44,000 lb. Mack camelback spring suspension | std |
| 115 | | 46,000 lb. Mack S462 dual reduction axle w/46,000 lb. Mack AL461 air suspension | \$ 1,975.00 |
| 116 | | 46,000 lb. Mack S462 dual reduction axle w/46,000 lb. Mack camelback spring suspension | \$ 1,450.00 |
| 117 | | 46,000 lb. Mack S462 dual reduction axle w/46,000 lb. Mack 3 leaf parabolic spring suspension | \$ 2,600.00 |
| 118 | | 46,000 lb. Meritor RT46-164EH single reduction axle w/Mack AL461 air suspension | \$ 2,450.00 |
| 119 | | 46,000 lb. Meritor RT46-164EH single reduction axle w/Mack camelback spring suspension | \$ 1,925.00 |
| 120 | | 46,000 lb. Meritor RT46-164EH single reduction axle w/Mack 3 leaf parabolic spring suspension | \$ 3,075.00 |

Frame Rail Options

| | | | |
|-----|--|------------------------------|-----|
| 121 | | 11.81"x3.54"x.37" frame rail | std |
|-----|--|------------------------------|-----|

Cab/Chassis Options

| | | | |
|-----|--|--------------------------------------------------------------------|------------|
| 122 | | Air compressor-Meritor/Wabco 318 18.7 CFM | std |
| 123 | | Alternator-Delco 12V 130A | std |
| 124 | | Batteries- (3) Mack 12V M/F group 31 650/1950 CCA | std |
| 125 | | Engine brake- Mack Powerleash | std |
| 126 | | Engine block heater-120V 1500 watt | std |
| 127 | | Behr fan and electronic modulating fan | std |
| 128 | | Fuel/water separator w/manual drain valve | std |
| 129 | | silicone radiator and heater hoses w/Breeze constant torque clamps | std |

| | | | |
|-----|--|------------------------------------------------------------------------|------------|
| 130 | | corrosion resistant oil pan | std |
| 131 | | starter- Delco 39MT-MXT | std |
| 132 | | Flaming River Big switch wired to positive side | std |
| 133 | | DPF-Mack Cleartech One DPF/SCR system mounted RH side under cab | std |
| 134 | | Single exhaust | std |
| 135 | | 18.4 gallon DEF tank | std |
| 136 | | painted DEF tank cover | std |
| 137 | | painted DPF cover | std |
| 138 | | Spicer 1810HD main driveline w/coated splines | std |
| 139 | | Spicer 1710HD interaxle driveline w/coated splines | std |
| 140 | | Clutch- CL39DC13 Eaton Advantage EZ pedal, manual adjusting | std |
| 141 | | Gauges-engine oil temp, trans oil temp, exhaust pyrometer | std |
| 142 | | polyurethane floor mat | std |
| 143 | | AM/FM premium stereo,CD, weatherband, bluetooth | std |
| 144 | | Heater/air conditioner w/R134A refrigerant | std |
| 145 | | 2.5 lb. fire extinguisher mounted between driver seat and door | std |
| 146 | | Driver seat-Bostrom Talladega 915 (mid back) air suspension | std |
| 147 | | Rider seat- Mack (mid back) non suspension | std |
| 148 | | Vinyl padded headliner | std |
| 149 | | Co-Pilot driver display screen w/4 button stalk control | std |
| 150 | | slate gray vinyl interior (Genuine trim level) | std |
| 151 | | Orange lap and shoulder belts | std |
| 152 | | Power leads (5 way binding posts for CB) mounted top of dash | std |
| 153 | | tilt and telescopic steering column | std |
| 154 | | hand crank windows | std |
| 155 | | exterior sun visor | std |
| 156 | | (5) Trucklite LED chrome bullet type marker lights | std |
| 157 | | 48" antenna RH mirror mounted | std |
| 158 | | (2) Mack rectangular single trumpet air horns | std |
| 159 | | Heated RH and LH body colored aero mirrors w/integrated convex mirrors | std |
| 160 | | 2 piece windshield | std |
| 161 | | tinted windshield, side and rear windows | std |
| 162 | | 203" wheelbase | std |
| 163 | | 57" afterframe | std |
| 164 | | Betts B87 series mud flap hangers w/black mudflaps | std |
| 165 | | Bumper- flush mount stainless clad aluminum | std |
| 166 | | steel crossmembers | std |
| 167 | | Fuel tanks- 26" round aluminum, RH 93 gallon, LH 50 gallon | std |
| 168 | | bright finish fuel tank straps | std |
| 169 | | front wheels- hub pilot steel 24.5"x8.25" (white or gray) | std |
| 170 | | front tires- Bridgestone 11R24.5 R250ED | std |
| 171 | | Meritor S cam 16.5"x5" Q+ drum brakes w/dust shields | std |
| 172 | | automatic slack adjusters | std |
| 173 | | 55" rear axle spacing | std |
| 174 | | bronze trunnion bushing | std |
| 175 | | rear wheels- hub pilot steel 24.5"x8.25" (white or gray) | std |

| | | | |
|-----|--|-------------------------------------------------------------------|-------------|
| 176 | | rear tires- Bridgestone 11R24.5 M710 | std |
| 177 | | Meritor S cam 16.5"x7" Q+ drum brakes w/dust shields | std |
| 178 | | 3.79 rear axle ratio | std |
| 179 | | automatic slack adjusters | std |
| 180 | | power divider lockout, w/buzzer and light | std |
| 181 | | Mack road stability advantage Bendix ABS/ATC/ESP w/yaw control | std |
| 182 | | 5th wheel- Holland FW35 ILS series | std |
| 183 | | Hand control valve for trailer brakes | std |
| 184 | | low profile deck plate | std |
| 185 | | pogo stick hose tender | std |
| 186 | | 7 pin standard SAE type trailer cord, back of cab | std |
| 187 | | 12 foot, non coiled trailer air and electric hose/cord | std |
| 188 | | Back up alarm- Ecco 575 constant sound level 107 dB | std |
| 189 | | Traction differential- driver controlled inter wheel (all wheels) | \$ 1,275.00 |
| 190 | | wheelbase- 185"-212" | n/c |
| 191 | | wheelbase- 213"-241" | \$ 150.00 |
| 192 | | Air reservoirs- aluminum std finish | \$ 250.00 |
| 193 | | Air reservoirs- aluminum polished | \$ 350.00 |
| 194 | | Fuel tank- LH 26" round 117 gallon steel | \$ 150.00 |
| 195 | | Fuel tank- LH 26" round 142 gallon steel | \$ 275.00 |
| 196 | | Fuel tank- LH 26" round 117 gallon aluminum | \$ 225.00 |
| 197 | | Fuel tank- LH 26" round 142 gallon aluminum | \$ 350.00 |
| 198 | | Bright finish for aluminum fuel tanks (inc RH tank) | \$ 250.00 |
| 199 | | Fuel tank- RH 26" round 72 gallon steel | n/c |
| 200 | | Fuel tank- RH 26" round 93 gallon steel | \$ 150.00 |
| 201 | | Fuel tank- RH 26" round 72 gallon aluminum | \$ 25.00 |
| 202 | | Fuel tank- RH 26" round 93 gallon aluminum | \$ 100.00 |
| 203 | | Isolate RH tank for hydraulic oil for wet system | \$ 50.00 |
| 204 | | LED tail lamps | \$ 250.00 |
| 205 | | 5th wheel- Holland FW35 series w/no tilt | \$ 775.00 |
| 206 | | Trailer hook up lamp-single flush mount incandescent | \$ 25.00 |
| 207 | | Trailer hook up lamp-single LED | \$ 100.00 |
| 208 | | Trailer hook up lamp- dual LED | \$ 275.00 |
| 209 | | Parker F1-61R pump/PTO 15.7 GPM@ 1000 RPM | \$ 2,425.00 |
| 210 | | Parker F1-81R pump/PTO 21.6 GPM@ 1000 RPM | \$ 2,525.00 |
| 211 | | Parker F1-101R pump/PTO 27.0 GPM@ 1000 RPM | \$ 2,700.00 |
| 212 | | Upgrade to Custom slate gray interior | \$ 675.00 |
| 213 | | Upgrade to Button Tuck interior | \$ 2,625.00 |
| 214 | | Power windows and door locks | \$ 425.00 |
| 215 | | Stainless steel sun visor | \$ 325.00 |
| 216 | | Chrome moon wheels covers and lug nut covers | \$ 400.00 |
| 217 | | Stainless steel fender mirrors | \$ 350.00 |
| 218 | | Front wheels- 22.5"x8.25" steel | n/c |
| 219 | | Front wheels- 22.5"x8.25" aluminum | \$ 100.00 |
| 220 | | Front wheels- 24.5"x8.25" aluminum | \$ 100.00 |
| 221 | | Front tires- Bridgestone 11R22.5 R250ED | \$ (25.00) |

| | | | |
|-----------------------------------|--|---------------------------------------------------------------------------|-------------|
| 222 | | Rear wheels- 22.5"x8.25" steel | n/c |
| 223 | | Rear wheels- 22.5"x8.25" aluminum | \$ 100.00 |
| 224 | | Rear wheels- 24.5"x8.25" aluminum | \$ 100.00 |
| 225 | | | |
| 226 | | | |
| Extended Service Contracts | | | |
| 227 | | Mack engine plan 2 w/EATS 460 HP or less 5 year/250,000 miles | \$ 2,575.00 |
| 228 | | Mack engine plan 2 w/EATS 460 HP or less 6 year/250,000 miles | \$ 4,625.00 |
| 229 | | Mack engine plan 2 w/EATS 460 HP or less 7 year/250,000 miles | \$ 5,250.00 |
| 230 | | Mack engine plan 2 w/EATS 460 HP or greater 5 year/250,000 miles | \$ 3,595.00 |
| 231 | | Mack engine plan 2 w/EATS 460 HP or greater 6 year/250,000 miles | \$ 6,500.00 |
| 232 | | Mack engine plan 2 w/EATS 460 HP or greater 7 year/250,000 miles | \$ 7,400.00 |
| 233 | | Mack T300 manual transmission extended coverage to 5 year/500,000 miles | \$ 500.00 |
| 234 | | Mack mDrive transmission normal duty ext coverage to 5 year/500,000 miles | \$ 2,067.00 |
| 235 | | Mack mDrive transmission heavy duty ext coverage to 5 year/500,000 miles | \$ 2,300.00 |
| 236 | | Mack mDrive transmission heavy duty ext coverage to 5 year/250,000 miles | \$ 1,150.00 |
| 237 | | Mack mDrive clutch (only avail w/purchase of transmission ext coverage) | \$ 695.00 |
| 238 | | Allison 3000RDS refuse application extended coverage to 5 years | \$ 910.00 |
| 239 | | Allison 3000RDS non refuse application extended coverage to 5 years | \$ 468.00 |
| 240 | | Allison 4500RDS refuse application extended coverage to 5 years | \$ 1,001.00 |
| 241 | | Allison 4500RDS non refuse application extended coverage to 5 years | \$ 786.00 |
| 242 | | | |
| 306 | | | |
| Hydraulic Systems | | | |
| 587 | | Wet system-standard transmission- no tank | \$ 4,300.00 |
| 588 | | 2 line hi-lo wet system-standard transmission-no tank | \$ 5,200.00 |
| 589 | | Wet system for Mack mDrive transmission-no tank | \$ 4,400.00 |
| 590 | | PTO for Allison automatic | \$ 1,698.00 |
| 591 | | 1/2 fender 64" corrugated | \$ 1,450.00 |
| 592 | | Full fenders 64" corrugated | \$ 2,450.00 |
| 593 | | Lift axle 20,000 lb. steerable | \$ 8,200.00 |
| 594 | | Full fender for triaxle | \$ 3,850.00 |
| 595 | | Merritt cab guard with window chain rack and tool box | \$ 3,500.00 |
| 596 | | LED strobe bar installed | \$ 3,500.00 |
| 597 | | 18" aluminum tool box w/step | \$ 840.00 |
| 598 | | 24" aluminum tool box w/step | \$ 950.00 |
| 599 | | extra hydraulic oil (price is per quart) | \$ 8.50 |
| 600 | | | |
| 601 | | | |
| 602 | | | |
| 603 | | | |
| 604 | | | |
| 605 | | | |
| 606 | | | |
| 607 | | | |

| | | | | |
|-----|--|--|--|--|
| 608 | | | | |
| 609 | | | | |
| 610 | | | | |
| 611 | | | | |
| | | | | |

Pricing Pages

Proposer:

Manufacturer: Mack

Description: 2017 or Current Model Year Medium and Heavy Duty Trucks and Options

| Item # | Mfg. | Description | Est. Qty. | Unit Price |
|--------------------------------------|------|--------------------------------------------------------------------------------------------|---------------|---------------|
| Base Truck Models | | | | |
| M-17-003 | | Mack Truck Model: GRANITE 42FR MHD | 7 | \$ 100,487.00 |
| | | customer choice of color paint | | |
| OEM Options & Equipment | | | | |
| Item # | Mfg. | Description | Unit Price | |
| Engine Options | | | | |
| 102 | | Cummins ISL9-D350 350 HP @ 2200 RPM 1150 lb./ft torque | std | |
| 103 | | Cummins ISL9-D330 330 HP @ 2200 RPM 1050 lb./ft torque | \$ (900.00) | |
| | | single module EATS DPF/SCR system nmounted RH side under cab | | |
| Transmission Options | | | | |
| 104 | | Allison 3000 RDS-6, 6 speed automatic rugged duty series gen 5 w/PTO provisions | std | |
| Front Axle/Suspension Options | | | | |
| 105 | | 16,500 lb. Mack FXL16.5 w/multileaf springs | std | |
| 106 | | 12,000 lb. Mack FXL12 w/taperleaf springs | \$ (1,100.00) | |
| 107 | | 14,600 lb. Mack FXL14.6 w/taperleaf springs | \$ (325.00) | |
| 108 | | 16,500 lb. Mack FXL16.5 w/taperleaf springs | n/c | |
| 109 | | 18,000 lb. Mack FXL18 w/multileaf springs | \$ 250.00 | |
| 110 | | 20,000 lb. Mack FXL20 w/multileaf springs | \$ 1,100.00 | |
| 111 | | unequal spring RH or LH for wing plow | \$ 200.00 | |
| Rear Axle Options | | | | |
| 112 | | 21,000 lb. Meritor RS-21-145 with 23,000 lb Mack multileaf springs w/helper | std | |
| 113 | | 21,000 lb. Meritor RS-21-145 with 21,000 lb. multileaf springs | \$ (250.00) | |
| 114 | | 23,000 lb. Meritor RS-23-160 with 23,000 lb Mack multileaf springs | \$ 625.00 | |
| 115 | | 26,000 lb. Meritor RS-26-185 with 26,000 lb. multileaf springs w/helper | \$ 1,900.00 | |
| 116 | | 30,000 lb. Meritor RS-30-185 with 30,000 lb. multileaf springs w/helper, no anti sway | \$ 3,550.00 | |
| 117 | | traction differential | \$ 700.00 | |
| Frame Rail Options | | | | |
| 118 | | 11.81"x3.54"x.44" frame rail | std | |
| Cab/Chassis Options | | | | |
| 119 | | Meritor/Wabco 318 18.7 CFM air compressor | std | |
| 120 | | Alternator- Delco 12V 130A (24SI) brush type | std | |
| 121 | | Batteries- (2) Mack 12V 1000/2000 CCA | std | |
| 122 | | Fuel water separator-Davco 382 | std | |
| 123 | | Flaming River Big switch wired to positive side | std | |
| 124 | | 120V 1500 W engine block heater | std | |
| 125 | | electric pre heater | std | |
| 126 | | silicone radiator and heater hoses with Breeze constant torque clamps | std | |
| 127 | | starter- Delco MTHD 39 | std | |
| 128 | | Transynd synthetic transmission lubricant | std | |
| 129 | | Spicer 1760 HD driveline with coated splines | std | |
| 130 | | dash control/power supply for local installation of plow lamps w/ lead furnished at grille | std | |
| 131 | | air suspended cab | std | |
| 132 | | 2 extra dash mounted illuminated toggle switches | std | |
| 133 | | padded vinyl door panels w/arm rests | std | |
| 134 | | 5 lb. fire extinguisher mounted between driver seat and door | std | |
| 135 | | polyurethane floor covering | std | |
| 136 | | exhaust pyrometer and transmission oil temp gauges | std | |
| 137 | | dash mounted shifter | std | |
| 138 | | tinted windshield, side and rear windows | std | |
| 139 | | foam padded headliner | std | |
| 140 | | Mack integral heater/defroster and air conditioner | std | |
| 141 | | tilt/telescoping steering wheel | std | |
| 142 | | hand crank windows | std | |
| 143 | | Orange High Visibility Seat Belts | std | |
| 144 | | self cancelling turn signals | std | |
| 145 | | Bostrom Talladega 915 mid back driver seat | std | |

| | | | | | |
|-----|--|-------------------------------------------------------------------------------|-----|----------|--|
| 146 | | Mack fixed mid back rider seat | std | | |
| 147 | | AM/FM stereo w/CD,MP3, Weatherband, Bluetooth | std | | |
| 148 | | Co Pilot 4.5" LCD display w/4 button stalk control | std | | |
| 149 | | Bright finish Mack Bulldog heated west coast mirrors | std | | |
| 150 | | 8" convex bright finish mirrors mounted below lower arm of west coast mirrors | std | | |
| 151 | | fiberglass sun visor | std | | |
| 152 | | 2 piece windshield | std | | |
| 153 | | 2 speed electric windshield wipers w/intermittent feature | std | | |
| 154 | | painted hood latches | std | | |
| 155 | | 1 roof mounted Mack rectangular single trumpet air horn w/snow shield | std | | |
| 156 | | 5 marker and clearance lights, surface mounted | std | | |
| 157 | | windshield wash reservoir mounted back of cab | std | | |
| 158 | | 199" wheelbase | std | | |
| 159 | | wheelbase 178"-187" | \$ | (100.00) | |
| 160 | | wheelbase 188"-216" | std | | |
| 161 | | wheelbase 217"-246" | \$ | 400.00 | |
| 162 | | wheelbase 247"-252" | \$ | 500.00 | |
| 163 | | bumper-extended swept back steel channel | std | | |
| 164 | | 20" front frame extension of frame rail for snow plow mount | std | | |
| 165 | | Single LH 66 gallon aluminum fuel tank | std | | |
| 166 | | Single LH 88 gallon steel fuel tank | \$ | 350.00 | |
| 167 | | Single LH 88 gallon aluminum fuel tank | \$ | 400.00 | |
| 168 | | DEF tank, 6.6 gallon mounted on LH side | std | | |
| 169 | | front wheels- 22.5"x9.0" hub piloted steel disc wheels | std | | |
| 170 | | front wheels- 22.5"x8.25" aluminum hub piloted disc | \$ | 100.00 | |
| 171 | | front wheels- 24.5"x8.25" aluminum hub piloted disc | \$ | 100.00 | |
| 172 | | front wheels- 22.5"x9.0" aluminum hub piloted disc | \$ | 200.00 | |
| 173 | | front wheels- 22.5"x8.25" steel hub piloted disc | n/c | | |
| 174 | | front wheels- 24.5"x8.25" steel hub piloted disc | \$ | 75.00 | |
| 175 | | front tires- 315/80R22.5 Bridgestone M860A | std | | |
| 176 | | front tires-11R22.5 Bridgestone M843 | \$ | (25.00) | |
| 177 | | front tires-12R22.5 Bridgestone M853 | \$ | 25.00 | |
| 178 | | front tires-11R24.5 Bridgestone M843 | \$ | (25.00) | |
| 179 | | front tires- 11R24.5 Bridgestone M853 | \$ | 50.00 | |
| 180 | | front tires- 12R24.5 Bridgestone M843 | \$ | 75.00 | |
| 181 | | Rear wheels- 22.5"x8.25" hub piloted steel disc | std | | |
| 182 | | rear wheels-22.5"x8.25" aluminum hub piloted disc | \$ | 100.00 | |
| 183 | | rear wheels-24.5"x8.25" aluminum hub piloted disc | \$ | 100.00 | |
| 184 | | rear wheels- 24.5"x8.25" steel hub piloted disc | \$ | 25.00 | |
| 185 | | rear tires- 12R22.5 Bridgestone L320 | std | | |
| 186 | | rear tires- 11R22.5 Bridgestone L320 | \$ | (125.00) | |
| 187 | | rear tires- 11R22.5 Bridgestone M843 | \$ | (100.00) | |
| 188 | | rear tires- 11R24.5 Bridgestone L320 | \$ | (25.00) | |
| 189 | | rear tires- 12R24.5 Bridgestone M843 | n/c | | |
| 190 | | Meritor S Cam 16.5"x6" Q+ front drum brakes with dust shields | std | | |
| 191 | | Meritor S Cam 16.5"x7" Q+ rear drum brakes with dust shields | std | | |
| 192 | | HalDEX automatic slack adjusters | std | | |
| 193 | | Sheppard SD110 steering | std | | |
| 194 | | MGM spring brake chambers | std | | |
| 195 | | delete inside/outside air intake | \$ | (250.00) | |
| 196 | | Jacobs C brake 2 position | \$ | 325.00 | |
| 197 | | Heated tinted windshield | \$ | 450.00 | |
| 198 | | 2 rectangular air horn trumpets w/snow shields | \$ | 150.00 | |
| 199 | | LH and RH hood mounted convex mirrors | \$ | 300.00 | |
| 200 | | visibility mirror mounted over rider's window | \$ | 50.00 | |
| 201 | | LED marker and clearance lights | \$ | 125.00 | |
| 202 | | extended rider seat | \$ | 200.00 | |
| 203 | | power windows | \$ | 425.00 | |
| 204 | | one piece windshield | \$ | 125.00 | |
| 205 | | Alternator-DeLco 12V 160A | \$ | 75.00 | |
| 206 | | Alternator-Leece Neville 160A | \$ | 150.00 | |
| 207 | | Batteries- (3) Mack 760/1228 CCA | \$ | 50.00 | |
| 208 | | Batteries- (3) mack 1000/3000 CCA | \$ | 125.00 | |

| | | | | | |
|-----------------------------------------------------------------|----------------|----------------------------------------------|-----|-------------------------------------------------------------------------------------|--------------------------|
| 209 | | Aluminum battery box cover | \$ | 75.00 | |
| 210 | | emergency start studs | \$ | 150.00 | |
| 211 | | Aluminum air reservoirs | \$ | 250.00 | |
| 212 | | delete 20 inch frame extension for snow plow | \$ | (1,000.00) | |
| 213 | | delete hood inspection hatch | n/c | | |
| 214 | | 1000/1100 series crankshaft adapter flange | \$ | 150.00 | |
| 215 | | | | | |
| Aftermarket Equipment for Medium & Heavy Duty Trucks | | | | | |
| 315 | STAHL | CST134VVD | | Ten (11) Foot Custom Utility Body | \$10,750.00 |
| 316 | | | | Upgrade to Composite Material Utility Body | N/A |
| 317 | | | | Upgrade to Aluminum Utility Body | N/A |
| 318 | | | | 185 CFM Under-Deck Air-Compressor | N/A |
| 319 | VMAC | VC150 | | 150 CFM Under-Hood Air-Compressor - UNDERHOOD OPERATED | \$18,500.00 |
| 320 | VMAC | VC70 | | 70 CFM Under-Hood Air-Compressor - PTO OPERATED | \$16,000.00 |
| 321 | REELCRAFT | | | Manual Rewind Air Hose Reel with 50 ft. of .75" hose | \$750.00 |
| 322 | THOR | | | 2000W Power Inverter w/ 2 Batteries | \$2,850.00 |
| 323 | | | | 120VAC GFCI Outlet | N/A |
| 324 | TAFCO | STD DUTY | | Twelve (12) Foot Stationary Rack Body - INSTALLED | \$5,500.00 |
| 325 | | | | Add for each 2 Ft. Increment | \$600.00 |
| 326 | TAFCO | MAGNUM | | Upgrade to Aluminum Rack Body | \$1,950.00 |
| 327 | | | | Add for each 2 Ft. Increment - Aluminum Body | \$950.00 |
| 328 | | | | Stationary Steel Headboard for Rack Body | \$650.00 |
| 329 | | | | Diamond Plate Steel Flooring for Rack Body - per foot | \$38.00 |
| 330 | TAFCO / HARSH | RL C20 | | Twelve (12) Foot Dumping Rack Body with Electric/Hydraulic Hoist | \$9,000.00 |
| 331 | | | | Add for each 2 Ft. Increment | \$900.00 |
| 332 | | | | Fourteen (14) Foot Dry Van Body | N/A |
| 333 | | | | Add for each 2 Ft. Increment | N/A |
| 334 | IROQUOIS | | | Fourteen (14) ft. Enclosed Chipper Body - PTO OPERATED INSTALLED | \$18,250.00 |
| 335 | FLEET ENGINEER | | | Polymer Rear Fenders - SINGLE AXLE | \$850.00 |
| 336 | LIFETIME | CORRUGATED | | Stainless Steel Rear Fenders - SINGLE AXLE | \$995.00 |
| 337 | DEWEZE | CLUTCH PUMP | | Belt Driven Hydraulic System - WITH ONE VALVE | \$5,350.00 |
| 338 | CHELSEA/MUNCIE | | | PTO & Pump for Automatic or Manual Transmission | \$2,250.00 / \$ 1,400.00 |
| 339 | TOMMYGATE | 89-25 TP42 | | Electric/Hydraulic Liftgate - 2,500 lb. Capacity | \$6,500.00 |
| 340 | ON SPOT | | | Automatic Tire Chains - On Spot or Equal | \$3,000.00 |
| 341 | TECONSEH | VOYAGER | | Dash Mounted Electric Brake Controller | \$300.00 |
| 342 | BUYERS | 30 TON | | Plate Mounted Pintle Hook with Trailer Plug | \$800.00 |
| 343 | | | | Automatic Lube System for Truck Chassis | N/A |
| Aerial Lift Equipment | | | | | |
| 344 | | | | Knuckle Boom Crane with Grapple Loader | N/A |
| 345 | | | | Service Body Crane - 6,000 lb. CAPACITY | N/A |
| 346 | | | | Aerial Lift 36' Device with Utility Service Body | N/A |
| 347 | | | | Aerial Lift 38' Device with Utility Service Body | N/A |
| 348 | | | | Aerial Lift 40' Device with Utility Service Body | N/A |
| 349 | | | | Aerial Lift 42' Device with Utility Service Body | N/A |
| 350 | | | | Aerial Lift 44' Device with Utility Service Body | N/A |
| 351 | | | | Aerial Lift 47' Device with Utility Service Body | N/A |
| 352 | | | | Aerial Lift 65' Device with Utility Service Body | N/A |
| 353 | | | | Aerial Lift 72' Device with Utility Service Body | N/A |
| 354 | | | | Platform Body I.L.O. Utility Service Body | N/A |
| 355 | | | | 47' Corner Mount Digger Derrick with Pole | N/A |
| 356 | | | | Upgrade to Insulated Boom | N/A |
| 357 | | | | 10' Elevator for Aerial Lift Device | N/A |
| 358 | | | | Forestry Package: Includes 65' Aerial Lift Hydraulic Material Handling Jib | N/A |
| 359 | | | | Two (2) Man Bucket/Basket - 500 lb. | N/A |
| 360 | | | | Hydraulic Tool Console at Bucket | N/A |
| 361 | | | | Remote Engine Start/Stop - Requires 6/12 Pack with Remote S/S Programming | N/A |
| 362 | | | | Emergency 12 Volt Hydraulic System | N/A |
| 363 | | | | Hydraulic Outriggers - Two (2) A-Frame | N/A |
| 364 | | | | Bucket Liner | N/A |
| 365 | | | | Single Stick Control System | N/A |
| 366 | | | | Removable Utility Vise | N/A |
| 367 | | | | Hydraulic Rotating Basket, 180° | N/A |

| | | | | |
|---------------------------------------------|--------------|---------|-------------------------------------------------------------------------|-------------|
| 369 | | | Hydraulic Chain Saw with Scabbard | N/A |
| Trash Collection/Recycling Equipment | | | | |
| 370 | | | Refuse Body: Six (6) Cubic Yards, Rear Load | N/A |
| 371 | | | Refuse Body: Eight (8) Cubic Yards, Rear Load | N/A |
| 372 | | | Refuse Body: Ten (10) Cubic Yards, Rear Load | N/A |
| 373 | | | Automatic Back Pack | N/A |
| 374 | | | Semi-Automatic Packing Controls Container Winch | N/A |
| 375 | | | Rear Loader: 16 Cubic Yards | N/A |
| 376 | | | Rear Loader: 18 Cubic Yards | N/A |
| 377 | | | Rear Loader: 20 Cubic Yards | N/A |
| 378 | | | Rear Loader Hi-Compaction: 25 Cubic Yards | N/A |
| 379 | | | Rear Loader Hi-Compaction: 32 Cubic Yards | N/A |
| 380 | | | Barrel Tipper | N/A |
| 381 | | | Container handling hoist | N/A |
| 382 | | | Video System: Rear View | N/A |
| 383 | | | Scale System | N/A |
| 384 | | | Custom paint color - in lieu of white | N/A |
| 385 | | | Recycle Body - 31 cu/yd, side load, rear dump, Fully Automated | N/A |
| 386 | | | Recycle Body - 35 cu/yd, side load, rear dump, Fully Automated | N/A |
| 387 | | | Dual driver controls with right hand Sit-Down drive | N/A |
| 388 | | | Dual driver controls with right hand Stand-Up drive | N/A |
| 389 | | | Cart Dumper - each | N/A |
| Asphalt Patching Equipment | | | | |
| 390 | | | Slide-in 2 cu/yd - 3 Ton hot box Asphalt pre-heater | N/A |
| 391 | | | Slide-in 3 cu/yd - 4.5 Ton hot box Asphalt pre-heater | N/A |
| 392 | | | Slide-in 4 cu/yd - 6 Ton ton hot box Asphalt pre-heater | N/A |
| 393 | | | 4/5 cu/yd hot box Asphalt pre-heater | N/A |
| 394 | | | 6/7 cu/yd hot box Asphalt pre-heater | N/A |
| 395 | | | Add for Hot Box Asphalt Recycler - Dual Burner Option | N/A |
| 396 | | | Add for Stepp Oil Jacketed Design | N/A |
| 397 | | | Asphalt Recycler - Tailgate Mount | N/A |
| 398 | | | Tack Tank with Diesel Burner & Auto Controls | N/A |
| 399 | | | Compactor Carrying Plate | N/A |
| 400 | | | Electric Overnight Heater | N/A |
| 401 | | | Cold Weather Upgrade Package | N/A |
| 402 | | | Upgrade from Diesel to Propane | N/A |
| Dump Body Options | | | | |
| 403 | | | Front PTO Mounted Central Hydraulic System - WITH ONE VALVE | \$4,800.00 |
| 404 | | | Automatic Transmission Mounted Central Hydraulic System - WITH VALVE | \$5,500.00 |
| 405 | | | Dry Valve or Pressure Compensating Pump - ADD | \$850.00 |
| 406 | | | Low Hydraulic Fluid Alarm/ Shutoff | N/A |
| 407 | GODWIN | 184U | 9' - 2 to 4 Cubic Yard Dump Body - NO HYDRAULICS / BLACK | \$7,700.00 |
| 408 | DONOVAN | 106 | 10' - 6 to 8 Cubic Yard Dump - NO HYDRAULICS / BLACK | \$10,750.00 |
| 409 | HARSH | RL F 60 | Class 60 Arm Type with a Capacity of 17 Tons - NO HYDRAULICS | \$6,500.00 |
| 410 | | | Upgrade Dump Body to 7 Gauge Steel | \$1,100.00 |
| 411 | BRANDON | HD | Add for 12'/13'/14' Dump with Front Telescopic Hoist - 14' BODY UPGRADE | \$6,500.00 |
| 412 | | | Add for 12'/13'/14' Dump with Twin Cylinder Hoist | N/A |
| 413 | | | Add for 100' Wide Dump Body | \$1,200.00 |
| 414 | BRANDON | HD | 17' Monoshell Dump Body - NO HYDRAULICS / BLACK | \$18,200.00 |
| 415 | | | Custom Fabricated Tailgate Asphalt Door (Each) | \$500.00 |
| 416 | | | Air Operated Tailgate | \$550.00 |
| 417 | BEAU-ROC | | Barn Door Tailgate | \$1,950.00 |
| 418 | WEATHERGUARD | | 30" Stainless Steel Underbody Tool Box | \$575.00 |
| 419 | WEATHERGUARD | | 30" Aluminum Underbody Tool Box | \$700.00 |
| 420 | | | Heat Diverter Valve and Connection for Dump Body | \$800.00 |
| 421 | AERO | 575 | Electric Automatic Load Cover | \$2,100.00 |
| 422 | BEAU-ROC | | Semi-Automatic Load Cover | \$750.00 |
| 423 | PIONEER | G1500D | Semi-Automatic Load Cover with Ground Control | \$1,500.00 |
| 424 | | | Manually Retracted Load Cover | \$250.00 |
| 425 | | | Side Boards: Oak 2" x 10" | 13/FT |
| 426 | | | Steel Side Boards: "C" Channel | 38/FT |
| 427 | | | Two (2) Chock Blocks and Holders | \$250.00 |
| 428 | | | Full Width Steel Asphalt Apron, 8-7" Depth | \$400.00 |

| | | | | |
|-----------------------------------------|--------------|---------------------------|----------------------------------------------------------------------------|-------------|
| 429 | BEAU-ROC | | Upcharge for 10' Stainless Steel Dump Body ILO Steel | \$15,000.00 |
| 430 | BEAU-ROC | | Upcharge for 12'/13' Stainless Steel Dump Body ILO Steel | \$16,000.00 |
| 431 | BEAU-ROC | | Upcharge for 14' Stainless Steel Dump Body ILO Steel | \$16,500.00 |
| 432 | BEAU-ROC | DH | Upcharge for 10' HARDOX Steel Dump Body ILO CarbonSteel | \$5,100.00 |
| 433 | BEAU-ROC | DH | Upcharge for 12'/13' HARDOX Steel Dump Body ILO CarbonSteel | \$7,200.00 |
| 434 | BEAU-ROC | DH | Upcharge for 14' HARDOX Steel Dump Body ILO CarbonSteel | \$7,900.00 |
| 435 | | | Upcharge for 10' Aluminum Dump Body | N/A |
| 436 | | | Upcharge for 12'/13' Aluminum Dump Body | N/A |
| 437 | | | Upcharge for 14' Aluminum Dump Body | N/A |
| 438 | LIFETIME | | Polymer Rear Fenders - TANDEM AXLE | \$1,950.00 |
| Snow Plow Equipment | | | | |
| 439 | MONROE | MP36R10-ISCT | Medium Duty 10 Ft. Power Angle Snow Plow Package | \$7,700.00 |
| 440 | MONROE | | Heavy Duty Plow Frame - PIN | \$4,900.00 |
| 441 | MONROE | | Heavy Duty Plow Frame - PIN | \$5,800.00 |
| 442 | MONROE | 8003 | Heavy Duty Plow Frame - Hinged with Lights and Control Valve | \$4,900.00 |
| 443 | | | Heavy Duty Husting Type Plow Frame with Lights and Control Valve | \$5,500.00 |
| 444 | MONROE | 5000 | Heavy Duty Stationary Quick Hitch with Lights and Control Valve | \$5,300.00 |
| 445 | MONROE | | Heavy Duty Power Tilt Quick Hitch with lights and control valve | \$5,950.00 |
| 446 | MONROE | | Heavy Duty Arrowhead Type Plow Frame with Lights and Control Valve | \$5,500.00 |
| 447 | MONROE | | Heavy Duty Quick Link Hitch with Lights and Control Valve | \$5,500.00 |
| 448 | FLINK | 2PR559U | Heavy Duty 10' Power Reversing Trip Edge Plow | \$10,150.00 |
| 449 | FLINK | 2PR554U | Heavy Duty 11' Power Reversing Trip Edge Plow | \$10,950.00 |
| 450 | FLINK | 2PR5544860RT | Heavy Duty 11' "Vortex" Power Reversing Trip Edge Plow | \$12,500.00 |
| 451 | FLINK | 2PR555 | Heavy Duty 12' Power Reversing Trip Edge Plow | \$12,600.00 |
| 452 | MONROE | MPFA - R - 39 - 52 - ISCT | Heavy Duty 11' Power Reversing One-Way Plow | \$7,750.00 |
| 453 | | | Power Reverse Hydraulics with Controls | \$950.00 |
| 454 | | | Add for Hydraulic Latching of Plow Angle | N/A |
| 455 | | | Heavy Duty Truck Folding V Plow - Minimum 41" Height - Trip Edge - 11' | N/A |
| 456 | FLINK | 472 | Heavy Duty 10' Non-Reversing Trip Edge Plow | \$7,500.00 |
| 457 | FLINK | 475 | Heavy Duty 11' Non-Reversing Trip Edge Plow | \$8,500.00 |
| 458 | | | Heavy Duty 13' Fixed Angle Trip Edge Plow | N/A |
| 459 | | | Husting Attachment for Snow Plow | \$2,200.00 |
| 460 | | | Arrowhead Attachment for Snow Plow | \$1,200.00 |
| 461 | | | Quick Hitch Attachment for Snow Plow | \$1,000.00 |
| 462 | | | Add for "Polymer" Moldboard in Lieu of Steel | \$500.00 |
| 463 | MONROE | 11DFWMB-FT | Hydraulic Full Wing System, Attachments, Valves, and Full Trip Wing | \$14,250.00 |
| 464 | | | Timbren Custom Front Spring System for Wing Plows | \$950.00 |
| 465 | | | Air-Bag Auxiliary Front Spring for Wing Plow | \$1,300.00 |
| 466 | | | Laser Guidance System for Wing Plows | N/A |
| 467 | MONROE | | Manual Reverse Underbody Scraper - 10' | \$8,500.00 |
| 468 | | | Ground Clearance Package for Scraper Installation with 50 gallon fuel tank | N/A |
| Snow & Ice Control Equipment | | | | |
| 469 | MONROE/FLINK | MSV-120 / LMC5H | 10 ft. drop-in type Spreader - 7 YARDS STEEL | \$11,500.00 |
| 470 | MONROE/FLINK | MSV-120 / LMC5H | 10 ft. chassis mounted Spreader - 7 YARDS STEEL | \$12,500.00 |
| 471 | | | Upgrade to 13/14 Ft. 10 Cubic Yard Spreader - Add - 10 YARD STEEL | \$3,150.00 |
| 472 | MONROE/FLINK | STAINLESS STEEL | Stainless Steel Spreader - Upgrade: for 10 Ft. Spreader | \$4,500.00 |
| 473 | | | Stainless Steel Spreader - Upgrade: for 13/14 Ft. Spreader | \$7,500.00 |
| 474 | | 2FFL DIAL VALVE | Manual Spreader Fluid Control Valve, Plumbed | \$1,750.00 |
| 475 | | | Reinforced Bumper to Protect Spinner Chute | \$750.00 |
| 476 | MONROE | DTS | 10' Combination Dump/Spreader: 6 - 8 Cubic Yard | \$38,900.00 |
| 477 | | | Spreader Control Systems - MANUAL VALVES | \$1,750.00 |
| 478 | | | Sander Spill Shields - STEEL | \$900.00 |
| 479 | | | 24" Cab Shield for Chassis Mounted Spreader - STEEL | \$750.00 |
| 480 | | | Rear Deflector for Spreader | \$750.00 |
| 481 | | | 4" Flood Light for Spreader | \$250.00 |
| 482 | | | Dual Rear Facing 7" Red Flashers for Spreader | \$450.00 |
| 483 | | | Dual Steel Diamond Tread Cat Walks with Access Steps | \$1,250.00 |
| 484 | | | Calcium Applicator, Single Frame Mounted Tank | N/A |
| 485 | | | Calcium Applicator, Dual Stainless Steel Tanks | N/A |
| 486 | REED | SBV-80 | Calcium Applicator, Dual Poly Tanks | \$3,950.00 |
| 487 | REED | | Calcium Application System - Tailgate Mount | \$4,000.00 |
| 488 | | | 950/1000 Gallon Direct Application Calcium System | N/A |
| 489 | | | 1600/1650 Gallon Direct Application Calcium System | N/A |

| | | | | |
|----------------------------------|----------------|-------------|----------------------------------------------------------------------------------|--------------|
| 490 | | | Combination Dump/Spreader: Tenco 12M | N/A |
| 491 | | | Combination Dump/Spreader: Everest SDS | N/A |
| 492 | | | Combination Dump/Spreader: Air Flo/N Dump | N/A |
| 493 | | | Combination Dump/Spreader: Tarco T-3000 | N/A |
| 484 | | | Combination Dump/Spreader: Henderson Muni-Body | N/A |
| 495 | FLINK | MPB | Combination Dump/Spreader: Flink MPB | \$34,500.00 |
| 496 | | | Combination Dump/Spreader: Viking Proline | N/A |
| 497 | | | Combination Dump/Spreader: Hi-Way XT-3 | N/A |
| 498 | MONROE | | Combination Dump/Spreader: Monroe RDS | \$36,140.00 |
| 499 | | | Combination Dump/Spreader - Swenson | N/A |
| 500 | | | Combination Dump/Spreader - MG | N/A |
| 501 | | | Corten Steel Upgrade for 10' Dump/Spreader | N/A |
| 502 | | | Stainless Steel Upgrade for 10' Dump/Spreader | \$12,000.00 |
| 503 | | | Add for 12'/13' Dump/Spreader | \$8,000.00 |
| 504 | | | Stainless Steel Upgrade for 12'/13' Dump/Spreader | \$17,500.00 |
| 505 | | | Corten Steel Upgrade for 12'/13' Dump/Spreader | N/A |
| 506 | | | Automatic Grease System for Dump/Spreader Body | N/A |
| 507 | | | Custom Paint Color | \$1,200.00 |
| 508 | MUNCIE | MESP | Electronic Spreader Control - Low Tier - Dual Flow / Ground Speed Capable | \$3,000.00 |
| 509 | FORCE AMER. | 5100X | Electronic Spreader Control - Mid Tier - ADD Programmable & Data Logging | \$6,500.00 |
| 510 | FORCE AMER. | 6100X | Electronic Spreader Control - High Tier - ADD Wifi , GPS & Joystick Control | \$8,500.00 |
| 511 | | | Front Discharge for Spreader | \$750.00 |
| 512 | | | Dual Discharge for Dump/Spreader | \$3,950.00 |
| 513 | | | Dual Auger, Conveyor Body Upgrade | N/A |
| 514 | | | Top Sectional Screens for Dump/Spreader | \$2,500.00 |
| 515 | | | Asphalt Curb Chute | N/A |
| 516 | FLINK | FLS18 | Tailgate Mounted Dual Discharge Cross Conveyor - STEEL | \$8,950.00 |
| 517 | | | Slide-In, Anti-Icing System - 735 Gallons (inside box width of 83" or greater) | N/A |
| 518 | | | Slide-In, Anti-Icing System - Add per 100 Gallon Increase in Size | N/A |
| 519 | FLEET ENGINEER | | Polymer Rear Fenders - SINGLE AXLE | \$950.00 |
| Street Sweeping Equipment | | | | |
| 520 | | | TYMCO model 500X Regenerative Air Sweeper, Dual Steering - ADD to Base 4300 Ch | \$280,600.00 |
| 521 | | | TYMCO model 600 Regenerative Air Sweeper, Dual Steering - ADD to Base 4300 Ch | \$265,800.00 |
| 522 | | | Stainless Steel Hopper Upgrade - model 600 | INCLUDED |
| 523 | | | Catch Basin Cleaner Attachment | INCLUDED |
| 524 | | | Dustless Sweeping Technology - model 600 | \$67,520.00 |
| 525 | | | Gator Getter High Speed Debris Remover Attachment | N/A |
| 526 | | | Paint Color other than White | \$4,300.00 |
| 527 | | | ASI - Auto Sweep Interrupt | INCLUDED |
| 528 | | | Elgin Broom Bear Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 529 | | | Elgin Eagle Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 530 | | | Elgin Crosswind Regenerative Air Sweeper - Dual Steering - Add to Base 4300 Chas | N/A |
| 531 | | | Elgin Whirlwind Vacuum Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| 532 | | | Johnson ES351 Mechanical Sweeper - Dual Steering - Add to base 4300 Chassis | N/A |
| 533 | | | Schwartz Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 534 | | | Schwartz Regenerative Air Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| 535 | | | Schwartz Vacuum Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| Hook Loader Equipment | | | | |
| 536 | PALFINGER | PALIFT T60 | Hook loader for 20' to 24' Bodies, 65,000 lbs. Capacity | \$45,000.00 |
| 537 | PALFINGER | PALIFT T50 | Hook loader for 17' to 22' Bodies, 54,000 lbs. Capacity | \$40,000.00 |
| 538 | PALFINGER | PALIFT T50 | Hook loader for 19' to 24' Bodies, 50,000 lbs. Capacity | \$40,000.00 |
| 539 | PALFINGER | PALIFT T40L | Hook loader for 14' to 18' Bodies, 40,000 lbs. Capacity | \$37,500.00 |
| 540 | PALFINGER | HAD300M | Hook loader for 14' to 18' Bodies, 33,000 lbs. Capacity | \$29,950.00 |
| 541 | PALFINGER | HAD250S | Hook loader for 10' to 14' Bodies, 24,000 lbs. Capacity | \$28,500.00 |
| 542 | PALFINGER | HAD250M | Hook loader for 14' to 18' Bodies, 24,000 lbs. Capacity | \$28,950.00 |
| 543 | PALFINGER | HAD200L | Hook loader for 14' to 18' Bodies, 18,000 lbs. Capacity | \$24,000.00 |
| 544 | PALFINGER | HAD185 | Hook loader for 12' to 15' Bodies, 14,000 lbs. Capacity | \$23,500.00 |
| 545 | PALFINGER | HAD130S | Hook loader for 10' to 10' Bodies, 9,500 lbs. Capacity | \$22,950.00 |
| 546 | | | Hook loader Skid for Mounting Optional Bodies - STEEL INSTALLED | \$2,950.00 |
| 547 | | | Custom Support Legs for Specialized Bodies | N/A |
| 548 | VALLEY | | Open Top Container Body - 14' / 15 YARDS / BLACK | \$4,200.00 |
| 549 | | | Switch N Go - 9' to 14' Detachable Truck Body System | N/A |
| 550 | | | Switch N Go - Skid for Mounting Optional Bodies | N/A |

| | | | | |
|---------------------------------|-----------|----------------|--------------------------------------------------------|--------------|
| 551 | PIONEER | HR1500HS | Hydraulic Tower & Load Cover - STEEL ARMS | \$3,950.00 |
| 552 | | | Custom Cab Guard (Headache Rack) | \$2,500.00 |
| Sewer Cleaning Equipment | | | | |
| 553 | | | Stetco: Model 950 Catch Basin Cleaner | N/A |
| 554 | | | Stetco: Custom stainless debris dump body | N/A |
| 555 | | | Stetco: Truck mounted Jetter | N/A |
| 556 | | | Pipehunter 700 gal.- 3000 psi Sewer Jet | N/A |
| 557 | | | High-Pressure Sewer Flushing Machine | N/A |
| 558 | | | Rear Mounted Rotating/Telescoping Safety Hose Reel | N/A |
| 559 | | | Rear Mounted Rotating/Telescoping Dual Reel with T.V. | N/A |
| 560 | | | Telescoping Sewer Hose Reel | N/A |
| 561 | | | Heated Rear Compartment for Jet Truck | N/A |
| 562 | | | High Pressure Wash Down System | N/A |
| 563 | | | Single Reel Video Inspection System | N/A |
| 564 | | | Vactor Combo Jetting and Vacuum Body: Fan Blower Type | N/A |
| 565 | | | Vactor Combo. Jetting and Vacuum Body: PD Pump Type | N/A |
| 566 | | | Vac-Con Combo Jetting and Vacuum Body: Fan Blower Type | N/A |
| 567 | | | Vac-Con Combo Jetting and Vacuum Body: PD Pump Type | N/A |
| 568 | | | Aquqtech B-10 Combo Jetting and Vacuum Body | \$272,000.00 |
| 569 | | | Aquqtech B-15 Combo Jetting and Vacuum Body | \$290,000.00 |
| 570 | | | Tool Box: 45" x 16" x 12" - Aluminum | \$1,500.00 |
| 571 | | | Tool Box: 24" x 24" x 24" - Aluminum | \$1,050.00 |
| 572 | | | Body Color - Other Than Acrylic White | \$4,500.00 |
| 573 | | | Video System - front, side & rear view | \$4,800.00 |
| 574 | | | Automatic Lube System | \$12,500.00 |
| Lighting Systems | | | | |
| 575 | | | LED Strobe System: <u>One Cab Mounted</u> | \$1,200.00 |
| 576 | | | LED Strobe System: <u>Two Flashers Mounted</u> | \$1,100.00 |
| 577 | | | LED Strobe System: <u>Two Marker Light</u> | \$1,100.00 |
| 578 | | | LED Strobe System: <u>Two Rear Mounted</u> | \$1,100.00 |
| 579 | | | Rear Flashers Mounted in Steel Case - ADD | \$750.00 |
| 580 | | | Rear Flashers Mounted in Stainless Steel Case - ADD | \$950.00 |
| 581 | | | Rear Flashers Mounted in Aluminum Case - ADD | N/A |
| 582 | | | Front maker light mounted LED Flashers | \$500.00 |
| 583 | | | Small Roof Mounted LED Light Bar | \$1,600.00 |
| 584 | | | Large LED Traffic Advisor Arrow Board | \$3,200.00 |
| 585 | | | Small LED Arrow Board | \$1,250.00 |
| 586 | ACNS | SRC400 DONOVAN | 26' x 60" DONOVAN DUMP TRAILER - CONVENTIONAL FRAME | \$61,000.00 |
| 587 | PALFINGER | ARB-75-22 | ROLL OFF UNIT | \$ 33,250.00 |

Pricing Pages

Proposer:

Manufacturer: Mack

Description: 2017 or Current Model Year Medium and Heavy Duty Trucks and Options

| Item # | Mfg. | Description | Est. Qty. | Unit Price |
|--------------------------|------|------------------------------------------------------------|-----------|---------------|
| Base Truck Models | | | | |
| M-17-001 | | Mack Truck Model: GRANITE 42FR customer choice of color | 32 | \$ 116,976.00 |
| | | | | |
| | | | | |
| | | | | |

| Item # | Mfg. | Description | Unit Price |
|--------|------|-------------|------------|
|--------|------|-------------|------------|

OEM Options & Equipment

Engine Options

| | | | | |
|-----|--|-----------------------------------------------------------------|-----|----------|
| 102 | | Mack MP7-325M 325 HP@ 1400-1900 RPM, 1260 lb/ft torque | std | |
| 103 | | Mack MP7-355A 355HP@ 1500-1800 RPM, 1260 lb/ft torque | \$ | 250.00 |
| 104 | | Mack MP7-375M 375 HP@1500-1900 RPM, 1360 lb/ft torque | \$ | 675.00 |
| 105 | | Mack MP7-425M 425 HP@ 1500-1800 RPM, 1560 lb/ft torque | \$ | 1,575.00 |
| 106 | | (375 and 425 HP engines require Allison 4000 or 4500 RDS trans) | | |

Transmission Options

| | | | | |
|-----|--|-----------------------------------------------------------------------|-----|----------|
| 107 | | Allison 3000-RDS-6, 6 speed rugged duty series GEN 5 w/PTO provisions | std | |
| 108 | | Allison 4000-RDS-6 | \$ | 7,400.00 |
| 109 | | Allison 4500-RDS-6 | \$ | 6,900.00 |

Front Axle/Suspension Options

| | | | | |
|-----|--|-------------------------------------------------|-----|----------|
| 110 | | 18,000 lb. Mack FXL18 with taperleaf springs | std | |
| 111 | | 20,000 lb. Mack FXL20 with taperleaf springs | \$ | 1,125.00 |
| 112 | | 20,000 lb. Mack FXL20 with taperleaf HD springs | \$ | 1,175.00 |
| 113 | | 20,000 lb. Mack FXL20 with multileaf springs | \$ | 1,150.00 |
| 114 | | 20,000 lb. Mack FXL20 with multileaf HD springs | \$ | 1,200.00 |

Rear Axle Options

| | | | | |
|-----|--|--------------------------------------------------------------------------|-----|----------|
| 115 | | 23,000 lb. Mack RS23R dual reduction axle with multileaf springs | std | |
| 116 | | 23,000 lb Meritor RS-23-160 with multileaf springs | \$ | 275.00 |
| 117 | | 26,000 lb. Meritor RS-26-185 with multileaf springs w/helper | \$ | 525.00 |
| 118 | | 30,000 lb. Meritor RS-30-185 w/multileaf springs, w/helper, no anti sway | \$ | 3,200.00 |
| 119 | | add traction differential | \$ | 700.00 |

Frame Rail Options

| | | | | |
|-----|--|-------------------------------------------------------------|-----|--|
| 120 | | 11.81"x3.54"x.44" frame rail | std | |
| 121 | | 20" front frame extension of frame rail for snow plow mount | std | |

Cab/Chassis Options

| | | | | |
|-----|--|-----------------------------------------------------------------------|------------|--|
| 122 | | Air compressor-Meritor/Wabco 318 18.7CFM | std | |
| 123 | | Alternator-Delco 12V 130A (24SI) brush type | std | |
| 124 | | Batteries (3) Mack 12V M/F group 31 650/1950 CCA | std | |
| 125 | | Engine brake-Mack Powerleash | std | |
| 126 | | 120V 1500W engine block heater | std | |
| 127 | | Behr fan and electronic modulating fan drive | std | |
| 128 | | Mack fuel/water separator w/manual drain valve | std | |
| 129 | | silicone radiator and heater hoses with Breeze constant torque clamps | std | |
| 130 | | corrosion resistant oil pan | std | |
| 131 | | Starter-12V Delco MTHD 39 | std | |
| 132 | | Air dryer-Meritor/Wabco heated w/coalescing air filter | std | |
| 133 | | DPF- Mack Cleartech One DPF/SCR system mounted RH side under cab | std | |
| 134 | | Transynd synthetic lubricant | std | |
| 135 | | Spicer 1760 HD driveline with coated splines | std | |
| 136 | | Dash control/power supply for local installation of plow lamps | std | |
| 137 | | leads for plow lamps furnished at grille | std | |
| 138 | | air suspended cab | std | |
| 139 | | 2 extra dash mounted illuminated toggle switches | std | |
| 140 | | padded vinyl door panels w/arm rests | std | |
| 141 | | 5 lb. fire extinguisher mounted between driver seat and door | std | |
| 142 | | polyurethane floor covering | std | |
| 143 | | exhaust pyrometer and transmission oil temp gauges | std | |
| 144 | | dash mounted transmission shifter | std | |
| 145 | | tinted windshield, side and rear windows | std | |
| 146 | | bright finish exterior grab handles | std | |

| | | | | | | |
|--------------------------------------------------------|--|----------------------------------------------------------------------------|--|-----|---------|--|
| 147 | | black finish interior grab handle mounted on driver's side windshield post | | std | | |
| 148 | | foam padded headliner | | std | | |
| 149 | | hood, tiltable with inspection hatch | | std | | |
| 150 | | painted hood latches | | std | | |
| 151 | | 2 roof mounted Mack rectangular single trumpet air horns | | std | | |
| 152 | | (5) bullet type chrome marker and clearance lights | | std | | |
| 153 | | LCD display in dash w/4 button stalk control and diagnostic display | | std | | |
| 154 | | Vinyl seat covering | | std | | |
| 155 | | tilt/telescoping steering wheel | | std | | |
| 156 | | hand crank windows | | std | | |
| 157 | | sandstone color trim panels | | std | | |
| 158 | | orange lap and shoulder belts | | std | | |
| 159 | | Bostrom Talladega 915 mid back driver seat | | std | | |
| 160 | | Mack mid back fixed rider seat | | std | | |
| 161 | | AM/FM stereo w/CD,MP3,Weatherband, bluetooth | | std | | |
| 162 | | Bright finish Mack Bulldog heated west coast mirrors | | std | | |
| 163 | | 8" convex bright finish mirrors mounted to west coast mirrors | | std | | |
| 164 | | fiberglass sun visor | | std | | |
| 165 | | 2 piece windshield | | std | | |
| 166 | | 2 speed electric windshield wipers w/intermittent feature | | std | | |
| 167 | | 180" wheelbase | | std | | |
| 168 | | 44" afterframe | | std | | |
| 169 | | Bumper, extended swept back steel channel | | std | | |
| 170 | | LH fuel tank 66 gallon aluminum | | std | | |
| 171 | | DEF tank, 6.6 gallon mounted on LH side | | std | | |
| 172 | | steel air reservoirs | | std | | |
| 173 | | front wheels-22.5"X9" steel disc wheels | | std | | |
| 174 | | front tires-Bridgestone 315/80R22.5 M860A | | std | | |
| 175 | | Meritor S cam 16.5"X6" Q+ front drum brakes with dust shields | | std | | |
| 176 | | Haldex automatic slack adjusters-front | | std | | |
| 177 | | Sheppard SD110 steering gear | | std | | |
| 178 | | Rear wheels-22.5"X8.25" steel disc | | std | | |
| 179 | | rear tires-12R22.5 Bridgestone L320 | | std | | |
| 180 | | Meritor S cam 16.5"X7" Q+ rear drum brakes with dust shields | | std | | |
| 181 | | 4.73 ratio | | std | | |
| 182 | | Haldex automatic slack adjusters-rear | | std | | |
| 183 | | MGM spring brake chambers | | std | | |
| 184 | | Bendix anti lock brake system with traction control | | std | | |
| OEM Options & Equipment - Heavy Duty Trucks | | | | | | |
| 185 | | front wheels-22.5x8.25 hub piloted aluminum | | \$ | 50.00 | |
| 186 | | front wheels-24.5x8.25 hub piloted aluminum | | \$ | 50.00 | |
| 187 | | front wheels-22.5x9 hub piloted aluminum | | \$ | 100.00 | |
| 188 | | front wheels-22.5x8.25 hub piloted steel | | n/c | | |
| 189 | | front tires-Bridgestone 11R24.5 M843 | | \$ | (25.00) | |
| 190 | | front tires-Bridgestone 12R24.5 M843 | | \$ | 75.00 | |
| 191 | | rear wheels-22.5x8.25 hub piloted aluminum | | \$ | 100.00 | |
| 192 | | rear wheels-24.5x8.25 hub piloted aluminum | | \$ | 100.00 | |
| 193 | | rear wheels-22.5x9.0 hub piloted aluminum | | \$ | 125.00 | |
| 194 | | rear wheels-24.5x8.25 hub piloted steel | | \$ | 25.00 | |
| 195 | | rear wheels-22.5x9.0 hub piloted steel | | \$ | 50.00 | |
| 196 | | rear tires-11R24.5 Bridgestone L320 | | \$ | 25.00 | |
| 197 | | rear tires 12R24.5 Bridgestone M843 | | \$ | 25.00 | |
| 198 | | wheelbase 174"-187" | | n/c | | |
| 199 | | wheelbase 188"-216" | | \$ | 150.00 | |
| 200 | | wheelbase 217"-246" | | \$ | 550.00 | |
| 201 | | Aluminum air reservoirs | | \$ | 250.00 | |
| 202 | | polished aluminum battery box cover | | \$ | 75.00 | |
| 203 | | 1350 series flange crankshaft adapter for PTO | | \$ | 150.00 | |
| 204 | | 1000/1100 series flange crankshaft adapter for PTO | | \$ | 150.00 | |
| 205 | | Exhaust-bright finish heat shield, stack and SCR cover | | \$ | 250.00 | |
| 206 | | Provide 6 miscellaneous switches in dash | | \$ | 150.00 | |
| 207 | | heated tinted windshield, tinted side and rear windows | | \$ | 450.00 | |
| 208 | | power windows and door locks | | \$ | 450.00 | |
| 209 | | hand control valve for trailer or rear service brakes | | \$ | 75.00 | |
| 210 | | 1 piece windshield | | \$ | 125.00 | |
| 211 | | RH+LH hood mounted mirrors | | \$ | 300.00 | |
| 212 | | LH fuel tank 72 gallon aluminum D shape | | \$ | 225.00 | |

| | | | | | |
|-----------------------------------------------------------------|----------------|---------------------------------------------------------------------------|-------------------------------------------------------------------------|-----------------|--------------------------|
| 213 | | LH fuel tank 88 gallon aluminum D shape | \$ | 325.00 | |
| 214 | | LH fuel tank 66 gallon steel D shape | \$ | (25.00) | |
| 215 | | LH fuel tank 88 gallon steel D shape | \$ | 300.00 | |
| 216 | | trailer air brake connection at rear of frame | \$ | 425.00 | |
| 217 | | single 7 pin std SAE type trailer electrical receptacle end of frame | \$ | 175.00 | |
| 218 | | | | | |
| Extended Service Contracts | | | | | |
| 228 | | Mack engine plan 2 w/EATS 460 HP or less 6 year/250,000 miles | \$ | 4,625.00 | |
| 229 | | Mack engine plan 2 w/EATS 460 HP or less 7 year/250,000 miles | \$ | 5,250.00 | |
| 230 | | Mack engine plan 2 w/EATS 460 HP or greater 5 year/250,000 miles | \$ | 3,595.00 | |
| 231 | | Mack engine plan 2 w/EATS 460 HP or greater 6 year/250,000 miles | \$ | 6,500.00 | |
| 232 | | Mack engine plan 2 w/EATS 460 HP or greater 7 year/250,000 miles | \$ | 7,400.00 | |
| 233 | | Mack T300 manual transmission extended coverage to 5 year/500,000 miles | \$ | 500.00 | |
| 234 | | Mack mDrive transmission normal duty ext coverage to 5 year/500,000 miles | \$ | 2,067.00 | |
| 235 | | Mack mDrive transmission heavy duty ext coverage to 5 year/500,000 miles | \$ | 2,300.00 | |
| 236 | | Mack mDrive transmission heavy duty ext coverage to 5 year/250,000 miles | \$ | 1,150.00 | |
| 237 | | Mack mDrive clutch (only avail w/purchase of transmission ext coverage) | \$ | 695.00 | |
| 238 | | Allison 3000RDS refuse application extended coverage to 5 years | \$ | 910.00 | |
| 239 | | Allison 3000RDS non refuse application extended coverage to 5 years | \$ | 468.00 | |
| 240 | | Allison 4500RDS refuse application extended coverage to 5 years | \$ | 1,001.00 | |
| 241 | | Allison 4500RDS non refuse application extended coverage to 5 years | \$ | 786.00 | |
| 233 | | | | | |
| Item # | Mfg. | Description | Unit Price | | |
| Aftermarket Equipment for Medium & Heavy Duty Trucks | | | | | |
| Body Options | | | | | |
| 315 | STAHL | CST134VVD | Ten (11) Foot Custom Utility Body | | \$10,750.00 |
| 316 | | | Upgrade to Composite Material Utility Body | | N/A |
| 317 | | | Upgrade to Aluminum Utility Body | | N/A |
| 318 | | | 185 CFM Under-Deck Air-Compressor | | N/A |
| 319 | VMAC | VC150 | 150 CFM Under-Hood Air-Compressor - UNDERHOOD OPERATED | | \$18,500.00 |
| 320 | VMAC | VC70 | 70 CFM Under-Hood Air-Compressor - PTO OPERATED | | \$16,000.00 |
| 321 | REELCRAFT | | Manual Rewind Air Hose Reel with 50 ft. of .75" hose | | \$750.00 |
| 322 | THOR | | 2000W Power Inverter w/ 2 Batteries | | \$2,850.00 |
| 323 | | | 120VAC GFCI Outlet | | N/A |
| 324 | TAFCO | STD DUTY | Twelve (12) Foot Stationary Rack Body - INSTALLED | | \$5,500.00 |
| 325 | | | Add for each 2 Ft. Increment | | \$600.00 |
| 326 | TAFCO | MAGNUM | Upgrade to Aluminum Rack Body | | \$1,950.00 |
| 327 | | | Add for each 2 Ft. Increment - Aluminum Body | | \$950.00 |
| 328 | | | Stationary Steel Headboard for Rack Body | | \$650.00 |
| 329 | | | Diamond Plate Steel Flooring for Rack Body - per foot | | \$38.00 |
| 330 | TAFCO / HARSH | RL C20 | Twelve (12) Foot Dumping Rack Body with Electric/Hydraulic Hoist | | \$9,000.00 |
| 331 | | | Add for each 2 Ft. Increment | | \$900.00 |
| 332 | | | Fourteen (14) Foot Dry Van Body | | N/A |
| 333 | | | Add for each 2 Ft. Increment | | N/A |
| 334 | IROQUOIS | | Fourteen (14) ft. Enclosed Chipper Body - PTO OPERATED INSTALLED | | \$18,250.00 |
| 335 | FLEET ENGINEER | | Polymer Rear Fenders - SINGLE AXLE | | \$850.00 |
| 336 | LIFETIME | CORRUGATED | Stainless Steel Rear Fenders - SINGLE AXLE | | \$995.00 |
| 337 | DEWEZE | CLUTCH PUMP | Belt Driven Hydraulic System - WITH ONE VALVE | | \$5,350.00 |
| 338 | CHELSEA/MUNCIE | | PTO & Pump for Automatic or Manual Transmission | | \$2,250.00 / \$ 1,400.00 |
| 339 | TOMMYGATE | 89-25 TP42 | Electric/Hydraulic Liftgate - 2,500 lb. Capacity | | \$6,500.00 |
| 340 | ON SPOT | | Automatic Tire Chains - On Spot or Equal | | \$3,000.00 |
| 341 | TECONSEH | VOYAGER | Dash Mounted Electric Brake Controller | | \$300.00 |
| 342 | BUYERS | 30 TON | Plate Mounted Pintle Hook with Trailer Plug | | \$800.00 |
| 343 | | | Automatic Lube System for Truck Chassis | | N/A |
| Aerial Lift Equipment | | | | | |
| 344 | | | Knuckle Boom Crane with Grapple Loader | | N/A |
| 345 | | | Service Body Crane - 6,000 lb. CAPACITY | | N/A |
| 346 | | | Aerial Lift 36' Device with Utility Service Body | | N/A |
| 347 | | | Aerial Lift 38' Device with Utility Service Body | | N/A |
| 348 | | | Aerial Lift 40' Device with Utility Service Body | | N/A |
| 349 | | | Aerial Lift 42' Device with Utility Service Body | | N/A |
| 350 | | | Aerial Lift 44' Device with Utility Service Body | | N/A |
| 351 | | | Aerial Lift 47' Device with Utility Service Body | | N/A |
| 352 | | | Aerial Lift 65' Device with Utility Service Body | | N/A |
| 353 | | | Aerial Lift 72' Device with Utility Service Body | | N/A |
| 354 | | | Platform Body I.L.O. Utility Service Body | | N/A |
| 355 | | | 47' Corner Mount Digger Derrick with Pole Claws. | | N/A |

| | | | | |
|---------------------------------------------|--------------|---------|---------------------------------------------------------------------------|-------------|
| 356 | | | Upgrade to Insulated Boom | N/A |
| 357 | | | 10' Elevator for Aerial Lift Device | N/A |
| 358 | | | Forestry Package: Includes 65' Aerial Lift | N/A |
| 359 | | | Hydraulic Material Handling Jib | N/A |
| 360 | | | Two (2) Man Bucket/Basket - 500 lb. | N/A |
| 361 | | | Hydraulic Tool Console at Bucket | N/A |
| 362 | | | Remote Engine Start/Stop - Requires 6/12 Pack with Remote S/S Programming | N/A |
| 363 | | | Emergency 12 Volt Hydraulic System | N/A |
| 364 | | | Hydraulic Outriggers - Two (2) A-Frame | N/A |
| 365 | | | Bucket Liner | N/A |
| 366 | | | Single Stick Control System | N/A |
| 367 | | | Removable Utility Vise | N/A |
| 368 | | | Hydraulic Rotating Basket, 180° | N/A |
| 369 | | | Hydraulic Chain Saw with Scabbard | N/A |
| Trash Collection/Recycling Equipment | | | | |
| 370 | | | Refuse Body: Six (6) Cubic Yards, Rear Load | N/A |
| 371 | | | Refuse Body: Eight (8) Cubic Yards, Rear Load | N/A |
| 372 | | | Refuse Body: Ten (10) Cubic Yards, Rear Load | N/A |
| 373 | | | Automatic Back Pack | N/A |
| 374 | | | Semi-Automatic Packing Controls Container Winch | N/A |
| 375 | | | Rear Loader: 16 Cubic Yards | N/A |
| 376 | | | Rear Loader: 18 Cubic Yards | N/A |
| 377 | | | Rear Loader: 20 Cubic Yards | N/A |
| 378 | | | Rear Loader Hi-Compaction: 25 Cubic Yards | N/A |
| 379 | | | Rear Loader Hi-Compaction: 32 Cubic Yards | N/A |
| 380 | | | Barrel Tipper | N/A |
| 381 | | | Container handling hoist | N/A |
| 382 | | | Video System: Rear View | N/A |
| 383 | | | Scale System | N/A |
| 384 | | | Custom paint color - in lieu of white | N/A |
| 385 | | | Recycle Body - 31 cu/yd, side load, rear dump, Fully Automated | N/A |
| 386 | | | Recycle Body - 35 cu/yd, side load, rear dump, Fully Automated | N/A |
| 387 | | | Dual driver controls with right hand Sit-Down drive | N/A |
| 388 | | | Dual driver controls with right hand Stand-Up drive | N/A |
| 389 | | | Cart Dumper - each | N/A |
| Asphalt Patching Equipment | | | | |
| 390 | | | Slide-in 2 cu/yd - 3 Ton hot box Asphalt pre-heater | N/A |
| 391 | | | Slide-in 3 cu/yd - 4.5 Ton hot box Asphalt pre-heater | N/A |
| 392 | | | Slide-in 4 cu/yd - 6 Ton hot box Asphalt pre-heater | N/A |
| 393 | | | 4/5 cu/yd hot box Asphalt pre-heater | N/A |
| 394 | | | 6/7 cu/yd hot box Asphalt pre-heater | N/A |
| 395 | | | Add for Hot Box Asphalt Recycler - Dual Burner Option | N/A |
| 396 | | | Add for Stepp Oil Jacketed Design | N/A |
| 397 | | | Asphalt Recycler - Tailgate Mount | N/A |
| 398 | | | Tack Tank with Diesel Burner & Auto Controls | N/A |
| 399 | | | Compactor Carrying Plate | N/A |
| 400 | | | Electric Overnight Heater | N/A |
| 401 | | | Cold Weather Upgrade Package | N/A |
| 402 | | | Upgrade from Diesel to Propane | N/A |
| Dump Body Options | | | | |
| 403 | | | Front PTO Mounted Central Hydraulic System - WITH ONE VALVE | \$4,800.00 |
| 404 | | | Automatic Transmission Mounted Central Hydraulic System - WITH VALVE | \$5,500.00 |
| 405 | | | Dry Valve or Pressure Compensating Pump - ADD | \$850.00 |
| 406 | | | Low Hydraulic Fluid Alarm/ Shutoff | N/A |
| 407 | GODWIN | 184U | 9' - 2 to 4 Cubic Yard Dump Body - NO HYDRAULICS / BLACK | \$7,700.00 |
| 408 | DONOVAN | 106 | 10' - 6 to 8 Cubic Yard Dump - NO HYDRAULICS / BLACK | \$10,750.00 |
| 409 | HARSH | RL F 60 | Class 60 Arm Type with a Capacity of 17 Tons - NO HYDRAULICS | \$6,500.00 |
| 410 | | | Upgrade Dump Body to 7 Gauge Steel | \$1,100.00 |
| 411 | BRANDON | HD | Add for 12'/13'/14' Dump with Front Telescopic Hoist - 14' BODY UPGRADE | \$6,500.00 |
| 412 | | | Add for 12'/13'/14' Dump with Twin Cylinder Hoist | N/A |
| 413 | | | Add for 100" Wide Dump Body | \$1,200.00 |
| 414 | BRANDON | HD | 17' Monoshell Dump Body - NO HYDRAULICS / BLACK | \$18,200.00 |
| 415 | | | Custom Fabricated Tailgate Asphalt Door (Each) | \$500.00 |
| 416 | | | Air Operated Tailgate | \$550.00 |
| 417 | BEAU-ROC | | Barn Door Tailgate | \$1,950.00 |
| 418 | WEATHERGUARD | | 30" Stainless Steel Underbody Tool Box | \$575.00 |
| 419 | WEATHERGUARD | | 30" Aluminum Underbody Tool Box | \$700.00 |
| 420 | | | Heat Diverter Valve and Connection for Dump Body | \$800.00 |

| | | | | |
|-----------------------------------------|--------------|-------------------------|----------------------------------------------------------------------------|-------------|
| 421 | AERO | 575 | Electric Automatic Load Cover | \$2,100.00 |
| 422 | BEAU-ROC | | Semi-Automatic Load Cover | \$750.00 |
| 423 | PIONEER | G1500D | Semi-Automatic Load Cover with Ground Control | \$1,500.00 |
| 424 | | | Manually Retracted Load Cover | \$250.00 |
| 425 | | | Side Boards: Oak 2" x 10" | 13/FT |
| 426 | | | Steel Side Boards: "C" Channel | 38/FT |
| 427 | | | Two (2) Chock Blocks and Holders | \$250.00 |
| 428 | | | Full Width Steel Asphalt Apron, 8-7" Depth | \$400.00 |
| 429 | BEAU-ROC | | Upcharge for 10' Stainless Steel Dump Body ILO Steel | \$15,000.00 |
| 430 | BEAU-ROC | | Upcharge for 12'/13' Stainless Steel Dump Body ILO Steel | \$16,000.00 |
| 431 | BEAU-ROC | | Upcharge for 14' Stainless Steel Dump Body ILO Steel | \$16,500.00 |
| 432 | BEAU-ROC | DH | Upcharge for 10' HARDOX Steel Dump Body ILO CarbonSteel | \$5,100.00 |
| 433 | BEAU-ROC | DH | Upcharge for 12'/13' HARDOX Steel Dump Body ILO CarbonSteel | \$7,200.00 |
| 434 | BEAU-ROC | DH | Upcharge for 14' HARDOX Steel Dump Body ILO CarbonSteel | \$7,900.00 |
| 435 | | | Upcharge for 10' Aluminum Dump Body | N/A |
| 436 | | | Upcharge for 12'/13' Aluminum Dump Body | N/A |
| 437 | | | Upcharge for 14' Aluminum Dump Body | N/A |
| 438 | LIFETIME | | Polymer Rear Fenders - TANDEM AXLE | \$1,950.00 |
| Snow Plow Equipment | | | | |
| 439 | MONROE | MP36R10-ISCT | Medium Duty 10 Ft. Power Angle Snow Plow Package | \$7,700.00 |
| 440 | MONROE | | Heavy Duty Plow Frame - S PIN | \$4,900.00 |
| 441 | MONROE | | Heavy Duty Plow Frame - F PIN | \$5,800.00 |
| 442 | MONROE | 8003 | Heavy Duty Plow Frame - Hinged with Lights and Control Valve | \$4,900.00 |
| 443 | | | Heavy Duty Hustling Type Plow Frame with Lights and Control Valve | \$5,500.00 |
| 444 | MONROE | 5000 | Heavy Duty Stationary Quick Hitch with Lights and Control Valve | \$5,300.00 |
| 445 | MONROE | | Heavy Duty Power Tilt Quick Hitch with lights and control valve | \$5,950.00 |
| 446 | MONROE | | Heavy Duty Arrowhead Type Plow Frame with Lights and Control Valve | \$5,500.00 |
| 447 | MONROE | | Heavy Duty Quick Link Hitch with Lights and Control Valve | \$5,500.00 |
| 448 | FLINK | 2PR559U | Heavy Duty 10' Power Reversing Trip Edge Plow | \$10,150.00 |
| 449 | FLINK | 2PR554U | Heavy Duty 11' Power Reversing Trip Edge Plow | \$10,950.00 |
| 450 | FLINK | 2PR5544860RT | Heavy Duty 11' "Vortex" Power Reversing Trip Edge Plow | \$12,500.00 |
| 451 | FLINK | 2PR555 | Heavy Duty 12' Power Reversing Trip Edge Plow | \$12,600.00 |
| 452 | MONROE | MPFA-R - 39 - 52 - ISCT | Heavy Duty 11' Power Reversing One-Way Plow | \$7,750.00 |
| 453 | | | Power Reverse Hydraulics with Controls | \$950.00 |
| 454 | | | Add for Hydraulic Latching of Plow Angle | N/A |
| 455 | | | Heavy Duty Truck Folding V Plow - Minimum 41" Height - Trip Edge - 11' | N/A |
| 456 | FLINK | 472 | Heavy Duty 10' Non-Reversing Trip Edge Plow | \$7,500.00 |
| 457 | FLINK | 475 | Heavy Duty 11' Non-Reversing Trip Edge Plow | \$8,500.00 |
| 458 | | | Heavy Duty 13' Fixed Angle Trip Edge Plow | N/A |
| 459 | | | Hustling Attachment for Snow Plow | \$2,200.00 |
| 460 | | | Arrowhead Attachment for Snow Plow | \$1,200.00 |
| 461 | | | Quick Hitch Attachment for Snow Plow | \$1,000.00 |
| 462 | | | Add for "Polymer" Moldboard in Lieu of Steel | \$500.00 |
| 463 | MONROE | 11DPWMB-FT | Hydraulic Full Wing System, Attachments, Valves, and Full Trip Wing | \$14,250.00 |
| 464 | | | Timbren Custom Front Spring System for Wing Plows | \$950.00 |
| 465 | | | Air-Bag Auxiliary Front Spring for Wing Plow | \$1,300.00 |
| 466 | | | Laser Guidance System for Wing Plows | N/A |
| 467 | MONROE | | Manual Reverse Underbody Scraper - 10' | \$8,500.00 |
| 468 | | | Ground Clearance Package for Scraper Installation with 50 gallon fuel tank | N/A |
| Snow & Ice Control Equipment | | | | |
| 469 | MONROE/FLINK | MSV-120 / LMC5H | 10 ft. drop-in type Spreader - 7 YARDS STEEL | \$11,500.00 |
| 470 | MONROE/FLINK | MSV-120 / LMC5H | 10 ft. chassis mounted Spreader - 7 YARDS STEEL | \$12,500.00 |
| 471 | | | Upgrade to 13/14 Ft. 10 Cubic Yard Spreader - Add - 10 YARD STEEL | \$3,150.00 |
| 472 | MONROE/FLINK | STAINLESS STEEL | Stainless Steel Spreader - Upgrade: for 10 Ft. Spreader | \$4,500.00 |
| 473 | | | Stainless Steel Spreader - Upgrade: for 13/14 Ft. Spreader | \$7,500.00 |
| 474 | | 2FFL DIAL VALVE | Manual Spreader Fluid Control Valve, Plumbed | \$1,750.00 |
| 475 | | | Reinforced Bumper to Protect Spinner Chute | \$750.00 |
| 476 | MONROE | DTS | 10' Combination Dump/Spreader: 6 - 8 Cubic Yard | \$38,900.00 |
| 477 | | | Spreader Control Systems - MANUAL VALVES | \$1,750.00 |
| 478 | | | Sander Spill Shields - STEEL | \$900.00 |
| 479 | | | 24" Cab Shield for Chassis Mounted Spreader - STEEL | \$750.00 |
| 480 | | | Rear Deflector for Spreader | \$750.00 |
| 481 | | | 4" Flood Light for Spreader | \$250.00 |
| 482 | | | Dual Rear Facing 7" Red Flashers for Spreader | \$450.00 |
| 483 | | | Dual Steel Diamond Tread Cat Walks with Access Steps | \$1,250.00 |
| 484 | | | Calcium Applicator, Single Frame Mounted Tank | N/A |
| 485 | | | Calcium Applicator, Dual Stainless Steel Tanks | N/A |
| 486 | REED | SBV-80 | Calcium Applicator, Dual Poly Tanks | \$3,950.00 |

| | | | | |
|----------------------------------|----------------|-------------|-------------------------------------------------------------------------------------|--------------|
| 487 | REED | | Calcium Application System - Tailgate Mount | \$4,000.00 |
| 488 | | | 950/1000 Gallon Direct Application Calcium System | N/A |
| 489 | | | 1600/1650 Gallon Direct Application Calcium System | N/A |
| 490 | | | Combination Dump/Spreader: Tenco 12M | N/A |
| 491 | | | Combination Dump/Spreader: Everest SDS | N/A |
| 492 | | | Combination Dump/Spreader: Air Flo/N Dump | N/A |
| 493 | | | Combination Dump/Spreader: Tarco T-3000 | N/A |
| 484 | | | Combination Dump/Spreader: Henderson Muni-Body | N/A |
| 495 | FLINK | MPB | Combination Dump/Spreader: Flink MPB | \$34,500.00 |
| 496 | | | Combination Dump/Spreader: Viking Proline | N/A |
| 497 | | | Combination Dump/Spreader: Hi-Way XT-3 | N/A |
| 498 | MONROE | | Combination Dump/Spreader: Monroe RDS | \$36,140.00 |
| 499 | | | Combination Dump/Spreader - Swenson | N/A |
| 500 | | | Combination Dump/Spreader - MG | N/A |
| 501 | | | Corten Steel Upgrade for 10' Dump/Spreader | N/A |
| 502 | | | Stainless Steel Upgrade for 10' Dump/Spreader | \$12,000.00 |
| 503 | | | Add for 12'/13' Dump/Spreader | \$8,000.00 |
| 504 | | | Stainless Steel Upgrade for 12'/13' Dump/Spreader | \$17,500.00 |
| 505 | | | Corten Steel Upgrade for 12'/13' Dump/Spreader | N/A |
| 506 | | | Automatic Grease System for Dump/Spreader Body | N/A |
| 507 | | | Custom Paint Color | \$1,200.00 |
| 508 | MUNCIE | MESP | Electronic Spreader Control - Low Tier - Dual Flow / Ground Speed Capable | \$3,000.00 |
| 509 | FORCE AMER. | 5100X | Electronic Spreader Control - Mid Tier - ADD Programmable & Data Logging | \$6,500.00 |
| 510 | FORCE AMER. | 6100X | Electronic Spreader Control - High Tier - ADD Wifi , GPS & Joystick Control | \$8,500.00 |
| 511 | | | Front Discharge for Spreader | \$750.00 |
| 512 | | | Dual Discharge for Dump/Spreader | \$3,950.00 |
| 513 | | | Dual Auger, Conveyer Body Upgrade | N/A |
| 514 | | | Top Sectional Screens for Dump/Spreader | \$2,500.00 |
| 515 | | | Asphalt Curb Chute | N/A |
| 516 | FLINK | FLS18 | Tailgate Mounted Dual Discharge Cross Conveyer - STEEL | \$8,950.00 |
| 517 | | | Slide-In, Anti-Icing System - 735 Gallons (Inside box width of 83" or greater) | N/A |
| 518 | | | Slide-In, Anti-Icing System - Add per 100 Gallon Increase in Size | N/A |
| 519 | FLEET ENGINEER | | Polymer Rear Fenders - SINGLE AXLE | \$950.00 |
| Street Sweeping Equipment | | | | |
| 520 | | | TYMCO model 500X Regenerative Air Sweeper, Dual Steering - ADD to Base 4300 | \$280,600.00 |
| 521 | | | TYMCO model 600 Regenerative Air Sweeper, Dual Steering - ADD to Base 4300 | \$265,800.00 |
| 522 | | | Stainless Steel Hopper Upgrade - model 600 | INCLUDED |
| 523 | | | Catch Basin Cleaner Attachment | INCLUDED |
| 524 | | | Dustless Sweeping Technology - model 600 | \$67,520.00 |
| 525 | | | Gator Getter High Speed Debris Remover Attachment | N/A |
| 526 | | | Paint Color other than White | \$4,300.00 |
| 527 | | | ASI - Auto Sweep Interrupt | INCLUDED |
| 528 | | | Elgin Broom Bear Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 529 | | | Elgin Eagle Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 530 | | | Elgin Crosswind Regenerative Air Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| 531 | | | Elgin Whirlwind Vacuum Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| 532 | | | Johnson ES351 Mechanical Sweeper - Dual Steering - Add to base 4300 Chassis | N/A |
| 533 | | | Schwartz Mechanical Sweeper - Dual Steering - ADD to Base 4300 Chassis | N/A |
| 534 | | | Schwartz Regenerative Air Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| 535 | | | Schwartz Vacuum Sweeper - Dual Steering - Add to Base 4300 Chassis | N/A |
| Hook Loader Equipment | | | | |
| 536 | PALFINGER | PALIFT T60 | Hook loader for 20' to 24' Bodies, 65,000 lbs. Capacity | \$45,000.00 |
| 537 | PALFINGER | PALIFT T50 | Hook loader for 17' to 22' Bodies, 54,000 lbs. Capacity | \$40,000.00 |
| 538 | PALFINGER | PALIFT T50 | Hook loader for 19' to 24' Bodies, 50,000 lbs. Capacity | \$40,000.00 |
| 539 | PALFINGER | PALIFT T40L | Hook loader for 14' to 18' Bodies, 40,000 lbs. Capacity | \$37,500.00 |
| 540 | PALFINGER | HAD300M | Hook loader for 14' to 18' Bodies, 33,000 lbs. Capacity | \$29,950.00 |
| 541 | PALFINGER | HAD250S | Hook loader for 10' to 14' Bodies, 24,000 lbs. Capacity | \$28,500.00 |
| 542 | PALFINGER | HAD250M | Hook loader for 14' to 18' Bodies, 24,000 lbs. Capacity | \$28,950.00 |
| 543 | PALFINGER | HAD200L | Hook loader for 14' to 18' Bodies, 18,000 lbs. Capacity | \$24,000.00 |
| 544 | PALFINGER | HAD18S | Hook loader for 12' to 15' Bodies, 14,000 lbs. Capacity | \$23,500.00 |
| 545 | PALFINGER | HAD130S | Hook loader for 10' to 10' Bodies, 9,500 lbs. Capacity | \$22,950.00 |
| 546 | | | Hook loader Skid for Mounting Optional Bodies - STEEL INSTALLED | \$2,950.00 |
| 547 | | | Custom Support Legs for Specialized Bodies | N/A |
| 548 | VALLEY | | Open Top Container Body - 14' / 15 YARDS / BLACK | \$4,200.00 |
| 549 | | | Switch N Go - 9' to 14' Detachable Truck Body System | N/A |
| 550 | | | Switch N Go - Skid for Mounting Optional Bodies | N/A |
| 551 | PIONEER | HR1500HS | Hydraulic Tower & Load Cover - STEEL ARMS | \$3,950.00 |
| 552 | | | Custom Cab Guard (Headache Rack) | \$2,500.00 |

| Sewer Cleaning Equipment | | | | |
|--------------------------|-----------|----------------|--------------------------------------------------------|--------------|
| 553 | | | Stetco: Model 950 Catch Basin Cleaner | N/A |
| 554 | | | Stetco: Custom stainless debris dump body | N/A |
| 555 | | | Stetco: Truck mounted Jetter | N/A |
| 556 | | | Pipehunter 700 gal. 3000 psi Sewer Jet | N/A |
| 557 | | | High-Pressure Sewer Flushing Machine | N/A |
| 558 | | | Rear Mounted Rotating/Telescoping Safety Hose Reel | N/A |
| 559 | | | Rear Mounted Rotating/Telescoping Dual Reel with T.V. | N/A |
| 560 | | | Telescoping Sewer Hose Reel | N/A |
| 561 | | | Heated Rear Compartment for Jet Truck | N/A |
| 562 | | | High Pressure Wash Down System | N/A |
| 563 | | | Single Reel Video Inspection System | N/A |
| 564 | | | Vactor Combo Jetting and Vacuum Body: Fan Blower Type | N/A |
| 565 | | | Vactor Combo. Jetting and Vacuum Body: PD Pump Type | N/A |
| 566 | | | Vac-Con Combo Jetting and Vacuum Body: Fan Blower Type | N/A |
| 567 | | | Vac-Con Combo Jetting and Vacuum Body: PD Pump Type | N/A |
| 568 | | | Aquqtech B-10 Combo Jetting and Vacuum Body | \$272,000.00 |
| 569 | | | Aquqtech B-15 Combo Jetting and Vacuum Body | \$290,000.00 |
| 570 | | | Tool Box: 45" x 16" x 12" - Aluminum | \$1,500.00 |
| 571 | | | Tool Box: 24" x 24" x 24" - Aluminum | \$1,050.00 |
| 572 | | | Body Color - Other Than Acrylic White | \$4,500.00 |
| 573 | | | Video System - front, side & rear view | \$4,800.00 |
| 574 | | | Automatic Lube System | \$12,500.00 |
| Lighting Systems | | | | |
| 575 | | | LED Strobe System: One Cab Mounted Flasher | \$1,200.00 |
| 576 | | | LED Strobe System: Two Flashers Mounted in | \$1,100.00 |
| 577 | | | LED Strobe System: Two Marker Light Mounted | \$1,100.00 |
| 578 | | | LED Strobe System: Two Rear Mounted Flashers | \$1,100.00 |
| 579 | | | Rear Flashers Mounted in Steel Case - ADD | \$750.00 |
| 580 | | | Rear Flashers Mounted in Stainless Steel Case - ADD | \$950.00 |
| 581 | | | Rear Flashers Mounted in Aluminum Case - ADD | N/A |
| 582 | | | Front marker light mounted LED Flashers | \$500.00 |
| 583 | | | Small Roof Mounted LED Light Bar | \$1,600.00 |
| 584 | | | Large LED Traffic Advisor Arrow Board | \$3,200.00 |
| 585 | | | Small LED Arrow Board | \$1,250.00 |
| 586 | ACNS | SRC400 DONOVAN | 26' x 60' DONOVAN DUMP TRAILER - CONVENTIONAL FRAME | \$61,000.00 |
| 587 | PALFINGER | ARB-75-22 | ROLL OFF UNIT | \$ 33,250.00 |