

## ***E-One Aerial Base Model - 2019 Renewal Extension Pricing***

<b><u>E-One Model</u></b>	<b><u>Contract Extension Total</u></b>
HP78 High-End Rear Mounted Quint	\$763,235
Metro 100 High-End Rear Mounted Ladder	\$786,287
HM100/110 High-End Rear Mounted Ladder	\$863,055
HM100/110 High-End Rear Mounted Quint	\$924,587
HP100 High-End Rear Mounted Ladder	\$916,610
HP100 High-End Rear Mounted Quint	\$991,751
CR137 High-End Rear Mounted Ladder	\$938,049
CR137 High-End Rear Mounted Quint	\$1,012,548
HP100 High-End Super Tiller	\$1,214,235
HP92 High-End Rear Mounted Platform	\$1,105,492
HP92 High-End Rear Mounted Platform Quint	\$1,212,269
HP95 High-End Midmount Platform	\$1,178,342
HP95 High-End Midmount Platform Quint	\$1,289,739
HP100 High-End Rear Mounted Platform	\$1,126,242
HP100 High-End Rear Mounted Platform Quint	\$1,242,586
HPS105 High-End Rear Mounted Ladder	\$1,087,661
HPS105 High-End Rear Mounted Quint	\$1,135,358
HPS100 High-End Rear Mounted Platform	\$1,094,290
HPS100 High-End Rear Mounted Platform Quint	\$1,251,503
Bronto High-End Rear Mounted Platform	\$1,233,707
Bronto High-End Rear Mounted Platform Quint	\$1,384,463

**VENDOR:** GREENWOOD EMERGENCY VEHICLES, LLC  
**DESCRIPTION:** 2019 HIGH END AERIAL OPTIONS - PRICING & STEEL INCREASES  
**CUSTOMER:**

Item #	Description	Contract Extension	+1/-1	Total
0100-0050	Rear tandem wheel well modification to driver and officer side to increase storage, by lowering extrusion above. Note SCBA bottle storage not available. Applies only to HP100 rear mount platform without pump.	\$563		
1005-0133	(4) door, 237" WB & 47" frame cut, front tow hooks, 12K & 23K axles, ABS brakes, 1000 sq.in. radiator, 50 gal. left hand fuel tank, MBE900-300 6.4L 300 HP 98 EPA Engine EVS3000 transmission, MBE off/low/high compression and exhaust brake (2) 1850 CCA batteries, 270 alternator, ember separator and AC. Dual air horns, 911 Universal High Back Drivers Air Seat, 911 Universal SCBA Non Suspended Officers, (3) 911 Universal SCBA Rear Seats With Under Seat Storage Dual West Coast Bright Finish Heated Remote with Left and Right Mirrors. 294-046 Separate taillight programming. Export chassis to Chilei ZCHILE-120308	\$88,253		
1025-0002	Dana 22I 22,800 lb. front axle.	\$22,369		
1025-0003	Meritor FL941 front axle 16,000lb	\$13,520		
1025-0004	Meritor FL941 front axle 18,000 lb. with assist cylinder.	\$15,430		
1025-0005	Meritor FL-941 front axle 18,700 lb.	\$20,275		
1025-0006	Meritor FL941 front axle 20,000 lbs.	\$21,009		
1025-0007	Meritor FL941 front axle 21,000lb	\$21,009		
1025-0008	Meritor FL941 front axle 21,500lb	\$21,301		
1025-0009	Meritor FL943 front axle 18,000 lbs.	\$16,457		
1025-0010	Meritor FL-943 front axle 18,700 lb.	\$21,301		
1025-0011	Meritor FL-943 front axle 20,000 lb.	\$22,185		
1025-0012	Meritor FL-943 front axle 21,000 lb.	\$22,476		
1025-0013	Meritor FL-943 front axle 21,500 lbs.	\$22,918		
1025-0014	Meritor front drive axle and suspension 16,540#	\$14,985		
1025-0015	Meritor front drive axle and suspension 18,000#	\$44,722		
1025-0016	Meritor RS-24-160 single rear axle 24,000 lb. capacity.	\$13,520		
1025-0017	Meritor RS-25-160 single rear axle 27,000 lb. capacity.	\$15,133		
1025-0018	Meritor RS-30-185 single rear axle 31,000 lb. capacity.	\$16,897		
1025-0020	Meritor RT-46-160 rear tandem axle 46,000 lb. capacity.	\$35,990		
1025-0021	Meritor RT-46-160 rear tandem axle 48,000 lb. capacity.	\$35,990		
1025-0022	Meritor RT-50-160 rear tandem axle 52,000 lb. capacity.	\$45,537		
1025-0023	Meritor RT-50-160 rear tandem axle 54,000 lb. capacity.	\$45,537		
1025-0024	Meritor RT-58-185 rear tandem axle 60,000 lb. capacity.	\$57,289		
1025-0027	Driver controlled rear differential.	\$965		
1025-0028	Koni shock absorbers for front axle - adjustable.	\$419		
1025-0029	Front shock absorbers.	\$226		
1025-0030	Stemco oil seal front axle. Chicago Rawhide seal with Stemco sight glass will be supplied when front disc brakes are selected.	\$137		
1025-0031	Spiral pins front suspension.	\$2,094		
1025-0034	Automatic traction control. In addition to standard ABS system.	\$724		
1025-0035	Koni shock absorbers for rear axle.	\$665		
1025-0036	Automatic Traction Control System 6x4/6x6	\$2,467		
1025-0038	Meritor RT-58-185 rear tandem axle 62,000 lb. capacity.	\$67,570		

Item #	Description	Extension	+1/-1	Total
1025-0039	Rear steer axle FL941 21,500lb for tiller.	\$30,151		
1025-0058	Stemco oil seal rear axle (per axle). Not available with disc brakes.	\$290		
1025-0059	Meritor front drive axle and suspension 21,000#	\$44,998		
1025-0060	Meritor FL-943 front axle 22,100 lb.	\$23,778		
1025-0061	A single indicator light installed in cab to show the activation of any of the brake wear indicator switches installed on the caliper at each wheel location.	\$421		
1025-0063	Control in cab for kneeling of rear air ride suspension. Estimated dump time will be 30 seconds. Switch on dash to "Kneel" rear wire through park brake valve to allow Kneel only when park brake is activated.	\$629		
1025-0064	Independent front axle/suspension - 18,000 lb. Not available with Series 60 engine.	\$51,693		
1025-0065	Independent front axle/suspension - 20,000 lb. Not available with Series 60 engine.	\$51,693		
1025-0066	Independent front axle/suspension - 22,800 lb. Not available with Series 60 engine.	\$51,693		
1025-0067	Independent front axle/suspension - 24,000 lb. Not available with Series 60 engine.	\$51,693		
1025-0069	Driver Controlled Dif Lock. on chassis with 26,000 rear axle.	\$656		
1025-0071	OBS - Meritor RS-30-185 single rear axle 33,000lb capacity.	\$16,897		
1025-0073	Meritor RS-30-185 single rear axle 31,500 lb. capacity.	\$16,897		
1025-0074	Independent front axle/suspension rated at 18,700 lb due to tires (Uses 20,000 lb springs). Not available with Series 60 engine.	\$51,693		
1025-0075	Independent front axle/suspension rated at 21,000 lb due to tires (Uses 22,800 lb springs). Not available with Series 60 engine.	\$51,693		
1025-0076	Independent front axle/suspension rated at 21,500 lb due to tires (Uses 22,800 lb springs). Not available with Series 60 engine.	\$51,693		
1025-0077	Rear steer axle FL941 22,100lb for tiller.	\$30,151		
1025-0078	S-Cam brakes to have Haldex brand slack adjusters (per axle).	\$384		
1025-0079	Meritor RS-23-240 two speed single rear axle 24,000lb capacity.	\$19,026		
1025-0081	Chicago Rawhide oil seal rear axle (per axle). Not available with disc brakes.	\$290		
1025-0084	Driver Controlled Dif Lock (Rearward rear axle). For use with International chassis with 40K tandem rear axle.	\$873		
1025-0085	Driver Controlled Dif Lock (Rearward rear axle). For use with International chassis with 46K tandem rear axle.	\$681		
1025-0086	Meritor FL941 front axle 18,500lb.	\$20,275		
1025-0087	Dana S35-590 single rear axle 32,500lb capacity. Requires Bendix rear brakes.	\$21,496		
1025-0088	Synthetic 75w90 gear oil for rear axle.	\$460		
1025-0089	Meritor RS-26-185 single rear axle 27,000lb capacity	\$16,897		
1025-0090	Meritor RT-46-160 rear tandem axle rated at 40,000lb capacity.	\$35,990		
1025-0095	Meritor RS-30-185 single rear axle 29,000lb capacity	\$16,897		
1025-0096	Front axle capacity upgrade for 23,000lb rating.	\$29,712		
1025-0097	Meritor RS-30-185 single rear axle 33,000 lb. capacity. Requires 16.5" x 8.625" cast shoe brakes and 33K suspension.	\$16,897		
1025-0099	Chassis axle package with FL-941 front axle with 18,000lb. suspension and RS-24-160 rear axle with 24,000lb. suspension. Includes front disc and rear cam brakes, Anti-Lock Brake System (ABS) and air Inlet located inside the driver side door area. Custom ES.	\$0		
1025-0100	Chassis axle package with FL-941 front axle with 18,000lb. suspension and RS-24-160 rear axle with 24,000lb. suspension. Includes front disc and rear cam brakes, Electronic Stability Control (ESC) for 172" WB and air inlet located inside the driver side door area. Custom ES.	\$3,671		
1025-0101	Chassis axle package with FL-941 front axle with 18,000lb. suspension and RS-24-160 rear axle with 24,000lb. suspension. Includes front disc and rear cam brakes, Electronic Stability Control (ESC), and air inlet located inside the driver side door area. 180" and 194" WB Custom ES.	\$3,671		

Item #	Description	Extension	+1/-1	Total
1025-0102	Chassis axle package with FL-941 front axle with 18,000lb. suspension and RS-24-160 rear axle with 24,000lb. suspension. Includes front disc and rear cam brakes, Electronic Stability Control (ESC), and air inlet located inside the driver side door area. 202", 206", and 214" WB Custom ES.	\$3,671		
1025-0103	Chassis axle package with FL-941 front axle with 18,000lb. suspension and RS-24-160 rear axle with 24,000lb. suspension. Includes front disc and rear cam brakes, Anti-Lock Brake System (ABS) and air Inlet located inside the driver side door area. Export only Custom ES with 98 EPA engine.	\$0		
1025-0106	Driver Control Differential for M2.	\$564		
1025-0107	Synthetic 75w90 gear oil for front axle.	\$142		
1025-0108	Meritor RS-30-185 single rear axle 30,000lb capacity	\$16,897		
1025-0110	Meritor RT-50-160 rear tandem axle 50,000lb capacity	\$45,537		
1025-0114	Meritor FL943 front axle 18,700lb with multi-leaf front springs.	\$21,803		
1025-0115	The front axle to be an 18K Dana Spicer with taperleaf and shocks.	\$0		
1025-0116	The rear axle to be tandem with 40K Dana Spicer with air ride suspension.	\$0		
1025-0119	3 year extended parts and labor warranty (total of 4 year warranty) on Timoney Independant Front Axle. Does not include steering components.	\$3,041		
1025-0120	Driver controlled rear differential. Includes guarded toggle switch located on driver side diagnostic panel	\$965		
1025-0121	2 year extended parts and labor warranty (total of 3 year warranty) on Timoney Independent Suspension Front Axle. Does not include steering components.	\$2,029		
1025-0122	Stemco Hubometer on driver side of rear axle.	\$166		
1025-0123	Meritor FL941 front axle 19,840 lb.	\$20,275		
1025-0124	Meritor FL943 front axle 20,000 lb. Springs to have Berlin style eyes with rubber bushings.	\$22,560		
1025-0125	Meritor FL943 front axle 19,840 lb.	\$21,301		
1025-0127	Meritor FL941 front axle 18,000 lb with multi-leaf front springs.	\$14,009		
1025-0132	Koni shock absorbers for front axle - non-adjustable. For use with IFS front axle only.	\$419		
1025-0133	Meritor FL943 front axle 20,000 lb with multi-leaf front springs.	\$22,674		
1025-0134	Meritor MT-40-14X rear tandem axle 40,000 lb. capacity.	\$30,847		
1025-0135	AxleTech FS25 front axle 18,700 lb. Includes sight guage.	\$22,554		
1025-0137	Meritor FL943 front axle 19,220 lb.	\$21,301		
1025-0138	AxleTech FS25 front axle 20,000 lb. Includes sight guage.	\$22,554		
1025-0139	AxleTech front drive axle and suspension 18,700#.	\$50,140		
1025-0140	Spicer 232S4 single rear axle 24,000 lb. capacity with power divider (232D4 with DCDL). Includes drivelines to front axle.	\$20,245		
1025-0141	Spicer 301S4 single rear axle 31,000 lb. capacity with power divider. Includes drivelines to front axle.	\$25,551		
1025-0142	Chicago oil seal front axle. Chicago Rawhide seal with Chicago Rawhide sight glass (model 1743) will be supplied when front disc brakes are selected.	\$137		
1025-0144	The front axle shall be fitted with a 1" spacer block per customer request. The spacer block shall not compromise step height requirements or impose unacceptable rake characteristics when added. Chassis engineering approval required.	\$249		
1025-0145	Front suspension grease points/spring pins shall have fittings inboard of the frame rails with grease fittings pointed towards the center of the chassis to prepare for dealer/customer supplied lubrication system.	\$625		
1025-0146	Reyco Granning independent front suspension - 18,000 lb. Includes shocks and sight glass on hubs.	\$36,146		
1025-0147	Reyco Granning independent front suspension - 18,700 lb. Includes shocks and sight glass on hubs.	\$36,146		
1025-0148	Reyco Granning independent front suspension - 19,840 lb. Includes shocks and sight glass on hubs.	\$36,146		
1025-0149	Reyco Granning independent front suspension - 20,000 lb. Includes shocks and sight glass on hubs.	\$36,146		
1025-0150	Reyco Granning independent front suspension - 21,000 lb. Includes shocks and sight glass on hubs.	\$36,146		
1025-0151	Reyco Granning independent front suspension - 21,500 lb. Includes shocks and sight glass on hubs.	\$36,146		

Item #	Description	Extension	+1/-1	Total
1025-0152	Reyco Granning independent front suspension - 22,800 lb. Includes shocks and sight glass on hubs.	\$36,146		
1025-0153	Reyco Granning independent front suspension - 24,000 lb. Includes shocks and sight glass on hubs.	\$36,146		
1025-0158	Stemco sight glass guards.	\$117		
1025-0159	Meritor front drive axle and suspension 19,840#	\$44,998		
1025-0163	Rear axle high water ventilation tube.	\$267		
1025-0164	Meritor MFS18 front axle rated at 16,000 lb.	\$13,325		
1025-0165	Meritor FL-943 front axle 22,500 lb.	\$23,728		
1025-0169	Dana Spicer single rear axle with 27,000 lb capacity with power divider. Includes drivelines to front axle.	\$25,551		
1025-0170	Meritor MFS18 front axle rated at 18,000 lb.	\$13,325		
1025-0171	Dana 221 24,000 lb. front axle.	\$22,779		
1025-0172	Meritor front drive axle and suspension 22,800#	\$51,629		
1025-0174	Meritor FL941 front axle 18,000 lb.	\$13,520		
1025-0175	Meritor RS-25-160 single rear axle at 24,000 lb. rated capacity.	\$15,133		
1025-0178	Meritor FL941 front axle 21,200lb	\$21,009		
1025-0180	Stemco oil seal tiller axle.	\$137		
1025-0181	Dana S35-590 single rear axle 33,000lb capacity. Requires Bendix rear brakes.	\$21,496		
1025-0182	Dana S35-590 single rear axle 35,000lb capacity. Requires Bendix rear brakes. Unit will have an intermittent speed rating due to rear tires.	\$21,496		
1025-0184	Marmon-Herrington MT-22 front drive axle and suspension 19,840 lb.	\$46,059		
1025-0186	Meritor RS-30-185 single rear axle 28,450lb capacity	\$16,897		
1050-0000	Steel wheels for front axle (2).	\$397		
1050-0001	Alcoa aluminum wheels for front axle (2).	\$2,138		
1050-0002	Steel wheels for rear axle (4).	\$786		
1050-0003	Alcoa aluminum wheels for rear axle (4).	\$4,268		
1050-0004	Steel wheels for rear axles (8).	\$1,567		
1050-0005	Alcoa aluminum wheels for rear axles (8).	\$8,530		
1050-0007	Front axle wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. Note: Center cap will have an inspection port IPO a logo if equipped with Stemco oil seals.	\$287		
1050-0008	Rear axle (single) wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap with E-ONE logo. E-ONE custom chassis w/steel wheels will have chrome plated plastic lug covers.	\$353		
1050-0009	Rear axle (tandem) wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center caps with E-ONE logo. E-ONE custom chassis w/steel wheels will have chrome plated plastic lug covers.	\$786		
1050-0010	Wheel Covers stainless steel (Real Wheels) 4x4	\$1,392		
1050-0011	Wheel Covers stainless steel (Real Wheels) 6x6	\$2,082		
1050-0012	Wheel Covers stainless steel 8x8 (Real Wheels)	\$2,774		
1050-0017	Each inside wheel of the single rear axle shall have valve stem extensions.	\$145		
1050-0018	Each inside wheel of the tandem rear axles shall have valve stem extensions.	\$285		
1050-0019	Two steel wheels painted job color on both the inside and outside facing for front axle.	\$762		
1050-0024	(1) spare steel wheel painted job color for front axle.	\$202		
1050-0025	(1) spare steel wheel painted job color for rear axle.	\$202		
1050-0026	Front axle Wheel Trim kit. Includes stainless steel lug nut covers and center cap (no logo). Note: Center cap will have an inspection port if equipped with Stemco oil seals.	\$287		
1050-0027	Rear axle (single) wheel trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center caps (no logo). E-ONE custom chassis w/ steel wheels will have chrome plated plastic lug covers.	\$353		

Item #	Description	Extension	+1/-1	Total
1050-0028	Rear axle (tandem) Wheel Trim kit. Includes stainless steel lug nut covers (chrome plated plastic if applicable) and center cap (No logo). E-ONE custom chassis w/ steel wheels will have chrome plated plastic lug covers.	\$786		
1050-0029	Front & rear axle wheel simulator kit. Includes stainless steel wheel simulator and center cap with E-ONE logo.	\$2,071		
1050-0030	Rear axle (single) wheel trim kit. Includes stainless steel lug nut covers and center caps (no logo). E-ONE custom chassis w/ steel wheels will have chrome plated plastic lug covers.	\$353		
1050-0031	Front axle wheel simulator kit. Includes stainless steel wheel simulator and center cap with E-ONE logo. Note: Center cap will have an inspection port IPO a logo if equipped with Stemco oil seals.	\$688		
1050-0032	Rear axle (single) wheel simulator kit. Includes full stainless steel wheel simulators with integrated lug nut covers and E-ONE logo.	\$1,003		
1050-0033	Dura-Brite finish on aluminum wheel (EA). Not available on 13" wheel (425 and 445 tires).	\$130		
1050-0034	Freightliner chassis rims painted job color. Tradition.	\$0		
1050-0035	Freightliner provided polished aluminum wheels.	\$1,294		
1050-0036	International chassis rims painted job color. Tradition.	\$0		
1050-0037	International chassis Rims Aluminum. Tradition.	\$1,250		
1050-0038	Steel wheels for rear axle (4) 24" split rim.	\$8,106		
1050-0039	Polish inner and outer aluminum wheel (EA).	\$107		
1050-0041	Freightliner provided Front and Rear Wheel Brake Dust Shields	\$87		
1050-0043	Rear axle (tandem) wheel simulator kit. Includes full stainless steel wheel simulators with integrated lug nut covers and E-ONE logo.	\$2,003		
1050-0044	Accuride aluminum wheels for front axle (2).	\$2,076		
1050-0045	Accuride aluminum wheels for rear axle (4).	\$4,142		
1050-0046	Accuride aluminum wheels for rear axles (8).	\$8,279		
1050-0047	Front axle wheel trim kit. Includes stainless steel "Cover-Up" covers with E-ONE logo. Not available with Stemco oil seals.	\$368		
1050-0048	Rear axle (single) Wheel Trim kit. Includes stainless steel "Cover-Up" covers with E-ONE logo. Not available with Stemco oil seals.	\$473		
1050-0049	Rear axle (tandem) Wheel Trim kit. Includes stainless steel "Cover-Up" covers with E-ONE logo.	\$943		
1050-0050	Commercial chassis rims painted job color. For use with single rear axle.	\$0		
1050-0051	International chassis rims aluminum. For use with single rear axle.	\$1,524		
1050-0052	International chassis rims painted job color. For use with tandem rear axle.	\$0		
1050-0053	International chassis rims aluminum. For use with tandem rear axle.	\$2,117		
1050-0054	Crossfire dual wheel air tire equalizing system.	\$377		
1050-0055	Six (6) steel wheels for front and rear axle tire package. Outboard wheels (outboard side only) are painted job color. Custom ES.	\$0		
1050-0056	Six (6) aluminum wheels for front and rear axle tire package. Custom ES.	\$2,689		
1050-0057	Wheel trim package. For use with steel or aluminum wheels. Custom ES.	\$427		
1050-0058	Chassis rims painted job color.	\$0		
1050-0059	Freightliner aluminum wheels.	\$1,311		
1050-0060	International aluminum wheels.	\$1,324		
1050-0061	The front and rear axle outboard steel rims to have painted trim. Color to be silver.	\$138		
1050-0062	Navistar chassis rims painted job color, Wildland.	\$0		
1050-0063	Navistar chassis rims polished aluminum, Wildland.	\$1,250		
1050-0064	Navistar spare wheel/tire polished aluminum, Wildland.	\$975		
1050-0065	Navistar spare wheel/tire painted steel, Wildland.	\$764		

Item #	Description	Extension	+1/-1	Total
1050-0066	Kenworth aluminum wheels. For use with tandem rear axle.	\$2,275		
1050-0067	Wheel check loose lug nut indicators (high temp orange) for 4x2/4x4 chassis. Front and rear wheels.	\$171		
1050-0068	Each outboard facing wheel of the single axle unit shall have valve stem extensions; front 2", rear appropriately sized. Includes additional set (inside and outside) ship loose.	\$283		
1050-0069	Isolators between wheels and/or hubs.	\$248		
1050-0070	Accuride aluminum wheels outer and steel inner for rear axles (4).	\$2,465		
1050-0071	Wheel check loose lug nut indicators (standard temperature lime green) for 4x2/4x4 chassis. Front and rear wheels.	\$171		
1050-0072	Wheel simulator kit. Front & rear axle wheel simulator kit. Includes stainless steel wheel simulator and center cap with E-ONE logo where applicable.	\$1,189		
1050-0073	Wheel trim package. For use with steel or aluminum wheels.	\$535		
1050-0074	Lug nut Disc-Lock (40) per unit. Model NMF-2090-M-GEO.	\$361		
1050-0075	Freightliner chassis rims aluminum. For use with tandem rear axle.	\$0		
1050-0076	Accu-Shield finish on aluminum wheel (EA). Not available on 13" wheel (425 and 445 tires).	\$134		
1050-0077	Wheel check loose lug nut indicators (blue) for 4x2/4x4 chassis. Front and rear wheels.	\$171		
1050-0078	Front axle wheel trim. Includes center cap with E-ONE logo only; NO lug nut covers. Note: Center cap will have an inspection port IPO a logo if equipped with Stemco oil seals.	\$265		
1050-0079	Rear axle (single) wheel trim. Includes center cap with E-ONE logo only; NO lug nut covers.	\$330		
1050-0080	Trim Kit, Lug nut covers for front and rear axle wheels. Includes lug nut covers only (chrome plated plastic if applicable)	\$221		
1050-0081	Rear wheels to be 9 inches wide, quantity (4).	\$538		
1050-0082	Alcoa aluminum wheels outer and steel inner for rear axles (8).	\$5,053		
1050-0083	Alcoa aluminum wheels outer and steel inner for rear axles (4).	\$2,527		
1060-0001	Two Michelin 315 tires model XZA-1 for front axle.	\$2,107		
1060-0004	Four Michelin 11R tires model XZE2 highway tread for rear axle.	\$3,621		
1060-0005	Four Michelin 12R tires model XZE highway tread for rear axle.	\$4,235		
1060-0006	Four Michelin 315 tires model XZA-1 for rear axle	\$4,212		
1060-0007	Eight Michelin 11R tires model XZE2 for rear axles.	\$7,237		
1060-0008	Eight Michelin 12R tires model XZE for rear axles	\$8,468		
1060-0009	Eight Michelin 315 tires model XZA-1 for rear axles.	\$8,427		
1060-0010	Two Goodyear 315 tires model G291 for front axle.	\$2,107		
1060-0015	Four Michelin 11R rear tires with XDN2 all weather tread.	\$4,064		
1060-0016	Four Michelin 12R rear tires with XDN2 all weather tread.	\$4,632		
1060-0017	Four Michelin 315 rear tires with XDN2 all weather tread.	\$5,077		
1060-0020	Four Goodyear 315 rear tires with mud and snow tread. Intermittent fire service rating if GAWR is over 29,560.	\$4,412		
1060-0021	Eight Michelin 11R rear tires with XDN2 all weather tread.	\$8,130		
1060-0022	Eight Michelin 12R rear tires with XDN2 all weather tread.	\$9,262		
1060-0023	Eight Michelin 315 rear tires with Mud and Snow tread	\$10,152		
1060-0026	Eight Goodyear 315 rear tires with Mud and Snow tread. Intermittent fire service rating if GAWR is over 59,120.	\$8,822		
1060-0030	Four Goodyear 315 rear tires with G291 highway tread.	\$4,212		
1060-0033	Eight Goodyear 315 rear tires with G291 highway tread.	\$8,427		
1060-0042	Two Michelin 365 tires model XZA for front axle. Speed rating for up to 75 mph. Requires Alcoa alum wheels.	\$2,153		
1060-0043	Two Michelin 425 tires model XZY3 for front axle.	\$2,606		
1060-0044	Two Michelin 445 tires model XZY3 for front axle.	\$2,521		
1060-0046	Two Michelin 425 tires model XFE for front axle.	\$2,705		
1060-0047	Two Michelin 385 tires model XFE for front axle.	\$2,496		

Item #	Description	Extension	+1/-1	Total
1060-0048	Four Michelin 12.00 x 24 tires model XZY LRH for rear axle. Note: Tires have an operating restriction per Michelin bulletin MSPN29163 (maximum one-way distance of 50-miles with a one (1) hour cool down).	\$4,965		
1060-0049	Tyron tire pressure monitoring system model TPMS. Includes wireless remote display in cab.	\$1,360		
1060-0050	Tire pressure monitoring valve stem caps.	\$199		
1060-0051	Two Michelin 385 tires model XZY3 for front axle.	\$2,455		
1060-0052	Eight Michelin 275/80R tires model XZE2 for rear axles.	\$6,993		
1060-0053	PressurePro tire pressure monitoring system for single rear axle units. Includes bail mounted display in cab.	\$1,156		
1060-0054	PressurePro tire pressure monitoring system for tandem rear axle units. Includes bail mounted display in cab.	\$1,383		
1060-0055	Tire pressure monitoring valve stem caps. For use with a chassis with 14K front and 26K rear axle.	\$0		
1060-0056	Tire pressure monitoring valve stem caps. For use with a chassis with 14K front and 30K rear axle.	\$54		
1060-0057	Tire pressure monitoring valve stem caps. For use with a chassis with 18K front and 40K tandem rear axle.	\$73		
1060-0058	Tire pressure monitoring valve stem caps. For use with a chassis with 18K front and 46K tandem rear axle.	\$73		
1060-0059	Tire pressure monitoring valve stem caps. For use with a chassis with 20K front and 46K tandem rear axle.	\$73		
1060-0060	Two Michelin 315 tires model XZY3 for front axle.	\$2,264		
1060-0061	Four Michelin 12R rear tires with Mud and Snow XDS tread	\$3,825		
1060-0062	Front and rear axle tire package. Includes two (2) Michelin 315 XZA-1 front tires and four (4) Michelin 11R XZE rear tires with highway tread. Custom ES.	\$0		
1060-0063	Front and rear axle tire package. Includes two (2) Michelin 315 XZA-1 front tires and four (4) Michelin 11R XDN rear tires with mud and snow tread. Custom ES.	\$104		
1060-0064	Tire pressure monitoring valve stem caps. Custom ES.	\$0		
1060-0065	Tire pressure monitoring valve stem caps.	\$0		
1060-0066	Tire pressure monitoring valve stem caps. For use with a chassis with 12K front and 23K rear axle.	\$0		
1060-0067	Tire pressure monitoring valve stem caps. For use with a chassis with 12K front and 26K rear axle.	\$0		
1060-0068	Tire pressure monitoring valve stem caps. For use with a chassis with 12K front and 24K rear axle.	\$0		
1060-0069	Tire pressure monitoring valve stem caps. For use with a chassis with 14K front and 24K rear axle.	\$0		
1060-0070	Tire pressure monitoring valve stem caps. For use with a chassis with 14K front and 26K rear axle.	\$0		
1060-0071	Tire pressure monitoring valve stem caps. For use with a chassis with 16K front and 30K rear axle.	\$73		
1060-0072	Two Goodyear 385 tires for front axle with G296 MSA highway tread.	\$2,415		
1060-0073	Two Goodyear 425 tires for front axle.	\$2,351		
1060-0074	Two Goodyear 445 tires for front axle	\$2,544		
1060-0075	Four Goodyear 11R rear tires with G622 RSD mud and snow tread.	\$4,471		
1060-0076	Four Goodyear 12R rear tires with mud and snow tread.	\$5,094		
1060-0077	Eight Goodyear 11R rear tires with G622 RSD Mud and Snow tread.	\$8,943		
1060-0078	Eight Goodyear 12R rear tires with Mud and Snow tread	\$10,189		
1060-0079	Four Goodyear 11R rear tires with highway tread	\$3,236		
1060-0080	Eight Goodyear 11R rear tires with highway tread.	\$6,468		
1060-0081	PressurePro tire pressure monitoring system for single rear axle units. Includes electrical system integrated display in cab.	\$1,156		
1060-0082	Tire pressure monitoring valve stem caps. For use with a chassis with 16K front and 30K rear axle.	\$54		
1060-0084	Tire pressure monitoring valve stem caps. For use with a chassis with 14K front and 40K tandem rear axle.	\$73		
1060-0085	Eight Michelin 12R rear tires with Mud and Snow XDS tread	\$7,642		
1060-0086	Four Goodyear 11R rear tires with G287 MSA highway tread	\$3,236		
1060-0087	Two Goodyear 315 tires with G287 MSA tread for front axle	\$2,031		
1060-0088	Tire pressure monitoring valve stem caps. For use with a chassis with 20K front and 40K tandem rear axle.	\$173		



Item #	Description	Extension	+1/-1	Total
1060-0089	Front tires to be Bridgestone that are sized for the axle capacity provided.	\$0		
1060-0090	Rear tandem axle tires to be Bridgestone mus and snow that are sized for the axle capacity provided.	\$0		
1060-0091	Tire pressure monitor display is to be located on the [#LOC].	\$0		
1060-0092	Eight Michelin 275/80R22.5 rear tires with Mud and Snow tread.	\$7,438		
1060-0095	Eight Goodyear 315 rear tires with G287 MSA highway tread.	\$8,543		
1060-0096	Tire balancing (EA). Location: front tires.	\$78		
1060-0097	Eight Michelin 315 tires model XZU-S2 for rear axles	\$9,662		
1060-0098	Two Bridgestone 315 tires model M860 for front axle.	\$2,965		
1060-0099	Four Bridgestone 12R tires model R250F highway tread for rear axle.	\$4,844		
1060-0100	Front and rear axle tire package. Includes two (2) Michelin 385 XFE front tires and four (4) Michelin 11R XDN rear tires with mud and snow tread. Custom ES.	\$226		
1060-0103	Cat's Eye model 6130-AB00 single rear axle tire pressure monitoring system. For use on 130 PSI tires. Includes braided lines.	\$967		
1060-0104	Four Goodyear 12R rear tires with G661 HSA highway tread.	\$3,295		
1060-0105	Eight Goodyear 12R rear tires with G661 HSA highway tread.	\$6,587		
1060-0106	Four Goodyear 11R rear tires with G661 HSA highway tread.	\$3,061		
1060-0107	Eight Goodyear 11R rear tires with G661 HSA highway tread.	\$6,121		
1060-0108	Tire pressure monitoring valve stem caps. For use with a chassis with 14K front and 23K rear axle.	\$0		
1060-0109	Eight Michelin 295/80R tires model XZA2 for rear axles.	\$7,959		
1060-0111	Four Goodyear 315 rear tires with G289 WHA tread.	\$4,603		
1060-0112	Tire pressure monitoring valve stem caps. Real Wheels LED indicators.	\$265		
1060-0113	Intermittent service tire rating.	\$0		
1060-0114	Tire pressure monitoring valve stem caps. VECSAFE LED indicators.	\$265		
1060-0116	Vogel Lube display is to be located on the [#LOC].	\$0		
1060-0117	RWC AirGuard LED tire pressure monitoring valve stem caps (6) for single rear axle applications.	\$204		
1060-0118	RWC AirGuard LED tire pressure monitoring valve stem caps (8) for Tiller applications.	\$273		
1060-0119	RWC AirGuard LED tire pressure monitoring valve stem caps (10) for tandem rear axle applications.	\$325		
1060-0120	Two Goodyear 315 front tires with G289 WHA tread.	\$2,303		
1060-0121	Four Goodyear 11R rear tires with RHD-II G137 tread.	\$4,001		
1060-0123	RWC AirGuard LED tire pressure monitoring valve stem caps (2) front only. For use with rear axle Crossfire equalization systems.	\$83		
1060-0124	Four Michelin 11R rear tires with XDS2 mud and snow tread.	\$4,064		
1060-0127	Four Goodyear 11R rear tires with G751 MSA highway tread	\$3,236		
1060-0129	Tire pressure monitoring integrated with V-MUX multiplex electrical system. Includes wheel mounted sensors. Requires Vista display. For use with tandem rear axle units.	\$1,984		
1060-0130	Four Michelin 12R rear tires with XZY3 tread.	\$5,325		
1060-0131	Two Michelin 425 tires model XZL for front axle.	\$2,606		
1060-0132	Four Goodyear 12R rear tires with G751 MSA highway tread.	\$3,825		
1060-0133	Michelin tires for commercial chassis Freightliner M2	\$0		
1060-0134	Four Michelin 315 rear tires with XZY3 tread.	\$5,077		
1060-0135	Eight Michelin 315 rear tires with XDY tread.	\$10,330		
1060-0136	Two Michelin 425 tires model XZU S wide base for front axle.	\$2,606		
1070-0001	Rear suspension springs rated equal to the capacity of the axle.	\$1,620		
1070-0002	Rear suspension springs rated equal to the capacity of the axles.	\$5,073		

Item #	Description	Extension	+1/-1	Total
1070-0003	Rear suspension air ride rated equal to the capacity of the axle.	\$6,582		
1070-0004	Rear suspension air ride (40-46K) rated equal to the capacity of the axles.	\$11,473		
1070-0005	Air ride cab.	\$3,385		
1070-0007	Shock absorbers rear single axle. Not available on 31,000 lb.	\$226		
1070-0011	Ridewell Dynalastic 62,000 lb rear suspension. C-Frame applications only.	\$13,827		
1070-0012	Reyco rear suspension springs rated equal to the capacity of the axle.	\$1,620		
1070-0013	Rear suspension air ride (48-54K) rated equal to the capacity of the axles.	\$13,441		
1070-0014	Rear suspension air ride (60-62K) rated equal to the capacity of the axles.	\$15,514		
1070-0015	Ridewell Dynalastic rear suspension (40-54K) rated equal to the capacity of the axles.	\$15,111		
1070-0016	The rear suspension to be for a 24,000lbs. application IPO 27,000lbs.	\$0		
1070-0017	Reyco rear spring suspension w/aux 33K rating.	\$2,432		
1070-0018	Suspension spacers to be held at a minimum to keep OAH as low as possible.	\$0		
1070-0019	Rear suspension springs rated at 27,000 lbs.	\$1,890		
1070-0020	Rear axle u-bolts .875". 24K/27K rear axles only. Not available with air ride suspensions.	\$127		
1070-0021	Rear suspension FIREMAAX EX air ride (50-54K) rated equal to the capacity of the axles. Requires TB modification on 4-jack aerials. (Raises OAH .5" over springs)	\$13,382		
1070-0022	Rear suspension FIREMAAX EX model FMX-482 air ride rated equal to the capacity of the axles (40-48K). Requires TB modification on 4-jack aerials. (Raises OAH .5" over springs)	\$12,300		
1070-0024	Lower leaf wrap. Single rear axle only.	\$648		
1070-0025	Reyco rear axle shocks and anti-roll bar. Available on up to 26K rear axle.	\$1,886		
1070-0026	Rear axle shocks for Reyco single axle rear suspension.	\$1,019		
1070-0027	Rear suspension FIREMAAX EX model FMX-272 27,000 lb. single axle air ride.	\$7,073		
1070-0028	Rear suspension FIREMAAX EX model FMX-242 24,000 lb. single axle air ride.	\$6,535		
1070-0029	Rear suspension FIREMAAX EX model FMX-312 31,000 lb. single axle air ride. Requires aluminum wheels.	\$9,263		
1070-0030	Rear suspension FIREMAAX EX model FMX-622 air ride (60-62K) rated equal to the capacity of the axles. Requires alum wheels. Requires TB modification on 4-jack aerials. (Raises OAH .5" over springs)	\$15,698		
1070-0031	Front axle u-bolts .875". Not available with independent suspensions.	\$127		
1070-0032	Rear suspension Link Atlas 33,000 - 35,000 lb. single axle air ride. Requires DANA axle and aluminum wheels. Not compatible with tire chains.	\$10,538		
1100-0000	16-1/2" x 6" S-cam brakes with ArvinMeritor automatic slack adjusters for front axle.	\$371		
1100-0001	Meritor EX225H 17" disc brakes for front axle.	\$1,446		
1100-0002	ArvinMeritor 16-1/2" x 7" S-cam brakes with cast brake drums for a single rear axle.	\$371		
1100-0003	Meritor EX225H 17" disc brakes for rear axle, maximum capacity 27,000 lbs.	\$1,446		
1100-0004	Meritor EX225H 17" disc brakes for rear axles, maximum capacity 54,000 lbs.	\$2,209		
1100-0005	Brake system air 4X2/4X4.	\$9,774		
1100-0006	Parking brake release mounted on the driver's side lower dash.	\$0		
1100-0007	Parking brake release mounted center of the engine cover.	\$377		
1100-0008	Brake system air 6X4.	\$10,126		
1100-0009	Front axle parking brake.	\$619		
1100-0010	Brake emergency release for spring.	\$1,126		
1100-0011	Roll Stability Control, Includes ATC. Not available on commercial chassis, tiller or tandem axle custom chassis.	\$2,340		
1100-0014	ArvinMeritor 16-1/2" x 7" S-cam brakes with cast brake drums for a tandem rear axle.	\$447		
1100-0015	Air brake system tractor/tiller ABS system for both tractor and tiller axle brakes.	\$9,993		
1100-0016	16-1/2" x 6" Q-Plus S-cam brakes with ArvinMeritor automatic slack adjusters for Tiller steering axle.	\$371		

Item #	Description	Extension	+1/-1	Total
1100-0017	(OBS) Meritor EX225H 17" disc brakes for Tiller steering axle.	\$1,446		
1100-0018	Dust Shields. Front and Rear Axle. CAM Brakes only.	\$431		
1100-0019	Dust Shields. Rear Axle. CAM Brakes only.	\$263		
1100-0020	Compression fittings for all air brake system lines. Includes cab interior air lines as applicable.	\$1,448		
1100-0022	Dust Shields. Front and rear tandem axle. CAM brakes only.	\$691		
1100-0023	Stainless steel park brake release guard.	\$252		
1100-0024	G4 Electronic Stability Control (4x2), Includes RSC and ATC. Not available on 4x4, commercial chassis or tiller.	\$4,116		
1100-0025	ArvinMeritor 16-1/2" x 8.625" Q-Plus S-cam brakes with cast brake drums for a single rear axle. 24K axle only.	\$1,524		
1100-0026	G4 Electronic Stability Control (6x4), Includes RSC and ATC. Not available on 6x6 or commercial chassis.	\$4,907		
1100-0027	Knorr-Bremse 17" disc brakes for front axle. Timoney IFS only.	\$1,446		
1100-0028	ArvinMeritor 18" x 7" P-Type S-cam brakes with cast brake drums for a 33K single rear axle.	\$2,671		
1100-0030	Brake chambers 30-36 for 24,000# single rear axle. N/A with disc brakes.	\$643		
1100-0031	Dana ADB22X 17" disc brakes for front axle.	\$1,446		
1100-0032	Hinged stainless steel park brake release guard.	\$336		
1100-0033	Bendix 16-1/2" x 7" S-cam brakes for 33,000 - 35,000 Dana axle.	\$371		
1100-0034	Brake chambers 30-36 for 48K/54K tandem rear axle. N/A with disc brakes.	\$1,281		
1100-0035	Glad Hands tow option. Location: Front chassis frame.	\$631		
1100-0036	16.5" x 8.625" P-Cast S-cam brakes for 27,000 - 33,000 Meritor axle.	\$949		
1100-0037	Glad Hands tow option. Location: rear chassis frame.	\$631		
1100-0038	Heavy duty 16-1/2" x 6" S-cam brakes with ArvinMeritor automatic slack adjusters for front axle. For use with 22,100 Meritor axle.	\$872		
1100-0040	Gauge air brake application additional. Location: officer side overhead console.	\$360		
1100-0042	Navistar ESP Stability control system, 4 x 4, Option, Wildland	\$1,902		
1100-0043	Emergency park brake activation valve mounted on the officer's side dash with stainless steel guard.	\$782		
1100-0044	Parking brake release mounted on the driver side electrical access cover (side facing). Severe duty interior only.	\$0		
1100-0045	2nd parking brake release mounted on the officer's side electrical access cover (side facing) with stainless steel guard. Severe duty interior only.	\$1,052		
1100-0046	Brake system air tank to be mounted as high as possible.	\$252		
1100-0047	Navistar ESP (ESC) Stability control system 4 x 2	\$1,913		
1100-0048	Emergency park brake activation valve mounted on the center console offset driver side with stainless steel guard.	\$782		
1100-0049	Parking brake release mounted on center dash (not available with ABS dash).	\$366		
1100-0051	Location the front axle parking brake shall be located: [#LOC].	\$0		
1100-0052	G4 Electronic Stability Control with Wabco OnGuard CMS system (4x2). Includes RSC and ATC. Not available on 4x4, commercial chassis or tiller.	\$8,715		
1100-0053	G4 Electronic Stability Control with Wabco OnGuard CMS system (6x4). Includes RSC and ATC. Not available on 4x4, commercial chassis or tiller.	\$9,506		
1100-0054	Bendix SN7 17" disc brakes for front axle. Reyco Granning IFS only.	\$1,446		
1100-0055	Spring guards on each end of brake lines from wheel to frame.	\$198		
1100-0056	Parking brake release mounted on the driver's side of upper tier. Severe duty dash only.	\$0		
1100-0057	Brake chambers to be type 24 front and 30/30 rear. MGM piston style long stroke.	\$757		
1100-0058	Safety Check brake stroke indicators.	\$837		
1100-0059	Stainless steel u-bolt design park brake release guard.	\$252		
1100-0060	Brake chambers on front axle to be type 24. MGM piston style long stroke.	\$379		
1100-0061	Glad Hands tow option. Location: Front chassis frame, below gravel shield, driver side.	\$631		

Item #	Description	Extension	+1/-1	Total
1100-0062	Locate front park brake control adjacent to rear park brake control ipos.	\$0		
1100-0063	ArvinMeritor 16-1/2" x 8.625" Q-Plus S-cam brakes with cast brake drums for a 48K tandem rear axle.	\$3,045		
1100-0064	Glad Hands tow option. Location: Front chassis frame, below gravel shield, officer side.	\$631		
1100-0065	Brake chambers 36-36 for 27,000# single rear axle. N/A with disc brakes. Option limited to 20,000 front GAWR.	\$643		
1100-0066	Emergency park brake activation valve mounted on the officer's side upper tier with stainless steel guard.	\$782		
1100-0067	16-1/2" x 7" S-cam brakes with automatic slack adjusters for Marmon-Herrington front drive axle.	\$371		
1100-0068	Parking brake release to be mounted on the driver's side lower dash, centered on panel to right side of steering column.	\$0		
1110-0000	Inlet for air system. Location: [#LOC].	\$439		
1110-0001	Air inlet auto eject. Includes weatherproof gasketed cover. [#LOC].	\$565		
1110-0002	Air dryer Bendix AD-9.	\$572		
1110-0003	Air dryer System Saver 1200.	\$688		
1110-0004	Air tank drains w/pull cords.	\$501		
1110-0005	Automatic moisture ejectors, heated.	\$498		
1110-0006	Air lines nylon.	\$0		
1110-0007	Air lines braided.	\$2,665		
1110-0008	Gauge air brake application mounted in cab	\$360		
1110-0009	Air horns on hood pair. Requires control.	\$712		
1110-0010	Air inlet. To charge brake system. Commercial chassis only. Location: [#LOC].	\$439		
1110-0011	Air intake restriction gauge.	\$306		
1110-0012	Air outlet off front ACC tank. It shall be located [#LOC].	\$439		
1110-0013	Air horns shut-off valve. Located in cab accessible by driver.	\$129		
1110-0021	Auxiliary 1738 cubic inch air tank plumbed to vehicle air system.	\$588		
1110-0025	Thomas 110 volt air compressor plumbed to air brake system.	\$1,373		
1110-0026	Air horns recessed in bumper (PR).	\$974		
1110-0027	Isolated air tank. Includes pressure protection valve.	\$662		
1110-0034	Auxiliary air tank to be plumbed to the chassis air horns only.	\$0		
1110-0038	Driver and officer side foot switch. Supplied by International. For use with recess bumper mounted air horns.	\$0		
1110-0039	Driver and officer side foot switch. Supplied by Freightliner. For use with recess bumper mounted air horns.	\$0		
1110-0040	Dump valve system for rear air ride suspension. Includes three valves, one on each bag and one on supply line. Switch from driver's side overhead console.	\$756		
1110-0041	Air horns Grover recessed in bumper (PR).	\$1,186		
1110-0042	Label on isolated air tank "Air Horns Only".	\$39		
1110-0043	Auxiliary air tank to be plumbed to the following optional accessories (if equipped): Chassis air horns, brake system air outlet, air reel, light tower, air primer and or customer/dealer supplied pneumatic add-on(s).	\$0		
1110-0044	Air inlet Auto-Eject. Includes [#COL] weatherproof gasketed cover. Location: [#LOC].	\$565		
1110-0045	Gast air compressor 110v model 3HBB-32-M300AX.	\$1,268		
1110-0046	Kussmaul 12V Auto Drain. For use with Kussmaul air compressor.	\$550		
1110-0048	Air inlet below bumper driver side. Fitting to be a Hansen male model B40 with protective plastic cover. Includes matching female model 4000 fitting (ship loose).	\$565		
1110-0049	Air Lines Wrapped in Thermal Loom	\$2,157		
1110-0050	Air brake lines to have 4 to 6" slack for future service work.	\$133		
1110-0051	Tilt air horns down due to freezing conditions.	\$0		
1110-0052	Air horns recessed behind bumper (PR). Includes E-ONE grilles on bumper.	\$1,225		

Item #	Description	Extension	+1/-1	Total
1110-0053	Air horns Grover recessed in front bumper. (1) air horn 21" long, (1) air horn 24.5" long	\$1,241		
1110-0054	Relocate air dryer to opposite the exhaust system inside the frame rails.	\$317		
1110-0055	Air horns will alternate from driver to officer.	\$472		
1110-0056	Air dryer Bendix ADIP.	\$735		
1110-0057	Air outlet plumbed to vehicle air system. It shall be located [#LOC].	\$439		
1110-0058	Air horns recessed in bumper (PR) with bells behind bumper.	\$1,042		
1110-0059	Air horns Grover (1510) recessed in bumper (PR). Locate both to driver side of bumper.	\$1,216		
1110-0060	Dual Grover Hood Mounted Air Horns with Driver and Officer Foot Switches to be Supplied and Installed by Freightliner. Tradition	\$755		
1110-0061	Dual Grover hood mounted air horns with driver and officer foot switches to be supplied and installed by Freightliner	\$0		
1110-0062	Dual Hadley Hood Mounted Air Horns with Driver and Officer Foot Switches to be Supplied and Installed by International.	\$897		
1110-0063	Dual Grover Hood Mounted Air Horns with Driver and Officer Foot Switches to be Supplied and Installed by International. Tradition	\$951		
1110-0064	Dual Hadley Hood Mounted Air Horns with Driver and Officer Foot Switches to be Supplied and Installed by International.	\$0		
1110-0065	Dual Grover hood mounted air horns with driver and officer foot switches to be supplied and installed by Navistar.	\$0		
1110-0066	Air horns Grover recessed in front bumper. (1) air horn 21" long, (1) air horn 24.5" long.	\$1,455		
1110-0067	Auxiliary air tanks (2) on Tiller trailer to be plumbed to the air reel only.	\$0		
1110-0068	Dual Grover Hood Mounted Air Horns with Driver and Officer Foot Switches to be Supplied and Installed by E-One.	\$1,186		
1110-0069	Dual Grover hood mounted air horns with Y lanyard between driver and officer. This shall be supplied and installed by Navistar.	\$0		
1110-0070	Dual Hadley Hood Mounted Air Horns with Y lanyard switch in overhead between Driver and Officer seating positions to be Supplied and Installed by International.	\$0		
1110-0074	Air horns Grover mounted to hood each side. (1) air horn 21" long, (1) air horn 24.5" long.	\$1,458		
1110-0075	Dual Stuttertone Hood Mounted Air Horns with Driver and Officer Foot Switches to be Supplied and Installed by Freightliner. Tradition	\$789		
1110-0076	Dual Stuttertone hood mounted air horns with driver and officer foot switches to be supplied and installed by Freightliner.	\$0		
1110-0077	Recessed air outlet off isolated tank. Location: [#LOC].	\$439		
1110-0078	Omit the Hood Mounted Air Horns and install the Air Horn plumbing only with Driver and Officer Foot Switches to be Supplied and Installed by Freightliner. Tradition	\$755		
1110-0080	Dual Hadley air horns mounted in front bumper extension. For use with driver and officer foot switches supplied and installed by International. Tradition	\$364		
1110-0081	Dual foot switches. Locate (1) driver and (1) officer. To be supplied by International. For use with E-ONE installed air horns in bumper extension.	\$299		
1110-0082	Air horns Grover model 2040 rectangular recessed in bumper (PR) with snow caps.	\$1,264		
1110-0083	Dual Hadley Hood Mounted Air Horns with Driver Foot Switch and Center Dash Mounted Push Button to be Supplied and Installed by International. Tradition	\$663		
1110-0084	Airhorns to be recessed flush (as applicable) with exterior of bumper.	\$0		
1110-0085	Bumper mounted Grover 21" air horns. Controls required and provided separately.	\$1,024		
1110-0086	Locate driver side air tank to rear of battery tray.	\$0		
1110-0087	Air inlet. To charge brake system. Commercial chassis only. Inlet to be located within the cab and accessible from the driver side door area.	\$439		

Item #	Description	Extension	+1/-1	Total
1110-0089	Single Grover 1512 air horn, steering wheel and officers foot switch controlled, Wildland	\$776		
1110-0090	Air horns Grover recessed in bumper (PR) with snow caps.	\$1,337		
1110-0091	Dual Grover hood mounted air horns with driver and officer foot switches to be supplied and installed by Navistar, Option, Wildland	\$1,550		
1110-0092	Air tank manual drains shall have cables routed to the outside of the apparatus and labeled accordingly.	\$109		
1110-0093	A momentary switch to activate air horns shall be mounted on the center console in easy reach of the officer.	\$85		
1110-0094	A switch dedicated to the emergency amber lights shall be mounted on the cab interior instrument panel	\$85		
1110-0095	Automatic moisture ejector, heated. Wet tank only.	\$214		
1110-0096	Stainless steel mounting straps for air tank.	\$174		
1110-0097	Automatic moisture ejector, non-heated (EA).	\$164		
1110-0098	All manual air tank drains to be at 45 degree or 90 degree angle as required.	\$0		
1110-0099	Air dryer System Saver Twin.	\$1,276		
1110-0100	Auxiliary air tank system. Total reservoir capacity to be 11,585 cubic inches or greater (including brakes). Includes pressure protection valves as applicable. Airhorns and outlets plumbed to system.	\$2,641		
1110-0101	Locate air horns officer side (1) inboard, (1) outboard of frametrails.	\$0		
1110-0102	Thomas 220 volt air compressor plumbed to air brake system.	\$1,373		
1110-0103	Martin-Horn No. 2297 GM. Includes set of (4) horns, air compressor and snow caps for horns. Locate horns below front bumper and compressor below rear bench seat. Horn compressor to be activated through switch in multiplex display.	\$6,180		
1110-0104	Air horns Grover (1510) recessed in bumper (PR). Locate one each side outboard of frame.	\$1,216		
1110-0105	Gast air compressor 120V/240V model 4HCC-10-M450X.	\$1,473		
1110-0106	Air horns Grover recessed behind bumper (PR). Includes E-ONE grilles on bumper.	\$1,438		
1110-0107	The standard air brake release mounted on the center console shall be upgraded to include auxiliary tank release to brakes for emergency PSI buildup/brake release. A separate pressure gauge shall be mounted on the dash to indicate auxiliary air tank pressure.	\$705		
1110-0108	Rubber cover for air outlet. Includes mechanical fastener for securing of cover.	\$21		
1110-0109	Air hose routed from the compressor to the dryer shall be upgraded to include stainless steel mesh for the full length of hose.	\$92		
1110-0110	Dual Stuttertone hood mounted air horns with driver and officer foot switches to be supplied and installed by Freightliner.	\$0		
1110-0111	Gast air compressor 110v model 1HAB-10-M100X.	\$1,165		
1110-0112	Martin-Horn No. 2297 GM. Includes set of (4) horns, air compressor and snow caps for horns. Locate horns and compressor in cab. Horn compressor to be activated through switch in cab accessible to the driver.	\$6,180		
1110-0113	Dual Grover hood mounted air horns with a driver side foot switch to be supplied and installed by Navistar.	\$0		
1110-0114	Dual Hadley Hood Mounted Air Horns with Driver side steering wheel switch to be Supplied and Installed by International.	\$0		
1110-0115	Dual Grover hood mounted air horns with two (2) position horn ring switch DOT horn/air horn, to be supplied and installed by Navistar.	\$0		
1110-0116	Air horns Buell recessed in bumper (PR).	\$1,236		
1110-0117	Air horns Grover model 2040 rectangular recessed in bumper (PR).	\$1,264		
1110-0118	Inlet for air system. Includes weather proof box and Hubbel [#COL] cover. Location: [#LOC].	\$560		
1110-0119	Isolated air tank. Includes pressure protection valve. International chassis only.	\$109		
1110-0120	Dual Stuttertone hood mounted air horns with dual lanyard control switches in overhead to be supplied and installed by Freightliner.	\$0		

Item #	Description	Extension	+1/-1	Total
1110-0121	Stuttertone air horns on commercial hood pair. Horns to be mounted to side of commercial chassis hood. Does not include foot switch(s).	\$0		
1110-0122	Dual Grover Hood Mounted Air Horns with E-ONE supplied activation to be Supplied and Installed by International. Tradition	\$831		
1110-0123	Dual Stuttertone Hood Mounted Air Horns to be Supplied and Installed by Freightliner. Lanyard activation sold separately. Tradition	\$663		
1110-0124	Air horns Grover recessed behind bumper (PR). Includes grilles (No Logo) on bumper.	\$1,438		
1110-0125	Gast air compressor 110v model 3HBB-32-M300AX with moisture filter.	\$1,443		
1110-0126	Air horns (pair) includes isolated 12V pump, tank, (2) switches: driver side foot & officer side push button on officer side of center console. Horns to be located: below front bumper between frame rails.	\$2,989		
1110-0127	Automatic moisture ejector, heated. Air dryer only.	\$214		
1110-0128	Gauge air for tank. Location: driver side overhead.	\$463		
1110-0129	Diamond plate flip cover for air inlet or outlet with label mounted in driver's door jamb.	\$136		
1110-0130	Dual Stuttertone hood mounted air horns with driver foot switch to be supplied and installed by Freightliner. See options for additional switches as applicable to be E-ONE added.	\$0		
1110-0131	Compression fittings for fan clutch ipos.	\$126		
1110-0132	Air tank drains w/pull cords. Ends of pulls to be labeled with tank type and drain sequence.	\$501		
1110-0133	Air dryer Haldex model N4253A.	\$779		
1110-0134	Auxiliary air tanks to be plumbed to the following optional accessories (if equipped): Air reel, light tower and or customer/dealer supplied pneumatic add-on(s).	\$0		
1110-0135	Air horns shut-off valve. Located on driver side overhead console.	\$129		
1110-0136	Air horns shut-off valve. Located on officer side overhead console.	\$129		
1110-0137	Compression fittings for pump shift ipos.	\$126		
1110-0138	Air horns Grover model 2040 rectangular behind bumper (PR). Includes E-ONE grilles.	\$1,516		
1110-0139	Air dryer Bendix AD-SP.	\$572		
1110-0140	Locate air horns outside of frame rails.	\$0		
1110-0141	Air inlet shut-off valve. Located adjacent to air inlet.	\$129		
1110-0142	Brake system air tank drains located in (1) central location at rubrail.	\$0		
1110-0143	Diamond plate flip cover for air inlet or outlet with label mounted on officer's gravel shield.	\$136		
1110-0144	Air outlet shut-off valve. Located adjacent to air outlet.	\$129		
1110-0145	Switch. Foot switch siren break. Includes: 25 degree mounting bracket. See photo on file for mounting instructions. Locate (1) officer side for left foot.	\$163		
1110-0146	Dual Stuttertone hood mounted air horns with driver and officer foot switches to be supplied and installed by Kenworth.	\$0		
1110-0147	Recessed air outlet off isolated tank. Location: driver and officer side rear wheel well offset rearward.	\$439		
1110-0148	Locate air horns driver side (1) inboard, (1) outboard of framereils.	\$0		
1110-0149	Drain. Manual drain for Atlas compressor. Locate at rubrail adjacent to compressor on officer side of body.	\$0		
1110-0150	Parker model DCR601-4 air tank drains ipos (EA).	\$63		
1125-0000	Retarder Telma focal mounted. All four stages applied with brake application. Not available on tandem axle or four jack aerials.	\$11,902		
1125-0001	Brake Jacob's exhaust	\$888		
1125-0002	Jacobs engine compression brake.	\$2,062		
1125-0003	Allison transmission retarder. Pre-select feature will be switched off with this option.	\$14,104		

Item #	Description	Extension	+1/-1	Total
1125-0006	Driveline Mounted Telma Retarder. Standard switch location is on console, manual lever on engine cover offset to driver's side. Cut off at 5 mph - 25% applied with throttle release & balance with brake application.	\$11,902		
1125-0007	Tag located at Jacob Brake Controller. To read: Do Not Operate on Wet or Slippery Surfaces.	\$93		
1125-0009	Allison retarder to activate per Seattle requirements. Dash label "Switch Retarder Off for Wet or Slippery Road Conditions. Retarder shall activate 30% at zero throttle with the remaining 70% applied sequentially through the brake pedal. The brake/stop light circuit shall activate with retarder application.	\$352		
1125-0010	Allison transmission retarder to be programmed at 1/3 off throttle, 1/3 at 4 psi brake pressure, 1/3 at full (10 psi) brake pressure.	\$0		
1125-0011	Allison transmission retarder to be programmed at 1/3 at 4 psi brake pressure, 1/3 at 7 psi brake pressure, 1/3 at full (10 psi) brake pressure.	\$0		
1125-0012	Driveline Mounted Telma Retarder. All four stages applied with brake application.	\$11,902		
1125-0013	Lever control for Telma retarder. 5 position lever with low speed cutout.	\$346		
1125-0014	Dual retarder operation. Engine Jacobs brake and transmission retarders to both be operable at the same time. Requires special approval. Option contingent on receiving formal approval from driveline component suppliers.	\$142		
1125-0015	Relocate Jake Brake control to driver side of electrical access cover.	\$469		
1125-0016	Allison transmission retarder.	\$12,269		
1125-0017	Transmission to seek 3rd gear when Jacobs Compression brake is engaged. Requires special approval. Option contingent on receiving formal approval from driveline component suppliers.	\$142		
1125-0018	Compression brake for MAXXFORCE engines.	\$2,062		
1125-0019	Driveline Mounted Telma Retarder. Stage 1 & 2 applied off throttle; stage 3 & 4 applied with brake application.	\$11,902		
1125-0020	Jacobs engine compression brake. To be controlled only by a single on/off sw.	\$2,062		
1125-0021	Driveline Mounted Telma Retarder to operate w/ 5 position lever within cab. 5 position lever sold separately.	\$11,902		
1125-0022	Driveline Mounted Telma Retarder. Stage 1 applied off throttle; stage 2, 3 & 4 applied with brake application.	\$11,902		
1125-0023	Transmission to seek second gear when Jacobs engine brake or Telma retarder is engaged. N/A with Trans retarder.	\$0		
1125-0024	Switch selector Jacobs compression brake / transmission retarder. Location and function: driver side overhead console to select compression brake or trans retarder.	\$237		
1125-0025	Relocate Jacobs Brake control. Location: driver side of center dash upper tier.	\$469		
1125-0026	Relocate Jacobs Brake control. Location: driver side, side facing, adjacent to Vista Display.	\$469		
1150-0007	Tray center of bumper with slats 34x13x10 for 149 feet of 1-3/4" double jacket hose or 57 feet of 5" LDH.	\$801		
1150-0008	Tray center of bumper with slats 34x13x12 for 182 feet of 1 3/4" double jacket hose or 70 feet of 5" LDH	\$801		
1150-0009	Tray center of bumper with slats 34x13x14 for 216 feet of 1 3/4" double jacket hose or 83 feet of 5" LDH	\$801		
1150-0010	Tray center of bumper with slats 34x13x10 with divider running front to back	\$801		
1150-0011	Tray center of bumper with slats 34x13x12 with divider running front to back	\$801		
1150-0012	Tray center of bumper with slats 34x13x14 with divider running front to back	\$801		
1150-0013	Tray center of bumper with slats 34x13x10 with divider running side to side	\$801		
1150-0014	Tray center of bumper with slats 34x13x12 with divider running side to side	\$801		
1150-0015	Tray center of bumper with slats 34x13x14 with divider running side to side	\$801		
1150-0019	Tray driver side bumper outboard with slats 17x9x10 for 51feet of 1 3/4" double jacket hose. For use when the tow eyes are mounted in the up position.	\$732		
1150-0020	Tray driver side bumper outboard with slats 17x9x12 for 63 feet of 1 3/4" double jacket hose. This tray is for use when the tow eyes are mounted in the up position.	\$732		
1150-0021	Tray driver side bumper outboard with slats 17x9x14 for 74 feet of 1 3/4" double jacket hose. This tray is for use when the tow eyes are mounted in the up position.	\$732		



Item #	Description	Extension	+1/-1	Total
1150-0022	Tray driver side bumper outboard with slats 15x13x10 for 66 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0023	Tray driver side bumper outboard with slats 15x13x12 for 80 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0024	Tray driver side bumper outboard with slats 15x13x14 for 95 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0028	Tray officer side bumper outboard with slats 17x9x10 for 51 feet of 1 3/4" double jacket hose. This tray is for use when the tow eyes are mounted in the up position.	\$732		
1150-0029	Tray officer side bumper outboard with slats 17x9x12 for 63 feet of 1 3/4" double jacket hose. This tray is for use when the tow eyes are mounted in the up position.	\$732		
1150-0030	Tray officer side bumper outboard with slats 17x9x14 for 74 feet of 1 3/4" double jacket hose. This tray is for use when the tow eyes are mounted in the up position.	\$732		
1150-0031	Tray officer side bumper outboard with slats 15x13x10 for 66 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0032	Tray officer side bumper outboard with slats 15x13x12 for 80 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0033	Tray officer side bumper outboard with slats 15x13x14 for 95 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0034	Tray center of bumper with slats 34x17x10 for 195 feet of 1 3/4" double jacket hose or 75 feet of 5" LDH	\$801		
1150-0035	Tray center of bumper with slats 34x17x12 for 239 feet of 1 3/4" double jacket hose or 91 feet of 5" LDH	\$801		
1150-0036	Tray center of bumper with slats 34x17x14 for 282 feet of 1 3/4" double jacket hose or 108 feet of 5" LDH	\$801		
1150-0037	Tray center of bumper with slats 34x17x10 with divider running front to back	\$801		
1150-0038	Tray center of bumper with slats 34x17x12 with divider running front to back	\$801		
1150-0040	Tray center of bumper with slats 34x17x14 with divider running front to back	\$801		
1150-0041	Tray center of bumper with slats 34x17x10 with divider running side to side	\$801		
1150-0042	Tray center of bumper with slats 34x17x12 with divider running side to side	\$801		
1150-0043	Tray center of bumper with slats 34x17x14 with divider running side to side	\$801		
1150-0047	Tray driver side bumper outboard with slats 17x13x10 for 74 feet of 1 3/4" double jacket hose. For use when the tow eyes are mounted in the up position.	\$732		
1150-0049	Tray driver side bumper outboard with slats 17x13x12 for 91 feet of 1 3/4" double jacket hose. For use when the tow eyes are mounted in the up position.	\$732		
1150-0050	Tray driver side bumper outboard with slats 17x13x14 for 108 feet of 1 3/4" double jacket hose. For use when the tow eyes are mounted in the up position.	\$732		
1150-0051	Tray driver side bumper outboard with slats 15x17x10 for 86 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0052	Tray driver side bumper outboard with slats 15x17x12 for 105 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0053	Tray driver side bumper outboard with slats 15x17x14 for 124 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0054	Hinged diamond plate lid for driver side bumper tray. Includes 1/4 turn latch and gas shock hold open	\$320		
1150-0055	Hinged diamond plate lid for center bumper tray. Includes 1/4 turn latch and gas shock hold open	\$352		
1150-0056	Hinged diamond plate lid for officer side bumper tray. Includes 1/4 turn latch and gas shock hold open	\$320		
1150-0059	Red vinyl lid with velcro fasteners for bumper tray driver side.	\$210		
1150-0060	Red vinyl lid with velcro fasteners for bumper tray officer side.	\$210		

Item #	Description	Extension	+1/-1	Total
1150-0061	Red vinyl lid with velcro fasteners for bumper tray center.	\$210		
1150-0062	Black vinyl lid with velcro fasteners for bumper tray driver side.	\$210		
1150-0063	Black vinyl lid with velcro fasteners for bumper tray officer side.	\$210		
1150-0064	Black vinyl lid with velcro fasteners for bumper tray center.	\$210		
1150-0065	Diamond plate lid for driver, center, and officer hose trays. 5.25" high with dual chrome grab handles, rubber hood latches and gas shocks.	\$688		
1150-0069	Tray officer side bumper outboard with slats 17x13x10 for 74 feet of 1 3/4" double jacket hose. For use when the tow eyes are mounted in the up position.	\$732		
1150-0070	Tray officer side bumper outboard with slats 17x13x12 for 91 feet of 1 3/4" double jacket hose. For use when the tow eyes are mounted in the up position.	\$732		
1150-0071	Tray officer side bumper outboard with slats 17x13x14 for 108 feet of 1 3/4" double jacket hose. For use when the tow eyes are mounted in the up position.	\$732		
1150-0072	Tray officer side bumper outboard with slats 15x17x10 for 86 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0074	Tray officer side bumper outboard with slats 15x17x12 for 105 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0075	Tray officer side bumper outboard with slats 15x17x14 for 124 feet of 1 3/4" double jacket hose. For use when there is an outboard option on the same side.	\$732		
1150-0085	Nylon black strap on officer side front bumper tray (EA).	\$91		
1150-0086	Nylon black strap on driver side front bumper tray (EA).	\$91		
1150-0087	Nylon black strap on center front bumper tray (EA).	\$91		
1150-0088	Tray officer side bumper outboard with slats 23x18x14 for 202 feet of 1 3/4" double jacket hose	\$801		
1150-0089	Tray driver side bumper outboard with slats 23x18x14 for 202 feet of 1 3/4" double jacket hose	\$801		
1150-0090	Tray center of bumper with slats 20x18x14 for 176 feet of 1 3/4" double jacket hose or 67 feet of 5" LDH.	\$732		
1150-0091	Tray officer side bumper outboard with slats 23x14x14 for 157 feet of 1 3/4" double jacket hose.	\$801		
1150-0092	Tray driver side bumper outboard with slats 23x14x14 for 157 feet of 1 3/4" double jacket hose.	\$801		
1150-0093	Tray center of bumper with slats 20x14x16 for 136 feet of 1 3/4" double jacket hose or 52 feet of 5" LDH	\$732		
1150-0094	Hinged diamond plate lid for driver side bumper tray. Includes D-Ring latch and gas shock hold open	\$350		
1150-0095	Hinged diamond plate lid for center bumper tray. Includes D-Ring latch and gas shock hold open.	\$383		
1150-0096	Hinged diamond plate for officer side bumper tray. Includes D-Ring latch and gas shock hold open.	\$350		
1150-0097	Tray driver side bumper outboard for hydraulic/cord reel.	\$801		
1150-0098	Tray officer side bumper outboard for hydraulic/cord reel.	\$801		
1150-0100	Hinged floor of center bumper tray. Hinged to the rear.	\$885		
1150-0102	Diamond plate lid for driver hometrayer. 5.25" high with chrome grab handle, rubber hood latch, gas shock and water stop angle.	\$453		
1150-0103	Diamond plate lid for center hose tray 5.25" high with chrome grab handle, rubber hood latch, gas shock and water stop angle.	\$453		
1150-0104	Diamond plate lid for officer hometrayer. 5.25" high with chrome grab handle, rubber hood latch, gas shock and water stop angle.	\$453		
1150-0105	Diamond plate lid for center and driver hometrayers; 2/3 lid. 5.25" high with chrome grab handle, rubber hood latches, gas shocks and water stop angle.	\$571		
1150-0106	Diamond plate lid for center and officer hometrayers; 2/3 lid. 5.25" high with chrome grab handle, rubber hood latches, gas shocks and water stop angle.	\$571		
1150-0107	Nylon black strap with clip release on officer side front bumper tray.	\$162		

Item #	Description	Extension	+1/-1	Total
1150-0108	Nylon black strap with clip release on driver side front bumper tray.	\$162		
1150-0109	Nylon black strap with clip release on center front bumper tray. The strap shall be attached to the inboard side of the tray and shall not reduce the overall tray capacity	\$162		
1150-0110	(3) bumper extension trays. (1) officer side inboard of front intake. Tray is for storage of 25' of 5" LDH rolled hose (not flat lay). (1) tray center for storage of hydraulic tool. Tray not to be deeper than bumper extension. (1) tray driver side for storage of a Hannay hydraulic reel. The reel is for "core" technology (size larger than standard). The center and driver tray to be under (1) hinged raised lid with gas shock hold-open. Lid to include (2) LED lights- (1) over the reel and (1) over the tool storage area. Lights to be switched with parking brake and headlamps.	\$2,632		
1150-0111	Additional divider for front bumper hose tray.	\$122		
1150-0112	Hinged diamond plate lid for center bumper tray. Includes D-Ring latch and moon spring hold open	\$383		
1150-0113	Tray center of bumper with slats 34x11x14 for 150 feet of 1 3/4" double jacket hose for use with center bumper speaker option	\$801		
1150-0114	Access cover in center bumper tray for center bumper mounted speaker.	\$109		
1150-0115	Notch bumper tray lid for preconnected hose. Notch location: [#LOC].	\$159		
1150-0116	Bumper tray driver's side with slats 10 inches deep (approx 9 inches to slats).	\$528		
1150-0117	Bumper tray driver's side with slats 12 inches deep (approx 11 inches to slats).	\$528		
1150-0118	Bumper tray driver's side with slats 14 inches deep (approx 13 inches to slats).	\$528		
1150-0119	Bumper tray center of bumper with slats 10 inches deep (approx 9 inches to slats).	\$528		
1150-0120	Bumper tray center of bumper with slats 12 inches deep (approx 11 inches to slats).	\$528		
1150-0121	Bumper tray center of bumper with slats 14 inches deep (approx 13 inches to slats).	\$528		
1150-0122	Bumper tray officer's side with slats 10 inches deep (approx 9 inches to slats).	\$528		
1150-0123	Bumper tray officer's side with slats 12 inches deep (approx 11 inches to slats).	\$528		
1150-0124	Bumper tray officer's side with slats 14 inches deep (approx 13 inches to slats).	\$528		
1150-0125	Divider center bumper hose tray running front to back with adjustable track (Provides two storage areas, one left and one right of divider).	\$277		
1150-0126	Divider center bumper hose tray running side to side with adjustable track (Provides two storage areas, one ahead and one behind divider).	\$277		
1150-0127	Tray center of bumper with slats 34x13x16 with divider running side to side	\$801		
1150-0128	Notch front bumper tray for speaker/Q2B/radar. Will reduce front hose/equipment load. Center tray only.	\$142		
1150-0129	Diamond plate lid for center hometrayer. Includes chrome grab handle, rubber hood latches and gas shock	\$453		
1150-0130	Black nylon cargo net on center front bumper tray.	\$346		
1150-0131	Extinguisher tube in front bumper extension. Location: [#LOC].	\$889		
1150-0132	Tray center bumper for hydraulic/cord reel.	\$874		
1150-0133	Diamond plate raised full lid for extended front bumper. 6" high with dual chrome grab hands, rubber hood latches and gas shocks.	\$688		
1150-0135	Royal Blue vinyl lid with velcro fasteners for center bumper tray.	\$210		
1150-0136	Bumper tray center of bumper with slats 16 inches deep (approx 15 inches to slats). Mount tray 1" above gravel shield.	\$630		
1150-0137	Diamond plate lid for center hometrayer and jumpline next to tray. 5.25" high with chrome grab handle, rubber hood latch, gas shock and water stop angle if applicable.	\$522		
1150-0138	Bumper pan driver's side without slats 4 inches deep with strap. For use with suction strainer only.	\$528		
1150-0139	Nylon black strap with aluminum quick release buckle for front bumper hose tray. Strap to attach to front and rear walls of tray down low as applicable. Location: [#LOC].	\$133		
1150-0140	Bumper tray center of bumper with slats 14 inches deep (approx 13 inches to slats). Mount tray 1" above gravel shield.	\$630		
1150-0141	Bumper tray officer's side with slats 12 inches deep (approx 11 inches to slats). Mount tray 1" above gravel shield.	\$630		

Item #	Description	Extension	+1/-1	Total
1150-0142	Hinged diamond plate lid for center bumper tray. Includes (4) sides, 1/4 turn latch and gas shock hold open. For use with raised compts only.	\$452		
1150-0143	Hinged diamond plate lid for officer bumper tray. Includes (4) sides, 1/4 turn latch and gas shock hold open. For use with raised compts only.	\$452		
1150-0144	Diamond plate lid for center hostray and jumpline next to tray. 8.25" high with chrome grab handle, rubber hood latch, gas shock and water stop angle if applicable.	\$591		
1150-0145	Single crosslay on top of the front bumper gravel shield. Tray to be "U" shape, 10" wide x 8" high x the width of the gravel shield. Vinyl cover, [#COL], with end flaps to cover crosslay, velcro along front edge, fastened along back. Requires 24" extension.	\$969		
1150-0146	Water stop angle. Gravel shield mounted. Requires raised lid and/or 28" bumper extension with reel trays.	\$226		
1150-0147	Diamond plate lid for driver, center, and officer hose trays. 5.25" high with dual chrome grab handles, SS butterfly latches and gas shocks.	\$781		
1150-0148	Tray center of bumper aft of winch max available depth as applicable.	\$528		
1150-0149	Nylon black cargo net on sides for bumper crosslay.	\$255		
1150-0150	Double crosslay on top of the front bumper gravel shield. Tray to be "U" shape, approx 20" wide x 7.5" high x 90" wide minimum or as per application bumper width. Holds 200' of 1.75" DJ (each). Includes tri-fold diamond plate cover hinged at the front. Requires separate side cover option and 28" extension.	\$1,662		
1150-0151	Booster Reel Roller Assembly. Locate in front of center bumper tray.	\$404		
1150-0152	Hinged diamond plate lid for officer side bumper tray. Includes D-Ring latch and gas shock hold open	\$350		
1150-0153	Bumper tray officer's side with slats located between front intake and frame extension. Tray to be approx 9" W (min) x full length x 14" D (13" to slats) to hold 25' of 5" LDH. Requires minimum 20" extension.	\$528		
1150-0154	Bumper tray center of bumper with slats located to rear of Q2B. Tray to be approx 34"W x 9"L x 10" deep (9" to slats).	\$766		
1150-0155	Tray officer side bumper outboard for hydraulic/cord reel.	\$851		
1150-0156	Tray driver side bumper outboard for hydraulic/cord reel.	\$851		
1150-0157	Diamond plate raised full lid for extended front bumper. 6" high with dual chrome grab hands, rubber hood latches and gas shocks.	\$820		
1150-0158	Bumper tray center of bumper without slats 12 inches deep.	\$360		
1150-0159	Bumper tray center of bumper with slats 16 inches deep (approx 15 inches to slats).	\$528		
1150-0160	Hinged smooth plate lid for center bumper tray. Includes D-Ring latch and gas shock hold open. Smooth plate lid will be painted with black Durabak.	\$444		
1150-0161	Double crosslay on top of the front bumper gravel shield. Tray to be "U" shape to hold 200' of 1.75" DJ (each). Includes bi-fold diamond plate cover hinged at the rear. Requires separate side cover option and 28" extension.	\$1,662		
1150-0162	Surface mounted tray center of bumper extension. Tray to be sized to fit between outboard reel trays and includes a 1" lip all the way around. Tray is for mounting of customer supplied hydraulic tools that will be utilized with reel applications.	\$801		
1150-0163	Tray officer side bumper next to front intake/discharge. Half moon style for 25' of 5" rolled hose.	\$762		
1150-0164	Bumper tray center of bumper with black Turtle Tile 14" deep (approx. 13.25" from tile). Includes: hinged diamond plate lid for center bumper tray with Tri-Mark latch, gas shock hold open and door ajar switch.	\$1,090		
1150-0165	Bumper tray driver's side without slats 10 inches deep.	\$452		
1150-0166	Bumper tray driver's side without slats 12 inches deep.	\$452		
1150-0167	Bumper tray driver's side without slats 14 inches deep.	\$452		
1150-0168	Bumper tray center of bumper without slats 10 inches deep.	\$452		
1150-0169	Bumper tray center of bumper without slats 12 inches deep.	\$452		
1150-0170	Bumper tray center of bumper without slats 14 inches deep.	\$452		

Item #	Description	Extension	+1/-1	Total
1150-0171	Bumper tray officer's side without slats 10 inches deep.	\$452		
1150-0172	Bumper tray officer's side without slats 12 inches deep.	\$452		
1150-0173	Bumper tray officer's side without slats 14 inches deep.	\$452		
1150-0174	Slatted Duradek flooring in driver side bumper tray.	\$68		
1150-0175	Slatted Duradek flooring in center bumper tray.	\$68		
1150-0176	Slatted Duradek flooring in officer side bumper tray.	\$68		
1150-0177	Notch front bumper tray for speaker/Q2B. Will reduce front hose/equipment load. Driver's side only.	\$142		
1150-0178	Hinged diamond plate lid for center bumper tray. Includes push button latch and gas shock hold open	\$352		
1150-0179	Bumper tray center of bumper without slats 16 inches deep.	\$452		
1150-0180	Yellow vinyl lid with velcro fasteners for bumper tray center.	\$210		
1150-0181	Nylon black strap with aluminum quick release buckle for front bumper hose tray. Strap to attach to side walls of tray down low as applicable. Location: [#LOC].	\$133		
1150-0182	Tray center and offset to driver side frame rail for hydraulic/cord reel.	\$801		
1150-0183	Surface mounted tray officer side of bumper extension. Tray to be sized to fit between center reel tray and includes a 1" lip all the way around. Tray is for mounting of customer supplied hydraulic tools that will be utilized with reel applications.	\$393		
1150-0184	Vinyl [#COL] side covers for diamond plate bumper crosslay cover.	\$216		
1150-0185	Hinged diamond plate lid for center bumper tray. Includes push button latch and moon spring hold open	\$352		
1150-0186	The center front bumper tray gas shock is to be mounted to the lid from the officer side of the tray.	\$0		
1150-0187	Nylon yellow strap with aluminium quick release buckle for front bumper hose tray. Strap to attach to front and rear walls of tray down low as applicable. Location: [#LOC].	\$133		
1150-0188	Front bumper stainless steel hose wells, Duradek, w/hose retaining straps, Wildland	\$2,064		
1150-0189	Front bumper stainless steel hose wells, Duradek, ADT hinged covers, Wildland	\$2,425		
1150-0190	Front bumper stainless steel hose well lowered extensions, Wildland	\$1,087		
1150-0191	Center Front bumper stainless steel well, SS floor, ADT hinged cover, Wildland	\$828		
1150-0192	Center front bumper stainless steel well, ADT hinged cover, Used w/Winch Option, Wildland	\$524		
1150-0193	Bumper tray center of bumper with black turtle tile 16 inches deep (approx 15 inches to tiles).	\$528		
1150-0194	Dri-Deck will be added to the center bumper tray. Color will be black.	\$97		
1150-0195	Bumper tray center of bumper with black Turtle Tile 14" deep (approx. 13.25" from tile).	\$528		
1150-0196	Tray officer side bumper next to front intake. Half moon style for 20' of 6" rolled hose.	\$762		
1150-0197	Nylon black strap with aluminum quick release buckle. Location: driver, officer and center top of front bumper gravel shield.	\$393		
1150-0198	Notch front bumper tray for speaker/Q2B. Will reduce front hose/equipment load. Officer's side only.	\$142		
1150-0199	Nylon black cargo net with bungee hold downs on sides for bumper crosslay.	\$316		
1150-0200	Bumper tray center of bumper with slats 18 inches deep (approx 17 inches to slats).	\$528		
1150-0201	Notch front bumper tray for speaker/Q2B. Notch to be sized as close to obstacle as possible to provide more storage space in tray. Will reduce front hose/equipment load. Center only.	\$142		
1150-0202	Bumper tray center of bumper with slats 12 inches deep (approx 11 inches to slats). The bumper tray shall be raised 2" above the gravel shield (12" total depth). The bumper tray shall be approximately 17" front to rear X 30" in length side to side. A divider shall be centered (spanning from front to back) making a left hand and right hand center bumper tray.	\$528		
1150-0203	Hinged smooth plate lid for center bumper tray. Includes D-Ring latch and gas shock hold open. Smooth plate lid will be painted with black Scorpion coating.	\$444		
1150-0204	Stainless steel roller assemblies for bumper crosslays. Includes side rollers only; no bottom. Replaces stainless scuff plates on bumper crosslays.	\$335		

Item #	Description	Extension	+1/-1	Total
1150-0205	Recessed bumper crosslay. Includes raised lid with outboard fixed panels for optional equipment. Requires 20" extension and side covers.	\$3,979		
1150-0206	Hinged diamond plate lid for center bumper tray. Includes push button latch chrome grab handle and gas shock hold open.	\$408		
1150-0207	Hinged diamond plate lid for center bumper tray. Includes 1/4 turn latch and moon spring hold open	\$352		
1150-0208	Bumper tray officer's side without slats, approximately 14 inches deep, 17" front to rear X 9" in length side to side.	\$528		
1150-0209	Bumper tray driver's side without slats, approximately 14 inches deep, 17" front to rear X 17" in length side to side.	\$528		
1150-0210	Tray driver side bumper next to frame. Half moon style for 25' of 5" rolled hose.	\$762		
1150-0211	Bumper tray center of bumper with slats 16 inches deep (approx 15 inches to slats). Mount tray 1" above gravel shield. Forward bottom edge has 45 degree cut to improve approach angle. Forward cut height begins at approximate tray depth as it aligns with bumper bottom, continuing rearward at a 45 degree angle.	\$756		
1150-0212	Nylon black strap with clip release on officer side front bumper tray running front to back.	\$162		
1150-0213	Bumper tray center of bumper (w/o slats) 10 inches deep.	\$528		
1150-0214	Traffic cone storage on front bumper extension. Cones to be oriented downward through a 7 3/4" hole in the gravelshield. Includes nylon strap with aluminum buckle. Location: [#LOC].	\$437		
1150-0215	Hinged diamond plate lid for center bumper tray. Includes 1/4 turn latch and two (2) gas shock hold open.	\$385		
1150-0216	Bumper tray lid(s) to be constructed using 3/16" aluminum ipos.	\$168		
1150-0217	Hinged diamond plate lid for officer side bumper tray 2/3 of length hinged 1/3 remaining length is fastened in place. Hinged inboard, /fixed portion outboard. Includes D-Ring latch and gas shock to hold open the hinged section.	\$350		
1150-0218	Bumper tray center of bumper with slats 12 inches deep (approx 11 inches to slats). Mount tray 1" above gravel shield.	\$630		
1150-0219	Additional gas shock on front bumper tray lid. Location: [#LOC].	\$181		
1150-0220	Tray driver side bumper outboard for hydraulic/cord reel, 18 inches deep IPOS.	\$976		
1150-0221	Tray officer side bumper outboard for hydraulic/cord reel, 18 inches deep IPOS.	\$976		
1150-0222	The gravel shield lid shall open 90 degree's. The gas shock(s) shall be at a length and placed to allow the door to open a full 90 degrees.	\$0		
1150-0223	Bumper tray officer's side with slats 16 inches deep (approx 15 inches to slats).	\$528		
1150-0224	Bumper tray officer's side without slats located between front intake and frame extension. Tray to be approx 9" W (min) x full length x 14" D (13" to slats) to hold 25' of 5" LDH. Requires minimum 20" extension.	\$452		
1150-0225	The rear wall of bumper tray to have louvers for additional ventilation. Location: [#LOC].	\$206		
1150-0226	Smooth plate raised full lid with black Durabak finish for extended front bumper. 6" high with dual chrome grab hands, rubber hood latches and gas shocks.	\$1,688		
1150-0227	Bumper tray center of bumper with slats 18 inches deep (approx 17 inches to slats).	\$452		
1150-0228	Bumper tray driver's side of bumper with black Turtle Tile 14" deep (approx. 13.25" from tile).	\$528		
1150-0230	Bumper trough full length, mounted on top of gravel shield. Trough shall run side to side 4" high, 7" wide made from 3/16" smooth plate aluminum.	\$283		
1150-0231	Nylon black strap with aluminum quick release buckle for front bumper hose tray. Strap to attach to front and rear walls of tray as high as possible. Location: [#LOC].	\$133		
1150-0232	Hinged diamond plate lid for center bumper tray. Includes Tri-Mark latch and gas shock hold open.	\$471		
1150-0233	Hinged smooth plate lid for driver side bumper tray. Includes D-Ring latch and gas shock hold open. Lid to painted with black Scorpion brand coating inside and outside surfaces (smooth finish).	\$465		
1150-0234	Bumper tray driver's side with slats 10 inches deep (approx 9 inches to slats). Tray interior to be painted with black Scorpion coating (smooth finish), Slat assembly to remain unpainted aluminum.	\$646		
1150-0235	Diamond plate lid 3/16 " thick for driver, center, and officer hose trays. 5.25" high with dual chrome grab handles, SS butterfly latches and gas shocks.	\$850		

Item #	Description	Extension	+1/-1	Total
1150-0236	Recessed bumper double crosslay to hold of 200' of 1.75" DJ hose in each crosslay. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes hinged bi-fold raised lid in center with outboard fixed panels for optional equipment and stainless steel scuff guards at each side of crosslay opening across bottom and sides. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval.	\$4,304		
1150-0237	Bumper tray driver's side without slats. Tray to be approx 17.5" W x 17"L x 14" D.	\$452		
1150-0238	Bumper tray officer's side without slats. Tray to be approx 11" W x 17"L x 14" D.	\$452		
1150-0239	Bumper trays shall have 1/2" drain holes IPOS.	\$32		
1150-0240	Recessed bumper tray centered full width 6.25" deep. Includes 5.25" raised lid centered. The gravel shield outboard of lid shall serve for mounting of optional equipment. Requires 20" extension and engineering approval.	\$4,218		
1150-0241	Bumper tray center of bumper with slats 14 inches deep (approx 13 inches to slats) fabricated from smooth plate aluminum. Outside facing surface of tray below bumper shall be painted black Durabak.	\$631		
1150-0242	Black nylon cargo net on officer side front bumper tray.	\$346		
1150-0243	Bumper tray officer's side with slats 10 inches deep (approx 9 inches to slats). Mount tray 2" above gravel shield.	\$630		
1150-0244	Bumper tray cover(s) to be dealer/customer provided and installed. Cove(s) to meet current NFPA standard(s) to prevent un-intentional deployment of hose.	\$0		
1150-0245	Bumper tray driver's side with slats 10 inches deep (approx 9 inches to slats). Mount tray 2" above gravel shield.	\$630		
1150-0246	Bumper tray center of bumper with Duradek 16 inches deep.	\$576		
1150-0247	Hinged diamond plate lid raised 3" high for center bumper tray. Includes a single chrome grab handle, SS butterfly latches and gas shocks.	\$429		
1150-0248	Divider driver side bumper hose tray running side to side with adjustable track (Provides two storage areas, one ahead and one behind divider).	\$277		
1150-0249	Divider officer side bumper hose tray running side to side with adjustable track (Provides two storage areas, one ahead and one behind divider).	\$277		
1150-0250	Single crosslay on top of the front bumper gravel shield. Tray to be "U" shape, approx 10" wide x 7.5" high x 90" wide. Holds 200' of 1.75" DJ (each). Includes diamond plate cover hinged at the front. Requires separate side cover, and 24" extension.	\$1,302		
1150-0252	Recessed bumper double crosslay. Includes 5.25" full width raised lid. The crosslay shall only be accessible through the top lid (no side access). The crosslay floor/bottom shall be slotted to allow drainage (no slats). The crosslay shall include an adjustable divider going from side to side to create a forward and rear crosslay run area. Requires 28" extension and engineering approval.	\$4,922		
1150-0253	Black nylon cargo net on driver side front bumper tray.	\$346		
1150-0254	Bumper tray driver side of bumper with slats 14 inches deep (approx 13 inches to slats) fabricated from smooth plate aluminum. Mount tray 2" above gravel shield. Outside facing surface of tray below bumper shall be painted black Durabak.	\$736		
1150-0255	Hinged smooth plate lid for driver side bumper tray. Includes D-Ring latch and gas shock hold open. Smooth plate lid will be painted with black Durabak.	\$444		
1150-0256	Bumper tray(s) to be constructed using smooth plate aluminum with exterior surface painted black Durabak.	\$211		
1150-0257	Recessed bumper double crosslay to hold of 200' of 1.75" DJ hose with pistol grip (raise lid an additional 1") in each crosslay. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes hinged bi-fold raised lid in center with outboard fixed panels for optional equipment and polished stainless steel scuff guards at each side of crosslay opening across bottom and sides. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval.	\$4,304		

Item #	Description	Extension	+1/-1	Total
1150-0258	Recessed bumper double crosslay to hold of 200' of 1.75" DJ hose in each crosslay. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes hinged bi-fold raised lid in center with outboard fixed panels for optional equipment and stainless steel rollers at each side of crosslay opening across bottom and sides. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval.	\$4,476		
1150-0259	.Bumper tray with no slats approx. 6" deep extending full width of the bumper as applicable based on outboard options. Includes notched frame extensions to provide flat floor for the tray.	\$984		
1150-0260	Recessed bumper double crosslay to hold of 200' of 1.75" DJ hose in each crosslay. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes full width hinged bi-fold raised lid and stainless steel scuff guards at each side of crosslay opening across bottom and sides. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval.	\$4,769		
1150-0261	Diamond plate lid for driver, center, and officer hose trays. approx 6.25" high or as applicable to allow for jumpline swivel to be under lid pre-connected. with dual chrome grab handles, SS butterfly latches and gas shocks.	\$828		
1150-0262	Vinyl cover for bumper tray notch. Includes diamond plate over perimeter of cover.	\$291		
1150-0263	Recessed bumper crosslay to hold of 150' of 1.75" DJ hose. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes full width flat lid. Requires 20" extension, side covers and 10" heavy duty bumper.	\$3,979		
1150-0264	Recessed bumper double crosslay to hold 200' of 1.75" DJ hose in each crosslay with a nozzle as applicable. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes hinged bi-fold full width raised lid for open full access to crosslays when open and stainless steel scuff guards at each side of crosslay opening across bottom and sides. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval. Lid shall be raised approx 5.25" above top of bumper for capacity to ensure ease of use with a nozzle. Lid to be secured in closed position with S/S Butterfly latches. Capacity may be affected and may require a compact nozzle depending on hose selection as loaded.	\$4,536		
1150-0265	One continuous recessed bumper tray extending over the center and driver side of the bumper shall be provided with a raised 5.25" lid centered side to side.	\$4,218		
1150-0266	Smooth plate raised full lid with black Durabak finish for extended front bumper. 6" high with one 24" Haralson Metals Stainless knurled handrail in place of grab handles centered on the lid, butterfly latches on side and gas shocks.	\$1,745		
1150-0267	Bumper tray center / driver side of bumper w/o slats 12 inches deep. Tray to extend to driver side over frame extension. Officer side of tray to be approx 11" towards officer side from center. Tray to be 12" deep each side of step over frame. Requires drop frame extension option.	\$572		
1150-0268	Bumper tray officer side / center of bumper with slats 12 inches deep (approx 11 inches to slats). Tray to extend to center area over frame extension. Inboard side of tray to be approx 14" towards officer side from center. Requires drop frame extension option.	\$727		
1150-0269	Bumper tray to be constucted using 3/16" aluminum ipos.	\$117		
1150-0270	Tray officer side bumper next to frame. Half moon style for (3) 50' sections of 1.5" rolled hose.	\$762		
1150-0271	Tray driver side bumper next to frame. Half moon style for (6) 50' sections of 1" rolled hose.	\$762		
1150-0272	Raised lid over bumper tray to be extended over jumpline swivel on top of gravel shield. For use with 2" swivel only	\$68		
1150-0273	Nylon black cargo net with black powder coated quick release buckles on sides for bumper crosslay.	\$372		
1150-0274	Stainless steel roller assemblies for bumper crosslays. Includes side rollers and bottom. Replaces stainless scuff plates on bumper crosslays.	\$348		
1150-0275	Hinged smooth plate lid for center bumper tray. Includes 1/4 turn latch and gas shock hold open. Smooth plate lid will be painted black Durabak.	\$439		
1150-0276	Nylon black strap with aluminum quick-release buckle. Location: driver, officer and (2) center top of front bumper gravel shield.	\$528		
1150-0277	Red vinyl lid with snap fasteners for bumper tray officer side.	\$1,485		
1150-0278	Bumper tray officer's side with slats to hold (2) lengths of 3" DJ hose, approximately 18" W X 14" L X 15" D	\$553		



Item #	Description	Extension	+1/-1	Total
1150-0279	Tray center of bumper forward of winch max depth as applicable per winch application. Smooth plate .125 aluminum DA finish. Tray will be forward of winch mount and access lid above fairlead path. Recessed to max allowable depth per application to provide additional storage depth under raised lid for rescue tool to be placed topside under lid.	\$334		
1150-0280	Bumper tray center of bumper with slats 17 inches deep (approx 16 inches to slats). Mount tray 1" above gravel shield. Exterior of tray to be painted FLNA4145 Black.	\$1,015		
1150-0281	Hinged diamond plate lid for driver side bumper tray. Includes D-Ring latch and moon spring hold open	\$383		
1150-0282	Hinged diamond plate lid for center bumper tray. Includes Southco model C2-32-11-3 push button latch and gas shock hold open.	\$352		
1150-0283	Hinged diamond plate lid for center and officer bumper tray. Includes (2) D-Ring latches, (2) gas shock hold open and smooth plate spacer between bumper trays.	\$731		
1150-0284	Nylon black strap with aluminum quick release buckle. Location: driver, officer and center top of front bumper gravel shield. Mount at final inspection.	\$393		
1150-0286	Shallow bumper tray located center of the bumper without slats. Tray to be as wide and as deep as possible while maintaining a flat floor without notches or protrusions.	\$359		
1150-0287	Hinged diamond plate lid for officer side bumper tray. Includes D-Ring latch and moon spring hold open	\$383		
1150-0288	Bumper tray, secondary. Tray located towards the rear beneath first center tray for additional storage. Tray to be as long front to back as possible while maintaining a flat floor without notches or protrusions and still have the secondary lid removable. Tray to be as wide as applicable and as deep as other trays on the truck.	\$471		
1150-0289	Diamond plate lid for driver, center, and officer hose trays. 5.25" high with dual chrome grab handles, SS butterfly latches and gas shocks. Hinge will be located as low down and far back as possible on fixed portion of the lid.	\$781		
1150-0290	All fabricated aluminum sheet metal parts installed on the bumper shall be made using smooth plate in place of standard. Includes gravel shield, tray(s), lid(s) and other miscellaneous parts.	\$211		
1150-0291	Crosslay divider(s) to be held back 6" from each side of bumper.	\$0		
1150-0292	Bumper tray with no slats extending full width of the bumper as applicable based on outboard options. Includes notched frame extensions to provide at least 6" tray depth directly above the extensions. Tray to have multiple depth to meet customer specific requirements.	\$1,856		
1150-0293	Bumper tray driver side of bumper made as large as possible with slats 14 inches deep (approx 13 inches to slats). Mount tray 1" above gravel shield.	\$748		
1150-0294	Insulation on exterior of the bumper tray assembly. Location: Driver side.	\$274		
1150-0295	Bumper lid to have one 24" knurled handrail in place of grab handles centered on the lid	\$65		
1150-0296	Hinged diamond plate lid for officer bumper tray. Includes Tri-Mark latch and gas shock hold open.	\$471		
1150-0297	Bumper tray driver side of bumper made as large as possible without slats 14 inches deep. Mount tray 1" above gravel shield.	\$748		
1150-0298	Bumper tray center of bumper without slats 14 inches deep. Mount tray 1" above gravel shield.	\$630		
1150-0299	Tray officer side bumper inboard of frame. Half moon style for 25' of 5" rolled hose.	\$762		
1150-0300	Bumper tray driver's side with slats 16 inches deep (approx 15 inches to slats).	\$528		
1150-0301	Tray center of bumper aft of winch max available depth as applicable. Slats shall be provided.	\$637		
1150-0302	Raised diamond plate lid with dual chrome grab handles, stainless steel butterfly latches and gas shocks. The lid shall be full width (as applicable based on outboard options) and high enough to accommodate reels, rescue tools and equipment as applicable per customer specific requirements.	\$781		
1150-0303	Nylon black strap with aluminum quick release buckle for front bumper hose tray. Strap to attach to front and rear top of tray. Location: [#LOC].	\$133		

Item #	Description	Extension	+1/-1	Total
1150-0304	Recessed bumper double crosslay to hold 150' of 1.75" DJ hose in each crosslay. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes hinged bi-fold raised lid and stainless steel scuff guards at the crosslay opening across bottom and sides. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval. Crosslay only open on one side of the bumper extension.	\$4,769		
1150-0305	Bumper tray full width of bumper without slats 12" deep. For use with outboard options. Tray to extend to driver/officer area over frame extension. Center of tray to be approx 12" deep with outboard areas approx. 5.5" deep. Requires drop frame extension option.	\$973		
1150-0306	Recessed bumper double crosslay to hold of 200' of 1.75" DJ hose in each crosslay. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes full width hinged non bi-fold raised lid with side lips to hold up hinged drop down doors. Hinge will be southco brand hinge to keep lip held in the open position when in use. Rubber hold down latches ipo butterfly latches will be used to secure lid in closed position. Stainless steel scuff guards at each side of crosslay opening across bottom and sides, with a drop down door for side access. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval.	\$5,312		
1150-0307	Bumper tray center of bumper with slats 16 inches deep (approx 15 inches to slats). Mount tray 2" above gravel shield.	\$630		
1150-0308	Removable recessed lid for front bumper tray. Includes hand hole cutout for ease of removal to access. See drawing for specific customer location requirements. Finish: Sanded Aluminum.	\$318		
1150-0309	Hinged smooth plate lid with DA finish for center bumper tray. Includes 1/4 turn latch and gas shock hold open.	\$352		
1150-0310	Modify bumper crosslay. Includes lower side to side divider to 7" tall and ship loose. Add adjustable tracks on front and rear center with divider centered; installed. Single gas shock in center of lid. Outboard hold open devices (see photos on file with sales).	\$873		
1150-0311	Hinged diamond plate lid for driver bumper tray. Includes (4) sides, 1/4 turn latch and gas shock hold open. For use with raised compts only.	\$452		
1150-0312	Bumper tray full width of bumper (for use with outboard options) without slats approx. 6" inches deep outboard of frame rails and 12" deep center between rails. Outboard sides raised for airhorns.	\$1,264		
1150-0313	Recessed bumper crosslay to hold of 200' of 1.75" DJ hose. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes full width lid. Requires minimum 20" extension, side covers and 12" heavy duty bumper.	\$3,979		
1150-0314	Bumper tray center / driver side of bumper w/o slats 12 inches deep. Tray to extend to driver side over frame extension. Tray to be 12" deep each side of step over frame. Requires drop frame extension option.	\$572		
1150-0315	Hinged diamond plate lid for single center/driver bumper tray. Includes (2) push button latches and (2) gas shock hold opens.	\$569		
1150-0316	D&S brand heavy duty [#COL] vinyl cover for bumper tray. Location: center bumper tray. Driver side of cover to feature a notch for 2.5" hose from bumper discharge to be pre-connected to hose stored in hose tray.	\$526		
1150-0317	Recessed bumper double crosslay to hold of 200' of 1.75" DJ hose in each crosslay. The crosslay floor/bottom shall be slotted to allow drainage (no slats). Includes hinged bi-fold raised lid in center with driver side outboard fixed panel for optional equipment and stainless steel scuff guards at each side of crosslay opening across bottom and sides. Requires 28" extension, side covers, 12" heavy duty bumper and engineering approval.	\$4,304		
1150-0318	Bumper tray driver's side with slats 14 inches deep (approx 13 inches to slats). Tray shall be designed and built as big as possible for extra capacity.	\$801		
1150-0319	45 degree angles horizontally mounted on bottom of front bumper tray(s) for water deflection.	\$543		
1155-0000	Class III hitch for portable winch for the front.	\$1,013		
1155-0001	Receiver under body rearward of wheel well (PR) for winch or rope use (does not include 12V power plug).	\$3,780		
1155-0002	Winch, electric front mounted Ramsey 12,000 lb. Includes access door with quarter turn latch and spring hold open device.	\$4,725		
1155-0003	Winch Warn Series 8 - 8,000lb with 125' 3/8" plated cable.	\$4,057		

Item #	Description	Extension	+1/-1	Total
1155-0004	Winch semi hidden Warn 12,000lb with 125' 3/8" plated cable. N/A with 16" extended bumper.	\$4,464		
1155-0005	Winch, Warn Series 12, 12,000 lb. with 125' 3/8" plated cable. Includes access door with quarter turn latch and spring hold open device. Locate: Mounted to the chassis frame extension centered at the front bumper area.	\$5,942		
1155-0007	Winch control receptacle location: [#LOC].	\$0		
1155-0008	Winch, Warn Series 12, 12,000 lb. with 125' 3/8" plated cable. Mounted in the brush gaurd. Includes rollers.	\$5,803		
1155-0009	Winch, Warn 16.5ti, tow eye, front bumper, Wildland	\$7,010		
1155-0010	Warn winch model 16.5 TI with 90' of 7/16" diameter IWRC or equal high performance wire rope with a 4-way roller cable guide controlled with a 30' remote control switch located at the rear of the rescue apparatus.	\$6,560		
1155-0012	Winch, Warn 16.5ti 16,500 lb. with 90' 7/16" plated cable. Includes access door with quarter turn latch and spring hold open device.	\$6,560		
1155-0013	Winch, Warn Series 12, 12,000 lb. with 125' 3/8" plated cable. Includes access door, hinged rearward that is smooth plate alum (IPO tread) and painted with black Scorpion brand coating inside and outside surfaces (smooth finish). Latch to be D-Ring style (IPO std. 1/4 turn latch). Lid to have 1 gas shock.	\$6,090		
1155-0014	A 6000 lb Warn multi-mount (portable) electric reversible winch with 125' of 3/8" plated wire rope and a replaceable clevis hook shall be installed and shall be controlled with a 12' remote control switch. Includes rollers.	\$2,595		
1155-0016	20,000lb Hydraulically Driven Winch. Ramsey Model H800R (Mfg.Part# 124410) Hydraulic Winch with Dow-Lok Clutch, roller guide assembly, minimum 200' of 5/8" Wire Rope Assembly, Winch Mounting Brackets, PTO and Hydraulic Pump. Maudlin to supply and install winch, E-One to complete installation.	\$15,566		
1155-0018	Winch, Warn Series 12-S Spydura Pro, 12,000 lb. with 100' of 7/16" synthetic rope and Hawse fairlead. Includes access door with quarter turn latch and spring hold open device.	\$6,640		
1155-0019	Winch, Warn Series 12, 12,000 lb. Includes 100' 7/16" Spydura Pro synthetic rope, fairlead & 32' remote. Locate: Mounted to the chassis frame extension centered at the front bumper area. A service access to the winch shall be provided.	\$6,389		
1155-0020	Winch, Warn Series 15, 15,000 lb. with 90' 7/16" plated cable. Includes access door with quarter turn latch and spring hold open device.	\$6,353		
1155-0021	Warn Winch 9,000 lb. with 125' 3/8" plated cable. Includes access door with quarter turn latch and spring hold open device. Locate: Mounted to the chassis frame extension centered at the front bumper area.	\$3,469		
1160-0000	Bumper 10" stainless steel.	\$1,478		
1160-0001	Bumper 12" high swept back stainless steel.	\$1,673		
1160-0002	Bumper reinforcement backing. For use with 10" SS or heavy duty bumpers only.	\$525		
1160-0004	Stainless Steel 10" high front bumper. Requires extended front bumper.	\$1,477		
1160-0006	Brush Guard for Akron Auto Bumper Turret	\$847		
1160-0007	Brush guard for Akron StreamMaster bumper turret.	\$847		
1160-0008	3/16" Front Bumper Gravel Shield.	\$151		
1160-0010	1/8" Front Bumper Gravel Shield.	\$0		
1160-0011	4" Front Bumper Extension.	\$0		
1160-0012	12" Front Bumper Gravel Shield Extension.	\$167		
1160-0013	16" Front Bumper Gravel Shield Extension.	\$320		
1160-0014	20" Front Bumper Gravel Shield Extension.	\$567		
1160-0015	24" Front Bumper Gravel Shield Extension.	\$751		
1160-0016	28" Front Bumper Gravel Shield Extension.	\$907		
1160-0020	License plate holder mounted center of front bumper.	\$47		
1160-0021	Number plate, removable size to fit between air horns on front bumper. Spaced out from face of bumper so plate can be removed.	\$204		

Item #	Description	Extension	+1/-1	Total
1160-0022	Brush guard for Rhino bumper turret.	\$847		
1160-0026	Brush Guard Stainless Steel Ford F550	\$2,225		
1160-0030	Steel tow bar located below front bumper mounted to chassis extensions for towing purposes only, painted black.	\$2,132		
1160-0031	Notch front bumper for low "S" type front intake. Includes tray below pipe extending from cab to bumper.	\$1,256		
1160-0032	1/8" diamond plate gravel shield. For use with Spartan extended front bumper.	\$899		
1160-0034	8" Front Bumper Extension.	\$167		
1160-0041	Heavy duty front bumper 10" high with full wrap around. To be painted job color.	\$2,593		
1160-0042	Heavy duty front bumper 10" high with full wrap around. To be painted 767681 EG black.	\$2,593		
1160-0043	Brush guard for Akron Fire Fox bumper turret.	\$899		
1160-0046	10" Stainless steel front bumper with driver side cut-out for MS-100-01 speaker. Includes 20" bumper extension with center-mounted hose storage tray with lid.	\$2,400		
1160-0047	10" Stainless Steel front Bumper with 20" Bumper extension and center-mounted hose storage tray with Lid. International	\$2,398		
1160-0049	License plate holder mounted officer side of front bumper.	\$47		
1160-0050	12" heavy duty front bumper with full wrap around. To be painted L0318EG metallic silver.	\$2,593		
1160-0051	3/16" Front Bumper Gravel Shield. Smooth plate painted with black Durabak.	\$1,555		
1160-0052	Recessed winch receiver in front bumper for model QM5000 portable winch. Includes swing down front center section of bumper for winch access, bumper reinforcement, winch enclosure, raised lid, and port winch wiring. For use on E-ONE chassis with 10" high 28" ext bumper only.	\$5,622		
1160-0053	14" Front Bumper Gravel Shield Extension.	\$245		
1160-0054	Overlay front heavy duty bumper with diamond plate panels.	\$443		
1160-0055	Guard straps for bumper mtd recessed Q2B - polished stainless steel.	\$354		
1160-0057	Rear bumper steel with dia plt overlay. Includes rubrail across rear surface and no step tags.	\$1,767		
1160-0058	Trailer hitch ball and pintle hook combo kit.	\$1,220		
1160-0059	10" Stainless steel front bumper with driver and officer side fog light cut-outs and driver side (inboard of fog light) cut-out for NFPA speaker. Includes frame mounted painted tow hooks, 20" bumper extension with center-mounted hose storage tray with lid.	\$0		
1160-0060	Dock bumpers (4) on front bumper equally spaced (as applicable).	\$352		
1160-0061	10" heavy duty front bumper with full wrap around. To be painted L0318EG metallic silver.	\$2,593		
1160-0062	Rear bumper steel 8" deep with Gator Grip dia plt overlay. Includes rubrail across rear surface and handrail located below hosebed.	\$2,217		
1160-0064	Heavy duty front bumper 10" high with full wrap around. To be painted [#COL].	\$2,593		
1160-0065	Heavy duty front bumper 10" high with full wrap around. Center of bumper to have a 5" deep notch for recessed Q2B. Bumper to be painted job color.	\$3,218		
1160-0066	License plate holder mounted driver side of front bumper.	\$47		
1160-0067	Brush Guard Black with winch mount for Ford Super Duty Series. Includes tow hooks. Winch not included.	\$1,450		
1160-0068	1/8" Front Bumper Gravel Shield. Smooth plate painted with black Durabak.	\$1,555		
1160-0069	10" Stainless steel bumper with 4" extension. Includes driver side cut-out for (1) ES-100 speaker with grille, two (2) recessed mounted air horns with two (2) floor mounted foot switches. Custom ES.	\$0		
1160-0070	10" Stainless steel bumper with 20" gravel shield extension. Includes driver side cut-out for (1) ES-100 speaker with grille, two (2) recessed mounted air horns with two (2) floor mounted foot switches. Custom ES.	\$966		
1160-0071	10" Stainless steel bumper w/ 20" gravel shield extension. Includes center-mounted hose storage tray w/ preconnect provision, hose tray lid, driver side cut-out for (1) ES-100 speaker w/ grille, and two (2) recessed mounted air horns w/ two (2) floor mounted foot switches. Custom ES.	\$1,549		

Item #	Description	Extension	+1/-1	Total
1160-0072	10" Stainless steel bumper w/ 20" gravel shield extension. Includes front intake provision, center-mounted hose storage tray w/ lid, driver side cut-out for (1) ES-100 speaker w/ grille, and two (2) recessed mounted air horns w/ two (2) floor mounted foot switches. Custom ES.	\$1,549		
1160-0073	10" Stainless steel bumper w/ 20" gravel shield extension. Includes front intake provision, center-mounted hose storage tray w/ preconnect provision, hose tray lid, driver side cut-out for (1) ES-100 speaker w/ grille, and two (2) recessed mounted air horns w/ two (2) floor mounted foot switches. Custom ES.	\$1,549		
1160-0076	10" Stainless steel front bumper with driver side cut-out for NFPA speaker. Includes 20" bumper extension with center-mounted hose storage tray with lid.	\$0		
1160-0080	10" Stainless steel front bumper with driver side cut-out for NFPA speaker. Includes 20" bumper extension with center-mounted hose storage tray with lid.	\$0		
1160-0083	24" Bumper extension with 1/8" diamond plate gravel shield, 10" front stainless steel bumper with location for NFPA speaker and dual Hadley air horns with driver and officer foot switch controls.	\$3,741		
1160-0084	Heavy duty 12" front bumper with full wrap around. To be painted job color.	\$2,593		
1160-0085	6" Front Bumper Extension.	\$0		
1160-0086	Removable number plate with mounting brackets. Locate centered on front bumper. Plate to be painted job color. Plate to be 8"W x 8"H. Lettering and/or graphics not included.	\$304		
1160-0087	Brush Guard Stainless Steel with winch mount for Ford Super Duty Series. Includes tow hooks. Winch not included.	\$3,408		
1160-0088	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted job color. Plate to be 12"W x 8"H. Lettering and/or graphics not included.	\$304		
1160-0092	3/16" ADT Bumper gravel shield, w/valve cut-out(s), Wildland	\$1,291		
1160-0093	Aluminum tapered channel front bumper with natural finish. Kenworth.	\$0		
1160-0094	18" Front Bumper Gravel Shield Extension.	\$444		
1160-0095	Heavy duty front bumper with full wrap around. To be painted FLNA 91733 silver.	\$2,593		
1160-0096	Two (2) 1.5" diameter stainless steel bumper guide rods are to be offset mounted on the ends of the front bumper with 8.5" convex mirrors top mounted via stainless steel brackets. In addition each guidepost shall have a stainless steel reinforcement rod inserted in guidepost tubes for extra stiffness. The officers side mirror shall be 3" higher than drivers side.	\$1,105		
1160-0097	Dock bumpers NYPD (placement per NYPD). Quality Custom Components model 32220 bumpers; (4) front and (4) rear.	\$644		
1160-0098	10 GA brushed stainless steel overlay on front face of 10" heavy duty bumper.	\$666		
1160-0099	12Ga stainless steel front bumper gravel shield painted with black Durabak. NYPD only.	\$1,296		
1160-0100	Brush Guard Stainless Steel with winch mount and front receiver for Ford Super Duty Series. Winch not included.	\$3,649		
1160-0101	Brush Guard Black with heavy duty bumper and winch mount for Ford Super Duty Series. Winch not included.	\$5,079		
1160-0102	1/8" Front Bumper Gravel Shield. gravel shield will utilize the OEM bumper angles.	\$696		
1160-0103	Rear bumper steel 8" deep with Gator Grip dia plt overlay. Includes rubrail across rear surface and handrail located horizontally below turntable access door.	\$2,217		
1160-0104	Swing down front section of bumper. 10" front bumper only. Requires extended front bumper and bumper reinforcement.	\$1,345		
1160-0105	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted lower job color (if cab is painted two tone). Plate to be 14"W x 8"H. Lettering and/or graphics not included.	\$334		
1160-0106	Tubular rear bumper shall be mounted on the rear of the unit.	\$790		
1160-0107	10" Stainless steel front bumper with driver side cut-out for NFPA speaker. Includes frame mounted painted tow hooks, 20" bumper extension (1/8" diamond plate) with center-mounted hose storage tray with red vinyl cover.	\$3,483		
1160-0108	3/16" Front Bumper Gravel Shield. Smooth plate painted with black Scorpion coating.	\$1,555		
1160-0109	10" Front Bumper Gravel Shield Extension.	\$164		

Item #	Description	Extension	+1/-1	Total
1160-0110	Brush Guard Black with winch mount and front receiver for Ford Super Duty Series. Winch not included.	\$1,989		
1160-0111	10" Stainless steel front bumper with driver side cut-out for NFPA speaker. Includes 24" bumper extension for booster reel.	\$0		
1160-0112	10" Stainless steel front bumper with driver side cut-out for NFPA speaker. Includes 24" bumper extension with center-mounted hose storage tray with lid.	\$0		
1160-0115	Brush Guard Stainless Steel Dodge 5500	\$2,225		
1160-0116	Heavy duty front bumper 10" high with full wrap around. Driver side of bumper to have a 5" deep notch for recessed Q2B. Bumper to be painted job color.	\$3,218		
1160-0117	License plate holder mounted driver side of front bumper.	\$47		
1160-0119	Holmatro bulkhead fitting (fitting comes with hinged cover) shall be mounted to an angled mounting bracket which is mounted to the top of the driver side gravel shield. The mounting bracket shall enclose the lead lines feeding the rear of the bulkhead fitting as mounted on the angled bracket. The bracket shall be made of 1/8" aluminum diamond plate. Includes Core Technology hose (up to 10,000 PSI). The hose shall run from R7 compartment to the driver side front bumper gravel shield.	\$4,681		
1160-0120	1/8" Front Bumper Gravel Shield. Includes 1" return break on each side of heavy duty bumper.	\$184		
1160-0121	Diamond plate lower gravelshield. Located under side of the front bumper extension.	\$885		
1160-0122	20" Front Bumper Gravel Shield Extension. The extension shall extend further forward and each side to align with the edge of the bumper.	\$650		
1160-0123	10 GA brushed stainless steel overlay on front face of 12" heavy duty bumper.	\$684		
1160-0124	Heavy duty 12" front bumper with full wrap around. To be painted the same as the upper area two tone job color.	\$2,593		
1160-0125	Heavy duty front bumper 10" high with full wrap around. Officer side of bumper to have a 5" deep notch for recessed Q2B. Bumper to be painted job color.	\$3,218		
1160-0126	Dock bumpers NYPD (placement per NYPD). Buyers Products Company model B4000 bumpers; (4) front and (4) rear.	\$644		
1160-0127	2" lip on rear and sides of gravelshield. See photos on file with sales.	\$500		
1160-0128	Bumper guide (PR). RoDon 60" red/white fiberglass with spring mount. To be installed at final inspection.	\$213		
1160-0129	License plate holder hinge mounted below center of front bumper.	\$91		
1160-0130	Rear bumper steel 8" deep with Gator Grip dia plt overlay and angled (Boston style) style corners. Includes rubrail across rear surface and handrail located below hosebed.	\$2,372		
1160-0131	1/8" Front Bumper Gravel Shield for heavy duty bumper. Includes 1" turn down around perimeter of HD bumper.	\$248		
1160-0132	Notch front bumper for low "S" type front intake. Tray below pipe extending from cab to bumper. Tray to hold 15' of 5" LDH. Include nylon strap (seat belt type) for tray.	\$2,223		
1160-0133	Heavy duty front bumper 10" high with full wrap around. Center of bumper to have a 5" deep notch for recessed Q2B. Bumper to be painted 2-tone job color.	\$3,218		
1160-0134	28" Front Bumper Gravel Shield Extension for recessed crosslay to be used on commercials only.	\$3,235		
1160-0135	Two (2) 1.5" diameter stainless steel bumper guide rods are to be offset mounted on the ends of the front bumper with convex mirrors top mounted via stainless steel brackets (10" driver, 8" officer). In addition each guidepost shall have a stainless steel reinforcement rod inserted in guidepost tubes for extra stiffness. The officers side mirror shall be 3" higher than drivers side.	\$1,105		
1160-0136	Bumper guide pinned (PR).	\$579		
1160-0137	Heavy duty 12" front bumper with full wrap around. To be painted [#COL].	\$2,593		
1160-0138	3/16" Front Bumper Gravel Shield. Extend shield to flush with heavy duty bumper edge.	\$616		
1160-0139	20" Front Bumper Gravel Shield Extension for recessed crosslay to be used on commercials only.	\$2,895		
1160-0140	3/16" Front Bumper Gravel Shield for heavy duty bumper. Includes 1" turn down around perimeter of HD bumper.	\$397		

Item #	Description	Extension	+1/-1	Total
1160-0141	3/16" Front Bumper Gravel Shield with 1" turn down lips to protect the top edge of the heavy duty bumper from damage. Smooth plate painted with black Durabak.	\$1,614		
1160-0142	Front frame extensions to be drop style IPOS. Includes integral tow eyes below bumper.	\$801		
1160-0144	Heavy duty 12" front bumper with full wrap around. Center of the bumper to be extended (boxed out) for Q2B to be recessed without intruding into the bumper trays, recessed crosslays or any other options as applicable. To be painted [#COL].	\$3,355		
1160-0145	Notch front bumper for low "S" type front intake. 10" deep tray below pipe extending from cab to bumper to hold at minimum 25' of 5" LDH. Include nylon strap (seat belt type) for tray.	\$2,223		
1160-0146	Custom built Stainless Steel 10" high front bumper. Requires extended front bumper.	\$2,910		
1160-0147	Heavy duty front bumper 10" high with full wrap around. To be constructed of 110,000 PSI frame rail material and painted job color.	\$3,888		
1160-0148	Smooth aluminum plate with gold Scotchlite centered on front bumper. 6" x 36" with radius corners.	\$260		
1160-0149	LINE-X bumper package: Includes all visible diamond plate surfaces including gravel shield, exterior surface of trays and lids(flat or raised). If equipped, exterior of the fabricated booster reel housing, fabricated box for booster reel rollers and winch access door shall be included in this package.	\$1,043		
1160-0151	20" front bumper extension with gravel shield for Ford. Includes relocating OEM bumper and tow eyes / hooks.	\$3,586		
1160-0152	Rear bumper with 3" square bolt-on stainless steel tube for rear guard. Includes no step tags. No rub rail or cover plate and rear marker lts attached to lower rear body surface. Note rear bumper to be exposed as natural surface un-painted.	\$2,470		
1160-0153	Heavy duty front bumper 10" high with full wrap around for commercial chassis. Center of bumper to have a 5" deep notch for recessed Q2B. Bumper to be painted job color. To include one piece modular mounting bracket for commercial chassis with welded integral front frame extension mounting rails for added durability and strength.	\$4,022		
1160-0154	Heavy duty front bumper 12" high with full wrap around. Driver side of bumper to have a 5" deep notch for recessed Q2B. Bumper to be painted job color.	\$3,218		
1160-0155	LINE-X bumper: The bottom lip of the bumper shall have LINE-X finish.	\$242		
1160-0156	Durabak Black bumper package: Includes all visible plate surfaces including gravel shield, exterior surface of trays and lids(flat or raised). If equipped, exterior of the fabricated booster reel housing, fabricated box for booster reel rollers and winch access door shall be included in this package.	\$1,043		
1160-0157	Heavy duty front bumper 10" high with full wrap around. Center of bumper to have a 5" deep notch for recessed Q2B. Corners to be tapered for an 8" wide mounting area. (Not available with reel trays). Bumper to be painted job color.	\$3,442		
1160-0158	Heavy duty 12" front bumper with full wrap around. Corners to be tapered for an 8" wide mounting area. (Not available with reel trays). To be painted job color.	\$2,817		
1160-0159	30" Front Bumper Gravel Shield Extension.	\$1,089		
1160-0160	Rear bumper steel 8" deep with Gator Grip dia plt overlay and angled (Boston style) style corners. Includes rubrail across rear surface and (2) 10" handrails located vertically at rear of body.	\$2,372		
1160-0161	Diamond plate overlay on the sides and angled corners of heavy duty bumper.	\$390		
1160-0162	Heavy duty 12" front bumper with full wrap around. Center of bumper to have a 5" deep notch for recessed Q2B. Corners to be tapered for an 8" wide mounting area. (Not available with reel trays). To be painted job color.	\$3,442		
1160-0163	Rear bumper with 4" square steel tube for rear guard. Includes no step tags. No rub rail or cover plate and rear marker lts attached to lower rear body surface. Note rear bumper to be painted job color with Boston style corners cut at 30 degree angle on each end.	\$2,470		
1160-0164	Heavy duty inner city front bumper 10" high with full angle corners. Includes support wings for angled corners. Center of bumper to have a 5" deep notch for recessed Q2B. Bumper to be painted job color.	\$3,554		
1160-0165	Heavy duty front bumper 10" high with full wrap around. Officer side notched for front intake recessed as much as possible. Bumper to be painted job color.	\$3,442		

Item #	Description	Extension	+1/-1	Total
1160-0166	26" Front Bumper Gravel Shield Extension.	\$829		
1160-0167	Heavy duty 12" front bumper with full wrap around. Center of bumper to have a 5" deep notch for recessed Q2B. Officer side notched for front intake recessed as much as possible. Corners to be tapered for an 8" wide mounting area. To be painted job color.	\$3,833		
1160-0168	Heavy duty bumper wrap around lower edge guard. Extends from bottom of stripe to bottom of bumper.	\$302		
1160-0169	Heavy duty 12" front bumper with full wrap around. Driver side of bumper to have a 5" deep notch for recessed Q2B. Officer side notched for front intake recessed as much as possible. Corners to be tapered for an 8" wide mounting area. To be painted job color.	\$3,833		
1160-0170	3/16" Front Bumper Gravel Shield with 1" turn down lip. Smooth plate painted with LINE-X.	\$1,440		
1160-0171	Heavy duty 12" front bumper with full wrap around. Driver side of bumper to have a 5" deep notch for recessed Q2B. Officer side notched for front intake recessed as much as possible. To be painted job color.	\$3,833		
1160-0172	Rear bumper steel 8" deep with Gator Grip dia plt overlay and angled (Boston style) style corners. Includes a 4" square steel tube and additional bracing for support, rubrail across rear surface (if applicable) and handrail located below hosebed.	\$2,372		
1160-0173	Rear bumper steel 8" deep with Gator Grip dia plt overlay. Includes a 4" square steel tube and additional bracing for support, rubrail across rear surface (if applicable) and handrail located below hosebed.	\$2,217		
1160-0174	Heavy duty 12" front bumper with full wrap around. Driver side of bumper to have a 5" deep notch for recessed Q2B. Corners to be tapered for an 8" wide mounting area. (Not available with reel trays). To be painted job color.	\$3,442		
1160-0175	Zinc flame spray coating for heavy duty front bumper (outside and inside surfaces) prior to painting.	\$541		
1160-0176	3/16" smooth plate front bumper gravel shield with DA finish.	\$151		
1160-0177	Heavy duty 10" front bumper with full wrap around. Corners to be tapered for an 8" wide mounting area. (Not available with reel trays). To be painted job color.	\$2,810		
1160-0178	Heavy duty inner city front bumper 10" high with full angle corners. Includes support wings for angled corners. Driver side of bumper to have a 5" deep notch for recessed Q2B. Officer side of bumper to have notch for front suction. Bumper to be painted job color.	\$4,206		
1160-0180	Hose deflector stainless steel pin to protect against hose pinch on Drivers side front bumper extension and cab corner.	\$240		
1160-0181	Front intake swivel stop bracket to be located so it will eliminate the swivel from hitting the cab.	\$273		
1160-0182	Diamond plate overlay on the front, sides and angled corners of heavy duty bumper.	\$438		
1160-0183	Number plate, removable size to fit applicable to location on front bumper. Spaced out from face of bumper so plate can be removed. Location: [#LOC].	\$204		
1160-0184	14GA polished stainless steel overlay on front face of 12" heavy duty bumper.	\$666		
1160-0185	Scorpion bumper package: Includes all visible diamond plate surfaces including gravel shield, exterior surface of trays and lids(flat or raised). If equipped, exterior of the fabricated booster reel housing, fabricated box for booster reel rollers and winch access door shall be included in this package. Color: job color.	\$1,261		
1160-0186	2" lip on rear and sides of gravelshield. Includes 1" radius on corners. See photos on file with sales.	\$500		
1200-0016	Transmission Lockout 5/6 Gear	\$0		
1200-0017	Push-button transmission shift selector.	\$0		
1200-0018	"T" handle transmission selector.	\$1,768		
1200-0020	TransSynd synthetic transmission fluid for EVS3000.	\$222		
1200-0021	TransSynd synthetic transmission fluid for EVS 4000.	\$349		
1200-0022	Conventional transmission fluid for EVS 3000.	\$0		
1200-0023	Conventional transmission fluid for EVS 4000.	\$0		
1200-0024	Speed range from 62 MPH to 67 MPH gear limited.	\$0		
1200-0025	Speed maximum 75 MPH.	\$0		



Item #	Description	Extension	+1/-1	Total
1200-0065	Transfer Case for All Wheel Drive- single speed with front axle declutch	\$11,194		
1200-0070	Transmission dipstick - extended length for filling from engine access door.	\$0		
1200-0076	Transmission to be 4500 in place of the 4000. Gears 1 through 4 shall be programmed as "D" (Drive). Gear 5 to be programmed to activate via "mode" switch on shifter.	\$3,466		
1200-0077	Transmission re-programming. "D" allows trans to shift from 1st - 3rd gear and "Mode" allows 4th gear.	\$782		
1200-0078	Speed maximum 70 MPH	\$0		
1200-0083	Transmission re-programming. "D" allows transmission to shift from 1st - 4th gear, and "Mode" allows 5th gear.	\$782		
1200-0096	Electronic speed limiting set at 60 MPH.	\$0		
1200-0097	Electronic limiting of speed to 68 MPH maximum. Note: Max speed may be set at 65 MPH due to tire rating.	\$0		
1200-0098	Electronically limited speed to 62 MPH.	\$0		
1200-0122	Electronic speed limiting set to 60 MPH.	\$0		
1200-0126	Chassis speed to be electronic limited and not to exceed a maximum of 68 MPH. Note: Speed rating may be lower based on OEM tire ratings/top speed limitations provided on chassis.	\$0		
1200-0133	Transmission cooler. Extreme hot climate units only.	\$2,581		
1200-0135	A RGA transfer case will be installed for hook up of PTO needed accessories. This will include drive line and mounting brkts.	\$12,054		
1200-0137	Electronic speed limiting set to 60 MPH.	\$0		
1200-0177	Electronically limited speed to 68 MPH.	\$0		
1200-0200	Eng/Trans Cummins ISX12 450HP with EVS4000 transmission. 2010 EPA Compliant.	\$139,911		
1200-0208	Compression brake. Provided by the chassis OEM.	\$1,243		
1200-0220	6 speed transmission with 6.14 gears for an estimated speed of 66MPH.	\$0		
1200-0222	Stainless steel transmission yoke shield.	\$452		
1200-0223	Eng/Trans Cummins ISX15 550HP with EVS4000 transmission. 2010 EPA Compliant.	\$149,280		
1200-0224	Transmission re-programming to allow for 6th gear (lower engine speed/better fuel economy). Rear axle gearing will be the same as used with 5 speed transmission.	\$782		
1200-0234	Eng/Trans Cummins ISL 350HP/EVS3000 2013 EPA compliant engine.	\$93,626		
1200-0235	Eng/Trans Cummins ISL 400HP/EVS3000 2013 EPA compliant engine.	\$108,972		
1200-0237	Eng/Trans Cummins ISX12 400HP with EVS4000 transmission. 2013 EPA Compliant.	\$139,655		
1200-0238	Eng/Trans Cummins ISX12 450HP with EVS4000 transmission. 2013 EPA Compliant.	\$141,362		
1200-0239	Eng/Trans Cummins ISX12 500HP with EVS4000 transmission. 2013 EPA Compliant.	\$143,068		
1200-0241	Eng/Trans Cummins ISX15 550HP with EVS4000 transmission. 2013 EPA Compliant.	\$150,913		
1200-0242	Eng/Trans Cummins ISX15 600HP with EVS4000 transmission. 2013 EPA Compliant.	\$154,661		
1200-0243	Chassis speed to be electronic limited and not to exceed a maximum of 65 MPH. Note: Speed rating may be lower based off OEM tire ratings provided on chassis.	\$0		
1200-0245	Eng/Trans Cummins ISX12 500HP with EVS4500 transmission. 2013 EPA Compliant.	\$145,269		
1200-0269	"T" handle transmission selector for International chassis only.	\$342		
1200-0270	Eng/Trans Cummins ISL 380HP/EVS3000 2013 EPA compliant engine.	\$102,834		
1200-0280	Transfer Case for HS chassis - single speed with rear axle and pump declutches.	\$20,631		
1200-0282	Eng/Trans Cummins ISX15 550HP with EVS4500 transmission. 2013 EPA Compliant.	\$153,112		
1200-0283	Eng/Trans Cummins ISX15 600HP with EVS4500 transmission. 2013 EPA Compliant.	\$156,860		
1200-0295	Transfer Case for HS chassis - single speed with rear axle, pump and front drive axle declutches.	\$23,286		
1200-0309	Eng/Trans Cummins ISL 330HP/EVS3000 2016 EPA compliant engine.	\$90,382		
1200-0310	Eng/Trans Cummins ISL 350HP/EVS3000 2016 EPA compliant engine.	\$93,626		
1200-0311	Eng/Trans Cummins ISL 380HP/EVS3000 2016 EPA compliant engine.	\$102,834		

Item #	Description	Extension	+1/-1	Total
1200-0312	Eng/Trans Cummins ISL 400HP/EVS3000 2016 EPA compliant engine.	\$108,972		
1200-0313	Eng/Trans Cummins ISL 450HP/EVS3000 2016 EPA compliant engine.	\$109,913		
1200-0315	Eng/Trans Cummins ISX12 400HP with EVS4000 transmission. 2016 EPA Compliant.	\$139,655		
1200-0316	Eng/Trans Cummins ISX12 450HP with EVS4000 transmission. 2016 EPA Compliant.	\$141,362		
1200-0317	Eng/Trans Cummins ISX12 500HP with EVS4000 transmission. 2016 EPA Compliant.	\$143,068		
1200-0318	Eng/Trans Cummins ISX12 500HP with EVS4500 transmission. 2016 EPA Compliant.	\$145,269		
1200-0319	Eng/Trans Cummins ISX15 550HP with EVS4000 transmission. 2016 EPA Compliant.	\$150,913		
1200-0320	Eng/Trans Cummins ISX15 550HP with EVS4500 transmission. 2016 EPA Compliant.	\$153,112		
1200-0321	Eng/Trans Cummins ISX15 600HP with EVS4000 transmission. 2016 EPA Compliant.	\$154,661		
1200-0322	Eng/Trans Cummins ISX15 600HP with EVS4500 transmission. 2016 EPA Compliant.	\$156,860		
1200-0328	Eng/Trans Cummins ISX15 455HP with EVS4000 transmission. 2016 EPA Compliant.	\$146,767		
1200-0332	Transmission re-programming. "D" allows transmission to shift from 1st - 5th gear, and "Mode" allows 6th gear overdrive. Requires overdrive option.	\$782		
1200-0335	Cummins ISX12 500 HP engine.	\$0		
1200-0337	Eng/Trans Cummins L9 330HP/EVS3000 2017 EPA compliant engine.	\$90,382		
1200-0338	Eng/Trans Cummins L9 350HP/EVS3000 2017 EPA compliant engine.	\$93,626		
1200-0339	Eng/Trans Cummins L9 380HP/EVS3000 2017 EPA compliant engine.	\$102,834		
1200-0340	Eng/Trans Cummins L9 400HP/EVS3000 2017 EPA compliant engine.	\$108,972		
1200-0341	Eng/Trans Cummins L9 450HP/EVS3000 2017 EPA compliant engine.	\$109,913		
1200-0342	Eng/Trans Cummins L9 450HP/EVS3000 2017 EPA compliant engine. For use with HS rear engine chassis only.	\$109,913		
1200-0343	Eng/Trans Cummins X15 565HP with EVS4000 transmission. 2017 EPA Compliant.	\$150,913		
1200-0344	Eng/Trans Cummins X15 565HP with EVS4500 transmission. 2017 EPA Compliant.	\$153,112		
1200-0345	Eng/Trans Cummins X15 600HP with EVS4000 transmission. 2017 EPA Compliant.	\$154,661		
1200-0346	Eng/Trans Cummins X15 600HP with EVS4500 transmission. 2017 EPA Compliant.	\$156,860		
1225-0005	Exhaust heat shield. Locate below compartment floor.	\$215		
1225-0006	Exhaust tip stainless steel for Plymovent. For exhaust extraction system.	\$405		
1225-0008	Wrap exhaust with heat tape from the turbo down to the flex pipe. Inspect after install for tears in material. Wrap outside with wire mesh to ensure material remains affixed.	\$967		
1225-0010	Exhaust end for Nederman. For exhaust extraction system. Exhaust to discharge at 45 degree angle from body.	\$0		
1225-0011	Vertical exhaust [#LOC]. Commercial chassis only.	\$0		
1225-0012	Ward No Smoke Exhaust System.	\$20,142		
1225-0013	Tailpipe support. Locate between tailpipe and body approx 10" in from edge of body	\$612		
1225-0015	Vertical exhaust officer side. This will include the vertical exhaust support.	\$1,875		
1225-0016	Locate exhaust end between rear of compartment ahead of wheels and ahead of forward wheel well angle at approx. 45 degrees to rear.	\$277		
1225-0017	Vertical exhaust elbow chrome plated 90 degree. Due to high heat from 2007 and later emission exhaust systems, dis-coloring of exhaust end may occur after prolonged use.	\$356		
1225-0020	Exhaust tip MagneGrip. For exhaust extraction system. Tip to protrude approx. 2" outside of body (Not rubrail).	\$742		
1225-0024	Plymovent Grabber magnetic exhaust end. Bolt-on for exhaust extraction system.	\$496		
1225-0025	Vertical exhaust officer side. This will include the vertical exhaust support. Locate to forward area of module (internal) with exhaust end being approx. 6" above ladders stowed on ladder rack.	\$2,122		
1225-0026	Vertical exhaust rain cap, chrome.	\$103		
1225-0027	Vertical exhaust officer side. This will include the vertical exhaust support. Aerial vertical exhaust to be plumbed through (internal) right rear of pump module. Top of pipe to turn out.	\$2,794		

Item #	Description	Extension	+1/-1	Total
1225-0029	Exhaust end modification for Nederman. For exhaust extraction system. Exhaust to discharge at 45 degree angle from body. Wildland.	\$109		
1225-0030	Exhaust driver side terminating between L3/L4	\$714		
1225-0031	Wrap exhaust with heat tape from the turbo down to the muffler. Visually inspect after install for tears in material. Wrap outside with wire mesh to keep material from coming off.	\$1,024		
1225-0035	Exhaust end for Plymovent. For exhaust extraction system. Exhaust to be angled rearward to allow for possible deflection if impacted.	\$551		
1225-0038	Vertical exhaust officer side. This will include the vertical exhaust support. Locate to forward area of pump module, outboard of deck gun support, rearward of crosslay with exhaust end being approx. 13" above the top of the pump module. End of pipe will be straight cut (no elbow) and shall be modified after delivery by local dealership with a Plymovent exhaust adaptor.	\$0		
1225-0039	Modify the tailpipe to discharge straight out of a side panel located below R1 compartment but above the bottom edge of the body. Exhaust tip to be MagneGrip for exhaust extraction system. .	\$1,117		
1225-0040	Vertical exhaust to have: TAIL PIPE (1) turnback type Bright for single exhaust and Muffler/Tail Pipe Guard (1) Bright Stainless Steel. International 7400 chassis.	\$346		
1225-0041	Exhaust modification to add stiffeners to the standard exhaust stack to stabilize exhaust for Plymovent application.	\$463		
1225-0043	Exhaust end for Plymovent. For exhaust extraction system. Set back approx. 4" from exhaust end. Includes "Caution Hot" label above exhaust on side of body.	\$336		
1225-0044	Exhaust end for Nederman. For exhaust extraction system. Extend tail pipe 2" past side of body (Not rubrail).	\$0		
1225-0045	Vertical exhaust supplied by Freightliner IPO std horizontal. RH back of cab Tradition base spec 1005-0517	\$682		
1225-0046	Stainless steel exhaust system ipos. Export only.	\$2,835		
1225-0047	Exhaust. Vertical exhaust provision on rescue body. Includes vertical exhaust support, flue sheet metal thru lower body compartment to upper body, insulation between exhaust stack and body sheet metal, stack heat shield if applicable & warning tags for heat exposure inside body compartment and dunnage area as applicable. Locate: officer side.	\$3,053		
1225-0048	Exhaust outlet cooling tip.	\$274		
1225-0049	Vertical exhaust. M2 106 with ISL 330 HP 2013 EPA commercial chassis only. 114 inches high. Locate: officer side.	\$0		
1225-0050	Vertical exhaust stack pipe straight chrome plated with rain cap. Due to high heat from 2007 and later emission exhaust systems, discoloring of exhaust end may occur after prolonged use.	\$453		
1225-0052	Vertical exhaust officer side through body forward of R2. This will include shortening the existing standard tailpipe and adding the vertical exhaust to standard lower exhaust piping from connection point below rear section of R1 forward of wheel in supplied body cavity. Exhaust stack shall be mounted to supplied body provisions and shall have aluminized piping from lower elbow as attached to existing tail pipe up to upper stack. The upper stack and rain bonnet flap shall be chrome and shall extend up through outer compartment top to available OAH per customer requirements or Approx. 15.50" to topmost bonnet point. The bonnet shall be positioned where it opens outward of the body to expell exhaust away from apparatus.	\$1,258		
1225-0054	Locate exhaust end 3" below rubrail extending 2" past rubrail.	\$277		
1225-0055	Vertical exhaust officer side.	\$0		
1225-0056	Re-route vertical exhaust to below body. Includes heat wrap as necessary. Metro 100 only.	\$1,423		
1225-0057	Nederman exhaust transmitter on cab dash. Wired through engine run.	\$1,237		
1225-0059	Ward No Smoke 2 Exhaust System.	\$20,142		
1225-0060	Exhaust end with fresh air vent for Plymovent exhaust extraction system.	\$594		
1225-0061	Modification to OEM exhaust. Modify commercial exhaust tail pipe aft of DPF supplied by commercial OEM to transition and connect to E-1 vertical exhaust provision.	\$1,423		

Item #	Description	Extension	+1/-1	Total
1225-0062	Wrap exhaust with heat tape. Wrape the vertical exhaust componet that passes thru the rear body compartment area with heat tape. Includes outside wrap with wire mesh to protect heat wrap.	\$1,024		
1225-0063	Wrap exhaust with thermal insulation tape from the turbo down to the DPF (not including flex pipe if equipped). Includes S/S tie wraps.	\$267		
1225-0064	Vertical exhaust driver side. This will include the vertical exhaust support.	\$2,585		
1225-0065	The exhaust outlet shall be vertical. (Metro 100 only)	\$0		
1250-0003	Frame 10.25 x 3.5 x .375 chassis.	\$6,421		
1250-0004	Frame - Torque box for HP95 Mid-Mount aerial.	\$24,101		
1250-0005	Frame - Torque box for tandem axle RM aerial.	\$24,854		
1250-0006	Frame liner 9.375 x 3.125 x .375.	\$3,535		
1250-0009	Frame - Torque box for Tiller.	\$83,623		
1250-0010	Frame rail liner for commercial chassis	\$0		
1250-0011	Rear underbody support frame.	\$675		
1250-0013	Main frame - 12.0x3.5x.375 with 11.125 liner and 10" step. Step frame - 10.25x3.5x.375 with 9.375 liner.	\$24,573		
1250-0014	Frame - Torque box for HP100 platform.	\$32,236		
1250-0015	Frame assembly to include 176" wheelbase and 41" framecut.	\$20,891		
1250-0016	Frame assembly to include 196" wheelbase and 41" framecut.	\$20,891		
1250-0017	Frame assembly to include 210" wheelbase and 41" framecut.	\$20,891		
1250-0018	Frame assembly to include 182" wheelbase and 47" framecut.	\$20,891		
1250-0019	Frame assembly to include 202" wheelbase and 47" framecut.	\$20,891		
1250-0020	Frame assembly to include 216" wheelbase and 47" framecut.	\$20,891		
1250-0021	The wheel base of this apparatus must be 4" longer than stated under the commercial chassis line item. This is due to the 2007 EPA exhaust requirements.	\$0		
1250-0022	Frame assembly to include 212" wheelbase and 47" framecut.	\$20,891		
1250-0023	Frame assembly to include 192" wheelbase and 47" framecut.	\$20,891		
1250-0024	Frame assembly to include 220" wheelbase and 47" framecut.	\$20,891		
1250-0025	Frame 12 x 3.5 x .375 chassis.	\$6,421		
1250-0026	Frame liner 11.125 x 3.125 x .375.	\$3,934		
1250-0027	Frame - Torque box for tandem axle RM aerial with no waterway pipe.	\$22,630		
1250-0028	Rear heavy duty underbody support frame.	\$1,799		
1250-0029	Torque box modifications to allow for Hendrickson FIREMAAX tandem air ride suspension (for use with HM100/110 and HP100).	\$1,949		
1250-0030	Frame assembly to include 220" wheelbase and 41" framecut.	\$20,891		
1250-0031	Frame assembly to include 206" wheelbase and 41" framecut.	\$20,891		
1250-0032	Frame assembly to include 186" wheelbase and 41" framecut.	\$20,891		
1250-0033	Frame assembly to include 220" wheelbase and 41" framecut.	\$20,891		
1250-0034	Frame assembly to include 192" wheelbase and 47" framecut.	\$20,891		
1250-0035	Frame assembly to include 212" wheelbase and 47" framecut.	\$20,891		
1250-0036	Frame assembly to include 226" wheelbase and 47" framecut.	\$20,891		
1250-0056	Frame rails shall have access holes sealed to prevent road debris from accumulating. Access hole covers shall be removable.	\$2,296		
1250-0057	Rear underbody support frame. SS product.	\$675		
1250-0058	Framerails to have no additional holes (as applicable). To be designed for NYPD application.	\$502		
1250-0061	Frame liner "L" 8.875 x 3.125 x .375.	\$3,281		

Item #	Description	Extension	+1/-1	Total
1250-0062	Frame - Torque box for HP100 platform with 6" w/way pipe. For use with industrial applications only.	\$34,931		
1250-0063	Frame - Torque box for single axle RM aerial.	\$22,808		
1250-0064	Frame - Torque box for HP100 platform with 5" w/way pipe. For use with 2000 GPM waterway flow. May affect ground ladder storage in tunnel.	\$34,829		
1250-0065	Rear chassis subframe for Urban Interface pumper. Raises bottom of chassis approx 4". For use with 12" frame rails and FS-25 front axle only.	\$2,695		
1250-0066	Rear chassis subframe for 4x4. Raises bottom of chassis 9.375". For use with 12" frame rails and AxleTech 4000 or equivalent front axle only.	\$3,237		
1250-0067	Chassis frame rails shall be zinc plated (galvanized) IPOS. Includes rear subframe rails (if applicable).	\$2,307		
1250-0068	Chassis frame rails, front frame extensions, rear subframe (Urban Interface), crossmembers and battery brackets shall be zinc plated (galvanized) IPOS.	\$5,576		
1250-0069	Chassis frame rails, front frame extensions, rear 4x4 / 6x6 subframe, crossmembers and battery brackets shall be zinc plated (galvanized) IPOS.	\$6,024		
1250-0070	Chassis frame liner shall be zinc plated (galvanized) IPOS.	\$591		
1250-0071	Frame - Formed torque box for HP95 Mid-Mount aerial.	\$24,101		
1250-0072	Torque box modifications to allow for Hendrickson FIREMAAX tandem air ride suspension (for use with CR100/137, 95-Platform and HP100 Platform).	\$3,445		
1250-0073	Frame - Formed torque box for HP95 Mid-Mount aerial. Includes 12" high rails below cab.	\$24,101		
1250-0074	Rear underbody support frame with side tow eye style frame brackets without lower tow eyes to minimize impact on departure angle. To be used with frame mounted tow eyes facing rearward from frame rails.	\$1,152		
1250-0075	Forward outriggers on torque box shifted forward 10". Only available on HP100 Platform with 260" wheelbase.	\$582		
1250-0076	Rear underbody support frame. Includes zinc plated (galvanized) IPOS.	\$1,600		
1250-0077	Frame - Torque box for HP100 platform with no waterway pipe.	\$30,013		
1250-0078	Zinc flame spray coating for integral torque box chassis.	\$5,796		
1250-0080	Frame assembly with 10.25 x 3.5 x .375 powder coated galvanized rails.	\$6,421		
1250-0081	Frame assembly with 12 x 3.5 x .375 powder coated galvanized rails.	\$6,421		
1250-0082	Frame assembly with powder coated galvanized rails and 10" step for use with front drive axle. Includes 12 x 3.5 x .375 rails behind cab with 11.125 liner and 10.25 x 3.5 x .375 rails below cab with 9.375 liner.	\$24,573		
1250-0083	Frame liner 9.375 x 3.125 x .375, galvanized and powder coated.	\$3,535		
1250-0084	Frame liner 11.125 x 3.125 x .375, galvanized and powder coated.	\$3,934		
1250-0085	Front chassis frame extensions, crossmembers and battery brackets shall be zinc plated (galvanized) IPOS. Includes rear subframe if applicable (urban interface, straight frame 4x4, etc).	\$3,269		
1250-0086	Frame - Torque box for single axle HR 100 Quint aerial.	\$22,808		
1350-0000	Electric reprime diesel fuel pump. Not available on E-One custom chassis.	\$835		
1350-0001	Dual fuel fill package. Additional fuel fill provided on officer side of unit.	\$590		
1350-0002	Recessed fuel fill	\$153		
1350-0003	Fuel system 50 gallon.	\$1,757		
1350-0004	Fuel system 50 gallon saddle tanks.	\$3,020		
1350-0005	Fuel system 65 gallons.	\$1,855		
1350-0006	Fuel system 100 gallons	\$2,659		
1350-0008	Fuel water separator Fuel-Pro 382 (Cummins FH2309). Filter is top serviceable.	\$804		
1350-0009	Fuel line hose braided. Includes fuel pick-up (if applicable).	\$343		
1350-0010	Fuel pick-up for generator or pump. Includes hoses run to generator compartment.	\$160		
1350-0011	Fuel pump electric w/re-prime.	\$488		

Item #	Description	Extension	+1/-1	Total
1350-0012	Fuel shut-off valve. Location: [#LOC].	\$125		
1350-0013	Racor fuel/water separator to be a bottom drop out style. Shall include indicator light and audible alarm.	\$849		
1350-0014	Thermal control in-line fuel heater.	\$565		
1350-0016	Fuel Fill Package. Required on chassis with approved factory tank.	\$425		
1350-0022	Fuel line hose rubber.	\$0		
1350-0023	Fuel cooler, to be routed from the discharge side of the pump to the chassis fuel line. Cooler to be functioning when the pump is in operation.	\$540		
1350-0025	Fuel line hose braided. Includes re-usable fittings on both ends of the hose.	\$343		
1350-0026	Fuel Lines Wrapped in Thermal Loom	\$1,012		
1350-0027	Fitch fuel catalyst drop in style	\$928		
1350-0028	Additional Fuel Sender in tank. For future use only. No wiring.	\$430		
1350-0029	Racor fuel separator. To allow fuel flow to primary or secondary (back-up) fuel separator. Control valve to be located in pump compartment access in walkway with labeling. Locate adjacent to primary Racor unit.	\$1,324		
1350-0030	Fuel water seperator to be mounted outboard of the driver's side frame rail in the pump module area.	\$0		
1350-0032	A fuel water seperator heater and alarm will be added to the current system.	\$568		
1350-0034	Racor separator 12 volt heated fuel / water, bottom drop out style (w/o alarm).	\$365		
1350-0035	24 volt heated fuel/ water Racor separator to be a bottom drop out style.	\$393		
1350-0036	Fuel water Racor separator light and audible alarm (w/o heat).	\$127		
1350-0037	Fuel system w/65 gallon stainless steel tank.	\$3,259		
1350-0038	Fuel water seperator with a heater, alarm and indicator light.	\$755		
1350-0039	A fuel water seperator with heater will be added to the current Detroit Diesel system.	\$381		
1350-0040	Fuel system 50 gallon stainless steel saddle tanks.	\$5,887		
1350-0041	Fuel line service loop for tank maintenance. 4' loop coiled above fuel tank(s).	\$108		
1350-0042	A 56 gallon aluminum fuel tank with 9 gallon DEF. tank to be located [#LOC].	\$0		
1350-0043	Fuel system w/50 gallon stainless steel tank.	\$2,995		
1350-0044	E.J. Ward Canceiver electronic fuel monitoring system. Includes (2) sensors for dual fuel fill application.	\$3,369		
1350-0045	Channel and rod mount fuel tank in addition to straps.	\$623		
1350-0046	Fuel water separator Fuel-Pro 382 with light and alarm. Filter is top servicable.	\$928		
1350-0048	Fuel system 100 gallons. Tank located above framerrails to rear of cab.	\$2,659		
1350-0049	Fuel system 85 gallons. Tank located above framerrails to rear of cab.	\$2,659		
1350-0050	Fuel system 60 gallon saddle tanks.	\$3,570		
1350-0051	Locate fuel/water seperator up high. Mount directly to cab tilt lock bracket.	\$0		
1350-0052	Fuel system 75 gallons.	\$2,257		
1350-0053	Racor model 4120R1230 fuel/water separator.	\$944		
1350-0054	Fuel water separator Fuel-Pro 382 with light and alarm. Filter is top servicable.	\$928		
1350-0055	Fuel system w/100 gallon stainless steel tank.	\$3,631		
1350-0056	Fuel system w/65 gallon tank below cab. HS chassis only.	\$1,855		
1350-0057	Fuel line hose silicone.	\$343		
1350-0058	Radiator mounted fuel cooler.	\$559		
1350-0059	Fuel system w/65 gallon stainless steel tank below cab. HS chassis only.	\$3,259		
1350-0060	Fuel system 60 gallon stainless steel saddle tanks.	\$6,437		
1350-0061	Fuel system 70 gallons.	\$2,257		
1350-0062	Fuel tank vent lines to be extended below frame rails and secured with metal clamps.	\$0		

Item #	Description	Extension	+1/-1	Total
1350-0063	Fuel fills on each side of vehicle to be labeled "ULTRA LOW SULFUR DIESEL FUEL ONLY" with embossed metallic tags fastened in place with stainless steel hardware.	\$0		
1350-0064	The exterior of the chassis fuel tank(s) shall be coated with LINE-X.	\$548		
1350-0065	The exterior of the battery tray(s) shall be coated with LINE-X. Includes covers if equipped.	\$548		
1350-0066	Fuel pick-up for diesel compressor. Includes hoses run to compressor compartment.	\$638		
1350-0067	Fuel system w/50 gallon stainless steel tank. Includes taper rear.	\$3,443		
1350-0068	Fuel drain valve in place of plug.	\$125		
1400-0002	Battery four group 31 1000 CCA.	\$1,164		
1400-0003	Battery six group 31 1000 CCA.	\$1,740		
1400-0010	Battery six Delco 1150 Hi-Cycle 700 CCA.	\$1,533		
1400-0011	Battery splash cover for ULC compliance.	\$352		
1400-0012	Officer side front and middle batteries shall be isolated for use with communication equipment only. The (2) batteries are not to be hooked up to the 12 Volt electric bus. Provide (3) 2AWG red cables and (1) 2AWG black cable from the location of the batteries through the officer side comm box to the driver comm box w/4ft of excess cable.	\$959		
1400-0013	Battery four group 31 1000CCA. (3) batteries driver side, (1) battery officer side w/ available space for additional (2) batteries on officer side.	\$1,453		
1400-0014	Mount (3) 100A fuses, (2) 40A fuses near officer batteries. 100A fuse to manual trip, manual reset type. Wire (3) 2AWG red battery cables from comm box to 100A fuses. Provide jumpers from fuses to batteries. Wire 8AWG wires from comm box to 40A fuses. Route 2AWG cables into officer comm box, under bottom shelf and up through inboard side of shelf. Route through wireway to driver side comm box. Leave 4ft of excess in comm box.	\$460		
1400-0019	Special battery jumper stud location. Jumper studs to be located [#LOC].	\$413		
1400-0020	Relocate custom chassis batteries. Location: [#LOC].	\$1,231		
1400-0021	Six (6) Odyssey Group 31 1000CCA Batteries. Locate (3) each side of the chassis.	\$4,431		
1400-0023	Battery six Delco 1110 Hi-Cycle 750CCA.	\$1,533		
1400-0024	Jumper studs to be located below driver's side front corner of body (or pump module if equipped). Studs to face down with positive stud outboard.	\$249		
1400-0026	Black insulated battery terminal protectors shall be installed.	\$23		
1400-0027	Additional set of jumper studs. Location: Opposite standard location.	\$424		
1400-0028	Battery six Optima model D31T 900CCA.	\$4,055		
1400-0029	Battery jump start system. Includes Anderson receptacle under officer side running board offset forward and 25' jumper cables with alligator clips and Anderson connector.	\$702		
1400-0031	Stainless steel battery trays with stainless steel covers.	\$1,733		
1400-0032	Battery five group 31 1000 CCA (two left / three right). For use with below cab DEF tank only.	\$1,453		
1400-0033	Heater pads for (4) Group 31 battery system. Wire pads to block heater receptacle.	\$1,188		
1400-0034	Stainless steel battery trays.	\$588		
1400-0035	Batteries to be wired in a "cross-charging" method as outlined in city spec. See details on file with sales.	\$627		
1400-0036	Battery six group 31 1000CCA. Deka model 1231MF.	\$2,014		
1400-0037	Battery rollout tray in body compartment R1.	\$796		
1400-0038	Battery two 8D 1400 CCA.	\$1,423		
1400-0039	Battery five Optima model D31T 900CCA.	\$3,587		
1400-0040	Battery set additional two group 31 1000 CCA. Location: [#LOC].	\$646		
1400-0041	Insulation on under side of battery tray assembly. NYPD only.	\$126		
1400-0042	Jumper studs to be located below driver's side front corner of body (or pump module if equipped). Studs to face outboard.	\$249		

Item #	Description	Extension	+1/-1	Total
1400-0043	Jumper studs to be located below driver's side front corner of body. Studs to face outboard.	\$249		
1400-0046	Heater pads for (5) Group 31 battery system. Wire pads to winterization shoreline receptacle.	\$1,367		
1400-0047	Battery six group 31 1000 CCA. For use with 67.5"/80" cab with 10G DEF under driver side of cab.	\$2,698		
1400-0048	Battery five group 31 1000 CCA (two left / three right).	\$1,453		
1400-0049	Battery six group 31 1000 CCA with post terminals. For use with 67.5"/80" cab with 10G DEF under driver side of cab.	\$3,302		
1400-0050	(2) additional batteries located in R1 shall be Isolated for use with 24V winch. The (2) batteries are not to be hooked up to the 12 Volt electric bus.	\$987		
1400-0051	(2) additional batteries located under the cab shall be Isolated for use with 24V winch. The (2) batteries are not to be hooked up to the 12 Volt electric bus.	\$987		
1400-0052	Battery / Idle Mitigation System. Includes 200Ah power module (battery) on driver side and 300 Ah power module on officer side. For use with below cab DEF tank only.	\$16,314		
1400-0053	Power module 500 Ah additional for Idle Mitigation System. Location: [#LOC]	\$13,444		
1400-0054	Four(4) group 31 AGM 1150 CCA Odyssey PC-2150 batteries.	\$3,327		
1400-0055	Battery four group 31 1000 CCA. One battery left side (with DEF) and three on right side. For use with 44.5" cab only.	\$1,164		
1400-0056	Officer side front battery isolated for use with 12V accessory system. The battery is not to be hooked up to the 12 Volt electric bus.	\$605		
1400-0057	Battery five group 31 760 CCA (two left / three right). For use with below cab DEF tank only.	\$1,453		
1400-0058	Battery, deep cycle. Two (2) 12V deep cycle batteries shall be provided. Isolated batteries shall be wired in series to provide 24VDC service to a CBRN system. Note: Batteries not to be connected to OEM chassis electric bus. Locate: L1 Aft.	\$987		
1400-0059	Five (5) group 31 AGM 1150 CCA Odyssey PC-2150 batteries. (two left / three right). For use with below cab DEF tank only.	\$4,157		
1400-0060	Battery five Delco 1110 Hi-Cycle 750CCA (two left / three right). For use with below cab DEF tank only.	\$1,278		
1400-0061	Stainless steel picture frame hold down battery brackets. Allows for batteries to be serviced without removing cover.	\$362		
1510-0000	Seat cavity cover (EA).	\$203		
1510-0003	Seats, Inc. brand 911 cab seats.	\$0		
1510-0004	Seats, Bostrom brand.	\$0		
1510-0005	Seat cover material Imperial 1200.	\$0		
1510-0007	Seat cover material vinyl.	\$0		
1510-0008	Seat color gray.	\$0		
1510-0009	Seat color black.	\$0		
1510-0010	Seat color burgundy	\$0		
1510-0035	Universal air pack bottle bracket (EA). Location: [#LOC].	\$177		
1510-0037	Seat cover material Durawear.	\$0		
1510-0038	Driver seat 911 air ride.	\$1,087		
1510-0039	Driver seat to be 911 air ride with SCBA back	\$1,291		
1510-0040	Officer seat to be 911 air ride	\$1,087		
1510-0041	Officer seat 911 air ride SCBA.	\$1,291		
1510-0042	Officer seat to be 911 fixed SCBA.	\$1,055		
1510-0043	Driver seat to be Bostrom air ride.	\$1,202		
1510-0044	Driver seat to be Bostrom air ride with SCBA back	\$1,394		
1510-0045	Officer seat to be Bostrom air ride.	\$1,202		
1510-0046	Officer seat to be Bostrom air ride SCBA.	\$1,394		
1510-0047	Officer seat to be Bostrom fixed SCBA.	\$1,168		



Item #	Description	Extension	+1/-1	Total
1510-0048	Driver seat to be 911 electric.	\$1,620		
1510-0049	Driver seat to be Bostrom electric.	\$1,732		
1510-0050	Rear facing 911 seat with SCBA driver's side.	\$907		
1510-0051	Engine cover 911 one man bench with SCBA	\$1,188		
1510-0052	Engine cover 911 two man bench with SCBA.	\$2,005		
1510-0053	Rear facing 911 seat with SCBA officer's side.	\$907		
1510-0054	Rear facing Bostrom seat with SCBA driver's side.	\$874		
1510-0055	Engine cover Bostrom one man bench with SCBA	\$1,220		
1510-0056	Engine cover Bostrom two man bench with SCBA.	\$2,032		
1510-0057	Rear facing Bostrom seat with SCBA officer's side.	\$874		
1510-0058	Fold down 911 seat located [#LOC]	\$488		
1510-0059	Fold down 911SCBA seat located [#LOC].	\$1,076		
1510-0060	Fold down Bostrom seat located [#LOC].	\$488		
1510-0061	Fold down Bostrom SCBA seat located [#LOC].	\$1,012		
1510-0062	Two man bench centered on rear wall with 911 SCBA backs. Includes angled corners.	\$1,546		
1510-0063	Two man bench centered on rear wall with Bostrom SCBA. Includes angled corners.	\$1,906		
1510-0064	Four man bench centered on rear wall with 911 SCBA	\$3,641		
1510-0065	Four man bench centered on rear wall with Bostrom SCBA.	\$3,352		
1510-0066	One man bench centered on rear wall with 911 SCBA	\$1,257		
1510-0067	One man bench centered on rear wall with Bostrom SCBA	\$1,371		
1510-0068	Three 911 SCBA seats rear facing, one outboard driver, one outboard officer, one centered.	\$2,722		
1510-0069	Three 911 SCBA seats rear facing, one outboard driver, one outboard officer, one centered for top mount enclosed cab only. The outboard seats to be angled 30 degrees inward.	\$2,722		
1510-0070	Three Bostrom SCBA seats rear facing, one outboard driver, one outboard officer, one centered. For top mount enclosed cab only.	\$2,922		
1510-0071	SEAT 911 3 RR FACING TME 30DEG	\$2,922		
1510-0072	Tiller cab seating 911 air ride and flip down training seat.	\$1,161		
1510-0073	Tag seat capacity one (1) for tiller cab only.	\$0		
1510-0076	Bostrom SCBA seats forward facing center of rear wall (PR). Free standing with individual risers on rear wall.	\$2,328		
1510-0077	Tiller cab seating Bostrom air ride and flip down training seat.	\$1,202		
1510-0078	Three individual forward facing 911 Imperial 1200 gray attendant seats with flip up bottom seat cushions. Bottom cushions to be large as possible.	\$3,144		
1510-0079	Rear Seat Riser Storage. Includes smooth plate doors with push-button latches and 250lbs. slide out trays- (1) each side. Compartment opening to be 17" w x 10" h and transverse side to side. Riser to be Zolatone gray.	\$3,100		
1510-0080	Officer seat to be 911 attendant.	\$764		
1510-0081	Cab occupant detection seating system. Wired to visual indicator (hazard light). Includes audible alarm. Requires multiplex electrical system.	\$5,335		
1510-0082	Zico Quic-Hold mechanical air pack bottle bracket for 5" bottle (ea). Model MWAB with adjustable footplate and pull release strap. Location: [#LOC].	\$640		
1510-0083	911 Attendant seat with individual riser (PR). Locate centered on rear wall.	\$2,601		
1510-0084	Officer seat to be Bostrom electric	\$1,732		
1510-0085	Custom logo embroidery (EA). Bostrom seats only. Requires set-up sales code.	\$155		
1510-0086	Embroidery set-up for Bostrom cab seats.	\$790		
1510-0087	Center rear wall seats to be mounted approximately 11" apart.	\$276		

Item #	Description	Extension	+1/-1	Total
1510-0088	911 SCBA seats forward facing center of rear wall (PR). Free standing mtd on a common seat riser.	\$2,431		
1510-0089	Tailbone pad for jump seat(s). (Reference print #634894)	\$58		
1510-0090	One man bench (PR) on rear cab wall with Bostrom SCBA back. Location: driver and officer side outboard.	\$1,909		
1510-0091	Zico Quic-Hold mechanical air pack bottle bracket (EA). Model QLM-U with adjustable footplate and pull release. Location: [#LOC].	\$774		
1510-0092	Two man bench centered on rear wall with bench seat style back cushion and angled riser corners.	\$1,491		
1510-0093	Custom logo embroidery (EA). Seats Inc. seats only. Requires set-up sales code.	\$172		
1510-0094	Embroidery set-up for Seats Inc. 911 cab seats.	\$1,048		
1510-0095	Driver seat Bostrom electric with integral seat belt.	\$1,928		
1510-0096	Officer seat Bostrom electric with SCBA back with integral seat belt.	\$2,296		
1510-0097	Rear facing seat driver side Bostrom with SCBA back and integral seat belt.	\$978		
1510-0098	Rear facing seat officer side Bostrom with SCBA back and integral seat belt.	\$978		
1510-0099	Rear wall seat Bostrom flip-up with SCBA back and integral seat belt. Location: [#LOC].	\$1,356		
1510-0100	Padded headrest for fold down jump seat (EA). Not available with rear wall windows.	\$142		
1510-0101	Driver and officer outboard rear facing seats mounted at 30 degree angle. Includes upper seat belt brkt. adjusted to rear of cab.	\$564		
1510-0104	911 SCBA seat forward facing center of rear wall. Free standing mtd on seat riser.	\$1,218		
1510-0105	One man bench (PR) on rear cab wall with Seats 911 SCBA back. Location: driver and officer side outboard.	\$1,550		
1510-0106	911 SCBA seats forward facing rear wall (PR). Equally spaced with individual risers on rear wall.	\$2,431		
1510-0107	Seats Talladega 910 hi-back air suspended driver seat with 2 person bench. Rear seating area to have a 3 person bench seat.	\$0		
1510-0108	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back fixed SCBA officer seat, and three (3) fixed SCBA rear seats. Tradition.	\$2,168		
1510-0109	International Seating Package. Includes one (1) national brand air ride driver, Gra-Mag (2) person fixed bench and a (3) person fixed bench seat. Tradition.	\$0		
1510-0110	Bostrom Seating Package. Includes one (1) air ride driver seat, one (1) fixed SCBA officer seat and (3) fixed SCBA rear seats. Tradition.	\$2,117		
1510-0111	Seating Package Two (2) Door Freightliner. Includes One (1) Talladega 910 Hi-Back Air Ride Driver and One (1) 911 Fixed Officer (Non-SCBA).	\$151		
1510-0112	Seating Package Two (2) Door Freightliner. Includes One (1) Talladega 910 Hi-Back Air Ride Driver and a Two (2) Person Bench Seat.	\$0		
1510-0113	Seating Package Two (2) Door International. Includes One (1) Nat'l Brand Air Ride Driver and Two (2) Person Bench Seat.	\$0		
1510-0114	Seating Package Two (2) Door International. Includes One (1) Nat'l Brand Air Ride Driver and One (1) Nat'l Brand Air Ride Officer (Non-SCBA).	\$124		
1510-0116	Fold-down seat located [#LOC].	\$485		
1510-0117	Bostrom SecureAll mechanical air pack bottle bracket (EA). Location: [#LOC].	\$616		
1510-0118	Flip-up 911 SCBA seat located [#LOC].	\$1,106		
1510-0119	Flip up Bostrom SCBA seat located [#LOC].	\$1,142		
1510-0120	Flip up 911 attendant seat located [#LOC].	\$1,208		
1510-0121	Flip up Bostrom attendant seat located [#LOC].	\$1,345		
1510-0122	Fold down seat with 911 SCBA back located [#LOC].	\$1,079		
1510-0123	Fold down seat with Bostrom SCBA back located [#LOC].	\$1,095		
1510-0124	Officer seat fixed Bostrom with SCBA back and integral seat belt.	\$1,133		

Item #	Description	Extension	+1/-1	Total
1510-0125	Seating Package Two (2) Door International. Includes One (1) Bostrom Sierra 140 high back air suspended Driver seat and (1) Bostrom Tanker 400 ct non suspended SCBA Officer seat.	\$592		
1510-0126	CrewGuard occupant seating detection system. Display location: [#LOC].	\$3,991		
1510-0127	Additional CrewGuard display. Location: [#LOC].	\$318		
1510-0128	FlameFighter air pack bottle bracket (EA). Model 17000 with adjustable footplate and push-button release. Location: [#LOC]	\$621		
1510-0129	Two man bench centered on rear wall with Bostrom SCBA backs for use with ALS provision with side access only. Includes (1) horizontally hinged door on the front of the rear bench seat for access to storage below bench.	\$2,409		
1510-0130	Flip up Bostrom ABTS attendant seat located [#LOC].	\$1,255		
1510-0131	Bostrom SecureAll mechanical air pack bottle bracket (EA) for bench / fold-down seat. Location: [#LOC].	\$755		
1510-0132	Rear Seat Riser Storage. Includes smooth plate doors with push-button latches on sides and front (access to battery charger). Side access is to SCBA storage (2) bottles. Bottles to be stored on plastic trays with vecro strapping to secure bottles with unit in motion. Side compartment openings to be 17" w x 10" h x 26" d. Front access to be a drop down door with push-button latches. Riser and doors to be cab interior color.	\$3,039		
1510-0133	Adjust rear facing outboard seats as far inboard as applicable next to engine cover.	\$137		
1510-0134	Rear wall seat Bostrom air ride Sierra non SCBA. Includes single riser. N/A with outboard rear wall seats. Storage below seat N/A. Location: [#LOC].	\$1,593		
1510-0135	Arm rest installed on both sides of the seat. Location: [#LOC].	\$581		
1510-0136	Center rear wall seats to be mounted approximately 5" apart. C2X/T2X only.	\$276		
1510-0137	Bostrom SCBA seat forward facing center of rear wall. Free standing mtd on seat riser.	\$1,229		
1510-0138	Two man bench centered on rear wall with (1) 911 SCBA back driver and (1) bench back cushion officer.	\$1,358		
1510-0139	Seating Package Two (2) Door Freightliner. Includes One (1) Seats Inc 911 Universal Hi-Back Air Ride Driver and a Two (2) Person Bench Seat.	\$0		
1510-0140	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back fixed SCBA officer seat, and three (3) fixed SCBA rear seats. Seats shall have NFPA 1901-2009 compliant seat sensors.Tradition.	\$0		
1510-0141	Seating Package Two (2) Door International. Includes One (1) National Brand air suspended driver seat and (1) National Brand air suspended officer seat.	\$394		
1510-0142	Seating Package Two (2) Door International. Includes One (1) Gra-Mag fixed driver seat and (1) Gra-Mag fixed officer seat.	\$0		
1510-0143	One (1) two person seating capacity tag- driver side area and two (2) seat belt warning tags- one (1) each cab door. For use with International chassis.	\$0		
1510-0144	FlameFighter model 14000 air pack bottle bracket with model 39015 safety strap (EA). Location: [#LOC]	\$266		
1510-0145	Seating Package Two (2) Door International 7600. Includes One (1) National Brand air suspended driver seat and (1) Gra-Mag fixed officer seat.	\$0		
1510-0146	911 AIR SCBA seats forward facing center of rear wall (PR). Free standing with individual risers on rear wall.	\$3,492		
1510-0147	911 SCBA seats forward facing rear wall (3). Equally spaced with common riser on rear wall. Extended cab with medium doors only.	\$3,645		
1510-0148	Rear facing 911 attendant seat driver's side.	\$764		
1510-0149	Rear facing 911 attendant seat officer's side.	\$764		
1510-0150	Two man bench centered on rear wall with (1) Bostrom SCBA back officer and (1) bench back cushion driver.	\$1,718		
1510-0151	Universal air pack bottle bracket installed (EA).	\$177		
1510-0152	N/A - Base extends to far rearward) Driver seat Bostrom mechanical with integral seat belt.	\$2,192		
1510-0153	Bostrom SCBA seats forward facing center of rear wall (PR). Free standing mounted on a common seat riser.	\$2,328		

Item #	Description	Extension	+1/-1	Total
1510-0154	Three man bench offset to driver on rear wall with Bostrom SCBA backs for use with ALS provision with officer side access only. Includes provision for rear heaters mounted below bench.	\$3,022		
1510-0155	Bostrom SCBA seats forward facing rear wall (3). Equally spaced with common riser on rear wall. Extended cab with medium doors only.	\$3,420		
1510-0156	One (1) Bostrom (Non-SCBA) driver seat, Durawear gray. Includes air ride suspension, occupant detection switches and E-ONE logo. Custome ES.	\$0		
1510-0157	Bostrom Fixed SCBA officer seat, Durawear gray. Includes occupant detection switches and E-ONE logo. Custom ES.	\$0		
1510-0158	Bostrom Fixed SCBA officer seat, Durawear gray. Includes SecureAll SCBA brkt, occupant detection switches and E-ONE logo. Custom ES.	\$478		
1510-0159	Bostrom fixed rearward facing SCBA seat, Durawear gray. Locate over driver side wheel well. Includes occupant detection switches and E-ONE logo. Custom ES.	\$0		
1510-0160	Bostrom fixed rearward facing SCBA seat, Durawear gray. Locate over driver side wheel well. Includes SecureAll SCBA brkt, occupant detection switches and E-ONE logo. Custom ES.	\$630		
1510-0161	Bostrom fixed rearward facing SCBA seat, Durawear gray. Locate over officer side wheel well. Includes occupant detection switches and E-ONE logo. Custom ES.	\$0		
1510-0162	Bostrom fixed rearward facing SCBA seat, Durawear gray. Locate over officer side wheel well. Includes SecureAll SCBA brkt, occupant detection switches and E-ONE logo. Custom ES.	\$630		
1510-0163	Rear two (2) person bench seat, Durawear gray. Includes (2) Bostrom SCBA seat backs. Locate centered on rear cab wall. Includes occupant detection switches and E-ONE logos. Custom ES.	\$2,222		
1510-0164	Rear two (2) person bench seat, Durawear gray. Includes (2) Bostrom SCBA seat backs. Locate centered on rear cab wall. Includes SecureAll SCBA brkts, occupant detection switches and E-ONE logos. Custom ES.	\$3,549		
1510-0165	One seating capacity tag (3 person) to be installed visible by driver. Custom ES.	\$0		
1510-0166	One seating capacity tag (4 person) to be installed visible by driver. Custom ES.	\$0		
1510-0167	One seating capacity tag (5 person) to be installed visible by driver. Custom ES.	\$0		
1510-0168	One seating capacity tag (6 person) to be installed visible by driver. Custom ES.	\$0		
1510-0169	Universal air pack bottle bracket installed (EA). Commercial ES.	\$148		
1510-0170	Universal air pack bottle bracket installed (EA). Custom ES.	\$148		
1510-0171	Seating Package Two (2) Door Freightliner. Includes One (1) Talladega 910 Hi-Back Air Ride Driver and One (1) 911 Fixed Officer (Non-SCBA).	\$361		
1510-0172	Seating Package Two (2) Door Freightliner. Includes One (1) Talladega 905 Hi-Back Air Ride Driver and a Two (2) Person Bench Seat.	\$0		
1510-0173	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back fixed SCBA officer seat, and three (3) fixed SCBA rear seats.	\$2,433		
1510-0174	Seating Package Four (4) Door Freightliner. Includes One (1) Talladega 910 Hi-Back Air Ride Driver, Two (2) Person Bench Seat (front) and Three (3) Person Bench Seat (rear).	\$0		
1510-0175	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back fixed SCBA officer seat, and three (3) fixed SCBA rear seats.	\$0		
1510-0176	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back fixed SCBA officer seat, and three (3) fixed SCBA rear seats.	\$0		
1510-0177	Seating Package Two (2) Door International. Includes One (1) Nat'l Brand Air Ride Driver and Two (2) Person Bench Seat.	\$0		
1510-0178	Seating Package Two (2) Door International. Includes One (1) Nat'l Brand Air Ride Driver and One (1) Nat'l Brand Air Ride Officer (Non-SCBA).	\$131		

Item #	Description	Extension	+1/-1	Total
1510-0179	Seating Package Two (2) Door Freightliner. Includes One (1) Seats Inc 911 Universal Hi-Back Air Ride Driver and a Two (2) Person Bench Seat.	\$0		
1510-0180	One (1) two person seating capacity tag- driver side area and two (2) seat belt warning tags- one (1) each cab door. For use with International chassis.	\$0		
1510-0181	One (1) three person seating capacity tag- driver side area and two (2) seat belt warning tags- one (1) each cab door. For use with International chassis.	\$0		
1510-0182	One (1) five person seating capacity tag- driver side area and four (4) seat belt warning tags- one (1) each cab door. For use with International chassis.	\$0		
1510-0183	One (1) three person seating capacity tag- driver side area and two (2) seat belt warning tags- one (1) each cab door. For use with Freightliner chassis.	\$0		
1510-0184	One (1) five person seating capacity tag- driver side area and four (4) seat belt warning tags- one (1) each cab door. For use with Freightliner chassis.	\$0		
1510-0185	Rear facing seat center rear engine cover Bostrom with SCBA back and integral seat belt.	\$1,072		
1510-0186	Driver and officer outboard rear facing seats mounted at 10 degree inboard angle.	\$564		
1510-0190	911 SCBA seats forward facing rear wall (3). Equally spaced with common riser on rear wall. Center seat lowered 4". For use with extended LTH aerial cab with medium doors only.	\$3,645		
1510-0193	Seating Package Two (2) Door International. Includes one (1) 911 hi-back air ride suspension driver seat and one (1) 911 hi-back fixed SCBA officer seat.	\$513		
1510-0197	CrewGuard occupant seating detection system. Display location: [#LOC].	\$2,130		
1510-0198	Seating Package Two (2) Door International. Includes One (1) National Brand air suspended driver seat and (1) National Brand fixed officer seat.	\$456		
1510-0199	Seating Package Two (2) Door International. Includes One (1) Nat'l Brand Air Ride Driver and One (1) Seats Inc. (Universal Series) high back fixed SCBA.	\$749		
1510-0200	Department patch sewn on Bostrom seat (EA). Requires customer supplied department patch for each seat.	\$124		
1510-0203	Bracket SCBA IMMI SmartDock Gen2 restraint system. Location: [#LOC].	\$573		
1510-0204	Officer seat to be 911 electric SCBA	\$2,280		
1510-0205	Officer SCBA release located on the inboard side of the seat.	\$0		
1510-0206	Zico electric hands-free air pack bottle bracket (EA). Model QM-ELB with adjustable footplate. Bracket release will be activated with park brake. Location: [#LOC].	\$831		
1510-0207	Riser to be 13" in height. Vista cabs only.	\$171		
1510-0208	Seating Package Two (2) Door Freightliner. Includes One (1) 911 Universal brand high back air suspended driver seat and (1) 911 Universal brand air suspended officer seat. NFPA compliant seat sensors and wiring included in seats.	\$394		
1510-0209	Driver seat to be 911 attendant. Includes forward and aft adjustment.	\$764		
1510-0210	Two man bench centered on rear wall with bench style back cushion for use with ALS provision with side access only.	\$1,994		
1510-0211	Driver seat to be Bostrom air ride with integral seat belt.	\$2,141		
1510-0212	Officer seat to be Bostrom SCBA air ride with integral seat belt.	\$2,972		
1510-0213	Rear wall seat riser to be 16" in height. Vista cabs only.	\$171		
1510-0214	Rear wall seat riser to be raised 4" in height. Includes 2" bench seat cushion thickness reduction for non-vista roofs.	\$171		
1510-0215	One (1) two person seating capacity tag- driver side area and two (2) seat belt warning tags- one (1) each cab door. For use with Kenworth chassis.	\$0		
1510-0216	Seating Package National brand for (2) Door Kenworth. Includes One (1) high back air suspended driver seat and (1) fixed officer seat with seat riser storage area. Seat color to be black and include NFPA compliant seat sensors and wiring.	\$394		
1510-0217	Arm rest rear wall (PR). Located outboard of bench seat on seat support channel.	\$490		

Item #	Description	Extension	+1/-1	Total
1510-0218	Seating Package Two (2) Door International. Includes One (1) 911 air ride driver seat and (1) 911 non-suspended SCBA officer seat.	\$1,561		
1510-0219	Navistar seat package, Wildland, Base, Air driver, Air passenger	\$0		
1510-0220	Navistar seat package, Wildland, optional, Air driver, SCBA passenger.	\$190		
1510-0221	Navistar seat package, Wildland, Base, Rear, Bench	\$0		
1510-0222	Navistar seat package, Wildland, option, Rear, (2) SCBA	\$954		
1510-0223	Seat package, Wildland, option, Rear, (3) SCBA	\$1,385		
1510-0224	Bostrom seat package, Wildland, Option, Rear, (2) Hi-Back	\$2,014		
1510-0225	Seat base option Wildland, Option, Rear, (2) pull-out trays	\$4,899		
1510-0226	Officer seat to be Bostrom fixed attendant.	\$739		
1510-0227	Zico Quic-Hold mechanical air pack bottle bracket (EA). Model QM-ROLO-SA with adjustable footplate and pull release.	\$569		
1510-0228	Three man bench center on rear wall with 911 SCBA backs. Includes provision for rear heaters mounted below bench (if equipped).	\$3,344		
1510-0229	(2) Flip up Bostrom attendant seats with common riser located center on rear wall.	\$2,685		
1510-0230	One (1) two person seating capacity tag- driver side area and two (2) seat belt warning tags- one (1) each cab door. For use with Freightliner chassis.	\$0		
1510-0231	Seats to be provided with black seat belts in lieu of red.	\$0		
1510-0232	Seat 911 Magnum 100 air ride. Location: driver and officer. NON-NFPA compliant units only. No Logo.	\$1,158		
1510-0233	Three man bench center on rear wall with Bostrom SCBA backs. Includes provision for rear heaters mounted below bench (if equipped).	\$3,022		
1510-0234	Seat cover material Turnout Tuff.	\$0		
1510-0235	Two man bench centered on rear wall with Seats 911 SCBA backs for use with ALS provision. Includes recess for SCBA brackets in wall.	\$3,548		
1510-0236	Seating Package Two (2) Door Freightliner. Includes One (1) 911 Universal brand high back air suspended driver seat and (1) 911 Universal brand high back air suspended officer seat. NFPA compliant seat sensors and wiring included in seats.	\$394		
1510-0237	Seating Package Two (2) Door Freightliner. Includes One (1) Seats Inc 911 Universal Hi-Back Air Ride Driver and One (1) 911 Fixed Officer (Non-SCBA).	\$0		
1510-0238	Bostrom SCBA seats with integral seat belt forward facing center of rear wall (PR). Free standing mounted on a common seat riser.	\$2,536		
1510-0239	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back air ride suspension officer seat, and three (3) fixed SCBA rear seats.	\$54		
1510-0240	Driver, officer and rear bench seat riser constructed of diamond plated IPOS (as equipped). Includes diamond plate overlay for rear facing seats.	\$381		
1510-0241	Driver and officer's seat riser constructed of diamond plated IPOS (as equipped).	\$138		
1510-0243	Two (2) Bostrom SCBA seat backs and a three (3) person bench (no center position).	\$2,465		
1510-0244	Driver seat Bostrom electric with SCBA back with integral seat belt.	\$2,296		
1510-0245	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back air ride suspension SCBA officer seat, and two (2) fixed SCBA rear seats.	\$2,433		
1510-0246	One (1) four person seating capacity tag- driver side area and four (4) seat belt warning tags- one (1) each cab door. For use with Freightliner chassis.	\$0		
1510-0248	Seats Inc 911 SCBA seat forward facing rear wall center. For use with extended cab with side access ALS compartments. Includes pass-thru and rear heater provision (if equipped).	\$1,245		

Item #	Description	Extension	+1/-1	Total
1510-0249	Two man bench centered on rear wall with Bostrom SCBA backs for use with ALS provision with side access only or interior side compartments. Includes provision for rear heaters mounted below bench.	\$2,409		
1510-0251	Flamefighter SCBA seats forward facing center of rear wall (PR). Free standing mounted on a common seat riser.	\$4,260		
1510-0252	Location modification of electric seat controls. The controls shall be relocated to the outboard side of the seat as mounted IPO standard location.	\$246		
1510-0253	Bostrom SecureAll mechanical air pack bottle bracket (EA). SecureAll factory adjusted to accommodate carbon fiber bottle(s) in mounted location(s) as specified. Location: [#LOC].	\$616		
1510-0254	Bostrom SecureAll mechanical air pack bottle bracket (EA) for bench / fold-down seat. SecureAll factory adjusted to accommodate carbon fiber bottle(s) in mounted location(s) as specified. Location: [#LOC].	\$755		
1510-0255	Back cushion for a folding jump seat. The rear cushion shall be located: [#LOC].	\$255		
1510-0256	Two man bench centered on rear wall Non-SCBA seat backs. (1) Access door on each side/end of riser to store (1) SCBA bottle on each side of riser.	\$1,875		
1510-0257	Rear facing and forward facing rear cab risers to be extended 2" in height. Vista cabs only.	\$542		
1510-0258	Zico EZ-LOC mechanical air pack bottle bracket (EA). Model QM-EZL with adjustable top clamp and footplate with center pull release for Bostrom seat. Location: [#LOC].	\$681		
1510-0259	Driver and officer outboard rear facing seats mounted at 15 degree inboard angle.	\$564		
1510-0260	Cargo net covers for sides of seat riser IPOS.	\$193		
1510-0261	911 Attendant seat (PR) on common riser. Locate centered on rear wall.	\$2,601		
1510-0262	Universal 911 Seating Package. Includes one (1) hi-back air ride suspension driver seat, one (1) hi-back fixed SCBA officer seat, and three (3) fixed SCBA rear seats. Seats shall have NFPA 1901-2009 compliant seat sensors. Tradition.	\$0		
1510-0263	Two man bench centered on rear wall with 911 SCBA backs. Includes square corners.	\$1,546		
1510-0264	Two man bench centered on rear wall with Bostrom SCBA. Includes square corners.	\$1,906		
1510-0265	Department patch sewn on 911 seat (EA). Requires customer supplied department patch for each seat.	\$124		
1510-0266	Seat 911 Magnum 100 air ride forward facing center of rear wall (PR). Free standing mtd on a common seat riser. NON-NFPA compliant units only. No Logo.	\$2,316		
1510-0267	Two man bench centered on rear wall with Bostrom SCBA backs includes squared corners and separate seat bottoms spaced 6" from each other.	\$2,041		
1510-0268	Rear facing seat center rear engine cover Bostrom flip-up with SCBA back and integral seat belt.	\$1,356		
1510-0269	There shall be no E-One logos on cab seats.	\$0		
1510-0270	Seatbelt P-clips. Provide on all connector ends of seatbelts.	\$220		
1510-0271	Seating Package Two (2) Door International. Includes One (1) National Brand air suspended driver seat and (1) National Brand standard suspension officer seat.	\$150		
1510-0272	Driver seat to be Bostrom fixed SCBA. Includes fore and aft adjustment.	\$1,273		
1510-0273	Four man bench centered on rear wall with (2) Bostrom SCBA inboard and attendant backs outboard.	\$3,112		
1510-0274	Two man bench centered on rear wall with 911 SCBA backs for use with exterior side access only or interior side compartments. Includes provision for rear heaters mounted below bench.	\$2,731		
1510-0275	Arm rest installed on the outboard side of the seat. Location: [#LOC].	\$293		
1510-0276	Face mask storage pouch for Bostrom Tanker series SCBA seats (EA).	\$104		
1510-0277	Driver outboard rear facing seat mounted at 10 degree inboard angle.	\$283		
1510-0278	Two man bench centered on rear wall with bench style back cushion with 2" extra depth removable bottom cushion with cut-out under cushion and angle corners for use with ALS provision with side access only.	\$2,979		
1510-0279	ReadyReach seat belt extender. Location: [#LOC].	\$97		
1510-0280	Rear facing seat driver side rear engine cover Bostrom with SCBA back and integral seat belt.	\$1,072		
1510-0281	Driver seat 911Battalion air ride ABTS.	\$2,560		

Item #	Description	Extension	+1/-1	Total
1510-0282	Officer seat 911 Battalion ABTS air ride SCBA. N/A with Roll-Tek or 4Front due to reduction in legroom caused by pre-tensioner.	\$2,285		
1510-0283	Officer seat to be 911 Battalion ABTS fixed SCBA.	\$1,191		
1510-0284	Rear facing 911 Battalion ABTS seat with SCBA driver's side.	\$1,191		
1510-0285	Rear facing 911 Battalion ABTS seat with SCBA officer's side.	\$1,191		
1510-0286	Two man bench centered on rear wall with 911 Battalion ABTS SCBA backs. Includes angled corners.	\$2,404		
1510-0287	Two man bench centered on rear wall with 911 Battalion ABTS SCBA backs. Includes square corners.	\$2,404		
1510-0288	Flip-up 911 Battalion ABTS SCBA seat located [#LOC].	\$1,361		
1510-0289	Fold down seat with 911 Battalion ABTS SCBA back located [#LOC].	\$1,252		
1510-0290	Rear facing 911 Battalion ABTS seat with SCBA on engine cover.	\$1,191		
1510-0291	Arm rest installed on the inboard side of the seat. Location: [#LOC].	\$293		
1510-0292	Flip-up 911 SCBA seats forward facing center of rear wall (PR). Free standing mtd on a common seat riser.	\$2,213		
1510-0300	Heated seat. The seat shall include a switch that shall be easily accessible from the seated position. Location: [#LOC]	\$184		
1510-0301	Seats, Valor brand.	\$0		
1510-0302	Seat cover material Valor Tech XD (previously identified as Cordura).	\$0		
1510-0303	Seat color black with red stitching.	\$0		
1510-0304	Seats to be 18" wide.	\$0		
1510-0305	Seats to be 20" wide.	\$0		
1510-0306	Driver seat USSC Valor air ride ABTS.	\$2,720		
1510-0307	Officer seat USSC Valor ABTS fixed SCBA. Includes fore and aft slides.	\$1,531		
1510-0308	Rear facing USSC Valor ABTS seat with SCBA driver's side.	\$1,283		
1510-0309	Rear facing USSC Valor ABTS seat with SCBA officer's side.	\$1,283		
1510-0310	Dynamic adjustable SCBA cavity (ea). Valor seats only.	\$394		
1510-0314	Flip-up USSC Valor ABTS SCBA seat (3). Locate in crew compartment equally spaced. Outboard seats to be approx 29" from center seat (center to center).	\$4,430		
1510-0315	Flip-up USSC Valor ABTS SCBA seat (4). Locate in crew compartment equally spaced.	\$5,906		
1510-0316	Two man SCBA bench seat riser only with angled corners. No SCBA backs or bottom cushion. For lower storage only.	\$1,330		
1510-0317	**OBS** (use 1510-0258-XXX instead) Zico EZ-LOC mechanical air pack bottle bracket (EA). Model QM-EZL-CPR with adjustable top clamp and adjustable footplate with center pull release for 911 seats. Location: [#LOC].	\$769		
1510-0318	Rear facing Bostrom seat fixed attendant officer's side.	\$739		
1510-0319	(2) Flip up Bostrom SCBA seats with common riser located center on rear wall.	\$2,816		
1510-0320	Rear facing USSC Valor ABTS seat with SCBA driver's side. Includes fore and aft slides.	\$1,531		
1510-0321	Rear facing USSC Valor ABTS seat with SCBA officer's side. Includes fore and aft slides.	\$1,575		
1510-0322	Flip-up USSC Valor ABTS seat with 90 deg SCBA back (PR) forward facing center of rear wall mounted on a common seat riser. Long cab with medium doors only.	\$3,533		
1510-0323	Adjustable forward/aft seat track on officer seat.	\$107		
1510-0324	Officer seat USSC Valor air ride ABTS SCBA. Includes fore and aft slides.	\$2,555		
1510-0325	Flip-up USSC Valor ABTS seats forward facing center of rear wall mounted on a common seat riser. Includes (1) SCBA (driver side) and (1) non-SCBA (officer side) forward facing center of rear wall mounted on a common seat riser.	\$3,820		
1510-0326	Zico EZ-LOC mechanical air pack bottle bracket (EA). Model QM-EZL with adjustable top clamp and adjustable footplate with center pull release for Valor seats. Location: [#LOC].	\$750		
1510-0327	Custom logo embroidery (EA). Valor seats only.	\$108		
1510-0328	Driver seat USSC Valor air ride.	\$2,016		
1510-0329	Officer seat USSC Valor fixed SCBA.	\$1,085		



Item #	Description	Extension	+1/-1	Total
1510-0330	Rear facing USSC Valor SCBA seat driver's side.	\$1,174		
1510-0331	Rear facing USSC Valor SCBA seat officer's side.	\$1,174		
1510-0332	Two man bench centered on rear wall with Valor SCBA backs. Includes angled corners.	\$2,392		
1510-0333	Two man bench centered on rear wall with Valor SCBA backs. Includes square corners.	\$2,550		
1510-0334	Seat color black and red with red stitching.	\$0		
1510-0335	Fold down seat with Bostrom SCBA back and Bostrom bottom cushion. Not available at outboard position w/manual windows. Located [#LOC].	\$1,125		
1510-0336	Bostrom SecureAll pull handles in bottom cushions. Locations: Officer seat, driver rear facing seat, officer rear facing seat, rear 2-man bench seat.	\$1,943		
1510-0337	Universal air pack bottle bracket (EA). Ziamatic KD-ULLH-EZO Universal SCBA E-Z Out bottle bracket(s) shall be mounted in place. Location : [#LOC].	\$212		
1510-0338	Rear facing cab risers to be extended 3" in height. Vista cabs only.	\$227		
1510-0339	Bostrom attendant seats with integral seat belt forward facing center of rear wall (PR). Free standing mounted on a common riser.	\$2,536		
1510-0340	Officer seat USSC Valor ABTS fixed SCBA.	\$1,283		
1510-0341	Engine cover USSC Valor two man bench with SCBA.	\$3,333		
1510-0342	Dynamic adjustable SCBA cavity (ea). Valor seats only. Location: [#LOC].	\$394		
1510-0343	Flip-up USSC Valor ABTS seat with 90 deg SCBA back (3) forward facing equally spaced on rear wall mounted on a common seat riser. Long cab with medium doors only.	\$5,107		
1510-0344	Driver seat USSC Valor air ride ABTS with R style back.	\$2,720		
1510-0345	Officer seat USSC Valor air ride SCBA.	\$2,096		
1510-0346	Zico model ULLH-EZO air pack bottle bracket (EA). Location: [#LOC].	\$351		
1510-0347	Rear wall 4 man seat riser. Includes 2 man bench centered on rear wall with Bostrom SCBA and outboard flip up Bostrom SCBA seat each side of bench. 80" C/A cabs only.	\$4,189		
1510-0349	Fold-down rear wall seat with 12.25" long Bostrom bottom cushion. Includes E-ONE non-SCBA backrest. Seat located [#LOC].	\$991		
1510-0350	One man bench inboard driver side on rear wall with 911 SCBA.	\$1,257		
1510-0351	(3) Flip up Bostrom SCBA seats with integral seat belt and common riser located evenly spaced on rear wall.	\$4,224		
1510-0352	(2) individual Bostrom ABTS SCBA seats outboard on a common 60" wide riser. Includes provision for rear heaters mounted below bench (if equipped).	\$2,808		
1510-0353	Driver seat Bostrom electric with integral dual retractor seat belt.	\$2,306		
1510-0354	Officer seat fixed Bostrom 550 with SCBA back and integral dual retractor seat belt.	\$1,356		
1510-0355	Rear facing seat officer side Bostrom 550 with SCBA back and integral dual retractor seat belt.	\$1,356		
1510-0356	Bostrom 550 SCBA seats with integral dual retractor seat belt forward facing center of rear wall (PR). Free standing mounted on a common seat riser.	\$3,294		
1510-0357	Driver seat to be 911 Battalion electric ABTS.	\$3,033		
1510-0358	Flip-up 911 Battalion ABTS SCBA seat located rear engine cover (PR). Vista cabs only.	\$3,102		
1510-0359	Two man bench centered on rear wall with (1) 911 SCBA back center on rear wall.	\$1,358		
1510-0360	Rear facing Bostrom seat fixed attendant driver's side.	\$739		
1510-0361	Rear facing seat driver side Bostrom attendant with integral seat belt.	\$1,068		
1510-0362	Rear facing seat officer side Bostrom attendant with integral seat belt.	\$1,068		
1510-0363	Two (2) Bostrom SCBA seat backs on a three (3) person bench riser (no center position) with individual bottom cushions.	\$2,465		
1510-0364	Officer seat fixed Bostrom attendant with integral seat belt.	\$1,068		
1510-0365	Officer seat USSC Valor air ride.	\$2,016		

Item #	Description	Extension	+1/-1	Total
1510-0366	Fold-down rear wall seat with Valor bottom cushion. Includes E-ONE non-SCBA backrest. Seat located [#LOC].	\$1,020		
1510-0367	One (1) two person seating capacity tag- driver side area and two (2) seat belt warning tags- one (1) each cab door. For use with Commercial chassis.	\$0		
1510-0368	Officer seat USSC Valor non-SCBA fixed with recline back.	\$1,648		
1510-0369	Locate officer's seat as far rearward as possible.	\$0		
1510-0370	Fold-down rear wall jump seat to be mounted 2.75" lower than std to provide additional headroom (EA). Non-SCBA seats only. (Not available with heaters mounted outboard on rear wall)	\$214		
1510-0371	Bench seat to have Valor supplied bottom cushion.	\$0		
1510-0372	Fold-down rear wall seat with Valor bottom cushion. Includes E-ONE lumbar backrest. Seat located [#LOC].	\$1,020		
1510-0373	Officer seat USSC Valor ABTS fixed attendant.	\$1,767		
1510-0374	Officer seat to be Bostrom electric SCBA.	\$2,276		
1510-0375	Rear facing seat driver side Bostrom 550 with SCBA back and integral dual retractor seat belt.	\$1,356		
1510-0376	Rear wall seat Bostrom 500CT flip-up with SCBA back and integral dual retractor seat belt. Location: [#LOC].	\$2,204		
1510-0377	Two man bench riser centered on rear wall with (1) Bostrom SCBA back officer with single bottom cushion. Driver side open for dealer/customer installed equipment.	\$1,501		
1510-0378	Rear wall seat Bostrom 500CT flip-up with SCBA back and integral dual retractor seat belt. Rear facing engine cover.	\$2,204		
1510-0379	Officer seat Bostrom 550 electric with SCBA back with integral dual retractor seat belt.	\$2,674		
1510-0380	Officer seat USSC Valor fixed SCBA with adjustable fore/aft track.	\$1,332		
1510-0381	Rear facing USSC Valor SCBA seat driver's side with adjustable fore/aft track.	\$1,421		
1510-0382	Rear facing USSC Valor SCBA seat officer's side with adjustable fore/aft track.	\$1,421		
1510-0383	Fold down 911 Battalion ABTS SCBA seat located rear engine cover (PR). NON-Vista cabs only.	\$3,102		
1510-0384	Officer seat to be 911 Battalion ABTS fixed attendant.	\$1,126		
1510-0385	Officer seat 911Battalion air ride ABTS.	\$2,560		
1510-0386	Seat cover material Durawear Plus with low seams. Available in black only.	\$61		
1510-0387	Rear wall seat Bostrom 500CT flip-up with fold and hold seat bottom, SCBA back and integral dual retractor seat belt. Location: [#LOC].	\$2,318		
1515-0000	Air conditioning aerial ISM/S60. Two roof top condensers, for use with aerials	\$8,268		
1515-0001	Air Conditioning premium aerial ISM/S60. Two roof top condensers, for use with aerials	\$10,895		
1515-0002	Air Conditioning ISC/ISL. Radiator mounted condenser	\$7,073		
1515-0003	Air conditioning premium ISC/ISL. Radiator mounted condenser	\$9,231		
1515-0004	Air Conditioning ISM/S60. Single roof top mounted condenser.	\$7,348		
1515-0005	Air Conditioning premium ISM/S60. Single roof top mounted condenser	\$9,901		
1515-0006	Air Conditioning filter kit	\$304		
1515-0007	Air conditioning for Typhoon only	\$7,902		
1515-0012	Paint air conditioning condenser job color.	\$923		
1515-0017	Air conditioning for the Typhoon X, CII X and Quest with Cummins ISC/ISL engine and radiator mounted condenser.	\$7,672		
1515-0018	Air conditioning for the Typhoon X, CII X and Quest with roof top mounted condenser.	\$8,961		
1515-0019	Air Conditioning lines and fittings wrapped	\$484		
1515-0020	Well nut fasteners to attach A/C filter to overhead panel	\$280		
1515-0021	The AC lines to be wrapped and routed from any sharp edges.	\$0		
1515-0023	A/C Cutoff Switch. Install switch in cab dash to turn off A/C in rear crew area.	\$71		
1515-0027	Danhard cooling system for cab medical cabinet. 115v / 12v 13,500 BTU wired to battery charger recept. Includes auto transfer switch and IOTA 75A converter mounted on permanent shelf above breaker box in L1 compt. Evaporator to be cabinet mtd, condenser to be roof mtd and compressor to be frame mtd. Note: System draws up to 12 amps AC.	\$7,088		

Item #	Description	Extension	+1/-1	Total
1515-0028	Danhard cooling system for cab medical cabinet. 115v / 12v 13,500 BTU wired to battery charger recept. Includes auto transfer switch. Evaporator to be cabinet mtd and condensor to be roof mtd. Note: System draws up to 12 amps AC.	\$6,865		
1515-0029	Air conditioning for the TyphoonX, CII X and Quest with Cummins ISC or ISL, roof top mounted condensor.	\$8,961		
1515-0030	The cab A/C compressor drive to be a "V" belt with a 1.5:1 ratio.	\$2,974		
1515-0031	Roof mtd A/C system Penguin 13,500 BTU. Locate on cab roof wired to shore power. Includes auto transfer switch.	\$4,089		
1515-0032	Cab air conditioning for use with ISC or ISL engines. Custom ES.	\$0		
1515-0033	Cab air conditioning for use with ISC or ISL engines. Includes front and rear floor heaters with diamond plate covers on rear units. Custom ES.	\$2,223		
1515-0034	Roof mtd A/C system Coleman 13,500 BTU. Locate on rear cab roof wired to shore power and (if equipped w/auto transfer) generator.	\$2,278		
1515-0035	Stainless steel pan for cab roof mounted A/C unit. Includes drain line to rear of cab. Drain not to drip on drivelines	\$743		
1515-0036	Danhard cooling system. 115v / 12v 13,500 BTU wired to battery charger recept. Includes evaporator enclosure on ceiling centered rear of cab AC. Compressor located on rear engine cover with expanded metal cover painted to match cab interior. Condensor to be officer side roof mounted above canopy area. Note: System draws up to 12 amps AC.	\$6,865		
1515-0037	Locate roof mntd AC condensor offset to officer side.	\$0		
1515-0038	Air hose routed from the compressor to the dryer shall be upgraded to include stainless steel mesh for the full length of hose.	\$92		
1515-0040	Heating and air conditioning cab controls shall be located in the lower center dash panel between driver and officer	\$565		
1515-0041	Locate Danhard AC compressor offset to officer side next to rear facing seat on rear engine cover.	\$0		
1515-0042	Defrost only for the cab heating system includes controls within the cab.	\$0		
1515-0043	Roof mtd A/C system Penguin 13,500 BTU. Locate on driver side rear cab vista roof wired to shoreline.	\$4,089		
1515-0044	Roof mtd A/C system Penguin 13,500 BTU. Locate on officer side rear cab vista roof wired to generator.	\$4,089		
1515-0045	Controls for heating and air conditioning shall be located in the center dash area upper tier offset to driver side. For use with severe duty dash only.	\$0		
1515-0046	Locate roof mounted AC condenser on [#LOC].	\$647		
1515-0048	Controls for heating and air conditioning shall be located in the driver side lower dash area. For use without front air bags only.	\$0		
1515-0049	Roof mtd A/C system Penguin II 13,500 BTU with 5600 BTU heat strips. Locate on cab roof wired to shore power. Locate control head in center overhead console offset to driver side.	\$4,171		
1515-0052	Controls for heating and air conditioning shall be located in the center dash area upper tier. For use with severe duty dash only.	\$0		
1515-0053	Controls for heating and air conditioning shall be located in the center dash area. (Lower area on Typhoon and CII with severe duty dash)	\$0		
1515-0054	Controls for heating and air conditioning shall be located in the center dash area low and offset to driver side. For use with QST2 and HS products only.	\$0		
1515-0055	Roof mtd A/C system Penguin 13,500 BTU. Includes: auto transfer switch and a dedicated auto-eject with "Yellow "cover. The outer housing cover for the A/C unit to be painted Black. Locate: on body module rehab roof includes wiring to shore power connection at cab door.	\$5,063		
1515-0056	Roof mtd A/C system Coleman Mach 8 15,000 BTU. Locate on rear cab roof wired to shore power and (if equipped w/auto transfer) generator.	\$3,636		
1515-0057	Two (2) 21,000 BTU heaters shall be installed, One (1) in each step well of the TME module.	\$2,089		
1515-0058	A Red Dot model# 9777 roof mounted air-conditioner and heater shall be installed on top of the TME module. 25,000 BTU's cooling and 45,000 BTU's heat.	\$3,265		

Item #	Description	Extension	+1/-1	Total
1515-0059	A remote mount filter and booster blower shall be located in the [#LOC] and be plumbed to the TME pump module roof mounted HVAC unit.	\$718		
1515-0061	Roof mtd A/C system Penguin 13,500 BTU w/ 5600 BTU heat. Includes: auto transfer switch and a dedicated auto-eject with "Yellow" cover. The outer housing cover for the A/C unit to be painted Black. Locate: on body module rehab roof includes wiring to shore power connection at cab door.	\$5,152		
1515-0062	Roof mtd A/C system Penguin II 13,500 BTU with 5600 BTU heat strips. Wire to shore power (includes auto transfer switch). Locate A/C Unit on cab roof.	\$3,654		
1515-0063	Controls for heating and air conditioning shall be located in the center dash area upper tier offset to officer side. For use with severe duty dash only.	\$0		
1515-0064	Locate rear cab heaters one each side below rear wall seats.	\$0		
1515-0065	A Red Dot model# 9777 roof mounted air-conditioner and heater shall be installed on top of the walk in rescue body. 25,000 BTU's cooling and 45,000 BTU's heat. 12VDC system R134A plumbed to existing chassis AC compressor for a split system. The heating unit shall be piped to the chassis radiator/cooling system with silicone heater hose. The heating system shall be equipped with shut-off valves at the engine area connection.	\$3,864		
1515-0066	Roof mtd A/C system Dometic Blizzard Self-Contained HVAC Series SC14K 14,000 BTU with heat strips. Wire to APU/Generator. Locate condenser unit on officer side of cab roof. Location of interior evaporator: [#LOC].	\$5,335		
1515-0067	Locate rear cab heaters outboard each side above seat support channel.	\$431		
1515-0068	Roof mtd A/C system Dometic Blizzard Self-Contained HVAC Series SC14K 14,000 BTU. Wire to shorepower and generator (if equipped with transfer switch). Locate condenser unit on officer side of cab roof. Location [#LOC].	\$5,335		
1515-0069	Heaters cab rear (PR), and front heater with heat to the feet for the driver and officer. Driver side rear wall w/cover only.	\$1,821		
1515-0070	Air conditioning for HS cab with Cummins ISL engine. Includes center front cab evaporator and roof top mounted condenser.	\$8,961		
1515-0071	Locate roof mountd AC condensor offset to driver side (same as location as rear mount aerial).	\$0		
1515-0072	Roof mtd A/C system Dometic Blizzard Self-Contained HVAC Series SC14K 14,000 BTU. Wire to APU. Locate condenser unit on officer side of cab roof. Location of interior evaporator: rear engine cover.	\$5,335		
1515-0073	Roof mtd A/C system Penguin II 13,500 BTU. Wire to APU only. Locate A/C Unit on cab roof.	\$3,654		
1515-0074	Roof mtd A/C system Dometic Blizzard Self-Contained HVAC Series SC14K 14,000 BTU. Wire to shoreline receptacle. Locate condenser unit on officer side of cab roof. Location of interior evaporator: [#LOC].	\$5,335		
1515-0075	Defroster system with ceiling mounted heater.	\$0		
1515-0076	Heater rear cab w/o cover (EA) and front cab heater with heat to the feet for the driver and officer. Rear heater located under driver side of bench seat.	\$1,340		
1515-0077	Additional control for rear facing air conditioner. Locate adjacent to rear AC vents/filter.	\$541		
1520-0000	Cyclone II medium cab 58" CA	\$64,486		
1520-0001	Cyclone II long cab 67.5" CA	\$71,240		
1520-0002	Cyclone II extended cab 80" CA	\$71,974		
1520-0003	Typhoon long cab 67.5" CA	\$43,333		
1520-0004	Typhoon Medium cab 58" CA	\$40,396		
1520-0005	Cyclone II medium cab three door with rear door on officer's side.	\$64,486		
1520-0006	Cyclone II long cab three door with rear door on officer's side.	\$71,240		
1520-0007	Tillerman cab. Heat & A/C and (3) 6" (12VDC) fans ceiling mounted, (1) each rear corner & (1) front left corner. Seat material and color is the same as in the front cab.	\$52,313		
1520-0008	Cyclone II X medium cab with 58" CA	\$62,174		
1520-0009	Cyclone II X short cab with 44.5" CA	\$66,592		

Item #	Description	Extension	+1/-1	Total
1520-0010	Cyclone II X long cab with 67.5" CA	\$68,930		
1520-0011	Cyclone II X extended cab with 80" CA	\$69,665		
1520-0012	Typhoon X long cab with 67.5" CA	\$41,020		
1520-0013	Typhoon X medium cab with 58" CA	\$38,085		
1520-0014	Cyclone II X medium cab with 58" CA. Includes barrier style doors. Orange County, California. Includes mounting on engine cover of customer supplied computer bracket (see engineering), cut-out in driver side overhead for customer supplied radio.	\$70,788		
1520-0015	Cyclone II X medium cab with ALS provision and 80" CA. Includes exterior hinged ALS doors approx 73" high.	\$71,361		
1520-0017	Quest long cab with 68" CA	\$68,930		
1520-0018	Quest medium cab with 58" CA	\$62,174		
1520-0019	Cyclone II X medium cab with ALS provision, barrier style doors and 80" CA. Includes exterior hinged ALS doors approx 73" high.	\$72,259		
1520-0020	Quest medium cab with 58" CA and barrier style doors.	\$63,073		
1520-0021	Typhoon X long cab with 67.5" CA. Includes barrier style doors.	\$41,922		
1520-0022	Cyclone II X medium cab with 58" CA. Includes barrier style doors.	\$63,073		
1520-0023	Cyclone II X long cab with 67.5" CA. Includes barrier style doors.	\$69,831		
1520-0024	Cyclone II X extended cab with 80" CA. Includes barrier style doors.	\$70,563		
1520-0025	Typhoon X medium cab with 58" CA. Includes barrier style doors.	\$38,998		
1520-0026	Quest long cab with 68" CA and barrier style doors.	\$69,831		
1520-0027	Quest extended cab with 80" CA.	\$69,665		
1520-0028	Cyclone II X long cab with 67.5" CA. For use with a lowered aerial. Requires full length 4.5" deep trough option	\$77,991		
1520-0029	Typhoon X short cab with 44.5" CA	\$42,504		
1520-0030	Cyclone II X Hush/Mid-Engine long cab with 67.5" C/A	\$67,701		
1520-0031	Cyclone II X Hush/Mid-Engine medium cab with 58" C/A.	\$60,946		
1520-0032	Cyclone II X Hush/Mid-Engine medium cab with 58" C/A. Includes barrier style doors.	\$61,831		
1520-0033	Cyclone II X Hush/Mid-Engine long cab with 67.5" C/A. Includes barrier style doors.	\$68,602		
1520-0036	Cyclone II X (2) door long cab with 67.5" C/A.	\$69,665		
1520-0037	Cyclone II X 3DR Long cab with 67.5" CA. Includes barrier style doors.	\$69,831		
1520-0038	Cyclone II X extended cab with 80" CA. For use with a lowered aerial. Requires full length 4.5" deep trough option	\$74,661		
1520-0071	Cyclone II X medium cab with 58" CA. For use with a lowered aerial. Requires full length 4.5" deep trough option.	\$67,170		
1520-0076	Cyclone II X short cab with 30" CA. 2 door cab with barrier style doors and rear transverse compartment.	\$64,380		
1520-0081	Cyclone II X short cab with 44.5" CA and right hand drive.	\$83,478		
1520-0087	Cyclone II X short cab 2 door with 44.5" ca. Includes transverse compartment at rear of cab above the front axle accessible from both sides. The compartment is approx 48.5" wide x 44.25" high x the width of the cab.	\$66,592		
1520-0090	Cyclone II X (3) door extended cab with 80" CA. Officer side rear door.	\$69,665		
1520-0092	Cyclone II X medium cab with 58" CA. Includes barrier style doors. For use with a lowered aerial. Requires full length 4.5" deep trough option.	\$68,069		
1520-0095	Cyclone II X long cab with 67.5" CA and barrier style doors. For use with a lowered aerial. Requires full length 4.5" deep trough option.	\$78,893		
1520-0096	Typhoon X extended cab with 80" CA	\$45,576		
1520-0097	Typhoon X extended cab with 80" CA. Includes barrier style doors.	\$46,478		
1520-0098	Quest (3) door extended cab with 80" CA and barrier style doors. Officer side rear door.	\$70,440		
1520-0104	Cyclone II X (3) door extended cab with 80" CA. Includes barrier style doors. Locate rear door on Officer side of cab.	\$71,972		
1520-0105	Upgrade rear cab subframe with solid billet aluminum inserts. Severe duty 80" cab only.	\$913		

Item #	Description	Extension	+1/-1	Total
1520-0106	Quest medium cab with 58" CA. (QST2)	\$76,143		
1520-0107	Quest long cab with 68" CA. (QST2)	\$82,899		
1520-0108	Quest extended cab with 80" CA. (QST2)	\$83,634		
1520-0109	Quest medium cab with 58" CA and barrier style doors. (QST2)	\$77,042		
1520-0110	Quest long cab with 68" CA and barrier style doors. (QST2)	\$83,800		
1520-0111	Quest extended cab with 80" CA and barrier style doors. (QST2)	\$84,532		
1520-0114	Typhoon X medium cab with ALS provision, barrier style doors and 80" CA. Includes exterior hinged ALS doors approx 73" high.	\$48,173		
1520-0115	Quest medium cab with ALS provision and 80" CA (QST2). Includes exterior hinged ALS doors approx 73" high.	\$85,331		
1520-0116	Quest medium cab with ALS provision, barrier style doors and 80" CA (QST2). Includes exterior hinged ALS doors approx 73" high.	\$86,229		
1520-0118	Quest HS medium cab with 58" CA.	\$74,999		
1520-0119	Cyclone HS medium cab with 58" C/A. Includes barrier style doors.	\$61,831		
1520-0122	Typhoon X medium cab with ALS provision and 80" CA. Includes exterior hinged ALS doors approx 73" high.	\$47,276		
1520-0125	Cyclone HS medium cab with 58" C/A.	\$60,932		
1520-0126	Cyclone HS long cab with 67.5" C/A. Includes barrier style doors.	\$68,589		
1520-0127	Cyclone HS long cab with 67.5" C/A.	\$67,688		
1520-0128	Quest HS medium cab with 58" CA and barrier style doors.	\$75,898		
1520-0129	Quest HS long cab with 68" CA.	\$81,755		
1520-0130	Quest HS long cab with 68" CA and barrier style doors.	\$82,656		
1520-0131	Typhoon X short cab with 44.5" CA with barrier style doors.	\$43,403		
1520-0142	Cyclone II X short cab 2 door with 44.5" ca with barrier style doors. Includes transverse compartment at rear of cab above the front axle accessible from both sides. The compartment is approx 35.5" wide x 36" high x the width of the cab.	\$66,972		
1520-0159	Cyclone II X (3) door medium cab with 58" CA. Officer side rear door.	\$62,174		
1535-0002	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,368		
1535-0003	Officer side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,368		
1535-0004	Medical cabinet mounted on rear wall of cab 48 x 32 x 24 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$4,908		
1535-0005	Medical cabinet mounted on rear wall of cab 48 x 40 x 20 with locking roll up door. Lower door opening raised to provide hand clearance.	\$4,614		
1535-0006	Medical cabinet mounted on rear wall of cab 55X32X19 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,147		
1535-0007	Medical cabinet mounted on rear wall of cab 55 x 40 x 20 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,924		
1535-0012	Medical cabinet mounted on the wheel well driver side of cab 45H x 21W x 24D with a locking roll-up door.	\$2,945		
1535-0013	Medical cabinet mounted on the wheel well officer side of cab 45H x 21W x 24D with a locking roll-up door.	\$2,945		
1535-0026	Cab medical storage cabinet(s) finish to be OTO gray.	\$0		
1535-0027	Cab medical/storage cabinet(s) finish to be Zolatone gray. Exterior of bolt-in cabinets; interior and exterior of weld-in cabinets.	\$0		
1535-0028	Cab medical storage cabinet(s) finish to be swirled with clear coating.	\$1,403		
1535-0029	All medical cabinet doors within the cab to be POK brand	\$0		

Item #	Description	Extension	+1/-1	Total
1535-0030	All roll-up medical cabinet doors selected on the cab to be ROM brand.	\$155		
1535-0031	All medical cabinet RUD in the cab to be locking with J236 key	\$161		
1535-0032	All medical cabinet RUD in the cab to be locking with 1250 key	\$161		
1535-0033	All exterior access RUD for medical cabinets to have satin finish	\$0		
1535-0034	All exterior access RUD for medical cabinets to be painted job color. Not available on two tone cabs.	\$295		
1535-0035	Engine compartment light, LED (EA).	\$277		
1535-0037	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 50" high x 38" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0038	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 30" high x 38" wide x 20" deep with a locking roll up door. Includes (1) adjustable shelf.	\$3,663		
1535-0039	Medical cabinet. Locate center on rear wall (20" wide x 24" deep x 52" high). Includes (3) adjustable shelves and (1) vertically mounted incandescent light.	\$3,229		
1535-0040	Medical cabinet. Locate center on rear wall (20" wide x 21" deep x 52" high). Includes (3) adjustable shelves and (1) vertically mounted incandescent light.	\$3,091		
1535-0043	Medical cabinet mounted on rear wall of cab 48X32X24 with a locking roll up door and windows in door slats. Lower door opening raised to provide hand clearance.	\$5,254		
1535-0044	Communication cabinets (PR). (1) each side rearward facing with hinged access door. Each cabinet includes (2) adjustable shelves and (1) incandescent light mounted up high. To have compartment vents as required.	\$3,864		
1535-0045	ALS interior - Style "A". Includes forward wall with center locking roll-up door for access from int, small compts up high ea side of ctr opening with glove box latch on driver's side compt and Medco keyed lock on officer's side, strikers high and low on ALS doors, access plts on int panel of ALS doors, approx 5"W x 17"H x 70"L backboard sleeve, two adj shelves ahead of backboard sleeve and a roll-out tray with 36" slides each side on floor.	\$10,239		
1535-0046	Medical cabinet mounted on rear wall of cab 60X40X23 with a locking roll up door. Lower door opening raised 12" to provide area for rear heaters. Includes lower ventilation, front access and removable sub-floor for additional access.	\$3,723		
1535-0047	Medical cabinet mounted on the officer side rear cab wall 55(54 as required)X18X12 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$2,968		
1535-0048	Medical cabinet mounted on the driver side rear cab wall 55(54 as required)X18X12 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$2,968		
1535-0049	Louvers for interior medical/ ALS cabinet wall(s) to help cabinet contents to maintain cab interior temperatures. The louvers to be in four sets of three, located two high and two low. Location: [#LOC].	\$206		
1535-0050	Medical cabinet on rear wall of cab. Reference 131288 #1-H-0468 and 1-H-07A.	\$4,908		
1535-0051	Compartment rear side of cab "under riser" type. Approx 22W x 30H opening. Includes double pan hinged door. Location: driver and officer side.	\$1,361		
1535-0052	Medical cabinet mounted on rear wall of cab 52" x 40" x 23" with a locking roll up door. Lower door opening raised 4" to provide area for radio installation. Includes lower ventilation and removable sub-floor for additional access.	\$3,723		
1535-0053	ALS interior - Style "B". Includes forward wall with center locking roll-up door for access from int, compts up high ea side of ctr opening with glove box latch on driver's side compt and Medco keyed lock on officer's side, strikers high and low on ALS doors, access plts on int panel of ALS doors, approx 5"W x 17"H x 70"L backboard sleeve, two adj shelves ahead of backboard sleeve and a roll-out tray with 36" slides each side on floor.	\$10,516		
1535-0054	Exterior access roll up doors for medical cabinets to be painted upper cab color.	\$295		
1535-0055	Cab medical/storage cabinet(s) finish to be Zolatone black. Exterior of bolt-in cabinets; interior and exterior of weld-in cabinets.	\$0		
1535-0056	All map boxes in the cab to be painted Zolatone black.	\$0		

Item #	Description	Extension	+1/-1	Total
1535-0057	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color and interior hinged full height door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,841		
1535-0058	Medical cabinet mounted on rear wall of cab 48X42X20 with angled corners and locking roll up door. Lower door opening raised to provide hand clearance.	\$4,614		
1535-0059	Brace .75 x 2.75 below medical cabinet shelf	\$102		
1535-0060	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 62" high x 38" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,851		
1535-0061	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior locking roll-up door with satin finish. Cabinet includes (2) adjustable shelves.	\$3,117		
1535-0062	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 30" high x 38" wide x 20" deep with a locking roll up door. Includes (1) adjustable shelf and forward facing drop down door.	\$3,770		
1535-0063	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking single door painted job color and interior hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,841		
1535-0064	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 48" high x 38" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0065	Rear wall lower medical front to have a removable front plate. Plate to be painted to match cabinet.	\$0		
1535-0066	Interior medical cabinet. Locate to lower rear of engine cover. Cabinet to be 32" high x 30" wide x 24" deep with single pan double bi-fold doors. Includes (1) vertical and (1) horizontal partition centered in the cabinet, louvered lower side walls and removable lower rear facing panel for installation of heaters.	\$3,700		
1535-0067	ALS - Side access. Includes compts on each side of cab, access up high each side of interior outboard with glove box latches, strikers high and low on ALS doors (CIIX/TyphoonX only), access plts on int panel of ALS doors (CIIX/TyphoonX only), extended cab floor and three adj shelves.	\$4,085		
1535-0068	Rear wall medical cabinets. Includes forward wall and (2) full height, equal width locking roll-up door compts with (3) shelves in each compt.	\$11,196		
1535-0069	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 50" high x 30" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0070	Riser for medical cabinet. Lifts bottom of cabinet up to top of rear wall seat support. Front of riser to be closed, sides to be open. CII X / Typhoon X only.	\$823		
1535-0071	ALS interior - Style "A". Includes forward wall with center locking roll-up door for access from int, small compts up high ea side of ctr opening with glove box latch on driver's side compt and Medco keyed lock on officer's side, strikers high and low on ALS doors, access plts on int panel of ALS doors, approx 5"W x 17"H x 70"L backboard sleeve, two adj shelves ahead of backboard sleeve and a roll-out tray with 36" slides each side on floor. HCFD.	\$22,196		
1535-0072	Rear cab wall medical cabinet with side diamond plate access doors (one each side) mounted above support channel on back wall. Cabinet to be 38" high x 47.25" wide x 14" deep. Includes diamond plate doors hinged to the rear with d-ring latches and (2) adjustable shelves.	\$3,574		
1535-0073	Officer side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color and interior hinged full height door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,841		
1535-0074	All medical cabinet RUD in the cab to be locking with CH751 key.	\$161		



Item #	Description	Extension	+1/-1	Total
1535-0075	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking roll-up door and interior hinged door with locking push-button latch. Cabinet includes (1) adjustable partition installed and (2) adjustable shelves shipped loose in the cabinet.	\$2,500		
1535-0076	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door with locking Tri-Mark latch painted job color and interior full height hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$3,021		
1535-0077	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door with locking Tri-Mark latch painted job color and interior full height hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$3,021		
1535-0078	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 25.5" high x 30" wide x 23" deep with (2) drop down doors.	\$1,222		
1535-0079	All roll-up medical cabinet doors selected on the cab to be Amdor brand.	\$155		
1535-0080	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking roll-up door. Cabinet includes (2) adjustable shelves.	\$2,118		
1535-0081	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking roll-up door. Cabinet includes (2) adjustable shelves.	\$2,118		
1535-0082	11"H x 18"W access opening with cargo net cover on driver and officer side wheel well medical cabinets back wall(engine cover side)up high. Includes deflector plate on ceiling to protect roll-up door.	\$916		
1535-0083	Cabinet officer side behind officer seat with a Norcold DE-0740 refrigerator. Cabinet to include a garage style roll-up door (no lighting but wired to door ajar indicator). Wire refrigerator to operate thru shore line and during transit and on scene.	\$4,374		
1535-0084	Full width cabinet along upper forward vista area of cab. To include two drop down doors with push-button latching. Two LED lights to be mounted in the upper area of the cabinet. Each door to wired to door ajar indicator. Final design to be discussed with customer	\$4,061		
1535-0085	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 36" high x 38" wide x 24" deep. Includes (2) roll-up doors (satin finish) and (2) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0086	Driver and officer side cab wheel well medical cabinet approximately 17x23x28. Includes internal locking vertically hinged door. Quest cabs only.	\$1,593		
1535-0087	Special medical cabinet on rear wall. Includes lower area ROM door with satin finish (front lower area raised 6")and lock, (1) fixed shelf and (2) adjustable (above)-All with 1" lips all the way around, upper area with drop down down with (2) non-locking push buttons, lower sides open with cargo nets, upper side officer with vertically hinged door with Medeco3 cam lock with (2) alike keys (each unit to be keyed differently). See full design in file.	\$9,972		
1535-0088	Riser for medical cabinet. Approx 40"W x 20"D x 17"H. Front of riser to have a drop down door with two locking latches. Finish to match medical cabinet.	\$1,069		
1535-0089	Full width cabinet along upper rearward vista area of cab. To include three (3) lift-up doors with push-button latching (hold-opens for each as size of door permits). Each opening to include one (1) ROM LED strip light mounted in the upper area of the cabinet. Each door to wired to door ajar indicator.	\$4,061		
1535-0090	Medical cabinet mounted on rear wall of cab 48X40X23 with a locking roll up door. Lower door opening raised 4" to provide area for radio installation. Includes lower ventilation and removable sub-floor for additional access.	\$3,723		
1535-0091	Officer side cab wheel well medical/communication cabinet approximately 42x22(25 Quest)x28. Includes external half height locking pan door with Tri-Mark latch painted job color and interior full height opening with cargo netting. Cabinet includes (3) adjustable interior pull-out shelves.	\$3,736		

Item #	Description	Extension	+1/-1	Total
1535-0092	Driver side cab wheel well medical/communication cabinet approximately 42x22(25 Quest)x28. Includes external half height locking pan door with Tri-Mark latch painted job color and interior full height opening with cargo netting. Cabinet includes (3) adjustable interior (4) sided trays with 1" lips.	\$3,736		
1535-0093	Compartment rear side of cab "under riser" type. Approx 22W x 30H opening. Includes double pan hinged door with Tri-Mark locking latches. Location: driver and officer side.	\$1,542		
1535-0094	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door with locking Tri-Mark latch painted job color and interior full height opening with cargo net cover. Cabinet includes (2) adjustable shelves.	\$3,210		
1535-0095	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door with locking Tri-Mark latch painted job color and interior full height opening with cargo net cover. Cabinet includes (2) adjustable shelves.	\$3,210		
1535-0096	Exterior access roll up door for medical cabinet to be painted two-tone to match cab paint break (EA).	\$501		
1535-0097	Medical cabinet mounted on the wheel well officer side of cab 15.5X24X21 with a vertically hinged door and locking push-button latch.	\$1,175		
1535-0098	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) horizontal hinged lift-up doors. Outboard compartments to be approx. 12" wide.	\$3,479		
1535-0099	Upper rearward vista area cabinet. Cabinet to be full width and height of vista area rearward of rear cab doors. Includes (3) horizontally hinged lift-up doors. Outboard compartments to be approx. 12" wide.	\$3,479		
1535-0100	Medical cabinet mounted on the driver side rear cab wall 55X28X12 with a locking roll up door. Lower door opening raised 12" to provide space for rear heater. Includes lower ventilation, front access and removable sub-floor for additional access.	\$3,356		
1535-0101	Medical cabinet mounted on the officer side rear cab wall 55X28X12 with a locking roll up door. Lower door opening raised 12" to provide space for rear heater. Includes lower ventilation, front access and removable sub-floor for additional access.	\$3,356		
1535-0102	Medical cabinet - ALS style side access. Includes compt on officer side of cab, access up high on interior with glove box latch, extended cab floor and three adj shelves. Includes pass-thru under bench seat riser if equipped.	\$2,894		
1535-0103	Compartment rear side of cab "under riser" type. Approx 22W x 30H opening. Includes double pan hinged door. Location: driver side.	\$1,361		
1535-0104	Medical cabinet mounted on the driver side rear cab wall with a locking roll up door. Cabinet to be approx 53H x 18W x 12D. Bottom of exterior opening just above rear seat channel. Includes 2 adj shelves in upper area, false floor at top of seat channel and interior door below false floor. Interior door to be vert hinged on inboard side.	\$4,218		
1535-0105	Medical cabinet mounted on the officer side rear cab wall 55(54 as required)X18X12 with a locking roll up door. Lower door opening raised approx. 12" to provide space for rear wall heaters. Includes slots and false floor.	\$2,968		
1535-0106	Medical cabinet mounted on the driver side rear cab wall 55(54 as required)X18X12 with a locking roll up door. Lower door opening raised approx. 12" to provide space for rear wall heaters. Includes slots and false floor.	\$2,968		
1535-0107	Medical cabinet - driver side cab wheel well. Includes (1) external locking roll-up door (satin finish), (1) vertically-hinged internal door with locking push button latch, (2) adjustable shelves. Custom ES.	\$1,289		
1535-0108	Medical cabinet - officer side cab wheel well. Includes (1) external locking roll-up door (satin finish), (1) vertically-hinged internal door with locking push button latch, (2) adjustable shelves. Custom ES.	\$1,289		
1535-0109	Compartment rear side of cab below floor. Approx 22W x 19.5H opening. Includes double pan hinged door with Tri-Mark latch. Location: driver and officer side.	\$1,542		
1535-0110	Medical cabinet mounted on the driver side rear cab wall 55(54 as required)X20X22 with a locking satin finish roll-up door and (3) adjustable shelves.	\$3,106		

Item #	Description	Extension	+1/-1	Total
1535-0111	Medical cabinet mounted on the officer side rear cab wall 55(54 as required)X20X22 with a locking satin finish roll-up door and equipment rack.	\$3,106		
1535-0112	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior locking roll-up door with satin finish. Cabinet includes (2) adjustable shelves.	\$3,117		
1535-0113	(2) Cabinets rear of commercial extended cab. Sized in height, width and depth as space within cab permits while allowing for installation requirements for a commercial chassis. Each cabinet to include (1) LED strip light mounted as applicable. Cabinets to be bolt-in and have zolatone grey interior and exterior finish.	\$3,888		
1535-0114	Medical cabinet mounted on the wheel well driver side of cab 44HX21WX16D with a locking roll up door.	\$2,858		
1535-0115	Special medical cabinet on rear wall. Includes lower side access only with (2) adjustable shelves with 1" lips all the way around, (1) fixed shelf with 1" lips all the way around, upper front area with drop down door with (2) non-locking push buttons, lower sides open with cargo nets attached with clips in lieu of snaps, upper side officer with vertically hinged door with Medeco3 cam lock with (2) alike keys (each unit to be keyed differently). See full design in file.	\$9,347		
1535-0116	Equipment bag storage rack; finish to match cab interior. Location: officer side rear wall medical cabinet.	\$287		
1535-0117	Medical cabinet(s) interior finish and components (shelves/trays) to match interior cab finish.	\$287		
1535-0118	Medical cabinet mounted on rear wall of cab 50X38X12 with locking roll up door. Lower door opening raised to provide hand clearance.	\$4,522		
1535-0119	Medical cabinet mounted on rear wall of cab 55X40X23 with a locking roll up door. Cabinet floor to be level with top of PTO box on cab floor.	\$3,723		
1535-0120	Medical cabinet mounted on the officer side rear cab wall full height (as applicable)X 18W X 12D with a locking roll up door. For use with vista cabs only. Lower door opening raised to provide hand clearance.	\$3,093		
1535-0121	Medical cabinet mounted on rear wall of cab full height (as applicable)X55X22 with locking roll up door. For use with vista cabs only. Lower door opening raised to provide hand clearance.	\$4,989		
1535-0122	Medical cabinet mounted on the driver side rear cab wall full height (as applicable)X 18W X 12D with a locking roll up door. For use with vista cabs only. Lower door opening raised to provide hand clearance.	\$3,093		
1535-0123	Full width cabinet along upper forward vista area of cab. To include three (3) lift-up doors with push-button latching (hold-opens for each as size of door permits). Each opening to include one (1) ROM LED strip light mounted in the upper area of the cabinet. Each door to wired to door ajar indicator.	\$4,061		
1535-0124	Medical cabinet mounted on the driver side rear cab wall 55(54 as required)X20X22 with a locking satin finish roll-up door and (3) adjustable shelves. Includes lower area raised to accomodate rear wall heater.	\$3,108		
1535-0125	Medical cabinet mounted on the officer side rear cab wall 55(54 as required)X20X22 with a locking satin finish roll-up door, (1) adjustable shelvf and equipment rack. Includes lower area raised to accomodate rear wall heater.	\$3,108		
1535-0126	Medical cabinet mounted on the wheel well driver side of cab 32H x 21W x 24D with a interior hinged full height door with locking push-button latch; hinged inboard.	\$2,508		
1535-0127	Louvers for rear wall bench seat riser to help cabinet contents to maintain cab interior temperatures. The louvers to be in three sets of three, located low on forward wall.	\$206		
1535-0128	ALS - Side access. Includes compts on each side of cab, 16Wx20H access up high each side of interior outboard with locking glove box latches, strikers high and low on ALS doors, access plts on int panel of ALS doors, extended cab floors, smooth plate rear kick plates, one adj shelf and nylatron floor overlay. Includes pass-thru under bench seat if equipped.	\$4,085		
1535-0129	Reverse hinge driver and officer side ALS compartment door. Includes vertically mounted drip rail along forward area of compartment opening (as applicable)(in addition to the horizontal drip rail above the door opening; CIIX and TyphoonX cabs only). Doors to open approx. 110 degrees.	\$177		
1535-0130	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch; hinged outboard. Cabinet includes (2) adjustable shelves.	\$2,368		

Item #	Description	Extension	+1/-1	Total
1535-0131	Driver side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,368		
1535-0132	Officer side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,368		
1535-0133	Cab medical/storage cabinet(s) interior finish to be Zolatone gray.	\$424		
1535-0134	All roll-up medical cabinet doors selected on the cab to be Gortite brand.	\$272		
1535-0135	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door and interior hinged smoked lexan door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,431		
1535-0136	Rear cab wall medical cabinet with front and side access doors (one each side). Cabinet to be 42" high x 30" wide x 32" deep (do not notch for support bracket; customer to store backboard(s) above support channel behind cabinet; install mounting bracket above cabinet). Includes (1) locking lower horizontally hinged plate door on front located below roll-up door drums, (2) locking side roll-up doors (satin finish) and (2) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,949		
1535-0137	Medical cabinet mounted on the wheel well driver side of cab 45H x 21W x 24D with a locking roll-back (bread box) door.	\$2,945		
1535-0138	Lock box mounted in the driver side wheel well medical cabinet floor. 14X21X20 with a locking horizontally hinged door. Finish will match interior of cab.	\$694		
1535-0139	ALS interior with backboard and stokes basket storage. Includes forward wall with (2) outboard locking roll-up doors for access from int, (3) compts up high with glove box latches, strikers high and low on ALS doors, access plts on int panel of ALS doors, (2) approx 5"W x 17"H x 70"L backboard sleeves and stokes basket storage below backboard sleeves on floor.	\$11,113		
1535-0140	Medical cabinet mounted on the officer side rear cab wall 55(54 as required)X18X12 with a locking full height door hinged inboard.	\$2,718		
1535-0141	Medical cabinet mounted on the driver side rear cab wall 55(54 as required)X18X12 with a locking full height door hinged inboard.	\$2,718		
1535-0142	Wheel well medical cabinet interior door(s) to be hinged outboard.	\$0		
1535-0143	Lock box mounted on top of the rear wall medical cabinet. 14HX18WX12D with a locking horizontally hinged drop down door. Finish will match interior of cab.	\$694		
1535-0144	11"H x 18"W access opening with cargo net cover on officer side of rear wall medical medical cabinet down low	\$460		
1535-0145	ALS - Side access. Includes compts on each side of cab, strikers high and low on exterior doors, access plts on int panel of exterior doors, full height satin finish Amdor roll-up doors on interior, extended cab floor and three adj shelves.	\$5,991		
1535-0146	Upper rearward vista area cabinet. Cabinet to be between full height exterior ALS style cabinets and the same height of vista area. Includes (1) horizontally hinged lift-up door.	\$2,335		
1535-0147	Officer side cab wheel well medical/communication cabinet approximately 42x22(25 Quest)x28. Includes external half height locking pan door with Tri-Mark latch painted job color and interior full height opening with cargo netting. Cabinet includes (1) adjustable shelf.	\$3,557		
1535-0148	All medical cabinet RUD in the cab to be locking with GEM key lock	\$161		
1535-0149	Officer side cab wheel well medical cabinet approximately 42x24x28. Includes external locking pan door painted job color and raised boxed interior locking roll-up door with satin finish for a 42" opening. Cabinet includes (2) adjustable shelves. Requires vista cab roof and removal of side windows.	\$3,362		
1535-0150	Medical cabinet mounted on the wheel well officer side of cab 45H x 21W x 24D with a interior hinged full height door with locking push button latch; hinged inboard.	\$2,508		
1535-0151	Upper forward center vista area cabinet. Cabinet to be 40W x Vista Height x taper with vista deep. Includes horizontally hinged lift-up door.	\$1,064		

Item #	Description	Extension	+1/-1	Total
1535-0152	** (Use 1535-0038) Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 30" high x 38" wide x 20" deep with a locking roll up door. Includes (1) adjustable shelf.	\$3,587		
1535-0153	Medical cabinet mounted on rear wall of cab 48 x 36 x 20 with a locking roll-back (bread box) door.	\$4,614		
1535-0154	Medical cabinet mounted on the wheel well driver side of cab 45H x 21W x 24D with a interior hinged full height door with locking push button latch; hinged inboard.	\$2,508		
1535-0155	Medical cabinet mounted on the wheel well driver side of cab 45H x 21W x 24D with a locking roll-up door and (2) adjustable shelves.	\$2,945		
1535-0156	Medical cabinet rear engine cover, bolted to forward facing map box approximately 34Wx25Hx18D. To include one (1) adjustable shelf. Two (2) vertically hinged swing out doors shall allow access (to the rear), the doors shall be raised 6" up from the cabinet's base. The cabinet shall include push-button latching, (2) each door (1) top and (1) bottom.	\$1,648		
1535-0157	ALS - Side access. Includes compts on each side of cab, strikers high and low on exterior doors, access plts on int panel of exterior doors, satin finish ROM roll-up doors on interior (bottom raised to riser height), extended cab floor and three adj shelves	\$6,237		
1535-0158	Locking interior medical cabinet plate door (PR). Key type to be 1250.	\$177		
1535-0159	Medical cabinet mounted on the wheel well officer side of cab 22X21X28 with a vertically hinged door and locking push-button latch.	\$1,175		
1535-0160	ALS - Side interior cabinets. Includes full height access doors (raised for heaters if equipped) each side of interior outboard with glove box latches and three adj shelves.	\$4,085		
1535-0161	Compartment rear side of cab "under riser" type. Approx 22W x 30H opening. Includes double pan hinged door. For use with heaters below bench seat (No pass-through). Location: driver and officer side.	\$1,361		
1535-0162	Officer side cab wheel well medical cabinet approximately 42 x 24 (25 Quest) x 28. Includes external locking roll-up door and interior cargo net access. Cabinet includes (2) adjustable shelves.	\$2,430		
1535-0163	Driver side cab wheel well medical cabinet approximately 42 x 24 (25 Quest) x 28. Includes external locking roll-up door and interior cargo net access. Cabinet includes (2) adjustable shelves.	\$2,430		
1535-0164	Compartment rear side of cab. Approx 8.75"W x 25"H opening. Includes a 3/16" smooth plate doors painted job color with quarter turn D-ring latch. Cut floor in cab to accommodade the height. Location: driver side.	\$1,038		
1535-0165	Compartment rear side of cab. Approx 8.75"W x 25"H opening. Includes a 3/16" smooth plate doors painted job color with quarter turn D-ring latch. Cut floor in cab to accommodade the height. Location: officer side.	\$1,038		
1535-0166	The bottom of the medical cabinet(s) within the cab shall have stainless steel trim at the bottom. This kick plate trim shall be 4" in height from the floor and shall be trimmed as required for door opening(s) below 4".	\$475		
1535-0167	Compartment rear side of cab below floor. Approx 9W x 19.5H opening. Includes double pan hinged doors. Long cab with medium door location only. Location: driver and officer side.	\$1,089		
1535-0168	All cab exterior ALS/medical cabinet doors to have 1250 keyed locks.	\$0		
1535-0169	Medical cabinet mounted on rear wall of cab 55X38X16 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,723		
1535-0170	Cab compartment - (1) each side rear of front wheels and below the cab transverse compartment. Approx 18 wide x 10.75 tall. To have an aluminum door with D-Ring (non-locking), slam latch, hinged to the front. Door design must seal the compartment, to secure and protect medical equipment.	\$1,542		

Item #	Description	Extension	+1/-1	Total
1535-0171	Medical cab contents mounted on the wheel well of cab (cabinet approximately 31"H X 44"W). There shall be a transverse vertical divider approximately 8" rearward of forward wall, used to store a stokes basket. A second vertical divider approximately 10" rearward of the first divider (approximately 18" from forward wall) shall provide transverse storage. A horizontal divider shall be placed between the 1st and 2nd vertical partitions, it shall be placed approximately 10" up from the floor to provide approximately a 10" X 10" transverse storage area for the tripod. Above the tripod storage 2 backboards shall be stored with a vertical divider to separate them in 2 transverse storage areas approximately 5" X 21" each (directly above the tripod storage area.. Rearward of the stokes, tripod and backboard transverse storage area the remaining compartment shall be shall be 1/2 transverse depth (or divided left and right). This rearward most area shall not be transverse.	\$1,702		
1535-0172	Rear cab wall medical cabinet to be 50" high x 38" wide x 24" deep. Includes (1) forward facing locking roll-up door (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0173	ALS - Side access. Includes compartments on each side of cab, strikers high and low on exterior doors. Includes access plates on interior panel of exterior doors, satin finish ROM roll-up doors on interior (bottom raised to riser height), extended cab floor and three adjustable shelves. Cabinet includes transverse riser with backboard storage. The interior riser jets/protrudes forward between side wall ALS cabinets to allow heaters (if so equipped) not interfere or impede upon transverse storage/ pass-thru of backboards and other equipment stored under the riser in the transverse storage area.	\$6,701		
1535-0174	ALS door locks - electric. Electric lock for hinged ALS doors. Wire to same electric lock system as other cab doors.	\$1,098		
1535-0175	Medical cabinet mounted on rear wall of cab 49 x 40 x 25.5. Side access lower section with cargo net and notch upper forward access with discrete compartment. Includes drop down door.	\$4,004		
1535-0176	Medical cabinet mounted on rear wall of cab approximately 48 x 38 x 20 with locking roll up door. Lower door opening raised to provide hand clearance. Required with rear outboard fold down seat(s).	\$4,614		
1535-0177	Compartment rear side of cab "under riser" type. Approx 9W x 30H opening. Includes double pan hinged door and pass through to bench if equipped. Long cab with medium door location only. Location: driver and officer side.	\$1,089		
1535-0178	Compartment rear side of cab below floor. Approx 22W x 19.5H opening. Includes double pan hinged door. Location: driver and officer side.	\$1,361		
1535-0180	Cab medical/storage cabinet(s) finish to be Zolatone "Dark Red" 20-78. Exterior of bolt-in cabinets; interior and exterior of weld-in cabinets.	\$0		
1535-0181	Upper rearward center vista area cabinet. Cabinet to be 48W x Vista Height x 12D. Includes horizontally hinged lift-up door.	\$1,064		
1535-0182	Officer side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking roll-up door and interior cargo net access. Cabinet includes (2) adjustable shelves.	\$2,430		
1535-0183	Driver side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking roll-up door and interior cargo net access. Cabinet includes (2) adjustable shelves.	\$2,430		
1535-0184	Medical cabinet mounted on rear wall of cab 55 x 38 x 20 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,924		
1535-0185	Two (2) compartments rear side of cab below floor (1) driver and (1) officer. Approx 22W x 19.5H opening. Each includes a double pan hinged door with a Tri-Mark latch.	\$3,081		
1535-0186	Medical cabinet mounted on rear wall of cab 48 x 40 x 17 with locking roll up door. Lower door opening raised to provide hand clearance.	\$4,614		
1535-0187	Driver side cab wheel well medical cabinet approximately 42 x 24 (25 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,368		
1535-0188	Officer side cab wheel well medical cabinet approximately 42 x 24 (25 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,368		

Item #	Description	Extension	+1/-1	Total
1535-0189	All cab exterior ALS doors to have CH751 keyed locks.	\$0		
1535-0190	All shelves within the medical cabinet(s) shall have the a full perimeter lip IPOS.	\$73		
1535-0191	All exterior access RUD for medical cabinets to be painted [#COL].	\$295		
1535-0192	The interior medical cabinet shall include stainless steel trim on the vertical corner of the cabinet where the hinge is attached. The trim shall run full height of the cabinet on this corner. The trim shall be 1" x 1" to protect and dress off this single corner's edge.	\$240		
1535-0193	Medical cabinet mounted on the wheel well officer side of cab 15.5X24X21 with rear facing cargo netting.	\$1,175		
1535-0194	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch.	\$2,122		
1535-0195	Officer side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door and interior hinged door with locking push-button latch.	\$2,122		
1535-0196	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 27" high x 38" wide x 20" deep with a locking roll up door. Includes (1) adjustable shelf and forward facing drop down door.	\$3,770		
1535-0197	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external lift-up pan door with locking Tri-Mark latch painted job color, pull strap for door and interior full height opening with cargo net cover. Cabinet includes (2) adjustable shelves.	\$3,619		
1535-0198	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external lift-up pan door with locking Tri-Mark latch painted job color, pull strap for door and interior full height opening with cargo net cover. Cabinet includes (2) adjustable shelves.	\$3,619		
1535-0199	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior cargo net.	\$3,028		
1535-0200	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior cargo net.	\$3,028		
1535-0201	Offset center rear wall medical cabinet 4" to driver side.	\$0		
1535-0202	Cab medical/storage cabinet(s) finish to be Zolatone gray. Includes interior/exterior of cabinet and shelves/trays if equipped.	\$0		
1535-0203	Cab medical/storage cabinet(s) finish to be Zolatone black. Includes interior/exterior of cabinet and shelves/trays if equipped.	\$0		
1535-0204	Cab medical/storage cabinet(s) finish to be Zolatone "Dark Red" 20-78. Includes interior/exterior of cabinet and shelves/trays if equipped.	\$0		
1535-0205	Medical cabinet centered on the rear wall of the cab to be 74" wide X 62" tall. The center section on the cabinet will be 22" deep X 25" wide. At the outside edges of the 25" wide section of the cabinet will angle back until it is 10" deep at the outer most point on both sides. The cabinet is to be split into 3 separate sections with each section having (2) adjustable shelves and a locking ROM roll-up doors. Lower door opening raised to provide hand clearance.	\$8,367		
1535-0206	Additional medical cabinet shelf. Location: (2) driver and (2) officer side medical cabinets.	\$172		
1535-0207	Driver side cab medical cabinet approximately 52Hx48Wx24D. Located rearward of driver side whell well medical cabinet. Includes external hinged double doors with locking d-ring handle and interior cargo netting. Cabinet includes (2) adjustable shelves.	\$5,633		
1535-0208	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color.	\$2,528		
1535-0209	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) horizontally hinged Lexan lift-up doors. Outboard compartments to be approx. 12" wide.	\$3,717		
1535-0210	Officer side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door, no interior access. Cabinet includes (2) adjustable shelves.	\$2,292		

Item #	Description	Extension	+1/-1	Total
1535-0211	Medical cabinet mounted on the wheel well driver side of cab 42H x 21W x 24D with a locking roll-up door. For use with LTA cabs.	\$2,945		
1535-0212	Medical cabinet mounted on the officer side rear cab wall full height (as applicable)X 18W X 12D with a locking roll up door. For use with vista cabs only. Lower door opening raised to provide hand clearance.	\$3,093		
1535-0213	Medical cabinet mounted on the driver side rear cab wall full height (as applicable)X 18W X 12D with a locking roll up door. For use with vista cabs only. Lower door opening raised to provide hand clearance.	\$3,093		
1535-0214	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking roll-up door (no interior door).	\$2,106		
1535-0215	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 50" high x 38" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (2) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,538		
1535-0216	Filler panel above medical cabinet, (3) sided with finish to match other medical cabinet(s). This panel shall dress off the gap between the top of the cabinet and the ceiling.	\$293		
1535-0217	Officer side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking roll-up door, no interior access. Cabinet includes (2) adjustable shelves.	\$2,368		
1535-0218	Driver side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking roll-up door, no interior access. Cabinet includes (2) adjustable shelves.	\$2,368		
1535-0219	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door with locking Tri-Mark latch painted job color and interior locking roll-up door with satin finish. Cabinet includes (2) adjustable shelves.	\$3,117		
1535-0220	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door with locking Tri-Mark latch painted job color and interior locking roll-up door with satin finish. Cabinet includes (2) adjustable shelves.	\$3,117		
1535-0221	Rear cab wall medical cabinet with side access on each side using black cargo netting. Cabinet to be 45" wide X 16" deep X full height (as applicable). Includes cabinet front access door using a smooth plate vertically hinged double door with thumb latches and (3) adjustable shelves. The cabinet will not be notched around rear wall channel.	\$3,492		
1535-0222	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color. Cabinet includes (2) adjustable shelves.	\$2,841		
1535-0223	Officer side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color. Cabinet includes (2) adjustable shelves.	\$2,841		
1535-0224	Lock box mounted in the driver side wheel well medical cabinet floor. 8X21X20 with a locking horizontally hinged door. Finish will match interior of cab.	\$694		
1535-0225	Special medical cabinet on rear wall. Includes lower side access only with (2) adjustable shelves with 1" lips all the way around, upper front area with drop down door (approx. 12H x 35W opening) with (2) non-locking push buttons and louvers for compartment, lower sides open with cargo nets attached with clips in lieu of snaps.	\$3,663		
1535-0226	Rear cab wall medical cabinet with side access. Cabinet to be 32" high x 32" wide x 24" deep. Includes (2) black cargo nets and (1) adjustable shelf.	\$2,554		
1535-0227	Additional medical cabinet shelf. Location: rear wall medical cabinet.	\$172		
1535-0228	ALS side access with full height exterior doors. Includes strikers high and low on ALS doors, access plts on int panel of ALS doors, (2) horizontal backboard sleeves approx 12" above floor accessed from officer side, (2) stair chair sleeves above backboards accessed from officer side and (2) stokes buckets sleeves above stair chairs accessed from both sides.	\$9,983		
1535-0229	Medical cabinet mounted on rear wall of cab 55 x 40 x 15 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,745		



Item #	Description	Extension	+1/-1	Total
1535-0230	Lock box in rear wall medical cabinet; floor mounted. 12H X FW X 12D with a locking horizontally hinged drop down door. Finish will match interior of cab.	\$694		
1535-0231	Notch upper rear top of center rear wall medical cabinet for dealer installed equipment. Notch to be 6"H x 6"D x FW.	\$529		
1535-0232	Reverse hinge driver and officer side exterior medical cabinet compartment door. Includes vertically mounted drip rail along forward area of compartment opening (as applicable) (in addition to the horizontal drip rail above the door opening).	\$177		
1535-0233	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) horizontally hinged lift-up doors. Outboard compartments to be approx. 12" wide. Driver side compartment to include locking latch and partition wall.	\$3,595		
1535-0234	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color. No shelves provided.	\$2,528		
1535-0235	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) equally spaced compartments with driver and center cargo netting and officer lift-up door.	\$3,479		
1535-0236	Compartment rear side of cab "under riser" type. Approx 9W x 30H opening. Includes single pan hinged door with 1/4 turn d-ring handles. Long cab with medium door location only. Location: driver and officer side.	\$1,089		
1535-0237	Driver side cab wheel well medical cabinet approximately 28x22(25 Quest)x28. Includes external locking pan door painted job color. No shelves provided.	\$2,528		
1535-0238	Special medical cabinet on rear wall. Includes lower side access only with (2) adjustable shelves with 1" lips all the way around, (1) fixed shelf with 1" lips all the way around, upper front area with drop down door with (2) non-locking push buttons, lower sides open with cargo nets attached with clips in lieu of snaps, upper side officer with vertically hinged door with non-locking push button latch.	\$9,347		
1535-0239	ALS side transverse access. Includes strikers high and low on ALS doors, access plts on int panel of ALS doors, (2) equally spaced vertical partitions up high for backboard sleeves/shovel/misc, (1) floor mounted SlideMaster bi-directional tray and (1) transverse adjustable shelf between tray and upper storage. Includes extended floor(s).	\$5,912		
1535-0240	Medical cabinet mounted on rear wall of cab full height (as applicable)X40X20 with locking roll up door. Lower door opening raised to provide hand clearance.	\$4,989		
1535-0241	Upper forward center vista area cabinet. Cabinet to be 40W x Vista Height x 12D at lower area (depth will taper with vista). Includes cargo netting ipo lift-up door.	\$1,180		
1535-0242	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Tri-Mark latch. Cabinet includes (1) adjustable shelf.	\$2,813		
1535-0243	Officer side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Tri-Mark latch. Cabinet includes (1) adjustable shelf.	\$2,813		
1535-0244	Compartment rear side of cab below floor. Approx 9W x 19.5H opening. Includes single pan hinged door with 1/4 turn d-ring handles. Long cab with medium door location only. Location: driver and officer side.	\$1,089		
1535-0245	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) equally spaced compartments with horizontally hinged lift-up doors, compartment dividers and center locking door latch.	\$3,711		
1535-0246	Medical cabinet. Locate center on rear wall (20" wide x 24" deep x 52" high) with a locking roll-up door. Includes (3) adjustable shelves.	\$3,229		
1535-0247	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 22" H x 45" W x 20" D. Cabinet to be open rear with 1" lower lip and a cargo net style cover over rear opening. Includes (1) adjustable shelf.	\$1,401		
1535-0248	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 20.75" H x 45" W x 22" D. Cabinet to have a 2" lip around top, open rear with 1" lower lip, cargo net style cover over rear opening and (1) adj shelf. Interior to be DA finish.	\$1,633		

Item #	Description	Extension	+1/-1	Total
1535-0249	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 32" high x 45" wide x 18" deep with sliding Lexan doors. Includes (1) adjustable shelf.	\$3,547		
1535-0250	Officer side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Trimark exterior latch, dual nader pins and interior hinged full height door with locking push-button latch.	\$3,445		
1535-0251	Reverse hinge driver and officer side ALS compartment door. Doors to open approx. 110 degrees. For use with flush doors on QST2.	\$326		
1535-0252	ALS doors on cab to have external D-Ring latch with strikers top and bottom. (QST2 Only)	\$777		
1535-0253	ALS transverse interior with side access. Includes extended floors, (2) adj roll-out tilt down alum SlideMaster trays (one ea side high), (2) adj roll-out alum SlideMaster trays (middle area) and (2) floor mounted alum SlideMaster trays. All trays to meet in the center of the compartment.	\$8,032		
1535-0254	Rubber floor matting on interior of all medical cabinet floors.	\$233		
1535-0255	Compartment rear side of cab "under riser" type. Approx 9W x 30H opening. Includes double pan hinged door. Long cab with medium door location only. Location: driver side.	\$1,089		
1535-0256	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior cargo net. Cabinet includes (2) adjustable shelves.	\$3,210		
1535-0257	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior cargo net. Cabinet includes (2) adjustable shelves.	\$3,210		
1535-0258	Medical cabinet mounted on rear wall of cab 63X40X20 with a front locking roll up door, sides open with cargo nets attached with clips in lieu of snaps and (2) adjustable shelves with 1" lips all the way around. Lower door opening raised 12" to provide area for rear heaters. Includes lower ventilation, front access and removable sub-floor for additional access.	\$4,481		
1535-0259	Officer side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color. Cabinet includes (1) adjustable roll-out tool board	\$3,856		
1535-0260	Driver side cab wheel well medical cabinet approximately 42 x 22 (25 Quest) x 28. Includes external locking pan door painted job color. Cabinet includes (1) adjustable roll-out tool board	\$3,856		
1535-0261	Upper forward vista area cabinet. Cabinet to be full width and height of vista area by approx 20" deep (at the bottom) located forward of rear cab doors. Includes (2) equally spaced compartments with horizontally hinged lift-up doors, compartment divider and padding along lower rear edge. Cabinet shall match cab interior.	\$3,711		
1535-0262	Cab medical/storage cabinet(s) exterior finish to be Zolatone grey. Interior to be Zolatone white; includes shelves/trays if equipped.	\$0		
1535-0263	ALS - Side access. Includes compts on each side of cab with exterior locking roll-up doors, extended cab floor and three adj shelves in each cabinet.	\$5,991		
1535-0264	ALS - Side access. Includes compts on each side of cab, strikers high and low on exterior doors, access plts on int panel of exterior doors, satin finish ROM roll-up doors on interior, extended cab floor and three adj shelves. Includes pass-thru under bench seat (if equipped).	\$6,237		
1535-0265	Medical cabinet mounted on rear wall of cab 55X44X20 with angled corners and locking roll up door. Lower door opening raised to provide hand clearance.	\$4,614		
1535-0266	Compartment rear side of cab. Approx 22W x 60H opening. Includes double pan hinged door, (3) adjustable upper shelves and (2) 8" diameter tubes recessed 4" in the floor (driver side only). Location: driver and officer side.	\$2,910		
1535-0267	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) equally spaced compartments with driver/officer lift-up doors and center cargo netting.	\$3,479		

Item #	Description	Extension	+1/-1	Total
1535-0268	Officer side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Trimark exterior latch, dual nader pins and interior hinged full height door hinged outboard with locking push-button latch.	\$3,445		
1535-0269	Medical cabinet mounted on rear wall of cab 48 x 40 x 12 with locking roll up door. Lower door opening raised to provide hand clearance.	\$4,614		
1535-0270	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28 divided into (2) areas. Includes half height external locking pan door painted job color and upper interior cargo net. Cabinet includes exterior access only for lower and interior access only for upper.	\$3,210		
1535-0271	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28 divided into (2) areas. Includes half height external locking pan door painted job color and upper interior cargo net. Cabinet includes exterior access only for lower and interior access only for upper.	\$3,210		
1535-0272	Medical cabinet mounted on rear wall of cab 50X36X14 with non-locking roll up door. Cabinet mounted at minimum 18" above floor with 3x3 forward post mounts. Vista cabs only.	\$4,522		
1535-0273	Compartment dividers with rubber floor matting on interior of vista cabinet floor.	\$291		
1535-0275	Medical cabinet mounted on rear wall of cab 55 (54 as required) x 30 x 20 with a locking roll up door. Lower door opening raised approx. 12" to provide space for rear wall heaters and notch for transverse riser. Includes louvers and false floor.	\$4,427		
1535-0276	Medical cabinet mounted on rear wall of cab 40.5X36X16 with non-locking roll up door. Cabinet mounted at approx. 16" above floor with 3x3 forward post mounts. Includes (2) adjustable shelves.	\$4,522		
1535-0277	TBD	\$0		
1535-0278	ALS - Side access. Includes compts on each side of cab, strikers high and low on ALS doors, access plts on int panel of ALS doors with Tri-Mark latches, extended cab floors, smooth plate rear kick plates and two adj shelves. Includes pass-thru under bench seat if equipped.	\$4,421		
1535-0279	Officer side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Trimark exterior latch and dual nader pins. No interior access.	\$3,445		
1535-0280	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 26" H x 34" W x 14" D. Cabinet to be open rear with a sweep out floor and a cargo net style cover over rear opening. Includes (1) adjustable shelf.	\$1,401		
1535-0281	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (2) equally spaced compartments with horizontally hinged lift-up doors and compartment divider.	\$3,711		
1535-0282	Rear cab wall medical cabinet with side access. Cabinet to be 50" high x 38" wide x 24" deep. Includes (2) black cargo nets and (3) adjustable shelves.	\$3,077		
1535-0283	ALS - Side access. Includes compartments on each side of cab, strikers high and low on exterior doors. Includes access plates on interior panel of exterior doors, satin finish ROM roll-up doors with 23" wide opening on interior (bottom raised to riser height), extended cab floor and three adjustable shelves. Cabinet Includes transverse riser with backboard storage. The interior riser jets/protrudes forward between side wall ALS cabinets to allow heaters (if so equipped) not interfere or impede upon transverse storage/ pass-thru of backboards and other equipment stored under the riser in the transverse storage area.	\$6,701		
1535-0284	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 32" high x 38" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (1) adjustable shelf, front bolt-on access panel and 1"X1" angle on perimeter of top. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0285	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Outboard officer side compartment to be approx. 12" wide; driver and center equally sized. Includes cargo netting over each opening.	\$3,479		

Item #	Description	Extension	+1/-1	Total
1535-0286	Special medical cabinet on rear wall 64x40x20. Includes lower side access only with (2) adjustable shelves with 1" lips all the way around, (1) fixed shelf with 1" lips all the way around, upper full depth front area with drop down door with (2) non-locking push buttons, lower sides open with cargo nets attached with clips in lieu of snaps.	\$8,986		
1535-0287	Driver side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking pan door painted job color and interior hinged full height door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,953		
1535-0288	Officer side cab wheel well medical cabinet approximately 42 x 24 (27 Quest) x 28. Includes external locking pan door painted job color and interior hinged full height door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,953		
1535-0289	Driver side cab wheel well medical cabinet approximately 32 x 22 (25 Quest) x 28. Includes external locking pan door painted job color. Cabinet includes (1) adjustable shelf.	\$2,841		
1535-0290	Officer side cab wheel well medical cabinet approximately 32 x 22 (25 Quest) x 28. Includes external locking pan door painted job color. Cabinet includes (1) adjustable shelf.	\$2,841		
1535-0291	Medical cabinet mounted on the wheel well officer side of cab 45H x 21W x 24D with a interior full height opening with cargo net restraint.	\$2,508		
1535-0292	Medical cabinet mounted on rear wall of cab 55 x 40 x 20 with a locking roll up door. Lower door opening raised 12" to provide area for rear heaters. Includes lower ventilation, front access and removable sub-floor for additional access.	\$3,924		
1535-0294	Compartment, " L " shape, rear side of cab "under riser" type. Compartment shall be L- shaped to maximize compartment space below the cab floor and around the cab latching hardware. Option requires the cab floor to be extended toward door opening. Below the cab floor the forward portion of the compartment shall be 14" deep and the aft portion shall be 22" deep. The door opening approx 22"W x 30"H. Includes: double pan hinged door, White poly scuff pad added to the upper area of door pan for tray scuff protection. Location: driver and officer side.	\$2,435		
1535-0295	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) horizontally hinged lift-up doors with non locking thumb action lever type latch's & moon spring hold open device. Outboard compartments to be approx. 20" wide. Center compartment to be hinged at roof line and approx 10 " tall. Below the center compartment a shelf shall be provided that spans between the outboard compartments. Cargo net with 1" web and 1" spacing shall be provided for the shelf area at the front of the opening permanently mounted along the ceiling and offer secured access with small plastic / composite buckles along the bottom. Below the outboard compartment a head bump pad shall be provided. Cargo net color: Black. Finish: Shall be consistent with the cab interior.	\$4,310		
1535-0296	A "T" shaped medical cabinet shall be provided for max available space and accommodate outboard seating X 22" deep. The lower space shall provide transverse storage for each cab side access door. The center area shall be closed off from the transverse space below and include a non-locking roll up door with (4) adjustable shelves. The upper portion shall include (2) compartments 22" deep. The compartment shall have an inside dimension of 32" wide x 16" tall. Inside provide a centered vertical divider with (2) mouse hole notches at top & bottom to pass USB cable from charging ports and a shelf located to the outboard side of the divider. The access doors shall be horizontally hinged lift-up doors with non-locking thumb action lever type latches and moon spring hold open device. Below the outboard compartments a head bump pad shall be provided. Finish: Shall be consistent with cab interior. Additional EON lights to be provided as applicable to illuminate all areas.	\$7,785		
1535-0297	Polished stainless steel trim on bottom and vertical edge of riser height or below floor exterior cab compartment(s).	\$175		
1535-0298	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 30" high x 38" wide x 20" deep with a non-locking roll up door. Includes (1) adjustable shelf.	\$3,663		
1535-0299	Medical cabinet mounted on the wheel well driver side of cab 26H x 21W x 24D with an interior hinged full height door with locking d-ring.	\$2,454		

Item #	Description	Extension	+1/-1	Total
1535-0300	Medical cabinet mounted on the wheel well officer side of cab 26H x 21W x 24D with an interior hinged full height door with locking d-ring.	\$2,454		
1535-0302	Medical cabinet mounted on the wheel well officer side of cab 32H x 21W x 24D with a interior full height opening and cargo net restraint.	\$2,508		
1535-0303	Medical cabinet mounted on rear wall of cab 48 x 40 x 20 with locking roll up door. Includes (2) adjustable shelves and a floor mounted roll-out tray. Lower door opening raised to provide hand clearance.	\$5,387		
1535-0304	Special medical cabinet on rear wall. Includes lower side access only with (2) adjustable shelves with 1" lips all the way around, upper front area with drop down door (approx. 12H x 35W opening) with (2) locking push buttons and louvers for compartment, lower sides open with cargo nets (1" square openings) attached with clips in lieu of snaps.	\$3,663		
1535-0305	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 30" high x 38" wide x 20" deep with single pan locking double doors. Includes (2) adjustable shelves.	\$3,520		
1535-0306	Cab medical/storage cabinet(s) behind rear crew cab doors interior finish to be Zolatone gray. Includes cabinet, door(s) and shelves/trays if equipped.	\$0		
1535-0307	Compartment rear side of cab (PR) without door for pump can storage. Compts to be approx 10.5" W x 30.5" H x 14" D. For use on 67.5" CII cab with med doors.	\$3,699		
1535-0308	Cab medical/storage cabinet(s) finish to be Scorpion black. Includes interior/exterior of cabinet and shelves/trays if equipped.	\$184		
1535-0309	Cabinet mounted on rear wall of cab 48 x 32 x 24 with a non-locking roll up door. Lower door opening raised 12"-14" to provide area for rear auxiliary component(s). Includes lower ventilation, front access and removable sub-floor for additional access.	\$4,908		
1535-0310	The compartments to the rear sides of the cab are to be designed with a pass through that extends fully from the driver side compartment to the officer side compartment. To be used when equipped with a bench seat riser or a common riser used with multiple individual seats. Not available with outboard SCBA fold down jump seats. This option will reduce the height of the rear wall medical cabinets if equipped.	\$0		
1535-0311	Officer side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color and interior cargo net.	\$2,916		
1535-0312	Driver side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color and interior cargo net.	\$2,916		
1535-0313	All roll-up medical cabinet doors selected on the cab to be Hansen brand.	\$312		
1535-0314	Cabinet mounted on the officer side rear cab wall 55(54 as required)X18X12 with a non-locking roll up door. Lower door opening raised to provide hand clearance.	\$2,968		
1535-0315	Cabinet mounted on the driver side rear cab wall 55(54 as required)X18X12 with a non-locking roll up door. Lower door opening raised to provide hand clearance.	\$2,968		
1535-0316	LINE-X package: Bolt On Cab medical/storage cabinet(s) finish shall have LINE-X coating. Includes interior/exterior of cabinet and shelves/trays if equipped. Cabinets welded to the cab shall have the same finish as cab interior.	\$581		
1535-0317	Medical cabinet mounted on the wheel well officer side of cab 42H x 21W x 24D with a locking roll-up door.	\$2,945		
1535-0318	Driver side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Tri-Mark latch. Cabinet includes (1) adjustable shelf.	\$2,813		
1535-0319	Driver side cab wheel well medical cabinet approximately 30 x 24 (27 Quest) x 28. Includes external locking pan door painted job color. No interior access.	\$2,916		
1535-0320	Officer side cab wheel well medical cabinet approximately 30 x 24 (27 Quest) x 28. Includes external locking pan door painted job color. No interior access.	\$2,813		
1535-0321	Reflective [#COL] 3M Diamond Grade striping positioned in the "A" formation located on the medical cabinet pan door panels.	\$354		

Item #	Description	Extension	+1/-1	Total
1535-0322	Interior medical cabinet. Locate to rear of engine cover facing aft. Cabinet to be 26" high x 34" wide x 14" deep. Includes: vertical single pan double doors, locking push button lever type latches & (1) adjustable shelf.	\$3,520		
1535-0323	Medical cabinet mounted on rear wall of cab 52X35X16 with a locking upper and lower drop down doors. Upper door opening approx. 13" tall with side ventilation. Lower opening to include (2) adjustable shelves.	\$3,723		
1535-0324	Cabinet mounted on rear wall of cab 48 x 32 x 24 with a locking roll up door. Lower door opening raised 12"-14" to provide area for rear auxiliary component(s). Includes lower ventilation, front access and removable sub-floor for additional access.	\$4,908		
1535-0326	[#COL] Reflexite V98 striping positioned in the "A" formation located on the cab medical cabinet door panels	\$286		
1535-0327	Upper rearward split vista cabinet (PR). Cabinets to be full height and width of split vista rearward of rear cab doors. Includes (1) horizontally hinged lift-up door on each cabinet.	\$2,335		
1535-0328	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color. No shelves provided; tracks only.	\$2,644		
1535-0329	Medical cabinet mounted on the wheel well officer side of cab 45H x 21W x 18D(approx) with a locking roll-up door.	\$2,945		
1535-0330	Medical cabinet mounted on the wheel well driver side of cab 45H x 21W x 18D(approx) with a locking roll-up door.	\$2,945		
1535-0331	Medical cabinet mounted on officer side inboard of rear wall cab 52X20X20 with a locking roll up door facing officer side. Lower door opening raised to provide hand clearance.	\$3,723		
1535-0332	Compartment rear side of cab. Approx 9W x 42H opening. Includes single pan hinged doors. Long cab with medium door location only. Location: driver and officer side.	\$1,455		
1535-0333	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes (3) horizontally hinged lift-up doors. Outboard compartments to be approx. 12" wide. Officer side compartment to include locking latch and partition wall.	\$3,595		
1535-0334	LINE-X package: Cabinet(s) behind the rear cab door (non transverse) shall have LINE-X coating. Includes interior/exterior of cabinet and shelves/trays if equipped.	\$581		
1535-0335	Cabinet mounted on rear wall of cab 48 x 32 x 20 with a locking roll up door. Lower door opening raised 12"-14" to provide area for rear auxiliary component(s). Includes lower ventilation, front access and removable sub-floor for additional access.	\$4,908		
1535-0336	Medical cabinet mounted on the wheel well officer side of cab 36H x 21W x 24D with a interior full height opening with cargo net restraint.	\$2,508		
1535-0337	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 20.75" H x 45" W x 22" D. Cabinet to have a 2" lip around top, open rear with 1" lower lip, cargo net style cover over rear opening and (1) adj shelf.	\$1,633		
1535-0338	Upper forward vista area cabinet. Cabinet to be full width and height of vista area by approx 20" deep (at the bottom) located forward of rear cab doors. Includes (2) equally spaced compartments with cargo netting, compartment divider and padding along lower rear edge. Cabinet shall match cab interior.	\$3,711		
1535-0339	Cabinet mounted on rear wall of cab 52 x 32 x 24 with a locking roll up door. Lower door opening raised 12"-14" to provide area for rear auxiliary component(s). Includes lower ventilation, front access and removable sub-floor for additional access.	\$5,125		
1535-0340	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 50" high x 32" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0341	Cabinet mounted on the wheel well driver side of cab 26H x 21W x 24D with an interior full height cargo net cover.	\$2,454		
1535-0342	Cabinet mounted on the wheel well officer side of cab 26H x 21W x 24D with an interior full height cargo net cover.	\$2,454		
1535-0343	Compartment rear side of cab. Approx 9W x full height opening. Includes single pan hinged door with dual d-rings. Long cab with medium door location only. Location: driver and officer side.	\$2,046		

Item #	Description	Extension	+1/-1	Total
1535-0344	Medical cabinet mounted on the wheel well driver side of cab 45H x 21W x 24D with a interior full height opening with cargo net restraint.	\$2,508		
1535-0345	Officer side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door with Tri-Mark exterior latch painted job color and interior cargo net.	\$2,916		
1535-0346	Driver side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door with Tri-Mark exterior latch painted job color and interior cargo net.	\$2,916		
1535-0347	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color.	\$2,919		
1535-0348	Medical cabinet mounted on rear wall of cab 50" x 36" x 24" with a locking roll up door. Lower door opening raised approx. 12" - 14" to provide area for component installation. Includes lower ventilation and removable sub-floor for additional access.	\$3,723		
1535-0349	Upper rearward vista area cabinet. Cabinet to be full width and height of vista area rearward of rear cab doors. Includes (2) horizontally hinged lift-up doors.	\$3,479		
1535-0350	Medical cabinet mounted on rear wall of cab full height x 38 x 24 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$4,908		
1535-0351	Medical cabinet mounted on the wheel well officer side of cab 45H x 21W x 24D with a interior full height opening, cargo net restraint and no shelves.	\$2,291		
1535-0352	Medical cabinet mounted on the wheel well driver side of cab 26H x 21W x 24D with interior cargo netting and (2) adj shelves.	\$2,617		
1535-0353	Rear cab wall storage cabinet with side access doors (one each side). Cabinet to be 50" high x 32" wide x 24" deep. Includes (2) roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,574		
1535-0354	Non-standard cargo net restraints. Restraints to be [#LOC].	\$291		
1535-0355	Medical cabinet mounted on the officer side rear cab wall 55(54 as required)X20X22 with a locking satin finish roll-up door and (3) adjustable shelves. Includes lower area raised to accomodate rear wall heater.	\$3,108		
1535-0356	Medical cabinet mounted on rear wall of cab 40 x 36 x 18 with locking roll up door. Lower door opening raised to provide hand clearance.	\$4,614		
1535-0357	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 30" high x 38" wide x 20" deep with a locking roll up door. Includes forward facing drop down door.	\$3,661		
1535-0358	Compartment rear side of cab. Approx 22W x 36H opening. Includes double pan hinged door. Location: driver and officer side.	\$2,456		
1535-0359	Compartment rear side of cab contents. Transverse portion under rear cab riser shall include the following storage solution accessible from both side cab compartment doors: rearward shall be four (4) tubes for storage of broom handles. The open remaining area in the transverse forward of the handle tubes on both sides shall feature a vertical formed sanded finish aluminum .125 partition that will create a storage cubby 30in. deep from the edge of the cab inner sub-floor inboard into transverse accessible from either side cab compartment door.	\$820		
1535-0360	ALS - Side access. Includes compts on each side of cab, strikers high and low on ALS doors, access plts on int panel of ALS doors, extended cab floors, smooth plate rear kick plates, one adj shelf and nylatron floor overlay. Includes pass-thru under bench seat if equipped.	\$4,085		
1535-0361	Medical cabinet mounted on rear wall of cab full height x 38 x 26 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$4,908		
1535-0362	ALS - Side access. Includes compts on each side of cab, strikers high and low on exterior doors, access plts on int panel of exterior doors, satin finish ROM roll-up doors on interior and three adj shelves. Includes pass-thru under bench seat (if equipped).	\$6,237		

Item #	Description	Extension	+1/-1	Total
1535-0363	Cargo net for inside compartment. Net to permanently fasten on rearward wall just inside the exterior door opening and fasten with buckle straps on forward wall just inside the exterior door opening. Cargo netting will be approximately 2" x 2" squares. Location: wheel well medical cabinet.	\$940		
1535-0364	ALS - Side access. Includes compts on each side of cab with full height doors, strikers high and low on ALS doors, access plts on int panel of ALS doors with Tri-Mark D-Paddle latches, extended cab floors, smooth plate rear kick plates and two adj shelves. Includes pass-thru under bench seat if equipped.	\$4,964		
1535-0365	Driver side cab wheel well medical cabinet approximately 42 x 24 (25 Quest) x 26. Includes external locking roll-up door and interior cargo net access. Cabinet includes (2) adjustable shelves. Note: Special cabinet 2" shorter front to rear (rear wall moved forward).	\$2,430		
1535-0366	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 56" high x 38" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,691		
1535-0367	Louvers for vista medical cabinet. Locate louvers on lift-up doors.	\$401		
1535-0368	All interior access RUD for medical cabinets to be painted job color.	\$295		
1535-0369	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 56" high x 38" wide x 29" deep. Includes (2) locking roll-up doors (satin finish) and (2) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,691		
1535-0370	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior cargo net. Cabinet includes (2) adjustable shelves with 3x3 tapered interior corner.	\$3,210		
1535-0371	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color and interior cargo net. Cabinet includes (2) adjustable shelves with 3x3 tapered interior corner.	\$3,210		
1535-0372	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be 54" high x 38" wide x 29" deep. Includes (2) locking roll-up doors (satin finish) and (2) adjustable shelves. Lower door openings raised to provide hand clearance.	\$3,691		
1535-0373	Cabinet mounted on rear wall of cab 55 x 40 x 20 with cargo net on forward opening. Includes clip restraints.	\$3,924		
1535-0374	Driver side cab wheel well medical cabinet approximately 26 x 24 (27 Quest) x 28. Includes external locking pan door painted job color and interior cargo net.	\$3,133		
1535-0375	Officer side cab wheel well medical cabinet approximately 42x24(27 Quest)x28. Includes external locking pan door painted job color and interior cargo net. Cabinet includes (1) adjustable shelf.	\$3,428		
1535-0376	Medical cabinet mounted on rear wall of cab 62 x 38 x 20 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,924		
1535-0377	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 21" H x 45" W x 22" D. Cabinet to include a permanent shelf 4" from top, side to side divider on shelf centered, forward facing drop down door at shelf level and cargo net style cover over rear opening. Interior to be DA finish.	\$2,177		
1535-0378	Medical cabinet mounted on the driver side rear cab wall FHX20X22 with a locking satin finish roll-up door and (3) adjustable shelves. Includes lower area raised to accomodate rear wall heater.	\$3,249		
1535-0379	Medical cabinet mounted on the officer side rear cab wall FHX20X22 with a locking satin finish roll-up door and (3) adjustable shelves. Includes lower area raised to accomodate rear wall heater.	\$3,249		
1535-0380	Driver side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door painted job color(s) with black locking Tri-Mark latch and interior full height opening with cargo net cover. Cabinet includes (2) adjustable shelves.	\$3,210		
1535-0381	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external pan door painted job color(s) with black locking Tri-Mark latch and interior full height opening with cargo net cover. Cabinet includes (2) adjustable shelves.	\$3,210		



Item #	Description	Extension	+1/-1	Total
1535-0382	Cabinet, rear cab wall medical cabinet with front and side access doors (one each side). Cabinet to be full height x 32" wide x 24" deep (do not notch for support bracket; customer to store backboard(s) above support channel behind cabinet). Includes (1) locking lower horizontally hinged plate door on front located below roll-up door drums, (2) locking side roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance. Interior of roll-up door storage areas to have cabinet floor raised 1/4" above floor mounted roll up door frame/sill to accommodate smooth & non-obstructed loading.	\$5,391		
1535-0383	Officer side cab wheel well medical cabinet approximately 26 x 24 (27 Quest) x 28. Includes external locking pan door painted job color and interior cargo net.	\$3,133		
1535-0384	Medical cabinet mounted on the wheel well officer side of cab 39H x 21W x 24D with a interior full height opening with cargo net restraint.	\$2,508		
1535-0385	Interior medical cabinet. Locate to rear of engine cover. Cabinet to be 21" H x 45" W x 22" D. Cabinet to include a permanent shelf 4" from top, side to side divider on shelf centered, forward facing drop down door at shelf level, (1) adjustable shelf in rear section and cargo net style cover over rear opening. Interior to be DA finish.	\$2,416		
1535-0386	Upper forward vista area cabinet. Cabinet to be full width and height of vista area forward of rear cab doors. Includes cargo netting over each opening . Outboard compartments to be approx. 12" wide.	\$3,479		
1535-0387	Driver side cab wheel well medical cabinet approximately 45 (interior) x 24 (27 Quest) x 28. Includes external locking pan door painted job color and interior hinged full height door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$3,928		
1535-0388	Officer side cab wheel well medical cabinet approximately 45 (interior) x 24 (27 Quest) x 28. Includes external locking pan door painted job color and interior hinged full height door with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$3,928		
1535-0389	Driver side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Tri-Mark latch. No interior access.	\$2,813		
1535-0390	Officer side cab wheel well medical cabinet approximately 26 x 22 (25 Quest) x 28. Includes external locking pan door painted job color with Tri-Mark latch. No interior access.	\$2,813		
1535-0393	Driver side cab wheel well medical cabinet approximately 30 x 22 (25 Quest) x 28. Includes external locking pan door painted job color and interior overlapped hinged full height door swing open fully to engine cover with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,841		
1535-0394	Officer side cab wheel well medical cabinet approximately 30 x 22 (25 Quest) x 28. Includes external locking pan door painted job color and interior overlapped hinged full height door swing open fully to engine cover with locking push-button latch. Cabinet includes (2) adjustable shelves.	\$2,841		
1535-0395	Officer side cab wheel well storage cabinet approximately 42x24x28. Includes external pan door painted job color and raised boxed interior roll-up door with satin finish for a 42" opening. Cabinet includes (2) adjustable shelves. Requires vista cab roof and removal of side windows.	\$3,362		
1535-0396	Officer side cab wheel well medical cabinet approximately 42x22(25 Quest)x28. Includes external locking pan door painted job color. No shelves provided.	\$2,528		
1535-0397	Medical cabinet mounted on the officer side rear cab wall 55(54 as required)X24X12 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,494		
1535-0398	Medical cabinet mounted on the driver side rear cab wall 55(54 as required)X24X12 with a locking roll up door. Lower door opening raised to provide hand clearance.	\$3,494		
1535-0399	Cabinet mounted on rear wall of cab 55 x 38 x 20 with cargo net on forward opening. Includes clip restraints.	\$3,924		
1535-0400	[#COL] Diamond Grade chevron "A" stripe on lower exterior medical cabinet door panels full height. Includes wheel well cabinet doors and doors behind rear cab doors (if equipped).	\$687		

Item #	Description	Extension	+1/-1	Total
1535-0401	Compartment rear side of cab. Approx 9W x 36H opening. Includes double pan hinged door. Long cab with medium door location only. Location: driver and officer side.	\$1,455		
1535-0402	Driver side rear cab compartment to include 8" diameter tube recessed 4" centered in floor. Officer side compartment to include entire floor recessed 4".	\$654		
1535-0403	Broom handle storage in lower transverse (4). (1) in each corner of extended cab riser height transverse storage.	\$780		
1535-0404	Rear cab wall medical cabinet with side access doors (one each side). Cabinet to be full height x 38" wide x 24" deep. Includes (2) locking roll-up doors (satin finish) and (3) adjustable shelves. Lower door openings raised to provide hand clearance.	\$4,335		
1540-0001	Map box dual storage	\$646		
1540-0002	Center console with map storage box.	\$1,555		
1540-0003	For Typhoon chassis only	\$592		
1540-0005	Map Box Rectangular Tall	\$605		
1540-0006	Map box suspended with drop-down doors.	\$665		
1540-0007	Map Box with Angle Storage. Angled side to face officer.	\$574		
1540-0008	Map box suspended with officer's map storage.	\$803		
1540-0012	All map boxes in the cab to be painted OTO gray	\$0		
1540-0013	All map boxes in the cab to be painted Zolatone 20-64 gray.	\$0		
1540-0014	All map boxes in the cab to be swirled with clear coat	\$665		
1540-0015	Map box suspended with drop-down door. Box offset to rear to allow engine access door to open further.	\$665		
1540-0016	Map box suspended with officer front drop down door with (4) slots and driver rear drop down door with (4) slots.	\$790		
1540-0017	Map box with angled top on rear of engine cover. Includes lift up door with gas shock.	\$657		
1540-0018	Map Suspended with Officer's Map Storage. (6) storage slots for 4" binders, (1) additional storage slot for county custom map book.	\$803		
1540-0019	Map boxes (2) shall be provided. Each with Zolatone gray finish. One box located between officer and driver. Second box located in the crew area between the communications boxes.	\$1,576		
1540-0020	Map box with 3 compartments on rear of engine cover. Forward compartment has angle lift-up door with gas shocks. Rear of box has top and rear compartments with hinged doors.	\$1,345		
1540-0021	Map box suspended 34" wide with (3) drop down doors.	\$790		
1540-0022	Map / medical box on rear of engine cover. Officer's side front has map box w/drop down door. Rear has two compts w/vert hinged doors. Left side includes one adj shelf.	\$2,438		
1540-0023	Map box suspended rear facing with drop down door. Box offset to rear to allow engine access door to open further.	\$665		
1540-0024	Map / medical box on rear of engine cover. Front has 2 map boxes w/3 horz slots ea and drop down doors. Rear has 2 compts w/vert hinged doors.	\$2,716		
1540-0025	Map box suspended with officer's map storage.	\$803		
1540-0026	Locking map box door. Map box door to include a locking push-button latch. Key type to be CH751	\$93		
1540-0027	Map box suspended with officer front drop down door with (4) slots and driver rear drop down door with (2) slots.	\$790		
1540-0028	Map box suspended with full width lower storage and officer's map storage.	\$803		
1540-0029	Offset suspended map box to rear of vertical 3x3 extrusions and as low as possible. Front of map box flush with front of 3x3 uprights.	\$0		
1540-0030	Map Box Rectangular. Front storage area with hinged lid and push button latch, to have (3) equal storage spaces. Center mounting area. Rear storage area with hinged lid and push button latch, to have (2) equal storage spaces.	\$574		
1540-0031	Map Box Suspended with Drop Down Door 17H x 34W x 14D. Box offset to rear to allow engine access door to open further.	\$804		
1540-0032	Map box suspended with driver's map storage.	\$803		

Item #	Description	Extension	+1/-1	Total
1540-0033	Map Box located on rear of engine cover to be approx 45"L x 13.5" W x 11.5"D.	\$1,576		
1540-0034	Map box suspended 37" wide with (3) drop down doors.	\$790		
1540-0035	Rear engine cover rectangular map box 12H X 13.75W X 31L. Includes (3) slots driver, open center, (2) slots officer side and cargo net cover.	\$1,108		
1540-0036	Storage box with hinged top with push-button latch. Box to be mounted to rear of engine cover and to rear of map box (hinge to forward edge). Size: 27" h x 34" w x 12" d	\$512		
1540-0037	Map box suspended with drop-down doors, 15" H x 37.5" W x 14" D with (4) slots each side.	\$665		
1540-0038	Storage box with sliding aluminum plate doors. The doors to be secured with a tethered push-button ball pin fastener. Box to be mounted rear facing on rear of engine cover. Size: 27" H x 34" W x 12" D outside dimensions.	\$1,528		
1540-0039	Map box / rear engine cover medical cabinet. Includes forward facing map box with 2 drop down doors and incorporated rear engine cover medical cabinet with roll-up door.	\$5,118		
1540-0040	Map box suspended with drop down doors. 34"W x 10"H x 12"D	\$665		
1540-0041	Map box OCFA. Located in the crew area between the wheel wells on the upper engine cover rear of the 3X3.	\$1,173		
1540-0042	Map box suspended with driver and officer front drop down door and officer rear drop down door. Includes (4) slots on officer side and map storage on driver side.	\$922		
1540-0043	Floor Mounted Map Box Between Driver and Officer Seats of Commercial Chassis.	\$2,748		
1540-0044	Map Box with Large Storage Area and Cargo Net Cover.	\$1,555		
1540-0045	Map box rectangular with rear hinged door. 11"L (front to rear) x 20"W (side to side) x 6"D.	\$574		
1540-0046	Map box binder storage approx. 13"H x 11"W x 4" front to back. Location: (1) each side on interior wall of medical cabinet walls. Includes lid with mechanical latch. To match cab interior color.	\$629		
1540-0047	Map box with 3 compartments on rear of engine cover. 2 compartments on top will be hinged back to back. Forward compartment has lift-up door with gas shocks. Rear of box has top and rear compartments with hinged doors. Lower compartment will be approx 7" high.	\$1,345		
1540-0048	Rear engine cover storage box with cargo net cover. 44"W x 24"H x 14"D with rear facing opening.	\$1,235		
1540-0049	Map box suspended with drop down doors. Driver door approx. 15.5"W, officer door approx. 19.5"W. 35"W x 11"H x 13.5"D. Includes (1) vertical partition 4" from officer side and (1) vertical partition 15.25" from driver side. Driver side and center sections to each have a horizontal shelf centered.	\$665		
1540-0050	Storage box with hinged top and push-button latch. Box to be mounted on rear of engine cover (hinge to forward edge), angled same as upper engine cover. Size: 15"H x 35"W x 7"D. Quest cabs only.	\$512		
1540-0051	Map box suspended with drop-down doors. 34"W x 9.50"H x 12"D.	\$665		
1540-0052	Auto Pulse storage box with hinged top and push-button latch. Box to be mounted on floor rear of engine cover (hinge to forward edge), angled same as lower engine cover. Size: 12"H x 44"W x 8"D(bottom)/11"D(upper).	\$665		
1540-0053	Rear lower engine cover mounted storage box. To be approx. 44" W x 8" H x 12" D. Includes (3) equally spaced dividers. Includes cargo net cover.	\$1,108		
1540-0054	Map box with two (2) compartments on rear of engine cover. Upper compartment to have lift-up door with one (1) hold-open and latch. Lower compartment to have drop down door with latch (accessible from the rear of the box).	\$1,345		
1540-0055	Offset suspended map box low as possible. Angles to be offset 3" from front face of map box and mounted rearward of 3x3 extrusions.	\$0		
1540-0056	Rear engine cover rectangular map box angled to match upper and lower vertical engine cover. 11"H X 12"W (front to rear) X 42.5"L. Includes (6) storage slots approx. 14"L x 6"W with (3) retaining straps front to rear, (1) over each area.	\$1,108		
1540-0057	Map box suspended with driver and officer front and rear drop down doors. Includes (4) slots on each side.	\$922		

Item #	Description	Extension	+1/-1	Total
1540-0058	Map box (rear facing) between rear facing seats, mid-engine only. 43.75"W x 24"H (25"H w/ angle used to make a lip around full parameter of top) x 21"D. Includes 3" x 7" notch on each side for 3x3's in back of map box, (1) perm shelf with 1" lip centered in map box, (4) Whelen model OSR00MCR red lights (1) in each area at opening, 1" lip around perimeter of map box and cargo net cover for rear facing opening.	\$2,233		
1540-0059	Map box in cab between forward seats. Includes mounting area for traffic advisor (if optioned) and siren control head (other electrical items and switches will be located in standard locations), sanded finish with black top surface material and hinged area at rear with two storage slots.	\$2,360		
1540-0060	Storage box with hinged top with push-button latch. Box to be mounted to rear of engine cover and to rear of map box (hinge to forward edge). Size: 17H x 34W x 12D.	\$512		
1540-0061	Map storage box constructed of 3/16" aluminum.	\$1,681		
1540-0062	Map Box. Locate between the driver and officer. Box to have a sanded finish with a black top. Rear area to be hinged forward with a single push button latch (ref #655283). Re-locate the NFPA siren and switches to the map (the standard locations for the dash for these items will have cover plates installed).The multi-plex screen is to remain dash area mounted	\$3,397		
1540-0063	Map box suspended with (9) vertical slots.	\$803		
1540-0064	Map box suspended with (9) vertical slots and (1) full width horizontal slot.	\$922		
1540-0065	Map box suspended 37" wide with (3) drop down doors.	\$914		
1540-0066	Map box suspended with officer's map storage. Includes (4) equal slots on officer side and (1) driver slot equal to top officer slot.	\$803		
1540-0067	Map storage box constructed of 1/8" aluminum. Map Box will include forward area for switching, center area will have an area to mount sirens, radios, door adjar light and 12 volt power points, rear of this area will be a hinged door area for maps, and mounted to the rear of the box there will be a bracket to hold a 3 ring binder.	\$1,681		
1540-0068	Storage box with hinged top with push-button latch. Box to be mounted on the forward engine cover (hinge to forward edge). Size: 6"H x 20"W x 11"D(front to rear). Includes partition approx. 5.75" from driver side. Box to match cab interior.	\$512		
1540-0069	Map box suspended 34"W x 6"H x 12"D with driver and officer front and rear drop down doors. Includes (2) slots on each side. Locate just below AC.	\$922		
1540-0070	Rear lower engine cover mounted storage box. To be approx. 44" W x 12" H x 12" D. Includes (1) center side to side divider with bungee cord cargo net cover.	\$1,108		
1540-0071	Map box suspended with (1) drop down door. 14"W x 9.5"H x 12"D	\$617		
1540-0072	Map Box with Angle Storage. Angled side to face officer. Includes single divider between angle storage and deep storage. Located on forward engine cover.	\$574		
1540-0073	Map box suspended with drop-down doors and (1) shelf each side. 34"W x 9.50"H x 12"D.	\$665		
1540-0074	Map storage box constructed of 1/8" aluminum. Map Box will include forward area for switching, center area will have an area to mount sirens, radios and other miscellaneous items. Rear of this area will be a hinged door area for maps.	\$1,681		
1540-0075	Map box suspended with drop down doors. 34"W x 6"H x 13.5"D	\$665		
1540-0076	Map box made from 1/16" aluminum diamond plate shall be mounted the floor centered behind the console. The map box shall be bolted in place and straddle the floor's electrical access pane. The map box shall provide a slotted area to allow clearance to the access panel without removal of the map box.	\$109		
1540-0077	Rear storage box on rear engine cover. Open box with forward hinged diamond plate lid and push-button latches. Box size shall be 44" wide X 12" deep X 8" high.	\$665		
1540-0078	All map boxes in the cab to be painted Zolatone "Dark Red" 20-78.	\$0		
1540-0079	Map box suspended with drop-down doors. Approximately 34"W x 9.50"H x 13"D.	\$912		

Item #	Description	Extension	+1/-1	Total
1540-0080	Map box suspended with drop-down door installed on the rear of the box to provide accessibility from the rear. Box offset to rear to allow engine access door to open further.	\$665		
1540-0081	Rear engine cover rectangular map box approximately 10"H X 14"W X 14"D. The depth shall have (2) dividers equally spaced. Open top with cargo net cover.	\$512		
1540-0082	Map box suspended with drop-down doors. 34"W x 9.50"H x 12"D. (3) Slot officer's side, open driver's side.	\$665		
1540-0083	Map box rear facing. Lids only to be swirl plated with clear coat. Reference 581402.	\$1,323		
1540-0084	Rear engine cover rectangular map box approximately 8.125"H (top to bottom) X 26"W (side to side) X 6.875"D (front to rear). The map box shall mount on the rear of the engine cover, on the lower horizontal surface at rear. The depth (front to rear) shall have (1) divider going from side to side, 2.5" from the rear to provide a front and rear compartment. The width (side to side) shall be divided equally going front to rear to provide (4) compartments. There shall be 3 open top radio boxes mounted to the rear lower of the map box. Each radio box will be 3.25" H X 3.25"W X 2.125" D. Radio boxes shall be mounted (2) 1" inboard each side and (1) centered at base of map box. Open top with cargo net cover. See layout in shop order file.	\$698		
1540-0085	Map box suspended with drop-down doors and (1) shelf each side. Box offset to rear to allow engine access door to open further.	\$665		
1540-0086	Map box suspended with rear facing sliding Lexan doors, 15" H x 34" W x 12" D. Includes center partition and officer side shelf centered.	\$804		
1540-0087	Map box suspended with officer's map storage with quarter latches.	\$803		
1540-0088	All map boxes in the cab to be sanded finish.	\$0		
1540-0089	Map box/radio cabinet suspended with drop-down doors 34x14x12. Includes louvers on officer side lower door, side wall and floor. Box offset to rear to allow engine access door to open further.	\$968		
1540-0090	Map box suspended with drop-down doors. Includes center vertical divider only.	\$665		
1540-0091	Map box suspended with drop-down doors and (1) shelf each side. 24"W x 9.50"H x 12"D.	\$665		
1540-0092	Map box binder storage approx. 13"H x 11"W x 4" front to back. Location: on interior facing wall of officer side medical cabinet offset as far forward as possible toward 3x3 post. Includes lid with mechanical latch. To match cab interior color.	\$315		
1540-0093	Map box suspended with drop-down doors. Includes (1) adjustable shelf (no partition). Box offset to rear to allow engine access door to open further.	\$665		
1540-0094	Map box suspended with rear facing drop-down doors and (1) shelf each side. 34"W x 9.50"H x 12"D.	\$665		
1540-0095	Map box suspended with (1) drop-down door, (1) full width 2" high upper shelf, center lower vertical divider and (1) shelf each side of divider. 34"W x 9.50"H x 12"D.	\$665		
1540-0096	Map box suspended with drop-down doors, 15" H x 37.5" W x 14" D with (3) slots officer and (2) slots driver.	\$665		
1540-0097	All map boxes in the cab to be painted Zolatone 20-64 gray exterior and Zolatone white interior.	\$0		
1540-0098	Map box suspended with driver and officer front drop down door and driver rear drop down door. Includes (3) slots on officer side and map storage on driver side.	\$922		
1540-0099	Front center storage box between driver and officer seats 28"W x 47.5L" x 12.75" H. Includes double hinged lids, personal item storage areas 2 cup holders and 6 map pockets.	\$2,497		
1540-0100	Map box suspended with drop down doors. 34"W x 6"H x 13.5"D. (1) officer shelf only.	\$665		
1540-0101	The center console shall have an adjustable track mounted to the front of the console for joystick control mounting bracket.	\$221		
1540-0102	Map box suspended with drop-down doors. 37.5"W x 9.50"H x 12"D. (2) Slot officer's side, open driver's side.	\$665		
1540-0103	Map box suspended with drop down doors. 34"W x 6"H x 12.5"D. Includes full width upper shelf and lower vertical divider.	\$788		
1540-0104	Map box suspended with drop-down doors, 15" H x 37.5" W x 14" D with center divider.	\$665		

Item #	Description	Extension	+1/-1	Total
1540-0105	Map Box, custom for Renton. Box size approx. 20" wide x 24" long x 12" tall. Box design to accommodate 10 equal sized spaces approx. 3.75" wide x 11.5" long x 11.5" tall. Includes: lid hinged to rear with latch. Ref photo on file for Renton. Finish: sanded aluminum unless otherwise specified.	\$2,470		
1540-0106	Box, aluminum 20W x 12T x MAX length front to rear as space provides. Includes: hinged lid with hinge located aft and black thumb style lever latch for access. Finish is sanded aluminum. Locate: rear of cab center console with top flush with top of console.	\$742		
1540-0107	Storage Box/Map box. Construction: 1/8 in. smooth aluminum. Overall size 38 in. wide x 19 in. tall x 33 in. deep. Map box is to have separate storage area on forward portion approx 38 wide x 12 tall x 7 deep with black cargo net on top and snap fasteners. The rearward portion is approx 38 wide x 19 tall x 26 deep and includes a lift-up smooth plate access door with (2) thumb latches & gas shock hold open device. The rear access door is to be held back 10 in. from forward box. Finish: paint to match cab interior. See drawing on file. Locate: In cab on engine cover between 3x3 posts.	\$1,679		
1540-0108	Center console with map storage box.	\$1,555		
1540-0109	Map box rectangular, rear facing on rear engine cover. The compartment shall be flush with the rear edge of the engine cover. Size: 14D X 30T X 36W. Includes: full height vertical divider 18 inches from driver side, one (1) adjustable shelf on the officer side of divider & a web cargo net with 2 inch square openings across the entire rear opening secured with small buckles on all sides. Construction is smooth aluminum with a match cab interior finish.	\$1,375		
1540-0110	Map box on engine cover access door. 12W x 25L x 8D with (6) equal slots for 4" binders. Includes retaining strap on top. Finish to match cab interior.	\$622		
1540-0111	Map box suspended with drop-down doors. 37.5"W x 9.50"H x 12"D. (2) Slot officer's side, (3) slot driver's side.	\$665		
1540-0112	Center map storage box for commercial cab.	\$1,555		
1540-0113	Storage box with cargo net top. Box to be mounted to rear of engine cover and to rear of map box. Size: 9H x 34W x 12D.	\$512		
1550-0000	Map pockets cab front doors ABS.	\$0		
1550-0001	Map pockets cab front doors diamond plate	\$217		
1550-0002	Map pockets cab front doors stainless steel.	\$178		
1550-0003	Rear crew cab doors in the medium position.	\$0		
1550-0004	Rear crew cab doors in the long position. Not available on medium cabs.	\$0		
1550-0005	Driver and officer cab door windows. Include forward vent windows.	\$0		
1550-0006	Driver and officer cab door windows. Include rear fixed window.	\$0		
1550-0007	All cab exterior access doors to have CH751 keyed locks.	\$214		
1550-0008	Fixed rear cab wall windows (pr). Not available with side mount pump module applications.	\$140		
1550-0009	Fixed rear cab wall narrow windows (pr).	\$137		
1550-0010	Sliding rear cab wall windows (pr). Windows are drop style and not available with side mount pump module applications.	\$312		
1550-0011	Rear crew cab door windows. Includes manual roll-down actuation. Not available on Typhoon or CII with paddle style door latching.	\$0		
1550-0013	Driver and Officer door windows. Includes electric roll-down actuation. Each door to have individual control at door position and the driver door is to have master control for all power window locations.	\$1,768		
1550-0014	Rear crew cab door windows. Includes electric roll-down actuation. Each door to have individual control. Not available with paddle style door latching.	\$1,768		
1550-0015	Stainless steel protective trim on rear edge of cab door openings. E-ONE custom chassis only.	\$271		
1550-0016	Cab door panels ABS.	\$0		
1550-0017	Cab door panels stainless steel.	\$1,578		
1550-0018	Scuff plates stainless steel (Set). Not available with paddle latches.	\$126		

Item #	Description	Extension	+1/-1	Total
1550-0019	Windows cab side sliding driver side.	\$318		
1550-0020	Windows cab side fixed driver's side.	\$0		
1550-0022	Cab roof vent with fan (pair). Each vent switched next to vent. Location: (1) each side centered above rear cab doors.	\$966		
1550-0023	Windows rear sliding vista. Requires raised roof option	\$525		
1550-0024	All cab doors shall have exterior paddle latches.	\$737		
1550-0025	All cab doors shall have "L" style exterior latches.	\$0		
1550-0026	Map pockets cab rear doors ABS.	\$0		
1550-0027	Front cab door windows to have manual actuation.	\$0		
1550-0029	Map pockets cab rear doors diamond plate	\$186		
1550-0030	Map pockets cab rear doors, stainless steel.	\$226		
1550-0032	Windows cab side sliding officer side.	\$318		
1550-0033	Windows cab side fixed officer's side.	\$0		
1550-0034	The rear cab door windows shall be fore and aft sliding type.	\$0		
1550-0035	No window on the driver side of the cab	\$0		
1550-0036	No window on the officer side of the cab.	\$0		
1550-0037	(4) Incandescent cab step area lighting. Locate each light in [#LOC]. Lights to be switched with door ajar.	\$186		
1550-0038	(4) LED cab step area lighting. Locate each light [#LOC]. Lights to be switched with door ajar.	\$732		
1550-0039	Door mounted red incandescent flashing lights (4). Locate lights [#LOC]. Lights to be switched with door ajar.	\$186		
1550-0040	Door mounted red LED flashing lights (4). Locate lights [#LOC]. Lights to be switched with door ajar.	\$440		
1550-0041	Door mounted amber incandescent flashing lights (4). Locate lights [#LOC]. Lights to be switched with door ajar.	\$186		
1550-0042	Door mounted amber LED flashing lights. Locate lights [#LOC]. Lights to be switched with door ajar.	\$440		
1550-0043	All cab door kick plates to be made from smooth plate aluminum with DA finish.	\$361		
1550-0044	All cab door kick plates to be made from diamond plate aluminum.	\$0		
1550-0045	All cab door kick plates to be made from stainless steel plate.	\$755		
1550-0046	Canadian flag reflective material in place of striping for interior cab doors.	\$109		
1550-0047	All (4) cab doors to have double strap. Straps to be sewn together.	\$177		
1550-0050	All cab exterior cab locks to be keyed for #CH751 locks. Orange County.	\$316		
1550-0052	Federal LED Delta Ray amber/red warning lights, bottom of cab doors (interior), wired to door switches.	\$2,180		
1550-0053	Aluminum interior rear cab door handrails (PR) IPOS.	\$394		
1550-0054	All cab exterior access doors to have 1250 keyed locks.	\$684		
1550-0055	Door mounted Whelen 500 series red TIR6 LED flashing lights (4) w/clear lenses. Locate lights [#LOC]. Lights to be switched with door ajar.	\$1,470		
1550-0056	Cab door insert (ea) - Carbon fiber style. Quest cab only.	\$275		
1550-0057	Cab door insert (ea), stainless steel. Quest cab only.	\$402		
1550-0058	Matching keys for Cab doors and all roll-up compartment access doors.	\$684		
1550-0059	Reflective [#COL] printed striping positioned in the "A" formation located on the cab door panels.	\$0		
1550-0060	Reflective [#COL] striping positioned in the "V" formation located in the lower cab door panels	\$0		
1550-0061	Rear crew cab door window. Includes electric roll-down actuation. Not available with paddle style door latching. For use with 3 door cab only.	\$888		
1550-0063	(3) LED cab step area lighting. Locate each light in [#LOC]. Lights to be switched with door ajar.	\$550		
1550-0064	Rear crew cab door window. Includes manual roll-down actuation. Not available with paddle style door latching. 3 door custom cab only.	\$641		
1550-0065	(3) Incandescent cab step area lighting. Locate each light in [#LOC]. Lights to be switched with door ajar.	\$142		
1550-0066	Cab door kickplates fastened with screws.	\$280		

Item #	Description	Extension	+1/-1	Total
1550-0067	[#COL] chevron "V" stripe on lower cab door panel approx 18" high. Stainless steel door panels only. CIIX and TyphoonX only.	\$349		
1550-0068	Chrome grab handles on front cab doors (additional) (PR). Locate (1) each side below windows towards rear of doors.	\$131		
1550-0069	Reflective [#COL] 3M Diamond Grade striping positioned in the "A" formation located on the cab door panels.	\$354		
1550-0070	All (4) cab doors to have double door straps. Straps to be long enough to allow the door to open to a max of 90 degrees	\$350		
1550-0071	ABS cab door panels and lower kick panels to be fastened with screws. No drive rivets.	\$466		
1550-0072	Cab door panels aluminum painted Zolatone gray.	\$1,578		
1550-0073	[#COL] chevron "A" printed stripe on lower cab door panel approx 18" high. Stainless steel/painted door panels only. CIIX and TyphoonX only.	\$349		
1550-0074	[#COL] chevron "A" stripe on entire lower cab door kick plate. Stainless steel or smooth plate kick plates only. CIIX and TyphoonX only.	\$349		
1550-0075	Door mounted red LED flashing lights (3). Locate lights [#LOC]. Lights to be switched with door ajar.	\$331		
1550-0076	NFPA Required reflective striping on cab doors to be dealer/customer applied.	\$0		
1550-0077	Interior cab door locks - manual. Will have manual actuation from each respective door. Includes barrel style key lock on each exterior cab door.	\$0		
1550-0078	Map pockets 14 gauge stainless steel. Includes vinyl trim around top of opening and nylon strap with snap to retain contents. Location: front cab doors.	\$478		
1550-0079	Guard, rubrail with endcaps for cab door strip lights.	\$464		
1550-0080	[#COL] chevron "A" printed stripe on lower cab door panel approx 12" high. Stainless steel door panels only. CIIX and TyphoonX only.	\$349		
1550-0081	Cab door locks - electric. Includes driver side exterior touchpad, (2) remote key fobs, barrel style key lock on exterior of each door and manual interior lock on each door.	\$1,404		
1550-0082	(2) LED cab step area lighting. Locate each light in on each cab door in the inboard position. Lights to be switched with door ajar.	\$366		
1550-0083	All cab exterior access doors to have CH751 keyed locks.	\$0		
1550-0084	All cab exterior access doors to have 1250 keyed locks.	\$0		
1550-0085	All cab exterior access doors to have J236 keyed locks.	\$684		
1550-0086	Door mounted red LED flashing lights (2). Locate lights [#LOC]. Lights to be switched with door ajar.	\$222		
1550-0087	[#COL] Diamond Grade chevron "A" stripe on lower cab door panel approx 12" high. Stainless steel/painted door panels only. TyphoonX, CIIX and QST2 only.	\$578		
1550-0088	[#COL] chevron 2" "A" stripe on lower cab door panel approx 12" high. Stainless steel door panels only. CIIX and TyphoonX only.	\$349		
1550-0089	Four (4) cab doors with non-locking "L" style latches. For use with a flat roof cab. Includes front door windows with front vent, rear door roll-down windows, and (4) interior surface mounted reflective sign plates. Custom ES.	\$0		
1550-0090	Four (4) cab doors with locking "L" style latches (CH751). For use with a flat roof cab. Includes front door windows with front vent, rear door roll-down windows, and (4) interior surface mounted reflective sign plates. Custom ES.	\$58		
1550-0091	Four (4) cab doors with non-locking "L" style latches. For use with a 12" vista roof cab. Includes front door windows with front vent, rear door roll-down windows, and (4) interior surface mounted reflective sign plates. Custom ES.	\$0		
1550-0092	Four (4) cab doors with locking "L" style latches (CH751). For use with a 12" vista roof cab. Includes front door windows with front vent, rear door roll-down windows, and (4) interior surface mounted reflective sign plates. Custom ES.	\$58		
1550-0093	Four (4) cab doors with "L" style latches and interior / exterior locks (1250 key). For use with a flat roof cab. Includes front door windows with front vent, rear door roll-down windows, and (4) interior surface mounted reflective sign plates. Custom ES.	\$0		



Item #	Description	Extension	+1/-1	Total
1550-0094	Four (4) cab doors with "L" style latches and interior / exterior locks (1250 key). For use with a 12" vista roof cab. Includes front door windows with front vent, rear door roll-down windows, and (4) interior surface mounted reflective sign plates. Custom ES.	\$0		
1550-0095	One touch down operation for cab door electric windows.	\$2,972		
1550-0096	Door mounted Whelen amber M6AC LED flashing lights (4) w/clear lenses. Lights to alternate flash top and bottom on each light. Locate lights [#LOC]. Lights to be switched with door ajar.	\$1,577		
1550-0097	Nader pin guards on front cab doors.	\$160		
1550-0098	Stainless steel protective trim on rear edge of cab door openings. E-One Quest chassis only.	\$271		
1550-0099	Scuff plates stainless steel (Set). Approx. 7"x7" to encompass door handle and lock. Not available with paddle latches.	\$272		
1550-0100	Polished stainless steel protective trim on rear edge of cab door openings. E-ONE custom chassis only.	\$300		
1550-0101	Polished stainless steel scuff plates for exterior cab door handles (set). Not available with paddle latches.	\$130		
1550-0102	Rear crew cab door windows with rear fixed panel. Includes electric roll-down actuation. Each door to have individual controls. For use with paddle style door latching.	\$1,983		
1550-0103	Rear crew cab door windows with rear fixed panel. Includes manual roll-down actuation. For use with paddle style door latching.	\$214		
1550-0104	Alternating reflective Red and Yellow striping (chevron), positioned on the cab door interior angling down and away from truck.	\$0		
1550-0105	Reflective [#COL] striping positioned in the "A" formation located on the lower cab door stainless steel panels. Striping to cover the lower 14" of each door.	\$0		
1550-0106	[#COL] chevron "A" stripe on lower cab door panel approx 24" high. Stainless steel door panels only. CIIX and TyphoonX only.	\$349		
1550-0107	[#COL] chevron "A" stripe on lower cab door panel approx 6" high. Stainless steel door panels only. CIIX and TyphoonX only.	\$249		
1550-0108	Stainless steel protective trim on rear edge of rear cab door openings. E-ONE custom chassis only.	\$136		
1550-0109	[#COL] Diamond Grade chevron "A" stripe on lower cab door panel approx 18" high. Stainless steel/painted door panels only. TyphoonX, CIIX and QST2 only.	\$578		
1550-0110	Warning light Federal Signal Viper EXT Model VPX802-4 LED w/ bezel (PR). Surfaced mounted with red lens. Location: (1) each side on driver and officer door outboard. Lights to be switched with door ajar.	\$646		
1550-0111	Interior cab door window trim to be stainless steel. Requires stainless steel door panels.	\$472		
1550-0112	Window film Dupont anti-spall. Location: front cab doors.	\$190		
1550-0113	Cab door panels 12Ga stainless steel.	\$1,578		
1550-0114	Map pockets cab front doors aluminum plate painted Zolatone gray.	\$203		
1550-0115	Map pockets cab rear doors aluminum plate painted Zolatone gray.	\$203		
1550-0116	Cab door locks - electric; 2DR cab only. Includes driver side exterior touchpad, (2) remote key fobs, barrel style key lock on exterior of each door and manual interior lock on each door.	\$1,086		
1550-0117	Scuff plates stainless steel (PR) door lock. For use with paddle latches.	\$65		
1550-0118	(2) LED cab step area lighting. Locate each light in the cab step well area. Lights to be switched with door ajar.	\$366		
1550-0119	Reflective striping on cab doors to be dealer provided and installed.	\$0		
1550-0120	Door panels cab alum painted Zolatone black.	\$1,578		
1550-0121	Cab door strap one (1) additional to standard straps shall be provided. Location: One (1) each cab door.	\$171		
1550-0122	Locate interior cab door handles per Engineering print. Rear cab door grab handles on angle.	\$0		
1550-0123	Four (4) cab doors with "L" style latches and interior / exterior locks (1250 key). For use with a 12" vista roof cab. Includes front door windows with front vent, rear door electric windows, and (4) interior surface mounted reflective sign plates. Custom ES.	\$0		

Item #	Description	Extension	+1/-1	Total
1550-0125	Chrome grab handles on front of cab (additional) (PR). Locate (1) each side below windshield outboard of wiper pivot points.	\$131		
1550-0126	Reflective [#COL] 3M Diamond Grade striping positioned in the "A" formation located in the lower cab door panels, extending approximately 18" from the door's bottom.	\$530		
1550-0127	Door mounted Whelen M4RC LED flashing lights (4) w/clear lenses. Locate lights [#LOC]. Lights to be switched with door ajar.	\$1,446		
1550-0128	(4) Whelen LED cab step area lighting. Locate each light [#LOC]. Lights to be switched with door ajar.	\$950		
1550-0129	Enclosures for electric door window actuation switch(s) shall be stream lined, (1) switch behind another (not side by side) mounted in an enclosure to match the door's interior IPOS. Each door to be individually controlled. The driver shall have control for all electrically actuated windows.	\$278		
1550-0130	Stainless steel protective trim on rear edge of rear ALS cab door openings. E-ONE custom chassis only.	\$136		
1550-0131	Removable access panel on each cab door to the regulator and latch.	\$596		
1550-0132	Driver and Officer door windows. Includes electric roll-down actuation. Each window to be individually controlled at each door. Each window switch will be flush mounted as far forward on the door as possible with minimal or no switch mounting protrusion. The driver side will NOT have controls for all electrically actuated windows but rather a single switch for the driver door window only.	\$2,015		
1550-0133	Stainless steel trim on bottom edge of the over wheel cab compartment opening (ea).	\$0		
1550-0134	Polished stainless steel trim on bottom edge of the over wheel cab compartment opening (ea).	\$42		
1550-0135	Stainless steel trim on the vertical edge of the over wheel cab compartment opening (ea).	\$58		
1550-0136	Polished stainless steel trim on the vertical edge of the over wheel cab compartment opening (ea).	\$76		
1550-0137	A removable access panel shall be incorporated into the interior cover panel(s) of each cab door to permit easy access to the latch mechanism.	\$596		
1550-0138	Door mounted Whelen M2 red super LED flashing lights (4). Locate lights on each cab door in the outboard position. Each individual light shall be activated by the corresponding cab door ajar circuit.	\$1,293		
1550-0139	Each cab door shall have stainless steel trim on the trailing edge of the door to include forward door wheel well (radius) area. E-ONE custom chassis only.	\$465		
1550-0140	Reflective [#COL] 3M Diamond Grade striping positioned in the "A" formation located in the lower cab door panels, extending approximately 14" from the door's bottom.	\$413		
1550-0141	Polished stainless steel protective trim to wrap cab door jambs on all (4) entry doors. Trim to extend 3" past closed door edge (as applicable). E-One custom chassis only.	\$1,330		
1550-0142	The cab door inserts shall have the fastening hardware upgraded to nutserts and stainless steel hardware IPOS.	\$68		
1550-0143	Reflective [#COL] 3M Diamond Grade striping positioned on the upper SS insert IPO lower door area.	\$530		
1550-0144	Reflective [#COL] individual striping positioned in the "A" formation located on the cab door panels	\$256		
1550-0145	[#COL] chevron "A" individual stripes on lower cab door panel approx 18" high. Stainless steel/painted door panels only. CIIX and TyphoonX only.	\$433		
1550-0146	[#COL] chevron "A" individual stripe on lower cab door panel approx 12" high. Stainless steel/painted door panels only. CIIX and TyphoonX only.	\$388		
1550-0147	Location - Front door map pockets shall be located approximately 17" below window.	\$122		
1550-0148	Reflective [#COL] 3M Diamond Grade striping positioned in the "A" formation located in the lower cab door panels, extending approximately 12" from the door's bottom.	\$390		
1550-0149	Cab door kick plates made from diamond plate aluminum shall be overlaid on top of the existing door panel (Zolatone, stainless steel etc). The kick plates shall be 16" in height.	\$239		

Item #	Description	Extension	+1/-1	Total
1550-0150	Rear crew cab door windows with rear fixed panel. Includes electric roll-down actuation. Each door to be individually controlled. Each window switch will be flush mounted below rearward fixed window area with minimal or no switch mounting protrusion. For use with paddle style door latching.	\$2,015		
1550-0151	The map boxes attached to cab doors shall include press on black trim. The trim shall be applied along the edge of map box opening.	\$92		
1550-0152	Window film Dupont anti-spall. Location: front cab doors, canopy windows and rear cab doors.	\$549		
1550-0153	Warning light Federal Signal Viper EXT Model VPX802-4 LED w/ bezel (PR). Surfaced mounted with red lens. Location: (1) each side on driver and officer rear cab door outboard. Lights to be switched with door ajar.	\$646		
1550-0154	Chrome edge guard on rear vertical edges of cab doors.	\$91		
1550-0155	Rear crew cab door window with rear fixed panel. Includes electric roll-down actuation. Door to be individually controlled. For use with paddle style door latching.	\$993		
1550-0156	Cab door locks - electric. Includes driver side exterior touchpad, (2) remote key fobs, barrel style key lock and manual interior lock on each door.	\$1,404		
1550-0159	Interior cab door locks - manual. Will be individually actuated from each respective door. Includes key lock on each exterior cab door handle. (QST2 only)	\$0		
1550-0160	Cab door locks - electric. Includes (2) remote key fobs, barrel style key lock on exterior of each door and manual interior lock on each door.	\$855		
1550-0161	Warning light Whelen 500 Super LED (4) red model 50R03ZCR lights with clear lenses. Flashing lights wired through each individual door. Location: One on each of the interior cab doors (outboard position).	\$1,382		
1550-0162	Door mounted Whelen 500 series amber TIR6 LED flashing lights (2) w/clear lenses. Locate lights on each cab door in the outboard position. Lights to be switched with door ajar.	\$736		
1550-0163	Map pockets cab rear doors aluminum plate painted Zolatone black.	\$203		
1550-0164	Driver and officer cab door windows. Includes manual regulators with HD cranks. (QST2 only)	\$0		
1550-0165	Rear crew cab door windows. Includes manual regulators with HD cranks. (QST2 only)	\$0		
1550-0166	Stainless steel protective trim on rear edge of cab door openings. Includes front cab door lower angle areas. E-ONE custom chassis only.	\$328		
1550-0167	Reflective Blue 3M Scotchlite and Fluorescent Yellow Green 3M Diamond Grade striping positioned in the "A" formation located in the lower cab door panels.	\$354		
1550-0169	Cab door panels aluminum painted to match cab interior. (QST2 only)	\$1,551		
1550-0170	Cab doors to open approximately 90 degrees.	\$0		
1550-0171	(4) TecNiq LED cab step area lighting. Locate each light [#LOC]. Lights to be switched with door ajar.	\$251		
1550-0172	Full width 6" reflective [#COL] striping positioned on the lower cab door panels	\$0		
1550-0173	Stainless steel trim on bottom edge of the over wheel cab compartment opening (ea). Vertical trim edge to be 3" tall.	\$145		
1550-0174	Reflective [#COL] 3M Diamond Grade striping positioned in the "A" formation located in the entire SS cab door panels below the windows.	\$1,086		
1550-0175	Door mounted Whelen model OSA00MCR LED flashing lights. Locate lights [#LOC]. Lights to be switched with door ajar.	\$336		
1550-0176	Door mounted Whelen 3SR00FRR red super LED flashing lights (4). Locate lights [#LOC]. Each individual light shall be activated by the corresponding cab door ajar circuit.	\$837		
1550-0177	[#COL] Reflexite V98 striping positioned in the "A" formation located on the cab door panels.	\$286		
1550-0178	[#COL] Reflexite V98 chevron "A" stripe on lower cab door panel approx 12" high. Stainless steel/painted door panels only. TyphoonX, CIIX and QST2 only.	\$394		
1550-0179	[#COL] Reflexite V98 chevron "A" stripe on lower cab door panel approx 18" high. Stainless steel/painted door panels only. TyphoonX, CIIX and QST2 only.	\$437		
1550-0180	Cab door panels stainless steel. Includes upper and lower panels with seam below handrail.	\$1,811		

Item #	Description	Extension	+1/-1	Total
1550-0181	[#COL] chevron "A" printed stripe on lower cab door panel below map pockets to bottom of door. Stainless steel/Zolatone door panels only.	\$349		
1550-0182	Door mounted Federal Signal amber MPS600-AA LED flashing lights (4) w/clear lenses. Locate lights [#LOC] . Lights to be switched with door ajar.	\$1,044		
1550-0183	Recess in upper rear cab doors in lieu of windows (PR). (1) each side approx. 10L x 5W x 3D for latex glove box. Includes (2) velcro straps for each recess to be mounted at final inspection.	\$672		
1550-0184	Map pockets cab front doors aluminum plate painted Zolatone black.	\$203		
1550-0185	Cab door panels aluminum painted Zolatone gray. Includes upper and lower panels with seam below handrail	\$1,811		
1550-0186	(4) TecNiq T440 4" LED cab step area lighting. Locate each light [#LOC]. Lights to be switched with door ajar.	\$251		
1550-0188	LINE-X Door Panels: The inner cab door panels shall be made out of aluminum plate coated with LINE-X for increased durability.	\$2,068		
1550-0189	Map pocket officer cab front door aluminum plate painted Zolatone gray.	\$102		
1550-0190	Warning light Whelen 500 Super LED (4) split red/amber model 50RA3ZCR lights. Flashing lights wired through each individual door. Location: One on each of the interior cab doors (outboard position).	\$1,382		
1550-0191	Handle, grab. Cab door interior grab handle location modification. Locate interior cab door grab handles as far rearward as possible.	\$392		
1550-0192	Additional remote key fob (PR).	\$95		
1550-0193	[#COL] Reflexite V98 striping positioned in the "A" formation located in the entire SS cab door panels below the windows.	\$874		
1550-0194	Cab door window trim mechanically fastened in place of standard.	\$71		
1550-0195	All cab exterior access doors to have 1041 keyed locks.	\$0		
1550-0196	(2) TecNiq T440 4" LED cab step area lighting. Locate each light [#LOC]. Lights to be switched with door ajar.	\$126		
1550-0197	Map pockets on the cab front doors shall be aluminum plate painted LINE-X. The LINE-X color to match the interior of the cab.	\$405		
1550-0199	Warning light Whelen 500 Super LED (4) amber model 5VA02ZAR vertical lights with 5FLANGEP mount. Flashing lights wired through each individual door. Location: One on each of the interior cab doors (outboard position) mounted vertically.	\$1,603		
1550-0200	(4) Whelen 3" LED cab step area lighting. Locate each light [#LOC]. Lights to be switched with door ajar.	\$700		
1550-0201	Door mounted Whelen ION amber LED flashing lights. Locate lights [#LOC]. Lights to be switched with door ajar.	\$1,480		
1550-0202	Relocate driver master power window controls to driver lower cab dash adjacent to steering column.	\$471		
1550-0203	Map pockets cab front doors stainless steel 1.5" deep.	\$178		
1550-0204	Locate rear cab door ajar switches high on door hinges.	\$115		
1550-0205	Polished stainless steel protective trim on rear edge of cab door openings. Includes front cab door lower angle areas. E-ONE custom chassis only.	\$328		
1550-0206	Cab door panels aluminum painted Zolatone "Dark Red" 20-78.	\$1,578		
1550-0207	Cab door locks - electric. Includes driver and officer side exterior touchpads, (2) remote key fobs, barrel style key lock and manual interior lock on each door.	\$1,611		
1550-0208	Relocate driver master power window controls to center cab dash.	\$471		
1550-0209	Door mounted Whelen ION red LED flashing lights. Locate lights [#LOC]. Lights to be switched with door ajar.	\$1,480		
1550-0210	Door mounted Power Arc model PP2-RC red LED flashing lights (4) w/clear lenses. Locate lights [#LOC]. Lights to be switched with door ajar.	\$965		
1550-0211	Polished stainless steel trim on bottom edge of the over wheel cab compartment opening. Trim to span down to wheel well trim. (ea.)	\$314		

Item #	Description	Extension	+1/-1	Total
1550-0212	Map pockets on the cab rear doors shall be aluminum plate painted LINE-X. The LINE-X color to match the interior of the cab.	\$405		
1550-0213	Door mounted Whelen ION split red/amber LED flashing lights. Locate lights [#LOC]. Lights to be switched with door ajar.	\$1,480		
1550-0214	Cab door panels swirled aluminum.	\$1,578		
1550-0215	Rotate rear interior cab door paddle latches 90 degrees. Operator to pull up to open cab doors.	\$272		
1550-0216	Door mounted Whelen 400 red Super LED flashing lights with clear lenses (4). Locate lights [#LOC]. Lights to be switch with door ajar.	\$1,117		
1610-0000	Cab and body to have applicable E-ONE logos.	\$0		
1610-0001	Logo package cab Saulsbury. Includes horn ring badge, center wheel decals and grille logc	\$0		
1610-0002	Logo package cab Superior. Includes horn ring badge, center wheel decals and grille logc	\$0		
1610-0003	Cab and body to have no logos.	\$0		
1610-0004	Cab and body to have applicable E-ONE logos installed without fasteners.	\$0		
1615-0000	Vista cab 20" with extension for top mount pump panel controls. Includes 4" cap for additional headroom. Note: "Delete down view window" option required with full width pump module.	\$12,337		
1615-0001	Vista full height rear doors, 12".	\$4,210		
1615-0002	Vista full height rear doors 16".	\$4,408		
1615-0003	Vista full height rear doors 20".	\$4,606		
1615-0004	Cab roof to be "flat" with trough for waterway. Required with HM100 (with waterway), HP100 (all), CR100/92 Pltfrm (SdStckr and W/O/P) or HP/HPS100 Pltfrm (all).	\$0		
1615-0005	Delete front vista roof windows.	\$0		
1615-0006	Delete side vista roof windows ahead of rear doors.	\$0		
1615-0007	Delete rear vista roof windows.	\$0		
1615-0009	Delete upper rear door vista roof windows	\$0		
1615-0010	Cab roof to be "flat" (non-vista).	\$0		
1615-0012	Delete side vista roof windows rearward of rear doors.	\$0		
1615-0013	Vista cab 20" with extension for top mount pump panel controls. Note: "Delete down view window" option required with full width pump module.	\$11,784		
1615-0014	Delete down view windows each side of enclosed top mount panel..	\$0		
1615-0015	Diamond plate overlay (integral as applicable) front of vista slope.	\$555		
1615-0016	Cab roof to have a 4.5" deep x 44" wide trough for lowered aerial.	\$662		
1615-0017	Aerial windows shall be installed in place of standard cab roof.	\$575		
1615-0018	Aerial windows shall be installed in place of standard cab roof.	\$552		
1615-0019	Vista full height rear doors 20". Includes 4" cap for a 24" total raised roof.	\$6,252		
1615-0020	Side vista roof windows behind rear doors. 80" cab with medium doors only.	\$140		
1615-0021	Split raised rear cab roof. 12" high for use with rear mount aerial.	\$6,534		
1615-0022	Cab roof to have 12" high split raised rear section with full length center waterway trough. For use with rear mount aerial.	\$6,534		
1615-0023	Cab roof to have 12" high split raised rear section with full length center waterway trough. Inboard vertical surfaces tapered outward for use with HP100 Platform.	\$6,534		
1615-0025	Cab roof to have a 4.5" deep x 44" wide trough with 1.5" deep side notches for lowered HP100 Platform.	\$823		
1615-0026	Delete the rear center vista roof window.	\$0		
1615-0027	Cab roof to have 12" high split raised rear section and a 4.5" deep x 44" wide trough for rear mount lowered aerial.	\$7,193		
1615-0028	Delete driver side opera vista window.	\$0		

Item #	Description	Extension	+1/-1	Total
1615-0029	Delete rear outboard vista roof windows.	\$0		
1615-0030	Cab roof to be smooth plate painted job color in lieu of standard diamond plate construction.	\$1,047		
1620-0001	ABS painted grille	\$0		
1620-0002	Stainless steel grille for Typhoon X.	\$1,044		
1620-0003	Stainless steel grille for Typhoon	\$1,044		
1620-0004	ABS chrome plated grille.	\$0		
1620-0005	Stainless steel grille for front of CIIX Hush/Mid engine. Includes modifications to lower area for required booster reel roller placement.	\$1,153		
1620-0006	CIIX stainless steel grille for Typhoon X.	\$1,044		
1620-0007	ABS chrome plated grille. Custom ES.	\$0		
1620-0008	Stainless steel grille with oval E-ONE logo for Quest (QST2 only).	\$0		
1620-0009	Stainless steel grille with "E-ONE" letters for Quest (QST2 only).	\$0		
1620-0010	Ship cab grille E-ONE loose.	\$0		
1620-0011	Stainless steel grille w/o logo for Quest (QST2 only).	\$0		
1640-0000	Step below cab door. Located [#LOC]. Steps under front cab doors shall not interfere with approach angle.	\$270		
1640-0009	Steps below front cab door - CFR swing style (PR). Includes plunger stop to hold in the down position. Step to be centered below cab step.	\$1,092		
1640-0010	Diamond plate trim package for a (2) door International 4400. Includes driver and officer step trim that will utilize pieces already supplied by the OEM.	\$1,469		
1640-0011	Diamond plate trim package for a (2) door International 7400 or 7600. Includes driver and officer step trim that will utilize pieces already supplied by the OEM.	\$1,469		
1640-0016	Step below cab door; stirrup style without back wall. Located [#LOC]. Steps under Front Cab doors shall not interfere with Approach Angle.	\$270		
1640-0018	Step below cab door; smooth plate painted black durabak. Located [#LOC]. Steps under front cab doors shall not interfere with approach angle.	\$354		
1640-0020	Diamond plate trim package for a (2) door Freightliner M2 106/112. Includes driver and officer step trim that will utilize pieces already supplied by the OEM.	\$1,469		
1640-0021	Cab entrance steps, Navistar, open grating, Wildland	\$2,889		
1640-0022	Under cab compartments, stainless steel hinged doors, painted job color, Wildland	\$5,773		
1640-0024	Cab swing steps (LHS and RHS) shall be upgraded to permit additional step surface area IPOS swing steps.	\$473		
1640-0025	Steps below front cab door - CFR swing style (PR) painted black Durabak. Includes plunger stop to hold in the down position. Step to be centered below cab step.	\$1,177		
1640-0026	Removable bottom panel on cab steps.	\$254		
1640-0027	Diamond plate trim package for a (2) door Freightliner 114SD. Includes driver and officer step trim that will utilize pieces already supplied by the OEM.	\$2,062		
1640-0028	Step below cab door Zico VS-20-5 elect swing out/down. Step to extend when door is opened and retract when closed. Steps shall be flush with outer edge of cab when stowed. Location: Each cab door	\$1,793		
1640-0029	Each cab step well's kick plates and steps shall be aluminum smooth plate IPO diamond plate and all surfaces painted black durabak up to and below cab floor level.	\$706		
1640-0030	Each cab step well's kick plates and steps shall be aluminum smooth plate IPO diamond plate and all surfaces painted Gray Zolatone up to and below cab floor level. All step surfaces provided with a multi-directional, aggressive gripping surface (Gator Grip) incorporated into the aluminum smooth plate.	\$706		

Item #	Description	Extension	+1/-1	Total
1640-0031	Each cab step well's kick plates and steps shall be aluminum smooth plate IPO diamond plate and all surfaces painted Black Scorpion (rough finish) up to and below cab floor level. All step surfaces provided with a multi-directional, aggressive gripping surface (Gator Grip) incorporated into the aluminum smooth plate.	\$706		
1640-0032	Step below cab door Zico VS-20-5 elect swing out/down. Step to extend when door is opened and retract when closed. Steps shall be flush with outter edge of cab when stowed. Location: Front cab doors.	\$1,793		
1640-0033	Diamond plate trim package for a (2) door Freightliner 112/114SD. Includes driver and officer step trim that will utilize pieces already supplied by the OEM. For use with Hyd drive pump systems, includes extended lower steps and brackets supports for service and access to hydraulic reservoir.	\$2,639		
1640-0034	Steps below rear cab door - CFR swing style (PR) painted black Durabak. Includes plunger stop to hold in the down position. Step to be centered below cab step.	\$1,177		
1640-0035	Each cab step well's kick plates and steps shall be aluminum diamond plate without a multi-directional, aggressive gripping surface (Gator Grip). Includes embossed diamond plate bolt-on panels at each lower step area.	\$706		
1640-0036	LINE-X package for custom cab steps: Includes cab step wells (everything below the cab floor) and all welded and bolt on steps including stirrup and swing out steps as applicable. Steps hanging below the cab shall have LINE-X coating inside and outside. DEF tank door or any other access doors are also included in this package if located in the step well area below the cab floor.	\$1,066		
1640-0038	Intermediate front cab door step (PR).	\$517		
1640-0039	Steps below rear cab door - CFR swing style (PR). Includes plunger stop to hold in the down position. Step to be centered below cab step.	\$1,092		
1640-0040	TBD	\$1,066		
1640-0041	LINE-X package for custom cab steps (NO DOORS): Includes cab step wells (everything below the cab floor) and all welded and bolt on steps including stirrup and swing out steps as applicable. Steps hanging below the cab shall have LINE-X coating inside and outside. DEF tank door or any other access door located in the step well area below the cab floor SHALL NOT have LINE-X finish.	\$951		
1640-0042	Front steps below cab doors to be reduced approx. 3" in width. Steps to be offset forward in the stepping area.	\$0		
1640-0043	Upgrade the cab bolt-on steps to include cutouts with Grip Strut inserts, IPO Gator Grip.	\$613		
1640-0044	Diamond plate trim package for a (2) door Peterbuilt 348-367. Includes driver and officer step trim that will utilize pieces already supplied by the OEM.	\$1,469		
1640-0045	Step below cab door. Open back style with angled corners. Located [#LOC]. Steps under front cab doors shall not interfere with approach angle.	\$270		
1640-0046	Lower steps to extend 1.5" past cab. Barrier doors only.	\$0		
1640-0047	Lower steps to extend 3.5" past cab. Barrier doors only.	\$0		
1640-0049	Step below cab door to be hinged. Located [#LOC]. Steps under front cab doors shall not interfere with approach angle.	\$270		
1670-0001	Ramco 6001FFR mirrors. Remote controlled with top CAS750 convex. Location: [#LOC].	\$1,793		
1670-0002	Ramco 6001MCR mirrors. Remote controlled with bottom convex. Location: [#LOC].	\$1,424		
1670-0003	Velvac 2010 mirrors. Door mounted west coast style with remote control and heat.	\$765		
1670-0004	Mirrors (PR) heated with 4 way adjustment.	\$917		
1670-0005	Mirror, 8" convex to be cab mounted [#LOC].	\$100		
1670-0007	3" Extension for Ramco Mirrors	\$186		
1670-0008	4.5" Extension for Ramco Mirrors.	\$186		
1670-0010	Retrac West Coast mirrors mounted on cab doors.	\$352		
1670-0011	Cab mirrors for tiller cab. Includes one inside at front center overhead and one each side exterior mounted.	\$341		
1670-0012	Mirrors heated with 4 way adjustment, 24VDC.	\$917		
1670-0013	Both cab mirrors to be heated.	\$349		

Item #	Description	Extension	+1/-1	Total
1670-0014	Ramco 6001FFR mirrors. Remote controlled with top CAS750 convex.	\$1,775		
1670-0015	Velvac 2010 mirrors with marker lights. Door mounted west coast style with remote control and heat.	\$805		
1670-0016	Officer side Velvac #2010 mirror to be mounted on forward corner of cab in place of door location.	\$478		
1670-0017	Mirror Stainless Steel 8" Convex above officer side cab brow, Bell Type Mounting, 2 Piece Adjustable Telescoping Arm. Head #983, Arm #3983	\$105		
1670-0018	Velvac mirrors model 2025 with LED directional arrows. Door mounted (bottom mount) with remote control and heat.	\$1,314		
1670-0019	Ramco 6001CCR-750 mirrors. Remote controlled with bottom convex and top CAS750 convex. Location: [#LOC].	\$1,908		
1670-0021	Ramco 6001FFR mirrors. Remote controlled with CAS750R top remote convex. Location: [#LOC]	\$2,071		
1670-0023	Mirror Stainless Steel 8" Convex above driver side cab brow, Bell Type Mounting, 2 Piece Adjustable Telescoping Arm. Head #983, Arm #3983	\$105		
1670-0024	Freightliner West Coast cab mirrors. Tradition.	\$0		
1670-0025	Freightliner West Coast heated cab mirrors with remote control. Tradition.	\$252		
1670-0026	International West Coast Heated Mirrors.	\$0		
1670-0027	International West Coast Mirrors Heated with clearance lghts.	\$60		
1670-0028	Rosco AccuStyle 818 door mounted mirrors (bottom mount). Chrome w/LED turn signals, remote, heated and convex.	\$1,320		
1670-0029	International West Coast heated mirrors with clearance lights and remote control.	\$163		
1670-0030	Kenworth model MX148S wide angle mirror. Location: [#LOC].	\$211		
1670-0031	2" extension for Ramco mirrors.	\$186		
1670-0032	Ramco 6001FFR mirrors. Remote controlled with top CAS750 convex and LED turn signals. Location: [#LOC].	\$2,394		
1670-0034	Freightliner West Coast heated cab mirrors with remote control. Tradition.	\$0		
1670-0035	Ramco 6001FFR mirrors with INVUE camera. Remote controlled with top CAS750 convex. Location: [#LOC].	\$3,161		
1670-0036	Ramco 6001MCR mirrors with INVUE camera. Remote controlled with bottom convex. Location: [#LOC]	\$3,161		
1670-0037	Ramco 6000CCR mirrors. Remote controlled with top CAS750 convex. Location: [#LOC].	\$1,793		
1670-0038	Lang Mekra mirrors w/LED marker lights and turn signals. Door mounted west coast style with convex, remote control and heat.	\$1,549		
1670-0039	Moto mirrors model 340530. Door mounted with driver heat; officer remote control and heat.	\$1,286		
1670-0040	Velvac #2010 mirrors. Door mounted with remote control and heat. Custom ES.	\$0		
1670-0041	Freightliner West Coast cab mirrors with black finish.	\$0		
1670-0042	Freightliner West Coast heated cab mirrors with remote control. Includes bright finish.	\$311		
1670-0043	Freightliner West Coast heated cab mirrors with remote control. Includes bright finish.	\$0		
1670-0044	Ramco 6001FFR mirrors with INVUE camera and LED turn signals. Heated/remote controlled flat glass with heated/remoted controlled top CAS750 convex. Location: [#LOC].	\$3,074		
1670-0045	Mirror stainless steel 10.5" convex mounted on tubular SS adjustable bracket. Locate officer side frt cab corner. Lower mount of main support arm to be approx even with center of quads (approx 5" outboard of quads) with arm extending upward. Short diagonal support arms to attach to frt of cab just above cab contour. Ref photo of Ville De Quebec HP100.	\$399		
1670-0046	Ramco 6001MCR mirrors. Remote controlled with bottom convex and LED turn signals. Location: [#LOC].	\$1,767		
1670-0047	Mirrors (PR), Ramco 6000CCHR-750 mirrors with PRO364-6 vertical extension. Remote controlled with bottom convex and a seperate top CAS750 convex. Location:[#LOC]	\$1,711		
1670-0048	Retrac Aerodynamic remote heated mirrors (PR) mounted on cab doors.	\$1,394		
1670-0049	Pair of hood mounted Lang Mekra convex mirrors (heated with black finish). International chassis only.	\$373		
1670-0050	Ramco 6002PCR mirrors. Remote controlled flat glass with remote controlled bottom convex. Location: [#LOC].	\$1,968		
1670-0051	Velvac west coast door mounted mirrors NYPD. Includes heated 7x16 flat glass with (2) twist clamps, 8" round convex and preset/pivot upgrade kit.	\$1,056		



Item #	Description	Extension	+1/-1	Total
1670-0052	Ramco 6000-PCHR mirrors. The mirrors shall incorporate heated and remote for both flat and convex using (2) Ramco model ELE-310 switches. Location: [#LOC].	\$2,075		
1670-0053	Moto mirrors model 7-2386. Door mounted with remote control and heat.	\$1,085		
1670-0054	Velvac mirrors model 2030 chrome with LED directional arrows. Front corner mounted with remote control and heat.	\$1,563		
1670-0055	Velvac convex mirrors (PR). Model Top Hat bolt-on convex mirror. For use with model 2025 or 2030 mirrors only.	\$238		
1670-0056	Retrac west coast remote heated mirrors (PR) mounted on cab doors.	\$1,483		
1670-0057	(Use Sales Code 1670-0050)Ramco 6001 mirrors. Remote controlled flat glass with remote controlled bottom convex. Location: [#LOC].	\$1,649		
1670-0058	Mirror stainless steel 5" convex (PR). Locate above main mirror for viewing top of vehicle. West coast style mirrors only.	\$160		
1670-0059	Retrac Mirror stainless steel 10" 3-arm convex above officer side cab brow, 3 piece adjustable telescoping arm. Head #604953, Arm assy#604671	\$327		
1670-0060	Velvac K10 mirror (PR). Location: Front cab corners (To be located at mid-point inspection).	\$718		
1670-0061	Retrac west coast heated mirrors (PR) with convex lower mounted on cab doors. Includes green marker on officer and red marker on driver.	\$1,043		
1670-0062	Retrac Aerodynamic dual vision chrome west coast style mirrors (PR) mounted on cab doors. Includes remote control and heat for std and convex mirrors and LED marker light.	\$1,819		
1670-0063	Velvac mirrors model 2025 with LED directional arrows. Door mounted (bottom mount) with remote control and heat full bottom glass and heated top hat convex. No lower convex.	\$1,389		
1670-0064	Retrac west coast remote heated mirrors with lights (PR) mounted on cab doors.	\$1,483		
1670-0065	Retrac Mirror stainless steel 10" 3-arm convex above driver side cab brow, 3 piece adjustable telescoping arm. Head #604953, Arm assy#604671	\$327		
1670-0066	Ramco 6001FFR black mirrors. Remote controlled with black top CAS750 convex. Location: [#LOC].	\$2,083		
1670-0067	Ramco model CRM-1752-3HRT-853 mirrors. The mirrors shall incorporate heated and remote for both flat and convex using (3) Ramco model ELE-310 switches. Location: [#LOC].	\$2,493		
1670-0068	Lang Mekra mirrors w/LED marker lights and turn signals. Black door mounted west coast style with convex, remote control and heat.	\$1,549		
1670-0069	Mirrors wired with Duetsch connectors to allow for replacement.	\$0		
1670-0070	Velvac mirrors model 2030 chrome with full face lower, upper bolt-on convex and LED marker lights. Front corner mounted with remote control lower and dual heat.	\$2,025		
1670-0071	Lang Mekra mirrors (No marker/turn). Door mounted west coast style with convex, remote control and heat.	\$1,549		
1670-0072	Ramco model CRM-310-1350CCHR mirrors. The mirrors shall incorporate heat and remote using Ramco model ELE-310 switch. Location: [#LOC].	\$2,493		
1670-0073	Driver side Velvac 2010 door mounted west coast mirror with remote and heat. Officer side Ramco 6001FFR front corner mounted remote controlled with top CAS750 convex and heat.	\$1,443		
1670-0074	Velvac V-Max mirrors black with lower convex and LED marker lights. Door mounted (bottom mount)driver, front cab corner officer with remote control and heat.	\$1,405		
1670-0075	Velvac V-Max mirrors black with lower convex and LED marker lights. Includes main glass remote with heat upper/lower and 2" risers. Location: front cab corner.	\$1,779		
1675-0001	Stainless steel trim belt on front of cab. Location: [#LOC].	\$552		
1675-0005	Cab roof vent with-out fan (pair). Location: (1) each side centered above rear cab doors.	\$431		
1675-0006	Vent w/fan roof mounted, pair.	\$966		
1675-0007	Diesel fuel only label.	\$0		

Item #	Description	Extension	+1/-1	Total
1675-0008	Step chassis off road type pair. Required on all medium duty 4x4 chassis for each cab door if first step distance exceeds 24 inches.	\$502		
1675-0011	Windshield Wipers shall be Heated 12 Volt	\$1,126		
1675-0013	Mud flaps (PR), front, black with logo.	\$185		
1675-0014	SCBA bottle storage, two driver side of cab behind rear door with cast doors.	\$852		
1675-0015	Cab roof mounted diamond plate 3 sided light tower shield with 45 degree front slope.	\$1,095		
1675-0016	Cab roof mounted painted job color 3 sided light tower shield with 45 degree front slope.	\$1,364		
1675-0019	Lower Cab Trim Diamond Plate	\$613		
1675-0020	Auto eject stainless steel scuff plate.	\$109		
1675-0022	Pair of 18" handrails located just behind driver and officer front door one each side.	\$429		
1675-0023	Pair of 18" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	\$429		
1675-0024	Pair of 36" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	\$466		
1675-0025	SCBA bottle storage, two officer side of cab behind rear door with cast doors.	\$852		
1675-0030	Mud flaps, front, black with E-ONE logo.	\$180		
1675-0032	On top of cab roof for storage of one stokes basket and three backboards. Stokes basket is 84Lx24Wx7H. Backboard dim is 71Lx16Wx2H/ Box is to be 48Wx86Lx10H. Locate a divider 28" from driver side for stokes opening and a stop for back on cab with access from top mount walkway. Drop down door with thumb latches. Box is to be centered side to side.	\$2,551		
1675-0033	Chrome fire bell with eagle. Location: Officer's side of front bumper extension.	\$1,601		
1675-0034	Cab driprail drain holes. The driprail just before the vista roof begins to have a drain hole provided (one each side of cab).	\$101		
1675-0035	Belt size tag. Install next to fluid capacity tag. Tag to provide belt sizes for all belts provided.	\$122		
1675-0036	Cab wheel well liners. The cab wheel well liners to be aluminum IPO ABS plastic. Paint job color.	\$692		
1675-0038	Sign plate smooth 30" x 30" mounted on cab roof (vista if equipped). Color: [#COL].	\$276		
1675-0039	Pair of 48" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	\$537		
1675-0040	Body and cab mud flap heights. Bottom of flaps to be approx. 12" off ground.	\$0		
1675-0041	Stainless steel trim belt low on sides of cab.	\$1,638		
1675-0042	Rear cab wall to be smooth 3/16" aluminum plate. Cab wall to be finish painted to match the cab paint scheme.	\$403		
1675-0043	Sliding rear window mounted above pump panel. Top mount enclosed cab.	\$1,290		
1675-0045	Hansen white LED cab handrails upgrade (EA).	\$226		
1675-0046	Rear cab wall to be smooth 3/16" aluminum plate. Cab wall to be finish painted to match the cab paint scheme.	\$0		
1675-0047	Rear cab wall to be 3/16" aluminum diamond plate.	\$0		
1675-0048	Rear cab wall to be smooth 3/16" aluminum plate with a diamond plate overlay.	\$504		
1675-0049	Rear cab wall to be smooth 3/16" aluminum plate with a diamond plate overlay.	\$0		
1675-0050	Aerial Window Wipers shall be Heated 12 Volt	\$867		
1675-0051	Heated Aerial Cab Windows for Snozzle units	\$1,827		
1675-0052	Relocate commerical chassis batteries, location [#LOC].	\$923		
1675-0053	Stainless steel scuff plates full height on rear cab corners (PR)	\$278		
1675-0054	Sign plate smooth 18"x28" mounted one each side cab roof (vista if equipped). Color: [#COL]	\$547		
1675-0055	Radio box 18W x 12H x 10D. Location: Centered up high of vista area recessed on the rear exterior cab wall with door hinged to the bottom.	\$580		
1675-0056	Stainless steel scuff plates on rear cab roof corners (PR)	\$211		
1675-0057	Mounting plate for battery charger receptacle and indicator - removable brushed stainless steel.	\$329		
1675-0058	Chrome fire bell with gold eagle. Location: Officer's side of front bumper extension.	\$1,687		
1675-0059	Rear cab wall to be smooth 3/16" aluminum plate with swirl plate overlay.	\$829		

Item #	Description	Extension	+1/-1	Total
1675-0060	Sign plate smooth 40" x 80" mounted on cab roof (vista if equipped). Color: [#COL]	\$792		
1675-0061	Cab roof mounted 4 sided light tower shield painted job color.	\$1,774		
1675-0062	Electric chrome fire bell with eagle. Location: Driver's side of front bumper extension. Includes switch on officer side overhead console.	\$2,239		
1675-0063	Mud flaps, front, black without logo.	\$185		
1675-0064	(1) 36" handrail located just behind rear door (ALS doors if equipped). 3 door custom cabs only.	\$237		
1675-0065	Stainless steel roller assemblies for back of cab. (1) each side rear cab corners.	\$335		
1675-0066	Skid plate under each lower step. Quest cab only.	\$498		
1675-0067	Cab roof mounted 3 sided light tower shield painted two-tone job color.	\$1,364		
1675-0068	Freightliner provided Exterior Composite Sun Visor	\$220		
1675-0070	Body mud flap heights. Bottom of flaps to be approx. 12" off ground.	\$0		
1675-0071	Remove side grille from wheel well areas of the cab. TyphoonX cab only.	\$273		
1675-0072	(4) roof mounted (welded) sign plate mounting points. Mounts to space roof sign plate off cab roof and allow for easy removal.	\$320		
1675-0073	Hose deflector pin to protect Q2B on front bumper extension.	\$240		
1675-0074	Cab roof mounted 3 sided light tower shield with welded sides and painted job color with 45 degree front slope	\$1,613		
1675-0075	Cab roof mounted painted job color 3 sided light tower shield with 90 degree front slope.	\$1,364		
1675-0076	Cab roof mounted diamond plate 3 sided light tower shield with 90 degree front slope.	\$1,095		
1675-0077	Storage box on rear cab roof 48W x 48L x 12H with 4-sided lid painted two-tone job color (if applicable)	\$2,227		
1675-0078	Hansen red LED cab handrails upgrade (EA).	\$226		
1675-0079	Diamond plate storage box for Little Giant model 17 on rear cab vista roof. Includes drop down door with push button latches and nylatron on floor.	\$1,629		
1675-0080	Fixed rear cab wall narrow windows (ea). Location: driver side rear wall.	\$71		
1675-0081	Smooth plate sides painted job color and diamond plate top/door storage box for Little Giant model 17 on rear cab vista roof. Includes 45 degree front angle, rear backstop, partition, drop down door with push button latches and nylatron on floor.	\$3,740		
1675-0082	Stainless steel scuff plates full height on Quest rear cab corners (PR).	\$505		
1675-0083	Standard Non Heated Windshield	\$1,248		
1675-0084	Side extensions at cab wheel wells for 4x4 application.	\$967		
1675-0085	Under riser half depth roll-out trays. Includes cab floor extensions. Requires riser height exterior compartments.	\$1,448		
1675-0086	Raised cab wheel wells for low OAH applications.	\$502		
1675-0087	Pair of handrails (8" driver and 18" officer) located just behind driver and officer front door.	\$553		
1675-0088	Fluid capacity tag to include filter model numbers for engine oil, transmission, fuel, air, hydraulic and coolant. Tire size front and rear to be included on tag.	\$122		
1675-0089	Radio box 18W x 12H x 10D. Location: Up high center rear wall panel offset to driver side of vista area recessed on the rear exterior cab wall with door hinged to the bottom. Includes rubber bumpers on upper corners of door.	\$580		
1675-0090	Light tower riser ahead of vista. For use with large towers. Installed tower to not exceed over all height of vista roof.	\$1,988		
1675-0091	Lightbar mounting angles (PR). Position on cab roof with each angle oriented front to rear with one leg welded to cab roof leaving top horizontal surface for lightbar mounting legs.	\$324		
1675-0092	Number plate mounting. "Z" type extrusions welded to cab roof (upper leg facing out) to support perimeter of sign plate. Allows sign to be attached without drilling through cab roof.	\$447		
1675-0093	Grille on side of cab over wheel (PR). Grilles are non-venting and for cosmetic purposes only. Includes black-out surface behind grilles.	\$283		

Item #	Description	Extension	+1/-1	Total
1675-0094	Microphone/Speaker box. 11"H x 9"W x 6.5"D Location: Centered up high recessed on the rear vista exterior cab wall with vertically hinged door.	\$580		
1675-0095	Diamond plate storage box on rear cab roof 80W x 36D x 14H with lid.	\$1,970		
1675-0096	Fixed rear cab wall narrow windows (ea). Location: officer side rear wall.	\$71		
1675-0097	Tag for Auto eject receptacle inlet 20amp outside drivers door shall have a tag that reads "CHASSIS BATTERIES".	\$312		
1675-0098	Rear cab door handrail package. Includes exterior mounted 18" extruded aluminum handrail driver side located just behind rear door and interior mounded rubber covered grab handle officer side at rear of opening.	\$339		
1675-0099	SCBA bottle storage (4) officer side of cab behind rear door with cast door. Upper storage compt will be spaced up above lower three due to rear wall support. N/A with exterior cab handrail (requires inside grab rail).	\$1,702		
1675-0100	Fixed window on driver side of cab. Custom ES.	\$0		
1675-0101	Fixed window on officer side of cab. Custom ES.	\$0		
1675-0102	Rear cab wall windows fixed narrow (PR). Custom ES.	\$279		
1675-0103	Cab wheel well liners (PR). Custom ES.	\$0		
1675-0104	Cab wheel well liners (PR). Officer side liner notched for use with a 5" front intake. Custom ES.	\$0		
1675-0105	The exterior rear of the cab to have a diamond plate overlay. For use with a top mount application.	\$0		
1675-0106	The exterior rear of the cab to have a diamond plate overlay. For use with a top mount application.	\$0		
1675-0107	The lower center area of the rear cab to have aluminum plate overlay.	\$0		
1675-0108	The lower center area of the rear cab to have aluminum plate overlay. International.	\$0		
1675-0109	Polished stainless steel scuff plates full height on Quest rear cab corners (PR).	\$505		
1675-0110	Cab exterior hand rails to use Austin Hardware model GR-002-AL-BRT-144 knurled bright anodized aluminum tubes IPOS.	\$143		
1675-0111	Pair of 24" handrails located just behind driver and officer front door one each side. Handrail to extend 6" lower than standard for 4x4 application.	\$450		
1675-0112	Pair of 24" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side. Exterior handrail to extend 6" lower than standard for 4x4 application. Includes interior rubber grab handles on rear facing wall of driver and officer side wheel well risers.	\$691		
1675-0113	Pair of handrails (36" driver exterior and 18" officer interior) located just behind driver and inside officer rear door. ALS cab with multiple height exterior access only.	\$466		
1675-0114	An electrical tether assembly provided on rear cab wall for use with in cab control console electronics.	\$4,098		
1675-0115	Rear cab handrails to be mounted centered between rear doors and rear wall.	\$0		
1675-0116	Brushed stainless steel scuff plates for cab handrails (PR).	\$237		
1675-0117	Rubber liners shall be added to the forward cab wheel wells.	\$459		
1675-0118	Fluid capacity tag to include lug nut torque specs for front and rear wheels in addition to required information	\$122		
1675-0120	Unleaded fuel only label.	\$0		
1675-0121	Exterior windshield visor. Includes DOT lighting. Visor painted primary upper cab color. Kenworth.	\$147		
1675-0123	Chrome fire bell laser etching. Requires design provided in digital format. One side only.	\$716		
1675-0124	Additional fluid capacity tag in French.	\$122		
1675-0125	Mounting plate for battery charge receptacle, indicator and air auto eject receptacle - removable brushed stainless steel.	\$329		
1675-0126	Diamond plate storage box on rear cab roof 70W x 40D x 8.5H with lid.	\$1,970		
1675-0127	Module for stokes basket/ backboard/ EDP restraint bar/ ballistic blanket and pneumatic strut storage enclosure module constructed of 12 gauge stainless steel shall be located behind chassis cab driver/ passenger area. Accessed via hinged drivers/ passenger side stainless steel lap doors with locking Bent D ring latch handles.	\$6,340		

Item #	Description	Extension	+1/-1	Total
1675-0128	Exterior cab grab handles (PR) shall be made using knurled grip surface, bright anodized Austin Hardware handrail materials IPOS.	\$809		
1675-0129	Cab roof mounted 3/16" diamond plate 4 sided light tower/ AC condensor shield with 90 degree front slope	\$1,279		
1675-0130	Mounting plate for battery charge receptacle, indicator, air auto eject receptacle and block heater receptacle - removable brushed stainless steel.	\$329		
1675-0131	Auto Kwikkee step. Location: [#LOC].	\$952		
1675-0132	Customer supplied fire bell for dealer installation. Includes: bracing under extended front bumper extension (as applicable), bulk head fitting and pull cable. Location: Officer's side of front bumper extension.	\$494		
1675-0133	Rear cab and vista glass (if so equipped) to be dark tint (smoked glass with approx 50% light transmittance) IPOS. Includes all glass rearward of front cab doors.	\$651		
1675-0134	Cab wheel well liners. The cab wheel well liners to be aluminum with sanded finish IPO ABS plastic.	\$565		
1675-0135	Sign plate smooth with sanded finish 20" x 20" mounted on cab roof forward of vista.	\$276		
1675-0136	Radio box 18W x 14H x 12D. Location: Up high center rear wall panel of vista area recessed on the rear exterior cab wall with door hinged to the bottom. Includes rubber bumpers on upper corners of door.	\$580		
1675-0137	Tag for front grille, front of bumper and both side of hood shall have a tag that reads "REMOVE MONITOR BEFORE LIFTING". See photos on file.	\$312		
1675-0138	Cab roof mounted 3 sided roof mounted AC shield with 45 degree front slope painted two-tone job color.	\$1,118		
1675-0139	Rubber fenderette in additon to standard fender.	\$334		
1675-0140	Cab roof mounted diamond plate 3 sided AC shield with 45 degree front slope.	\$851		
1675-0141	Radio box 32W x 7H x 6D. Location: Centered up high of vista area recessed on the rear exterior cab wall with door hinged to the top. Includes plunger hold open.	\$648		
1675-0142	Radio box 12W x 8H x 6D. Location: Centered up high of vista area recessed on the rear exterior cab wall with door hinged to the top. Includes plunger hold open.	\$580		
1675-0143	A diamond plate storage box shall be mounted on top of the cab roof for storage of (1) stokes basket model 71. Stokes basket is 86Lx24Wx8H. Box is to be 26Wx87.5Lx9H in front, box will be sloped to match Vista rise. Box will be opened from the rear. Restraints will be included in the box to secure the basket in place. Box is to be centered side to side.	\$1,708		
1675-0144	Pair of 24" handrails located just behind driver and officer front door one each side.	\$450		
1675-0145	Diamond plate cover to protect the air conditioner lines on the cab roof.	\$256		
1675-0146	Polished stainless steel scuff plates full height on rear cab corners (PR).	\$505		
1675-0147	Electric chrome fire bell with eagle. Location: Driver's side of front bumper extension. Includes switch on officer side dash.	\$2,239		
1675-0148	Bottom of enclosed top mount overhang raised 3" for increased height pump module.	\$0		
1675-0149	The battery charger receptacle mounting plate shall be fabricated using 3/16" aluminum smooth plate. It shall be painted to match cab two tone job colors and align with the paint break as mounted.	\$162		
1675-0150	Storage box on back of cab above top mount walkway for backboard/stretcher. Backboard dim is 72Lx27Hx8D; stretcher dim is 65Lx17Hx4D. Box is to be diamond plate 76Lx27Wx8H with a vertically hinged door at each side with a thumb latch in each door. Box to be centered side to side approximately 4" above top mount walkway.	\$1,629		
1675-0151	Pair of 24" handrails located in the interior of driver and officer rear doors. The handrails shall be mounted on the rear wall. If equipped with an ALS cabinet the handrails shall be mounted on the ALS interior surface, outboard of the ALS access door within easy reach of rear door entry personnel.	\$447		
1675-0152	Sign plate smooth 40" x 40" mounted on cab roof (vista if equipped). Color: [#COL].	\$366		
1675-0153	SCBA bottle storage two driver and officer side of cab behind rear door with 3/16" plate doors painted job color.	\$1,702		
1675-0154	The cab shall have trim plates made from diamond plate to overlay the existing commercial cab closeout panels below the doors left and right.	\$451		

Item #	Description	Extension	+1/-1	Total
1675-0155	Painted visor for International 4400 cab. Option 16XWD.	\$228		
1675-0156	Polished stainless steel scuff plates full height on Quest rear cab corners (PR) to provide protection of painted surface(s) from quartz lighting as well as hose and or equipment as it is being removed from apparatus.	\$505		
1675-0157	The exterior lower rear of the commercial cab to have a diamond plate overlay. For use with a top mount application.	\$191		
1675-0158	Backboard storage sleeve for (1) board. Includes retaining strap for board. Loc: [#LOC].	\$800		
1675-0159	Mounting plate for battery charge receptacle, indicator and block heater receptacle - removable brushed stainless steel.	\$329		
1675-0160	Backboard storage compartment for (1) board. Includes (2) hinged doors (1) each side with (2) push button latches for each door. Loc: [#LOC].	\$975		
1675-0161	Escape hatch located on rear cab roof.	\$1,439		
1675-0162	Cab roof vent with-out fan (pair). Location: (1) each side offset above driver and officer.	\$431		
1675-0163	Storage box (additional) to house light tower controls/tether, mounted on the rear of the cab roof offset to the driver side (exterior). The storage box shall be constructed of tread plate, include a drop down door tied into the door ajar circuit and thumb latch(s).	\$417		
1675-0164	Cab roof mounted painted job color 3 sided light tower shield with 45 degree front slope to match the height of the light tower in the bedded position (+1" -0").	\$1,487		
1675-0165	The fluid capacity label shall be English and feature all metric units of measure and shall be permanently affixed on the vehicle near the driver seating area IPOS.	\$0		
1675-0166	Cab roof mounted painted job color 3 sided light tower shield with 45 degree front slope. Located rearward on flat roof (non vista). Placement to allow 45 degree shield to be placed in normal vista rise location to allow cab to appear to have vista roof.	\$1,482		
1675-0167	Sign plate mounted to the full width front bumper center hose tray lid. Smooth plate painted FLNA4145 Black sized according to space available.	\$204		
1675-0168	Sign plate smooth 30" x 45" mounted on cab roof (vista if equipped). Color: [#COL].	\$366		
1675-0169	Door single vertically hinged painted with Tri-Mark latch. Location(s): driver side canopy area of cab.	\$1,066		
1675-0170	Embossed diamond plate in place of ALL standard and optioned diamond plate on cab.	\$1,673		
1675-0171	Cab roof mounted 3 sided dual air condensor shield with 45 degree front slope. The shield shall be constructed using smooth aluminum plate. Finish: Painted to match upper cab.	\$1,095		
1675-0172	Aerodynamic, painted roof color for International 4400 cab; Includes integral clearance/marker lights.Option 0016XWD (Tradition ES).	\$181		
1675-0173	Radio box 32"W x 7"H x 6"D. Location: Centered up high of vista area recessed on the rear exterior cab wall with door hinged to the bottom. Door to fold down as far as possible to cab.	\$648		
1675-0174	Hansen green LED cab handrails upgrade (EA).	\$226		
1675-0175	Window, a fixed window w/approx dim 12 in tall x 26 in wide, provided on the driver`s side of cab in place of rear door location and above counter. The top edge of the window shall be inline with the top edge of the front door window.	\$185		
1675-0176	Sign plate smooth with sanded finish 5" x 30" mounted forward facing on the light tower enclosure.	\$180		
1675-0178	Awning rear of cab rearward facing. A wind deflector shall be mounted rearward on the cab roof full width as part of the pump module awning. On the back side of the wind deflector a vertical mounting plate shall be included. An awning mounting bracket shall be mounted to the wind deflector vertical plate. The awning mounting bracket shall include 6" of vertical adjustment to allow the awning to be manually raised up to 6" higher from its base position and include plate work to shield light when raised to the desired height. A 12V Marquee Over the Door/Window awning 72" long X 36" extension white in color shall be mounted in place on the adjustable bracket centered about the top mount pump panel. An awning deployment switch shall be included on the pump instrument panel. The awning deployment and adjustable height shall be included in the door ajar circuit.	\$4,370		

Item #	Description	Extension	+1/-1	Total
1675-0179	Module for stokes basket/ backboard/ EDP restraint bar/ ballistic blanket and pneumatic strut storage enclosure module constructed of .187 aluminum plate and shall be located behind chassis crew cab area. Accessed via hinged drivers/ passenger side aluminum plate lap doors with locking Bent D ring latch handles and Medco locks.	\$6,689		
1675-0180	ALS cab doors constructed of aluminum to match stainless steel body door design and latching. Includes d-ring with Medco key.	\$0		
1675-0181	(1) 48" handrail located just behind rear door (ALS doors if equipped). 3 door custom cabs only.	\$271		
1675-0182	Mounting plate for battery charger receptacle and indicator - removable polished stainless steel.	\$329		
1675-0183	Side fixed windows behind rear doors. Windows to be same height as canopy windows. 80" cab with medium doors only.	\$367		
1675-0184	Chrome fire bell with eagle. Location: Officer's side front cab corner.	\$1,721		
1675-0185	Two (2) pair of 30" handrails. One (1) pair located just behind driver and officer rear door (ALS doors if equipped) one each side for access of cab rear door each side. The other pair located behind rear doors and rearward of handrails one each side for access to top mount walkway each side.	\$884		
1675-0186	Sign plate smooth 30" x 30" mounted on cab roof forward of vista. Color: [#COL].	\$276		
1675-0187	Pair of 24" handrails located just behind driver and officer rear door one each side.	\$450		
1675-0188	Transverse compartment insert to accommodate driver side: (1) Zico universal air pack bracket, (1) FRC 120V Spectra tripod light, (2) long back boards; officer side: (1) Model 17 Little Giant ladder, (2) 6' NY Multi-pupose hooks, (1) FRC 120V Spectra tripod light and (2) long backboards. (1) Model 71 stokes basket transverse mounted. The compartment is constructed with .187 aluminum plate.	\$6,689		
1675-0189	Door single vertically hinged painted with Tri-Mark latch. Location(s): officer side canopy area of cab.	\$1,066		
1675-0190	Hard Suction Storage Rack (PR). Driver/officer side cab roof. Includes spring hold downs and scuff plates behind spring mounts (as applicable). Racks installed front to rear between side light bars and light tower.	\$876		
1675-0191	Sign plate smooth with painted finish 24" x 24" mounted on cab roof forward of vista. Color: [#COL].	\$276		
1675-0192	Rear cab wall to be smooth 3/16" aluminum plate painted black Durabak. Includes rear facing extrusions.	\$829		
1675-0193	Polished stainless steel trim belt low on sides of cab. No black trim on upper and lower areas.	\$1,936		
1675-0194	Windshield washer bottle guard.	\$137		
1675-0195	Body compartment interior painted black Durabak. Only for half height compartments. Includes Back, Top, Bottom (unless it is diamond plate) and Side Walls Compartment: [#LOC].	\$408		
1675-0196	Access door for DEF tank mounted under cab. Cast aluminum with brush finish. For use with 2 or 3 door E-ONE cabs only.	\$138		
1675-0197	Window cab side fixed officer's above medical cabinet.	\$185		
1675-0198	Polished stainless steel trim belt low on sides of cab.	\$1,936		
1675-0199	Strap, loop style to retain SCBA bottle (EA). Locate one in each cab SCBA compartment.	\$0		
1675-0200	Hansen blue LED cab handrails upgrade (EA).	\$226		
1675-0201	Large radius cab wheel well. Includes bolt-on adjustable wheel well trim.	\$0		
1675-0202	Mounting plate for battery charger receptacle, indicator, air inlet, etc (if applicable). Plate to be removable brushed stainless steel.	\$0		
1675-0203	Radio box 12W x 8H x 6D. Location: Centered up high of vista area recessed on the rear exterior cab wall with door hinged to the bottom.	\$580		
1675-0204	The cab roof shall be diamond plate painted black durabak. If equipped with trough overlay plate, it shall be painted black durabak also.	\$1,049		
1675-0205	Drip pan for a ROM roll-up door (EA). Location(s): driver and officer side ALS door.	\$193		
1675-0206	Pair of 18" handrails located on ALS doors just behind driver and officer rear door.	\$429		
1675-0207	Mount dealer supplied Black-Rak weapons mount(s) in cab enclosure. Includes 12VDC wiring connections.	\$6,836		

Item #	Description	Extension	+1/-1	Total
1675-0208	Cab exterior hand rails to be Stainless steel knurled grip surface hand rails in place of standard anodized handrails.	\$353		
1675-0209	Stainless steel full height wrap on rear cab corners (PR). Includes under handrails behind rear cab doors (if equipped). Not available on long or extended cab with medium doors.	\$513		
1675-0210	Cab roof mounted 3 sided roof mounted AC shield with 45 degree front slope painted job color.	\$1,118		
1675-0211	Rear cab wall ventilation with custom cover. 2Dr NYPD cabs only.	\$185		
1675-0212	Mounting plate for battery charger receptacle, indicator and air inlet (if applicable). Plate to be removable polished stainless steel.	\$0		
1675-0213	Mounting plate for battery charger receptacle, indicator and air inlet (if applicable). Plate to be removable stainless steel painted job color.	\$175		
1675-0214	Rubber fenderettes in place of standard fender.	\$334		
1675-0215	Brushed stainless steel 4" wide scuff plates for cab handrails (PR).	\$237		
1675-0216	Pair of 48" handrails located just behind driver and officer door one each side.	\$537		
1675-0217	LINE-X package for custom cab roof: All roof plate surfaces including the rear lip over the back wall and trough plates if applicable shall have LINE-X coating. All plate work (risers, boxes, etc) fabricated at E-ONE and installed on the roof shall be included in this package.	\$1,946		
1675-0218	LINE-X package for custom cab back wall (exterior only): The entire exterior back wall (platework and extrusions) shall have LINE-X coating.	\$1,519		
1675-0219	LINE-X package for custom cab fenderettes.	\$164		
1675-0220	Chrome fire bell. Location: Officer's side of front bumper extension.	\$1,601		
1675-0221	Window cab side fixed driver's above medical cabinet.	\$185		
1675-0222	Fluid capacity tag to include filter model numbers for engine oil, transmission, fuel, air, hydraulic and coolant. Tire front/rear size and pressure to be included on tag. Include engine belt number(s) and engine serial number on plate.	\$122		
1675-0223	SCBA bottle storage, one officer side of cab behind rear door above suction piping with cast door.	\$427		
1675-0224	Mount dealer supplied Black-Rak weapons mount(s) in cab enclosure. Includes 12VDC wiring connections. NYPD only.	\$179		
1675-0225	Lower barrier cab door steps to extend approximately 3.5" from side of cab.	\$0		
1675-0226	Integral 110V heated glass for rear vista windows. Includes switch on pump panel.	\$3,613		
1675-0227	Integral 110V heated glass for rear vista windows. Includes switch on rear overhead. TME cab with rear wipers only.	\$3,613		
1675-0228	The aerial roof trough to have a 1/8" embossed aluminum diamond plate overlay.	\$577		
1675-0229	Pair of one piece knurled stainless steel 18" handrails located just behind driver and officer front door one each side	\$579		
1675-0230	Pair of one piece knurled stainless steel 36" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	\$680		
1675-0231	Pike pole mount (PR). Locate (1) each side rearward of rear cab doors. Includes lower tube painted job color, upper PAC 1004 bracket and stainless steel scuff plate at top.	\$780		
1675-0232	Customer supplied electric fire bell for dealer installation. Includes: bracing under extended front bumper extension (as applicable) and switch in officer side overhead panel. Location: Officer's side of front bumper extension.	\$494		
1675-0233	Officer wheel well liner w/o notch for front intake.	\$0		
1675-0234	Hansen amber LED cab handrails upgrade (EA).	\$226		
1675-0235	Akron mounting fixture model# 14950007 for Akron 1495 Ladder Pipe monitor. Locate top of cab roof on driver side.	\$681		
1675-0236	Recess mount for officer side exterior front cab handrail. Mount to match exterior paint.	\$363		
1675-0237	Window cab side fixed (EA). Locate officer canopy area below side facing flood light.	\$185		
1675-0238	"DEF Tank Inside Cab Door" label to be mounted on the exterior of the driver side rear cab door.	\$47		
1675-0239	Sign plate smooth 36" x 48" mounted on cab roof (vista if equipped). Color: [#COL].	\$366		
1675-0240	Custom cab roof trough overlay shall have LINE-X coating.	\$361		
1675-0241	Hansen rubber insert handrail material on exterior of cab ipos.	\$87		



Item #	Description	Extension	+1/-1	Total
1675-0242	Number plate mounting. "Z" type extrusions welded to body roof (upper leg facing out) to support perimeter of sign plate. Provides formounting without drilling through roof.	\$447		
1675-0243	Diamond plate trim approx. 2" tall below lower driver and officer side SCBA bottle doors on cab.	\$174		
1675-0244	Transverse compartment insert to accommodate: (1) one Stokes Basket Model CMC Rescue S/S dimensions 83"L X 23"W X 7-1/4"H. (2) two backboards with dimensions 16"W X 2"T X 72"L, and long strut storage. (1) one 17' Little Giant Model 17 at the rear of the compartment with dimensions 25"W X 57"L X 8-1/4"T. The forward compartment area shall be for additional storage. The compartment is constructed with .187 aluminum plate and include straps to secure equipment.	\$6,689		
1675-0245	Polished stainless steel trim belt on front of cab. Location: [#LOC].	\$824		
1675-0246	Electric chrome fire bell with eagle. Location: Officer's side of front bumper extension. Includes switch on officer side overhead console.	\$2,239		
1675-0247	Pair of 24" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side. Exterior handrail to extend 6" lower than standard for 4x4 application. Includes interior rubber grab handles on the door jamb of driver and officer side rear door.	\$691		
1675-0248	Access door for DEF tank mounted under cab. Fire Shopp painted job color. For use with 2 or 3 door E-ONE cabs only. Includes extended filler neck hose.	\$283		
1675-0249	Pair of 24" handrails located just behind driver and officer front door one each side. Exterior handrail to extend 6" lower than standard for 4x4 application. Includes interior rubber grab handles low on interior forward door jamb.	\$691		
1675-0250	Pair of one piece knurled stainless steel 48" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side.	\$781		
1675-0251	Akron mounting fixture model# 14950007 for Akron 1495 Ladder Pipe monitor. Locate top of cab roof on officer side.	\$681		
1675-0252	Customer supplied electric fire bell for dealer installation. Includes: bracing under extended front bumper extension (as applicable) and switch in officer side overhead panel. Location: Driver's side of front bumper extension.	\$494		
1675-0253	Hansen white LED knurled cab handrails upgrade (EA).	\$305		
1675-0254	Rear cab and vista glass (if so equipped) to be dark tint (smoked glass with approx 30% light transmittance) IPOS. Includes all glass rearward of front cab doors.	\$651		
1675-0255	Pair of 48" handrails located just behind driver and officer rear door (ALS doors if equipped) one each side. Exterior handrail to extend 6" lower than standard for 4x4 application. Includes interior rubber grab handles on the door jamb of driver and officer side rear door.	\$778		
1675-0256	Mounting plate for battery charger receptacle, indicator and air inlet (if applicable). Plate to be removable stainless steel painted black.	\$175		
1675-0257	LINE-X rear cab corner scuff plates.	\$380		
1675-0258	Diamond plate rear upper cab scuff plates for telepole light heads.	\$174		
1675-0259	LINE-X rear cab telepole light head scuff plates.	\$380		
1675-0260	Swirled aluminum 7" wide scuff plates for cab handrails (PR). Includes adjusting handrails reward to accomodate scuff plate. Not available on medium cab or battery charge receptacle to rear of front cab door.	\$346		
1675-0261	Stainless steel trim belt on front of cab to prevent the front face of the cab from accidental scratches from options stored inside or on top of the bumper. Located below the quad bezels.	\$552		
1675-0262	Mounting plate for battery charger receptacle, indicator and air inlet (as applicable). Plate to be removable brushed stainless steel. Plate sized to best accommodate options at officer door location.	\$0		
1680-0000	Air intake emergency shut-down. Dash mounted guarded switch.	\$1,871		
1680-0001	Block heater 1000 watt.	\$590		
1680-0002	Block heater 1500 watt. Available on ISM, ISX and S60 only.	\$603		
1680-0005	Thermatic fan clutch.	\$1,637		
1680-0006	Drivelines 1710.	\$1,218		

Item #	Description	Extension	+1/-1	Total
1680-0007	Drivelines 1810. Required on 1550 lb/ft torque or greater engines.	\$1,908		
1680-0008	Tow eyes front painted below bumper/cab (PR).	\$308		
1680-0009	Tow eyes front stainless steel below bumper / cab (PR).	\$772		
1680-0010	Tow eyes front stainless steel mounted in up position. Requires 16" minimum bumper extension on custom chassis and 18" minimum bumper extension on commercial chassis.	\$772		
1680-0011	Tow eyes rear below body, painted.	\$707		
1680-0012	Tow eyes rear frame painted black.	\$629		
1680-0013	Tow hooks front stainless steel in down position. Requires extended bumper on commercial chassis. If Non-Extended bumper on Comm. Chassis, tow hooks are to be ordered with chassis.	\$923		
1680-0014	Tow hooks front stainless steel mounted up. Requires 12" minimum bumper extension on custom and commercial chassis.	\$923		
1680-0015	Trailer hitch Class III mounted rear.	\$1,126		
1680-0016	Exhaust end chrome plated. Due to high heat from current emission exhaust systems, dis-coloring of exhaust end may occur after prolonged use.	\$302		
1680-0017	Hotshift PTO.	\$2,270		
1680-0020	Exhaust end for Nederman. For exhaust extraction system.	\$0		
1680-0021	Exhaust end for Plymovent. For exhaust extraction system.	\$313		
1680-0022	Auto lube system Vogel. Chassis points only.	\$4,850		
1680-0028	Block heater 120v 1500 watt with thermostat.	\$597		
1680-0033	Rear Tow Shackles (Pair)	\$311		
1680-0034	Hotshift PTO heavy dutyfor Bronto only	\$6,340		
1680-0039	Thermatic fan clutch.	\$8,155		
1680-0040	Extended Life Coolant	\$549		
1680-0041	Dual Stage Air Cleaner	\$2,184		
1680-0042	Tow hooks front painted in the down position.	\$318		
1680-0045	Windows for improved visibility of jump seat area of cab. One (1) window each side of cab, rear of entrance door.	\$709		
1680-0046	Central Chassis Lube 1 Point	\$3,198		
1680-0047	Remote engine oil drain.	\$197		
1680-0050	External Drain Tube Eng S60	\$200		
1680-0051	Aerial hydraulic activation system.	\$1,467		
1680-0053	Storage below rear bench seat. (1) hinged door on each side of the bench seat.	\$704		
1680-0054	Cab floor modification - box type. Located in center rear floor behind engine cover. Top of box to be covered with floor matting.	\$0		
1680-0055	Cab Floor Mod - Extnd Box Type. Required on RLP and HP100 Platform with stand alone hyd generator and all other CII/Quest applications with hyd gen pump direct mounted to top mtd pto.	\$0		
1680-0066	Vogel auto lube system for chassis points (up to 26) and jack system points (12).	\$6,548		
1680-0076	Under front bumper 9K winch receiver. Includes electrical connection for portable winch application. Custom chassis only.	\$2,135		
1680-0078	Tow hooks front OEM. Not available with extended E-ONE installed front bumper. Tow hooks are OEM supplied with chassis.	\$0		
1680-0080	Tow eyes front painted in up and down position. Tow eyes to use same holes for both sets.	\$612		
1680-0081	Special cover kit for Memphis to include auto lube Vogel driver's side front frame and cannon plug cover	\$489		
1680-0082	The air intake emergency cable reset. Officer side of cab below the front bumper. Locate so cable is not visible or can be pulled without reaching under the bumper.	\$248		

Item #	Description	Extension	+1/-1	Total
1680-0084	Exhaust extension and reinforcement for Nederman exhaust extraction system.	\$427		
1680-0085	Right hand steer commercial chassis. All body and pump module components to be located the same as a left hand steer chassis.	\$0		
1680-0087	Radiator brush guard below cab.	\$688		
1680-0088	Angle of approach to be 15 degrees. Angle of departure to be 15 degrees.	\$0		
1680-0090	Block heater to have thermostatic controller.	\$215		
1680-0091	Tow eyes front stainless in up position and painted in down position.	\$1,074		
1680-0092	Tow blocks under front bumper extension.	\$371		
1680-0093	Tow eyes front stainless steel with 3" holes mounted in up position. Requires 16 in minimum bumper extension on custom chassis and 18 in minimum bumper extension on commercial chassis.	\$1,040		
1680-0094	Trailer hitch Class IV mounted rear.	\$2,055		
1680-0095	Side underbody 9K winch receivers. Includes (2) side facing- (1) each below rearward body compartments for portable winch with electrical connection for winch.	\$1,805		
1680-0096	Side underbody 9K winch receivers. Includes (2) side facing- (1) each below body compartment ahead of the rear wheels for portable winch with electrical connection for winch.	\$1,805		
1680-0097	Angle of approach to be no less than 13 degrees. Angle of departure to be no less than 13 degrees.	\$0		
1680-0099	Block heater 1500 watt wired through inlet receptacle. Available on ISM, ISX and S60 only.	\$603		
1680-0100	Tinted windows for improved visibility of jump seat area of cab.	\$1,212		
1680-0103	One (1) air horn mounted on the driver side hood with driver and officer mounted foot switches. International.	\$634		
1680-0116	Oil pan heater. Fleetguard 22MM 150W/120V wired to shoreline.	\$560		
1680-0117	Special cab tilt reservoir location. Reservoir to be located in the [#LOC].	\$709		
1680-0120	Under the body there shall be equipped with a pair of receiver assemblies, each with a removable swivel hoist ring. One each side of apparatus. The receivers shall be square steel tubing, same size as a receiver for a Class III trailer hitch. Located behind the rear axle.	\$3,950		
1680-0121	Under the body there shall be equipped with a pair of 12,000 lb receiver assemblies, each with a removable swivel hoist ring, or can be used with a Class III trailer hitch. One each side of apparatus. The receivers shall be locate in front of rear axle. Final location will depend on Engineering and driveline. 12v not included.	\$3,950		
1680-0122	Tow eyes rear below body painted. Eyes to be on edge pointing to rear.	\$707		
1680-0124	Boom support modification - Tiller. Support to accommodate a 50" wide ladder tunnel.	\$531		
1680-0126	Block heater 1000 watt wired through inlet receptacle (or block heater auto eject inlet receptacle if so equipped)	\$590		
1680-0127	Block heater thermostat.	\$306		
1680-0128	The commercial chassis to have seat belt and chassis pre-wiring for NFPA seating indicator and vehicle data recorder.	\$264		
1680-0129	The commercial chassis to have seat belt and chassis pre-wiring for NFPA seating indicator and vehicle data recorder.	\$540		
1680-0130	High flow power steering pump. Includes additional cooler. Requires engineering evaluation. Not available in hot climates.	\$593		
1680-0131	Tow eyes rear frame stainless steel.	\$1,483		
1680-0136	Relocate the air governor to the steering reservoir bracket above the driver side frame rail.	\$218		
1680-0137	Diesel Exhaust Fluid (DEF) 10 gallon tank. Location: [#LOC].	\$1,805		
1680-0138	Cab step area trim plates provided on the driver and officer side.	\$221		
1680-0139	Cab step area trim plates provided on the driver and officer side.	\$221		
1680-0140	Cab step area trim plates provided on the driver and officer side.	\$221		
1680-0141	Trim plate driver and officer step well area. Includes officer side mounting for battery charger receptacle and air inlet with auto eject.	\$0		
1680-0143	The commercial chassis to have seat belt and chassis pre-wiring for NFPA seating indicator and vehicle data recorder.	\$0		

Item #	Description	Extension	+1/-1	Total
1680-0144	Trailer hitch class V mounted rear. This hitch has under body support as needed.	\$2,904		
1680-0145	Diesel Exhaust Fluid (DEF) 5 gallon tank. Location: [#LOC].	\$1,713		
1680-0153	Boom support modification - 50' Boom. Support uprights to be offset 2" forward (MM application) from center of lower mounting holes.	\$0		
1680-0154	Oil pan heater - Fleetguard 150W/120V wired to block heater receptacle. ISC/ISL only.	\$489		
1680-0159	Vogel auto lube system for chassis points (up to 26) and Bronto inboard jack extension cylinder points (4).	\$5,417		
1680-0164	Diesel Exhaust Fluid (DEF) 5 gallon tank. Location: R1 floor offset forward. 2010 EPA Custom ES.	\$0		
1680-0168	The commercial chassis to have seat belt and chassis pre-wiring for NFPA seating indicator and vehicle data recorder.	\$0		
1680-0169	The commercial chassis to have seat belt and chassis pre-wiring for NFPA seating indicator and vehicle data recorder.	\$0		
1680-0173	Engine block heater. Locate receptacle below the driver side cab door. International	\$190		
1680-0174	Philips 1000 watt engine block heater. Locate receptacle below the driver side cab door. Freightliner.	\$138		
1680-0181	Oil pan heater - Fleetguard 300W/120V wired to block heater receptacle. ISM only.	\$619		
1680-0182	Oil catch muffler to be located officer side rearward of frame mounted step.	\$0		
1680-0184	Existing chassis to be modified to match wheelbase and frame cut of order configuration.	\$1,195		
1680-0185	RUDD (Rotogrip) 18 strand automatic tire chains. Includes switch in cab.	\$3,566		
1680-0186	Under the body to be equipped with a pair of receiver assemblies, each with a removable swivel hoist ring. One each side of apparatus. The receivers shall be square steel tubing, same size as a receiver for a Class III trailer hitch. Located to rear of front outriggers.	\$3,950		
1680-0187	On-Spot tire chain installation. Requires pre-wire option located in Cab Electrical. Requires engineering review and approval if less than 176" WB.	\$3,233		
1680-0188	Aerial hydraulics installed on bottom port of EVS4000/4500 transmission (to allow for flat rear cab floor). Requires drive through hyd pump option (6150-0015) on aerials with hyd generator.	\$1,883		
1680-0189	Tow eyes front painted mounted in up position. Requires 16" minimum bumper extension on custom chassis and 18" minimum bumper extension on commercial chassis.	\$308		
1680-0192	Forward facing under front bumper winch receiver. Includes lowered height for center bumper mounted tray depth and electrical connection for portable winch application. Commercial chassis only.	\$2,129		
1680-0193	Tow eyes rear below body stainless steel.	\$2,339		
1680-0194	Tow eyes front stainless steel through bumper / cab (PR).	\$1,068		
1680-0195	Diesel Exhaust Fluid (DEF) 5 gallon tank. Location: Driver side below rear of cab. 2010 EPA Custom ES.	\$0		
1680-0196	Tow eyes front painted through bumper / cab (PR).	\$600		
1680-0201	Angle of approach to be no less than 12 degrees. Angle of departure to be no less than 13 degrees.	\$0		
1680-0202	Trailer hitch Class III mounted rear. Rear hitch will be constructed from the class IV due to weight in B1.	\$2,082		
1680-0205	Cab windows and locks to be power operated. Two (2) door International.	\$632		
1680-0208	Storm King Air And Fuel Line Wraps, Wildland	\$3,405		
1680-0209	Stainless steel air intake screens, HVAC and vents, Wildland	\$466		
1680-0210	Tow hooks, below front frame, painted, Wildland	\$818		
1680-0211	Rear tow eyes, painted steel, 3" diameter 3/4" plate, Wildland	\$1,215		
1680-0212	Tow eyes mid-ship painted in down position pair	\$308		
1680-0214	Helmet holder locations: See photos on file with sales.	\$0		
1680-0217	Driveline guard (EA).	\$352		
1680-0218	Rear skid plates (PR). Locate below rear of body aft of rear outriggers.	\$3,399		
1680-0222	Angle of approach to be no less than 10 degrees. Angle of departure to be no less than 10 degrees.	\$0		
1680-0223	Under the body shall be equipped with a pair of 12K receiver assemblies. Location: (1) each side below rear compartments.	\$3,950		

Item #	Description	Extension	+1/-1	Total
1680-0224	Air control panel for a chassis air outlet in compartment L2. The panel shall have quarter turn shut off valve, 0-300 pounds per square inch air pressure gauge and a check valve in the supply line.	\$940		
1680-0225	Two (2) heavy-duty tow eyes plates made of 3/4" (0.75") thick steel having 3" diameter holes shall be bolted directly to the rear of the frame to allow towing. The tow plates shall be protruding out the rear of the body and shall be painted chassis black.	\$909		
1680-0226	Shared aerial and hyd gen PTO system (for use with NPNT CR100/137/95-Platform with SmartPower or Harrison gen)(Requires eng approval with water pump).	\$4,764		
1680-0227	Tow eyes front painted with 3" holes below bumper/cab (PR).	\$772		
1680-0228	Under front bumper Class III hitch receiver. Custom chassis only.	\$1,729		
1680-0229	Step bars will be located under the entry doors of the cab each side. Bars will have a black powder coat finish.	\$926		
1680-0231	Insta-chain tire chain installation. Requires pre-wire option located in Cab Electrical.	\$3,233		
1680-0232	Painted lifting points (high visibility orange) for IFS front axle. Includes metal placard on driver side door of Timmoney diagram showing points.	\$398		
1680-0234	The fuel tank to be [#COL] gallons and located to the [#LOC] of cab.	\$0		
1680-0235	The batteries to be located under [#LOC] of cab.	\$0		
1680-0239	Tow eyes rear frame painted mounted low just above tailboard.	\$629		
1680-0243	Tow eye straight line pull tag located center front bumper extension.	\$0		
1680-0245	Upgrade receiver and tow eye extension. The front bumper 9K winch receiver shall be extended forward, approximately 1" beyond front bumper IPOS (rather than at the under bumper location). Custom chassis only.	\$856		
1680-0246	The cab tilt manual back-up pump handle and mounting clips shall be shipped loose. Dealer to mount after delivery	\$0		
1680-0247	Trailer hitch Class III mounted rear, optimized mounting to be in a raised mounting position.	\$1,126		
1680-0248	Step bars will be located under the entry doors of the cab each side. Bars will have a stainless finish.	\$1,871		
1680-0249	Driveline guards (as applicable).	\$1,049		
1680-0250	Diesel Exhaust Fluid (DEF) 5 gallon tank for 2013 / 2016 EPA engines. Location: [#LOC].	\$1,993		
1680-0251	Diesel Exhaust Fluid (DEF) 10 gallon tank for 2013 / 2016 EPA engines. Location: [#LOC].	\$2,083		
1680-0254	Officer side rear underbody Class III hitch receiver. Includes Class III trailer receiver, (1) officer side facing side for portable winch receiver with an electrical connection for winch.	\$1,088		
1680-0255	Seperate PTO for aerial hydraulic pump IPO shared system.	\$2,256		
1680-0256	Cab windows to be power operated. Two (2) door International (International code 16WJU) Tradition.	\$320		
1680-0258	Insta-chain tire chain installation. Includes 12 chain sytem. Requires pre-wire option located in Cab Electrical.	\$3,375		
1680-0262	Exhaust extension and reinforcement to allow the exhaust to extend 35" above the engine cover.	\$444		
1680-0263	Additional metal placard on officer front cab door of Timmoney diagram showing points.	\$185		
1680-0264	Air control panel for a chassis air outlet in compartment L2. The panel shall have quarter turn shut off valve, 0-300 pounds per square inch air pressure gauge, 0-125 pounds per square inch pressure regulator and a check valve in the supply line.	\$1,064		
1680-0265	Upgrade pressure side power steering hoses with steel braided line in lieu of nylon braided.	\$54		
1680-0269	On-Spot tire chain to be supplied and installed by commercial chassis supplier. Requires engineering review and approval if less than 180" WB.	\$0		
1680-0270	Smooth plate trim package with black durabak finish for a (4) door International. Includes a full length driver side and a (2) piece officer side trim that will utilize pieces already supplied by the OEM, will include modification for booster reel(s).	\$6,146		
1680-0271	Tow eyes front painted through bumper / cab (PR). Eyes to be 1" thick material.	\$600		
1680-0272	Plumb Vogel lube system to On-Spot tire chains.	\$230		

Item #	Description	Extension	+1/-1	Total
1680-0273	Additional engine insulation under cab. Includes forward and rearward cab areas. See Engineering for installation instructions.	\$1,625		
1680-0274	On-Spot tire chain installation. Includes 12 chains per wheel. Requires pre-wire option located in Cab Electrical. Requires engineering review and approval if less than 180" WB.	\$3,467		
1680-0277	Under the body there shall be equipped with a pair of receiver assemblies, each with a removable swivel hoist ring and chrome tow hooks (1) each side to act as tie down points. One each side of apparatus. The receivers shall be square steel tubing, same size as a receiver for a Class III trailer hitch. Located to rear of front outriggers.	\$4,049		
1680-0279	Steel tow bar located below rear compartment mounted to chassis frame for towing purposes only, painted black.	\$2,132		
1680-0282	Tow eyes rear below body, painted. 1" thick material with 3" diameter hole staight down from chassis frame.	\$844		
1680-0284	Radiator mounted power steering cooler.	\$559		
1680-0285	Power windows and door locks. Freightliner 2-Door. Tradition.	\$163		
1680-0286	Tow eyes front painted in down position with additional officer only in the up position.	\$460		
1680-0287	Tow eyes front painted bright silver through bumper / cab (PR).	\$600		
1680-0288	Oil pan heater for ISL engine. Fleetguard 22MM 150W/120V wired to winterization shoreline receptacle.	\$560		
1680-0289	Block heater to be wired through [#LOC].	\$0		
1680-0290	Bevel interior holes of front and rear tow eyes.	\$561		
1680-0291	Tow forks under front bumper extension.	\$760		
1680-0292	Auto lube system CPL. Chassis points only.	\$5,046		
1680-0293	Tow hooks front painted in the outboard position.	\$318		
1680-0294	Tow eyes rear frame painted. Eyes to be angled downward thru the rear body skid plate. Design to accommodate a rear body max departure angle modification.	\$839		
1680-0295	Trailer hitch Class I receiver mounted rear.	\$688		
1680-0299	Trim Package to be used with 4 door Freightliner M2 series chassis.	\$3,042		
1680-0300	Steel lift bar located below rear compartment mounted to chassis frame for lifting purposes only (no towing), painted black.	\$2,132		
1680-0302	Steel tow/lift bar located below rear compartment mounted to chassis frame, painted black.	\$3,404		
1680-0303	Splash guard for reel below front of cab. Includes chute to front bumper tray for hose. Hush chassis only.	\$981		
1680-0306	Air intake emergency shut-down. Pump panel mounted guarded switch with reset switch located below front bumper.	\$2,101		
1680-0311	Fan drive w/thermatic clutch permanently engaged.	\$1,637		
1680-0312	On-Spot tire chains. Includes switch in cab.	\$3,349		
1680-0313	Power Mirrors 600, Disc Brakes 800, Air seat and additional battery modification 1,800, Mirror mounted turn signals 650, Two Tone paint 651	\$0		
1680-0316	CPL auto lube system for chassis points (up to 26) and jack system points (12).	\$9,242		
1680-0319	Tow eyes front painted below bumper/cab pointed forward. (PR). Custom chassis only.	\$2,135		
1680-0320	Weather resistant box for tire chain solenoid.	\$133		
1680-0321	Steel tow/lift bar located below front of cab mounted to chassis frame, painted black.	\$5,419		
1680-0326	Side 9K Winch Receivers - frame rail height shall be provided. Two (2) winch receivers, one (1) each side, shall be located in line with the top of the frame rail ahead of the rear wheels. Each receiver position shall have its own pin. Winch receiver(s) shall be rated for a maximum of 9,000 line pull pounds with a 2.0 to 1 straight line pull no-yield safety factor. 12VDC power and exterior doors not included.	\$3,358		
1680-0327	Block heater 1500 watt wired through APU. Available on ISM, ISX and S60 only.	\$603		
1680-0328	Oil pan heater - Fleetguard 450W/120V wired to APU only. ISX only.	\$619		
1680-0329	Air clutch for second hyd pump. For use with dual hyd pump systems on a single PTO. Requires first hyd pump to be drive-thru style.	\$4,311		

Item #	Description	Extension	+1/-1	Total
1680-0330	Receiver, side body 9K Winch Receivers-frame rail height shall be provided for use with Reyco suspension. Two (2) winch receivers, one (1) each side, shall be located in line with the top of the frame rail ahead of the rear wheels. Each receiver position shall have its own pin. Winch receiver(s) shall be rated for a maximum of 9,000 line pull pounds with a 2.0 to 1 straight line pull no-yield safety factor. 12VDC power and exterior doors not included.	\$3,358		
1680-0331	Tow eyes front painted job color mounted in up position. Requires 16" minimum bumper extension on custom chassis and 18" minimum bumper extension on commercial chassis.	\$459		
1680-0332	Radiator overflow lines to be extended below frame rails and secured with metal clamps.	\$0		
1680-0334	Oil pan heater - Fleetguard 450W/120V wired to block heater receptacle. ISX only.	\$619		
1680-0336	Special transmission lock bracket for manual transmission and electrical programming.	\$784		
1680-0338	Extensions for chassis and cab tilt grease fittings. Extensions to be routed to three groups (left front, right front and rear).	\$1,068		
1680-0344	Tow eyes front painted in down position with additional stainless steel officer only in the up position	\$693		
1680-0345	Tow eyes rear frame painted. Locate: B1, inside with eye plates spaced to best accommodate common sized towing hardware inside the compartment.	\$901		
1680-0349	Tow eyes rear below body, painted. 1" thick material with 3" diameter hole straight down from chassis frame. For use as lifting eyes at rear of chassis.	\$2,005		
1680-0350	Receivers, side body 9K winch receivers - frame rail height shall be provided. Two (2) winch receivers, one (1) each side, shall be located in line with the top of the frame rail between rear tandem wheels. Each receiver position shall have its own pin. Winch receiver(s) shall be rated for a maximum of 9,000 line pull pounds with a 2.0 to 1 straight line pull no-yield safety factor. 12VDC power and exterior doors not included.	\$3,684		
1680-0351	All applicable .625" heater hose to have constant torque clamps. Includes end, union and T-fittings.	\$388		
1680-0352	Side underbody 9K winch receivers. Includes (2) side facing- (1) each below body compartment offset forward on tiller trailer body for portable winch with electrical connection for winch.	\$1,805		
1680-0353	Heavy duty frame cross-member located at cab locks.	\$1,117		
1680-0356	Rope tie off. Side underbody Rope Tie Off. Includes (2) side facing- rope tie off points (1) each below body located per engineering approval. Rating: 1000 lbs with 10:1 safety factor with straight line pull.	\$2,168		
1680-0360	Bevel interior holes of rear tow eyes.	\$280		
1680-0361	Tow eyes rear frame stainless steel with 4" holes.	\$1,869		
1685-0000	Cab interior gray. Does not include engine cover or seat color.	\$0		
1685-0001	Cab interior black. Does not include seat color.	\$408		
1685-0002	Cab interior burgundy. Does not include engine cover or seat color.	\$3,354		
1685-0003	Fold down computer tray bolted to engine cover on officer's side.	\$868		
1685-0004	Storage below rear bench seat for four SCBA bottles.	\$790		
1685-0005	Lexan sun visors, driver and officer's side overhead.	\$0		
1685-0006	Padded sun visors, driver and officer's side overhead.	\$0		
1685-0008	Control lanyard Y type for air horns.	\$202		
1685-0009	Chain for ignition key	\$151		
1685-0011	Stainless steel pair of window bars for rear cab doors.	\$442		
1685-0012	Seating capacity tag of two occupants.	\$0		
1685-0013	Console control Ford chassis	\$556		
1685-0015	Locking Gun Box	\$665		
1685-0016	Three Ring Binder/VCR mount	\$644		
1685-0017	Overhead Glove Box constructed of ABS plastic	\$618		
1685-0018	Gun box aluminum with a Simplex lock.	\$644		

Item #	Description	Extension	+1/-1	Total
1685-0019	Cab Handrail Floor to Ceiling (PR) to assist entry and exit of vehicle	\$155		
1685-0020	Maplight 20" gooseneck on driver and officer side of console.	\$82		
1685-0022	Lateral "G" Alert system with audible and visual warnings.	\$3,733		
1685-0023	Inclinometer, phosphorescent illumination with 20-0-20 side slope indicator.	\$214		
1685-0024	Cab Floor Mod - Crown	\$0		
1685-0026	Door Seat Riser Ovrlap drv/off for the Typhoon only.	\$229		
1685-0027	Heater rear cab w/o cover (PR). 23,000 BTU ea.	\$1,762		
1685-0028	Heaters rear cab w/covers (PR).	\$1,881		
1685-0029	OEM Seat Center Section Removed Light Duty	\$321		
1685-0030	Seating capacity tag of three occupants.	\$0		
1685-0031	Seating capacity tag of four occupants.	\$0		
1685-0032	Seating capacity tag of five occupants.	\$0		
1685-0033	Seating capacity tag of six occupants.	\$0		
1685-0034	Seating capacity tag of seven occupants.	\$0		
1685-0035	Seating capacity tag of eight occupants.	\$0		
1685-0036	Seating capacity tag of nine occupants.	\$0		
1685-0037	Seating capacity tag of ten occupants.	\$0		
1685-0038	ALS Prov w/Ext Access Drs	\$3,985		
1685-0039	Window bars stainless steel pair for canopy windows.	\$442		
1685-0040	Cut out in rear cab wall to enable walking into the body.	\$2,101		
1685-0041	Label Package- Seat number, 2 person cab - Overall height - "No Ride"	\$0		
1685-0045	Single headset hook hanger above cab seat.	\$30		
1685-0046	Maplight 360 degree directional interior fwd upper cab area foward driver and officer.	\$124		
1685-0047	Speedometer gauge with odometer KPH only.	\$197		
1685-0050	Modify rear bench seat riser to have storage access from each side for (4) SCBA bottles, (2) ea side. Hinge doors as to work best with rear heater locations.	\$1,842		
1685-0051	Speedometer with odometer dual gauge english standard (MPH dominate).	\$143		
1685-0052	Headset Hook Hanger Rack with 4 Hooks installed on rear wall of cab.	\$167		
1685-0054	Trim cab door kickplate 4 door.	\$0		
1685-0056	Heater rear cab w/o cover (PR) and front cab heater with heat to the feet for the driver and officer.	\$1,762		
1685-0057	Heaters cab rear with covers (PR), and front heater with heat to the feet for the driver and officer.	\$1,881		
1685-0058	Interior cab access panel. Driver side of cab for access to rear of shore line receptacle. Panel to be 8" x 8".	\$358		
1685-0059	Locking seat riser door. Driver and officer seat riser doors are to include a locking push-button latch. Key type to be 1250.	\$177		
1685-0060	Louvers in rear bench seat riser. For ventilation.	\$183		
1685-0061	Interior cab access panel. Officer side of cab for access to rear of shore line receptacle. Panel to be 8" x 8".	\$358		
1685-0062	Label package for Memphis units only, to include labeling of items behind all removable panels and check loose items in cab warning labor for off side dash and cab tilt access door.	\$612		
1685-0063	Medical glove box. Mount to rear area of engine cover. Includes slotted top for dispensing gloves without opening hinged lid. Box to be same color as interior of cab. Secure lid in closed position with small butterfly latch.	\$297		
1685-0064	Embossed diamond plate foot plates located at driver, officer and rear facing seat positions where feet would rest while seated.	\$331		
1685-0066	Officer seat riser storage compartment door to be on front of riser hinged towards engine cover.	\$209		
1685-0068	Rear engine cover diamond plate trim.	\$255		



Item #	Description	Extension	+1/-1	Total
1685-0069	Hinged interior cab gauge panel in front of driver. Includes (9) gauges- English dominant. Panel to be hinged for access to driver gauge cluster.	\$2,496		
1685-0070	Lanyard "Y" control. Chassis mounted air horn(s). Commercial chassis.	\$190		
1685-0071	Notch cab wheel well and engine cover to provide 40 inches from rear wall to engine cover	\$555		
1685-0072	There shall be no E-One logos on cab seats.	\$2,411		
1685-0073	Control lanyard Y type or dual single pull as applicable for air horns on a commercial chassis.	\$290		
1685-0074	Communications cabinets (1/8"). 20.5"W x 16"H x 20"D INT (PR). Includes (2) roll out trays and vertically hinged door (1/8") with thumb latch. Location: One each side over cab wheel wells. Includes a smooth plate cover with matching cab finish for customer installed wiring between towers.	\$3,055		
1685-0075	Removable ABS panel 35"H x 4.5"W for officer side cab wall to route communication wires from officer side communication cabinet to officer side dash area. Panel to be attached with screws.	\$131		
1685-0076	Unitrol and EQ2B sirens to operate only with Master Warning Light switch and Primary Warning Light are ON.	\$0		
1685-0077	Ground Light switch to operate all ground lights and step lights.	\$0		
1685-0078	Kick Plate in front of the officer to be diamond plate.	\$170		
1685-0079	Tag to indicate Combination Vehicle Weight, Gross Axle Weight, and Gross Vehicle Weight shall be located in the cab	\$54		
1685-0080	Embossed diamond plate foot plates located at driver, officer and forward facing rear seat positions where feet would rest while seated.	\$414		
1685-0084	3/16" Aluminum plate on top engine access door. To have swirl finish and be spaced up approx 1/2"	\$297		
1685-0085	Center cab dash electrical panel to be held in place with coin slot style fasteners.	\$109		
1685-0086	Stainless steel scuff plate under interior canopy window.	\$393		
1685-0087	Rear engine cover radio cabinet. Cabinet to have access from the top and from rear with swirl and clear coat finish.	\$1,452		
1685-0088	Removable ABS panel 35"H x 4.5"W for driver side cab wall to route communication wires from driver side communication cabinet to driver side dash area. Panel to be attached with screws.	\$131		
1685-0089	Louvers for officers seat riser. Locate louvers in the front, side and door of riser (as applicable).	\$401		
1685-0090	Rear cab headliner to be six pieces IPOS.	\$305		
1685-0091	Mount customer supplied computer tray on engine cover. Includes support plates on the top and bottom.	\$266		
1685-0092	Mount (2) intermediate steps to be bolted-on (one each side) inside the front driver and officer cab step well drawing # 672433 and 672434.	\$221		
1685-0093	Black rubber handrail mounted parallel to seats on rear of engine cover for driver and officer rear facing seats.	\$213		
1685-0094	Storage below rear bench seat. (1) horizontal hinged door on the front of the rear bench seat.	\$509		
1685-0095	Locking rear seat riser door (PR). Seat riser doors are to include a locking push-button latch. Key type to be 1250.	\$177		
1685-0100	Tag cab hatch to read "EMERGENCY ESCAPE HATCH"	\$20		
1685-0101	Rear engine cover radio cabinet. Cabinet to have access from the top and from rear with OTO finish.	\$790		
1685-0104	Map pockets 14 gauge stainless steel (PR). Includes vinyl trim around top of opening and nylon strap with snap to retain contents. Locate pockets one each side on rear cab wall centered between center cabinet and side wall of cab with bottom approx 20" above floor.	\$478		
1685-0105	Sun visor strap (PR) with snap fasteners.	\$165		
1685-0106	Rear engine cover radio cabinet. Cabinet to have access from the top and from rear.	\$790		
1685-0107	Interior grab handle rubber covered (2). Locate one each side at interior of rear cab door opening (at rear of opening)	\$246		
1685-0108	Locking seat riser door. Driver and officer seat riser doors are to include a locking push-button latch. Key type to be CH-751.	\$93		
1685-0109	Locking rear seat riser door (PR). Seat riser doors are to include a locking push-button latch. Key type to be CH-751.	\$93		
1685-0110	Storage below rear bench seat for two SCBA bottles (one each side).	\$790		
1685-0111	Rear cab interior wall overlay with swirl and clear coat finish.	\$798		

Item #	Description	Extension	+1/-1	Total
1685-0112	Integrated Roll Sensor (IRS) for RollTek air bag system.	\$2,559		
1685-0113	Integrated roll sensor slave module for RollTek air bag system.	\$1,191		
1685-0114	Integrated Head Curtain (IHC) for RollTek air bag system.	\$721		
1685-0115	Integrated Belt Pretensioner (IBP) for RollTek air bag system.	\$418		
1685-0116	Interior grab handle rubber covered (2). Locate one each side at interior of front cab door opening (at rear of opening)	\$246		
1685-0117	Rear cab interior wall overlay with Zolatone finish.	\$519		
1685-0118	Pump operator panel on rear wall of cab. For use with Class 1 TME pump panel. Final design to be determined by E-ONE Applications and Chassis Engineering and with Class 1.	\$2,421		
1685-0119	3/16" Aluminum plate on top engine cover forward of access door. To have swirl finish and be spaced up approx 1/2"	\$297		
1685-0120	Rear cab interior wall overlay with diamond plate finish.	\$653		
1685-0121	Flat bar (.5" x 2") installed on rear cab wall up high with full length shelf track.	\$366		
1685-0123	Freightliner provided Interior Convenience Package which includes; Driver and officer dual reading lights forward of cab roof, Roof mounted console with upper storage compartments and center compartments without netting, Main heater upgrade, Molded door panel with upper vinyl insets, Wood grain driver and center instrument panel.	\$245		
1685-0124	Freightliner provided Auxiliary Heat and Air Conditioner with Constant Temperature Control and Ducting in Rear of Chassis.	\$516		
1685-0125	Canadian Domiciled Commercial Chassis includes: Dual Read Metric Dominate Gauge Cluster.	\$0		
1685-0126	SCBA Storage tubes (4) horizontally mtd (2) each side in lower rear cab compartments above floor level.	\$922		
1685-0127	Locate rear cab heaters below front of rear wall seat riser(s). Includes louvers for ventilation.	\$431		
1685-0128	Freightliner provided Power Window and Door Locks.	\$1,032		
1685-0130	Oval label 2.362"H x 3.029"L to be applied to interior of windshield upper right hand corner, officer's side. Label to read "CCC" "F".	\$0		
1685-0131	Reinforcement plate(s) behind lower rear cab wall padding. TME only.	\$680		
1685-0133	Intercom control panel shield installed on console, below plastic fascia, flush with switch ends.	\$153		
1685-0134	Embossed diamond plate foot plates located at each seating position where feet would rest while seated.	\$331		
1685-0135	Hot climate insulation package. Includes insulation for ceiling, front wall, rear wall, side walls, below seat risers, and in doors.	\$2,704		
1685-0136	Storage in rear wall free standing seat riser. (1) horizontal hinged door on the front of the free standing seat riser.	\$394		
1685-0137	Console Remote Control Panel between Driver and Officer for remote control Bumper Turret, Pump Control, and switches.	\$992		
1685-0138	3/16" Aluminum plate on top engine cover forward of access door. Finish to match cab interior and be spaced up approx 1/2".	\$297		
1685-0139	3/16" Aluminum plate on top engine access door. Finish to match cab interior and be spaced up approx 1/2"	\$297		
1685-0140	Storage at rear engine cover w/ cargo net top. (3) sided storage approx. 44.5"W x flush with upper engine cover high x sloped area of engine cover deep. Storage area to match cab interior.	\$865		
1685-0141	Main control console. Locate in cab centered between driver and officer. Includes all primary in-cab controls/switching	\$0		
1685-0142	Main control console. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching.	\$0		
1685-0143	Cab gauge cluster with english dominant.	\$0		
1685-0144	Cab gauge cluster with metric dominant.	\$335		
1685-0146	Extended electrical access panel in cab. Panel to extend up to allow for radio/equipment installation	\$681		
1685-0147	Narrow rear cab wall support channel. Not available with non-ABTS rear wall seating.	\$252		
1685-0148	Rear cab wall pump operator console. Includes lower pedestal mount (job color of interior of cab) with access panel and stainless steel control panel. Panel to fixed with area for recessed panel lighting.	\$1,905		
1685-0149	Cut out in rear cab wall to enable walking into the body. Commercial chassis only.	\$3,509		

Item #	Description	Extension	+1/-1	Total
1685-0150	The cab walls and ceiling shall be insulated. The interior cab ceiling and walls shall have interior padding and ABS panels applied to the metal surfaces as applicable. ICAO Only.	\$1,580		
1685-0151	Main control console. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching and mounting for EQ2B siren control head..	\$0		
1685-0152	Main control console. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching (note style of switching and requirements for front preconnect controls and gauge). Exterior finish (including top surface) to be black powder coated.	\$0		
1685-0153	Storage below rear bench seat. (2) horizontally hinged doors on the front of the rear bench seat.	\$1,015		
1685-0154	Communications cabinets (1/8"). 20.5"W x 16"H x 20"D INT (PR). Includes (2) roll out trays and cargo netting over openings. Location: One each side over cab wheel wells. Includes a smooth plate cover with matching cab finish for customer installed wiring between towers.	\$3,055		
1685-0155	Cold climate insulation package. Includes insulation for ceiling, front wall, rear wall, side walls, below seat risers, and in doors.	\$2,704		
1685-0156	Command desk, rear engine cover 5"H x 17"D x full width between medical cabinets. Desk to include hinged aluminum lid with lexan overlay and gas shock, trigger latches, 1" return lip on lid and 1" back splash. Desk to be mounted 26" off of floor with finish to match cab interior.	\$2,561		
1685-0157	Dash label "Switch Compression Brake Off for Wet or Slippery Road Conditions".	\$57		
1685-0158	The cab floors shall be insulated. Interior matting shall be applied to the metal floor surfaces.	\$1,014		
1685-0159	Vehilce meets NFPA Complinance with exception to the Lateral "G" Alert System.	\$0		
1685-0160	E-One supplied/Van-Mor installed Swivel Pedestal Seat. Locate in cab command area in front of desk. If more then one seat offset them.	\$597		
1685-0161	Severe duty dash package. Includes smooth plate alum center and officer side dash painted to match cab interior and lower dia plt kick panels.	\$1,090		
1685-0162	Severe duty engine cover. Includes floor type matting on sides, top forward and top rearward engine covers with sanded finish smooth aluminum trim.	\$1,180		
1685-0163	Swivel Pedestal Seat. Locate in cab command area in front of desk. If more than one seat, offset them. The seat will include seat belts. Only when the seat is locked, facing the driver's side can the seat be a transit seat. Seat color will match the interior of the front cab seats.	\$2,085		
1685-0164	Severe duty engine cover. Includes floor type matting on sides, top forward and top rearward engine covers with smooth aluminum trim painted to match cab interior.	\$1,387		
1685-0165	Storage below rear bench seat. (1) horizontally hinged door on the front of the rear bench seat. Hinge hardware mounted with acorn nuts outside.	\$509		
1685-0166	Driver side command desk in cab. Desk will run from back of drivers seat to the back wall of the cab. There will be a raceway on the back side of the desk with a removable plate for access to interior of race way. Desk will have a 2" lip down with a 1" lip back. All items are to have a DA finish.	\$1,901		
1685-0167	Provide (2) two overhead storage compartment with plexi glass doors above the desk top installed on the upper portion of the interior. Locate in the cab interior in Vista area. Cabinet shall be made out of aluminum with plexi glass sliding doors. Each cabinet shall have a DA finish. The doors should slide side to side allowing access to one side at a time. Each cabinet shall be approx 14" deep x 14" high x as long as needed in the vista area.	\$2,557		
1685-0168	ABS Dash package. Includes center and officer side dash, lower kick panels and "A" post covers.	\$0		
1685-0169	Typhoon engine cover - Thermoformed ABS / molded polyurethane.	\$0		
1685-0170	Cyclone II engine cover - Molded polyurethane.	\$0		
1685-0171	Speedometer with odometer dual gauge metric (KPH) dominate.	\$151		
1685-0172	Storage below rear bench seat. (1) hinged door on each front corner of the bench seat base.	\$969		

Item #	Description	Extension	+1/-1	Total
1685-0173	Main control console for Ford chassis. Locate in cab centered between driver and officer. Includes all in-cab controls/switching.	\$693		
1685-0174	Louvers for rear bench seat riser. Locate louvers on each side of riser.	\$401		
1685-0175	Provide (1) one overhead storage compartment with plexi glass doors above the desk top on the driver's side installed on the upper portion of the interior. Locate in the cab interior in Vista area. Cabinet shall be made out of aluminum with plexi glass sliding doors. Each cabinet shall have a DA finish. The doors should slide side to side allowing access to one side at a time. Each cabinet shall be approx 14" deep x 18" high x as long as needed in the vista area.	\$5,114		
1685-0176	Insulation - front cab wall. Includes insulation on rear cab heater hose lines (if equipped). Custom ES.	\$123		
1685-0177	Cab gauge cluster with metric dominant speedometer.	\$335		
1685-0178	Cab gauge cluster with english dominant.	\$0		
1685-0179	Locate rear cab heaters below top mount pump panel on rear cab wall. Includes louvers as applicable.	\$431		
1685-0180	On Scene Solutions Talon helmet holder (EA). Location: [#LOC].	\$463		
1685-0181	Pump operator panel on rear wall of cab. For use with TME pump panel. Final design to be determined by E-ONE Applications and Chassis Engineering	\$2,421		
1685-0182	Severe duty dash package. Includes smooth plate alum center, officer side dash and lower kick panels; all painted to match cab interior.	\$1,090		
1685-0183	Heater cab with heat to the feet for the driver and officer	\$919		
1685-0184	Heater rear cab w/o cover. Includes 110V blower.	\$1,463		
1685-0185	Locking rear seat riser door. Seat riser door to include a locking push-button latch. Key type to be 1250.	\$177		
1685-0186	Storage box to hold four (4) helmets mounted in the center of the rear wall.	\$857		
1685-0187	Severe duty engine cover, molded polyurethane.	\$0		
1685-0188	Stainless steel trim low on officer side of engine cover (to match driver side). CII / Typhoon only.	\$152		
1685-0190	ABC Extinguisher 10#. Locate bracket [#LOC].	\$193		
1685-0191	Diamond plate cover for battery charger/air compressor. Includes louvers for ventilation.	\$259		
1685-0192	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on back wall of cab each side outboard of bench seat.	\$1,687		
1685-0193	Slide-out MDT mount officer cab dash. Requires severe duty dash w/MDT notch.	\$1,236		
1685-0194	Officer cab dash modification for Havis slideout MDT bracket. Not available with heat to feet or side roll protection.	\$535		
1685-0195	Control lanyard to officer side and located over the officer side door opening with a single chain. For use with air horns. Commercial chassis only.	\$290		
1685-0196	Severe duty Quest officer dash package. Includes smooth plate alum officer side dash with trim panel painted to match cab interior and lower dia plt kick panel.	\$455		
1685-0197	Rear upper cab interior wall 3/16" overlay with Zolatone finish. Approximately 20" high.	\$416		
1685-0198	Cab Floor Mod - Extnd Box Type. For use with short cab application and battery relocation on top of chassis frame rails. Floor mod to extend to rear cab wall.	\$0		
1685-0199	Rear engine cover brushed stainless steel trim.	\$538		
1685-0200	(No longer used. Please see 1685-0193) Slideout MDT mount officer cab dash. Requires severe duty dash w/ MDT notch. Not available with heat to the feet.	\$721		
1685-0201	Severe duty dash package. Includes smooth plate alum center and officer side dash painted to match cab interior and lower dia. plt. kick panels. Officer cab dash notched for MDT slide-out bracket(s).	\$1,328		
1685-0202	"Y" type lanyard control for air horns. Lanyard is in addition to the foot switch controls. Custom ES.	\$156		
1685-0203	A grab handle for the crew member at each seated position.	\$61		
1685-0204	Side mount telescopic computer tray bolted to engine cover on officer's side.	\$1,075		

Item #	Description	Extension	+1/-1	Total
1685-0205	Storage at rear engine cover w/ drop down rear door. (3) sided storage approx. 44.5"W x flush with upper engine cover high x sloped area of engine cover deep with (2) equally spaced vertical dividers. Storage area to match cab interior.	\$865		
1685-0206	Center control console. Locate in cab between driver and officer. Includes area for NFPA siren, electrical, and in-cab controls (as applicable) switching.	\$1,877		
1685-0207	Cup holders; severe duty dash. (1) each side facing of center electrical cover; driver offset rearward, officer offset forward. Holders to match cab interior.	\$267		
1685-0208	The interior dash panels to be burl wood in place of standard. Kenworth	\$168		
1685-0211	Center control console. Locate in cab between driver and officer. Includes area for NFPA siren, electrical, and in-cab controls (as applicable) switching.	\$2,425		
1685-0212	Commercial chassis to have a pair of defogger fans.Ordered with chassis.	\$0		
1685-0213	Cab interior door NFPA reflective material to be mounted to .090 material panels IPO door plastic. Size panels as applicable to lower door surface for best securing to door.	\$0		
1685-0215	Rear cab SCBA mounting brackets (2) with holders, Wildland.	\$1,343		
1685-0216	Rear Bench Seat Base Enclosure, Wildland, Navistar	\$1,087		
1685-0217	Main control console. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching.	\$0		
1685-0218	KNOX-BOX KeySecure model 2642. Includes E-ONE installed wiring to switched 12v power supply. Location: officer side of engine cover. Requires dept to purchase software package from KNOX-BOX (if they do not already have it).	\$1,407		
1685-0219	Interior grab handle rubber covered (2). Locate one each side at interior of rear cab door opening (at front of opening)	\$246		
1685-0220	KNOX-BOX SentraLok A Model 3923 with red strobe. Includes E-ONE installed wiring to switched 12v power supply. Location: left side of officer dash. Requires dept to purchase software package from KNOX-BOX (if they do not already have it).	\$1,966		
1685-0221	Severe duty dash package. Includes smooth plate alum center and officer side dash painted to match cab interior and lower dia plt kick panels. Officer cab dash notched with recessed glove box. Includes angled notepad holder on top. Not available with Rolltek.	\$1,603		
1685-0222	Storage at lower rear engine cover w/ cargo net top. Approx. 30"W x 12"H x sloped area of engine cover deep. Storage area to match cab interior.	\$865		
1685-0223	Storage at rear engine cover w/ lift-up door. Storage approx. 44.5"W x flush with upper engine cover high x sloped area of engine cover deep. Storage area to match cab interior.	\$865		
1685-0224	[#COL] vinyl cover for steering wheel shaft at driver's position.	\$59		
1685-0225	Storage at rear engine cover w/ lift-up door. Storage approx. 37.5"W x flush with upper engine access cover high x 34" deep (front to rear). Includes forward 12" stationary cover. Storage area to match cab interior.	\$1,199		
1685-0226	Cab interior tactical equipment storage module, painted black durabak. Includes removable un-painted radio shelf	\$2,411		
1685-0227	Critical tags shall be upgraded to embossed metallic tags fastened in place with stainless steel hardware.	\$273		
1685-0228	Cab floor shall be upgraded to be made of embossed diamond plate IPO standard diamond plate.	\$304		
1685-0229	Southco model C2-32-21-3 keyed latch for electrical access door in cab dash. Severe duty dash only.	\$161		
1685-0230	The multiplex display shall be angled towards the driver.	\$140		
1685-0231	Aluminum front headliner backing plates in place of standard material.	\$238		
1685-0232	Embossed 3/16" diamond plate floor overlay for driver and officer side floor.	\$331		
1685-0233	Computer mount located on the mounting plate ahead of the engine access cover. Includes bracket models C-MD-202, C-HDM-134, dock station DS-PAN-211-2, power supply LPS-101, keyboard mount KM-NY and stiffener DS-DA-405.	\$1,892		
1685-0234	Cup holders; severe duty dash. (1) each side of forward engine cover. Holders to match cab interior.	\$267		
1685-0235	Foot switch Linemaster model 632S to control air horns located [#LOC]. Includes 25 degree diamond plate bracket.	\$136		
1685-0236	Cab steps and bolt-on steps (if applicable) (excluding ALS step if provided) to be equipped with Bustin Industries Type M stainless steel overlay in lieu of Gator Grip. Includes (6) 3/4" drain holes on the lower steps.	\$1,960		

Item #	Description	Extension	+1/-1	Total
1685-0237	KNOX-BOX KeySecure model 2642. Includes E-ONE installed wiring to switched 12v power supply. Location: officer side cab dash inboard. Severe duty dash only. Requires dept to purchase software package from KNOX-BOX (if they do not already have it).	\$1,407		
1685-0238	Insulation - front cab wall. Includes insulation on rear cab heater hose lines (if equipped).	\$123		
1685-0239	Cab floor to be overlaid with 1/8" embossed aluminum diamond plate; front and rear. Single piece with no gaps around perimeter.	\$1,080		
1685-0240	Slide-out MDT mount officer cab dash with dock. Requires severe duty dash w/MDT notch. Not available with heat to the feet.	\$1,694		
1685-0241	Locate rear cab heaters one each side rear cab wall down low.	\$0		
1685-0242	Officer seat riser storage compartment door to be hinged to the rear.	\$127		
1685-0243	Pac Trac panels vertically stacked on back wall of cab each side outboard of medical cabinet.	\$1,687		
1685-0244	Mechanical fastners ipos for headliners.	\$214		
1685-0245	Main control console for Ford chassis. Locate in cab centered between driver and officer. Includes all in-cab controls/switching. Console to have a Zolatone gray finish.	\$693		
1685-0246	Maplight flexible LED on driver and officer side of console.	\$161		
1685-0247	Cab floor to be overlaid with 1/8" embossed diamond plate; front and rear. Single piece with no gaps around perimeter. Front plates to be sand blasted to remove shine.	\$1,290		
1685-0248	Storage box with diamond plate hinged top with push-button latch. Box to be mounted on floor centered of rear wall. Size: 36H x 40W x 20D. Finish to match can interior (excluding lid). Includes compt light to match body package.	\$1,643		
1685-0249	Label to read "CYCLONE II X036". Location: inside driver door jamb.	\$0		
1685-0250	Main control console. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching.	\$0		
1685-0251	Diamond plate cover to protect the steering wheel shaft/knuckle.	\$251		
1685-0252	Storage cabinet center rear crew area. Box to be installed from behind engine cover to rear wall with open sides and (1) adjustable shelf. Sides will be provided with cargo net covers. Handrails provided on each side top of cabinet. Cabinet to match cab interior.	\$3,331		
1685-0253	Reinforce all anchor points on overhead console panels.	\$0		
1685-0254	Storage box locking, mounted on the rear lower engine cover. Engine cover lock box measures 18x24x9 with a lift top lid and a locking latch. Finish will match cab interior.	\$986		
1685-0255	Center control console. Locate in cab between driver and officer. Includes area for NFPA siren, electrical, customer supplied radio cut-out and in-cab controls (as applicable) switching.	\$1,877		
1685-0256	Electrical schematic aluminum pocket behind driver seat.	\$216		
1685-0257	Air compressor cover NYPD.	\$305		
1685-0258	SCBA rear wall peg tool board mount for three (3) Lifeguard Smart Dock 2 SCBA brackets. The "peg board" SCBA tool board shall be mounted between the two (2) rear outboard seats with adequate room between each pack to mount complete SCBA packs. Peg board sizing shall be approximately 40" wide X 35" high and shall be spaced off the rear wall approximately 1". The peg board shall be finished with Zolatone.	\$2,924		
1685-0259	Jotto AK-12, Unit No. 6159 main control console for Ford chassis. Locate in cab centered between driver and officer. Includes all in-cab controls/switching and laptop mounting surface.	\$1,466		
1685-0260	Label package for NYPD units only, to include seating capacity labels in yellow with black lettering; (1) each side of overhead console. "Tower Up" label black with white lettering above tower ajar light. "Master Battery" label yellow with black lettering and "Emergency Start" label black with white lettering above cole hersee switches. "Do Not Grab To Adjust" label black with white lettering in lower mirror glass. O.A.H. 11' in 2" white vinyl on driver side of windshield on radius to not interfere with driver's view.	\$0		
1685-0261	Storage below rear bench seat. (1) cargo net (black) on each side of the bench seat to gain access to storage area.	\$704		

Item #	Description	Extension	+1/-1	Total
1685-0262	Storage below rear bench seat for two SCBA bottles (driver side). Officer side to be open storage w/ door.	\$790		
1685-0263	Severe duty dash package. Includes smooth plate alum center and officer side dash and lower kick panels; all painted to match cab interior. Officer cab dash notched for MDT slideout bracket(s).	\$1,328		
1685-0264	A universal laptop mount, Havis model C-3090-3 shall be mounted to the center console. Ford commercial chassis. Requires 1685-0173 Ford center console.	\$807		
1685-0265	Smooth plate cover(s) for battery charger and air compressor. These cover's shall be painted to match cab interior and shall include louvers as required for ventilation.	\$259		
1685-0266	Bolt-in partition wall. Locate under bench seat centered between driver and officer side.	\$256		
1685-0267	Modify rear bench seat riser to have storage access from each side for up to (2) 20lb ABC extinguishers, (1) ea side.	\$1,596		
1685-0268	NOTE: Center control console to be as close as possible as previous truck. Reference E-One part# 564559.	\$0		
1685-0269	Storage box approximately 11" wide x 10" high x 26" deep made from 1/8" diamond plate aluminum, centered on to rear cab floor. The box shall cradle (1) 2.5 gallon water fire extinguisher. The door shall be hinged with push button latches to provide easy access to the extinguisher in its stowed position stored at a slight incline within the box.	\$760		
1685-0270	Main control console for Dodge chassis. Locate in cab centered between driver and officer. Includes all in-cab controls/switching.	\$693		
1685-0271	Embossed diamond plate foot plates painted with black Durabak located at each seating position where feet would rest while seated.	\$466		
1685-0272	Cup holder (PR) with shallow tray located at front center of engine cover. Polyurethane construction for use with severe duty engine cover only.	\$138		
1685-0273	KNOX-BOX MedVault 2 model 5520H3S2-4. Includes E-ONE installed wiring to battery hot. Location: rear wall of medical cabinet. Top of compartment right hand side forward facing. Requires dept to purchase software package from KNOX-BOX (if they do not already have it).	\$3,065		
1685-0274	Plate aluminum 1/8" outboard of medical cabinet rear wall between extrusions behind padding. Plate to run from ceiling down to rear cab support bracket.	\$251		
1685-0275	Cup holder (PR). Polyurethane construction for use in Typhoon and CII with severe duty engine cover only. Location: [#LOC].	\$168		
1685-0276	Cab interior color definitions not already defined shall include: The use of burgundy vinyl (Van-Mor or equivalent) for the rear wall and headliner IPOS. The center dash cluster and the center overhead dash shall be burgundy ABS panels IPOS. The dash support housing and any other Zolatone surfaces (except the engine cover) shall be Zolatone "Dark Red" 20-78 IPOS (see separate sale codes applicable for map and medical cabinets). The engine cover shall remain black Polyurethane.	\$0		
1685-0277	E-ONE will supply an additional metric weight and dimensions tag on the drive seat riser.	\$40		
1685-0278	The driver side seat riser shall include a mount for the Rhino override key. The bracket shall utilize a door spring mount casting that cradles the Rhino override wrench.	\$68		
1685-0279	Chrome grab handle. Locate (1) on the engine cover centered between latches.	\$131		
1685-0280	Severe duty dash upgrade package to include angled/slanted mounting surfaces IPOS.	\$0		
1685-0281	Control lanyard type officer side only for air horns.	\$202		
1685-0282	Slideout MDT mount officer cab dash with dock (Havis DS-PAN-111, C-MD-105-Z, C-HDM-135). Requires severe duty dash w/ MDT notch. Not available with heat to the feet. To include 12 VDC electrical outlet wired to battery hot.	\$2,147		
1685-0283	Pac Trac panels horizontally mounted and vertically stacked on back wall of cab.	\$1,687		
1685-0284	Raceway across lower engine cover; full width of cover. Painted to match cab interior.	\$249		
1685-0285	Cup holder / tray for engine cover painted to match cab interior. Approx 14" wide x 10" long with tapered front corners and cup holders at each rear corner. For use in Typhoon and CII with severe duty engine cover.	\$472		

Item #	Description	Extension	+1/-1	Total
1685-0286	Control lanyard Y type for air horns. Aircraft style cable (1/8" wire cable covered with clear plastic/nylon tubing) shall be used IPOS.	\$261		
1685-0287	Rear engine cover trim 1/8" smooth aluminum painted to match cab interior and spaced up 1/2". Includes both horizontal surfaces and angle vertical surface between horizontal surfaces.	\$538		
1685-0288	Command desk in cab. Desk will be sized per rear engine cover area. Includes a raceway on the back side of the desk with a removable plate for access to interior of race way and a pull out drawer. All items are to have a DA finish.	\$2,845		
1685-0289	Foot switch Linemaster model 632S to control Q2B siren located [#LOC]. Includes 25 degree diamond plate bracket.	\$136		
1685-0290	Pac Trac panels vertically stacked on back wall of cab between forward facing outboard seats.	\$1,687		
1685-0291	4Front air bag system with steering wheel bag, driver knee bag and officer knee bag. Requires RollTek option.	\$5,099		
1685-0292	Mount for bumper turret joystick to allow use by driver or officer. Locate on forward engine cover.	\$396		
1685-0293	Command desk, rear engine cover with a lift-up slanted desk top approximately 31.9" high off of floor (top of sloped writing surface) X 37.9" W (side to side centered about engine cover) X 25.2" L (front to rear). Desk to include hinged aluminum lid with Lexan overlay and gas shock, trigger latches and storage compartment below. A 1" return lip shall be included on the lid. Desk to be mounted rearward of engine cover and 3X3 posts. Finish to match cab interior.	\$2,681		
1685-0294	Pre-wire for air horns, 2 floor mounted foot switches (1) driver side (1) officer side for International 4400.	\$462		
1685-0295	The rear wall support channel shall not include pre-punched holes for optional seating not contained within this order	\$62		
1685-0296	Severe duty dash package. The officer side dash shall be lowered 2.5" below its standard height. Includes smooth plate alum center and officer side dash painted to match cab interior and lower dia. plt. kick panels. Officer cab dash notched for MDT slide-out bracket(s). The notch position shall not be modified (only the officer side dash top). Not available with heat to the feet.	\$1,507		
1685-0297	Storage at rear engine cover w/ lift-up door. Storage approx. 36"W x flush with upper engine cover high x sloped area of engine cover deep. Storage area to match cab interior.	\$823		
1685-0298	The cab floor shall have the pre-punched holes for the accelerator and brake pedals modified. All brake and accelerator pedal hole cutout(s) necessary shall not be visible after the pedals have been mounted in place.	\$122		
1685-0299	Coat hook(s), stainless steel shall be provided in the cab. Location: on the rear wall as space permits.	\$84		
1685-0300	Hook(s), stainless steel shall be provided in the cab. Location: within easy reach of the driver's seated position.	\$84		
1685-0301	Access below top mount enclosed pump panel on rear wall of cab for access to pump compartment.	\$364		
1685-0302	Insulation - front pump compartment access door.	\$123		
1685-0303	Driver side "L" shape cab command desk with pull out drawer. Finish is to be swirled aluminum. No clear coating!	\$4,003		
1685-0304	Rear cab floor to be overlaid with 3/16" smooth plate painted with black Durabak. No seams or gaps.	\$981		
1685-0305	Aluminum rear headliner backing plates in place of standard material.	\$443		
1685-0306	Storage cabinet (PR) mounted on the driver and officer wheel well 15.5X24X21. Includes (1) adjustable shelf and rear facing cargo netting.	\$2,346		
1685-0307	Cup holder / tray enlarged for engine cover painted to match cab interior. Approx 19" wide x 12" long with tapered front corners and cup holders at each rear corner. For use in Typhoon and CII with severe duty engine cover.	\$509		
1685-0308	Riser rear bench seat with provisions for rear wall heaters (if equipped). For use with flip-up seats.	\$1,658		
1685-0309	Main control console. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching.	\$0		
1685-0310	Main control console with zolatone grey finish. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching.	\$693		
1685-0311	Adjustable throttle and brake pedals. Includes sw accessible by driver.	\$1,239		
1685-0312	Locking thumb latch on DEF tank door ipos.	\$79		
1685-0313	Smooth plate cover for battery charger. Includes louvers for ventilation. Cover to match cab interior.	\$259		
1685-0314	Officer wheel well cabinet (1/8"). 20.5"W x 14"H x 20"D INT. Includes (1) roll out tray with 8" sides. Rear opening will have cargo netting. Includes 1" lip around perimeter of top.	\$1,518		



Item #	Description	Extension	+1/-1	Total
1685-0315	Storage below rear bench seat. (1) hinged door on each side of the bench seat. The hinge shall be mounted on the forward edge of the opening each side.	\$704		
1685-0316	Tag FAA data plate. Information shall include: nomenclature, manufacturer's make and model, manufacturer's serial number, vehicle curb weight, payload maximum, gross vehicle weight, fuel capacity and type, date of delivery, warranty duration, contract number, paint color and code.	\$40		
1685-0317	The axle tag shall be modified to read Axle 1, 2 and 3 in place of the standard axle numbering convention. The tag shall be located on the driver's side cab door.	\$86		
1685-0318	Rear lower engine cover mounted storage box. To be approx. 44" W x 8" H x 12" D. Includes (1) centered (front to rear) divider. Includes cargo net cover.	\$1,108		
1685-0319	ABS Dash with controls for heating and air conditioning centered on the dash same as 2013 complaint vehicles.	\$0		
1685-0320	Storage at rear engine cover w/ cargo net top. (4) sided storage approx. 44.5"W x 3" upper (13" lower) deep x 21" front to rear. ISX engines only. Storage area to match cab interior.	\$865		
1685-0321	Divider below rear bench seat (PR). Requires side access doors. Location: (1) each side of front access door.	\$405		
1685-0322	Storage at lower rear engine cover w/ cargo net top. Approx. 30"W x 8"H x 12" deep with a center divider (front to rear). Storage area to match cab interior.	\$865		
1685-0323	Durawear interior panels ipo vinyl.	\$0		
1685-0324	Storage at lower rear engine cover w/ lift up door and dividers for 3" binders. Approx. 24"W x 14"H x 12"D. Storage area to match cab interior.	\$865		
1685-0325	Center control console. Locate in cab between driver and officer. Includes free area for customer supplied equipment to be added. Locate no equipment or switches in this console, using instead locations in overhead as specified.	\$1,877		
1685-0326	Edge trim on top perimeter of map pockets.	\$62		
1685-0327	ABS Dash package. Includes ABS center dash, officer side dash and "A" post covers. Lower kick panels are aluminum painted to match cab interior.	\$0		
1685-0328	Fold down computer tray bolted to the map box on officer's side.	\$868		
1685-0329	Map pockets aluminum plate painted to match cab interior (PR). Includes vinyl trim around top of opening and nylon strap with snap to retain contents. Locate pockets one each side on front wall of rear access map box between driver and officer.	\$478		
1685-0330	Pac Trac panels vertical stacked on back wall of cab officer side outboard of seat(s).	\$844		
1685-0331	Rear engine cover radio cabinet. 8"H x 44"W x 12"D (lower); ISC/ISL engines only. Includes lift-up door with gas shock, locking thumb latches and louvers. Finish to match cab interior.	\$790		
1685-0332	Interior access panel of cab roof antenna. Location: driver side forward, officer side forward and officer side rearward.	\$175		
1685-0333	3/16" aluminum plate on top engine cover forward of access door approx. 32"W x 12.5"L. Finish to black Durabak and be spaced up approx 1-1/4". Not available with cup holders.	\$320		
1685-0334	VIN, Tire size, Paint Color and Vehicle Emissions tags to be metal engraved fastened in place with stainless steel hardware.	\$773		
1685-0335	Rear engine cover swirl smooth plate (not clear coat) trim spaced 2" off cover. Includes lower horizontal surface and angle vertical surface between horizontal surfaces.	\$640		
1685-0336	Storage below rear bench seat for two SCBA bottles (officer side). Driver side to be open storage w/ door.	\$790		
1685-0337	Riser rear seat(s) with transverse. For use with side access ALS and flip-up ABTS seats. Transverse to be used for backboard storage.	\$1,658		
1685-0338	Severe duty dash package with low profile center and officer side dash. Includes smooth plate alum center and officer side dash painted to match cab interior and lower dia plt kick panels.	\$1,264		
1685-0339	Lower exterior cab steps to be equipped with Bustin Industries Type M stainless steel overlay in lieu of Gator Grip. Includes (6) 3/4" drain holes on the lower steps.	\$1,160		

Item #	Description	Extension	+1/-1	Total
1685-0340	Battery charger cover NYPD.	\$305		
1685-0341	Diamond plate power strip cover (ea).	\$175		
1685-0342	Load management override switch cover	\$0		
1685-0343	Storage at lower rear engine cover w/ cargo net top. Approx. 44"W x 8"H x 12" deep with (2) dividers (front to rear). Storage area to match cab interior.	\$865		
1685-0344	Slide out command desk in cab. Location: Rear engine cover. Includes lower area below desk for storage with cargo net cover rear facing. Finish to match cab interior.	\$3,222		
1685-0345	Cab interior tactical equipment storage module, painted black durabak.	\$2,411		
1685-0346	Storage cabinet mounted on the officer wheel well offset forward toward officer seat 15.5X24X21. Includes rear facing cargo netting.	\$1,175		
1685-0347	Bolt-in partition wall. Locate rear of driver seat approx. 21"W x 24"H.	\$256		
1685-0348	Label and mechanically fastened tag package for NYPD units only, to include seating capacity tag in yellow with black lettering; (1) each side of overhead console. "Tower Up" label black with white lettering above tower ajar light. "Master Battery" tag yellow with black lettering and "Emergency Start" tag black with white lettering above cole hersee switches. "Do Not Grab To Adjust" label black with white lettering in lower mirror glass. O.A.H. 11' in 2" white vinyl on driver side of windshield on radius to not interfere with driver's view. "Extensions Only" tag in yellow with black lettering located at driver side strut tubes with yellow paint for tube ends. "Remove Struts Prior to Tilting Cab" tag in yellow with black lettering located at cab tilt instructions.	\$0		
1685-0349	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal each side backwall of outboard medical cabinets.	\$1,186		
1685-0350	Diamond plate storage at rear engine cover w/ drop down rear door. Approx. 41"W x flush with upper engine cover high x sloped area of engine cover deep.	\$865		
1685-0351	ABS Dash package for Quest cab. Includes driver side, center and officer side dash and lower kick panels.	\$0		
1685-0352	ABS Dash package for Quest cab. Includes driver side, center and officer side dash. Lower kick panels are aluminum painted to match cab interior.	\$0		
1685-0353	Divider below rear bench seat; adjustable. Requires side access doors.	\$405		
1685-0354	Label and mechanically fastened tag package for NYPD units only, to include seating capacity tag in yellow with black lettering; (1) each side of overhead console. "Tower Up" label black with white lettering above tower ajar light. "Master Battery" tag yellow with black lettering and "Emergency Start" tag black with white lettering above cole hersee switches. "Do Not Grab To Adjust" label black with white lettering in lower mirror glass. O.A.H. 11' in 2" white vinyl on driver side of windshield on radius to not interfere with driver's view.	\$0		
1685-0355	Storage below rear bench seat. (1) cargo net (black) on each side of the bench seat to gain access to storage area. Includes snaps on top and bungee cord on bottom	\$704		
1685-0356	Writing surface cab dash finished same as cab interior. Location: Mount at final inspection.	\$240		
1685-0357	Rear cab interior wall overlay plates with Zolatone finish each side outboard of rear seating. Approx. 15"W x 32"H.	\$333		
1685-0358	Storage at lower rear engine cover w/ lift-up door (ISL only). Storage approx. 44.5"W x 15"H x 12"D. Storage area to match cab interior.	\$865		
1685-0359	Electrical schematic aluminum pocket ceiling mounted in officer side wheel well communications cabinet.	\$216		
1685-0360	Recessed storage area in front cab floor between driver and officer.	\$732		
1685-0361	Interior access panel of cab roof antenna. Location: driver side forward, driver side rearward, officer side forward and officer side rearward.	\$175		
1685-0362	Cab floor overlays. Front and rear cab floors to be overlaid with diamond plate painted with black Durabak. Single piece with no gaps around perimeter.	\$1,438		

Item #	Description	Extension	+1/-1	Total
1685-0363	Locking seat riser door. Officer seat riser door is to include a Simplex model 9672C-20-260-41 combination lock with satin chrome finish and black trim ring. Not available with air or electric seats.	\$421		
1685-0364	Recessed access panel in MDT notch on officer side cab dash. Approx. 8" x 8".	\$240		
1685-0365	Air ride seat pull down (S4) for RollTek air bag system.	\$1,114		
1685-0366	Side Rollover Airbag (SRA) for RollTek air bag system.	\$721		
1685-0367	Diamond plate tray rear engine cover. Approximately 43"W x 7.5"D x 2.5"H. Included strap over center of tray.	\$464		
1685-0368	Pair of 36" handrails located inside driver and officer rear door on rear interior wall. Not available with outboard rear wall seats.	\$466		
1685-0369	Severe duty dash package with low profile officer side dash. Includes smooth plate alum center and officer side dash and lower kick panels; all painted to match cab interior.	\$1,328		
1685-0370	Bolt-in partition wall. Locate under bench seat side to side at pass-thru area of riser height compartments.	\$256		
1685-0371	Overhead console flange re-inforcement. Includes driver and officer side consoles.	\$122		
1685-0372	Map pocket rear cab console aluminum plate to match console finish.	\$121		
1685-0373	Transverse riser height area for use with exterior riser height compartments and fold down/flip up seats (if equipped).	\$450		
1685-0374	Stack-On model PS-514-12 gun safe. Location: centered on top of rear wall medical cabinet.	\$362		
1685-0375	Center control console. Includes: VMUX panel mounting surface pitched at best angle to accommodate drivers position, area for NFPA siren, electrical, and in-cab control switching (as applicable). Locate: In cab between driver and officer.	\$2,339		
1685-0376	Rear engine cover shelves with cargo netting approx. 35" wide. Storage area to match cab interior. See sketch in file.	\$900		
1685-0377	Fixed back wall mounted swirled overlay. Overlay to be spaced off wall approx. half inch. Location(s): center rear wall of cab full height above seat support channel x engine cover width.	\$306		
1685-0378	Storage console. Locate in cab between driver and officer. Includes (3) 4" wide slots, (1) 6" wide slot and retaining strap.	\$1,877		
1685-0379	Officer overhead panel painted FLNA4006 white.	\$218		
1685-0380	Storage above rear wall medical cabinet w/ cargo net sides. Approx. 32"W x 22"H x 24" deep. Storage area to match cab interior.	\$865		
1685-0381	1/8" aluminum plate on top engine cover forward of access door approx. 32"W x 12.5"L. with 1" lips around perimeter. Finish to match cab interior and be spaced up approx 1". Not available with cup holders.	\$504		
1685-0382	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal each side backwall of outboard of fold down seats.	\$1,186		
1685-0383	Upper vista wedge on driver side wheel well medical cabinet. Includes rear facing cutout 9.5H x 12.5W centered approx 1.25" up from bottom with cargo netting. Wedge to match cab interior.	\$591		
1685-0384	Interior access panel of cab roof antenna. Location: driver side forward and officer side forward.	\$175		
1685-0385	Fixed back wall mounted swirled overlay. Overlay to be spaced off wall approx. 0.5". Location(s): driver side rear wall of cab outboard of rear wall seats full height above seat support channel.	\$306		
1685-0386	Storage at upper rear engine cover between 3x3s w/ cargo net top. Approx. 34"W x 12.5"H x 12.5" D. Includes center divider (front to rear) and (2) side to side dividers in each storage area for a total of (6) slots.	\$831		
1685-0387	LINE-X package: Cab floor overlays shall be coated with LINE-X.	\$581		
1685-0389	Cup holders; severe duty dash. (1) metal to match cab interior driver forward engine cover, (1) polyurethane on officer dash.	\$267		
1685-0390	Storage at rear engine cover w/ drop down rear door. (3) sided storage approx. 44.5"W x flush with upper engine cover (access door) high x approx. 22"D(upper)12"D(lower). Storage area to match cab interior. Door to be provided with cable hold open on each side.	\$865		
1685-0391	Storage at rear engine cover w/ lift-up door. Storage approx. 23"W x 13"H x 10"D. Storage area to match cab interior.	\$823		

Item #	Description	Extension	+1/-1	Total
1685-0392	Desk, command. A fixed command desk shall be provided in the cab. Includes: top tray designed large as possible with a 1 inch deep recess on top, an access provision to engine servicing access cover 'if applicable', rear outboard mitered corners for added clearance, cushioned arm rest & cup holders each side on top to accommodate rear facing seats over wheel well, (2) Interior cubbies at rear of engine cover upper and lower area with D-handle drop down style hinged access doors to interior storage area. The upper and lower interior area shall be divided by an integral shelf. Finish: Shall be consistent with the cab interior and the upper tray shall have a swirled finish. Location: Over rear engine cover extending approx 36 inches aft of the 3x3 vertical support tubes.	\$4,379		
1685-0393	Control lanyard type driver side only for air horns.	\$202		
1685-0395	Panel, utility. A aluminum panel shall be bolted to the rear facing surface of the 3x3 vertical post inside the cab above the engine cover. Panel shall be 16 inches tall. Finish: shall be consistent with the cab interior.	\$333		
1685-0396	KNOX-BOX KeySecure model 2642. Includes E-ONE installed battery hot 12v power supply. Location: officer side of engine cover. Requires dept to purchase software package from KNOX-BOX (if they do not already have it).	\$1,407		
1685-0397	Manual cab tilt pump handle located adjacent to pump with cable tether.	\$62		
1685-0398	Upper barrier cab door steps with NO notch and flat door.	\$0		
1685-0399	Front engine cover trim 1/8" sanded smooth plate spaced 1/2" off cover. Full cover over angled sides and forward of access door.	\$666		
1685-0400	Pac Trac panels vertical stacked on back wall of cab driver side outboard of seat(s).	\$844		
1685-0401	LINE-X package: Cab engine cover overlay trim shall be coated with LINE-X.	\$581		
1685-0402	Storage at rear engine cover w/ cargo net rear opening. Storage approx. 44.5"W x flush with upper engine cover high x sloped area of engine cover deep. Storage area to match cab interior.	\$865		
1685-0403	Cup holders; severe duty dash for use in Typhoon and CII with severe duty engine cover only. Location: [#LOC]. Holders to match cab interior.	\$267		
1685-0404	Cab steps and bolt-on steps (if applicable) to be equipped with Bustin Industries Type M stainless steel overlay in lieu of Gator Grip.	\$1,960		
1685-0405	Chrome grab handle (PR). Locate (1) each side vertically mounted on rear facing seat riser(s) inboard.	\$131		
1685-0406	Center control console. Includes: area for NFPA siren, electrical, and in-cab control switching (as applicable). Console to be as large as possible. See photos on file with sales. Locate: In cab between driver and officer.	\$2,339		
1685-0407	Inclinometer, phosphorescent illumination with 20-0-20 side slope indicator. LED light to be mounted above inclinometer.	\$214		
1685-0408	Tag for overall height, length, width to be located on dash to driver side of steering wheel in location visible from the driver's seat.	\$0		
1685-0409	Storage cabinet center rear crew area. Box to be installed from behind upper rear engine cover to rear wall with open sides and (1) fixed shelf at lower rear engine cover level. Sides will be provided with cargo net covers. Handrails provided on each side top of cabinet. Cabinet to match cab interior.	\$3,331		
1685-0410	Drug box with PharmGuard climate control system. Construction is of aluminum and an integral design utilizing the cab rear wall medial cabinet. Drug box interior area shall be lined with Dynamat insulation. Design shall include thumb style lever latches with a single Simplex combination lock centered between the thumb style latches and a front drop down hinged access door. Finish to match cab rear wall medial cabinet interior. Locate: Inside cab rear wall medical cabinet at floor level. PharmGuard shall be located on the officer side of the box and protrude thru the side of the rear cab wall mounted medical cabinet as required to accommodate venting and control access.	\$5,893		
1685-0411	Storage cabinet center rear crew area. Box to be installed from behind upper rear engine cover to rear wall with open sides and (1) fixed shelf at lower rear engine cover level. Sides will be provided with cargo net covers. Cabinet to match cab interior.	\$3,162		
1685-0412	Cab interior gray with black driver dash only. Does not include engine cover or seat color.	\$280		

Item #	Description	Extension	+1/-1	Total
1685-0413	Rear engine cover diamond plate trim. Each area to be individual plate spaced 1/2" off of cover. Total of (5) plates.	\$569		
1685-0414	Storage at rear engine cover w/ lift-up door. Storage approx. 42.5"W (for use with ABTS seats) x flush with upper engine cover high x sloped area of engine cover deep. Storage area to match cab interior.	\$865		
1685-0415	Cab interior wheel well risers angled and pushed as far forward as possible to match lower rear engine cover.	\$1,690		
1685-0416	KNOX-BOX MedVault 2 model 5520H3S2-4. Includes E-ONE installed wiring to battery hot. Location: above officer side wheel well medical cabinet facing rear. Requires dept to purchase software package from KNOX-BOX (if they do not already have it).	\$3,065		
1685-0417	Radio cabinet above driver side wheel well medical cabinet. 6"H x 19"W x 28"D. Includes removable top with locking thumb latches and louvers on side walls. Finish to match cab interior.	\$790		
1685-0418	Louvers, additional for cab mounted center console. Locate louvers on lower area of sides for extra ventilation.	\$401		
1685-0419	Reduced profile rear engine cover for increased legroom. Not available with rear engine cover options	\$135		
1685-0420	Officer seat riser storage opening to be provided with cargo netting in place of standard door.	\$124		
1685-0421	3/16" Aluminum plate on top engine cover forward of access door approx. 22"W x 11"D offset to officer side. Finish to match cab interior and be spaced up approx 1/2". Not available with cup holders.	\$351		
1685-0422	Severe duty overhead console. Includes front full width overhead, air conditioning plenum and rear facing blower. Overhead to match cab interior.	\$2,732		
1685-0423	Driver side severe duty dash. Includes driver side aluminum upper dash to match cab interior with ABS gauge cluster. CIIX and TyphoonX cabs only.	\$408		
1685-0424	Rear cab interior wall overlay plates with Zolatone finish each side outboard of rear seating. Approx. 24"W x 36"H.	\$333		
1685-0425	Panel, blank and housing cutout for severe duty dash upper tier. Includes: dash housing to be cutout behind panel overlay area. Color: Black.	\$391		
1685-0426	Severe duty dash package with low profile center and officer side dash. Includes smooth plate alum center, officer side dash and lower kick panels; all painted to match cab interior.	\$1,264		
1685-0427	(3) severe duty dash upper tier blank panels (as applicable with other options in upper tier; ship additional panel(s) loose). Includes: dash housing to be cutout behind panel overlay areas. Color: Black.	\$431		
1685-0428	Rear engine cover shelves with cargo netting approx 35" wide. Storage area to match cab interior. Includes 1/2" lip around top. See photos on file with sales.	\$1,094		
1685-0429	Severe duty overhead console. Includes driver, center and officer overhead and defrost only plenum. Overhead to match cab interior.	\$2,135		
1685-0430	Heavy Duty interior panels includes: all ceilings panels, back wall and side walls to be .125" aluminum smooth plate painted to match cab interior. Requires additional insulation for cab interior.	\$1,856		
1685-0431	Storage below rear facing seat riser (PR).	\$481		
1685-0432	Map pocket(s) aluminum plate painted to match cab interior. Includes vinyl trim around top of opening and nylon strap with snap to retain contents. Locate pocket(s) on front wall of rear access map box/medical cabinet between driver and officer.	\$478		
1685-0433	Smooth plate cover for air compressor. Includes louvers for ventilation. Cover to match cab interior.	\$259		
1685-0434	Storage cabinet center rear crew area. Box to be approx. 26.5" tall installed from behind upper rear engine cover to rear wall with open sides and (1) fixed shelf at lower rear engine cover level. Sides will be provided with cargo net covers. Handrails provided on each side top of cabinet. Cabinet to match cab interior.	\$3,331		
1685-0435	Cup holder (EA). Polyurethane construction for use in Typhoon and CII with severe duty engine cover only. Location: tillerman cab.	\$85		
1685-0436	3/16" Aluminum plate with sanded finish on top engine cover forward of access door. To have peg board design and be spaced up approx 1/2".	\$351		
1685-0437	Main control console. Locate in cab centered between driver and officer. Includes NFPA in-cab controls/switching.	\$0		

Item #	Description	Extension	+1/-1	Total
1685-0438	Divider(s) below rear bench seat to protect back of heaters from pass-thru (if equipped).	\$405		
1685-0439	Diamond plate cover for PharmGuard climate control system. Includes ventilation as required.	\$259		
1685-0440	Storage below rear bench seat. Cargo netting cover on the front of the rear bench seat.	\$644		
1685-0441	Engine access door to open approx. 90 degrees.	\$0		
1685-0442	Driver side cab interior wheel well riser positioned 2" forward from std.	\$509		
1685-0443	LINE-X package: Lower front cab dash kick panels shall be coated with LINE-X. Requires severe duty dash.	\$581		
1685-0444	Drug box with PharmGuard climate control system. Construction is of aluminum and an integral design utilizing the cab rear wall medial cabinet. Drug box interior area shall be lined with Dynamat insulation. Design shall include thumb style lever latches with a single Simplex combination lock centered between the thumb style latches and a front drop down hinged access door. Finish to match cab rear wall mdeical cabinet interior. Locate: Inside cab rear wall medical cabinet below roll-up door drum. PharmGuard shall be located on the driver side of the box and protrude thru the side of the rear cab wall mounted medical cabinet as required to accommodate venting and control access.	\$5,893		
1685-0445	Officer side cab dash access door. Includes louvers and push button latch.	\$291		
1685-0446	Severe duty overhead console. Includes driver, center and officer overhead ahead of air conditioning plenum. Overhead to match cab interior.	\$1,538		
1685-0447	Drug box with PharmGuard climate control system. Construction is of aluminum and an integral design utilizing the cab rear wall medial cabinet. Drug box interior area shall be lined with Dynamat insulation. Design shall include thumb style lever latches with a single Simplex combination lock centered between the thumb style latches and a front drop down hinged access door. Finish to match cab rear wall mdeical cabinet interior. Locate: Inside cab rear wall medical cabinet at floor level. PharmGuard shall be located on the driver side of the box and protrude thru the side of the rear cab wall mounted medical cabinet as required to accommodate venting and control access.	\$5,893		
1685-0448	Radio cabinet above officer side wheel well medical cabinet. 6"H x 19"W x 28"D. Includes removable top with locking thumb latches and louvers on side walls. Finish to match cab interior.	\$790		
1685-0449	3/16" aluminum plate on top engine cover forward of access door approx. 32"W x 12.5"L. Finish to match cab interior and be spaced up approx 1/2". Not available with cup holders.	\$320		
1685-0450	Center control console painted black Zolatone. Locate in cab between driver and officer. Includes area for NFPA siren, electrical, and in-cab controls (as applicable) switching.	\$822		
1685-0451	Overlay, cab interior rear wall. Overlay to span area from bottom of overhead cabinets to top of rear wall raceway. Material: 3/16 aluminum smooth plate.	\$331		
1685-0452	Storage below rear bench seat. (1) hinged door on officer side of the bench seat.	\$352		
1685-0453	Line-X. Rear cab interior wall overlay with Line-X finish.	\$1,093		
1685-0454	Line-X. Shelf on cab cab interior rear wall shall have a Line-X finish.	\$766		
1685-0455	Storage above driver wheel well medical cabinet w/ rear facing opening and cargo netting. Approx. 22"W x 16"H x 28" deep. Storage area to match cab interior.	\$865		
1685-0456	Storage above officer wheel well medical cabinet w/ rear facing opening and cargo netting. Approx. 22"W x 16"H x 28" deep. Storage area to match cab interior.	\$865		
1685-0457	Storage below rear bench seat. (1) cargo net (black) on front of the bench seat to gain access to storage area.	\$509		
1685-0458	Delete power steering access door on engine cover. ISX engines only. Requires signed NFPA exception.	\$272		
1685-0459	Storage at upper rear engine cover w/ cargo net rear opening. Storage approx. 44.5"W x 12"H x 22"D. Includes 3/4" lip around perimeter of top. Storage area to match cab interior.	\$974		
1685-0460	Storage box approximately 11" wide x 10" high x 26" deep made from 1/8" diamond plate aluminum, centered on to rear cab floor. The box shall cradle (1) 2.5 gallon water fire extinguisher. Includes hinged door on each side with push button latches to provide easy access to the extinguisher in its stowed position within the box.	\$895		

Item #	Description	Extension	+1/-1	Total
1685-0461	Cup holder / tray for engine cover painted to match cab interior. Approx 16" wide x 11" long with tapered front corners and cup holders at each front outer corner. For use in Typhoon and CII with severe duty engine cover.	\$472		
1685-0462	Cup holder / tray for engine cover painted to match cab interior. Approx 14" wide x 10" long with tapered front corners and cup holders at each rear corner. For use in Typhoon and CII with severe duty engine cover. Locate on engine cover access door. Not available with map box.	\$472		
1700-0001	Alternators Leece Neville dual 270 amp. 480 amp NFPA/540 amp SAE rating. Available only on ISX12 and Detroit EGR Series 60 engines.	\$4,407		
1700-0002	Alternator Niehoff 250amp. (250 amp SAE/240 NFPA rating). Not available on Cummins ISC or Detroit Diesel engines.	\$2,838		
1700-0003	Alternator Leece Neville 270 amp SAE, 240 amp NFPA rating.	\$2,316		
1700-0004	Alternator Niehoff 290 amp (290 amp SAE/265 NFPA rating). Not available on Cummins ISC, ISL or Detroit Diesel engines.	\$4,322		
1700-0005	Alternator Leece Neville 320 amp. 320 amp SAE/275 amp NFPA.	\$3,745		
1700-0006	Alternator Niehoff 400amp (400 Amp SAE/385 NFPA rating). Cyclone II w/Cummins ISM. Not available on Detroit Diesel Engines Recycle requires Eng. Review.	\$6,554		
1700-0007	Alternator 24 VDC 150 amp Leece Neville with regulator.	\$1,400		
1700-0008	Alternator Leece Neville dual 320 amp. 560 amp NFPA/540 amp SAE rating. Available only on ISX12 and Detroit EGR Series 60 engines.	\$6,059		
1700-0009	Alternator Niehoff 300 amp (300 amp SAE/270 NFPA rating). Available only on ISX12 and Detroit EGR Series 60 engines.	\$3,748		
1700-0010	Noise filter for Leece Neville alternator.	\$246		
1700-0012	Alternator Niehoff 430 amp (430 Amp SAE/380 NFPA rating). Available on Cummins ISX12 only.	\$5,170		
1700-0013	Alternator / battery / battery charger package. Includes 270AMP Leece Neville alternator, (4) 12 volt batteries, E-ONE battery charger with receptacle (located outside driver door area), and jumper studs. Custom ES.	\$0		
1700-0014	Alternator / battery / battery charger package. Includes 320AMP Leece Neville alternator, (4) 12 volt batteries, E-ONE battery charger with receptacle (located outside driver door area), and jumper studs. Custom ES.	\$560		
1700-0015	Alternator / battery / battery charger package. Includes 320AMP Leece Neville alternator, (4) Group 31 batteries, E-ONE battery charger with receptacle (located outside driver door area), and jumper studs. Custom ES with DEF tank below cab	\$560		
1700-0016	Alternator Niehoff 350 amp (350 amp SAE/320 NFPA rating). Available on Cummins ISM.	\$4,322		
1700-0017	Noise filter for Niehoff alternator.	\$249		
1700-0018	** OBS ** (Use 1700-0024) Alternator Delco Remy 300 amp SAE, 261 amp NFPA.	\$3,671		
1700-0019	Alternator Niehoff 360 amp (360 amp SAE/320 NFPA rating). Available only on ISX12 and ISX15.	\$3,748		
1700-0020	Alternator Niehoff (400 Amp SAE/385 NFPA rating). Cyclone II w/Cummins ISM. Not available on Detroit Diesel Engines Recycle requires Eng. Review.	\$6,554		
1700-0021	Alternator Niehoff 360 amp (360 amp SAE/320 NFPA rating). Available only on ISL.	\$3,748		
1700-0022	Alternator Delco-Remy 430 amp (430 Amp SAE/363 NFPA rating). Available on Cummins ISX only.	\$3,896		
1700-0023	Alternator 320 amp for Freightliner - in place of 275 amp.	\$377		
1700-0024	Alternator Delco Remy 320 amp. (320 Amp SAE/253 NFPA rating)	\$3,671		
1750-0000	Ammeter gauge in cab 0-300 amps.	\$367		
1750-0001	Dome lights clear large one for each cab door.	\$164		
1750-0002	Dome lights red large one driver side one officer side	\$164		
1750-0004	Dome lights red large one driver side one officer side rear of cab	\$164		
1750-0006	Map light flexible arm. Located [#LOC].	\$229		
1750-0008	Radio AM/FM cassette with weather band located [#LOC]	\$603		
1750-0009	Radio AM/FM CD with weather band located [#LOC].	\$923		

Item #	Description	Extension	+1/-1	Total
1750-0010	Radio speakers additional pair. Locate each side rear cab ceiling.	\$312		
1750-0011	Speedometer officer's side overhead.	\$355		
1750-0012	Swivel reading lamps (PR) overhead between driver and officer. Lights to be individually switched.	\$125		
1750-0013	Turn signal Whelen 600 LED amber arrow pair located [#LOC].	\$734		
1750-0015	Windshield fans 8" pair. Location: [#LOC].	\$428		
1750-0016	Pump hourmeter in cab.	\$155		
1750-0019	Battery charger Super Smart 110 volt, 20 amp.	\$478		
1750-0021	Battery charger Kussmaul model 1200, 40 amp.	\$803		
1750-0022	Battery charger Kussmaul 40 amp model 1200 with air compressor.	\$2,707		
1750-0024	Auto-Eject receptacle inlet 20 amp located [#LOC] with a [#COL] cover.	\$653		
1750-0025	Super Auto-Eject receptacle inlet 30 amp 120 volt located [#LOC] and with a [#COL] cover.	\$954		
1750-0026	Clamshell controller mounted on officer's side of engine cover for the air horns.	\$142		
1750-0027	Control push-button switch officer dash for Q2B siren.	\$109		
1750-0029	Switch horn button two position DOT/air horn.	\$114		
1750-0030	Switch horn button two position DOT/electronic siren.	\$114		
1750-0031	Switch horn button two position DOT/Q2B.	\$114		
1750-0032	Switch horn button three position DOT/air horn/electronic siren.	\$230		
1750-0033	Switch horn button three position DOT/air horn/Q2B.	\$230		
1750-0034	Switch, additional 12 volt/15 amp. Location and function: [#LOC].	\$230		
1750-0035	Cornering light relay circuits for lights on sides of cab and / or bumper. Includes (2) relays. Requires scene light option. Interlocked with park brake.	\$469		
1750-0038	Cab Dome Lights Additional (PR) Color to be: [#COL]	\$308		
1750-0040	Battery charger Super Smart 220 volt 50 Hz, 20 amp.	\$478		
1750-0042	Horn button selector switch, 3-position DOT/ES/Q2B.	\$230		
1750-0043	12V power distribution module. Includes (6) battery hot and (6) switched hot circuits. 100 amps max (IATS).	\$355		
1750-0045	Compass 12 Volt Illuminated	\$255		
1750-0046	Cab Headlights. Position: [#LOC].	\$0		
1750-0047	The chassis shall be pre-wired for installation of tire chains.	\$614		
1750-0048	Round clear incandescent light mounted in the [#LOC] door.	\$41		
1750-0049	Round red incandescent light mounted in the [#LOC] door.	\$41		
1750-0050	Round amber incandescent light mounted in the [#LOC] door.	\$41		
1750-0052	Round clear LED light mounted in the [#LOC] door.	\$186		
1750-0053	Round red LED light mounted in the [#LOC] door.	\$71		
1750-0054	Round amber LED light mounted in the [#LOC] door.	\$71		
1750-0058	Remote Switch 24 Volt 110-240 Volt Devices	\$504		
1750-0059	Receptacle inlet 20 amp with a [#COL] cover. Location: [#LOC].	\$330		
1750-0060	Auto transfer switch 120 volt. Includes 8 place breaker box. Allows interior receptacles to be powered by either shore power or generator.	\$867		
1750-0061	Control push-button switch officer dash for air horns.	\$109		
1750-0062	Control push-button switch officer dash for siren.	\$109		
1750-0063	Clamshell controller mounted on officer's side of engine cover for Q2B.	\$142		
1750-0064	Clamshell controller mounted on on officer's side of engine cover for electronic siren.	\$142		
1750-0065	Turn signal Whelen 600 halogen amber pair located [#LOC].	\$324		
1750-0066	Halogen front turn signal amber (PR). Locate: [#LOC].	\$313		



Item #	Description	Extension	+1/-1	Total
1750-0067	Additional 4" red LED dome lights (PR) for driver and officer.	\$324		
1750-0068	Additional 4" red incandescent dome lights (PR) for rear of cab.	\$303		
1750-0069	Additional 4" red incandescent dome lights (PR) for driver and officer.	\$247		
1750-0070	Additional 4" red LED dome lights (PR) for rear of cab.	\$324		
1750-0071	Mount customer supplied antenna on cab roof. Location: [#LOC].	\$200		
1750-0072	12 VDC (or 24VDC) electrical outlet in the cab wired battery hot. Location: [#LOC].	\$70		
1750-0073	Antenna base Tessco P/N 90942 (NMO Motorola Style - also called MATM style) on cab roof. Location: [#LOC].	\$108		
1750-0074	Interlock to position front intake for cab tilting.	\$316		
1750-0075	English dominant main cab gauge cluster.	\$2,318		
1750-0076	Metric dominant main cab gauge cluster.	\$2,454		
1750-0077	Turn signal Code 3 model 65 LED amber with arrow insert (PR). Location: [#LOC].	\$820		
1750-0078	Light Whelen model PSR00FRR LED (4) red. Horizontal mounted flashing strip light on each of the inside lower cab door panels. Wire through door switch.	\$901		
1750-0079	Fuel gauge for officer.	\$286		
1750-0080	Conduit flexible 1.5" for radio installation center of dash to compartment under officer's seat.	\$344		
1750-0081	Conduit flexible 1.5" for radio installation compartment under officer's seat to pump panel.	\$303		
1750-0082	12V power distribution module. Includes (6) battery hot and (6) switched hot circuits. 100 amps max (IATS). Location: [#LOC].	\$355		
1750-0083	Turn signal Federal Signal QuadraFlare QL64Z-ARROW LED amber pair located [#LOC].	\$313		
1750-0084	Receptacle inlet 220 volt European "Schuko" style. Includes matching cord connector. Location: [#LOC]	\$471		
1750-0088	Whelen 500 LED red door ajar light. Model 50R00FRR light with 5FLANGEC flange.	\$214		
1750-0091	Battery Saver Kussmaul model 091-195-12 wired to battery charger receptacle.	\$793		
1750-0092	Warning Lights shall be switched Off/Amber/All.	\$59		
1750-0093	Warning lights shall be switched Off/Upper/All.	\$59		
1750-0094	Battery charger / air compressor 220 volt Kussmaul Pump Plus HO.	\$1,705		
1750-0095	Second DOT traffic horn	\$153		
1750-0096	Bracket for Motorola Spectra Radio in the center overhead console offset to officer side. Dim: 7"W x 2"H, must be size of the opening after break.	\$93		
1750-0097	LED Light in cab to illuminate Pump Shifter and shall activate with the headlights.	\$58		
1750-0098	Dome Lts Red/White Weldon with Euro style switches. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wired through master battery switch, door ajar and light assembly mounted switch. Red light through light assembly mounted switch.	\$639		
1750-0100	Install ES-Key Display on Driver's Side of Doghouse by Shifter	\$0		
1750-0101	Install EQ2B Amplifier on Front face of Communication Box behind Driver's Seat	\$0		
1750-0102	Rear flood light switch in cab to operate the rear deck lights.	\$0		
1750-0103	Primary warning light switch to operate all warning lights and lightbar, except arrowstick traffic advisor and rear amber upper warning lights. Master warning light switch must be on as well.	\$0		
1750-0104	Left alley lights to control driver's side white light on lightbar.	\$0		
1750-0105	Right alley lights to control officer's side white light on lightbar.	\$0		
1750-0106	One (2) position switch (Master) to initiate battery circuit - Typhoon style Eaton switch with red guard.	\$0		
1750-0107	One (2) position switch (Ignition) to initiate ignition circuit - CII style Carling switch.	\$0		
1750-0108	Seat belt detection system programmed to 2" red door ajar light and ES-Key display. Also tied to a "different sounding alarm".	\$696		

Item #	Description	Extension	+1/-1	Total
1750-0109	The following items are not programmed through Master Warning Light switch: Left and Right Alley light. Left, Right, and Rear Scene Light, Ground Light and Horn/Air.	\$0		
1750-0110	Battery Charger Professional Mariner. Located outside driver side door area. The charger to be mounted behind driver's seat on front face of communication box, next to EQ2B amplifier.	\$1,273		
1750-0111	Digital voltmeter in cab. Location: Driver side overhead console.	\$389		
1750-0113	Dome Lts Red/White Incandescent. Package includes two lights mounted in the front of the cab. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch.	\$321		
1750-0114	Cab Headlights in addition to front quad headlights	\$490		
1750-0115	Master warning light switch to have a red cover (or bezel).	\$45		
1750-0116	Warning Lights shall be switched Off/Amber/Emergency.	\$59		
1750-0117	Auto eject receptacle inlet 15 amp 240 volt with a [#COL] cover. Location: [#LOC].	\$597		
1750-0118	Flexible 2" conduit with connectors. Location: Officer cab dash to bottom of medical cabinet.	\$419		
1750-0119	Flexible 2" conduit with connectors. Location: Center cab dash to rear bench seat riser.	\$364		
1750-0120	Receptacle/auto-eject shall be wired to [#LOC].	\$0		
1750-0121	Ammeter gauge in cab 0-400amp Cruz Pro digital.	\$549		
1750-0122	Additional dome lts red/white 4" LED (PR) located one each side over enclosed TM pump panel. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$864		
1750-0123	Auto eject receptacle inlet 15amp location or function [#LOC] and the color shall be [#COL].	\$593		
1750-0124	Whelen 4" round LED red door ajar light. Model 20R00FCR light with 2FLANGEC bezel.	\$214		
1750-0125	Block heater receptacle 15 amp with a [#COL] cover. Location [#LOC].	\$330		
1750-0126	Conduit flexible 1.5" for radio installation center of dash to area behind officer's seat.	\$344		
1750-0128	Locate swivel lamps per photos on file from 131288 # 1-I-0804.	\$0		
1750-0129	Door ajar alarm to be a chime versus an alarm.	\$248		
1750-0130	Xantrex Truecharge 40+. Wire to autoeject receptacles.	\$1,942		
1750-0131	Pyrometer gauge in cab.	\$652		
1750-0132	Auto transfer switch for additional battery charge receptacle.	\$525		
1750-0133	Conduit flexible 1.5" for radio installation center of dash to rear bench seat.	\$344		
1750-0134	Conduit flexible 1.5" for radio installation rear bench seat to pump panel.	\$527		
1750-0135	35 AMP inline fuse as hot lead for radio installation. Radio circuit with G30060-1CR in-line fuse 35 amp. Fuse wired to ignition side to power the radio head. To be labeled and identified as "HOT". In-line fuse to be clearly labeled. Wiring located behind a face plate in the center overhead also provide ground wire and label wires. Label ground "Chassis Ground". Run speaker wires from center overhead to above the medical cabinets on each side leave 36" of coiled wire.	\$644		
1750-0136	Battery charger Super Smart 220 volt 60 Hz, 20 amp.	\$478		
1750-0138	Work lights to be programmed "on" when park brake is set and switched in overhead console.	\$142		
1750-0139	Provide 30 amp radio circuit with 6' of wire (PR)	\$135		
1750-0140	Mount customer supplied antenna(s) on cab roof. Location(s): (1) each side of A/C condensor and (1) GPS antenna located top of vista officer side front corner. Includes coaxial cable terminating in the rear bench seat riser.	\$200		
1750-0141	Bullard T4 hand held Thermal imaging camera with charger. Mount Location.[#LOC]	\$23,659		
1750-0142	Kussmual Auto-Eject 20 on each side of charger with a Red cover. Auto-eject on each side of cab to allow plug in on either side for battery charger with transfer switch in cab.	\$1,711		
1750-0144	Q2B brake switch to have a red cover (or bezel).	\$45		
1750-0145	Relocate the battery charger and (if applicable) air compressor to below the rear wall bench seat or rear center wall medical cabinet (if equipped).	\$632		
1750-0147	Hand held flashlight, orange Streamlight Survivor Division 2 right angle flashlight with 12 VDC fast charger. [#LOC].	\$306		

Item #	Description	Extension	+1/-1	Total
1750-0148	Turn signal Whelen 700 LED Chevron amber (PR). Locate [#LOC].	\$768		
1750-0149	Control push-button switch on officer's dash for Q2B siren brake.	\$109		
1750-0150	Block heater receptacle 20 amp Auto-Eject with a [#COL] cover. Location [#LOC].	\$653		
1750-0151	Receptacle inlet 15amp with a [#COL] cover. Location: [#LOC]	\$330		
1750-0153	Federal Signal model 462121 Renegade red strobe light for compartment warning light under over head console	\$303		
1750-0154	Cab keyless entry touch pad(s) to lock/unlock all cab doors and cab/body electric locking roll-up door(s)	\$662		
1750-0155	Secondary keyless entry touch pad on officer side of cab. Pad to include any and all functions provided by the driver side pad.	\$538		
1750-0156	Special EQ2B power amplifier location. Amp to be located [#LOC].	\$317		
1750-0157	Special battery charger location. Charger to be located [#LOC].	\$317		
1750-0158	Dome Lts Red/White LED. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	\$923		
1750-0159	3 Position Q2B momentary switch (activate/off/brake). Loc: [#LOC].	\$230		
1750-0160	Dome Lts Red/White Incandescent. Package includes two lights mounted in the front and two mounted in the rear of the cab. Front cab lights: White light wired through door and light assembly mounted switch. Red light through light assembly mounted switch. Rear cab lights: White light wired through door and switch on side cab interior wall. Red light through switch on side cab interior wall. Rear dome switches to be located between side window and door opening and control light on respective side of cab.	\$1,093		
1750-0161	Air compressor, Kussmaul model 091-9B-1, 120V.	\$1,117		
1750-0162	Battery charger Kussmaul model 091-35/10, 35 amp battery charger / 10 amp battery saver.	\$938		
1750-0163	Speedometer officer's side switch panel.	\$355		
1750-0164	Fuel gauge for officer. Location: officer switch panel.	\$286		
1750-0165	Conduit flexible 1.5" for radio installation center of dash to compartment under driver's seat.	\$344		
1750-0166	ATC override switch.	\$230		
1750-0167	Block heater to be wired to battery charger receptacle with a lighted on/off switch behind driver seat.	\$229		
1750-0168	Dome Lts Red/White 4" incandescent (5). Lights to be located two front and three rear. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$832		
1750-0169	Radio speakers (3). Locate officer ceiling and each side rear cab ceiling. Wiring to terminate in officer side overhead console for customer supplied radio(s).	\$536		
1750-0171	Clamshell controller mounted on on driver's side of engine cover for Q2B.	\$142		
1750-0172	Special battery charger and air compressor location. Charger and air compressor to be located [#LOC].	\$317		
1750-0173	Rocker switch cover (or bezel) to be red. Location: [#LOC].	\$45		
1750-0174	Battery Charger Professional Mariner. Located outside driver side door area. The charger to be mounted under rear bench seat riser (centered) .	\$1,591		
1750-0176	Light Whelen model 70RA6FCR Super LED (4) split red/amber with chrome flanges. Horizontally mounted flashing lights on each of the interior cab door panels outboard mounted. Wire through door switch.	\$1,839		
1750-0177	Receptacle inlet 30amp twist lock with a [#COL] cover. Location: [#LOC].	\$632		
1750-0178	Windshield fan 8". Location: rear facing mounted on driver side 3x3 post.	\$216		
1750-0179	Dome light red/white Incandescent for tiller cab. White light wire through door and light assembly switch. Red light through light assembly switch.	\$163		
1750-0180	Dome light red/white LED for tiller cab. White light wire through door and light assembly switch. Red light through light assembly switch.	\$233		
1750-0181	Dome light red/white 4" incandescent for tiller cab. White light wired thru door and light assembly mounted rocker switch. Red light thru light assembly mounted rocker switch.	\$168		

Item #	Description	Extension	+1/-1	Total
1750-0182	Dome light red/white 4" LED for tiller cab. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$434		
1750-0183	Wire Oil Pan Heater Provided by Commercial Chassis Through Battery Charger Receptacle.	\$227		
1750-0184	Auto eject receptacle inlet 15amp / 240V located [#LOC] with a [#COL] cover.	\$650		
1750-0185	Vernier engine throttle in cab for use with jet dump operations. Locate in driver side overhead console or Lower Dash. Includes selector sw also in overhead console or Lower Dash.	\$1,037		
1750-0186	Dome Lts Red/White Incandescent additional. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch. Location: Centered rear of cab.	\$164		
1750-0187	Auto drain, Kussmaul model 091-9-089 120V. For use with air compressor 091-9B-1 only.	\$237		
1750-0188	DPF regeneration override switch.	\$230		
1750-0189	Gauge ambient temperature with digital display. Locate display on officer side switch panel.	\$945		
1750-0190	Dome Lts Red/White LED. Package includes two lights mounted in the front of the cab. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch.	\$463		
1750-0191	Cab quad headlights below front bumper in addition to standard headlights.	\$582		
1750-0192	Aerial engagement switch in cab to have a red cover (or bezel).	\$45		
1750-0193	Oil level sensor light in cab to indicate drop in hydraulic reservoir oil level. Interlock w/parking brake, tag to read "Power Steering System Failure, Stop Vehicle".	\$161		
1750-0194	Dome Lts Red/White LED additional (PR). White light wire through door and light assembly switch. Red light through light assembly switch. Location: Rear crew area.	\$463		
1750-0195	Cab dome lts red/white (2 red/white, 2 white) 4" incandescent. White light wired thru door and light assembly mounted rocker switch. Red light thru light assembly mounted rocker switch. Red/white located in front of cab, white located at rear cab doors.	\$665		
1750-0196	Battery charger Newmar model PT-80, 80amp.	\$4,012		
1750-0197	Clamshell controller mounted on driver's side of engine cover for the air horns.	\$142		
1750-0198	Battery charger to be located [#LOC].	\$0		
1750-0199	Air compressor to be located [#LOC].	\$0		
1750-0200	Whelen model 1510R red strobe hazard warning light. Locate in cab under over head console.	\$309		
1750-0201	Shore line receptacle and air inlet. Driver side cab step area.	\$0		
1750-0202	Kussmaul battery charger with air compressor and air inlet. The battery charger receptacle and air inlet to include auto-eject. Locate to driver side below the driver door.	\$1,077		
1750-0203	Special location for battery charger indicator. Location: [#LOC].	\$127		
1750-0204	Battery charger with indicator, inlet receptacle and air inlet with mounting plate. Locate to driver side of cab below driver door opening	\$0		
1750-0205	Handheld flashlight, orange Streamlight Vulcan flashlight with vehicle mount system. Location: [#LOC].	\$293		
1750-0206	Clamshell controller mounted on officer's side cab dash for Q2B and air horns.	\$142		
1750-0207	Louvered cover for battery charger or air compressor (EA). Finish to match cab interior.	\$221		
1750-0208	Light Whelen model PSA00FAR LED (4) amber. Horizontal mounted flashing strip light on each of the interior lower cab door panels outboard. Wire through door switch.	\$901		
1750-0209	Clamshell controller mounted on on officer's side of engine cover (knee height) for Q2B.	\$142		
1750-0210	Vernier engine throttle in cab for pump&roll operations. Locate in console or Lower Dash. Includes selector sw also in center console or Lower Dash.	\$1,037		
1750-0212	Battery charger and air compressor package 240 VAC/ 50 HZ.	\$1,636		
1750-0213	Auto eject receptacle inlet 20 amp 240 volt, 24V inner coils with a [#COL] cover. Location: [#LOC]	\$360		
1750-0214	Mount customer supplied GPS antenna on cab roof. Location: [#LOC].	\$200		

Item #	Description	Extension	+1/-1	Total
1750-0215	Turn signal Whelen M6 LED arrow amber pair located [#LOC].	\$741		
1750-0216	Mount customer supplied MAR antennas (5) on cab roof. Location: (1) approx 12" ahead of vista 18" left of cab center, (1) approx 12" ahead of vista 18" right of cab center (forward antennas will be 36" apart), (1) approx 18" rearward from front edge of vista centered left to right, (1) approx 18" rearward from front edge of vista 18" left of center and (1) approx 18" rearward from front edge of vista 18" right of center. Route all cables to below rear wall bench seat.	\$798		
1750-0217	Conduit flexible .375" for radio installation driver dash to center overhead console.	\$344		
1750-0218	Gauge engine oil temp in driver overhead console.	\$565		
1750-0219	Keyed battery/ignition switch.	\$153		
1750-0221	Xenon HID cab headlights. CIIX and TyphoonX only.	\$2,032		
1750-0222	12 volt electrical outlet in the cab wired through ignition. Location: [#LOC].	\$70		
1750-0223	Control push button switch center electrical cover offset to officer side for air horns	\$109		
1750-0224	Engine Compartment Light LED for Freightliner Chassis (EA).	\$277		
1750-0225	Engine Compartment Light for Freightliner Chassis (EA).	\$148		
1750-0226	Whelen 4" round LED amber jacks down light IPOS. Model 20A00FCR light with 2FLANGEC bezel.	\$214		
1750-0227	Mount customer supplied antenna on cab roof. Location: (1) shark fin centered on cab roof between a/c condensor and storage box terminating below officer seat.	\$200		
1750-0228	Omit Freightliner Chassis Taillight Programming. Assure Data Code 294-046 is in Chassis Specification.	\$0		
1750-0230	Control Push Button Switch for Air Horns on Officers Side of Console.	\$109		
1750-0231	Light Whelen model PSA00FAR LED (3) amber. Horizontally mounted flashing strip light on each of the interior lower cab door panels outboard. Wire through door switch.	\$675		
1750-0232	Incandescent Red/White domes and upper NFPA step lighting. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch. Upper cab step areas to have for NFPA incandescent step lighting. Step lighting to be positioned per OEM recommendations for best compliance to NFPA.	\$734		
1750-0233	Customer supplied radio and antennas to be installed by Tri-Co Communicaitons.	\$923		
1750-0234	Digital speedometer officer's side overhead.	\$657		
1750-0235	English dominant main cab gauge cluster. Custom ES.	\$0		
1750-0236	Metric dominant main cab gauge cluster. Custom ES.	\$339		
1750-0237	Block heater 1000 watt. Includes 15 amp inlet receptacle located outside driver's door next to handrail. Custom ES.	\$359		
1750-0238	English dominant main cab gauge cluster. 2010 EPA Custom ES.	\$0		
1750-0239	Metric dominant main cab gauge cluster. 2010 EPA Custom ES.	\$0		
1750-0240	Interior and exterior NFPA cab lighting package for (2) dr chassis. Consists of (2) incandescent interior and (2) incandescent under cab lights.	\$0		
1750-0241	Interior and exterior NFPA cab lighting package for (4) dr chassis. Consists of (4) incandescent interior and (4) incandescent under cab lights.	\$175		
1750-0242	Interior and exterior NFPA cab lighting package for (4) dr chassis (International). Consists of (4) incandescent interior and (4) incandescent under cab lights.	\$175		
1750-0243	Interior and exterior NFPA cab lighting package for (2) dr chassis (International). Consists of (2) incandescent interior and (2) incandescent under cab lights.	\$0		
1750-0244	Interior and exterior NFPA cab lighting package for (2) dr chassis. Consists of (2) incandescent interior and (2) incandescent under cab lights.	\$0		
1750-0245	Interior and exterior NFPA cab lighting package for (4) dr chassis. Consists of (4) incandescent interior and (4) incandescent under cab lights.	\$175		

Item #	Description	Extension	+1/-1	Total
1750-0246	Interior and exterior NFPA cab lighting package for (2) dr chassis. Consists of (2) incandescent interior and (2) incandescent under cab lights.	\$0		
1750-0247	Interior and exterior NFPA cab lighting package for (4) dr chassis. Consists of (4) incandescent interior and (4) incandescent under cab lights.	\$175		
1750-0249	Dome/Pump panel Lts 4" Red/White LED top mount enclosed cab. Package includes (4) light assemblies evenly spaced over top mount enclosed pump panel. White light wire through door and light assembly switch. Red light through light assembly switch.	\$2,151		
1750-0250	Dome Lt Red/White LED additional (EA). White light wire through door and light assembly switch. Red light through light assembly switch. Location: Rear facing engine cover seat(s).	\$233		
1750-0251	Locate inlet receptacle a minimum of 3" rearward of driver cab handrail.	\$0		
1750-0252	Kussmaul mounting plate model 091-9H for 12v air compressor.	\$93		
1750-0253	Courtesy light for officer foot switch(es)wired through marker lights. Whelen model OSCOEDCR clear light. Quest with heat to feet only.	\$148		
1750-0254	Stream Light model SL-20X-LED black handheld flashlight package. Includes (5) flashlights, (1) single 120V flashlight charger located officer side engine cover ahead of 3X3 and (1) 5-unit 120V charger located on officer engine cover rearward of 3X3.	\$1,315		
1750-0255	Stream Light Vulcan LED orange handheld lantern package. Includes (4) lanterns with 120V charger and vehicle mounts located in driver side rear wall medical cabinet on top shelf, (2) over (2). Includes shelf to be angled forward for ease of viewing.	\$1,366		
1750-0256	Auto eject block heater receptacle inlet 15amp with a [#COL] cover. Location: [#LOC].	\$593		
1750-0257	Aerial PTO hourmeter in cab IPOS.	\$155		
1750-0258	Antenna base Tessco P/N 90942 (NMO Motorola Style - also called MATM style) on cab roof package (6). Location: (3) driver side between a/c condensor and storage box terminating below officer seat and (3) officer side between a/c condensor and storage box with (1) terminating in center overhead and (2) terminating in officer dash. See customer layout drawing on file with sales.	\$632		
1750-0259	Fog Lights Clear Lens (PR) located middle hole of bumper.	\$109		
1750-0260	Battery charger, Super Smart, 20 amp with 120V Kussmaul HP air compressor.	\$1,897		
1750-0261	Clamshell controller mounted on on officer's side cab dash at "A" post for Whelen Howler.	\$142		
1750-0262	Auto transfer switch 120 volt. Includes 8 place breaker box. Allows interior receptacles to be powered by either shore power or generator. Ship to VanMor for installation.	\$867		
1750-0263	Radio speakers pair. Locate each side rear cab ceiling. Wiring to terminate in center dash for customer supplied radio(s).	\$312		
1750-0264	Block/oil pan heater on/off 110V switch. Location: inside driver door; rear of seat.	\$197		
1750-0265	Speedometer for officer side multiplex display.	\$0		
1750-0266	Dome Lts Red/White Incandescent. Package includes three lights mounted in the front of the cab. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch.	\$437		
1750-0267	Battery charger Kussmaul 4000, 45 amp with air compressor.	\$2,774		
1750-0268	Battery charger Kussmaul 40 amp model 1200 with 120V HP air compressor.	\$2,764		
1750-0269	12ga dedicated ground wire to center overhead console.	\$90		
1750-0270	Control push-button switch officer side (side facing) of center electrical cover for Q2B siren.	\$109		
1750-0271	Control push-button switch officer side (side facing) of center electrical cover for air horns.	\$109		
1750-0272	Kussmaul battery charger with air compressor and air inlet. The battery charger receptacle and air inlet to include auto-eject. Locate to driver side body above vacuum pump access.	\$2,049		

Item #	Description	Extension	+1/-1	Total
1750-0273	Kussmaul battery charger. The battery charger receptacle and air inlet to include auto-eject. Locate to driver side body above vacuum pump access. No compressor required with charger	\$1,300		
1750-0275	Receptacle inlet 30amp household with a [#COL] cover. Location: [#LOC].	\$632		
1750-0276	Battery charger Newmar model EV-40-12-1, 40amp.	\$1,664		
1750-0277	Provide 30 amp radio circuit with 6' of wire Locate in Map Box for customer installed radios.	\$135		
1750-0278	Light Whelen LED strip model PSC0CDCR to illuminate cab floor. Horizontally mounted on seat riser. Wire through door switch. Location: [#LOC]	\$175		
1750-0279	Clamshell controller mounted on on officer's side of engine cover for Q2B. Switch to be on top horz surface next to dash.	\$142		
1750-0280	An Akron directional finder shall be mounted in clear view of the driver and officer within the cab. It shall in. This roof turret electronic azimuth shall clearly identify roof turret directional aim at all times after the master power switch has been activated.	\$1,066		
1750-0281	Safety Vision Safedrive Mini DVR. Locate officer side of center windshield post up high.	\$2,218		
1750-0282	Auto-Eject receptacle inlet 20 amp located below the driver's door with a red cover. Receptical to be wired to heaters on tank inlet / out collars. WaterMaster only.	\$653		
1750-0283	LED cab headlights. TyphoonX, CIIX and QST2 only.	\$1,800		
1750-0284	Switch additional guarded toggle. Location and Function: [#LOC].	\$230		
1750-0285	The chassis shall be pre-wired for installation of tire chains. Includes guarded toggle switch located on the driver side diagnostic panel.	\$485		
1750-0286	Receptacle block heater inlet 20amp with a [#COL] cover. Location: [#LOC].	\$330		
1750-0287	Door ajar indicator light shall be upgraded to larger LED indicator light IPOS.	\$202		
1750-0288	The master power switch shall be relocated from its standard position to a location that allows the switch to be activated from a standing location with the driver's door open.	\$27		
1750-0289	Battery charger Kussmaul 4000, 45 amp	\$1,783		
1750-0290	Light Weldon LED model 2631-000-30 to illuminate cab floor. Horizontally mounted on seat riser. Wire through headlight switch. Location: driver and officer seat riser.	\$316		
1750-0291	Keyed ignition switch. Keyed same as cab doors. Includes (6) additional keys.	\$316		
1750-0292	Cyber Dyne digital voltmeter in cab with blue display. Location: Driver side overhead console.	\$266		
1750-0293	Dome Lts Red/White Incandescent additional. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch. Location: driver and officer seats.	\$164		
1750-0294	Kussmaul ignition safety lock model 091-160. Includes switch on dash for activation labeled "OVERRIDE" with yellow guard. Cab door windows to be disabled with activation.	\$668		
1750-0295	Turn signal shall not provide an audible indicator, visual only.	\$0		
1750-0296	Flexible 2" conduit with connectors. Location: Center cab dash to body.	\$727		
1750-0297	Dome Lts Red/White Incandescent additional. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch. Location: Centered front of cab for weapons storage.	\$164		
1750-0298	Hella Xenon work lamp model AS300 (6) Pkg. Includes (2) AS300CR and (4) AS300LR and switch accessible to driver in cab. Location: AS300CR located outboard forward facing on light tower shield, (2) AS300LR each side evenly spaced between command light and outboard light on front of shield.	\$5,904		
1750-0299	Trilinear rod antenna model BMEFC24005 with K794 mount with RG58/U coaxial cable. Ship loose.	\$448		
1750-0300	Radio AM/FM/CD/weather band w/auxiliary input port located [#LOC].	\$806		
1750-0301	Battery saver to be located [#LOC].	\$0		
1750-0302	Control push-button switch officer side overhead for Rumbler.	\$109		
1750-0303	Aerial engagement switch to be guarded style located on the panel outboard of the steering wheel below dash	\$252		

Item #	Description	Extension	+1/-1	Total
1750-0304	Radio Pioneer DEH-X 7500HD AM/FM CD/USB located [#LOC].	\$1,111		
1750-0305	Dome lts Whelen red/white 4" LED (6). Lights to be located two front and four rear. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$3,398		
1750-0306	Radio speakers additional pair Pioneer TS-G1341R. Locate each side rear cab ceiling.	\$397		
1750-0307	Three (3) Aux 12V center console circuit. 30AMP auto reset brkr. 6' minimum wire to power customer supplied devices (modify existing auxiliary power already standard in center console).	\$73		
1750-0308	Battery charging connector 12V Anderson with weatherproof cover. Includes mating connector (ship loose). Location: Driver's door step area.	\$330		
1750-0309	Air horn switch on passenger side wall of mic box on rear cab wall. Switch to be labeled "Evacuation Alert".	\$162		
1750-0310	Clamshell controller mounted on officer's side of engine cover for Federal Signal Rumbler.	\$142		
1750-0311	Tesco GPS antenna model #345146 located on the forward center cab roof between light bars with coaxial cable routed to center cab dash.	\$335		
1750-0312	Tesco antenna model #418697 with coaxial cable. Ship loose.	\$326		
1750-0313	Havis model CG-X computer charge guard located in cab at MDT mount.	\$165		
1750-0314	Battery charger Kussmaul model 12 HO PIM, 20 amp. Includes model 091-189-12 indicator located adjacent to inlet receptacle.	\$1,601		
1750-0315	Rear upper window wipers (PR). Top mount enclosed cab only. Requires 4" cap.	\$1,589		
1750-0316	Switch horn button two position DOT/Rumbler.	\$114		
1750-0317	Auto-Eject receptacle inlet 20 amp located driver side rear of body above tail lights in diamond plate box with a yellow cover.	\$791		
1750-0318	Flexible 1" conduit with connectors. Location: Center cab dash to antenna rack.	\$344		
1750-0319	Control push-button switch officer side (side facing) of center electrical cover for EQ2B siren.	\$109		
1750-0320	Conduit flexible .75" for radio installation distribution box to officer's overhead.	\$344		
1750-0321	ATC/KD driving lights (PR) with rubber housings. Includes switch in cab accessible to driver. Location: [#LOC].	\$977		
1750-0322	Light Whelen model PSC00FCR LED (4) clear. Vertically mounted flashing strip light with 14 flash patterns including steady burn shall be mounted on the lower cab step well areas (interior). The front doors shall have (1) strip light shall be located on forward step well wall (both sides). The rear doors shall have (1) strip light shall be located on rear step well wall (both sides). Wire through door switch.	\$901		
1750-0323	Engine tunnel to be fitted with a position activation switch to activate engine compartment lighting when not in the fully closed position.	\$569		
1750-0324	Air compressor, Kussmaul model 091-9 12V.	\$1,075		
1750-0325	Pigtail, minimum of 18" of wire for service of the battery charger and/or air compressor.	\$55		
1750-0326	Auto transfer switch 120 volt. Includes 2 place breaker box. Allows interior receptacles to be powered by either shore power or generator.	\$843		
1750-0327	Switch momentary to activate heat option contained in mirrors for 10 minutes. The heat will automatically turn itself off after the heat activation time period (10 minutes) has expired.	\$222		
1750-0328	Auto transfer switch 120 volt. Includes 8 place breaker box. Allows interior receptacles to be powered by either shore power or inverter.	\$867		
1750-0329	Cornering light relay circuits for lights in center of rear tandem wheel well. Includes (2) relays. Requires scene light option. Interlocked with park brake.	\$469		
1750-0330	Dome Lt Red/White LED additional (EA). White light wire through door and light assembly switch. Red light through light assembly switch. Location: centered between rear cab dome lights.	\$233		
1750-0331	Control push-button switch driver side (side facing) of center electrical cover for EQ2B siren.	\$109		



Item #	Description	Extension	+1/-1	Total
1750-0332	Dome lights Red/White incandescent. Package includes two lights mounted in the front and two mounted in the rear of the cab Trucklite 80 series with push style on/off button (may be used with Ford chassis). White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch.	\$639		
1750-0333	Dome lights White incandescent. Package includes two lights mounted in the front and two mounted in the rear of the cab Trucklite 80 series with push style on/off button (may be used with Ford chassis). Lights wire through door and light assembly mounted switch.	\$639		
1750-0334	Dome lights White incandescent. Package includes two lights mounted in the front of the cab Trucklite 80 series with push style on/off button (may be used with Ford chassis). Lights wire through door and light assembly mounted switch.	\$320		
1750-0335	Metric speedometer, in English dominant main cab gauge cluster.	\$2,454		
1750-0336	Whelen traffic advisor control head (model TRACTRL1A) shall be mounted in the center overhead panel. The control head shall be wired to the main power switching circuit. There shall be a 50' control cable (model TAPVC50) ran from the control head to the rear of the body, coiled up for dealer supplied and installed traffic advisor.	\$1,148		
1750-0337	Garmin GSP 18X USB. May be mounted at E-ONE discretion on the cab roof within reach of cab 12VDC hot outlet(s).	\$280		
1750-0338	Radio Pioneer DEH-3300UB AM/FM CD/USB (with a pair of TS-D1302R speakers) located [#LOC].	\$1,111		
1750-0339	Radio speakers additional pair Pioneer TS-D1302R. Locate each side rear cab ceiling.	\$397		
1750-0340	Control push-button switch officer side (side facing) of center electrical cover for EQ2B siren brake.	\$109		
1750-0341	Transverse cab compartment dome light package (4) LED. Trucklite 44 series.	\$659		
1750-0342	Battery charger Kussmaul model 12 HO PIM, 20 amp. Includes model 091-189-12 indicator located behind driver's door adjacent to exterior handrail.	\$1,601		
1750-0343	Battery charger E-ONE LPC 20. 120 volt inlet, 20 amp output.	\$688		
1750-0344	Battery charger E-ONE LPC 40. 120 volt inlet, 40 amp output.	\$1,047		
1750-0345	Battery charger E-ONE LPC 20. 240 volt inlet (50/60 hz), 12 volt 20 amp output.	\$910		
1750-0346	Battery charger E-ONE LPC 20. 240 volt inlet (50/60 hz), 24 volt 20 amp output.	\$827		
1750-0347	Battery charger with indicator, inlet receptacle and air inlet with mounting plate. Locate to driver side of cab below driver door opening	\$0		
1750-0348	Dome Lt Red/White LED additional (EA). White light wire through door and light assembly switch. Red light through light assembly switch. Location: driver seat, officer seat and center for weapons storage.	\$233		
1750-0349	Flexible 3/4" conduit with connectors. Location: behind officer seat to antenna rack.	\$501		
1750-0350	Install customer supplied radio/intercom (ea). Loc: [#LOC].	\$572		
1750-0351	Kussmaul solar power charging system; model 092-1220-1. Location: Center rear cab roof.	\$2,699		
1750-0353	Dome Lts Red/White LED. Package includes two lights mounted in the front and three mounted in the rear of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	\$1,176		
1750-0354	Tesco GPS antenna model #GPSNMO-02 located on the forward center cab roof between light bars with coaxial cable routed to center cab dash.	\$372		
1750-0355	Each 110 volt cab receptacle shall have a dedicated breaker within the breaker box. This is to provide each cab mounted receptacle (single outlet, duplex, etc. as applicable) with its own isolated circuit.	\$304		
1750-0356	Radio speaker (1). Locate center rear ceiling. Wiring to terminate in center overhead console for customer supplied radio.	\$159		
1750-0357	Mount GPS antenna on cab roof. Location: [#LOC].	\$0		
1750-0358	Antenna base Tessco P/N 90942 (NMO Motorola Style - also called MATM style) on cab roof package (5). Locations: (1) each side rearward of light bar (1) each side forward of the vista. These (4) shall be positioned side to side as required to prevent interference with light tower and its operation. There shall be (1) additional mounted on the officer side rear corner of the cab roof. All (5) shall have coax cable terminating below the officer seat.	\$534		
1750-0360	Auto-Eject receptacle inlet 30 amp 240 volt located [#LOC] and with a [#COL] cover.	\$954		

Item #	Description	Extension	+1/-1	Total
1750-0361	Cab quad headlights in front bumper in addition to standard headlights.	\$582		
1750-0362	Stand alone J1939 CAN information display, to include odometer reading. The display is 2" in diameter, intuitive menu driven user interface accessed by (3) built in tactile switches for easy display configurations of active J1939 data and stored faults. Location: [#LOC].	\$867		
1750-0363	Location for customer supplied speaker as part of customer supplied radio/intercom. Location: [#LOC].	\$0		
1750-0364	Cab quad headlights below front bumper in addition to standard headlights. The headlights shall be mounted in a tread plate box that will extend the full depth and width of the hose trays mounted within the bumper ext. on each side.	\$656		
1750-0365	Auto transfer switch 120 volt. Includes 8 place breaker box. Provides for all interior receptacles and Four (4) interior 110v fluorescent lights to be powered by shore power or generator.	\$867		
1750-0366	The auto transfer switch/breaker box shall be located: body interior just inside L3 entrance door on the left side up high above L2 mounted inboard of the main breaker box.	\$0		
1750-0367	Stream Light Vulcan LED orange handheld lantern package. Includes (4) lanterns with 120V charger and vehicle mounts. Mount as directed during final inspection.	\$1,366		
1750-0368	Dome Lts Red/White 4" LED (6). Lights to be located two front and four rear. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$2,581		
1750-0369	Guard. On-Spot activation switch shall have a red flip up safety guard. The switch shall be located on the driver side overhead panel offset to the officer side as far as possible.	\$59		
1750-0370	Engine hourmeter in cab.	\$180		
1750-0372	12 VDC (or 24VDC) electrical outlet in the cab wired battery hot with 14AWG at each seated position. Outlets are shared within the same circuit.	\$276		
1750-0374	Light Whelen model PSB00FBR LED (4) blue. Horizontally mounted flashing strip light on each of the inside lower cab door panels. Wire through door switch.	\$901		
1750-0375	Switch console mounted to the driver side engine cover.	\$181		
1750-0376	Light Whelen model PSR00FRR LED (3) red. Horizontally mounted flashing strip light on each of the inside lower cab door panels. Wire through door switch.	\$678		
1750-0377	Additional 4" white LED dome lights (PR) for rear of cab wired battery hot to a 15 min. timer switch. Locate switch on interior officer side rear side wall just above floor level.	\$547		
1750-0378	Switch momentary to illuminate cab dome lighting for 15 minutes. The lights will automatically turn themselves off after the activation time period (15 minutes) has expired. Locate switch on interior officer side rear side wall just above floor level.	\$286		
1750-0379	Auto transfer switch 120 volt. Includes 12 place breaker box. Provides for all 110v interior receptacles and up to four (4) interior fluorescent lights to be powered by shore power or generator.	\$1,226		
1750-0380	35 AMP inline fuse as hot lead for radio installation. Radio circuit with G30060-1CR in-line fuse 35 amp. Fuse wired to ignition side to power the radio head. To be labeled and identified as "HOT". In-line fuse to be clearly labeled. Wiring located behind a face plate in the center overhead also provide ground wire and label wires. Label ground "Chassis Ground". Fuse to be down line from standard fuse and accessible for Motorola Spectra 800 MHz radio.	\$644		
1750-0381	Cornering light relay circuits for cab/body lights on side of unit. Includes (2) relays. Interlocked with park brake.	\$469		
1750-0382	Conduit flexible 3/4" from center cab desk raceway to receptacle located at upper center in R1.	\$413		
1750-0383	Radio Jensen JHD1630B AM/FM/WB (with a pair of Polk Audio DXI525 5.25" speakers) located [#LOC].	\$1,237		
1750-0384	Light Weldon LED model 2631-000-30 to illuminate cab floor. Horizontally mounted on seat riser. Wire through headlight switch. Location: below each rear wall seat on riser.	\$316		
1750-0385	Cab step lighting package. Includes (2) EON LED lights per side IPOS. (1) Light per door mounted in the cab step well area	\$286		
1750-0386	The FoamPro controller shall be located in cab centered between driver and officer.	\$0		

Item #	Description	Extension	+1/-1	Total
1750-0387	Golight controls shall be located [#LOC].	\$0		
1750-0388	Handheld Flashlight, black Streamlight SL-20X with 12 VDC charger. Location: driver and officer rear cab wall outboard below seat support channel.	\$254		
1750-0389	Radio speakers pair. Locate (1) above officer and (1) centered in rear crew cab area. Wiring to terminate (1) center dash, (1) center overhead for customer supplied radio(s).	\$312		
1750-0390	Radio Poly-Planar AM/FM CD/MP3 with USB port located center overhead console offset to officer side.	\$988		
1750-0391	Receptacle inlet 50amp 250V located in air compressor compartment with cover and manual 4 pole 100A transfer switch. Allows Bauer air compressor to be powered by either shore power or 3 phase generator.	\$4,121		
1750-0392	Battery charger Kussmaul 75 amp model 091-149-12 with 091-9 air compressor.	\$4,009		
1750-0393	Switch secondary braking three position Jacobs/Off/Telma. Jacobs Brake top position, off center, Telma bottom position.	\$237		
1750-0394	Control push button switch for Q2B on officers side of console.	\$109		
1750-0395	Light EON LED to illuminate cab floor(EA). Horizontally mounted on seat riser. Wire through door switch. Location: [#LOC].	\$175		
1750-0396	Control push-button switch on officer's overhead for Q2B siren brake.	\$109		
1750-0397	Mount customer supplied antenna on cab roof. Location: centered behind lightbar, driver side forward on vista roof, officer side forward on vista roof and officer side rear cab roof. All terminating in overhead command area cabinet.	\$796		
1750-0398	Mount customer supplied GPS antenna on interior of cab. Location will be per antenna manufacturers' recommendation.	\$200		
1750-0399	Control push-button switch driver side of center dash upper tier for Q2B siren.	\$109		
1750-0400	Cyber Dyne digital voltmeter in cab with blue display. Location: Driver side cab dash, side facing, adjacent to park brake release.	\$266		
1750-0401	Cornering light relay circuits for only the side facing gravel shield lights. Includes (2) relays. Requires scene light option. Interlocked with park brake.	\$469		
1750-0402	Install six (6) customer supplied radio cables. (3) 30' Cables will run from behind driver seat to center of dash. (3) 17' Cables will run from behind driver seat to the overhead cabinet area in cab.	\$828		
1750-0403	Install radio interface cable for Motorola model APX 6500. Run cable from back of driver seat to center of dash. The interface cable shall consist of the following FireCom cables PN 110-5136-30 (4' interface cable), PN 108-0086-00 (15' extension cable), PN 108-0085-00 (10' extension cable) for a total of 29' in length.	\$713		
1750-0404	Dome lights Whelen red/white 6" Super-LED surface mounted interior lights. Four (4) model 60CREGCS lights to be located two front and two rear. White light wired through door and light assembly. Red light through switch mounted on light assembly.	\$1,525		
1750-0405	Battery charger Kussmaul model 091-200-12-194-WT-RD. 120 Volt 40 Amp output includes water tight display mounted adjacent to inlet.	\$2,006		
1750-0406	The air horn(s) shall not be included within the Multiplex system (separate switching from Multiplex display required).	\$441		
1750-0407	Control push-button switch for Rumbler. Location [#LOC].	\$109		
1750-0408	Mount customer supplied (1) radio cable and (4) antennas. Antenna locations: (1) driver and officer side forward cab roof, (1) driver and officer side rearward cab roof. Route all cables to upper rear wall medical cabinet. Route radio cable from center of dash to upper rear wall of medical cabinet.	\$798		
1750-0410	Switch, additional through multiplex display. Function: [#LOC].	\$103		
1750-0411	Dome Lts Red/White Whelen model 60CREGCS LED. Package includes two lights mounted in the front and four mounted in the rear of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	\$1,900		
1750-0412	Kussmaul digital battery display model 091-194-IND-WT-RD in place of standard.	\$392		

Item #	Description	Extension	+1/-1	Total
1750-0413	Dual USB charger socket in the cab wired battery hot. Location: [#LOC].	\$164		
1750-0414	Warning light Whelen M6R series Linear Super LED (PR) red. Location: interior of canopy doors wired through each door ajar switch only.	\$813		
1750-0415	Dome Lt Red/White LED additional (EA). White light wire through door and light assembly switch. Red light through light assembly switch. Location: Below forward vista medical cabinet.	\$233		
1750-0416	30 AMP inline fuse as hot lead for radio installation. Radio circuit with in-line fuse 30 amp. Fuse wired to ignition side to power the radio head. To be labeled and identified as "HOT". In-line fuse to be clearly labeled. Wiring located in the interior of the center console also provide ground wire and label wires. Label ground "Chassis Ground".	\$644		
1750-0417	Flexible 1" conduit with connectors. Location: radio cabinet to center of dash.	\$344		
1750-0418	Conduit, flexible 1" with connectors. Location: Bottom of cab mounted center console to forward corner of counter top on driver side of body.	\$344		
1750-0419	Turn signal TecNiq LED amber strip (PR) located in center of quad headlight bezel (QST2 only).	\$124		
1750-0420	Daytime Running Light TecNiq LED strip (PR) located in center of quad headlight bezel (QST2 only).	\$134		
1750-0423	Programming instructions for auxiliary switch 1 on steering wheel switch pod. Switch function: [#LOC].	\$103		
1750-0424	Programming instructions for auxiliary switch 2 on steering wheel switch pod. Switch function: [#LOC].	\$103		
1750-0425	Programming instructions for auxiliary switch 3 on steering wheel switch pod. Switch function: [#LOC].	\$103		
1750-0426	Turn signal Weldon LED amber pair located [#LOC].	\$619		
1750-0427	Antenna base Tessco P/N 90942 (NMO Motorola Style - also called MATM style) on cab roof. Location: (4) vista cab roof, (4) front cab roof. See sales for exact location labeling instructions.	\$965		
1750-0428	Interior courtesy red LED light package. Includes driver / officer side engine cover lighting, center dash wash lights and front / rear floor lights.	\$413		
1750-0429	Dual USB charging ports in the cab wired battery hot. Location: [#LOC].	\$79		
1750-0430	Weldon guard model 2034-0000-00 for horizontally mounted seat riser light (EA).	\$21		
1750-0431	Conduit flexible 1" for radio installation center of dash to area behind officer's seat.	\$344		
1750-0432	Flexible 1" conduit with connectors. Location: behind officer seat to antenna rack.	\$501		
1750-0433	Battery charger Kussmaul LPC 80. 120 volt inlet, 80 amp output.	\$1,920		
1750-0434	Radio cabinet ventilation fan (PR). Location: ceiling of radio cabinet wired through ignition.	\$249		
1750-0435	Halogen cab headlights. TyphoonX, CIIX and QST2 only.	\$0		
1750-0436	Dome Lt Red/White LED additional (EA). White light wire through door and light assembly switch. Red light through light assembly switch. Location: center between front cab seats.	\$233		
1750-0437	The chassis shall be pre-wired for installation of tire chains. Includes guarded toggle switch located on the center dash panel.	\$485		
1750-0438	Radio AM/FM CD with weather band located [#LOC]. Includes speakers in ceiling to rear of driver/officer.	\$923		
1750-0439	Dome Lt Red/White Whelen model 60CREGCS LED additional (EA). White light wired through door and light assembly switch. Red light through light assembly switch. Location: center rear crew cab ceiling.	\$383		
1750-0440	Switch horn button three position DOT/air horn/electronic siren. Wired through multiplex display screen.	\$230		
1750-0441	Battery charger Kussmaul model EV40, 40 amp.	\$1,743		
1750-0442	Light EON LED (EA). Horizontally mounted in seat riser. Wire through door switch. Location: officer seat riser.	\$175		
1750-0443	Dome Lts Red/White Whelen model 60CREGCS LED. Package includes two lights mounted in the front of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	\$634		
1750-0444	Battery charger Iota model DLS-45, 45 amp.	\$675		
1750-0445	Clamshell controller mounted on center console offset to officer side for air horns.	\$142		
1750-0446	Wire battery charger using cord connectors ipo hardwire.	\$0		

Item #	Description	Extension	+1/-1	Total
1750-0447	Dome Lts Red/White Whelen model 60CREGCS LED. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wired through door and light assembly switch. Red light through light assembly switch.	\$1,267		
1750-0448	Light Whelen model PSRASXCR LED (4) red/amber. Horizontally mounted flashing strip light on each of the inside lower cab door panels. Wire through door switch.	\$937		
1750-0449	Momentary DPF regeneration override switch.	\$230		
1750-0450	Steering wheel with switch pods IPOS. Includes wiper functions, master warning sw, air horn sw, aux brake on/off and (3) aux switches. Required with Typhoon and CII equipped with 4Front and QST2. (Requires seperate programming options to activate aux switches)	\$0		
1750-0451	Steering wheel with switch pods IPOS. Includes wiper functions, master warning sw, air horn sw, aux brake on/off and (3) aux switches. For use only with Typhoon and CII NOT equipped with 4Front. (Requires seperate programming options to activate aux switches)	\$1,036		
1750-0452	Radio speakers (3). Locate officer ceiling and each side rear cab ceiling. Wiring to terminate in center overhead console for customer supplied radio(s).	\$536		
1750-0453	Auto transfer switch 120 volt. Includes 12 place breaker box. Allows interior receptacles to be powered by either shore power or generator.	\$913		
1750-0454	Courtesy light for driver and officer located on front of risers wired through marker lights. Whelen model OSR00SCR light.	\$290		
1750-0455	Block heater connector; 15 amp male. Location: driver side under front bumper adjacent to frame rail.	\$115		
1750-0457	Turn signal Whelen 600 LED amber arrow pair with black bezel located [#LOC].	\$792		
1750-0458	Quad bezels (4) black ipos.	\$291		
1750-0459	Rear cab dome lights located inboard even with 3x3 posts with white light facing inboard.	\$0		
1750-0460	Light Whelen model PSR00FRR LED (4) red. Horizontally mounted flashing strip light on each of the inside cab door panels below the windows. Wire through door switch.	\$901		
1750-0461	Remove switch pods from 4Front steering wheel and install std switches for relevant functions.	\$0		
1750-0462	Turn signal Whelen M6 LED arrow amber pair with clear lenses located [#LOC].	\$741		
1750-0463	Handheld flashlight, Streamlight Vulcan LED Model 44401 flashlight with vehicle mount system. Location: [#LOC].	\$250		
1750-0464	Dome Lt Red/White Whelen model 60CREGCS LED. One (1) light centered between driver/officer in the ceiling. White light wired through door and light assembly switch. Red light through light assembly switch.	\$383		
1750-0465	Receptacle inlet 50A 230V located in the air compressor compartment with cover and manual 3 pole 100A transfer switch. Allows compressor to be powered by either shore power or generator.	\$3,478		
1750-0466	DEF level gauge adjacent to tank fill area.	\$398		
1750-0467	Officer side push button switches centered on dash.	\$0		
1750-0468	Relocate driver master power window controls and officer front window control to center upper tier.	\$471		
1750-0469	Flexible 3/4" conduit with connectors. Location: center cab dash to rear medical cabinet upper area.	\$501		
1750-0470	Relocate driver master power window controls to cab dash upper tier offset to driver.	\$471		
1750-0471	Auto-Eject receptacle inlet 20 amp located rear of body driver side with a Yellow cover. Receptacle wired to roof top A.C.	\$653		
1750-0472	Center 12V distribution module under center cab dash electrical cover acces door to be re-located to officer side below access door and remove standard bracket. See sales for details.	\$0		
1750-0473	Siren brake locate center dash	\$104		
1750-0474	Control push button switch center dash upper tier offset to officer side for air horns	\$109		
1750-0475	Control push-button switch center dash upper tier offset to officer for Q2B.	\$109		
1750-0476	Speaker wire for dealer/customer supplied radio/speaker. Route wire from driver side 3x3 up high to center dash.	\$168		

Item #	Description	Extension	+1/-1	Total
1750-0477	Clamshell controller mounted on officer's side of engine cover for Q2B brake.	\$142		
1750-0478	Battery charger Kussmaul model 091-216-40/20, 40 amp battery charger / 20 amp battery saver.	\$2,269		
1750-0479	On-Spot activation switch to have a red cover (or bezel).	\$45		
1750-0480	Auto-Eject dual receptacle inlet; 30 amp 120V with air auto eject located [#LOC] with a [#COL] cover.	\$1,719		
1750-0481	Auto-Eject receptacle inlet 20 amp wired to roof top AC located [#LOC] with a [#COL] cover.	\$653		
1750-0482	Control push-button switch officer switch panel for Q2B siren.	\$109		
1750-0483	Control push-button switch on officer's switch panel for Q2B siren brake.	\$109		
1750-0484	Control push-button switch officer switch panel for siren.	\$109		
1750-0485	Control push-button switch officer switch panel for air horns.	\$109		
1750-0486	Battery charger Kussmaul model Pump Plus 1200, 40 amp.	\$1,632		
1750-0487	Customer supplied radio cable. Route from upper rear wall medical cabinet to pump operator panel.	\$199		
1750-0488	Ammeter gauge in cab 0-300 amps through multiplex display.	\$863		
1750-0489	Air compressor to be located floor mounted in officer side wheel well medical cabinet. Includes grating over front for protection.	\$140		
1750-0490	Lateral "G" Alert system with Audible and Visual warnings.	\$4,863		
1750-0491	The chassis shall be pre-wired for installation of tire chains. Includes 12 volt rocker lock-out/safety style switch.	\$614		
1750-0492	Interlock to position front bumper lid for cab tilting.	\$316		
1750-0493	Rear upper window wipers (3). Requires 4" cap. Switch located on upper rear overhead panel.	\$2,382		
1750-0494	Mobility Pro GPS system model BT5830V2-AT with model ANT-NA520-ABC008 antenna.	\$1,964		
1750-0495	Kussmaul bluetooth module model 091-226 wired to cab speakers. Located in cab accessible to driver.	\$394		
1750-0496	Courtesy light TecNiq Dragon wired through marker lights. Model D04 [#COL] LED light with S/S horizontal mount. Location: [#LOC].	\$127		
1750-0497	Additional marker light TecNiq amber LED strip (PR) located in center of quad headlight bezel (QST2 only).	\$134		
1750-0498	Aerial PTO switch to have a red cover (or bezel).	\$45		
1750-0499	Ammeter gauge in cab 0-400 amps through multiplex display.	\$863		
1750-0500	Relocate driver master power window controls center upper tier offset to driver and officer front window control to center upper tier offset to officer.	\$471		
1750-0501	Clamshell controller mounted on on driver's side of engine cover for electronic siren.	\$142		
1750-0502	Auto transfer switch allows hydraulic tool pump to be controlled by a remote switch	\$843		
1750-0503	Whelen model 01-066A584152 red courtesy light with 45 degree bezel. Locate on the driver ceiling to illuminate overhead switches. Includes switch adjacent to light.	\$376		
1750-0504	Radio Delphi AM/FM/Weatherband with CD and aux input and USB port. Located [#LOC].	\$923		
1750-0505	Dual DPF regeneration override switches. (1) controls manual generation; (1) controls inhibit.	\$460		
1750-0506	Radio AM/FM CD Kenwood model KDC-BT762HD located [#LOC].	\$1,043		
1750-0507	The chassis shall be pre-wired for installation of tire chains. Includes guarded toggle switch located on the driver overhead console.	\$485		
1750-0508	High beam headlight mounted on the inboard position ipos.	\$0		
1750-0509	Battery charger Iota model DLS-75, 75 amp.	\$862		
1750-0510	Auto-Eject receptacle inlet 20 amp located below the driver's door with a red cover. Receptical to be wired to: Transfer switch/sub breaker box, refrigerator, and module interior receptacles.	\$653		
1750-0511	Auto-Eject receptacle inlet 20 amp located below the driver's door with a red cover. Receptical to be wired to battery charger only.	\$653		
1750-0512	Windshield fans RoadPro Tornado pair. Location: centered below overhead console.	\$428		
1750-0513	The commercial chassis shall be pre-wired for installation of tire chains. Installed by chassis OEM.	\$614		

Item #	Description	Extension	+1/-1	Total
1750-0514	Peterson LED cab headlights.	\$1,111		
1750-0515	Flexible 1" conduit with connectors. Location: Center cab dash to pump panel area.	\$410		
1750-0516	Auto drain, Kussmaul model 091-9-086 12V. For use with air compressor 091-9-12V only.	\$237		
1750-0517	Cab headlights Sirius single low/hi beam located recessed behind bumper in addition to front cab mounted quad headlights.	\$726		
1750-0518	Cab headlights quad Sirius located recessed behind bumper in addition to front cab mounted quad headlights	\$910		
1750-0519	Sirius cab headlights. TyphoonX, CIIX and QST2 only.	\$177		
1750-0520	Conduit, flexible 2" with connectors. Includes (3) three pull wires labled 1 thru 3 each end. Location: Bottom of cab mounted center console to body mounted electronics rack floor area.	\$344		
1750-0521	Deutsch connector in center cab dash. Wired as follows: blue wire: hot master warning, red wire: hot park brake applied, purple wire: hot left turn signal and green wire: hot right turn signal.	\$581		
1750-0522	Flexible 2" conduit with connectors. Location: Center cab dash to radio cabinet.	\$419		
1750-0523	Switch for driver controlled differential lock to be momentary IPOS (Axle lock engages only when switch is pressed and held).	\$142		
1750-0525	Light Whelen model PSR00FRR LED red, qty one (1). A horizontally mounted flashing strip light shall be provided on the inside rear body entry door panel below the window. Wire through door switch.	\$226		
1750-0526	Dome Lts Red/White Incandescent. Package includes two lights mounted in the front of the cab. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch.	\$369		
1750-0527	Light Whelen model PSR00FRR LED (2) red. Horizontal mounted flashing strip light on each of the inside lower cab door panels. Wire through door switch.	\$901		
1750-0528	Interlock to prevent cab tilting with aerial in cradle.	\$562		
1750-0529	Air compressor, Kussmaul model 091-9-12V-HP.	\$1,193		
1750-0530	Radio speakers (4). Locate (1) each side front and rear cab ceiling. Wiring to terminate in center lower dash for customer supplied radio(s).	\$713		
1750-0531	Control push-button switch center lower dash for Q2B siren.	\$109		
1750-0532	Control push-button switch on center lower dash for Q2B siren brake.	\$109		
1750-0533	Flexible 3/4" conduit with connectors. Location: officer side overhead to behind officer seat.	\$501		
1750-0534	Flexible 3/4" conduit with connectors. Location: behind officer seat to pump panel area.	\$501		
1750-0535	Clamshell controller mounted on officer's side switch panel for Q2B brake.	\$142		
1750-0536	Clamshell controller mounted on officer's side switch panel for Q2B.	\$142		
1750-0537	Conduit, 1" flexible with connectors, junction box & pull wires. Locate: L1/R1 forward bulkhead. Conduit to begin at same height on bulkhead as hydraulic reel switches on rearward wall and run vertical to compartment ceiling, then toward chassis centerline terminating at a ceiling mounted junction box with the box oriented so as to accommodate conduit running aft across the ceiling for dealer/customer installed equipment.	\$453		
1750-0538	Flexible 1" conduit with connectors. Location: Center cab dash to radio cabinet.	\$352		
1750-0539	PharmGuard dual mode power supply; 110V shoreline and 12V power.	\$589		
1750-0540	Dual USB charging ports in the cab wired through ignition. Location: [#LOC].	\$79		
1750-0541	Kussmaul bluetooth module model 091-226 wired to cab speakers. Located in officer overhead.	\$394		
1750-0542	PharmGuard dual mode power supply; 110V shoreline and 12V power.	\$589		
1750-0543	Zoll RescueNet Road Safety driver monitoring system.	\$11,512		
1750-0544	Control push-button switch on center console for Q2B siren.	\$109		
1750-0547	Conduit flexible 1" from center cab dash to upper forward wall of L2.	\$501		
1750-0548	Flexible 3/4" conduit with connectors. Location: officer side overhead to officer sid of forward vista medical cabinet .	\$501		
1750-0550	Control push-button switch center dash upper tier offset to officer for Q2B brake.	\$109		

Item #	Description	Extension	+1/-1	Total
1750-0551	Conduit flexible 1" from center cab dash to pump panel.	\$501		
1750-0552	Battery charger Iota model DLS-75, 75 amp with IQ4 Smart Controller.	\$900		
1750-0553	Relocate driver master power window controls to driver overhead and officer front window control to officer overhead.	\$632		
1750-0554	FireTech LED/halogen cab headlights.	\$2,853		
1750-0555	ROM Duro Lumen LED light model RO3853. Location: driver and officer rear cab ceiling outboard.	\$456		
1800-0000	Cooling system for 2004 compliant engines, Typhoon only.	\$7,010		
1800-0001	Cooling for EGR engines. Includes charge air cooler.	\$7,265		
1800-0002	Conditioner Cooling System NalCool 2000	\$109		
1800-0003	Coolant System Overflow Recovery System, CRS-150	\$631		
1800-0005	Cooling system for use with Cyclone II X, Typhoon X, and Quest chassis. Includes coolant recovery system.	\$7,265		
1800-0006	Remote coolant filter for engine cooling system (Cummins ISC and ISL engines only).	\$623		
1800-0008	Cooling system Tier II OPTIONAL 125 DEGREE, no fan clutch available.	\$12,898		
1800-0011	** USE 1800-0012 TIER III ENGINE COOLING SYSTEM STANDARD 115 DEGREE.	\$12,437		
1800-0013	Cooling system for use with Cyclone II X, Typhoon X, and Quest chassis. For use with 2010 / 2013 / 2016 EPA engines. Includes coolant recovery system.	\$8,186		
1800-0014	Cooling system for use with Cyclone II X Hush Mid Engine chassis. Includes coolant recovery system.	\$15,719		
1800-0020	Cooling system for 98 EPA non-EGR engines. Includes charge air cooler.	\$7,265		
1800-0021	Cooling system for use with Cyclone II Hush Mid Engine chassis. Includes coolant recovery system. For use with 2010 EPA engines.	\$16,638		
1800-0022	Cooling system for use with Navistar MAXXFORCE MF10 2010 EPA engine in Cyclone II X, Typhoon X, and Quest chassis. Includes coolant recovery system.	\$9,309		
1800-0023	Cooling for Pre-2004 export engines. Includes charge air cooler.	\$7,265		
1800-0024	Ball valve drain for radiator ipo petcock valve.	\$127		
1800-0025	Cooling system for use with Navistar MAXXFORCE MF13 2010 EPA engine in Cyclone II X and Quest chassis. Includes coolant recovery system.	\$11,546		
1800-0026	Plug shall be installed in drain of radiator IPO petcock valve.	\$76		
1800-0027	Cummins Compleat (blue) 50/50 pre-mixed antifreeze ipos.	\$321		
1800-0028	Cooling system for use with Cyclone HS and Quest HS chassis. For use with 2013 / 2016 EPA engines.	\$8,186		
1800-0029	Engine cooler. E-ONE chassis only. Requires control option for pump panel.	\$514		
1800-0030	Shutoff valve (1) each side of optional coolant filter.	\$155		
1979	Dealer installed generator - Space shall be provided for a Harrison 20KW MPC hydraulic generator. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
3000-0000	Body mainframe and hosebed side assemblies for a 80" high body.	\$0		
3000-0004	Diamond plate body for use with wide water tank, tandem axle chassis and driver side frame mounted pump. Includes driver and officer side forward lower body compartments (drivers narrow), framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$7,983		
3000-0005	Diamond plate body for use with wide water tank, tandem axle chassis and individual SM pump module. Includes driver and officer side forward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$8,232		
3000-0006	Diamond plate body for use with wide water tank, single axle chassis and driver side frame mounted pump. Includes driver and officer side forward lower body compartments (drivers narrow), framed wheel well area with diamond plate corners and boxed out style rear tailboard.	\$0		



Item #	Description	Extension	+1/-1	Total
3000-0012	Diamond plate body for use with narrow water tank, tandem axle chassis with driver side under mount pump and officer side forward discharge/intake panel. Includes driver and officer side forward and rearward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 10" tailboard.	\$8,982		
3000-0013	Diamond plate body for use with narrow water tank, under body pump and tandem axle chassis. Includes driver and officer side compartments forward of and rearward of tandem axle, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$10,106		
3000-0014	Diamond plate body for use with wide water tank, single axle chassis and driver side frame mounted pump. Includes driver and officer side forward lower body compartments (drivers narrow), framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$7,608		
3000-0015	Diamond plate body for use with narrow water tank, tandem axle chassis with driver side under mount pump and officer side forward discharge/intake panel. Includes driver side forward and rearward lower body compartments, officer side (2) forward and (1) rearward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$8,982		
3000-0016	Diamond plate body for use with narrow water tank, tandem axle chassis and driver side frame mounted pump with enclosed pump panel. Includes driver and officer side forward lower body compartments (drivers narrow), framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard. Oklahoma City.	\$10,069		
3000-0017	Diamond plate body for use with wide water tank, single axle chassis and individual SM pump module. Includes driver and officer side forward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$11,665		
3000-0018	Diamond plate body for use with wide water tank, single axle chassis and individual SM pump module. Includes driver and officer side forward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$11,665		
3000-0019	Stainless Steel Body Construction. The compartment floors, front panels, vertical side sheets, rear walls, door openings, wheel wells, compartment panels, dividing walls, and reinforcements shall be constructed of 12 gauge 304L stainless steel material.	\$0		
3000-0020	Wheel well compartment for (2) fire extinguishers, includes SS door painted job color. Available for any type of wheel well panel (each)	\$1,092		
3000-0021	304L Stainless Steel formed body construction for Wetside tanker. Includes driver and officer side forward and rear lower body compartments and flat back style rearend with tailboard.	\$0		
3080-0000	Body aerial 95/CR100 CII/Quest medium cab without pump. 100" wide with L and R extended rescue style high sides and rear side staircases. 61" high body for 11'-10" OAH.	\$65,631		
3080-0001	Body aerial 95/CR100 with center hose bed. Configured for midship pump and 300 tank. 100" wide with L and R extended rescue style high sides and double beavertails. 63" high body for 12'-1" OAH	\$77,423		
3080-0002	Body aerial Bronto RLP. Includes full length hosebed and pocket style flop down steps at each staircase. The doors on compts next to fwd outriggers to match the outrigger covers. The doors on small compts over forward tandem wheel to match wheelwell. The doors at rear of body on the lower aerial control panel compt to match rear body finish.	\$60,258		
3080-0003	Body aerial Bronto RLP. Includes deep upper right side compartment, short hosebed and pocket style flop down steps at each staircase. The doors on compts next to fwd outriggers to match the outrigger covers. The doors on small compts over forward tandem wheel to match wheelwell. The doors at rear of body on the lower aerial control panel compt to match rear body finish.	\$61,463		
3080-0004	Body aerial HM100/110 with center hose bed. Configured for midship pump and 500 tank. 100" wide with L and R extended rescue style high sides and double beavertails. 67" high body for 11'-6" OAH.	\$73,765		
3080-0005	Body aerial HM100/110 CII without pump. 100" wide with L and R extended rescue style high sides and double beavertails. 67.25" high body for 11'-5" OAH.	\$65,785		

Item #	Description	Extension	+1/-1	Total
3080-0006	Body aerial HP100 CII without pump. 100" wide tandem axle. (220" WB medium cab / 230" WB long cab). Includes L and R extended rescue style high sides and double beavertails.	\$68,157		
3080-0007	Body aerial HP100 with center hose bed. Configured for midship pump and 500 tank. 100" wide body with (230" wheelbase medium cab/240" wheelbase long cab) tandem axle. Includes L and R extended rescue style high sides and double beavertails.	\$78,210		
3080-0008	Body aerial HP75 / HP78 with center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body. Includes L and R rescue style high sides. The rear turntable access door to match the rear body finish.	\$49,962		
3080-0010	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$55,395		
3080-0011	Body aerial Bronto Q118 with pump. Includes pocket style flop down steps at each staircase. Rear electrical compartment lift-up door to match rear body finish.	\$58,531		
3080-0021	Body boom mid mount 50'. Includes rescue style right side boom compartment.	\$40,479		
3080-0027	Body aerial RLP without pump. Includes pocket style flop down steps at each staircase. The doors on compts next to fwd outriggers to match the outrigger covers. The doors on small compts over forward tandem wheel to match wheelwell. The doors at rear of body on the lower aerial control panel compt to match rear body finish.	\$58,539		
3080-0030	Tiller body without pump. Includes tool compartment at rear of body below ladder tunnel and staircases with pocket style flop down steps each side of tractor body.	\$71,819		
3080-0031	HP95 MidMount front body with pump.	\$23,730		
3080-0032	HP95 MidMount front body without pump.	\$23,777		
3080-0033	HP95 MidMount front body without pump low travel height (for use with DPF / SCR aftertreatment).	\$22,655		
3080-0034	HP95 MidMount center body with pump and 300g tank.	\$20,245		
3080-0035	HP95 MidMount center body with pump and 500g tank.	\$20,245		
3080-0036	HP95 MidMount center body with pump and 300g tank. Includes optional officer's side compartment above rear wheels.	\$20,554		
3080-0037	HP95 MidMount center body with pump and 500g tank. Includes optional officer's side compartment above rear wheels.	\$20,554		
3080-0038	HP95 MidMount center body without tank.	\$19,165		
3080-0039	HP95 MidMount center body without pump with wide ladder tunnel.	\$20,592		
3080-0040	HP95 MidMount center body without pump low travel.	\$20,176		
3080-0041	HP95 MidMount rear body with hosebed.	\$28,341		
3080-0042	HP95 MidMount rear body without hosebed.	\$29,580		
3080-0043	HP95 MidMount rear body with narrow hosebed and shallow rescue style officer's side compartments.	\$30,630		
3080-0044	HP95 MidMount rear body with wide ladder tunnel and no hosebed.	\$29,580		
3080-0045	HP95 MidMount rear body without hosebed low travel.	\$27,938		
3080-0046	HP95 MidMount center body with pump and 300g tank. Includes optional officer's side shallow compartment above rear wheels.	\$21,287		
3080-0047	HP95 MidMount center body with pump and 500g tank. Includes optional officer's side shallow compartment above rear wheels.	\$21,287		
3080-0054	Body aerial 95/CR100 CII with pump and 500g tank. 100" wide with L and R extended rescue style high sides and double beavertails.	\$77,423		
3080-0057	Body aerial HP100 Platform without pump. 100" wide with L and R extended rescue style high sides, seperate rear side compartments and rear side staircases. The door on small compt next to rear outrigger to match wheelwell.	\$65,631		

Item #	Description	Extension	+1/-1	Total
3080-0059	Body aerial HM100 CII without pump - Memphis. Includes left side traditional style extended high sides, combined pltwrk in L6/L7 and L8/L9, half right side with DP panels above and double beavertails. Trans floor 3/16 Dia Plt, others 3/16 SM Plt. Manual cab tilt in R1. 69.25" high body for 11'-7" OAH.	\$66,530		
3080-0064	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes extended R1 compt and pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$55,395		
3080-0065	Body aerial HP100 with center hose bed. Configured for midship pump and 300 tall tank. 100" wide body with 230" wheelbase tandem axle. Includes L and R extended rescue style high sides, single right side hose chute and double beavertails.	\$80,977		
3080-0066	Body aerial HP75 / HP78 with center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body. Includes L and R rescue style extended high sides. The rear turntable access door to match the rear body finish.	\$52,604		
3080-0067	Body aerial HP75 / HP78 with combined extended height front side compts, beavertail compts combined w/rear side compts and center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body. The rear turntable access door to match the rear body finish.	\$56,863		
3080-0069	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Right side ahead of rear axle to have two seperate compts, 24"w R1 and 32"w R2. Includes pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$56,472		
3080-0070	Body aerial 95/CR100 CII/Quest medium cab without pump. 100" wide with Left extended rescue style high side, right half side with recessed area above for horizontal ladder storage and rear side staircases. 61" high body for 11'-10" OAH.	\$69,931		
3080-0071	Body aerial 95/CR100 CII/Quest long cab without pump. 100" wide with L and R extended rescue style high sides and rear side staircases. 61" high body for 11'-10" OAH.	\$65,631		
3080-0072	Tiller body - without pump. Includes tractor body w/12" wide compts (140" WB w/58" cab), trailer body with raised compts (L2/R2-L6/R6), 50" wide ladder tunnel, tool compartment at rear of body below ladder tunnel and staircases with pocket style flop down steps each side of tractor body.	\$75,114		
3080-0073	Body aerial HP100 CII without pump. 100" wide tandem axle. (230" WB medium cab). Includes L and R extended rescue style high sides and double beavertails.	\$71,517		
3080-0074	Body aerial HP100 Platform 250" WB 67.5/68 cab without pump. 100" wide with L and R extended rescue style high sides, seperate rear side compartments (tall compartment to be ahead of outrigger) and rear side staircases. The door on small compt to rear of rear outrigger to match wheelwell.	\$64,972		
3080-0075	Tiller body - without pump. Includes tractor body w/22"w compts (150" WB w/58" cab), raised trailer body (L2/L3/L4/L5/L6, R2/R3/R4/R5/R6, 50" wide ladder tunnel, tool compartment at rear of body below ladder tunnel and staircases with pocket style flop down steps each side of tractor body.	\$76,432		
3080-0079	Body aerial HP100 Platform 250" WB 68 cab without pump. 100" wide with L and R extended rescue style high sides, 3/16" smooth plate floors, seperate rear side compartments (tall compartment to be ahead of outrigger) and rear side staircases. The door on small compt to rear of rear outrigger to match wheelwell.	\$66,606		
3080-0080	Body aerial HM100/110 CII without pump. 96" wide with L and R ladder recesses, 16 wide forward upper compt (IPO trans), (3) upper storage compartments (two trans),and double beavertails. Manual cab tilt pump located low in R1 against forward wall. 61.25" high body for low OAH. Requires troughed cab.	\$79,286		
3080-0087	Body aerial HM100/110 CII without pump. 96" wide with L and R ladder recesses, 20 wide forward upper compt (IPO trans), (3) upper storage compartments (two trans), and double beavertails. Manual cab tilt pump located low in R1 against forward wall. 61.25" high body for low OAH. Requires troughed cab.	\$79,286		
3080-0096	Body aerial HP100 Platform 250" WB 67.5/68 cab without pump. 100" wide with L and R extended rescue style high sides, seperate rear side compartments (tall compartment to be rearward of outrigger) and rear side staircases. The door on small compt next to rear outrigger to match wheelwell.	\$64,972		

Item #	Description	Extension	+1/-1	Total
3080-0097	HP95 MidMount front body without pump. Includes a compt on each side ahead of waterway inlet with a vert hinged double pan painted door.	\$26,025		
3080-0098	HP95 MidMount rear body with wide ladder tunnel and no hosebed or staircase.	\$29,580		
3080-0100	Body aerial 95/CR100 CII extended aerial cab without pump (245" WB). 100" wide with L and R extended rescue style high sides and rear side staircases. 58" high body for 11'-7" +or-1" OAH. Requires troughed cab.	\$70,626		
3080-0113	Full height rear body compartment (B1). Includes satin roll-up door with header and upper area for mounting of traffic advisor (not included).	\$0		
3080-0114	Full height rear body compartment (B1). Includes satin roll-up door with header, lower floor mounting and plumbing routing for reel application and upper area for mounting of traffic advisor (not included).	\$0		
3080-0115	Full height rear body compartment (B1). Includes satin roll-up door with header, upper area for mounting of traffic advisor (not included) and rear lower wall access to fuel tank sender.	\$0		
3080-0116	Full height rear body compartment (B1). Includes satin roll-up door with header, lower floor mounting and plumbing routing for reel application, upper area for mounting of traffic advisor (not included) and rear lower wall access to fuel tank sender.	\$0		
3080-0117	Body mainframe and forward compartment extrusions and headboard (90" high body) for use with roll-up doors.	\$0		
3080-0118	Body mainframe and forward compartment extrusions and headboard (90" high body) for use with roll-up doors.	\$0		
3080-0119	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side upper and lower and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, driver side rear NFPA steps and handrails (4).	\$0		
3080-0120	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side lower with upper storage tunnel door and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, driver side rear NFPA steps and handrails (4).	\$0		
3080-0121	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side upper and lower and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, (2) receptacle mounts and driver side rear NFPA steps and handrails (4).	\$0		
3080-0122	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side lower with upper storage tunnel door and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, (2) receptacle mounts and driver side rear NFPA steps and handrails (4).	\$0		
3080-0127	Body mainframe and forward compartment extrusions and headboard (90" high body) for use with hinged doors.	\$0		
3080-0128	Body mainframe and forward compartment extrusions and headboard (90" high body) for use with hinged doors.	\$0		
3080-0133	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side upper and lower and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, driver side rear NFPA dual lighted LED steps and (4) handrails.	\$0		
3080-0134	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side lower with upper storage tunnel door and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, driver side rear NFPA dual lighted LED steps and (4) handrails.	\$0		
3080-0135	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side upper and lower and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, (2) receptacle mounts and driver side rear NFPA dual lighted LED steps and (4) handrails.	\$0		
3080-0136	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side lower with upper storage tunnel door and officer side lower with upper storage tunnel door). Includes mounting areas for DOTand NFPA lighting, (2) receptacle mounts and driver side rear NFPA dual lighted LED steps and (4) handrails.	\$0		
3080-0143	Body aerial HM100/110 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and double beavertails. 67" high body for 11'-5" OAH.	\$67,034		

Item #	Description	Extension	+1/-1	Total
3080-0144	Body aerial HP100 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide tandem axle. (230" WB medium cab / 240" WB long cab). Includes L and R extended rescue style high sides and double beavertails.	\$68,783		
3080-0145	Body aerial 95/CR100 medium cab without pump (187 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and rear side staircases. 61" high body for 11'-10" OAH.	\$65,631		
3080-0146	Body aerial HP100 Platform without pump (192 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, separate rear side compartments and rear side staircases. The door on small compt next to rear outrigger to match wheelwell.	\$65,631		
3080-0148	HP95 MidMount front body without pump (for use with DPF / SCR aftertreatment).	\$23,777		
3080-0149	HP95 MidMount front body without pump low travel height (for use with DPF / SCR aftertreatment).	\$22,655		
3080-0150	Body aerial HP75/78 with combined standard height front side compts and center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body.	\$52,615		
3080-0151	Body aerial 95/CR100 CII/Quest long cab without pump (177 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and rear side staircases. 61" high body for 11'-10" OAH.	\$65,631		
3080-0152	Body aerial HP100 Platform without pump. 100" wide with L and R extended rescue style high sides, separate rear side compartments and rear side staircase (left side only). The door on small compt next to rear outrigger to match wheel well.	\$65,631		
3080-0154	Body aerial 95/CR100 with center hose bed. Configured for 250" wheel base, long cab, midship pump and 300 tank. 100" wide with L and R extended rescue style high sides and double beavertails.	\$77,423		
3080-0155	Body aerial HP100 with center hose bed. Configured for midship pump and 500 tank. 100" wide body with 230" wheelbase tandem axle. Includes L and R extended rescue style high sides and single access staircase at center rear of body. The rear turntable access door to match the rear body finish.	\$80,709		
3080-0156	SS body with lowered aerial HP100 Platform, fire pump without tank/hose bed (body lowered 2"). 100" wide with L and R extended rescue style high sides, combined rear side compartments and rear side staircases. The doors on small compts next to rear outriggers to be drop-down stainless steel.	\$86,767		
3080-0157	Body aerial HP100 Platform without pump. 100" wide with L and R extended rescue style high sides, combined rear side compartments and rear side staircases. The doors on small compts next to rear outrigger to match wheelwell.	\$65,631		
3080-0158	Body aerial HM100/110 without pump, 230" wheelbase with medium cab. 100" wide with L and R extended rescue style high sides, L1 hydraulic oil reservoir location and double beavertails. 61" high body for low OAH. Requires troughed cab.	\$73,904		
3080-0159	Body aerial HM100/110 without pump, 220" wheelbase with medium cab. 100" wide with L and R extended rescue style high sides, L1 hydraulic oil reservoir location and double beavertails. 61" high body for 10'-11" (+or-1") OAH. Requires troughed cab.	\$73,904		
3080-0160	Rearward compartment extrusions and enhanced extended rear body assembly with smooth plate panels (driver side lower with upper storage tunnel door and officer side lower with upper storage tunnel door). Includes mounting areas for DOT and NFPA lighting, driver side rear NFPA dual lighted LED steps and (4) handrails. The driver side upper rear panel area to include area for routing of a 3" rear discharge IPOS.	\$0		
3080-0161	Body aerial Bronto RLP. Includes deep upper right side compartment, short hosebed, 3/16" smooth plate floors and pocket style flop down steps at each staircase. The doors on compts next to fwd outriggers to match the outrigger covers. The doors on small compts over forward tandem wheel to match wheelwell. The doors at rear of body on the lower aerial control panel compt to match rear body finish.	\$61,463		
3080-0162	Body aerial HM100/110 without pump, 220" wheelbase with medium cab. 100" wide with L and R extended rescue style high sides, L1 hydraulic oil reservoir location and double beavertails. 64" high body for 11'-3" OAH. Requires troughed cab (if applicable).	\$73,904		

Item #	Description	Extension	+1/-1	Total
3080-0163	Body aerial HM100/110 without pump, 220" wheelbase with medium cab. 100" wide with L and R extended rescue style high sides, L1 hydraulic oil reservoir location and double beavertails. 67" high body for 11'-5" OAH.	\$65,785		
3080-0164	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. 65" body height for low OAH applications. Includes extended R1 compt and pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$55,395		
3080-0165	Stainless steel body aerial HP75 / HP78 with center hose bed. Configured for midship pump and 400 tank. Single axle 100" wide body. Includes L and R rescue style high sides. The rear turntable access door to match the rear body finish.	\$58,631		
3080-0166	Stainless steel body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes pocket style drop down step at left rear staircase. Includes full length of body right side hose bed. The rear access doors to match the rear body finish.	\$65,191		
3080-0167	Stainless steel body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes full height R1 compartment and pocket-style drop-down step at the left rear staircase, and a shortened hose bed length. The rear access doors to match the rear panel body finish.	\$65,191		
3080-0168	Stainless Steel Body aerial HP75 / HP78 with center hose bed. Configured for midship pump and 400 gal tank. Single axle 100" wide body. Includes L and R rescue style extended high sides. The rear turntable access door to match the rear body finish.	\$61,020		
3080-0169	Stainless steel Body aerial HP75 / HP78 with combined extended height front side compts, beavertail compts combined w/rear side compts and center hose bed. Configured for midship pump and 400 gal tank. Single axle 100" wide body. The rear turntable access door to match the rear body finish.	\$65,962		
3080-0170	Stainless Steel Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Right side ahead of rear axle to have two separate compts, 24"w R1 and 32"w R2. Includes pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$65,506		
3080-0171	Stainless Steel Body aerial HP75 with combined standard height front side compts and center hose bed. Configured for midship pump and 400 gal tank. Single axle 100" wide body.	\$61,034		
3080-0172	Stainless Steel Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. 65" body height for low OAH applications. Includes extended R1 compt and pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$62,811		
3080-0173	Body aerial 95/CR100/137 CII/Quest long cab without pump (177.5 C/A for use with DPF/SCR after treatment). 96" wide body. Left side to include extended rescue style high side L1/L2, recessed area for horizontal ladder storage and additional compartment to rear of ladders. Right side to be extended rescue style high side. Body includes upper transverse storage in L2/R2 upper, 3/16" upper body plate work, rear of body raised 4" aft of rear jack legs and rear side staircases. 61" high body for 11'-10" +or-1" OAH.	\$70,927		
3080-0174	Body aerial HP100 Platform without pump. 100" wide with L and R extended rescue style high sides, seperate rear side compartments and rear side staircases. Rear of body raised 4" for improved angle of departure. The door on small compt next to rear outrigger to match wheelwell.	\$65,631		
3080-0175	Body aerial 95/CR100 medium cab without pump (187 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and rear side staircases. 58" high body for 11'-7" +or-1" OAH. Requires troughed cab.	\$70,626		
3080-0176	Body aerial HP100 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide tandem axle. (230" WB medium cab / 240" WB long cab). Includes L and R extended rescue style high sides, provisions for L1 hydraulic reservoir and double beavertails.	\$68,783		
3080-0177	Diamond plate body for use with narrow water tank, single axle chassis and driver side frame mounted pump. Includes driver and officer side forward lower body compartments (drivers narrow), framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$11,784		

Item #	Description	Extension	+1/-1	Total
3080-0182	Diamond plate body for use with narrow water tank, tandem axle chassis and individual SM pump module. Includes driver and officer side forward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$13,630		
3080-0183	Diamond plate body for use with wide water tank, single axle chassis and individual SM pump module. Includes driver and officer side forward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$11,665		
3080-0184	Diamond plate body for use with wide water tank, tandem axle chassis and driver side frame mounted pump. Includes driver and officer side forward lower body compartments (drivers narrow), framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$12,631		
3080-0186	Diamond plate body for use with wide water tank, tandem axle chassis and individual SM pump module. Includes driver and officer side forward lower body compartments, framed wheel well area with diamond plate corners and flat back style rearend with 12" tailboard.	\$12,992		
3080-0187	Smooth plate painted body for use with wide water tank, tandem axle chassis with driver side under mount pump and officer side forward discharge/intake panel. Includes driver and officer side forward and rearward lower body compartments, framed wheel well area with smooth plate corners and flat back style rearend with 12" tailboard.	\$15,738		
3080-0188	HP95 MidMount center body without crosslays includes tank, 3/16" smooth plate compartment floors and wide ladder tunnel.	\$21,815		
3080-0195	HP95 MidMount front body with pump and 3/16" smooth plate compartment floors (for use with DPF / SCR aftertreatment).	\$24,098		
3080-0196	HP95 MidMount rear body with 3/16" smooth plate compartment floors, wide ladder tunnel and no hosebed or staircase.	\$35,702		
3080-0197	HP95 MidMount front body with pump and 3/16" smooth plate compartment floors.	\$24,098		
3080-0198	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes 3/16" diamond plate floors for all compartments, pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$55,639		
3080-0199	Body aerial 95/CR100 CII/Quest medium cab without pump (187 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and double beavertails. 63" high body for 12'-1" OAH.	\$65,631		
3080-0200	Body aerial HP100 Platform 260" WB 80" cab without pump (180 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, separate rear side compartments and rear side staircases. The door on small compt next to rear outrigger to match wheelwell.	\$64,972		
3080-0201	Body aerial 95/CR100 medium cab without pump (187 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and rear side staircases. Includes rear perimeter of body aft of rear jack legs raised 4" to improve angle of departure. 61" high body for 11'-10" OAH.	\$65,631		
3080-0202	Body aerial HM100/110 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and double beavertails. 64" high body for 11'-2" +/-1" OAH. Requires troughed cab (if applicable).	\$73,904		
3080-0204	Body aerial single axle LTH100 without pump (162 C/A for use with vertical SCR aftertreatment). 96" wide with L and R rescue style high sides and rear side staircases. Rear of body aft of rear jack legs raised 3". 61" high body. (10'-7" OAH with no wway, 10'10" OAH with wway).	\$67,034		
3080-0207	Low profile cab stainless steel body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump, body lowered by 4" to 65" high. Single axle. Includes pocket style drop down step at left rear staircase. Includes full length of body right side hose bed. The rear access doors to match the rear body finish.	\$65,191		
3080-0214	Anodes for water tank - (3) anodes located in bottom of water tank.	\$569		

Item #	Description	Extension	+1/-1	Total
3080-0215	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump for industrial applications. Single axle. Includes extended R1 compt and pocket style drop down step at left rear staircase. The rear access door to match the rear body finish.	\$55,395		
3080-0216	Body aerial HM100/110 CII/Quest long cab ladder without pump (162.5" C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, L1 hydraulic oil reservoir and double beavertails. 64" high body for 11'-2" +/-1" OAH. Requires troughed cab (if applicable).	\$73,904		
3080-0217	Body aerial HP100 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide tandem axle. (230" WB medium cab / 240" WB long cab). Includes L and R extended rescue style high sides, provisions for L1 hydraulic reservoir and double beavertails. 61" high body for low OAH. Requires troughed cab.	\$73,558		
3080-0218	Body aerial HP100 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide tandem axle. (230" WB medium cab / 240" WB long cab). Includes L and R extended rescue style high sides and dual rear side staircases. 64" high body for 11'-9" OAH.	\$69,378		
3080-0219	Body aerial single axle LTH100 without pump (162 C/A for use with vertical SCR aftertreatment). 100" wide with L and R rescue style extended high sides and rear side staircases. Rear of body aft of rear jack legs raised 3". 61" high body. (10'-7" OAH with no wway, 10'10" OAH with wway).	\$69,422		
3080-0220	Body eMAX aerial HP75/78 with combined standard height front side compts and center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body.	\$52,615		
3080-0224	Body aerial HM100/110 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and dual rear side staircases. 67" high body for 11'-5" OAH.	\$69,422		
3080-0227	Body aerial HP100 Platform 250" WB 67.5/68 cab without pump (182" C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, separate rear side compartments, upper 70" wide open storage beneath aerial and rear side staircases. Rear of body raised 4" for improved angle of departure. The doors on small compts next to rear outrigger to match wheelwell.	\$67,360		
3080-0228	Body aerial HP75/78 SideStacker CII with pump. Single axle. 62" body height for low OAH applications. Includes pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$55,395		
3080-0229	Body aerial HP100 with 3" lower center hose bed body. Configured for midship pump and 450 tank. 100" wide body with 230" wheelbase tandem axle. Includes L and R extended rescue style high sides and double beavertails.	\$81,792		
3080-0230	Body aerial HP100 Platform 250" WB 67.5/68 cab without pump (182" C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, compartments L2/R2 divided into upper and lower compartments(L2 lower 25" high opening/R2 lower 28" high opening), separate rear side compartments, upper 70" wide open storage beneath aerial and rear side staircases. Rear of body raised 4" for improved angle of departure. The doors on small compts next to rear outrigger to match wheelwell.	\$67,360		
3080-0231	Body aerial 95/CR100 medium cab without pump (187 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and rear side staircases. 58" high body for 11'-7" +/-1" OAH. Requires troughed cab.	\$70,626		
3080-0232	Body aerial HP100 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide tandem axle. (230" WB medium cab / 240" WB long cab). Includes L and R extended rescue style high sides, center front of body mounted aerial hydraulic reservoir and double beavertails. 61" high body for low OAH. Requires troughed cab.	\$73,558		
3080-0234	Body aerial HP75 / HP78 with combined standard height front side compts, beavertail compts combined w/rear side compts and center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body. The rear turntable access door to match the rear body finish.	\$52,865		
3080-0235	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump for industrial applications. Single axle. Includes pocket style drop down step at left rear staircase. The rear access door(s) to match the rear body finish.	\$55,395		



Item #	Description	Extension	+1/-1	Total
3080-0238	Body aerial HP100 Platform without pump (192 C/A for use with DPF/SCR after treatment). 100" wide with L and R extended rescue style high sides, left side combined rear compartment with rear side staircase, right side rear compartment IPO rear side staircase . The doors on small compartments next to rear outriggers to match wheel well.	\$65,631		
3080-0241	Body aerial HP100 ladder 240" WB 80" cab without pump (160 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, extra deep open storage beneath aerial and double beavertails.	\$68,200		
3080-0247	Body aerial 95/CR100 with center hose bed for 250" W/B. Configured for midship pump and 300 tank (192 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, and double beavertails. 63" high body for 12'-1" OAH.	\$80,722		
3080-0248	Body aerial HPS105 with center hose bed. Configured for midship pump and 300 tank (182 C/A). 100" wide with L and R extended rescue style high sides, double beavertails and raised rear body for improved angle of departure.	\$77,423		
3080-0249	Body aerial HPS105 without pump (182 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, rear side staircases and raised rear body for improved angle of departure.	\$65,631		
3080-0250	Body aerial single axle LTH100 without pump (162 C/A for use with vertical SCR aftertreatment). 96" wide with L and R rescue style high sides, combined rear side compartments and an independent rear staircase module to rear of main body with Zico swing out and down access ladders, one each side. Rear staircase module rear corners pinched in for better turning clearance and raised 3" for improved angle of departure. 61" high body. (10'-7" OAH with no wway, 10'10" OAH with wway).	\$73,614		
3080-0251	Body aerial HP100 Platform (lowered 2") with hydraulic driven water pump and 200 gallon tank (192 C/A for use with DPF/SCR after treatment). 100" wide with L and R extended rescue style high sides, left side combined rear compartment, left rear side staircase, right side rear compartment IPO right rear side staircase and rear of body raised 4" for improved angle of departure. The doors on small compartments next to rear outriggers to match wheel well.	\$67,960		
3080-0252	Body aerial HM100/110/LTH100 with center hose bed. Configured for midship pump and 450 tank. 100" wide with L and R extended rescue style high sides and double beavertails. 64" high body. Requires troughed cab.	\$78,762		
3080-0253	Body aerial HM100/110 with center hose bed. Configured for midship pump and 450 tank. 100" wide with L and R extended rescue style high sides, right side hose chute only and rear side facing dual staircases . 64" high body for 11'-4" OAH. Requires troughed cab.	\$81,091		
3080-0254	Body aerial HP100 Platform (lowered 1") 260"WB 67.5/68 cab without pump (192.5 C/A for use with DPF/SCR after treatment). 100" wide body, L2/R2 transverse and dual rear side staircases. Left side to include recessed area for horizontal ladder storage. Right side to include extended rescue style high sides, combined rear side compartment. The door on small compts next to rear outrigger to match wheel well.	\$70,927		
3080-0255	Body aerial HP75 / HP78 with combined extended height front side compartment on driver side and separate extended height front side compartments (R1-36"W / R2 22"W) on officer side, enhanced extended combined rear beavertail compts and center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body. Includes driver and officer side ladder tunnels and hose chutes extended rearward flush with rear of body with standard center style turntable access staircase. The rear turntable access door to match the rear body finish.	\$61,646		
3080-0256	Body aerial 95/CR100 with center hose bed. Configured for 240" WB, medium cab, midship pump w/42" PPNL and 300 tank. 100" wide with L and R extended rescue style high sides and double beavertails. 63" high body for 12'-1" OAH	\$77,423		
3080-0259	Body aerial Bronto Industrial RLP. Includes pump module, full length hosebed and pocket style flop down steps at each staircase. The doors on compts next to fwd outriggers to match the outrigger covers. The doors on small compts over forward tandem wheel to match wheelwell. The doors at rear of body on the lower aerial control panel compt to match rear body finish.	\$64,736		
3080-0262	Body aerial HM100/110/LTH100 without pump (162 C/A for use with DPF/SCR aftertreatment), 230" wheelbase, tandem axle with long cab. 100" wide with L and R extended rescue style high sides and dual rear side staircases. 61" high body for low OAH. Requires troughed cab.	\$76,703		

Item #	Description	Extension	+1/-1	Total
3080-0263	Body aerial 95/CR100/CR137 with center hose bed. Configured for 250" wheel base, long cab, midship pump and 300 gallon tall tank. 100" wide with L and R extended rescue style high sides and double beavertails. Note hose chutes modified on driver and officer sides to allow 5" LDH hose to pass thru due to 5" lower aerial/body. 58" high body for 11'-7" +or- 1" OAH. Requires troughed cab.	\$84,111		
3080-0265	Body aerial HP100 Platform without pump with 260" W/B and 80" cab (180" C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, seperate rear side compartments and rear side staircase (left side only). The door on small compt next to rear outrigger to match wheelwell.	\$65,631		
3080-0267	Body aerial 95/CR100 CII/Quest long cab without pump. 250"W/B (182 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides and rear side staircases. 61" high body for 11'-10" OAH.	\$65,631		
3080-0268	Body aerial RLP without pump. Includes dual rear side staircases with pocket style flop down steps at each staircase. The doors on compts next to fwd outriggers to match the outrigger covers. The doors on small compts over forward tandem wheel to match wheelwell. The doors at rear of body on the lower aerial control panel compt to match rear body finish.	\$59,655		
3080-0269	Body aerial single axle LTH100 without pump for use with a medium cab (162 C/A for use with vertical SCR aftertreatment). 96" wide, R1 rescue style high side with L and R half sides with recess above for horizontal ladder storage. Upper body storage compartments for storage beneath aerial, (1) one left side forward compartment, (1) one transverse compartment and (2) two rearward compartments with open storage between. Dual rear side staircases includes 1" flex joint separating it from the main body, rear corners pinched in for better turning clearance and raised 3" for improved angle of departure. 61" high body. (10'-7" OAH with no wway, 10'10" OAH with wway).	\$71,101		
3080-0273	Body aerial HP100 with center hose bed. Configured for midship pump and 500 tank. 100" wide body with (230" wheelbase medium cab/240" wheelbase long cab) tandem axle. Includes L and R extended rescue style high sides and double beavertails. Extended high only will be raised 3" for increased hosebed.	\$79,889		
3080-0274	Body aerial HP100 ladder without pump (172 C/A for use with DPF/SCR aftertreatment). 100" wide tandem axle with L1 extended rescue style high side and R1 extended rescue style high side with half right side for recessed ladder storage above tandem axle. (230" WB medium cab / 240" WB long cab). Includes provisions for L1 hydraulic reservoir and double beavertails.	\$70,854		
3080-0276	Body eMAX aerial HP75/78 with combined standard height front side compts, a deep upper L1, one large compartment over driver side rear wheel, enhanced extended beavertail compartments combined with rear side compartments and center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body.	\$63,015		
3080-0277	Body aerial HP100 Platform 260"WB 58 med cab without pump (202" C/A for use with DPF/SCR after treatment). 100" wide body, L2/R2 transverse and dual rear side staircases. Right side to include recessed area for horizontal ladder storage. Left side to include extended rescue style high sides, combined rear side compartment. The door on small compts next to rear outrigger to match wheel well.	\$70,927		
3080-0278	Tiller body without pump. Includes tall rescue style L6/R6 to match forward compartments, tool compartment at rear of body below ladder tunnel and staircases with pocket style flop down steps each side of tractor body.	\$71,819		
3080-0279	Body aerial HP100 Platform 260" WB 80" cab without pump (180 C/A for use with DPF/SCR aftertreatment). 100" wide with L and R extended rescue style high sides, L2/R2 upper transverse compartment, separate rear side compartments, upper 70" wide open storage beneath aerial and No rear side staircases. Note rear turntable access shall be a Zico swing-out and down ladder mounted on rear of body, driver side. The door on small compt next to rear outrigger to match wheelwell.	\$68,890		
3080-0280	Body aerial HP75/78 SideStacker Quest / CII / Typhoon with pump. Tandem axle. Includes extended R1 compt, optional R2 compartment over rear wheel and pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$63,367		
3080-0281	A 2.5" FNPT coupling weld to front of the tank to allow for a tank fill connection. Water Master.	\$326		

Item #	Description	Extension	+1/-1	Total
3080-0282	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes extended R1 compt, notched R1 for vertical exhaust and pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$57,025		
3080-0283	Body aerial HP75 / HP78 SideStacker Quest / CII / Typhoon with pump. Single axle. Includes driver and officer side dual (22/40) rescue style extended height compartments ahead of wheel well, 6" stretch thru L5/R3 and pocket style drop down step at left rear staircase. The rear access doors to match the rear body finish.	\$58,655		
3080-0288	304L Stainless Steel formed body for 2000gal Wetside tanker, single axle chassis, single rear dump, pump module forward of body. Includes driver and officer side low-side body compartments, painted FRP wheel well area and flat back style rearend with 12" tailboard.	\$16,084		
3080-0289	304L Stainless Steel formed body for 2000gal Wetside tanker, single axle chassis, triple dumps at rear of body, pump module forward of body. Includes driver and officer side low-side body compartments, painted FRP wheel well area and flat back style rearend with 12" tailboard.	\$17,171		
3080-0290	304L Stainless Steel formed body for 2000gal Wetside water tanker, single axle chassis, single rear dump, driver side under tank pump. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$16,084		
3080-0291	304L Stainless Steel formed body for 2000gal Wetside water tanker, single axle chassis, triple dumps at rear of body, driver side under tank pump. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$17,279		
3080-0292	304L Stainless Steel formed body for 2500/3000gal Wetside water tanker, tandem axle chassis, single rear dump, pump module forward of body. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$19,235		
3080-0293	304L Stainless Steel formed body for 2500/3000gal Wetside water tanker, tandem axle chassis, triple dumps centered in wheel well, pump module forward of body. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$20,322		
3080-0294	304L Stainless Steel formed body for 2500/3000gal Wetside water tanker, tandem axle chassis, single rear dump, driver side undertank pump. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$19,453		
3080-0295	304L Stainless Steel formed body for 2500/3000gal Wetside water tanker, tandem axle chassis, triple dumps centered in wheel well, driver side undertank pump. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$20,540		
3080-0296	304L Stainless Steel formed body for 3500/4000gal Wetside water tanker, tandem axle chassis, single rear dump, pump module forward of body. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$21,409		
3080-0297	304L Stainless Steel formed body for 3500/4000gal Wetside water tanker, tandem axle chassis, triple dumps centered in wheel well, pump module forward of body. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$22,496		
3080-0298	304L Stainless Steel formed body for 3500/4000gal Wetside water tanker, tandem axle chassis, single rear dump, driver side undertank pump. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$21,626		
3080-0299	304L Stainless Steel formed body for 3500/4000gal Wetside water tanker, tandem axle chassis, triple dumps centered in wheel well, driver side undertank pump. Includes driver and officer side low-side body compartments, FRP wheel well area and flat back style rearend with 12" tailboard.	\$22,713		

Item #	Description	Extension	+1/-1	Total
3080-0300	Body aerial HP75 / HP78 with center hose bed. Configured for midship pump and 400-500 tank. Single axle 100" wide body. Includes L and R rescue style high sides with enhanced extended combined rear beavertail compts. The driver and officer side ladder tunnels and hose chutes extended rearward flush with rear of body with standard center style turntable access staircase. The rear turntable access door to match the rear body finish.	\$52,473		
3080-0302	SS Body aerial HM100/110 ladder without pump. 100" wide with driver's extended rescue style high side, officer's horizontal ladder storage above right side compartments rear of full height R1,R2, R3. (1) driver side of body rear staircase.	\$75,153		
3090-0000	Body Specs - SideStacker aerial with tandem axle. Includes left rear staircase with pocket style drop down step.	\$0		
3090-0019	Body Specs - SideStacker aerial with tandem axle. Includes left rear staircase with pocket style drop down step and 3/16" smooth plate compartment floors.	\$1,552		
3090-0021	Body Specs - Aerial with tandem axle. Includes dual rear staircases with pocket style drop down steps.	\$0		
3090-0032	Body Specs - SideStacker eMAX aerial with tandem axle. Includes left rear staircase with pocket style drop down step.	\$0		
3090-0033	Body Specs - Aerial with tandem axle. Includes left rear staircase with pocket style drop down step.	\$0		
3090-0036	The unit has an bumper to bumper length restriction. The length is not to be exceeded. 40ft. 6in.	\$0		
3090-0039	Body Specs - SideStacker 4 jack aerial with single axle. Includes left rear staircase with pocket style drop down step.	\$0		
3092-0102	Sloped compartment floor. Compartment floor to be overlaid with a smooth aluminum plate that is sloped approx 2 inches downward from the door opening to back of compartment in [#LOC]. Construction to be 3/16 aluminum.	\$136		
3100-0000	Driver side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$9,764		
3100-0001	Driver side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,446		
3100-0002	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,190		
3100-0003	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3100-0004	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3100-0006	Driver side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$10,252		
3100-0007	Driver side body with upper and lower compartmentation. Includes 30" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$10,934		
3100-0008	Driver side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$11,664		
3100-0009	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$12,448		
3100-0010	Driver side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments and (3) opening upper compartments.	\$13,284		
3100-0011	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments, (3) opening upper compartments with portable water tank storage with access door at rear.	\$12,819		
3100-0012	Driver side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments, (3) opening upper compartments with portable water tank storage with access door at rear.	\$13,682		
3100-0013	Driver side body with full height 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,446		

Item #	Description	Extension	+1/-1	Total
3100-0014	Driver side body with full height 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,133		
3100-0015	Driver side body with full height 36" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,859		
3100-0016	Driver side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,642		
3100-0017	Driver side body with full height 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,479		
3100-0018	Driver side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,761		
3100-0019	Driver side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,442		
3100-0020	Driver side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3100-0021	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,956		
3100-0022	Driver side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,791		
3100-0024	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3100-0025	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3100-0026	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3100-0049	Driver side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$10,142		
3100-0050	Driver side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree angle of departure.	\$10,824		
3100-0051	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$11,553		
3100-0052	Officer half side body with 24" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks and 30 degree rear body angle for greater angle of departure.	\$5,261		
3100-0053	Officer half side body with 30" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks and 30 degree rear body angle for greater angle of departure.	\$5,261		
3100-0054	Stainless steel driver side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$12,293		
3100-0055	Stainless steel driver side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,074		
3100-0056	Stainless steel driver side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$15,061		
3100-0057	Body mainframe and upper body/hosebed side assemblies for a 85" high body.	\$0		
3100-0059	Stainless steel driver side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,779		

Item #	Description	Extension	+1/-1	Total
3100-0060	Stainless Steel officer half side body with 36" wide forward and 48" wide rearward compartmentation (interior). Includes adjustable ladder tracks.	\$6,151		
3100-0066	Driver side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3100-0067	Driver side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$14,213		
3100-0068	Driver side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments, (3) opening upper compartments with portable water tank storage with access door at rear.	\$14,604		
3100-0069	Driver side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3100-0074	Driver side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$9,123		
3100-0075	Driver side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$9,503		
3100-0076	Stainless steel driver side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$12,293		
3100-0077	Stainless steel driver side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,074		
3100-0078	Stainless steel driver side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$15,061		
3100-0079	Driver side body with full height 54" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. The compartment behind the wheel well has upper area for RM pump panel mounting.	\$19,867		
3100-0080	Driver side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,779		
3100-0082	Stainless steel driver side body with full height 24" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$10,515		
3100-0084	Stainless steel driver side body with full height 24" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$10,515		
3100-0085	Driver half side body with 24" wide forward and 36" wide rearward compartmentation.	\$4,883		
3100-0087	Driver half side body with 30" wide forward and 36" wide rearward compartmentation.	\$5,575		
3100-0088	Officer half side stainless steel body with 36" wide forward and 48" wide rearward compartmentation (interior). Includes adjustable ladder tracks and brackets.	\$6,151		
3100-0089	Driver half side body with 42" wide forward and 42" wide rearward compartmentation.	\$5,981		
3100-0090	Driver half side body with 42" wide forward and 42" wide rearward compartmentation.	\$5,981		
3100-0091	Driver side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3100-0092	Driver side body with full height 50" wide enhanced extended rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,120		
3100-0093	Driver side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$9,764		
3100-0094	Driver side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,446		

Item #	Description	Extension	+1/-1	Total
3100-0095	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,190		
3100-0096	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3100-0097	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3100-0098	Driver side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$10,252		
3100-0099	Driver side body with upper and lower compartmentation. Includes 30" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$10,934		
3100-0100	Driver side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$11,664		
3100-0101	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$12,448		
3100-0102	Driver side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments and (3) opening upper compartments.	\$13,284		
3100-0103	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments, (3) opening upper compartments with portable water tank storage with access door at rear.	\$12,819		
3100-0104	Driver side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments, (3) opening upper compartments with portable water tank storage with access door at rear.	\$13,682		
3100-0105	Driver side body with full height 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,446		
3100-0106	Driver side body with full height 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,133		
3100-0107	Driver side body with full height 36" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,859		
3100-0108	Driver side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,642		
3100-0109	Driver side body with full height 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,479		
3100-0110	Driver side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,761		
3100-0111	Driver side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,442		
3100-0112	Driver side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3100-0113	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,956		
3100-0114	Driver side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,791		
3100-0115	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3100-0116	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		

Item #	Description	Extension	+1/-1	Total
3100-0117	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3100-0118	Driver side body with full height 24in. wide forward and 36in. wide rearward compartmentation. Includes (1) 56in. wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$10,142		
3100-0119	Driver side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$10,824		
3100-0120	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$11,553		
3100-0121	Stainless steel driver side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$12,293		
3100-0122	Stainless steel driver side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,074		
3100-0123	Stainless steel driver side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$15,061		
3100-0124	Stainless steel driver side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,779		
3100-0125	Driver side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3100-0126	Driver side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$14,213		
3100-0127	Driver side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments, (3) opening upper compartments with portable water tank storage with access door at rear.	\$14,604		
3100-0128	Driver side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3100-0129	Driver side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$9,123		
3100-0130	Driver side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$9,503		
3100-0131	Stainless steel driver side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$12,293		
3100-0132	Stainless steel driver side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,074		
3100-0133	Stainless steel driver side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$15,061		
3100-0134	Stainless Steel Driver side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,779		
3100-0135	Driver side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Top Mount eMAX Only.	\$14,649		
3100-0136	Driver side tunnel to hold: Lower section (3) Backboards. Upper section (1) Divider full length of tunnel, bolted at rear of tunnel and held in place by a slot in the front of the tunnel for removability.	\$696		
3100-0137	Driver side compartment top storage box. Box to be smooth plate and painted job color with diamond plate top. Box to have a rear vertically hinged door with push-button latch. Box to have diamond plate lids with push button latches.	\$2,075		
3100-0138	Driver side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (2) opening upper compartments.	\$10,252		



Item #	Description	Extension	+1/-1	Total
3100-0139	Compartment L1 to have rescue style interior compartment depth and height.	\$1,658		
3100-0140	Driver side 36"/48" assembly. Includes upper and lower compartments with diamond plate compartment top. Upper area is for storage of hardsuction rack (not included).	\$13,678		
3100-0142	Driver side body with full height 42" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and upper area for recessed pike pole storage.	\$11,960		
3100-0143	Driver side body with full height 52" wide forward and 52" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3100-0144	Driver side body with full height 36" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3100-0145	Driver side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,442		
3100-0146	Driver side body with full height 24" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,761		
3100-0148	Driver side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,902		
3100-0149	Driver side body with full height 36" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3100-0151	Driver side body with 42" wide x 38" high wide forward lower compartmentation and 42" wide x 26.75" high forward upper compartmentation. 42" wide full height rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,076		
3100-0152	Driver side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,940		
3100-0153	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,777		
3100-0154	Driver side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,673		
3100-0155	Driver side body with full height 60" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$15,632		
3100-0156	Driver side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Front and rear compartment opening height to be 66.75" high.	\$11,183		
3100-0157	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$11,960		
3100-0158	Portable water tank storage with access door at rear. Includes composite material overlay and door ajar switch.	\$862		
3100-0159	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel and access door at rear.	\$16,949		
3100-0160	Driver side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,162		
3100-0161	Driver side body with 42" wide x 30" high wide forward lower compartmentation and 42" wide x 34.75" high forward upper compartmentation. 42" wide full height rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$15,419		

Item #	Description	Extension	+1/-1	Total
3100-0162	2-Arm Ladder Rack. The ladder rack includes amber lights on each end to visually indicate when the rack is in motion. Ladder rack to hold storage box with (1) vertically hinged rearward and (2) horizontally hinged outboard (when ladder rack in the down position) diamond plate doors with push button latches. The outboard horizontally hinged door(s) to have chains set to open at approx 160 degrees. Forward section of the box to hold (2) backboards and the rearward section to hold (1) stokes basket.	\$20,079		
3100-0163	Driver side body with full height 50" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,777		
3100-0164	Driver side body with full height 56" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,673		
3100-0165	Driver side body with full height 62" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$15,566		
3100-0166	Driver side tunnel to hold: [#LOC].	\$696		
3100-0167	Driver side body with full height 62" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,633		
3100-0168	Driver side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear compartment to be pumper style enhanced extended (shallow upper and deep lower compartmentation).	\$14,178		
3100-0169	Overhead Ladder Rack to be offset rearward includes shifting compartment (forward) over the wheel well.	\$0		
3100-0170	Driver side body with 62" wide full height forward enhanced extended compartment, 36" wide half height second forward compartment and 50" wide half height rearward compartmentation.	\$20,166		
3100-0171	Driver side body with full height 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,569		
3100-0172	Driver side body with full height 24" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,395		
3100-0173	Driver side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear compartment to be pumper style enhanced extended (shallow upper and deep lower compartmentation).	\$15,065		
3100-0174	Driver side body with upper and lower compartmentation. Includes 36" wide forward and 50" wide rearward extended lower compartments and (3) opening upper compartments.	\$17,130		
3100-0175	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$15,130		
3100-0176	Driver side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,111		
3100-0177	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$15,965		
3100-0178	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,949		
3100-0179	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,861		
3100-0180	Driver side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$17,844		
3100-0181	Driver side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$17,822		

Item #	Description	Extension	+1/-1	Total
3100-0182	Driver side body with full height 60" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$18,800		
3100-0183	Driver side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation (2008 body design) with (1) 56" wide compartment over the wheel well.	\$18,786		
3100-0184	Driver side internal portable tank storage to be set-up for: [#LOC]	\$0		
3100-0185	Driver side body with full height 20" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,215		
3100-0186	Driver side upper body extension. Does not include any external doors. External framework and platework only. Platework shall be recessed.	\$2,411		
3100-0187	Stainless steel driver side body with full height 30" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$27,309		
3100-0188	Stainless steel driver side body with full height 40" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$28,823		
3100-0189	Stainless steel driver side body with full height 48" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$29,656		
3100-0190	Stainless steel driver side body with full height 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$28,304		
3100-0191	Stainless steel driver side body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$29,818		
3100-0192	Stainless steel driver side body with full height 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$30,654		
3100-0194	Stainless steel driver side body with full height/full depth 48" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$29,656		
3100-0195	Driver 3/4 side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,986		
3100-0196	Driver half side body with (2) forward compartments (48" and 30" wide) and one rearward area for locating of side tank dump.	\$5,446		
3100-0197	Driver half side body with (2) forward compartments (48" and 30" wide) and (1) rearward compartment (24").	\$6,409		
3100-0198	Driver 3/4 side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and one lower rearward area for locating of side tank dump.	\$7,531		
3100-0199	Driver 3/4 side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and (1) lower rearward compartment (24").	\$8,488		
3100-0201	Driver full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and one lower rearward area for locating of side tank dump.	\$9,618		
3100-0202	Driver full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and (1) lower rearward compartment (24").	\$10,575		
3100-0203	Driver full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (1) upper compartment (61" and offset rearward of the rack opening) and one lower rearward area for locating of side tank dump.	\$9,618		
3100-0204	Driver full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (1) upper compartment (61" and offset rearward of the rack opening) and (1) lower rearward compartment (24").	\$10,575		
3100-0207	Driver full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") with rear compartment face access door for portable tank storage and one lower rearward area for locating of side tank dump.	\$11,138		

Item #	Description	Extension	+1/-1	Total
3100-0208	Driver full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") with rear compartment face access door for portable tank storage and (1) lower rearward compartment (24").	\$12,093		
3100-0209	Driver side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,386		
3100-0210	Driver full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (2) upper compartment (40" wide) and (1) lower rearward compartment (24").	\$10,575		
3100-0211	Driver full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (2) upper compartments (40" wide) and one lower rearward area for locating of side tank dump.	\$9,618		
3100-0212	(1) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lid with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. The lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$5,940		
3100-0213	Stainless steel driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$30,553		
3100-0214	Stainless steel driver side body with full height 54" wide forward and 54" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$31,648		
3100-0215	Stainless steel driver side body with full height 60" wide forward and 60" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$32,744		
3100-0216	Compartment L1 to be 48.75" high in full depth lower area due to pipe routing for deck gun in hosebed storage pan	\$627		
3100-0218	Driver side storage tunnel to hold (2) 6" x 10' hard suction hoses.	\$2,160		
3100-0219	Driver half side body with 42" wide forward and 42" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,981		
3100-0220	Overhead Ladder Rack to be offset forward includes shifting compartment (rearward) over the wheel well.	\$662		
3100-0221	Driver half side tandem body with 30" wide forward and 30" wide rearward compartmentation.	\$8,171		
3100-0222	Driver half side tandem body with 42" wide forward and 42" wide rearward compartmentation.	\$8,927		
3100-0223	Driver half side tandem body with 60" wide forward and 54" wide rearward compartmentation.	\$9,795		
3100-0224	Driver 3/4 side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$9,462		
3100-0225	Driver 3/4 side tandem body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$10,405		
3100-0226	Driver 3/4 side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$11,487		
3100-0227	Driver side tandem body with upper and lower compartmentation. Includes 30" wide forward and 30" wide rearward compartments and (4) opening upper compartments.	\$13,863		
3100-0228	Driver side tandem body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward compartments and (4) opening upper compartments.	\$15,378		
3100-0229	Driver side tandem body with upper and lower compartmentation. Includes 60" wide forward and 54" wide rearward compartments and (4) opening upper compartments.	\$17,141		
3100-0230	Driver side tandem body with upper and lower compartmentation. Includes 30" wide forward and 30" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments.	\$14,416		
3100-0231	Driver side tandem body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments.	\$15,990		

Item #	Description	Extension	+1/-1	Total
3100-0232	Driver side tandem body with upper and lower compartmentation. Includes 60" wide forward and 54" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments.	\$17,826		
3100-0233	Driver side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$13,377		
3100-0234	Driver side tandem body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$14,890		
3100-0235	Driver side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$16,619		
3100-0236	Driver side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 42" wide compartments over the wheel well and overhead rack opening centered between upper compartments.	\$13,909		
3100-0237	Driver side tandem body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (2) 42" wide compartments over the wheel well and overhead rack opening centered between upper compartments.-	\$15,483		
3100-0238	Driver side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 42" wide compartments over the wheel well and overhead rack opening centered between upper compartments.	\$17,284		
3100-0239	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,190		
3100-0240	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3100-0241	Driver side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$11,664		
3100-0242	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$12,448		
3100-0243	Driver side body with full height 42" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,536		
3100-0244	Driver half side tandem body with with 42" wide forward and one rearward area for locating of side tank dump rearward of the wheel well.	\$9,240		
3100-0245	Driver side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$14,649		
3100-0246	Driver side body with upper and lower compartmentation. Includes 36" wide forward and 31" wide rearward lower compartments and (2) opening upper compartments.	\$11,664		
3100-0247	Driver side body with full height 46" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well. L1 compartment to be Rescue Pumper style individual compartments.	\$15,296		
3100-0248	Driver side body with full height 50" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3100-0249	Driver side body with full height 36" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,664		
3100-0250	Driver side body with full height 60" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$16,110		
3100-0251	Driver side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Portable Tank Rack. Rack to hold (1) 3000 gallon portable tank.	\$20,418		
3100-0252	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,401		

Item #	Description	Extension	+1/-1	Total
3100-0253	Driver full height side body with (3) full height, rescue style, forward compartments (39" and 39" wide and rearward of wheel well 24" wide),(1) upper compartment over the wheel well 56" wide.	\$10,663		
3100-0254	Driver side body with upper and lower compartmentation. Includes 48" wide forward and 62" wide enhanced extended rearward lower compartments and (3) opening upper compartments.	\$14,502		
3100-0255	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,398		
3100-0256	Zico ladder rack to be tested. After testing ladder rack to be disassembled and repackaged for shipping.	\$464		
3100-0257	Driver side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,294		
3100-0258	Driver extruded half side tandem body with 74" wide forward and 34" wide rearward compartmentation.For use with wetside narrow tank application.	\$5,942		
3100-0259	Driver side diamond plate roof top compartment. Includes smooth plate painted vertical hinged access door at the rear with push button latch to be wired to door ajar indicator in cab.	\$1,730		
3100-0260	Driver side body with full height 36" wide forward and 45" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,845		
3100-0261	Driver side body with full height 19.5" wide forward and 31" wide rearward compartmentation. Includes (1) 40" wide compartment over the wheel well.	\$10,761		
3100-0262	Driver side body with full height 32" wide forward and 50" enhanced extended rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,125		
3100-0263	Driver side body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$13,732		
3100-0264	Driver side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$16,176		
3100-0265	Driver side diamond plate roof top compartment. Includes (2) hinged lift-up access doors with turn latches and grab handle(s) and (1) vertical hinged access door at the rear with push button latch to be. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,491		
3100-0266	Driver side body with full height/full depth 60" wide front and 54" wide rear compartment. Includes (1) 60" wide compartment over the wheel well. Side mount SS eMAX only.	\$17,874		
3100-0267	Driver side tandem body with upper and lower compartmentation. Includes 60" wide forward and 54" wide rearward compartments and (1) opening forward upper compartment with painted panels rearward.	\$18,344		
3100-0268	Left Side Exterior Compartments. L1, 60" wide x 63" high x 48" deep (over frame) full height with vertically hinged doors. L2, 58" wide x 63" high x 27.5" deep (over frame) full height with vertically hinged doors. L3, 60" wide x 33" high x 27.5" deep full height with vertically hinged doors. L4, 50" wide x 63" high x 27.5" deep (over frame) full height with vertically hinged doors.	\$8,283		
3100-0269	Driver side body with full height 44" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$13,250		
3100-0270	Rear aluminum smooth plate painted job color vertical hinged door on driver side roof top compartments. Includes thumb latch and wiring for door ajar switch.	\$239		
3100-0271	Stainless steel driver side body with full height/full depth 36" wide front and 48" rear for reverse hinge compartment L1 door. Includes 54" wide compartment above rear wheels.	\$31,228		
3100-0272	Stainless steel driver side body with 76" full height interior, 48" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$29,812		
3100-0273	Driver side roof top compartment contents: (2) 6" x 10' hard suction hoses (not included) stored vertical. Includes vertical partition around hard suction hoses.	\$1,182		

Item #	Description	Extension	+1/-1	Total
3100-0274	Driver side body with full height 36" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well. Rescue Pumper individual style compartments.	\$15,232		
3100-0275	Driver side tandem body with upper and lower compartmentation. Includes 30" wide forward and 54" wide rearward compartments and (4) opening upper compartments. Includes offsetting upper compartments forward due to deck gun location and access panel on upper rear compartment face to deck gun piping.	\$15,386		
3100-0276	(1) driver side roof top compartment forward of hard suction storage area and (2) roof top compartments over hard suction storage area. Includes hinged raised compartment lids with turn latches and grab handle(s). The lids to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Includes partition between roof top compartment and hard suction storage area. Floor to be provided above the hard suction storage area to use remaining area above.	\$3,275		
3100-0277	Driver side tandem body with 60" wide forward and 54" wide rearward compartmentation. Forward compartment to be full height, rearward to be half height.	\$12,069		
3100-0278	Driver side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel. Side Mount eMAX only.	\$19,308		
3100-0279	Driver side body with full height 54" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$13,250		
3100-0280	Driver side roof top assembly. Does not include external upper doors or internal platework. External framework and platework only.	\$1,738		
3100-0281	Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure. L1 compartment to be Rescue Pumper style individual compartments.	\$13,211		
3100-0282	Driver full height side body with 66" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with custom chassis only.	\$10,872		
3100-0283	Driver half side body with (2) forward compartments (48" and 30" wide) and one rearward area for locating of side tank dump. Includes (1) 20" wide compartment above the lower forward compartment.	\$5,980		
3100-0285	Driver side tandem body with full height 42" wide forward and 59" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$16,941		
3100-0286	Driver side body with upper and lower compartmentation. Includes 36" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$12,056		
3100-0287	Driver side body with 19.5" wide forward and 31" wide rearward compartmentation. Includes (1) 40" wide compartment over the wheel well.	\$10,761		
3100-0288	Stainless steel driver side body with full height 54" wide front and 54" rear with reduced upper depth for "T" tank. Includes 54" wide compartment over rear wheels.	\$31,028		
3100-0289	Stainless steel driver side body with full height 48" wide forward and 70" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$32,952		
3100-0290	Driver side body with full height 48" wide forward and 48" wide rearward compartmentations. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel. Tunnel to be behind L2 and L3 compartments only. L1 compartment to be full depth, full height with notch in upper rearward wall and boxed in cover for hard suction.	\$18,549		
3100-0291	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel. Tunnel to be behind L2 and L3 compartments only. L1 compartment to be full depth, full height with notch in upper rearward wall and boxed in cover for hard suction.	\$18,554		
3100-0292	Stainless steel driver side body high side 60" front and 60" rear. Five compartments, tandem axle. For use with single arm overhead portable tank rack.	\$20,627		

Item #	Description	Extension	+1/-1	Total
3100-0293	Driver side tandem body with upper and lower compartmentation. Includes 30" wide forward and 54" wide rearward compartments and (4) opening upper compartments. Includes offsetting upper compartments forward due to deck gun location and access panel on upper rear compartment face to deck gun piping.	\$15,386		
3100-0294	Driver side standard width roof top compartment contents: (2) 6" x 10' hard suction hoses (not included) stored vertical. The hard suction storage shall have a front wall which will prevent the hoses from sliding too far forward while also creating a full depth coffin storage area forward of the wall if applicable.	\$376		
3100-0295	Driver side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well for top mount application.	\$16,176		
3100-0296	Driver side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$19,308		
3100-0298	Stainless steel driver side short Boston style body with low height 36" front and 40" rear and (2) lift-up doors above. Includes 60" wide fender panel. For use with optional suicide hinged L1 door.	\$29,980		
3100-0299	Driver side tandem body with full height (1) 60" wide forward and (1) 60" wide rearward compartmentation. For use with Rear Mount pump.	\$20,573		
3100-0300	Driver side body with full height/full depth 60" wide front and 54" wide rear compartment. Includes (1) 60" wide compartment over the wheel well. Top mount SS eMAX only.	\$17,874		
3100-0301	Stainless steel driver side body with full height 60" wide forward and 60" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$36,332		
3100-0302	Stainless steel driver side body with full height 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well. Body interior height is 76" high.	\$31,802		
3100-0303	Stainless steel driver side body with full height 48" wide forward and 54" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$30,654		
3100-0304	Driver side tandem body with (2) 34" wide forward and 54" wide rearward compartmentation. Forward compartments to be full height, rearward to be half height.	\$13,446		
3100-0305	(1) driver side roof top compartment (no divider). Includes (2) hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3100-0306	(2) driver side roof top compartments with removable floors and extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$7,409		
3100-0307	(2) Driver side roof top compartments. Includes hinged raised aluminum smooth plate with black Scorpion coating (IPOS diamond plate) compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$3,352		
3100-0308	Driver side body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well. Top mount SS eMAX only.	\$21,740		
3100-0309	Driver side body with full height 30" and 60" wide forward compartments and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well. Side mount SS eMAX only.	\$19,735		
3100-0310	Driver side body with full height 30" and 60" wide forward compartments and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well, and a storage tunnel. Side mount SS eMAX only.	\$23,556		
3100-0311	Driver side body with full height 30" and 60" wide forward compartments and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well. Top mount SS eMAX only.	\$19,735		
3100-0312	Driver side body with full height 30" and 60" wide forward compartments and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well, and a storage tunnel. Top mount SS eMAX only.	\$23,556		



Item #	Description	Extension	+1/-1	Total
3100-0313	Driver side body with full height 50" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear perimeter or body raised 3" for improved departure angle. Side Mount eMAX only.	\$13,250		
3100-0314	Driver full height side body with upper and lower compartmentation. Includes 42" wide forward and 56" wide rearward lower enhanced compartmentation and (3) opening upper compartments. For use with ladder storage in the hosebed	\$12,956		
3100-0315	Driver side body with 19.5" wide forward and 31" wide rearward compartmentation. Includes (1) 40" wide compartment over the wheel well. Compartment tops raised approximately 6" to match hosebed height.	\$11,373		
3100-0316	Stainless steel driver side body with rescue style full height 30" front, 40" rear and 60" wide fender panel L2 compartment. For use with suicide hinged L1 door (if applicable).	\$29,980		
3100-0317	Horizontal partition located in driver side roof top compartment over DOT bottles. Floor to be provided above the DOT bottles to use remaining area above.	\$1,039		
3100-0318	Driver side body with full height 48" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,673		
3100-0319	Driver side roof top compartment contents: (1) 10' hard suction hose (not included) stored horizontal. Includes stop bracket rearward of hard suction hoses and Nylatron compartment flooring.	\$596		
3100-0320	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Compartment lid construction shall be aluminum smooth plate IPO diamond plate painted Black Scorpion (rough finish).	\$6,391		
3100-0321	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments, (3) opening upper compartments with portable water tank storage with access door at rear. Smooth plate compartment top painted black durabak.	\$13,362		
3100-0322	Driver 3/4 side body with (3) full height, rescue style, (2) forward compartments (48" and 30" wide) and (1) rearward compartment (24"). Includes (1) 56" wide compartment over the wheel well.	\$8,994		
3100-0323	Driver 3/4 side tandem stainless steel body with 35" front and 35" rear for flat back body design. Includes (2) 42" wide compartments over rear tandem wheels, with side dump valve between.	\$13,403		
3100-0324	Driver side roof top compartment. Includes vertically hinged access door at the rear with push button latch to be wired to door ajar indicator in cab.	\$1,730		
3100-0325	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (2) bracket mounted LED lights and to be wired to door ajar indicator in cab.	\$6,045		
3100-0326	Driver side tandem body with upper and lower compartmentation. Includes 30" wide forward and 30" wide rearward compartments and (4) opening upper compartments.	\$14,753		
3100-0327	Driver side body with full height 50" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear perimeter or body raised 3" for improved departure angle.	\$13,250		
3100-0328	Driver side upper body extension. Stainless Steel product only. Does not include external upper doors. External platework only and painted FRP covering.	\$1,495		
3100-0329	Stainless steel driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$31,329		
3100-0330	Driver 1/2 side tandem stainless steel tanker body with 60" front and 60" rear for flat back body design. Includes (2) 55" wide tandem wheel fender panels.	\$15,248		
3100-0331	Driver side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear bottom corner of truck will be angled 30 degrees for a greater rear angle of departure.	\$11,124		

Item #	Description	Extension	+1/-1	Total
3100-0332	Driver side body with full height 36" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,902		
3100-0333	Driver full height side body with 36" wide forward and 48" wide rearward compartmentation. Includes (2) 38" wide compartments over the wheel well and one forward area for side tank dump. For use with custom chassis only.	\$11,114		
3100-0334	Driver side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$14,570		
3100-0335	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Compartment material to be 5083-H321.	\$14,529		
3100-0336	Driver full height side body with 42" wide and 20" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well. For use with custom chassis only.	\$11,114		
3100-0337	Driver side body with full height 48" wide forward and 54" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,935		
3100-0338	Driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3100-0339	Driver 3/4 side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (2) opening upper compartments.	\$7,964		
3100-0340	Driver side ERV body with full height 37" forward and 52" rearward. Includes (1) 56" wide compartment over the wheel well. Includes (2) roof top compartments with hinged raised lids with thumb latches, grab handle(s), and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$21,266		
3100-0341	Driver side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,124		
3100-0342	Driver side body with full height 38" wide forward and 56" wide rearward compartment. Includes (1) 56" wide compartment over the wheel well.	\$13,777		
3100-0343	(2) Driver side roof top compartments. Includes hinged raised compartment lids with thumb latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3100-0344	Driver half side tandem body with (2)41" wide forward and (2)32" wide rearward compartmentation.	\$13,230		
3100-0345	Stainless steel driver side body with full height 48" wide forward and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$13,311		
3100-0346	Stainless steel driver side body with full height 40" wide forward and 40" wide rearward compartmentation with reduced upper depth. Includes (1) 60" wide compartment over the wheel well.	\$10,853		
3100-0347	Stainless steel driver side body with full height/full depth 40" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$29,656		
3100-0348	Driver side body with 42" wide full height forward and 42" wide lower rearward lower compartments and (2) opening upper compartments. Includes offsetting upper compartments forward due to deck gun location and side facing access panels for deck gun piping.	\$12,448		
3100-0349	Driver side roof top compartment contents: (1) 12'-14'+ hard suction hose (not included) stored horizontal. Includes Nylatron compartment flooring. Length of capacity depends on body configuration.	\$693		
3100-0350	Notch compartment L1 in forward ceiling area to allow for hose bed preconnect piping to route down into pump module.	\$455		
3100-0351	Driver side body with full height 48" wide forward and 62" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,791		
3100-0352	Stainless steel driver side body with full height 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$31,802		

Item #	Description	Extension	+1/-1	Total
3100-0354	Driver side body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Top Mount eMAX Only.	\$13,732		
3100-0355	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to be wired to door ajar indicator in cab.	\$5,792		
3100-0356	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$5,940		
3100-0357	Driver 3/4 height side body with 20" wide and 42" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well. For use with custom chassis only.	\$8,945		
3100-0358	Driver side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,401		
3100-0359	Stainless steel driver side tanker body high side 52" front and 52" rear rescue style, with Lord/coil spring torsion style body mounts. Four compartments, tandem axle.	\$23,021		
3100-0360	Stainless steel driver side special tall body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$30,654		
3100-0361	Stainless steel driver side body with full height/full depth 48" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$31,329		
3100-0362	Driver side body with full height 50" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear perimeter of body raised 4" for improved departure angle.	\$12,785		
3100-0363	Driver side body with full height 42" wide forward and 54" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3100-0364	Stainless steel driver side body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$30,416		
3100-0365	Driver 3/4 side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,104		
3100-0366	(2) driver side roof top compartments. Includes hinged raised compartment lids with slam style D-ring latches and no grab handles. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$3,115		
3100-0367	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (2) opening upper compartments.	\$12,448		
3100-0368	Driver side body with full height 26" and 30" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$16,176		
3100-0369	Driver side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Portable Tank Rack. Rack to hold (1) 2100 gallon portable tank.	\$20,418		
3100-0370	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,557		
3100-0371	Stainless steel driver side body with full height 40" wide forward and 58" wide rearward extended compartmentation. Includes (1) 60" wide compartment over the wheel well	\$30,096		
3100-0372	Driver side smooth plate roof top compartment and paited black Durabak. Includes smooth plate vertically hinged access door at the rear with push button latch and painted job color to be wired to door ajar indicator in cab.	\$2,163		
3100-0373	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Amdor LED strip light and to be wired to door ajar indicator in cab.	\$6,785		

Item #	Description	Extension	+1/-1	Total
3100-0374	Driver side roof top compartment contents: (2) 6" x 10' hard suction hoses (not included) stored horizontal side by side. Includes stop bracket rearward of hard suction hoses and partition over the hard suction hoses.	\$1,182		
3100-0375	(2) driver side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Includes fixed floor with hard suction storage below accessible through hinged rear panel access door with bent D-ring latch.	\$3,911		
3100-0376	Stainless steel driver side body with full height 34" wide forward and 48" wide rearward compartmentation and reduced upper depth for storage tunnel. Includes (1) 60" wide compartment over the wheel well.	\$30,863		
3100-0377	Driver side body with full height 42" and 40" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$16,759		
3100-0378	Stainless steel driver side body with full height 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$29,500		
3100-0379	Driver Full height forward compartment and 3/4 side rear of L1 tandem body with 42" wide forward and 42" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well. Lowered W/Well for extra compt height. Side Dump Valves between Tandems N/A.	\$15,647		
3100-0380	(2) driver side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (3) bracket mounted EON LED lights and to be wired to door ajar indicator in cab.	\$2,972		
3100-0381	Driver side tandem body with upper and lower compartmentation. Includes (2) 28" wide forward and 54" wide rearward compartments and (1) opening forward upper compartment with painted panels rearward.	\$18,941		
3100-0382	The compartment opening width (interior to remain standard) shall be reduce 2" in the L1 and L3 compartments due to the mounting stanchion for the awning.	\$291		
3100-0383	Stainless steel driver side short Boston style body with low height 30" front and 40" rear and (2) lift-up doors above. Includes 60" wide fender panel. For use with optional suicide hinged L1 door.	\$28,596		
3100-0384	Driver side tandem body with upper and lower compartmentation. Includes 60" wide full height forward and 54" wide half height rearward compartments and (1) opening forward upper compartment with painted panels rearward.	\$18,945		
3100-0385	(2) Driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Forward compartment to have standard floor. Rearward compartment shall be stepped at inboard side for a 26" deep section approximately 8.5" wide in order to stow a stokes basket on edge. Forward and rearward compartments to have a dividing wall between them to secure the different floor configurations. Stokes basket to be stored shall be a Ferno 71-M basket or similar in size.	\$6,963		
3100-0386	Driver side rear mount pumper body with full height 48" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel and access door at rear.	\$19,061		
3100-0387	Driver side body with full height 60" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$14,649		
3100-0388	(2) driver side roof top compartments for instillation of DOT/ASME bottles. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3100-0389	Driver side body with full height 34" and 48" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$16,759		
3100-0390	Driver side body with full height 30" wide forward and 44" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3100-0391	Stainless steel driver side body with full height/full depth 60" wide forward and 60" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$33,889		

Item #	Description	Extension	+1/-1	Total
3100-0392	Driver side body with full height 26" and 50" wide forward compts, 56" wide over wheel compt and 52" wide rearward compt. Includes slide-back rear side compt for engine access. Side Mount eMAX HS only.	\$27,818		
3100-0393	Stainless steel driver side body with full height 48" wide forward and 40" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$30,927		
3100-0394	Driver side rear mount rescue pumper body with full height 38" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$13,777		
3100-0395	Driver full height body side with (1) 48" wide, Full Height forward compartment, (1) 30" wide, lower forward compartment adjacent to w/well, (2) upper compartments (57" wide each), the rearward upper having a rear compartment face access door for portable tank storage, and (1) lower rearward compartment (24") to rear of the w/well.	\$12,675		
3100-0396	Stainless steel driver side body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$33,836		
3100-0397	Driver side body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well. Top mount SS eMAX only.	\$20,577		
3100-0398	(2) side low profile stepped interior roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, gas shock hold opens and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Lids shall be without grab handles for lowered OAH and shall have a stepped interior.	\$6,062		
3100-0399	Driver half side body with 42" wide forward and 56" wide rearward extended compartmentation. For use with a drop down ladder rack.	\$6,667		
3100-0400	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$12,329		
3100-0401	Driver side rear mount rescue pumper body with full height 62" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$16,015		
3100-0402	Driver side diamond plate roof top compartment. Includes smooth plate painted vertical hinged access door at the rear with D-Ring latch to be wired to door ajar indicator in cab.	\$1,758		
3100-0403	(1) driver side roof top compartment. Includes dual hard suction storage (over/under) accessible through hinged rear panel access door with trigger style latch. Includes (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Includes fixed forward stop for 10' hard suction hoses. Lower hose stop to be positioned for use with a barrel type suction strainer attached.	\$3,618		
3100-0404	Stainless steel driver side body with full height 40" wide forward and 40" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$30,113		
3100-0405	Driver side body with full height 30" wide forward and 60" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,491		
3100-0406	Stainless steel driver side body with full height 30" front, 40" rear and 60" wide fender panel L2 compartment.	\$28,655		
3100-0407	Driver side body with full height 36" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use on low hosebed body and individual compartments on the driver side.	\$15,232		
3100-0408	L1 floor to have a cut-out rearward and near back wall for a recessed box as applicable to allow for 6000 psi DOT bottle to be located without interference.	\$574		
3100-0409	(2) driver side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted ROM V4 LED strip light and to be wired to door ajar indicator in cab.	\$3,377		

Item #	Description	Extension	+1/-1	Total
3100-0410	Driver side body with full height 34" and 30" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX	\$16,799		
3100-0411	Driver full height side body with (3) full height, rescue style, forward compartments (48" and 30" wide) and (1) rearward compartment (24" wide), (1) upper compartment (56" wide).	\$10,575		
3100-0412	Driver side body with full height 42 in. wide forward and 56 in. wide rearward enhanced extended compartmentation. Includes (1) 56 in. wide compartment over the wheel well. L1 compartment to be Rescue Pumper style full depth compartment.	\$14,960		
3100-0413	(2) driver side roof top compartments with extra width to inboard side. Compartment top and lids to be smooth plate painted black Durabak. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$7,424		
3100-0414	Stainless steel driver side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$36,332		
3100-0415	(2) driver side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted ROM V4 LED strip light and to be wired to door ajar indicator in cab.	\$3,377		
3100-0416	Driver side body with full height 42in. wide forward and 62in. wide rearward enhanced extended compartmentation. Includes (1) 56in. wide compartment over the wheel well and one (1) storage tunnel.	\$17,844		
3100-0418	Driver half side tandem body with 60" wide forward and 48" wide rearward compartmentation.	\$9,795		
3100-0419	Driver side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear perimeter or body raised 3" for improved departure angle. Side Mount eMAX only.	\$14,649		
3100-0420	Drivers full height side body with 20" wide and 42" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well. For use with 30 high lower compt height only.	\$11,114		
3100-0421	Driver side body with full height 44" wide forward and 36" wide rearward compartmentation and 60.75" opening. Includes (1) 56" wide compartment over the wheel well and 28.75" opening .	\$13,739		
3100-0422	Driver side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rescue Pumper individual style compartments.	\$12,162		
3100-0423	Driver side body with full height 36" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rescue Pumper individual style compartments.	\$13,151		
3100-0424	Driver half side tandem body with 66" wide forward and 40" wide rearward compartmentation. Includes 50" wide tandem wheel well compartment. SS top cap.	\$12,733		
3100-0425	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted ROM V4 LED strip light and to be wired to door ajar indicator in cab.	\$6,344		
3100-0426	Driver side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls. Top Mount eMAX Only.	\$17,822		
3100-0427	Driver 3/4 side tandem body with 3/4 full height 42" wide forward, (2) 3/4 compartments over the wheel well, the forward 41.5" wide, rearward to be 61.5" wide, and a 3/4 full height 42" wide rearward compartment. Additionally, there shall be a 3/4 full height 20" wide beavertail compartment.	\$11,400		
3100-0428	Drivers full height side body (FOR 4X4 Chassis) with 30" high lower compartment height, (2) lower forward compartments (34" and 28" wide) ahead of wheel well, (1) one lower rearward compartment 24" wide, and (3) upper compartments (48.67" wide x 32" high opening) each, transverse front to rear.	\$10,575		

Item #	Description	Extension	+1/-1	Total
3100-0429	Driver side standard width roof top compartment contents: (2) 6" x 12' hard suction hoses (not included) stored vertical. The hard suction storage shall have a front wall which will prevent the hoses from sliding too far forward while also creating a full depth coffin storage area forward of the wall if applicable.	\$376		
3100-0430	(2) driver side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) Amdor LED strip light and to be wired to door ajar indicator in cab.	\$3,818		
3100-0431	Driver side tandem body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$15,758		
3100-0432	Stainless steel driver 3/4 side body with 40" wide forward and 58" wide rearward compartmentation rear for flat back body design. Includes (1) 60" wide compartment over the wheel well.	\$26,056		
3100-0433	Driver side body with upper and lower compartmentation. Includes 30" wide forward and 50" wide rearward lower compartments and (3) opening upper compartments.	\$12,172		
3100-0434	2-arm ladder rack on driver side. The ladder rack includes amber lights on each end to visually indicate when the rack is in motion. Restricts the top folding step (if optioned) from closing completely. Mounting bracket for lights not required.	\$13,443		
3100-0435	Driver side body with full height 26" and 50" wide forward compts, 56" wide over wheel compt and 52" wide rearward compt. Includes slide-back rear side compt for engine access. HS only.	\$27,818		
3100-0436	Stainless steel driver side body with rescue style full height 35" front, 40" rear and 60" wide fender panel L2 compartment.	\$31,130		
3100-0437	Driver side body with full height 60" wide forward and 52" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Includes slide-back rear side compt for engine access. HS only.	\$26,347		
3100-0438	Driver side rear mount rescue pumper body with full height 24" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$12,657		
3100-0439	Driver full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (2) upper compartment (42" wide) and (1) lower rearward compartment (28").	\$10,663		
3100-0440	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with one (1) L handle style 1/4 turn latch in the center of the compartment top, and two (2) grab handle(s) on each side of the L handle and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Amdor LED strip light and to be wired to door ajar indicator in cab.	\$6,806		
3100-0441	Driver 3/4 side tandem body with full height 42" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$11,487		
3100-0442	The [#LOC] compartment opening width (interior to remain standard) shall be reduce to allow for a single pan door.	\$506		
3100-0443	Stainless steel driver side body high side 60" front and 60" rear. (4) compartments, tandem axle. For use with single arm overhead portable tank rack	\$20,627		
3100-0444	Driver side body with upper and lower compartmentation. Includes full height 24" wide forward, 30" high by 38" wide lower rear, and 34" high by 38" wide upper rear compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,761		
3100-0445	Stainless steel driver side body with full height/full depth 54" wide forward and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$32,596		
3100-0446	Driver side body with full height 30" wide forward and 52" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3100-0447	Driver full height side body with 66" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. The compartment opening height to be 30" IPO 34". For use with custom chassis only.	\$10,872		

Item #	Description	Extension	+1/-1	Total
3100-0448	(2) driver side roof top compartments for foam pails. Includes hinged compartment lids with turn latches and grab handle(s). Each compartment shall include LED lighting and to be wired to door ajar indicator in cab.	\$2,972		
3100-0449	Stainless steel driver side body with full height 48" wide front and 58" rear with reduced upper depth for "T" tank. Includes 60" wide compartment over rear wheels. Upper compartments to be 15" deep.	\$31,028		
3100-0450	Stainless steel driver side short Boston style body with low height 48" front and 40" rear and (3) lift-up doors above. Includes 60" wide fender panel.	\$30,927		
3100-0451	Driver side rear mount pumper body with (2) two full height 34" wide forward and (1) one 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and provisions to rear mount pump panel in rearward side compartment.	\$16,736		
3100-0452	Driver side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well. Wheel wells and lower compartment height to lowered 4" over standard (Pumper/Rescue Pumper Height).	\$16,619		
3100-0453	Driver side body with full height 24" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,233		
3100-0454	Driver side body with full height 28" and 28" wide forward and 52" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Includes slide-back rear side compt for engine access. HS only.	\$26,907		
3100-0455	Driver side rear mount pumper body with two full height 48" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$20,019		
3100-0456	Driver side tandem body with 48" wide forward and 42" wide rearward compartmentation. Forward compartment to be full height, rearward to be half height.	\$12,069		
3100-0457	Driver side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,442		
3100-0458	Driver side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3100-0459	Driver side body with full height 42" (pump panel area the forward 26") and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only. The rearward section of L4 to be transverse with B1/R4 compartments.	\$18,716		
3100-0460	Stainless steel driver side body with full height 30" wide forward and 58" wide rearward extended compartmentation. Includes (1) 60" wide compartment over the wheel well	\$30,096		
3100-0461	Driver side body with full height/full depth 60" wide front and 54" wide rear compartment. Includes (1) 60" wide compartment over the wheel well. Includes notch in upper rear compartment walls to provide for a level hose bed. Side mount SS eMAX only.	\$18,125		
3100-0462	Driver side body with full height 60" wide forward and 42" wide rearward compartments. Includes (1) 56" wide compartment over the wheel well. Side Mount e-MAX only.	\$13,732		
3100-0463	Driver full height side body with 31" wide and 31" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well.	\$11,114		
3100-0464	Driver side body with full height 48" and 30" wide forward and 38" wide rearward non-transverse extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,479		
3100-0465	Officer side body with full height 48" and 30" wide forward and 38" wide rearward non-transverse extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,479		
3100-0466	**NARROW BODY** Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,777		



Item #	Description	Extension	+1/-1	Total
3100-0467	Roof top compartment contents: (1) 6in x 10ft hard suction hose (not included) stored in the lower area of roof top compartment. Includes stop bracket rear ward of hard suction hose if applicable to body length and partition surround over the hard suction hoses to accommodate storage area above and in front of the stored hose. Floor to include nylon pad as applicable for ease of deployment on scene.	\$762		
3100-0468	Rear aluminum smooth plate painted job color vertical hinged door on roof top compartment. Includes D-ring latch and wiring for door ajar switch.	\$241		
3100-0469	<b>**NARROW BODY**</b> Driver side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,190		
3100-0470	Stainless steel driver side body with full height, full depth 48" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$31,889		
3100-0471	Stainless steel driver side body with full height 48" wide forward and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$31,648		
3100-0472	Driver side body with full height 30 and 60" wide front and 54" wide rear compartments. Includes (1) 60" wide compartment over the wheel well and one (1) storage tunnel located behind reduced upper depth compartments. SS eMAX only.	\$23,556		
3100-0473	(2) driver side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to include LED light (per specifications) and to be wired to door ajar indicator in cab.	\$2,748		
3100-0474	Driver side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,940		
3100-0475	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 56" wide rearward lower compartments and (3) opening upper compartments.	\$13,739		
3100-0476	Driver side diamond plate roof top compartment. Includes smooth plate painted vertical hinged access door at the rear with D-ring style latch to be wired to door ajar indicator in cab.	\$1,730		
3100-0477	Stainless steel driver side body with full height 30" wide forward and 46" wide rearward compartmentation having Lord/coil spring torsion style body mounts. Includes a 60" wide compartment over the wheel well. Custom height in lower L3 for a special ALS shelving unit.	\$28,304		
3100-0478	Driver side body with full height 36" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$15,965		
3100-0479	Stainless steel 96" wide driver side body with full height, full depth 48" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$31,889		
3100-0480	Driver side body with full height 30" wide forward and 52" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3100-0481	Driver side tandem body with (2) full height 28" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$17,162		
3100-0482	Driver side body with 19.5in. wide forward and 31in. wide rearward compartmentation. Includes (1) 40in. wide compartment over the wheel well. Compartment tops raised approximately 6in. to match hosebed height. Rear of body under rearward compartment shall be raised 4in. or as applicable to allow for additional departure angle.	\$11,597		
3100-0483	Stainless steel driver side body with full height/full depth 36" wide front compartment and reduced depth upper 48" rearward compartmentation. Includes 60" wide compartment above rear wheels.	\$31,228		
3100-0484	Stainless steel driver side body with full height 44" wide forward and 60" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$33,574		
3100-0485	Driver side body with full height 34" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$16,844		

Item #	Description	Extension	+1/-1	Total
3100-0486	Driver side tandem body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well. Includes 30" high lower compartment height "Pumper Style" ilo 34" high. Side Dumps between or adjacent to Tandems are not available.	\$16,619		
3100-0487	Stainless steel driver side body with full height, full depth 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well. Compartment height to be 78".	\$32,318		
3100-0488	2-arm ladder rack on driver side. The ladder rack includes amber lights on each end to visually indicate when the rack is in motion. Restricts the top folding step (if optioned) from closing completely. Includes mounting bracket (if required, matching rear compartment face or compartment wrap finish) for components mounted on rear compartment face.	\$13,443		
3100-0489	Stainless steel driver side body with full height 30" wide forward and 46" wide rearward compartmentation having Lord/coil spring torsion style body mounts. Includes a 66" wide compartment over the wheel well. Custom height in lower L3 for a special ALS shelving unit.	\$28,304		
3100-0490	Driver side body with full height 60" wide forward and 46" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Top Mount eMAX Only.	\$13,995		
3100-0491	Driver side body with full height 36" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,536		
3100-0492	Driver half side body with 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,586		
3100-0493	Stainless steel driver side body with full height 48" wide front and 48" wide rear compartments. Includes 60" wide compartment over rear wheels.	\$30,592		
3100-0494	Stainless steel driver side body with full height/full depth 40" wide forward and 58" wide rearward extended compartment. Includes (1) 60" wide compartment over the wheel well.	\$30,096		
3100-0495	Driver side tandem body with two forward compartments ahead of the rear wheels, and one rear compartment behind rear wheels. The forward front compartment to be 38" wide and full height, the rearward front compartment to be 24" wide and half height. The single rear to be a half height 60" wide compartment.	\$16,619		
3100-0496	Stainless steel driver side body with full height 35" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$31,130		
3100-0497	Rear aluminum smooth plate painted job color vertical hinged door on driver side roof top compartments. Includes D-Ring latch and wiring for door ajar switch.	\$289		
3100-0498	Driver side roof top compartment contents: (1) 6" x 10' hard suction hose (not included) stored in lower rearward area of the roof top storage with Nylatron compartment flooring. Includes surround forward and above hard suction hose to allow for additional storage in remaining available roof top storage compartments accessible from top lift doors.	\$781		
3100-0499	Driver side tandem body with full height 66" wide forward and 60" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$18,329		
3100-0500	Driver side body with upper and lower compartmentation. Includes 42" wide forward and 48" wide rearward lower compartments and (3) opening upper compartments.	\$12,866		
3100-0501	(2) driver side roof top compartments with extra width to inboard side. Custom sized to store hydraulic reels. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$5,940		
3100-0502	Driver side body with full height 52" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$13,715		
3100-0503	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with one (1) ' L' handle style 1/4 turn latch in the center of the compartment top, two (2) grab handle(s) on each side of the ' L' handle, gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Amdor LED strip light and to be wired to door ajar indicator in cab.	\$6,806		

Item #	Description	Extension	+1/-1	Total
3100-0505	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,949		
3100-0506	Driver side body with full height 35" wide forward and 47" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,715		
3100-0507	(3) driver side roof top compartments with extra width to inboard side (43"/43"/43"). Includes hinged raised compartment lids with thumb latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$6,947		
3100-0508	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,956		
3100-0509	Stainless steel driver side 3/4 side body with full height 40" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$26,027		
3100-0510	Driver side tandem body with 60" wide full height forward compartment. Rearward of the forward compartment to 3/4 height with 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$13,693		
3100-0511	Stainless steel driver side body with full height full depth 48" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$31,361		
3100-0512	Vertical partition located in driver side roof top compartment at rear access door. Partition is to be full height of compartment and 61" long capped at the end to create a boxed in area for separate storage.	\$525		
3100-0513	Driver half side tandem body with (1) 44" wide first forward, (1) 30" wide second forward and (1) 66" wide rearward compartments. Compartment height openings to be 30" IPO standard 34".	\$13,230		
3100-0514	Driver side body with full height 40" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3100-0515	Stainless steel driver side body with full height 40" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$30,218		
3100-0516	Driver side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,956		
3100-0517	Compartment L1 to be notched for vertical exhaust in back forward corner of the compartment.	\$314		
3100-0518	(2) side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with D-ring slam style latch (s) and no grab handles for reduced OAH impact, with gas shock hold open(s) and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$5,940		
3100-0519	Driver side body with full height 36" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,902		
3100-0520	Driver side body with full height 72" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Includes provision for pump panel. Rear Mount Pumper Body only.	\$17,823		
3100-0521	Driver side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (2) opening upper compartments. For use with 94"(96" with rubrail) wide body configuration.	\$10,252		
3100-0522	Flat back Driver side body with full height 48" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,432		
3100-0523	Driver side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. eMax Only.	\$16,176		
3100-0524	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with D-Ring latches, no grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted ROM V4 LED strip light and to be wired to door ajar indicator in cab.	\$6,560		
3100-0525	Driver side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,777		

Item #	Description	Extension	+1/-1	Total
3100-0526	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to be wired to door ajar indicator in cab. Special 24" interior depth.	\$5,792		
3100-0527	Stainless steel driver side body with full height/full depth 48" wide forward and 60" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well. Special 69" high rescue pumper body height.	\$32,596		
3100-0528	Stainless steel driver side body with full height 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$29,500		
3100-0529	Driver high side stainless steel body with 60" front and 60" rear. (4) compartments, tandem axle.	\$20,542		
3100-0530	Stainless steel driver side body with full height full depth 48" wide forward and 58" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$31,462		
3100-0531	Stainless steel driver side body with full height 30" wide forward and 46" wide rearward compartmentation. NOTE: Standard Lord mount body mounting system. Includes a 60" wide compartment over the wheel well. Custom height in lower L3 for a special ALS shelving unit. No upper hose bed side sheet on the driver side of the body providing a finished overall body height of 70".	\$28,304		
3100-0532	Driver side body with upper and lower compartmentation. Includes lower 48" wide forward and full height 48" wide rearward compartments and (2) opening upper compartments.	\$13,284		
3100-0533	The L3 compartment to be transverse into L4.	\$304		
3100-0534	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with D-ring latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$6,052		
3100-0535	Driver side body with full height 60in. wide forward and 56in. wide rearward extended compartment. Includes (1) 56in. wide compartment over the wheel well.	\$14,372		
3105-0001	Enhanced extended forward compartmentation for Rescue Pumper. Includes 14" of additional interior width to the forward side compartments and 25" of additional depth in the forward 14" wide section (as applicable). Overall interior height will vary depending on additional option selections.	\$2,481		
3105-0002	Rear Mount forward body. Includes main side body structures and compartment L1/R1, L2/R2.	\$16,887		
3105-0004	Rear Mount forward body compartments. Includes L1/R1 48" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$0		
3105-0005	Hosebed walkway. Includes forward body headboard mod and rear body module walkway end partition. Walkway to be a slip resistant material. Walkway located to [#LOC] of the hosebed.	\$2,092		
3105-0006	Rear Mount forward body compartments. Includes L1/R1 54" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$1,673		
3105-0007	Rear Mount forward body compartments with officer side Zico Overhead Ladder Rack. Includes L1/R1 - 48" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, R2 - 33" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area (position of R2 depends on position of overhead ladder rack).	\$0		
3105-0008	Rear Mount forward body. Includes main side body structures and compartment L1/R1, L2/R2 and a Zico overhead ladder rack (control located officer rear body/pump module).	\$26,888		
3105-0009	Rear Mount forward body compartments with driver side storage tunnel. Includes L1 - 72" wide x 26" deep in the 30" lower area and 12" deep in the 34" upper area, L2 - 56" wide x 12" deep, R1 - 72" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$4,929		

Item #	Description	Extension	+1/-1	Total
3105-0010	Rear Mount forward body. Includes main side body structures and compartment LT/RT, L1/R1, L2/R2. LT/RT (full width and 95" high) with lower storage areas (compartment opening 67" wide and same height as main body compartments). Includes full width forward storage pan and a pan in the rearward center/officer area between the driver roof top compartment. Transverse floor to run full width. Rear headboard to have area for routing of plumbing for preconnects located in rearward area. Area above preconnects (forward area) to be for storage of a stokes basket. L1/R1 54" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$34,399		
3105-0011	Rear Mount forward body compartments with driver side storage tunnel. Includes L1 - 54" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2 - 56" wide x 12" deep. R1 - 54" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$1,673		
3105-0013	Rear Mount forward body compartments. Includes L1 - 48" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, R1 - 48" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area and R2 - 56" wide x 12" deep x 34 high.	\$0		
3105-0014	Rear Mount forward body compartments. Includes L1/R1 - 60" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$2,759		
3105-0015	Rear Mount forward body compartments. Includes L1/R1 - 66" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$3,846		
3105-0016	Rear Mount forward body compartments. Includes L1/R1 - 72" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$4,929		
3105-0017	Rear Mount forward body compartments with officer side Zico Overhead Ladder Rack. Includes L1/R1 - 54" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, R2 - 33" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area (position of R2 depends on position of overhead ladder rack).	\$1,673		
3105-0018	Rear Mount forward body compartments with officer side Zico Overhead Ladder Rack. Includes L1/R1 - 60" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, R2 - 33" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area (position of R2 depends on position of overhead ladder rack).	\$2,759		
3105-0019	Rear Mount forward body compartments with officer side Zico Overhead Ladder Rack. Includes L1/R1 - 66" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, R2 - 33" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area (position of R2 depends on position of overhead ladder rack).	\$3,846		
3105-0020	Rear Mount forward body compartments with officer side Zico Overhead Ladder Rack. Includes L1/R1 - 72" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, R2 - 33" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area (position of R2 depends on position of overhead ladder rack).	\$4,929		
3105-0021	Rear Mount forward body compartments with driver side storage tunnel. Includes L1 - 48" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2 - 56" wide x 12" deep. R1 - 48" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$0		
3105-0022	Rear Mount forward body compartments with driver side storage tunnel. Includes L1 - 60" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2 - 56" wide x 12" deep. R1 - 60" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$2,759		
3105-0023	Rear Mount forward body compartments with driver side storage tunnel. Includes L1 - 66" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2 - 56" wide x 12" deep. R1 - 66" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$3,846		

Item #	Description	Extension	+1/-1	Total
3105-0024	Rear Mount forward body compartments with officer side storage tunnel. Includes L1 - 48" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area. R1 - 48" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, R2 - 56" wide x 12" deep.	\$0		
3105-0025	Rear Mount forward body compartments with officer side storage tunnel. Includes L1 - 54" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area. R1 - 54" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, R2 - 56" wide x 12" deep.	\$1,673		
3105-0026	Rear Mount forward body compartments with officer side storage tunnel. Includes L1 - 60" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area. R1 - 60" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, R2 - 56" wide x 12" deep.	\$2,759		
3105-0027	Rear Mount forward body compartments with officer side storage tunnel. Includes L1 - 66" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area. R1 - 66" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, R2 - 56" wide x 12" deep.	\$3,846		
3105-0028	Rear Mount forward body compartments with officer side storage tunnel. Includes L1 - 72" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area. R1 - 72" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, R2 - 56" wide x 12" deep.	\$4,929		
3105-0029	Rear Mount forward body compartments w/dual storage tunnels. Includes L1/R1 - 48" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2/R2 - 56" wide x 12" deep.	\$0		
3105-0030	Rear Mount forward body compartments w/dual storage tunnels. Includes L1/R1 - 54" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2/R2 - 56" wide x 12" deep.	\$1,673		
3105-0031	Rear Mount forward body compartments w/dual storage tunnels. Includes L1/R1 - 60" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2/R2 - 56" wide x 12" deep.	\$2,759		
3105-0032	Rear Mount forward body compartments w/dual storage tunnels. Includes L1/R1 - 66" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2/R2 - 56" wide x 12" deep.	\$3,846		
3105-0033	Rear Mount forward body compartments w/dual storage tunnels. Includes L1/R1 - 72" wide x 26" deep in the 30" lower area and 12" deep in the 38" upper area, L2/R2 - 56" wide x 12" deep.	\$4,929		
3105-0034	Rear Mount forward body. Includes main side body structures and compartment L1/R1, L2/R2 and (1) storage tunnel.	\$23,388		
3105-0035	Rear Mount forward body. Includes main side body structures and compartment L1/R1, L2/R2 and (2) storage tunnels.	\$28,323		
3105-0036	Rear Mount forward body. Includes main side body structures and compartment LT/RT, L1/R1, L2/R2. LT/RT (full width and 95" high) with lower storage areas (compartment opening 67" wide and same height as main body compartments). Includes full width storage pan. Transverse floor to run full width. Rear headboard to have area for routing of plumbing for preconnects located in rearward area. The speedlay area to be stacked style and offset to rearward area of the transverse compartment. The upper speedlay area to hold (2) speedlay trays: (1) to hold - 200' of 2.5" DJ hose and (1) dry lay to hold - 100' of 1.75" DJ hose and 100' of 2.5" DJ hose. The lower speedlay area to hold (3) speedlay trays: (2) to hold 200' of 1.75" DJ hose each and (1) to hold 100' of 1.75" DJ hose. L1/R1 54" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area.	\$34,399		
3105-0037	Transverse module (full width and height of the body) located forward of the body. Includes single 30" wide compartment opening per side (with a shallow lower area and a transverse upper area with full width smooth plate flooring). Upper area of transverse module to have diamond plate dunnage pan.	\$12,568		
3105-0038	Transverse module (full width and height of the body) located forward of the body. Includes single 36" wide compartment opening per side (with a shallow lower area and a transverse upper area with full width smooth plate flooring). Upper area of transverse module to have diamond plate dunnage pan.	\$14,240		
3105-0039	Transverse module (full width and height of the body) located forward of the body. Includes single 42" wide compartment opening per side (with a shallow lower area and a transverse upper area with full width smooth plate flooring). Upper area of transverse module to have diamond plate dunnage pan.	\$15,911		

Item #	Description	Extension	+1/-1	Total
3105-0040	Transverse module (full width and height of the body) located forward of the body. Includes single 50" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have double preconnects with removable trays (side by side) and backboard storage (rearward of preconnects with velcro straps). Upper area of transverse module to have diamond plate dunnage pan.	\$14,039		
3105-0041	Transverse module (full width and height of the body) located forward of the body. Includes single 56" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have double preconnects with removable trays (side by side) and backboard storage (rearward of preconnects with velcro straps). Upper area of transverse module to have diamond plate dunnage pan.	\$15,710		
3105-0042	Transverse module (full width and height of the body) located forward of the body. Includes single 62" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have double preconnects with removable trays (side by side) and backboard storage (rearward of preconnects with velcro straps). Upper area of transverse module to have diamond plate dunnage pan.	\$17,381		
3105-0043	Transverse module (full width and height of the body) located forward of the body. Includes single 50" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have triple preconnects with removable trays (side by side). Upper area of transverse module to have diamond plate dunnage pan.	\$14,529		
3105-0044	Transverse module (full width and height of the body) located forward of the body. Includes single 56" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have triple preconnects with removable trays (side by side). Upper area of transverse module to have diamond plate dunnage pan.	\$16,200		
3105-0045	Transverse module (full width and height of the body) located forward of the body. Includes single 62" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have triple preconnects with removable trays (side by side). Upper area of transverse module to have diamond plate dunnage pan.	\$17,872		
3105-0046	Transverse module (full width and height of the body) located forward of the body. Includes single 50" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have double preconnects with removable trays (stacked). Upper area of transverse module to have diamond plate dunnage pan.	\$14,370		
3105-0047	Transverse module (full width and height of the body) located forward of the body. Includes single 56" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have double preconnects with removable trays (stacked). Upper area of transverse module to have diamond plate dunnage pan.	\$16,040		
3105-0048	Transverse module (full width and height of the body) located forward of the body. Includes single 62" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have double preconnects with removable trays (stacked). Upper area of transverse module to have diamond plate dunnage pan.	\$17,712		
3105-0049	Preconnect module (stacked) for use with aluminum speedlay trays. Includes area for (2) stacked preconnect, lower storage compartments with push button latches, running boards and upper area dunnage pan.	\$12,568		
3105-0050	Preconnect module (stacked). Includes area for (2) stacked preconnects, (1) upper preconnect, lower storage compartments with push button latches and running boards.	\$0		

Item #	Description	Extension	+1/-1	Total
3105-0051	Preconnect module to be capable of holding the following contents: Upper preconnect area to hold (1) 400' of 1.75" DJ with removable tray. Lower preconnect area to hold (1) 400' of 1.75" DJ with removable tray.	\$982		
3105-0052	Preconnect module to be capable of holding the following contents: Upper preconnect area to hold (2) 200' of 1.75" DJ with removable trays. Lower preconnect area to hold 200' of 2.5" DJ with removable tray.	\$1,471		
3105-0053	Preconnect module to be capable of holding the following contents: Upper preconnect area to hold (2) 200' of 1.75" DJ with removable trays. Lower preconnect area to hold (2) 200' of 1.75" DJ with removable trays.	\$1,963		
3105-0054	Rear Mount forward body. Includes main side body structures and compartment L1/R1, L2/R2.	\$22,264		
3105-0055	Rear Mount Body Assembly. Includes driver side, officer side and rear end assemblies. Driver side body with full height 48" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Officer side body with full height 48" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel. Rear end for rear mount pump application. Includes smooth plate panels and storage access door with push button latch.	\$34,386		
3105-0056	Preconnect module (stacked). Includes area for (2) stacked preconnect, lower storage compartments with push button latches, running boards, upper area dunnage pan and horizontal backboard storage with drop down diamond plate access door (wired to door ajar).	\$9,298		
3105-0057	Preconnect/Transverse module (full width and height of body). Includes (2) full width stacked speedlays (make standard size opening as used on normal width speedlay module). Each speedlay to be plumbed for use with 1.75" DJ hose. Area directly behind speedlays to have a transverse compartment (opening height to match body compartments). Transverse to include full width floor. Upper area to include a full width storage pan (forward of roof top compartments) and (1) pan located between the roof top compartments. Make pans as deep as practical.	\$11,785		
3105-0058	Transverse module (full width and height of the body) located forward of the body. Includes single 30" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Lower transverse compartment area to have triple preconnects with removable trays (side by side). Above the speedlay area to be storage for stokes basket. Upper area of transverse module to have diamond plate dunnage pan.	\$13,206		
3105-0059	The outboard panels of the full width transverse module to be smooth plate overlays. These areas are to be seamless and painted job color.	\$343		
3105-0060	Transverse module (full width and height of the body) located forward of the body. Includes single 30" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have triple preconnects with removable trays (stacked, (2) 1.5" on top and (1) 2.5" on bottom). Upper area of transverse module to have diamond plate dunnage pan.	\$14,529		
3105-0061	Backboard storage sleeve with retaining strap. Located in LT/RT compartment forward of the speedlays to be 5" wide x 20" high.	\$1,067		
3105-0062	Rear Mount body. Includes main side body structures and compartments L1/R1, L2/R2, L3/R3 and L4/R4. Includes interior compartment offset for pump panel location and mounting, rear body structure for rear mounted pump application.	\$41,151		
3105-0063	Rear Mount forward body compartments. Includes L1 - 32" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, R1 - 36" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 - 48" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L3/R3 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, L4 - (pump panel location) - 60" wide x 68" high x 12" deep and R4 - 60" wide x 68" high x 12" deep.	\$0		
3105-0066	Rear Mount forward body compartments. Includes L1/R1 - 72" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area. An externally-mounted compartment top shall be provided and constructed of a 1/8" (.125") aluminum smooth plate with black Scorpion coating (IPOS diamond plate).	\$5,309		



Item #	Description	Extension	+1/-1	Total
3105-0067	Transverse module (full width and height of the body) located forward of the body. Includes single 30" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have triple preconnects with removable trays (stacked, (2) 1.5" on top and (1) 2.5" on bottom). Upper area of transverse module to have a dunnage pan made of aluminum smooth plate with black Scorpion coating (IPOS diamond plate). The running boards shall be constructed of aluminum smooth plate with black Scorpion coating (IPOS diamond plate)	\$15,190		
3105-0068	Preconnect module to be capable of holding the following contents: Upper preconnect area to hold (2) 200' of 1.75" DJ with removable poly trays. Lower preconnect area to hold 200' of 2.5" DJ with removable poly tray.	\$1,471		
3105-0069	Preconnect module (stacked) for use with Poly trays. Includes area for (2) stacked preconnect, lower storage compartments with push button latches, running boards and upper area dunnage pan.	\$13,092		
3105-0070	Rear Mount body. Includes main side body structures and compartments L1/R1, L2/R2, L3/R3 and L4/R4. Includes interior compartment offset for pump panel location and mounting, rear body structure for rear mounted pump application.	\$0		
3105-0071	Rear Mount forward body compartments. Includes L1/R1 - 44" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L2/R2 - 44" wide x 26" deep in the 56" lower area and 12" deep in the 12" upper area, L3/R3 - 56" wide x 26" deep in the 22" lower area and 12" deep in the 12" upper area, L4 - (pump panel location upper section) - 46" wide x 24" high x 24" deep in the lower section and R4 - 46" wide x 24" deep in the 56" lower area and 12" deep in the 12" upper area.	\$41,931		
3105-0072	Transverse module (full width and height of the body) located forward of the body. Includes single 24" wide compartment opening per side (with a shallow lower area and a transverse upper area with full width smooth plate flooring). Upper area of transverse module to have diamond plate dunnage pan.	\$11,908		
3105-0073	Backboard storage sleeve with retaining strap(s). Located in LT/RT compartment in transverse area horizontally mounted. 5"H x 22"W x 76"L.	\$1,067		
3105-0074	Transverse module (full width and height of the body) located forward of the body. Includes single 24" wide compartment opening per side (with a shallow lower area and a transverse upper area with full width smooth plate flooring). Upper area of transverse module to have diamond plate dunnage pan.	\$11,908		
3105-0075	Preconnect module (stacked). Includes area for (2) preconnect, (1) transverse storage area, lower storage compartments with push button latches, running boards, upper area dunnage pan and horizontal backboard storage with drop down diamond plate access door (wired to door ajar).	\$11,908		
3105-0076	Transverse module (full width and height of the body) located forward of the body. Includes single 32" wide compartment opening per side (with a shallow lower area and a transverse upper area with full width smooth plate flooring). Upper area of transverse module to have diamond plate dunnage pan.	\$12,952		
3105-0077	A pre-connect storage area will be located inside the transverse module towards the rear that will accommodate double pre-connects with removable trays (trays listed separately).	\$2,293		
3105-0078	Transverse module (full width and height of the body) located forward of the body. Includes single 38" wide compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring). Rearward transverse compartment area to have triple preconnects with removable trays (side by side). Upper area of transverse module to have diamond plate dunnage pan.	\$11,183		
3105-0079	Backboard storage sleeve with retaining strap. Located in LT/RT compartment forward of the speedlays to be 5" high x 20" wide.	\$1,067		
3105-0080	Preconnect module (stacked) for use with aluminum speedlay trays. Includes area for (2) stacked preconnect, lower and upper storage compartments with push button latches, running boards.	\$12,568		
3110-0000	Center Slam Strip Rear End with (3) compartments- (2) lower and (1) upper and a diamond plate center strip for a Jet or Newton Dump application. Includes diamond plate panels.	\$2,598		

Item #	Description	Extension	+1/-1	Total
3110-0001	Center Slam Strip Rear End with (3) compartments- (2) lower and (1) upper and a smooth plate center strip for a Jet or Newton Dump application. Includes smooth plate panels.	\$2,598		
3110-0002	Upper and Lower Rear Compartment. Includes diamond plate panels.	\$2,003		
3110-0003	Upper and Lower Rear Compartment. Includes smooth plate panels.	\$2,003		
3110-0004	Full Height Rear Compartment. Includes diamond plate panels.	\$1,407		
3110-0005	Full Height Rear Compartment. Includes smooth plate panels.	\$1,407		
3110-0006	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		
3110-0007	Full Height Rear Compartment. Includes diamond plate panels, 30 degree angle of departure with flip down tailboard and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$3,072		
3110-0008	Full Height Rear Compartment. Includes smooth plate panels, angled rear body with flip down tailboard and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$3,072		
3110-0010	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		
3110-0011	Full Height Rear Compartment with Upper Storage Compartment and Side Storage Tunnel. Includes smooth plate panels and storage access doors with push button latches.	\$2,495		
3110-0012	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Ladder Tunnel. Includes diamond plate panels and storage access doors with push button latches.	\$2,495		
3110-0013	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch.	\$1,308		
3110-0014	Full Height Rear Compartment with Officer Side Ladder Tunnel and Recessed Traffic Advisor. Includes smooth plate panels and storage door with push buton latch..	\$1,731		
3110-0015	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes diamond plate panels and storage access door with push button latch.	\$1,268		
3110-0016	Full Height Rear Compartment with Officer Side Ladder Tunnel and Recessed Traffic Advisor. Includes diamond plate panels and storage door with push button latch.	\$1,731		
3110-0017	Full Height Rear Compartment with diamond plate panels.	\$1,174		
3110-0018	Full Height Rear Compartment with smooth plate panels.	\$1,174		
3110-0019	Full Height Rear Compartment with recessed traffic advisor and smooth plate panels.	\$1,637		
3110-0020	Full Height Rear Compartment with recessed traffic advisor and diamond plate panels.	\$1,637		
3110-0021	Rear mount rear end with upper storage area and lower pump panel. Includes 12" bolt-on tailboard, smooth plate panels and upper access area door with push button latches.	\$1,945		
3110-0023	Rear mount rear end with upper storage area, lower pump panel area and officer side ladder/equipment tunnel. Includes 12" bolt-on tailboard, smooth plate panels, upper access area and ladder/equipment storage doors with push button latches.	\$2,037		
3110-0024	Stainless Steel rear end with lower center compartment. Includes 12" bolt-on diamond plate tailboard and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$2,777		
3110-0025	Stainless steel rear end with lower center compartment.	\$2,969		
3110-0026	Rear body panels to be diamond plate.	\$0		
3110-0027	Rear of body to have un-painted extrusions with un-painted smooth plate body panels or just unpainted smooth plate to facilitate rear body striping.	\$290		
3110-0028	Rear body panels to be painted smooth plate.	\$1,017		

Item #	Description	Extension	+1/-1	Total
3110-0030	(2) bolt-on compartments. Locate (1) each side of B1. Each compartment includes a hinged diamond plate door (with 4" gap at top for connecting of hose stored in compartment) with D-Ring latch (wired into door ajar indicator), removable slat flooring and Gator Grip compartment top. Lower hosebed access step (one each side) to be mounted to inboard side of compartment.	\$2,010		
3110-0031	Full Height Rear Compartment. Includes diamond plate panels. Opening offset to officer side for special rear compartments. Width to be 31" wide.	\$2,109		
3110-0033	Single low rear compartment. For use with low hosebed. Includes diamond plate panels.	\$1,056		
3110-0034	Upper rear compartment depth to be shallow.	\$0		
3110-0035	Upper rear compartment depth to be approximately 25" deep.	\$316		
3110-0036	Upper and Lower Rear Compartment with Officer Side Ladder Tunnel. Includes diamond plate panels and storage access door with push button latches.	\$3,119		
3110-0037	Full Height Rear Compartment. Includes diamond plate panels, recessed traffic advisor and full width rear intermediate step located below the recessed advisor. B1 compartment to have no louvers. Includes access panel on bottom of compartment break to be 7" wide x 32" long. Panel to be centered front to back and side to side.	\$2,570		
3110-0038	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work with diamond plate compartment tops, (3) folding steps- (2) low and (1) high officer side with a 12" handrail (as applicable) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$981		
3110-0039	Bolt-on diamond plate tailboard (full width of body). Includes (2) handrails- (1) vertical on officer body and (1) horz below hosebed, aluminum ladder (angled) on officer side from tailboard to top edge of body and (3) Cast Products steps (staggered) on driver side.	\$3,417		
3110-0040	Compartment B1 to be 30" deep IPOS 26" deep.	\$994		
3110-0041	Stainless steel rear end assembly. Includes lower rear compartment, tailboard with slanted beavertails and bolt-on outboard compartments, (4) Cast Products steps- (2) each side, (1) intermediate step above B1 and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$8,032		
3110-0042	Single low rear compartment. For use with low hosebed. Includes smooth plate panels.	\$1,122		
3110-0043	Full Height Rear Compartment with Full Width Upper Storage Compartment. Includes officer side area for storage of (1) 10' Attic, (7) pike poles and a drop down storage access door with push buton latches (wire to door ajar). Includes driver side area for storage of backboards and a drop down storage access door with push buton latches (wire to door ajar). Includes (1) divider located 25" off officer's side wall. Includes diamond plate panels.	\$2,853		
3110-0044	Bolt-on diamond plate 10" tailboard (full width of body). Includes handrails- (2) mounted vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,181		
3110-0045	Upper and Lower Rear Compartment with Officer Side Ladder Tunnel. Includes smooth plate panels and storage access door with push button latches.	\$3,119		
3110-0046	Enhanced extended rear compartmentation for Rescue Pumper. Includes 14" of additional interior width to the rear side compartments and 25" of additional depth in the rearward 14" wide section. Overall interior height will vary depending on additional option selections.	\$2,195		
3110-0047	Full Height Rear Compartment with Full Width Upper Ladder Storage Compartment with smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles, (1) stokes basket, drop down storage access door with push button latches (wire to door ajar) and retaining straps for tunnel contents. Includes channels each side of ladder tunnel for discharges to terminate.	\$3,597		

Item #	Description	Extension	+1/-1	Total
3110-0048	Enhanced extended rear compartmentation for Rescue Pumper. Includes 14" of additional interior width to the rear side compartments and 25" of additional depth in the rearward 14" wide section. Overall interior height will vary depending on additional option selections. Includes bolt-on diamond plate tailboard (full width of rear compartment) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$3,034		
3110-0049	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 10" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work with diamond plate compartment tops, (1) officer side lower area folding step. Driver side includes (1) upper hosebed mounted handrail (as applicable) and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$2,643		
3110-0050	Upper Storage Compartment to hold (1) stokes basket in place of standard ladder components. Stokes basket to be located on officer side of storage tunnel. Stop bracket included.	\$192		
3110-0051	B1 compartment to have no door. Includes removal of compartment lights and door ajar.	\$424		
3110-0052	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,258		
3110-0053	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 10" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$2,643		
3110-0054	Rear Mount Rear Body. Includes rear body side structures with compartment L3/R3, interior compartment offset for pump panel location and mounting, rear body structure for rear mounted pump application (includes painted job color smooth plate panels outboard of pump access/panel(s) and rear body hosebed.	\$15,767		
3110-0055	Rear Mount rearward body compartments (with officer side pump panel). Includes L3- 54.5" wide x 24" deep (as applicable) in the 56" lower area and 12" deep in the 12" upper area and R3 (pump panel location)- 54.5" wide x 24" deep (as applicable) in the 24" lower area and 12" deep in the 44" upper area.	\$0		
3110-0056	Compartment preconnect hose feed thru. Includes smooth plate doors with push button latches. Locate to [#LOC] just outboard of the rear pump panel.	\$2,358		
3110-0057	Lower Rear Compartment only. Upper section to be diamond plate panel. Includes diamond plate panels.	\$1,217		
3110-0058	Rear of body to have flush un-painted smooth plate body panels to facilitate rear body striping.	\$1,499		
3110-0060	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes diamond plate panels. Includes area for misc. storage and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		
3110-0061	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work with diamond plate compartment tops, (1) officer side lower area folding step with integral lights. Driver side includes (1) upper hosebed mounted handrail (as applicable) and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$981		
3110-0062	Upper Storage Compartment to hold (1) backboard in place of standard ladder components. Backboard to be located on officer side of storage tunnel. Includes stop bracket located at approximately 80".	\$341		
3110-0063	Full Height Rear Compartment with Upper Storage Compartment. Includes smooth plate panels. Includes area for misc. storage and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		
3110-0064	Upper Storage Compartment to have (1) bolt-in compartment 24" deep. Compartment for storage of misc. items. Includes holding center divider for lower hosebed short to allow room for compartment.	\$677		
3110-0065	Full Height Rear Compartment with Officer Side Ladder Tunnel. Includes officer side rear tunnel access door with latch (material to match rearend platework).	\$1,308		
3110-0066	Full Height Rear Compartment.	\$1,174		
3110-0067	Lower Rear Compartment only. Upper section to be diamond plate panel. Includes diamond plate panels. Additional diamond plate area just above compartment for mounting of recessed directional lightbar.	\$6,756		

Item #	Description	Extension	+1/-1	Total
3110-0068	Center Slam Strip Rear End with (3) compartments - (2) lower and (1) upper and a smooth plate center strip for a Jet or Newton Dump application. Includes smooth plate panels. Includes area above upper compartment for directional lightbar.	\$5,366		
3110-0069	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Ladder Tunnel. Includes diamond plate panels and storage access doors with Tri-Mark model 030-1300 door latches. The upper tunnel to have on the officer side a stop at 128" and on the driver side a stop at 72" from rear of truck.	\$3,036		
3110-0070	Upper and Lower Rear Compartment. Includes smooth plate panels. B1 to be 36" wide due to enhanced extended feature and vertically hinged door(s).	\$2,810		
3110-0071	Spacer panel(s) for recess/warning lighting. Located:[#LOC]. Panel(s) to be painted job color and to include mounting area for any and all lighting mounted in area.	\$329		
3110-0072	Rear of body to have flush painted smooth plate body panels.	\$1,832		
3110-0073	Upper rear compartment depth to be approximately 29" deep.	\$586		
3110-0074	Full Height Rear Compartment with Officer Side Ladder Tunnel. Includes smooth plate panels and storage access door with push button latch. Includes a 18" channel for (2) tank inlets and (1) 5" jet dump located 16" up from bottom of compartment opening. Includes area above the channel for mounting of a booster reel. The lower opening to have double door and the upper opening to have a dutch door.	\$5,340		
3110-0075	Full Height Rear Compartment with Officer Side Ladder Tunnel. Includes diamond plate panels and storage access door with push button latch(es). Includes stepped upper horizontal tube to reduce hosebed height from ground over tank and driver side hosebed area	\$3,283		
3110-0076	Full Height Rear Compartment with Officer Side Ladder Tunnel. Includes diamond plate panels and storage access door with D-ring latch.	\$1,268		
3110-0077	Provide modification to B1 officer side compartment opening. To include vertical extrusion and smooth plate panel with lower access door with push button latches for access to tow eye in compartment. Interior width of B1 to remain standard.	\$1,471		
3110-0078	Lower Rear Compartment only. Upper section to be smooth plate panel. Includes smooth plate panels.	\$1,217		
3110-0079	Rear of body to have painted extrusions with un-painted smooth plate body panels to facilitate rear body panel striping.	\$290		
3110-0080	Center Slam Strip Rear End with smooth plate center strip for a Jet or Newton Dump application. Includes smooth plate low side panels and diamond plate upper panel.	\$2,287		
3110-0081	Full Height Rear Compartment with Officer Side Ladder Tunnel. Includes smooth plate panels and storage access door with D-ring latch.	\$1,308		
3110-0082	Rear Mount rearward body compartments (with driver side pump panel). Includes R3- 60" wide x 24" deep (as applicable) in the 56" lower area and 12" deep in the 12" upper area and L3 (pump panel location)- 60" wide x 24" deep (as applicable) in the 24" lower area and 12" deep in the 44" upper area.	\$0		
3110-0083	Half length officer side tunnel. Reduces officer side upper compartment depths of R2 and R3 to 12" deep IPO 26".	\$2,383		
3110-0085	Upper and Lower Rear Compartment. Includes upper and lower sanded smooth plate panels. Upper rear compartment door to be offset to driver side constructed of smooth plate. Upper rear compartment to be 56" wide for little giant ladder storage. (2) 1.5" x 4" extrusions to be stacked between upper and lower compartments for directional light mounted under intermediate rear step.	\$2,603		
3110-0086	Bolt-on diamond plate 24" tailboard (full width of hosebed). Includes handrails- (2) vertical mounted on trailing edge of body and (1) horizontal mounted handrail(s) below hosebed.	\$1,255		
3110-0087	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Ladder Tunnel. Includes smooth plate panels and storage access doors with Tri-Mark door latches.	\$3,120		

Item #	Description	Extension	+1/-1	Total
3110-0088	Full Height Rear Compartment with Officer Side Ladder Tunnel. Includes diamond plate panels and storage access door with push button latch. Officer side to have Rescue Pumper and Driver to have Pumper style enhanced extended.	\$5,015		
3110-0090	Handrail above B1 and below the hosebed will be "split". Each handrail to be approximately 18" and installed approximately 6" offset of centerline of B1 to allow for a 12" gap at center.	\$591		
3110-0091	Rear Mount rearward body compartments (with officer side pump panel). Includes L3- 60" wide x 24" deep (as applicable) in the 56" lower area and 12" deep in the 12" upper area and R3 (pump panel location)- 60" wide x 24" deep (as applicable) in the 24" lower area and 12" deep in the 44" upper area.	\$0		
3110-0092	Enhanced Extended Compartmentation stepped down below hosebed level. Includes embossed diamond plate compartment tops.	\$0		
3110-0093	Full Height Rear Compartment with Driver Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch.	\$1,308		
3110-0094	Full Height Rear Compartment with Upper Storage Compartment and Driver Side Storage Tunnel. Includes smooth plate panels and storage access doors with push button latches.	\$2,495		
3110-0095	Full Height Rear Compartment with Driver and Officer Side Storage Tunnels. Includes smooth plate panels and storage access doors with push button latches.	\$1,443		
3110-0096	Full Height Rear Compartment with Upper Storage Compartment, Driver and Officer Side Storage Tunnels. Includes smooth plate panels and storage access doors with push button latches.	\$2,792		
3110-0097	Bolt-on smooth plate tailboard (full width of rear compartment). Tailboard to include gator grip and be black duraback painted. Includes the enhanced extended side compartment frame work (2008 design) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed. Handrails to include center stanchion.	\$1,905		
3110-0098	Rear Mount rearward body compartments (with officer side pump panel). Includes L3- 60" wide x 24" deep (as applicable) in the 30" lower area and 12" deep in the 34" upper area and R3 (pump panel location)- 60" wide x 24" deep (as applicable) in the 24" lower area and 12" deep in the 44" upper area.	\$0		
3110-0099	NFPA hose bed access ladder. Zico model RL12 for increased visibility of rear outboard body mounted DOT/NFPA lighting. Includes required step lights and additional hand rail(s) if applicable. Location: [#LOC].	\$1,974		
3110-0100	Backboard stop bracket to be located approximately 76" back in officer side of ladder tunnel.	\$273		
3110-0101	Compartment preconnect hose feed thru. Includes smooth plate doors with push button latches. Locate to [#LOC] just outboard of the rear pump panel.	\$1,430		
3110-0102	Upper Storage Compartment to hold (2) backboards in place of standard ladder components. Backboard to be located on officer side of storage tunnel. Includes stop bracket located at approximately 74".	\$677		
3110-0103	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work with diamond plate compartment tops (embossed IPO Gator Grip due to department mounting of hose storage connectors in this area) and (1) driver and officer side lower area folding step (NO steps on driver or officer side upper areas). Main hosebed access is to be from the driver side of the pump module access ladder). Includes handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,105		
3110-0104	(2) vertically mounted booster reel roller assemblies. Locate (1) each side inboard side of the enhanced extended area (as far outboard as applicable). For use with rear compartment mounted booster reel.	\$552		
3110-0105	Upper Storage Compartment to hold (1) 17' Little Giant ladder and (1) backboard in place of standard ladder components. Little giant ladder to be located on officer side of storage tunnel stop bracket included approximately 113" back from opening, ladder to be stored in unfolded position. Backboard to be located in aluminum box hanging from upper area of officer side tunnel. Tunnel divider to be held 6" short from opening.	\$677		
3110-0106	Rear Mount pump/ladder tunnel access door. Includes single center mounted D-Ring latch and (2) hold open devices. Door to be [#LOC]. Door to open to 90 degrees and includes pull strap for access from ground.	\$558		

Item #	Description	Extension	+1/-1	Total
3110-0107	Upper and Lower Rear Compartment. Includes smooth plate panels. Includes a 19" channel for (2) tank inlets and (1) 5" jet dump located between the upper and lower non-transverse style compartments. The lower compartment height to be 15".	\$4,295		
3110-0108	Rear Mount rearward body compartments (with driver side pump panel). Includes R3- 60" wide x 24" deep (as applicable) in the 30" lower area and 12" deep in the 34" upper area and L3 (pump panel location)- 60" wide x 24" deep (as applicable) in the 24" lower area and 12" deep in the 44" upper area.	\$0		
3110-0109	Upper and Lower Rear Compartment. Includes smooth plate lower panels outboard of B1 and diamond plate upper panels outboard of B2. The B1 compartment to be 42" wide and B2 compartment to be 38" wide. Includes (2) 1.5" x 4" extrusions to be stacked between upper and lower compartments for directional light mounted under intermediate rear step.	\$4,189		
3110-0110	Rear Mount Rear Body. Includes rear body side structures with compartment L3/R3, interior compartment offset for pump panel location and mounting, rear body structure for rear mounted pump application. Includes painted job color smooth plate panels (and storage access door with push button latch, if applicable) outboard of pump access/panel(s) and rear body hosebed.	\$11,135		
3110-0111	Upper and Lower Rear Compartment. Includes smooth plate lower panels outboard of B1 and diamond plate upper panels outboard of B2. Includes (2) 1.5" x 4" extrusions to be stacked between upper and lower compartments for directional light mounted under intermediate rear step and back-up camera to be mounted centered in front of directional lightbar. The upper compartment to be offset to officer side due to rear discharge options.	\$4,189		
3110-0112	The rear mounted E-ONE logo to be the small size and mount to the outboard side on the driver side rear compartment face. No logo or tags are to be installed on the exterior rear pump/ladder access door.	\$0		
3110-0113	Bolt-on diamond plate 12" tailboard with Gator Grip (full width of body). Includes hand rails- (2) vertical on trailing edge of body and horizontal mounted hand rail(s) below hose bed.	\$1,181		
3110-0114	Bolt-on diamond plate 12" tailboard full width of body with Bustin Tread. This provides a flat back body design. Includes hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,181		
3110-0115	Bolt-on diamond plate 12" tailboard with Gator Grip (full width of body). Includes (2) squared off beavertails with hand rails- (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$886		
3110-0116	Bolt-on diamond plate 12" tailboard full width of body with Bustin Tread. Includes (2) squared off beavertails with hand rails, (2) vertically on trailing edge of beavertails and horizontally mounted hand rail below hose bed.	\$886		
3110-0117	Bolt-on diamond plate 20" tailboard with Gator Grip. Includes hand rails- (2) vertically on trailing edge of body and horizontally mounted hand rail(s) below hose bed.	\$1,099		
3110-0118	Bolt-on diamond plate 20" tailboard between rear side compartments with Bustin Tread. Includes hand rails (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,099		
3110-0119	Bolt-on diamond plate 20" tailboard with Gator Grip (full width of body). Includes (2) squared off beavertails with hand rails- (2) vertically on trailing edge of body and horizontally mounted hand rail(s) below hose bed.	\$1,099		
3110-0120	Bolt-on diamond plate 20" tailboard with Bustin Tread (full width of body). Includes (2) squared off beavertails with hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,099		
3110-0121	Bolt-on diamond plate 20" tailboard with Gator Grip (full width of body). Includes (2) slanted beavertails with removable outer panels and hand rails- (2) vertically on trailing edge of body and horizontally mounted hand rail(s) below hose bed.	\$1,099		
3110-0122	Bolt-on diamond plate 20" tailboard with Bustin Tread (full width of body). Includes (2) slanted beavertails and hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,099		
3110-0123	Lower rear stainless steel short compartment B1, 46" wide x 35" high x 26" deep. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,217		

Item #	Description	Extension	+1/-1	Total
3110-0124	Lower rear stainless steel tall compartment B1, 46" wide x 45" high x 26" deep. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,407		
3110-0125	Upper Storage Tunnel to have bolt-in side panels to enclose the sides of the tunnel.	\$677		
3110-0126	Upper and Lower Rear Compartment with Driver and Officer Side Storage Tunnels. Includes smooth plate panels. Includes a 19" area for (1) tank inlet and (1) 5" jet dump located between the upper and lower compartments. The lower compartment height to be 17". The upper compartment to be full height and depth, includes bolt-in floor for access to plumbing components. Driver side tunnel opening to be narrowed to allow non-recessed folding step.	\$4,607		
3110-0127	Bolt-on diamond plate 18" tailboard (full width of body). Includes (2) slanted beavertails (no stanchions) with removable outer panels and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed. Upper beavertail to be 8.75 due to folding steps.	\$1,374		
3110-0128	Full Height Rear Compartment with smooth plate panels. The rear compartment to be 36" due to the enhanced extended compartment and double door options.	\$1,549		
3110-0129	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. The rear compartment to be 36" due to the enhanced extended compartment and double door options.	\$1,683		
3110-0130	Rear end tanker. Includes smooth plate upper and lower panels and a smooth plate center strip for a Jet or Newton Dump application.	\$705		
3110-0131	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. Includes stepped upper horizontal tube to reduce hosebed height from ground over tank area.	\$2,556		
3110-0132	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 10" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work and handrails - (1) vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed.	\$2,643		
3110-0133	Rear end tanker. Includes smooth plate upper and lower panels, a smooth plate center strip for a Jet or Newton Dump application and upper area access door for thru the tank storage.	\$830		
3110-0134	Lower rear stainless steel short compartment B1, TBD" wide x TBD" high x TBD" deep. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$0		
3110-0135	Lower rear stainless steel tall compartment B1, TBD" wide x TBD" high x TBD" deep. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$0		
3110-0136	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (4) pike poles and a lift-up storage access door with push button latches (wire to door ajar). Lift-up door to use plunger style hold open device. Includes "NO STEP" tags located on outboard ends and positioned to be read from the open position of the door.	\$2,400		
3110-0137	Rear body panels to be painted smooth FRP.	\$314		
3110-0138	Rearend assembly with 3/4 height rear body compartment. Compartment located directly above chassis frame rails and to be non-transverse. For use with Industrial products and pumpers with large fuel tanks over 65 gallons. only.	\$1,407		
3110-0139	Rearend assembly with no rear compartment. For use with Industrial products only.	\$705		
3110-0140	Rearend assembly with 3/4 height rear end and dual dry chemical access doors. The upper access areas to either side of the center section to provide access to the dry chemical vessel and the nitrogen bottle(s). For use with Industrial products only.	\$1,056		
3110-0142	Upper rear compartment stepped for use newton dump.	\$221		
3110-0143	(2) bolt-on compartments. Locate (1) each side of B1. Each compartment includes a hinged smooth plate door with D-Ring latch (wired into door ajar indicator), removable slat flooring and Gator Grip compartment top. Driver side compartment to be 37" high and officer side compartment to be 31" high. Lower hosebed access step (two driver side and one officer side) to be mounted to inboard side of compartment.	\$2,321		



Item #	Description	Extension	+1/-1	Total
3110-0144	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 10" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work and handrails - (1) vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed on trailing edge of the intermediate step.	\$2,643		
3110-0145	Full Height Rear Compartment with smooth plate panels.	\$1,485		
3110-0146	Rear end with full height compartment. Includes diamond plate panels and double upper extrusions below hosebed area. Interior of compartment to be transverse side to side.	\$1,720		
3110-0147	Bolt-on diamond plate 16" tailboard (full width of body). Includes (2) slanted beavertails with raised stanchions post with E-ONE logo style mounts and removable outer panels, handrails- (2) vertically on trailing edge of body/beavertail and horizontally mounted handrail below hosebed on trailing edge of intermediate step.	\$886		
3110-0148	Bolt-on tailboard compartments located to the driver and officer side of B1. The bolt-on tailboard compartments to be 64" high with embossed diamond plate compartment tops. The compartments includes hinged smooth plate door with 1/4 turn latch(es). The each compartment to have 4" gap at top of the door. Each door to be wired into door ajar indicator.	\$3,390		
3110-0149	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles and a drop down storage access door with Tri-Mark latch (wire to door ajar).	\$2,489		
3110-0150	Upper Storage Compartment to hold (1) 17' Little Giant ladder. Little giant ladder to be located on driver side of storage tunnel stop bracket included approximately 58" back from opening.	\$677		
3110-0151	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 5.5" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work with diamond plate compartment tops, (1) officer side lower area folding step. Driver side includes (1) upper hosebed mounted handrail (as applicable) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$2,643		
3110-0152	Upper Storage Compartment divider to be located offset 26" from officer side. Officer side of divider to be enclosed to 86" deep and driver side of divider to be enclosed to 72" deep.	\$677		
3110-0153	Rear access into the enhanced extended portion of the L2 and R2 compartments. Includes smooth plate access doors with (2) push button latches each (wired to door ajar).	\$866		
3110-0154	Bolt-on diamond plate 6" tailboard (full width of body). Includes handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,223		
3110-0155	Extruded lower rearend for use with Wetside tank. Includes smooth plate panels and area for Newton dump application.	\$1,139		
3110-0156	Upper Storage Compartment to hold (1) 17' Little Giant ladder, (1) 24' 2-section ladder, (1) 14' roof ladder, (1) 10' attic ladder and (2) pike poles.	\$677		
3110-0157	Rear end with Upper Storage Compartment. Includes smooth plate panels. Includes area for misc. storage and vertical hinged double doors with D-ring latch (wire to door ajar).	\$2,400		
3110-0158	Bolt-on diamond plate 16" tailboard (full width of body). Includes handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,366		
3110-0159	Full Height Rear Compartment with smooth plate panels for mini pumper. Compartment width will be 44" wide.	\$1,174		
3110-0160	(2) bolt-on compartments. Locate (1) each side of B1 - driver side to have 11.5" wide x 46" high opening and officer side to have 14.5" wide x 29" high opening. Each compartment to be 21" deep. Each compartment includes a hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-Ring latch (wired into door ajar indicator), removable slat flooring and Gator Grip compartment top. Lower hosebed access step (two on the driver side and one on the officer side) to be mounted to inboard side of compartment.	\$2,166		

Item #	Description	Extension	+1/-1	Total
3110-0161	Bolt-on diamond plate 25" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and (2) 48" handrails vertical on beavertails and (1) 36" horizontal below hosebed.	\$1,354		
3110-0162	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. B1 compartment opening to be 35" wide due to officer side tailboard compartment.	\$1,496		
3110-0163	Enhanced extended rear end with tall rear compartment and with officer side storage tunnel. Driver side enhanced extended to be Pumper style and officer to be Recue Pumper style. Officer side hosebed extrusion to be stepped for storage tunnel. Included are diamond plate tailboard full width of the rear compartment, smooth plate panels and storage access door (wired to door ajar) with push button latch.	\$2,821		
3110-0164	Bolt-on diamond plate 24" tailboard (full width of body). Includes (2) squared off 12" deep beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed. The outer beavertail panels to be aluminum smooth plate to allow for chevron striping. For use with swivel style rear tank dump only.	\$1,508		
3110-0165	Full Height Rear Compartment with Driver Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. The rear compartment to be 36" due to the enhanced extended compartment and double door options.	\$1,683		
3110-0166	Full height rear compartment with officer side storage tunnel. Includes bolt-on intermediate step above. SS eMAX only.	\$1,561		
3110-0167	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Ladder Tunnel. Includes smooth plate panels and storage access doors with Tri-Mark model 030-1300 door latches. The upper tunnel access door to be horizontally hinged lift-up with gas shock. The upper tunnel to have on the officer side a stop at 128" and on the driver side a stop at 72" from rear of truck.	\$3,036		
3110-0168	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 5" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work, (1) officer side lower area folding step and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,930		
3110-0169	Right Rear Panel Compartment at the rear face of the body on the right side. The compartment shall be 58" high x 27" wide x 10" deep equipped with a single stainless steel lap style door with D-ring locking latch. The floor will be lined with 1/2" U.H.M.W plastic.	\$3,067		
3110-0170	Lower Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch.	\$1,443		
3110-0171	Rear of stainless steel aerial body to have un-painted smooth plate panels to facilitate rear body striping.	\$336		
3110-0172	Bolt-on diamond plate 14" tailboard full width of body with Bustin Tread, provides flat back body design. Includes rear of body hand rails.	\$1,251		
3110-0173	Rear body smooth ladder door be painted job color finish to match body color.	\$450		
3110-0174	Traffic advisor platework to be removed to allow for taller compartment opening.	\$0		
3110-0175	Lower Rear Compartment only. Upper section to be smooth plate panel. Includes smooth plate panels. Upper section to be set back 8" with diamond plate step with gator grip.	\$2,842		
3110-0176	Full Height Rear Compartment. Includes smooth plate panels. B1 to be as tall as possible (remove traffic advisor platework).	\$1,378		
3110-0177	Bolt-on diamond plate 12" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and (2) vertical mounted handrails on trailing edge of body.	\$886		

Item #	Description	Extension	+1/-1	Total
3110-0178	Full height rear compartment. Includes smooth plate panels. Bolt-on diamond plate tailboard (full width of rear compartment). Includes the driver side rescue style enhanced extended side compartment frame work with diamond plate compartment tops, officer side pumper style enhanced extended side compartment frame work with diamond plate compartment top. Officer side lower rear compartment will be transverse with B1. Handrail included and located: (1) driver upper hosebed mounted handrail (as applicable) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$3,256		
3110-0179	Upper Storage Compartment to hold (1) 24' 2-section ladder, (1) 14' roof ladder, (1) 12' pike pole, (1) 8' pike pole, (2) 6' pike poles and (2) 6' D-handle trash hooks. Area rearward of pike poles to be closed off just before fill towers.	\$866		
3110-0180	Bolt-on diamond plate 14" tailboard (full width of body). For use with rear ladder/flat back style application. Includes handrails- (1) mounted vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed.	\$1,217		
3110-0181	Rear flip down tailboard. Includes indicator in cab when the tailboard is in the down position. Includes handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$4,267		
3110-0182	Full Height Rear Compartment with Upper Storage Compartment. Includes diamond plate panels. Includes area for misc. storage and a drop down storage access door with a D-ring latch (wire to door ajar).	\$2,400		
3110-0183	Full height rear compartment with upper ladder storage compartment. Includes smooth plate panels. Includes area for storage of (1) 24',(1)14',(1)10' attic, (2) pike poles and a drop down storage access door with push button latches (wire to door ajar).note door to open up past 90 degrees.	\$2,400		
3110-0184	(2) bolt-on compartments. Locate (1) each side of B1 - driver side to have 13" wide opening and officer side to have 16" wide opening. Each compartment includes a hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-Ring latch (wired into door ajar indicator), removable slat flooring and Gator Grip compartment top. Lower hosebed access step (one each side) to be mounted to inboard side of compartment.	\$2,166		
3110-0185	Upper and Lower Rear Compartment. Includes smooth plate panels. Upper compartment to be as tall as possible (remove traffic advisor platework).	\$2,131		
3110-0186	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. Area just below hosebed for discharge pipe routing above the rear compartment. Includes stepped upper horizontal tube to reduce hosebed height from ground over tank area.	\$2,838		
3110-0187	Rearend assembly with 3/4 height rear body for dry chemical access. Includes smooth plate panels. Compartment opening located directly above chassis frame rails and vertically hinged access door with D-ring latches. For use with Industrial products only.	\$1,407		
3110-0188	Bolt-on diamond plate 10" tailboard (full width of body). For use with rear ladder application. Includes a handrail vertically mounted on trailing edge of body opposite side of ladder.	\$1,058		
3110-0189	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch (remove traffic advisor platework).	\$1,308		
3110-0190	Lower rear stainless steel short compartment B1, 46" x 35" high x 26" deep. Includes intermediate step above. Side walls removed to allow a Little Giant ladder to be slid in from compartment R3. Provide a stainless steel bolt-on panel to conceal and protect ladder when stored.	\$1,505		
3110-0191	Bolt-on diamond plate 14" tailboard between rear side compartments with Bustin Tread. Includes hand rails (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,251		
3110-0193	Full Height Rear Compartment with Driver Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch.	\$1,803		
3110-0194	Full Height Rear Compartment with smooth plate panels. The B1 compartment to be 40" wide, full depth (no compartment break) and as tall as possible (remove traffic advisor platework).	\$1,803		

Item #	Description	Extension	+1/-1	Total
3110-0195	Full Height Rear Compartment. Includes smooth plate panels. The rear compartment to be 36" due to the enhanced extended compartment and double door options.	\$1,300		
3110-0196	Rear end assembly with dual dry chemical access doors. The upper access areas to either side of the center section to provide access to the dry chemical vessel and the nitrogen bottle(s) to include (2) dividers.	\$2,187		
3110-0197	The rear mounted E-ONE logo to be centered on the rear Stokes storage door.	\$0		
3110-0198	B1 floor to be recessed as applicable to allow for booster reel and/or dealer installed equipment to be located below newton dump/applicable dump without interference.	\$574		
3110-0199	Compartment B1, 24" wide x 10" high x 26" deep, located between full length chassis frame rails. The compartment shall include a bottom hinged drop-down access door using a D-ring latch (wire to door ajar).	\$1,102		
3110-0200	Full Height Rear Compartment with Driver and Officer Side Storage Tunnels. Includes smooth plate panels and storage access doors with d-ring latches.	\$1,475		
3110-0201	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 10" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work and (1) handrail vertical on trailing edge of driver's side of body and horizontal mounted handrail (driver's side) below hosebed.	\$2,643		
3110-0202	Upper and Lower Rear Compartment. Includes upper and lower sanded smooth plate panels. Upper rear compartment door to be offset to driver side constructed of smooth plate. Upper rear compartment to be 56" wide for little giant ladder storage. (2) 1.5" x 4" extrusions to be stacked between upper and lower compartments for directional light mounted under intermediate rear step.	\$2,603		
3110-0203	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work with diamond plate compartment tops raised 12" to cover rear piping, (1) officer side lower area folding step. Driver side includes (1) upper hosebed mounted handrail (as applicable) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,354		
3110-0204	Lower rear stainless steel tall compartment B1, 46" wide x 50" high x 26" deep. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,500		
3110-0205	Full Height Rear Compartment with smooth plate panels for mini pumper. Compartment opening dimensions will be approximately 44" wide x 38" wide. Extra compartment height will reduce the hosbed by approximately 11".	\$1,174		
3110-0206	Full Height Rear (no compartment). Includes opening for access to rear mount pump panel and smooth plate panels. Includes openings for preconnects to driver's side of rear pump panel	\$1,670		
3110-0207	Lower rear stainless steel short compartment B1, 46" wide x 35" high x 26" deep, without an intermediate rear step. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$973		
3110-0208	Bolt-on diamond plate 10" tailboard (full width of body). For use with a folding step application. Includes handrails- (2) vertical on trailing edge of body and handrail(s) horizontal below hosebed.	\$813		
3110-0209	Upper and Lower Rear Compartment. Includes smooth plate panels. B1 to be 36" wide due to enhanced extended feature and hinged door(s) as required.	\$2,810		
3110-0210	Bolt-on diamond plate 10" tailboard (full width of body). For use with folding step application. Includes handrails- (1) vertical on trailing edge each side of body and handrail(s) horizontal below hose bed.	\$1,058		
3110-0211	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work with diamond plate compartment tops, (2) recessed folding steps in lower area (1) officer side, (1) driver side. Driver side includes (1) upper hosebed mounted handrail (as applicable) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,268		
3110-0212	Bolt-on diamond plate tailboard (full width of hosebed). Additional 10" of tailboard to run full width of body ("T" shaped tailboard). Includes the extended side compartment frame work and handrails- (2) vertical mounted on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$2,643		

Item #	Description	Extension	+1/-1	Total
3110-0213	Bolt-on diamond plate 20" tailboard with Bustin Tread (full width of body). Includes (2) slanted beavertails and hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed. Lower rear stainless steel short compartment B1, 46" wide x 35" high x 26" deep, without an intermediate rear step. Entire rear panel to be smooth stainless steel for Chevron graphics.	\$2,415		
3110-0215	Upper Storage Compartment to hold (1) 10' attic ladder, (4) pike poles, and (2) 6" x 10' hard suction hoses. Includes stop bracket included approximately 130" back from opening. An enclosed frontal area shall be included as part of the tunnel design.	\$677		
3110-0216	Bolt-on diamond plate 12" tailboard (full width of body). Includes (2) squared off beavertails with stanchions and removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$886		
3110-0217	(1) Officer side rear pump module roof top compartment. Includes hinged raised aluminum smooth plate with black Scorpion coating (IPOS diamond plate) compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$1,868		
3110-0218	(1) Driver side rear pump module roof top compartment. Includes hinged raised smooth plate with black Scorpion coating (IPOS diamond plate) compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$1,868		
3110-0220	Bolt-on 10" tailboard (full width of body) aluminum smooth plate with black Scorpion coating (IPOS diamond plate). For use with rear ladder application. Includes handrails- (1) vertically on trailing edge of body opposite side of ladder and handrail(s) horizontally below hosebed.	\$1,389		
3110-0221	Full height rear compartment with upper storage compartment. Includes smooth plate panels. Includes area for misc. storage and a lift up storage access door with push button latches (wire to door ajar).	\$2,583		
3110-0222	Bolt-on 10" diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work. For use with rear ladder application. Includes handrails (1) vertical mounted on trailing edge of body opposite side of ladder and (1) horizontal mounted handrail(s) below hosebed.	\$2,315		
3110-0223	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with d-ring latch.	\$1,308		
3110-0224	Rear body panels to be upgraded from smooth aluminum plate to un-painted smooth FRP.	\$314		
3110-0225	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles and a lift up storage access door with push button latches (wire to door ajar). The door shall be held in place with a plunger style hold open device.	\$2,400		
3110-0226	Bolt-on diamond plate 22" tailboard between rear side compartments with Bustin Tread. Includes hand rails (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,251		
3110-0227	Upper and lower rear compartment. Includes smooth plate panels. For use with raised lower rear body (B1 is 25" high).	\$2,003		
3110-0228	Bolt-on diamond plate 12" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical trailing edge of body and horizontal mounted handrail(s) below hosebed. Beavertails and outer panels to be smooth plate painted job color. Tailboard to diamond plate painted black durabak.	\$2,185		
3110-0229	Lower rear stainless steel tall compartment B1, 46" wide x approx. 64" high x 26" deep, but door opening remains in the normal 45" high position. Includes bolt-on intermediate step above the door opening. Entire rear panel to be smooth plate for Chevron graphics.	\$1,557		

Item #	Description	Extension	+1/-1	Total
3110-0230	Bolt-on 10" tailboard (full width of body) aluminum smooth plate with black Scorpion coating (rough finish) IPOS diamond plate. For use with rear ladder application. Includes handrails- (1) vertically on trailing edge of body opposite side of ladder and handrail(s) horizontally below hosebed.	\$1,389		
3110-0231	(1) bolt-on compartment. Locate on the officer side of rear step and to have 16" wide opening. The compartment includes a vertically hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-ring latch (wired into door ajar indicator), removable Duradek flooring and embossed non-skid treadplate compartment top. Lower hose bed access step to be mounted to inboard side of compartment.	\$1,085		
3110-0232	Bolt-on diamond plate 22 inch tailboard tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,386		
3110-0233	Bolt-on tailboard compartments located to the driver and officer side of B-1. The bolt-on tailboard compartments to be full height just below hosebed. Doors to be (1) Piece full height as applicable and hinged to the outside with push-button latches. Install shelf tracking in each compartment full height	\$4,012		
3110-0234	Upper Storage Compartment to hold (1) stokes basket in place of standard ladder components. Stokes basket to be located on officer side of storage tunnel. Stop bracket full width across tunnel shall be included.	\$192		
3110-0235	Step full width rear intermediate. Intermediate rear step to be located just below the upper ladder storage compartment.	\$916		
3110-0236	Step full width rear intermediate. Intermediate rear step to be located just above the upper ladder storage compartment.	\$916		
3110-0237	Full height rear compartment with upper storage compartment. Includes smooth plate panels. Includes an area for misc. storage and a lift up storage access door with a D-ring latch (wire to door ajar) and a plunger style hold open device. To include a storage sleeve for (2) backboards (72"X16"X2" each) offset to the officer side with a stop at 80".	\$2,763		
3110-0238	Bolt-on diamond plate 18" tailboard (full width of body). Includes handrails- (2) vertically on trailing edge of body and handrail(s) horizontally below hosebed.	\$2,017		
3110-0239	Bolt-on diamond plate 10" tailboard (full width of body). Includes handrail - (1) vertically on officer side trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,181		
3110-0240	Lower Rear Compartment with access door above to the ladders storage thru tank. Includes smooth plate panels and storage access door with push button latches.	\$1,954		
3110-0241	(1) bolt-on compartment 17" W x 40" H x 11" D. Locate on the officer side of rear step and to have 15" wide opening. The compartment includes a vertically hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-ring latch (wired into door ajar indicator), removable Duradek flooring and embossed non-skid treadplate compartment top. Lower hose bed access steps to be mounted to inboard side of compartment.	\$1,148		
3110-0242	Bolt-on diamond plate 25" tailboard between rear side compartments with Bustin Tread. Includes hand rails (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,251		
3110-0243	Bolt-on diamond plate 16" tailboard (full width of body). For use with flat back style body. Includes handrails- (1) vertically on trailing edge of body opposite side of ladder and handrail(s) horizontally below hosebed.	\$1,944		
3110-0244	Single Low Rear Compartment with Officer Side Storage Tunnel. For use with low hosebed. Includes smooth plate panels and storage access door with push button latch.	\$1,308		
3110-0245	Bolt-on diamond plate 18" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed. Outer panels to be smooth plate painted job color.	\$1,319		
3110-0246	Bolt-on diamond plate 18" tailboard (full width of body). For use with rear ladder application. Includes handrails- (1) vertically on trailing edge of body opposite side of ladder and handrail(s) horizontally below hosebed.	\$2,017		

Item #	Description	Extension	+1/-1	Total
3110-0247	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. Upper compartment to be approx 17" high x 38" wide x 26" deep.	\$1,845		
3110-0248	Full Height Rear Compartment. Includes smooth plate panels, angled rear body with flip down tailboard and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$3,745		
3110-0249	Bolt-on diamond plate 10" tailboard (full width of body). Includes handrails- (2) vertically on trailing edge of body. Must be used with hosebed dividers that include hand hold cut outs (the horizontally mounted handrail(s) are not included).	\$1,181		
3110-0250	Top of body stepping surface plate work (compartment tops and enhanced extended compartment top at rear of body) shall be smooth plate painted black Durabak.	\$831		
3110-0251	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes flush smooth plate rear facing body panels and storage access door with push button latch.	\$1,499		
3110-0252	Enhanced extended exterior inside facing walls at either side of B1 compartment opening shall be smooth plate painted black durabak.	\$684		
3110-0253	Full Height Rear Compartment with smooth plate panels. Compartment material to be 5083-H321.	\$1,517		
3110-0254	Single low rear compartment. For use with low hosebed. Includes smooth plate panels.	\$1,300		
3110-0255	Full Height Rear Compartment 44" wide. Includes smooth plate panels.	\$1,407		
3110-0256	Bolt-on diamond plate 14" tailboard (full width of body). For use with dual rear ladder application. Includes handrail horizontally mounted below hosebed.	\$1,217		
3110-0257	Rear Panel Compartment. Compartment B1, located centered ahead of the rear tailboard, shall be 46" wide x approximately 50" high x 26" deep. Solid walls shall be provided on both sides of the rear compartment. This compartment shall be of 12 gauge 304L stainless steel.	\$1,442		
3110-0258	Rear Panel Area. The entire rear panel of the body shall be covered using smooth FRP panels for application of the Chevron graphics. The rear panel area shall be of the flat back body design.	\$2,122		
3110-0259	Bolt-on diamond plate 14" tailboard (full width of body). Includes handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,339		
3110-0260	(1) officer side rear pump module extra width (inboard side) roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) Amdor LED strip light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$3,078		
3110-0261	(1) driver side rear pump module extra width (inboard side) roof top compartment (offset rearward and sized to allow deck gun to stow without interfering with hosebed area). Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) Amdor LED strip light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed.	\$2,704		
3110-0262	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Storage Tunnel. Upper Storage Compartment to be fully enclosed drop in / bolt in box with top. Compartment to be full height X full width of opening and 86" deep with a vertical partition located 26" from officer side. Driver side of partition to have a stop located 75" from box opening. Includes smooth plate panels and storage access doors with push button latches.	\$5,667		
3110-0263	Lower Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. Includes bolt-on panel between recessed traffic advisor and lower compartment for rear tank fill.	\$1,637		
3110-0264	Lower rear stainless steel tall compartment B1, 46" wide x 60" high x 26" deep. Entire rear panel to be smooth FRP plate for Chevron graphics.	\$1,435		
3110-0265	Bolt-on diamond plate 16" tailboard full width of body with Bustin Tread. This provides a flat back body design. Includes hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,291		

Item #	Description	Extension	+1/-1	Total
3110-0266	Rear end tanker. Includes smooth plate upper and lower panels, a smooth plate center strip for a Jet or Newton Dump application, driver, and officer side access doors for storage tunnels.	\$919		
3110-0267	Upper and Lower Rear Compartment. Includes smooth plate panels. Upper compartment to be as tall as possible (remove traffic advisor platework).	\$2,845		
3110-0268	Bolt-on diamond plate 12" tailboard 98" width Bustin Tread and Chicago style mitered corners. This provides a flat back body design. Includes hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,419		
3110-0269	Lower rear stainless steel short and narrow compartment B1, 26" wide x 35" high x 26" deep, for use with special lower rear panel plumbing options. Includes 46" wide intermediate rear step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,227		
3110-0273	Full Height Rear Compartment with 4" high permanent diamond plate shelf for a Upper and Lower Rear Compartment design. Includes smooth plate panels. Upper compartment to be as tall as possible (remove traffic advisor platework).	\$2,845		
3110-0274	Bolt-on diamond plate 24" tailboard (full width of body). Includes (2) squared off 10" deep beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed. For use with swivel style rear tank dump only.	\$1,295		
3110-0275	Lower rear stainless steel tall compartment B1, 46" wide x approx. 64" high x 34" deep, door opening 53" high position. Includes bolt-on intermediate step above the door opening. Entire rear panel to be smooth plate for Chevron graphics.	\$1,834		
3110-0276	Lower Rear Compartment with access above to the ladders storage thru tank. Includes smooth plate panels and stepped upper horizontal tube to reduce hosebed height from ground over tank area.	\$2,256		
3110-0277	Lower rear stainless steel short compartment B1, 46" wide x 40.25" high x 26" deep. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,217		
3110-0278	Upper rear body panel below hose bed and above lower compartments to be brushed stainless steel (no chevron). Panel to be full width and includes the area behind the rear discharge pipes.	\$216		
3110-0279	Bolt-on diamond plate 20" tailboard (full width of body). Includes (2) slanted beavertails with lowered height approx 5.5" from standard to inhibit interference as stowed with beacon lights as optioned (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,432		
3110-0280	Bolt-on diamond plate 20" full width tailboard between rear side compartments with Bustin Tread. Includes hand rails (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed. Trailing edge of side compartments include 2" deep aluminum treadplate bumperettes to align tailboard to back of body.	\$1,299		
3110-0281	Full Height Rear Compartment with Upper Storage Compartment and Side Storage Tunnel. Includes smooth plate panels and storage access doors with "D"-ring latches.	\$2,495		
3110-0282	Single low rear compartment. For use with low hosebed. Includes smooth plate panels. B1 compartment 28" deep.	\$1,122		
3110-0283	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles and a drop down storage access door with D-Ring latch (wire to door ajar).	\$2,486		
3110-0284	Bolt-on diamond plate 18" tailboard (full width of body). Includes (2) slanted beavertails (no stanchions) with removable outer panels and handrails- (2) vertically on trailing edge of body.	\$1,163		
3110-0285	The rearend area of the extra wide roof top compartment above the Zico access ladder to be recessed in 16". The stepping area to be embossed diamond plate and side and forward plates to be diamond plate.	\$865		
3110-0286	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Storage Tunnel. Includes smooth plate panels and storage access doors with "D"-ring latches. Divider to be full length and be positioned 27" off of driver side compartment wall or as applicable close to fill tower on water tank. Area to the left of the divider to have a stop and be 84" deep. Area to the right of the divider to have a stop and be 75" deep.	\$2,532		



Item #	Description	Extension	+1/-1	Total
3110-0287	Upper rear stainless steel short compartment B2, 36" wide x 16" high x 26" deep. Entire rear panel to be smooth FRP plate for Chevron graphics.	\$982		
3110-0288	Bolt-on diamond plate 12" tailboard full width of body with Bustin Tread, provides a flat back body design. Center section of step to be able to pull out and provide additional stepping surface. Includes hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$2,734		
3110-0289	Pumper rear mount rear end with lower pump panel provisions and upper pump maintenance access door with driver side ladder tunnel. Includes smooth plate panels and storage access doors with D-ring latches.	\$1,375		
3110-0290	Bolt-on diamond plate 12" tailboard (full width of body). For use with rear ladder application. Includes handrails- (1) vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed.	\$1,148		
3110-0291	Single Low Rear Compartment with Officer Side Storage Tunnel. For use with low hosebed. Includes smooth plate panels and storage access door with d-ring latch.	\$1,308		
3110-0292	Rear Panel Compartment. Compartment B1, located centered ahead of the rear tailboard, shall be 46" wide x approximately 50" high x 32" deep. Solid walls shall be provided on both sides of the rear compartment. This compartment shall be of 12 gauge 304L stainless steel.	\$1,442		
3110-0293	Bolt-on diamond plate 12" tailboard full width of body with Bustin Tread. This provides a flat back body design. Includes hand rails, (2) vertically on trailing edge of body and NO horizontally mounted hand rail below hose bed.	\$1,136		
3110-0294	Lower rear stainless steel short compartment B1, 46" wide x 35" high x 26" deep, without an intermediate rear step for hinged doors. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$973		
3110-0295	HS pumper / rescue pumper rear body with officer side storage tunnel. Includes center radiator mesh, smooth plate panels and storage access door with push button latch.	\$1,918		
3110-0296	Lower Rear Compartment only. Upper section to be smooth plate panel. Includes smooth plate panels.	\$1,217		
3110-0297	HS pumper / rescue pumper rear body. Includes center radiator mesh and smooth plate panels.	\$1,730		
3110-0298	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 28', (1) 14', (1) 10' Attic, (1) Dry wall hook, (2) pike poles and a drop down storage access door with push buton latches (wire to door ajar).	\$2,400		
3110-0299	1" X 1.5" extrusion added to lower B1 compartment door opening to form a 10" wide notch offset to officer side for 5" LDH hose connected to customer supplied and installed valve stored in B1. This will also require floor mounted rollout tray to be raised to clear lower door opening.	\$408		
3110-0300	Full Height Rear Pump Panel Compartment with officer side ladder tunnel storage with smooth plate door secured with D-Ring style latch. Includes smooth plate panels, angled rear body with flip down tailboard and handrails as applicable. Pump Panels to be recessed in the rear body and enclosed on all sides.	\$5,983		
3110-0301	Bolt-on diamond plate 10" tailboard (full width of body) with center integral slide-out step. Includes handrails- (1) vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed.	\$2,313		
3110-0302	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) NY Roof Hook style pike poles and a drop down storage access door with push buton latches (wire to door ajar).	\$2,400		
3110-0303	Full Height Rear Compartment with Driver and Officer Side Storage Tunnels. Includes smooth plate panels and storage access doors with push button latches tied to door ajar. Rear compartment to be dual purpose and equipped with a 22" wide door opening on the driver side and a rear body panel added in the remaining space for a rear slam strip to accommodate a jet dump and a direct tank fill in the lower officer side area of the rear compartment. Upper area above slam strip to include a vertical hinged access door of smooth plate aluminum matching rear of body selected finish with stainless steel hinge, push button latch and rubber impact bumper to cushion door on handrail in open position.	\$3,051		
3110-0304	Full Height Rear Pump Panel Compartment. Includes smooth plate panels, angled rear body with flip down tailboard and handrails as applicable. Pump Panels to be recessed in the rear body and enclosed on all sides.	\$5,759		

Item #	Description	Extension	+1/-1	Total
3110-0305	Lower rear stainless steel tall compartment B1, 46" wide x 45" high x 26" deep without intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,163		
3110-0306	Lower Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with "D"-ring.	\$1,443		
3110-0307	Rear end assembly with 3/4 height rear end and (3) dry chemical access doors. The upper access areas to the center section to provide access to the dry chemical vessel and two access doors to the nitrogen bottle(s). For use with Industrial products only.	\$1,056		
3110-0308	Upper rear stainless steel short compartment B2, 39" wide x 12" high x 26" deep. Entire rear panel to be smooth FRP plate for Chevron graphics.	\$982		
3110-0309	Bolt-on 3/16" (.1875") smooth plate painted black Durabak 10" tailboard (full width of body). For use with rear ladder application. Includes handrails- (1) vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed.	\$1,323		
3110-0310	Full height rear compartment with upper ladder storage compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' attic, (3) pike poles, including (1) one each 6', 8' and 10' with APH style hooks, a lift up storage access door with hold open springs and push button latches (wire to door ajar) note door to open up 90 degrees. There shall be label 'DO NOT STEP' to be applied "upside down" as viewed from the ground at the bottom of the lift-up door.	\$2,632		
3110-0311	Bolt-on diamond plate tailboard (full width of rear compartment). 20" tailboard to run full width of body ("T" shaped tailboard). Includes the extended side compartment frame work and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$2,017		
3110-0312	Bolt-on diamond plate 18" tailboard (full width of body). Includes (2) slanted beavertails (no stanchions) with removable outer smooth plate panels painted job color and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$2,207		
3110-0313	Full Height Rear Compartment with Driver Side Storage Tunnel. Includes smooth plate panels and storage access door with D-ring latch.	\$1,355		
3110-0314	Rear flip down tailboard to be painted Durabak black. Includes indicator in cab when the tailboard is in the down position. Includes handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$5,333		
3110-0315	Upper rear compartment depth to be approximately 40" deep.	\$316		
3110-0316	Lower Rear Compartment only 46" wide opening. Upper section to be smooth plate panel. Includes smooth plate panels.	\$1,404		
3110-0317	Rear flip down tailboard. Includes indicator in cab when the tailboard is in the down position. Includes handrails- (1) vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed.	\$4,267		
3110-0318	Upper and lower rear compartment. Includes smooth plate panels. For use with raised lower rear body (B1 is 29" high).	\$2,003		
3110-0319	Handrails on rear of body below hosebed IPO standard hand rail. Includes (2) horizontally mounted handrails with offset stanchions. (1) each side of the camera below hosebed.	\$0		
3110-0320	Full Height Rear Compartment with Officer Side Storage Tunnel. Rear tank fill to terminate above rear compartment thru a bolt-on access panel. Includes smooth plate panels and storage access door with push button latch.	\$1,730		
3110-0321	Rear end tanker. Includes smooth plate upper and lower panels and a smooth plate center strip for a Newton Dump application.	\$916		
3110-0322	Lower rear stainless steel short compartment B1, for hose reel.	\$1,217		
3110-0323	Bolt-on diamond plate 12" tailboard full width of body with Bustin Tread. This provides a flat back body design. Includes hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,181		

Item #	Description	Extension	+1/-1	Total
3110-0324	Full Height Rear Compartment with Driver Side Storage Tunnel. Includes smooth plate panels and storage access door with "D"-ring latch.	\$1,308		
3110-0325	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the rear beavertail compartments and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$2,643		
3110-0326	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 10" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work and handrails- (2) vertical on trailing edge of body. Does not include the horizontal handrail.	\$2,643		
3110-0327	Rear body panels to be upgraded from smooth aluminum plate to aluminum treadplate. This includes the doors for ladder and storage tunnels (if applicable). For use with dealer/customer installed rear panel chevron.	\$767		
3110-0328	Bolt-on diamond plate 16" tailboard with Bustin Tread (full width of body). Includes (2) slanted beavertails and hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,036		
3110-0329	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24' / 2section, (1) 16' roof, (1) 10' Attic, (3) pike poles with a drop down storage access door with push button latches (wire to door ajar).	\$2,451		
3110-0330	Single low rear compartment. B1 compartment to be 30" deep and non transverse. For use with low hosebed. Includes smooth plate panels.	\$1,122		
3110-0331	Lower rear stainless steel short compartment B1 between full length chassis frame rails with drop-down door, 26.5" wide x 14.5" high x 26" deep. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$993		
3110-0332	Bolt-on diamond plate 10" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,994		
3110-0333	Enclosed Rear Pump Panel on Rear Mount. Includes 40" wide pump panel opening. Upper module area to have embossed diamond plate top.	\$1,964		
3110-0334	Bolt-on diamond plate 14" tailboard (full width of body). For use with rear ladder application. Includes handrails- (1) mounted vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed. Gator grip to be on each end outboard of the rear pump panel enclosure.	\$1,217		
3110-0335	Rear Compartment between frame rails. Includes bottom hinged drop-down access door using a D-ring latch (wire to door ajar).	\$1,102		
3110-0336	The rearend area of the extra wide roof top compartment above the Zico access ladder to be recessed in 16". The stepping surface to be embossed diamond plate, side plates to be diamond plate and forward plate to be sanded smooth plate.	\$865		
3110-0337	Full Height Rear Compartment with Officer Side Combination Storage Tunnel. Includes smooth plate panels and storage access doors with d-ring latches.	\$2,987		
3110-0338	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (3) pike poles and a drop down storage access door with push button latches (wire to door ajar).	\$2,588		
3110-0339	Bolt-on diamond plate 14" tailboard (full width of body). For use without a rear ladder application. Includes handrails- (2) mounted vertical on trailing edge of body and handrail(s) horizontal below hosebed.	\$1,217		
3110-0340	Full Height Rear Compartment with Driver Side Combination Storage Tunnel. Includes smooth plate panels and storage access doors with d-ring latches.	\$2,987		
3110-0341	Pumper rear mount rear end with lower pump panel provisions and upper pump maintenance access door with officer side ladder tunnel. Includes smooth plate panels and storage access doors with push button latches.	\$1,375		

Item #	Description	Extension	+1/-1	Total
3110-0342	Lower rear stainless steel compartment B1, 24" wide x 20" high x 26" deep, located between full length chassis frame rails. For use with special lower rear panel plumbing options with a low hose bed design. Entire rear panel to be smooth aluminum plate for Chevron graphics. No intermediate step above.	\$980		
3110-0343	(1) bolt-on compartment 17" W x 40" H x 11" D. Locate on the driver side of rear step and to have 15" wide opening. The compartment includes a vertically hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-ring latch (wired into door ajar indicator), removable Duradek flooring and embossed non-skid treadplate compartment top. Lower hose bed access steps to be mounted to inboard side of compartment.	\$1,148		
3110-0344	Rear body panels to be upgraded from smooth aluminum plate to painted smooth FRP.	\$314		
3110-0345	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push button latch. The B1 compartment to be 40" wide, full depth (no compartment break) and as tall as possible.	\$1,308		
3110-0346	The rearend area of the extra wide roof top compartment above the Zico access ladder to be recessed in 16in. The stepping area to be embossed diamond plate and side and forward plates to be smooth plate painted job color.	\$1,041		
3110-0347	Rear body panels to be unpainted smooth FRP. For use with full width rear chevron applications.	\$199		
3110-0348	Bolt-on diamond plate 22" tailboard with Bustin Tread (full width of body). Includes (2) squared off beavertails with hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,215		
3110-0349	(1) bolt-on compartment 19" W x 36" H x 20" D. Locate on the officer side of rear step and to have 17" wide opening. The compartment includes a vertically hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-ring latch (wired into door ajar indicator), removable Duradek flooring and embossed non-skid treadplate compartment top. Lower hose bed access steps to be mounted to inboard side of compartment.	\$1,411		
3110-0350	((1) bolt-on compartment 17" W x 36" H x 20" D. Locate on the driver side of rear step and to have 15" wide opening. The compartment includes a vertically hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-ring latch (wired into door ajar indicator), removable Duradek flooring and embossed non-skid treadplate compartment top. Lower hose bed access steps to be mounted to inboard side of compartment.	\$1,371		
3110-0351	Lower rear stainless steel narrow compartment B1 opening, approximately 29" wide. For use with special lower rear step compartment options.	\$0		
3110-0352	Bolt-on diamond plate tailboard (full width of driver side hosebed to officer side rear compartment). Includes the enhanced extended officer side compartment frame work. Driver side includes (1) upper hosebed mounted handrail (as applicable) and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$981		
3110-0353	Bolt-on diamond plate 22" full width tailboard between rear side compartments with Bustin Tread. Includes hand rails (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed. Trailing edge of side compartments include 4" deep aluminum treadplate bumperettes to align tailboard to back of body.	\$1,299		
3110-0354	Lower rear stainless steel short compartment B1, transverse access, 46" wide x 35" high x 26" deep. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,217		
3110-0355	Angled (Boston style) style tailboard corners. 8" x 8" cutouts to be provided.	\$524		
3110-0356	Bolt-on diamond plate tailboard 10 in. (full width of Body). Includes hose bed structure extended to rear of body over side enhanced compartments for a smooth back body and provide a max depth B1 compartment as optioned. With handrails- (2) vertical on trailing edge of body or (1) if a Zico ladder is equipped and horizontal mounted handrail(s) below hosebed.	\$2,772		
3110-0357	Single low rear compartment. For use with low hosebed. Includes smooth plate panels.	\$1,122		
3110-0358	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		

Item #	Description	Extension	+1/-1	Total
3110-0359	LINE-X package for welded (exterior surface only), bolt on (exterior surface only) or flip down style (exterior and interior surfaces) tailboards. Includes rear bumper overlay or E-ONE fabricated boxes mounted on the tailboard as applicable.	\$297		
3110-0360	Rear of body to have un-painted smooth plate overlay style body panels to facilitate rear body striping.	\$1,499		
3110-0361	Lower rear stainless steel short and narrow compartment B1, 46" wide x 30" high x 28" deep, for use with special lower rear panel plumbing options. Left side wall removed to allow for ALS module passage from L3. This compartment shall not have an exterior door opening. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,227		
3110-0362	Upper rear stainless steel short/narrow compartment B2, 23" wide x 10" high x 43" deep. Includes a 3-sided floor mounted 1/2" thick Poly tray, open to the front (door opening).	\$1,448		
3110-0363	Full Height Rear Compartment with Full Width Upper Storage Compartment. Includes officer side area for storage of (1) Ice Sled approx. 28"W X 6"H X 86"L with stops set at 88" from inside door opening and a drop down smooth plate storage access door with push button latches (wire to door ajar). Door to be as wide as B1 compartment opening. Includes driver side area for storage of (2) 6" X 10' Hard Suction Hoses with stops set at 130" from inside door opening and a drop down smooth plate storage access door with push button latches (wire to door ajar). Includes (1) divider located 30" off officer's side door opening. Includes smooth plate panels.	\$2,853		
3110-0364	Bolt-on diamond plate 10" tailboard (full width of body) with center integral slide-out step. Includes handrails- (2) mounted vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$2,313		
3110-0365	Bolt-on diamond plate 12" tailboard (full width of body). For use with folding step application. Includes handrails- (1) vertical on trailing edge of body opposite each side of body and handrail(s) horizontal below hose bed.	\$1,148		
3110-0366	Lower rear stainless steel short compartment B1, 46" wide x 35" high x 26" deep. Includes bolt-on intermediate step above FULL WIDTH BETWEEN HANDRAILS (less 2" each side for grab rail use). Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,386		
3110-0367	Bolt-on diamond plate tail board 14 in. (full width of Body). Includes hose bed structure extended to rear of body over side enhanced compartments for a smooth back body and provide a max depth B1 compartment as optioned. With handrails- (2) vertical on trailing edge of body or (1) if a Zico ladder is equipped and horizontal mounted handrail(s) below hosebed.	\$2,990		
3110-0368	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (4) pike poles and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		
3110-0369	The rearend area of the extra wide roof top compartment above the Zico access ladder to be recessed in 16". The stepping area to be embossed diamond plate and side plates to be diamond plate and the forward plate to be smooth plate.	\$865		
3110-0370	Rear end tanker. Includes smooth plate full width upper and side lower panels and a smooth plate center area for mounting of rear tank inlet(s) application.	\$705		
3110-0371	(2) bolt-on compartments. Locate (1) each side of B1. Each compartment includes a hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with push button latch (wired into door ajar indicator), removable slat flooring and Gator Grip compartment top. Lower hosebed access step (one each side) to be mounted to inboard side of compartment.	\$2,010		
3110-0372	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 14', (1) 10' Attic, (2) pike poles and a drop down storage access door with D-ring latches (wire to door ajar).	\$2,452		
3110-0373	Bolt-on diamond plate 24" tailboard with Bustin Tread (full width of body). Includes (2) slanted beavertails with removable outer panels and hand rails (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,283		

Item #	Description	Extension	+1/-1	Total
3110-0374	Full Height Rear Pump Panel Compartment with officer side ladder tunnel storage with smooth plate door secured with D-Ring style latch. Includes smooth plate panels, angled rear body with flip down tailboard and handrails as applicable.	\$4,896		
3110-0375	Rear stainless steel extra tall compartment B1, 46" wide x 60" high x 26" deep. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,407		
3110-0376	Lower rear stainless steel compartment B1, 26.5" wide x 14.5" high x 26" deep, located between full length chassis frame rails. Entire rear panel to be smooth aluminum plate for Chevron graphics. Does not include an intermediate step. Includes a smooth aluminum bottom hinged drop-down door and stainless steel bent D-ring latch.	\$1,074		
3110-0377	Full Height Rear Compartment. Includes smooth plate panels. Includes stepped upper horizontal tube to reduce hosebed height from ground over tank area.	\$2,400		
3110-0378	Center Slam Strip Rear End with diamond plate center strip for a Jet or Newton Dump application. Includes diamond plate low side panels and diamond plate upper panel(s). Requires rear NFPA striping compatible for diamond plate panels.	\$2,287		
3110-0379	Upper Storage Compartment to hold (1) 10' attic ladder, (1) 6' pike pole, (1) 12' pike pole and (1) 8' NY pike pole and (2) 6" x 10' hard suction hoses. Includes stop bracket included approximately 130" back from opening. An enclosed frontal area shall be included as part of the tunnel design. Storage shall be enclosed with drop down door with D-Ring latch(es).	\$867		
3110-0380	Lower Rear Compartment 40" high with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with D-Ring latch.	\$1,443		
3110-0381	Single low rear compartment. For use with low hosebed. Includes smooth plate panels.	\$1,122		
3110-0382	(2) bolt-on compartments. Locate (1) each side of B1. Each compartment includes a hinged smooth plate door (with 4" gap at top for connecting of hose stored in compartment) with D-ring style latch (wired into door ajar indicator), removable slat flooring and Gator Grip compartment top. Lower hosebed access step (one each side) to be mounted to inboard side of compartment.	\$2,010		
3110-0383	Lower rear stainless steel short compartment B1, 46" wide x 35" high x 25" deep (for fuel tank clearance). Includes bolt-on intermediate step above FULL WIDTH BETWEEN HANDRAILS (less 2" each side for grab rail use). Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,386		
3110-0384	Rear of body to have un-painted extrusions with un-painted smooth plate overlay style body panels to facilitate rear body striping. (For use with HM100/110 NPNT and center hosebed HM100/110, HP100,CR100/137, HPS105, 95-P only)	\$290		
3110-0385	2) bolt-on compartments. Locate (1) each side of B1 - driver side to have 13" wide x 34" high opening and officer side to have 17" wide x 29" high opening. Each compartment to be 20" deep. Each compartment includes a hinged smooth plate door (with 4" gap driver side only at top for connecting of hose stored in compartment) with D-Ring latch (wired into door ajar indicator), removable slat flooring and Embossed Diamond Plate compartment top. Lower hosebed access step (one on the driver side and one on the officer side) to be mounted to inboard side of compartment.	\$2,166		
3110-0386	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with D-Ring. B1 compartment opening to be 34" wide due to officer side tailboard compartment.	\$1,496		
3110-0387	The rearward area of the extra wide roof top compartment above the Zico access ladder to be recessed in 16". The stepping surface to be embossed diamond plate, side plates to be diamond plate and forward plate to be FRP smooth plate.	\$865		
3110-0388	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes lower smooth plate panels and upper diamond plate panels and storage access door with "D"-ring latch.	\$1,868		
3110-0389	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 24', (1) 16', (1) 10' Attic, (2) pike poles and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		

Item #	Description	Extension	+1/-1	Total
3110-0390	The rearend area of the extra wide roof top compartment above the folding steps to be recessed in 16". The stepping area to be embossed diamond plate and side and forward plates to be diamond plate.	\$865		
3110-0391	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 12in. of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work and handrails- (2) vertical on trailing edge of body as applicable and horizontal mounted handrail(s) below hose bed.	\$2,643		
3110-0392	Full Height Rear Compartment with Officer Side Storage Tunnel. Hosebed extrusion to be stepped for storage tunnel if applicable. Includes smooth plate panels and storage access door with D-ring latch.	\$1,542		
3110-0393	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and horizontally hinged storage access door with push button latch and rubber bumpers.	\$1,308		
3110-0394	Single Low Rear Compartment with Upper Storage Compartment and Officer Side Storage Tunnel. For use with low hosebed. Includes smooth plate panels and storage access door with push button latch.	\$3,482		
3110-0395	Lower rear stainless steel short compartment B1, transverse access, 46" wide x 35" high x 26" deep without an intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,094		
3110-0396	Rear End with no rear compartment and officer side storage tunnel. Includes smooth plate panels and storage access door with d-ring latch.	\$910		
3110-0397	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 35', (1) 14', (1) 10' Attic, (2) pike poles and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		
3110-0398	Bolt-on diamond plate 8" tailboard (full width of body). Includes handrails- (2) mounted vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,181		
3110-0399	Upper and lower rear compartment. Includes smooth plate panels. For use with raised lower rear body (B1 is 34" high).	\$2,003		
3110-0400	Lower rear stainless steel narrow short compartment B1, 37" wide x 35" high x 26" deep, offset to the driver's side to allow for rear panel plumbing options. Includes bolt-on intermediate step above. Entire rear panel to be smooth aluminum plate for Chevron graphics.	\$1,217		
3110-0401	Bolt-on diamond plate 18" tailboard (full width of body). Includes (2) squared off 11.25" deep beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed. For use with swivel style rear tank dump only.	\$1,295		
3110-0402	Bolt-on diamond plate tailboard (full width of rear compartment). Additional 7" of tailboard to run full width of body ("T" shaped tailboard). Includes the enhanced extended side compartment frame work and handrails per NFPA requirement.	\$2,643		
3110-0403	Handrails, extruded aluminum, installed full length on outboard top edge of driver roof top compartment lids.	\$639		
3110-0404	Full Height Rear Compartment with Upper Storage Compartment and Officer Side Storage Tunnel. Includes smooth plate panels and storage access doors with push button latches. There shall be smooth plate panels each side of upper storage drop down door for rear discharges. Includes a stop bracket approximately 130" back from opening.	\$3,248		
3110-0405	Bolt-on diamond plate 14" tailboard (full width of body). Includes (2) slanted beavertails (no stanchions) with removable outer panels and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,374		
3110-0406	Full Height Rear Compartment with Upper Ladder Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) 35' 3-section ladder and a drop down storage access door with push button latches (wire to door ajar).	\$2,400		
3110-0407	Single low rear compartment. For use with low hosebed. Includes smooth plate panels. This is a non transverse compartment.	\$1,122		
3110-0408	Full Height Rear Compartment with Officer Side Storage Tunnel. Includes smooth plate panels and storage access door with push D-ring style latch. Includes stepped upper horizontal tube to reduce hosebed height from ground over tank area.	\$2,556		

Item #	Description	Extension	+1/-1	Total
3110-0409	Rear Panel Compartment. Compartment B1, located centered ahead of the rear tailboard, shall be 46" wide x approximately 36" high x 26" deep. Solid walls shall be provided on both sides of the rear compartment. This compartment shall be of 12 gauge 304L stainless steel.	\$1,224		
3110-0410	Bolt-on diamond plate 10" tailboard (full width of body). Includes handrail - (1) vertically on driver side trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,181		
3110-0411	Bolt-on diamond plate 18" tailboard with Bustin Tread (full width of body). Includes (2) squared off beavertails with hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed.	\$1,099		
3110-0412	Rear end tanker. Includes smooth plate upper and lower panels, and driver side access door for storage tunnel with D-ring latch.	\$919		
3110-0413	The rearward area of the extra wide roof top compartment above the rear panel folding steps on the driver side be recessed in 16". The stepping surface to be embossed diamond plate, side plates to be diamond plate and forward plate to be FRP smooth plate.	\$865		
3110-0414	Bolt-on diamond plate 12" tailboard full width of body with Bustin Tread. This provides a flat back body design. Includes hand rails, (2) vertically on trailing edge of body and horizontally mounted hand rail below hose bed. Includes a bolted double C-channel mounting structure.	\$1,181		
3110-0415	Angled 6" x 6" (Boston style) style tailboard corners.	\$524		
3110-0416	Upper rear stainless steel short/narrow compartment B2, 23" wide x 10" high x 36" deep. Includes a 3-sided floor mounted 1/2" thick poly tray, open to the front (door opening).	\$1,448		
3110-0417	Bolt-on diamond plate 16" tailboard full width of body with Bustin Tread. This provides a flat back body design. Includes (1) vertically mounted handrail on the trailing edge of officer side of body and horizontally mounted handrail below hose bed. For use with driver side ladder.	\$1,291		
3110-0418	Full Height Rear Compartment with Upper Storage Compartment. Includes smooth plate panels. Includes area for storage of (1) Washington-Ferno Stokes basket offset to officer side with stop set at 86" from opening, storage for (1) backboard above stokes basket with stop set at 74" from opening, misc. storage for long handle tools offset to driver side and a drop down storage access door with push button latches (wire to door ajar).	\$3,600		
3110-0419	Single Low Rear Compartment with Driver Side Storage Tunnel. For use with low hosebed. Includes smooth plate panels and storage access door with d-ring latch. B1 compartment opening to be narrowed and offset to driver side with a rear slam strip offset to officer side for rear plumbing to exit without being inside B1 compartment.	\$1,634		
3110-0420	Tanker body rear end sheet metal will be configured with inner plates to be smooth plate, both upper and lower. Outer plates and any storage tunnel doors to be diamond plate.	\$435		
3110-0421	Full Height Rear Compartment 42" wide. Includes smooth plate panels.	\$1,407		
3110-0422	The rearend area of the extra wide roof top compartment above the Zico access ladder to be recessed in 24". The stepping area to be embossed diamond plate and side and forward plates to be diamond plate.	\$865		
3110-0448	Rear ladder tunnel door. Vertically hinged diamond plate ilo standard. Door to hinge to drivers sides and include D-ring latch.	\$793		
3120-0000	Officer half side body with 24" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks.	\$4,883		
3120-0001	Officer half side body with 24" wide forward and 50" wide rearward extended compartmentation. Includes adjustable ladder tracks.	\$5,567		
3120-0003	Officer half side body with 30" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,226		
3120-0004	Officer half side body with 36" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,594		



Item #	Description	Extension	+1/-1	Total
3120-0005	Officer half side body with 42" wide forward and 42" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,981		
3120-0006	Officer half side body with 48" wide forward and 48" wide rearward compartmentation. Includes adjustable ladder tracks.	\$6,401		
3120-0007	Officer half side body with 30" wide forward and 50" wide rearward extended compartmentation. Includes adjustable ladder tracks.	\$5,908		
3120-0008	Officer half side body with 36" wide forward and 50" wide rearward extended compartmentation. Includes adjustable ladder tracks.	\$6,274		
3120-0009	Officer half side body with 42" wide forward and 56" wide rearward extended compartmentation. Includes adjustable ladder tracks.	\$6,667		
3120-0010	Officer half side body with 48" wide forward and 62" wide rearward extended compartmentation. Includes adjustable ladder tracks.	\$7,085		
3120-0011	Officer half side body with 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$5,881		
3120-0012	Officer half side body with 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,221		
3120-0013	Officer half side body with 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks and ladder brackets.	\$6,586		
3120-0014	Officer half side body with 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,977		
3120-0015	Officer half side body with 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$7,396		
3120-0016	Officer 3/4 side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$6,591		
3120-0017	Officer 3/4 side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,104		
3120-0018	Officer 3/4 side body with upper and lower compartmentation. Includes 30" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$7,018		
3120-0019	Officer 3/4 side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$7,475		
3120-0020	Officer 3/4 side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$7,964		
3120-0021	Officer 3/4 side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments and (3) opening upper compartments.	\$8,488		
3120-0022	Officer 3/4 side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,532		
3120-0023	Officer 3/4 side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,986		
3120-0024	Officer 3/4 side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,476		
3120-0025	Officer 3/4 side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,000		
3120-0026	Officer 3/4 side body with 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,787		

Item #	Description	Extension	+1/-1	Total
3120-0027	Officer 3/4 side body with 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,213		
3120-0028	Officer 3/4 side body with 36" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,671		
3120-0029	Officer 3/4 side body with 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,159		
3120-0030	Officer 3/4 side body with 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,683		
3120-0031	Officer 3/4 side body with 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,100		
3120-0032	Officer 3/4 side body with 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,525		
3120-0033	Officer 3/4 side body with 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,981		
3120-0034	Officer 3/4 side body with 42" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,472		
3120-0035	Officer 3/4 side body with 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,996		
3120-0036	Officer side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$16,887		
3120-0037	Officer side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,569		
3120-0038	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,299		
3120-0039	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,082		
3120-0040	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,917		
3120-0041	Officer side body with full height 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,569		
3120-0042	Officer side body with full height 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,253		
3120-0043	Officer side body with full height 36" wide forward and 50" wide rearward extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,983		
3120-0044	Officer side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,766		
3120-0045	Officer side body with full height 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,602		
3120-0046	Officer side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,885		
3120-0047	Officer side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,565		
3120-0048	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,294		

Item #	Description	Extension	+1/-1	Total
3120-0049	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,078		
3120-0050	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,913		
3120-0051	Officer half side body with 36" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks and 30 degree rear body angle for greater angle of departure.	\$5,604		
3120-0052	Officer 3/4 side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$10,499		
3120-0053	Officer 3/4 side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$10,832		
3120-0054	Officer 3/4 side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$11,164		
3120-0055	Officer side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well, (1) Zico Overhead Ladder Rack and 30 degree rear body angle for greater angle of departure.	\$19,072		
3120-0056	Officer side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well, (1) Zico Overhead Ladder Rack and 30 degree rear body angle for greater angle of departure.	\$19,405		
3120-0057	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well, (1) Zico Overhead Ladder Rack and 30 degree rear body angle for greater angle of departure.	\$19,738		
3120-0058	Stainless steel officer half side body with 48" wide forward and 48" wide rearward compartmentation (interior). Includes adjustable ladder tracks.	\$7,039		
3120-0059	Stainless steel officer half side body with 48" wide forward and 60" wide rearward compartmentation (interior). Includes adjustable ladder tracks.	\$7,392		
3120-0060	Stainless steel officer half side body with 60" wide forward and 60" wide rearward compartmentation (interior). Includes adjustable ladder tracks.	\$7,532		
3120-0061	Stainless steel officer 3/4 side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$7,688		
3120-0062	Stainless steel officer 3/4 side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$8,797		
3120-0063	Stainless steel officer 3/4 side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$9,240		
3120-0064	Stainless steel officer 3/4 side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$9,413		
3120-0065	Stainless steel officer side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 45" wide compartment (rearward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,131		
3120-0066	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 45" wide compartment (rearward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,909		
3120-0067	Stainless steel officer side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 45" wide compartment (rearward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$25,019		
3120-0068	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 45" wide compartment (rearward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,893		

Item #	Description	Extension	+1/-1	Total
3120-0069	Stainless steel officer side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed area ladder storage.	\$14,779		
3120-0070	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed area or thru the tank ladder storage.	\$15,061		
3120-0080	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,580		
3120-0081	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,418		
3120-0082	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,314		
3120-0083	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1)ladder storage tunnel and access door at rear.	\$15,130		
3120-0084	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1)ladder storage tunnel and access door at rear.	\$15,965		
3120-0085	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1)ladder storage tunnel and access door at rear.	\$16,861		
3120-0086	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3120-0087	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with thru the tank ladder.	\$13,690		
3120-0088	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,272		
3120-0089	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1)ladder storage tunnel and access door at rear.	\$17,822		
3120-0090	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with thru the tank ladder storage.	\$14,649		
3120-0091	Officer half side body with 36" wide rearward compartmentation. Includes adjustable ladder tracks and 30 degree rear body angle for greater angle of departure.	\$2,817		
3120-0092	Officer 3/4 side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$9,472		
3120-0093	Officer half side body with 36" wide rearward compartmentation. Includes adjustable ladder tracks.	\$3,015		
3120-0094	Officer 3/4 side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$5,562		
3120-0095	Officer full height side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments. For use with ladder storage thru tank.	\$12,448		
3120-0096	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with ladder storage thru tank.	\$11,960		
3120-0097	Officer full height side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments and (3) opening upper compartments. For use with ladder storage thru tank.	\$13,284		
3120-0098	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with ladder storage thru tank.	\$12,794		
3120-0099	Officer side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,642		

Item #	Description	Extension	+1/-1	Total
3120-0100	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,956		
3120-0101	Officer side body with full height 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,479		
3120-0102	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,791		
3120-0104	Stainless steel officer 3/4 side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,122		
3120-0105	Stainless steel officer 3/4 side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,835		
3120-0106	Stainless steel officer 3/4 side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$16,261		
3120-0107	Stainless steel officer 3/4 side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$15,546		
3120-0108	Stainless steel officer side body with full height 36" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,536		
3120-0109	Stainless steel officer side body with full height 48" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$23,443		
3120-0110	Stainless steel officer side body with full height 60" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$24,498		
3120-0111	Stainless steel officer side body with full height 48" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$24,146		
3120-0112	Stainless steel officer side body with full height 36" wide forward and 48" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$13,153		
3120-0113	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$15,061		
3120-0114	Stainless steel officer side body with full height 48" wide forward and 60" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$15,512		
3120-0115	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$15,061		
3120-0116	Stainless steel officer side body with full height 36" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$17,088		
3120-0117	Stainless steel officer side body with full height 48" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$18,993		
3120-0118	Stainless steel officer side body with full height 48" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$19,944		
3120-0119	Stainless steel officer side body with full height 60" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$20,046		
3120-0121	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,899		

Item #	Description	Extension	+1/-1	Total
3120-0123	Officer half side body with 60" wide forward and 42" wide rearward compartmentation. Includes adjustable ladder tracks.	\$6,849		
3120-0124	Officer 3/4 side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,559		
3120-0125	Officer 3/4 side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$9,080		
3120-0126	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with ladder storage thru tank.	\$13,690		
3120-0127	Officer full height side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments. For use with ladder storage thru tank.	\$14,213		
3120-0128	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,418		
3120-0131	Stainless steel officer side body with full height 24" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$15,181		
3120-0132	Officer side body with full height 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well and (1) 2-Arm Ladder Rack. The ladder rack is to be painted job color and includes amber lights on each end to visually indicate when the rack is in motion.	\$32,504		
3120-0134	Officer side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with over the hosebed storage rack.	\$10,446		
3120-0135	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with over the hosebed storage rack.	\$11,190		
3120-0136	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3120-0137	Officer 3/4 side body with full height 50" wide enhanced extended rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,556		
3120-0138	Officer 3/4 side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$6,591		
3120-0139	Officer 3/4 side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,104		
3120-0140	Officer 3/4 side body with upper and lower compartmentation. Includes 30" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$7,018		
3120-0141	Officer 3/4 side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$7,475		
3120-0142	Officer 3/4 side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$7,964		
3120-0143	Officer 3/4 side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments and (3) opening upper compartments.	\$8,488		
3120-0144	Officer 3/4 side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,532		
3120-0145	Officer 3/4 side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,986		
3120-0146	Officer 3/4 side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,476		

Item #	Description	Extension	+1/-1	Total
3120-0147	Officer 3/4 side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,000		
3120-0148	Officer 3/4 side body with 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,787		
3120-0149	Officer 3/4 side body with 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,213		
3120-0150	Officer 3/4 side body with 36" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,671		
3120-0151	Officer 3/4 side body with 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,159		
3120-0152	Officer 3/4 side body with 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,683		
3120-0153	Officer 3/4 side body with 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,100		
3120-0154	Officer 3/4 side body with 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,525		
3120-0155	Officer 3/4 side body with 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,981		
3120-0156	Officer 3/4 side body with 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,472		
3120-0157	Officer 3/4 side body with 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,996		
3120-0158	Officer side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$16,887		
3120-0159	Officer side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,569		
3120-0160	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,299		
3120-0161	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,082		
3120-0162	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,917		
3120-0163	Officer side body with full height 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,569		
3120-0164	Officer side body with full height 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,253		
3120-0165	Officer side body with full height 36" wide forward and 50" wide rearward extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,983		
3120-0166	Officer side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,766		
3120-0167	Officer side body with full height 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,602		
3120-0168	Officer side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,885		

Item #	Description	Extension	+1/-1	Total
3120-0169	Officer side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,565		
3120-0170	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,294		
3120-0171	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,078		
3120-0172	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,913		
3120-0173	Officer 3/4 side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$10,499		
3120-0174	Officer 3/4 side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$10,832		
3120-0175	Officer 3/4 side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$11,164		
3120-0176	Officer side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack. Rear bottom corner of truck will be angled 30 degrees for a greater rear angle of departure.	\$19,072		
3120-0177	Officer side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, (1) Zico Overhead Ladder Rack and 30 degree rear body angle for greater angle of departure.	\$19,405		
3120-0178	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, (1) Zico Overhead Ladder Rack and 30 degree rear body angle for greater angle of departure.	\$19,738		
3120-0179	Stainless steel officer 3/4 side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$7,688		
3120-0180	Stainless steel officer 3/4 side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$8,797		
3120-0181	Stainless steel officer 3/4 side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$9,240		
3120-0182	Stainless steel officer 3/4 side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$9,413		
3120-0183	Stainless steel officer side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 45" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,131		
3120-0184	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 45" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,909		
3120-0185	Stainless steel officer side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 45" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$25,019		
3120-0186	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 45" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,893		
3120-0187	Stainless steel officer side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed area ladder storage.	\$14,779		
3120-0188	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed area or thru the tank ladder storage.	\$15,061		



Item #	Description	Extension	+1/-1	Total
3120-0189	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,580		
3120-0190	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,418		
3120-0191	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,314		
3120-0192	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$15,130		
3120-0193	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$15,965		
3120-0194	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,861		
3120-0195	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3120-0196	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3120-0197	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,272		
3120-0198	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$17,822		
3120-0199	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3120-0200	Officer 3/4 side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$9,472		
3120-0201	Officer 3/4 side body with full height 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$5,562		
3120-0202	Officer full height side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments. For use with ladder storage thru tank.	\$12,448		
3120-0203	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3120-0204	Officer full height side body with upper and lower compartmentation. Includes 48" wide forward and 48" wide rearward lower compartments and (3) opening upper compartments. For use with ladder storage thru tank.	\$13,284		
3120-0205	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,794		
3120-0206	Officer side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,642		
3120-0207	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,956		
3120-0208	Officer side body with full height 48" wide forward and 62" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,479		
3120-0209	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,791		
3120-0210	Stainless steel officer 3/4 side body with full height 36" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,122		

Item #	Description	Extension	+1/-1	Total
3120-0211	Stainless steel officer 3/4 side body with full height 48" wide forward and 48" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$14,835		
3120-0212	Stainless steel officer 3/4 side body with full height 60" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$16,261		
3120-0213	Stainless steel officer 3/4 side body with full height 48" wide forward and 60" wide rearward compartmentation (interior). Includes (1) 60" wide compartment over the wheel well.	\$15,546		
3120-0214	Stainless steel officer side body with full height 36" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,536		
3120-0215	Stainless steel officer side body with full height 48" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$23,443		
3120-0216	Stainless steel officer side body with full height 60" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$24,498		
3120-0217	Stainless steel officer side body with full height 48" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 45" wide (interior) compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$24,146		
3120-0218	Stainless steel officer side body with full height 36" wide forward and 48" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$13,153		
3120-0219	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$15,061		
3120-0220	Stainless steel officer side body with full height 48" wide forward and 60" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$15,512		
3120-0221	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward (interior) compartmentation. Includes (1) 60" wide compartment over the wheel well. For use with in the hosebed ladder storage.	\$15,061		
3120-0222	Stainless steel officer side body with full height 36" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$17,088		
3120-0223	Stainless steel officer side body with full height 48" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$18,993		
3120-0224	Stainless Steel Officer side body with full height 48" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$19,944		
3120-0225	Stainless steel officer side body with full height 60" wide forward and 60" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch.	\$20,046		
3120-0226	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,899		
3120-0227	Officer 3/4 side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,559		
3120-0228	Officer 3/4 side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$9,080		
3120-0229	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3120-0230	Officer full height side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments. For use with ladder storage thru tank.	\$14,213		

Item #	Description	Extension	+1/-1	Total
3120-0231	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,418		
3120-0232	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,190		
3120-0233	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear.	\$17,822		
3120-0234	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3120-0235	Officer full height side body with full height 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and an overhead Zico ladder rack..	\$11,929		
3120-0236	Overhead Ladder Rack to be offset forward includes shifting compartment (rearward) over the wheel well.	\$662		
3120-0237	Overhead Ladder Rack to be offset rearward includes shifting compartment (forward) over the wheel well.	\$0		
3120-0238	Officer full height side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (2) opening upper compartments. Includes (1) Zico Overhead Ladder Rack mounted centered between upper compartments.	\$22,206		
3120-0239	Officer side compartment top storage box (PR). Locate one forward and one rearward of the ladder rack. Boxes to be smooth plate and painted job color with diamond plate tops. The rearward box to have a rear vertically hinged door with push-button latch. Boxes to have (1) diamond plate lid each with push button latch.	\$2,075		
3120-0240	Officer 3/4 side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (2) opening upper compartments.	\$6,591		
3120-0241	Compartment R1 to have rescue style interior compartment height.	\$1,658		
3120-0242	Officer side tunnel to hold: (1) 1500 gallon Fol-da-tank.	\$696		
3120-0243	Officer 3/4 side body with full height 42" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,476		
3120-0244	Officer side body with full height 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well and (1) 2-Arm Ladder Rack. The ladder rack is to be sanded DA finish and includes amber lights on each end to visually indicate when the rack is in motion.	\$32,504		
3120-0245	Officer side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$9,764		
3120-0246	Officer side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,446		
3120-0247	Officer side body with full height 24" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,446		
3120-0248	Officer side body with full height 30" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,133		
3120-0249	Officer side body with full height 36" wide forward and 50" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,859		
3120-0250	Officer side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,761		
3120-0251	Officer side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,442		
3120-0252	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		

Item #	Description	Extension	+1/-1	Total
3120-0254	Officer side body with full height 52" wide forward and 52" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3120-0255	Officer side body with full height 36" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3120-0256	Officer side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,442		
3120-0257	Officer side body with full height 24" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$10,761		
3120-0258	Officer 3/4 side body with full height 24" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,100		
3120-0259	Officer 3/4 side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,525		
3120-0260	Officer 3/4 side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,981		
3120-0261	Officer half side body with 24" wide forward and 50" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,881		
3120-0262	Officer half side body with 30" wide forward and 50" wide rearward compartmentation. Includes adjustable ladder tracks.	\$6,221		
3120-0263	Officer half side body with 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,586		
3120-0264	Officer side body with full height 24" wide forward and 50" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,885		
3120-0265	Officer side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,565		
3120-0266	Officer side body with full height 36" wide forward and 50" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,294		
3120-0268	Officer side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,902		
3120-0269	Officer side body with full height 36" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear.	\$15,965		
3120-0270	Officer side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,766		
3120-0271	Officer 3/4 side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,472		
3120-0272	Officer half side body with 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,977		
3120-0273	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 20" wide compartment over the wheel well and (1) E-One center mounted Overhead Ladder Rack.	\$19,294		
3120-0274	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,940		
3120-0275	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,777		
3120-0276	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,673		

Item #	Description	Extension	+1/-1	Total
3120-0277	Officer side body with full height 60" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$15,632		
3120-0278	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,561		
3120-0279	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,398		
3120-0280	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,293		
3120-0281	Officer side body with full height 60" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$23,252		
3120-0282	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,111		
3120-0283	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,949		
3120-0284	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$17,844		
3120-0285	Officer side body with full height 60" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$18,800		
3120-0286	Officer 3/4 side body with full height 30" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,276		
3120-0287	Officer side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (2) opening upper compartments. Includes (1) Zico Overhead Ladder Rack centered mounted between upper compartments.	\$17,375		
3120-0288	Officer full height side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (2) opening upper compartments. Includes (1) Zico Overhead Ladder Rack mounted centered between upper compartments.	\$19,570		
3120-0290	Officer side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$15,334		
3120-0291	Officer side body with full height 50" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,398		
3120-0292	Officer side body with full height 56" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,291		
3120-0293	Officer side body with full height 62" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$23,186		
3120-0294	Officer side body with full height 50" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,777		
3120-0295	Officer side body with full height 56" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,673		
3120-0296	Officer side body with full height 62" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$15,566		
3120-0297	Officer side body with full height 50" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear.	\$16,949		
3120-0298	Officer side body with full height 56" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear.	\$17,843		

Item #	Description	Extension	+1/-1	Total
3120-0299	Officer side body with full height 62" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear.	\$18,736		
3120-0300	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel and access door at rear.	\$16,949		
3120-0301	Officer side tunnel to hold: [#LOC].	\$696		
3120-0302	Officer half side body with 42" wide forward and 42" wide rearward compartmentation.	\$5,981		
3120-0303	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree rear body angle for greater angle of departure.	\$11,553		
3120-0304	Officer side body with full height 62" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,633		
3120-0305	Stainless steel officer side body with full height 48" wide forward and 48" wide (interior) rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear with push-button latch. Upper area of ladder storage to have stop at 8' and be used for misc. storage.	\$19,330		
3120-0306	Officer side body with 62" wide full height forward enhanced extended compartment, 36" wide half height second forward compartment and 50" wide half height rearward compartmentation. Includes adjustable ladder tracks.	\$20,166		
3120-0307	Officer side body with full height 24" wide forward and 56" wide rearward extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,641		
3120-0308	Officer side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear.	\$17,636		
3120-0309	Officer side body with upper and lower compartmentation. Includes 36" wide forward and 50" wide rearward extended lower compartmentation and (2) opening upper compartments with (1) Zico Overhead Ladder Rack centered between the compartments.	\$22,938		
3120-0310	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$22,751		
3120-0311	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$23,588		
3120-0312	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$24,483		
3120-0313	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$25,442		
3120-0314	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$23,729		
3120-0315	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$24,569		
3120-0316	Officer side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well, (1) Zico Overhead Ladder Rack and one (1) storage tunnel.	\$25,464		
3120-0317	Officer side body with full height 60" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$26,423		
3120-0318	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation (2008 body design) with (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$21,957		
3120-0319	Officer half side body with 20" wide forward and 50" wide rearward extended compartmentation. Includes adjustable ladder tracks.	\$5,453		
3120-0320	Officer side upper body extension. Does not include external upper doors. External framework and plating only. Plating shall be recessed.	\$2,411		

Item #	Description	Extension	+1/-1	Total
3120-0321	Stainless steel officer side body with full height 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$11,442		
3120-0322	Stainless steel officer side body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$12,956		
3120-0323	Stainless steel officer side body with full height 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$13,791		
3120-0324	Stainless steel officer side body with full height 30" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$10,446		
3120-0325	Stainless steel officer side body with full height 40" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$11,960		
3120-0326	Stainless steel officer side body with full height 48" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$12,794		
3120-0327	Stainless steel officer half side body with 30" wide forward and 40" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,226		
3120-0328	Stainless steel officer half side body with 40" wide forward and 40" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,981		
3120-0329	Stainless steel officer half side body with 48" wide forward and 40" wide rearward compartmentation. Includes adjustable ladder tracks.	\$6,401		
3120-0330	Stainless steel officer 3/4 side body with full height 30" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$6,532		
3120-0331	Stainless steel officer 3/4 side body with full height 40" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$7,476		
3120-0332	Stainless steel officer 3/4 side body with full height 48" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$8,000		
3120-0333	Stainless steel officer side body with full height 30" wide forward and 40" wide rearward compartmentation. Includes (1) 38" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,569		
3120-0334	Stainless steel officer side body with full height 40" wide forward and 40" wide rearward compartmentation. Includes (1) 38" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,082		
3120-0335	Stainless steel officer side body with full height 48" wide forward and 40" wide rearward compartmentation. Includes (1) 38" wide compartment over the wheel well and (1) Zico overhead ladder rack.	\$19,917		
3120-0336	Stainless steel officer side body with full height 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 38" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,565		
3120-0337	Stainless steel officer side body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 38" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,078		
3120-0338	Stainless steel officer side body with full height 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 38" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,913		
3120-0339	Officer half side stainless steel body with 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,221		
3120-0340	Officer half side stainless steel body with 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,977		
3120-0341	Officer half side stainless steel body with 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$7,396		
3120-0342	Officer 3/4 side stainless steel body with 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$7,525		

Item #	Description	Extension	+1/-1	Total
3120-0343	Officer 3/4 side stainless steel body with 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$8,472		
3120-0344	Officer 3/4 side stainless steel body with 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$8,996		
3120-0346	Officer half side body with (2) forward compartments (48" and 30" wide) and one rearward area for locating of side tank dump.	\$5,446		
3120-0347	Officer half side body with (2) forward compartments (48" and 30" wide) and (1) rearward compartment (24").	\$6,401		
3120-0348	Officer 3/4 side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and one lower rearward area for locating of side tank dump.	\$7,531		
3120-0349	Officer 3/4 side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and (1) lower rearward compartment (24").	\$8,488		
3120-0350	Officer full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and one lower rearward area for locating of side tank dump.	\$9,618		
3120-0351	Officer full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") and (1) lower rearward compartment (24").	\$10,575		
3120-0352	Officer full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (1) upper compartment (61" and offset rearward of the rack opening) and one lower rearward area for locating of side tank dump.	\$9,618		
3120-0353	Officer full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (1) upper compartment (61" and offset rearward of the rack opening) and (1) lower rearward compartment (24").	\$10,575		
3120-0356	Officer full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") with rear compartment face access door for portable tank storage and one lower rearward area for locating of side tank dump.	\$11,138		
3120-0357	Officer full height side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (54") with rear compartment face access door for portable tank storage and (1) lower rearward compartment (24").	\$12,093		
3120-0358	Officer half side body with 60" wide forward and 42" wide rearward compartmentation.	\$6,849		
3120-0359	Officer side body with full height 24" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$14,557		
3120-0360	2-Arm Ladder Rack on Officer Side. The ladder rack includes amber lights on each end to visually indicate when the rack is in motion. Restricts the top folding step (if optioned) from closing completely. Includes mounting bracket (if required, matching rear compartment face or compartment wrap finish) for components mounted on rear compartment face or hosebed upper side assembly.	\$17,822		
3120-0361	Storage tunnel door to be hinged to the outboard side of the body.	\$0		
3120-0362	Officer full height side body with (2) lower forward compartments (48" and 30" wide), (1) upper forward compartment (54") with rear compartment face access door (wired to door ajar) for enclosed ladder storage and (1) lower rearward compartment (24").	\$13,610		
3120-0363	Officer full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (2) upper compartments (40" wide) and one lower rearward area for locating of side tank dump.	\$9,618		
3120-0364	Officer full height side body with (2) full height, rescue style, forward compartments (48" and 30" wide), (2) upper compartment (40" wide) and (1) lower rearward compartment (24").	\$10,575		
3120-0365	(1) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lid with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. The lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$5,940		



Item #	Description	Extension	+1/-1	Total
3120-0366	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation with reduced upper depth. Includes (1) 54" wide compartment over the wheel well and (1) storage tunnel.	\$16,861		
3120-0367	Stainless steel officer side body with full height 54" wide forward and 54" wide rearward compartmentation with reduced upper depth. Includes (1) 54" wide compartment over the wheel well and (1) storage tunnel.	\$18,212		
3120-0368	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation with reduced upper depth. Includes (1) 54" wide compartment over the wheel well and (1) storage tunnel.	\$19,562		
3120-0369	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes 54" wide compartment over the wheel well and a dual arm hydraulic overhead ladder rack.	\$13,690		
3120-0370	Stainless steel officer side body with full height 54" wide forward and 54" wide rearward compartmentation. Includes 54" wide compartment over the wheel well and a dual arm hydraulic overhead ladder rack.	\$14,785		
3120-0371	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation. Includes 54" wide compartment over the wheel well and a dual arm hydraulic overhead ladder rack.	\$15,882		
3120-0372	Officer side 1/2 height body with 34" forward / 54" rearward compartment and adjustable ladder brackets.	\$0		
3120-0373	Officer side 3/4 height enhanced extended body with 34" forward / 54" rearward compartment. Includes drop down ladder rack. Rack sized for (1) 24' 2-section and (1) 14' roof.	\$0		
3120-0374	Officer side full height enhanced extended body with 34" forward / 54" rearward compartment. Includes overhead ladder rack with rack arm drop down cover plate.	\$0		
3120-0375	Officer side storage tunnel to hold (1) 24' 2-section ladder, (1) 14' roof ladder, (1) 10' attic ladder with feet and (2) pike poles. Set-up for Alco-Lite ladders.	\$0		
3120-0376	Officer side storage tunnel to hold (1) 24' 2-section ladder, (1) 14' roof ladder, (1) 10' attic ladder with feet and (2) pike poles. Set-up for Duo-Safety ladders.	\$0		
3120-0377	Officer half side tandem body with 30" wide forward and 30" wide rearward compartmentation.	\$8,171		
3120-0378	Officer half side tandem body with 42" wide forward and 42" wide rearward compartmentation.	\$8,927		
3120-0379	Officer half side tandem body with 60" wide forward and 54" wide rearward compartmentation.	\$9,795		
3120-0380	Officer 3/4 side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$9,462		
3120-0381	Officer 3/4 side tandem body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$10,405		
3120-0382	Officer 3/4 side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$11,487		
3120-0383	Officer side tandem body with upper and lower compartmentation. Includes 30" wide forward and 30" wide rearward compartments and (4) opening upper compartments.	\$13,863		
3120-0384	Officer side tandem body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward compartments and (4) opening upper compartments.	\$15,378		
3120-0385	Officer side tandem body with upper and lower compartmentation. Includes 60" wide forward and 54" wide rearward compartments and (4) opening upper compartments.	\$17,141		
3120-0386	Officer side tandem body with upper and lower compartmentation. Includes 30" wide forward and 30" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments.	\$14,416		
3120-0387	Officer side tandem body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments.	\$15,990		

Item #	Description	Extension	+1/-1	Total
3120-0388	Officer side tandem body with upper and lower compartmentation. Includes 60" wide forward and 54" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments.	\$17,826		
3120-0389	Officer side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$13,377		
3120-0390	Officer side tandem body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$14,890		
3120-0391	Officer side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$16,619		
3120-0392	Officer side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 42" wide compartments over the wheel well and overhead rack opening centered between upper compartments.	\$13,909		
3120-0393	Officer side tandem body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (2) 42" wide compartments over the wheel well and overhead rack opening centered between upper compartments.-	\$15,483		
3120-0394	Officer side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 42" wide compartments over the wheel well and overhead rack opening centered between upper compartments.	\$17,284		
3120-0395	Officer half side body with 36" wide forward and 36" wide rearward compartmentation.	\$5,594		
3120-0396	Officer 3/4 side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$6,532		
3120-0397	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,299		
3120-0398	Officer half side body with 42" wide forward and 42" wide rearward compartmentation.	\$5,981		
3120-0399	Officer 3/4 side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$7,476		
3120-0400	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,082		
3120-0401	Officer side body with full height 42" wide forward and 50" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,531		
3120-0402	Officer half side tandem body with with 42" wide forward and one rearward area for locating of side tank dump rearward of the wheel well.	\$9,240		
3120-0403	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls.	\$17,822		
3120-0404	Officer half side body with 36" wide forward and 31" wide rearward compartmentation. Includes adjustable ladder tracks mounted to outside of hosebed 3x3 and to run full height for max adjustments..	\$5,594		
3120-0405	Officer side body with full height 46" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,673		
3120-0406	Officer side body with full height 50" wide forward and 50" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,272		
3120-0407	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well. Rescue Pumper style compartments for use with low hosebed.	\$15,650		
3120-0408	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel area directly behind the upper compartment area (accessed from the rear end assembly).	\$13,378		

Item #	Description	Extension	+1/-1	Total
3120-0409	Officer half side body with 42" wide forward and 56" wide rearward enhanced extended compartmentation. For use with a Zico drop down ladder rack.	\$6,977		
3120-0410	Officer side body with full height 60" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$16,110		
3120-0411	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,401		
3120-0412	2-Arm Ladder Rack on Officer Side. The ladder rack includes amber lights on each end to visually indicate when the rack is in motion. Restricts the top folding step (if optioned) from closing completely. Includes mounting bracket (matching rear compartment face or compartment wrap finish) for components mounted on rear compartment face including the stop/tail/turn lights.	\$17,274		
3120-0413	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$22,272		
3120-0414	Officer half side body with (2) forward compartments (39" and 39" wide) and (1) rearward compartment (24").	\$7,652		
3120-0415	Officer full height side body with upper and lower compartmentation. Includes 48" wide forward and 62" wide enhanced extended rearward lower compartments and (3) opening upper compartments and (1) Zico Overhead Ladder Rack. Upper compartments to be (1) 56" wide forward, Overhead ladder rack, (2) 45" wide compartments rearward of rack.	\$22,094		
3120-0416	Officer full height side body with upper and lower compartmentation. Includes 60" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments and (1) Zico Overhead Ladder Rack.	\$20,941		
3120-0417	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with ladders stored in hosebed.	\$14,649		
3120-0418	Officer 3/4 side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well. Compartments raised 8" due to roll-up doors to allow for additional storage room.	\$12,895		
3120-0419	Officer extruded half side tandem body with 74" wide forward and 34" wide rearward compartmentation. For use with wetside narrow tank application.	\$5,942		
3120-0420	Officer side body with full height 36" wide forward and 45" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,845		
3120-0421	Officer side diamond plate roof top compartment. Includes (2) hinged lift-up access doors with turn latches and grab handle(s) and (1) vertical hinged access door at the rear with push button latch to be. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,491		
3120-0422	Officer side body with full height 19.5" wide forward and 31" wide rearward compartmentation. Includes (1) 40" wide compartment over the wheel well.	\$10,761		
3120-0423	Officer side body with full height 32" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel beside the water tank.	\$11,666		
3120-0424	Officer side body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls.	\$16,902		
3120-0425	Officer side body with half height 36" wide forward (above fuel fill area) and full height 50" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well. Area below forward compartment will be for mounting of fuel fill.	\$12,172		
3120-0426	Officer side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$19,308		
3120-0427	Officer side body with full height 60" wide front and 54" wide rear compartments. Includes (1) 60" wide compartment over the wheel well and one (1) storage tunnel located behind reduced upper depth compartments. SS eMAX only.	\$21,740		

Item #	Description	Extension	+1/-1	Total
3120-0428	Officer side body with full height 36" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack. Area below forward compartment will be for mounting of fuel fill.	\$20,561		
3120-0429	Officer side tandem body with upper and lower compartmentation. Includes 60" wide forward and 54" wide rearward compartments and (1) opening forward upper compartment with painted panels rearward.	\$18,344		
3120-0430	Right Side Exterior Compartments. R1, 60" wide x 63" high x 48" deep (over frame) full height with vertically hinged doors. R2, 58" wide x 63" high x 27.5" deep (over frame) full height with vertically hinged doors. R3, 60" wide x 33" high x 27.5" deep full height with vertically hinged doors. R4, 40" wide x 63" high x 27.5" deep (over frame) full height with vertically hinged doors.	\$8,283		
3120-0431	Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,190		
3120-0432	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,960		
3120-0433	Officer side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$11,664		
3120-0434	Officer side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$12,448		
3120-0435	Officer 3/4 side body with with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments.	\$7,012		
3120-0436	Officer 3/4 side body with with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$7,957		
3120-0437	Rear aluminum smooth plate painted job color vertical hinged door on officer side roof top compartments. Includes thumb latch and wiring for door ajar switch.	\$239		
3120-0438	Stainless steel officer side body with full height 36" wide forward and 48" wide rearward compartmentation. Includes 54" wide compartment over the wheel well and a dual arm hydraulic overhead ladder rack.	\$13,743		
3120-0439	Officer side body with full height 26" and 56" wide forward and 56" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$23,790		
3120-0440	Stainless steel officer side body with 76" full height interior, 48" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$13,279		
3120-0441	Officer half side body with 36" wide forward and 56" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,977		
3120-0442	Officer side tandem body with upper and lower compartmentation. Includes 30" wide forward and 54" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments. Includes offsetting upper compartments forward due to deck gun location and access panel on upper rear compartment face to deck gun piping.	\$16,036		
3120-0443	(1) officer side roof top compartment forward of hard suction storage area and (2) roof top compartments over hard suction storage area. Includes hinged raised compartment lids with turn latches and grab handle(s). The lids to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Includes partition between roof top compartment and hard suction storage area. Floor to be provided above the hard suction storage area to use remaining area above.	\$3,275		
3120-0444	Officer half side body with 36" wide forward and 56" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks. 8" compartment raise to allow for taller opening with roll-up doors and smooth plate above wheel well area.	\$7,521		

Item #	Description	Extension	+1/-1	Total
3120-0445	Officer side tandem body with 60" wide forward and 54" wide rearward compartmentation. Forward compartment to be full height, rearward to be half height.	\$12,069		
3120-0446	Officer side diamond plate roof top compartment. Includes smooth plate painted vertical hinged access door at the rear with push button latch to be wired to door ajar indicator in cab.	\$1,730		
3120-0447	Officer side body with full height 54" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,871		
3120-0448	Officer side roof top assembly. Does not include external upper doors or internal platework. External framework and platework only.	\$1,738		
3120-0449	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3120-0450	Officer half side body with 36" wide forward and 36" wide rearward compartmentation. Includes 30 degree rear body angle for greater angle of departure.	\$5,604		
3120-0451	Officer 3/4 height side body with 66" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with custom chassis only.	\$8,749		
3120-0452	Officer full height side body with 66" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. For use with custom chassis only.	\$10,872		
3120-0453	Officer 3/4 side tandem body with full height 42" wide forward and 59" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$11,702		
3120-0454	Officer side body with upper and lower compartmentation. Includes 36" wide forward and 42" wide rearward lower compartments and (3) opening upper compartments.	\$12,056		
3120-0455	Officer side body with 19.5" wide forward and 31" wide rearward compartmentation. Includes (1) 40" wide compartment over the wheel well.	\$10,761		
3120-0456	Officer side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$16,176		
3120-0457	Stainless steel officer side body with full height 48" wide forward and 70" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$14,827		
3120-0458	Officer high side stainless steel body with 60" front and 60" rear. Five compartments, tandem axle. For use with single arm overhead ladder rack.	\$19,665		
3120-0460	Officer side tandem body with upper and lower compartmentation. Includes 30" wide forward and 54" wide rearward compartments and (4) opening upper compartments. Includes overhead rack opening centered between upper compartments. Includes offsetting upper compartments forward due to deck gun location and access panel on upper rear compartment face to deck gun piping.	\$16,036		
3120-0461	2-arm ladder rack on officer side. The ladder rack includes Whelen 500 series TIR6 amber lights on each end to visually indicate when the rack is in motion. Restricts the top folding step (if optioned) from closing completely. Includes mounting bracket (if required, matching rear compartment face or compartment wrap finish) for components mounted on rear compartment face.	\$17,875		
3120-0462	Officer side roof top compartment contents: (2) 6" x 10' hard suction hoses (not included) stored horizontally. Includes stop bracket rearward of hard suction hoses.	\$1,182		
3120-0463	Officer side diamond plate roof top compartment. Includes vertical hinged access door at the rear with a "D-Ring" latch handle to be wired to door ajar indicator in cab. .188 material	\$1,756		
3120-0464	Stainless steel officer half side body with 36" wide front and 40" wide rear and 60" wide fender panel.	\$6,100		
3120-0465	Officer side tandem body with full height (1) 60" wide forward and (1) 60" wide rearward compartmentation. For use with Rear Mount pump.	\$20,573		

Item #	Description	Extension	+1/-1	Total
3120-0466	Officer side body with upper and lower compartmentation. Includes 36" wide forward and 36" wide rearward lower compartments and (3) opening upper compartments with (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,775		
3120-0467	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$15,679		
3120-0468	Stainless steel officer side body with full height 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$14,308		
3120-0469	Stainless steel officer side body with full height 54" wide forward and 54" wide rearward compartmentation with custom size reduced upper depth. Includes (1) 54" wide compartment over the wheel well and (1) custom size storage tunnel.	\$18,824		
3120-0470	Stainless steel officer side body with full height 48" wide forward and 54" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$13,791		
3120-0471	Officer side tandem body with (2) 34" wide forward and 54" wide rearward compartmentation. (1) forward compartment to be full height, (1) forward and rearward to be half height.	\$12,767		
3120-0472	Officer 3/4 side body with full height 48" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,438		
3120-0473	(2) officer side roof top compartments with removable floors and extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$7,409		
3120-0474	Rear aluminum smooth plated painted [#COL] vertically hinged door on officer side roof top compartments. Includes thumb latch and wiring for door ajar switch.	\$239		
3120-0475	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well. Upper compartment depth only 12" IPO standard 14" due to 3-section and roof ladders in tunnel.	\$15,679		
3120-0476	Officer side body with full height 60" wide front and 54" wide rear compartments. Includes (1) 44" wide compartment over the wheel well and one (1) Zico overhead ladder rack. SS eMAX only.	\$27,171		
3120-0477	(2) Officer side roof top compartments. Includes hinged raised aluminum smooth plate with black Scorpion coating (IPOS diamond plate) compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$3,352		
3120-0478	Officer side tandem body with 60" wide full height forward compartment. Rearward of the forward compartment to 3/4 height with 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$13,693		
3120-0479	Officer side body with full height/full depth 30/60" wide front and 54" wide rear compartments. Includes (1) 60" wide compartment over the wheel well. SS eMAX only.	\$19,735		
3120-0480	Officer side body with full height 30/60" wide front and 54" wide rear compartments. Includes (1) 44" wide compartment over the wheel well, with Zico overhead ladder rack. SS eMAX only.	\$29,024		
3120-0481	Officer side body with full height 30/60" wide front and 54" wide rear compartments. Includes (1) 60" wide compartment over the wheel well and one (1) storage tunnel located behind reduced upper depth compartments. SS eMAX only.	\$23,556		
3120-0482	Officer side body with full height 50" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, (1) Zico overhead ladder rack. Rear perimeter or body raised 3" for improved departure angle.	\$20,871		
3120-0483	Officer full height side body with upper and lower compartmentation. Includes 42" wide forward and 56" wide rearward lower enhanced compartmentation and (3) opening upper compartments. For use with ladder storage in the hosebed.	\$12,956		

Item #	Description	Extension	+1/-1	Total
3120-0484	Officer side body with 19.5" wide forward and 31" wide rearward compartmentation. Includes (1) 40" wide compartment over the wheel well. Compartment tops raised approximately 6" to match hosebed height.	\$11,373		
3120-0485	Stainless steel officer half side body with 30" wide front and 40" wide rear and 60" wide fender panel. For use with suicide hinged R1 door (if applicable).	\$6,100		
3120-0486	Vertical and horizontal partitions located in officer side roof top compartment. Vertical partition located rearward of electric cord reel and horizontal partition located over DOT bottles. Floor to be provided above the DOT bottles to use remaining area above.	\$1,420		
3120-0487	Officer side body with full height 48" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,673		
3120-0488	Vertical door stop for storage tunnel door.	\$138		
3120-0489	Officer side roof top compartment contents: (1) 10' hard suction hose (not included) stored horizontal. Includes stop bracket rearward of hard suction hoses and Nylatron compartment flooring.	\$596		
3120-0490	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Compartment lid construction shall be aluminum smooth plate IPO diamond plate painted Black Scorpion (rough finish).	\$6,391		
3120-0491	Officer side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments, (3) opening upper compartments. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack. Smooth plate compartment top painted black durabak.	\$20,482		
3120-0492	Officer 3/4 side body with (3) full height, rescue style, (2) forward compartments (48" and 30" wide) and (1) rearward compartment (24"). Includes (1) 56" wide compartment over the wheel well.	\$8,994		
3120-0493	Officer 3/4 side tandem stainless steel body with 35" front and 35" rear for flat back body design. Includes (2) 42" wide compartments over rear tandem wheels, with side dump valve between.	\$13,403		
3120-0494	Officer side roof top compartment. Includes vertically hinged access door at the rear with push button latch to be wired to door ajar indicator in cab.	\$1,730		
3120-0495	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (2) bracket mounted LED lights and to be wired to door ajar indicator in cab.	\$6,045		
3120-0496	Officer side tandem body with full height 30" wide forward and 30" wide rearward compartmentation. Includes (2) 42" wide compartments over the wheel well and overhead rack opening centered between upper compartments.	\$14,800		
3120-0497	Officer side upper body extension. Stainless Steel product only. Does not include external upper doors. External platework only and painted FRP covering.	\$1,495		
3120-0498	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$13,517		
3120-0499	Officer 1/2 side tandem stainless steel tanker body with 60" front and 60" rear for flat back body design. Includes (2) 55" wide tandem wheel fender panels.	\$15,248		
3120-0500	Officer side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear bottom corner of truck will be angled 30 degrees for a greater rear angle of departure.	\$11,124		
3120-0501	Officer side body with full height 36" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,427		
3120-0502	Officer full height side body with 36" wide forward and 48" wide rearward compartmentation. Includes (2) 28.5" wide compartments over the wheel well for the installation of Zico Overhead Ladder Rack and one forward area for side tank dump. For use with custom chassis only.	\$11,114		

Item #	Description	Extension	+1/-1	Total
3120-0503	Officer side tandem body with upper and lower compartmentation. Includes 30" wide forward full height and 30" wide low rearward compartments and (2) opening upper compartments. Includes offseting upper compartments forward due to deck gun location and access panel on upper rear compartment face to deck gun piping.	\$15,386		
3120-0504	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack. Ladder rack controls to be located on officer side rear compartment face above tail lights. Compartment material to be 5083-H321.	\$22,264		
3120-0505	Officer 3/4 height side body with 42" wide and 20" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well. For use with custom chassis only.	\$8,945		
3120-0506	Officer side body with full height 48" wide forward and 54" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,164		
3120-0507	Officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment (forward) over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,919		
3120-0508	Officer side ERV body with full height 37" forward and 52" rearward. Includes (1) 56" wide compartment over the wheel well. Includes (2) roof top compartments with hinged raised lids with thumb latches, grab handle(s), and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$21,266		
3120-0509	Officer side body with full height 24" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,124		
3120-0510	Officer half side body with 38" wide forward and 56" wide rearward compartment. Includes adjustable ladder tracks.	\$7,326		
3120-0511	The rear body corner on the right side to extend full height and a smooth plate inner panel.	\$215		
3120-0512	Notch compartment R2 in upper back wall rearward due to the 5" rear suction and provide a cover box.	\$371		
3120-0513	(2) Officer side roof top compartments. Includes hinged raised compartment lids with thumb latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3120-0514	Officer half side tandem body with (2)41" wide forward and (2)32" wide rearward compartmentation.	\$13,230		
3120-0515	Stainless steel officer side body with full height 48" wide forward and 54" wide rearward compartmentation with reduced upper depth. Includes (1) 60" wide compartment over the wheel well.	\$13,311		
3120-0516	Stainless steel officer side body with half height 40" wide forward and 40" wide rearward compartmentation.	\$10,853		
3120-0517	Stainless steel officer side body with full height 40" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$12,794		
3120-0518	Officer side body with 42" wide full height forward and 42" wide lower rearward lower compartments and (2) opening upper compartments. Includes offseting upper compartments forward due to deck gun location and and side facing access panels for deck gun piping.	\$12,448		
3120-0519	Officer side roof top compartment contents: (1) 12'-14'+ hard suction hose (not included) stored horizontal. Includes Nylatron compartment flooring. Length of capacity depends on body configuration.	\$693		
3120-0520	Officer side body with full height 48" wide forward and 62" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,791		
3120-0521	Stainless steel officer side body with full height 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$14,032		
3120-0522	Officer 3/4 side body with full height 36" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,311		
3120-0524	Officer side body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,732		



Item #	Description	Extension	+1/-1	Total
3120-0525	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to be wired to door ajar indicator in cab.	\$5,792		
3120-0526	(2) officer side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). The rear compartment to include (1) vertically hinged access door at the rear with push button latch for access to (1) 6" X10' hard suction tube. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$3,080		
3120-0527	2-arm ladder rack on officer side. Modified pivot position to allow the ladder rack to deploy at 48" to the center of ladders as loaded or less from ground level. The ladder rack includes amber lights on each end to visually indicate when the rack is in motion. Restricts the top folding step (if optioned) from closing completely. Includes mounting bracket (if required, matching rear compartment face or compartment wrap finish) for components mounted on rear compartment face.	\$14,197		
3120-0528	Officer full height side body with 20" wide and 42" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well. For use with custom chassis only.	\$11,114		
3120-0529	Officer side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,401		
3120-0530	Officer high side stainless steel tanker body with 52" front and 52" rear rescue style, R2 and R3 modified for one-arm Zico overhead ladder rack. Four compartments, tandem axle. Ladder rack not included, requires adding sales code 3365-0185-199.	\$22,082		
3120-0531	Officer side body with full height, full depth 60" wide front and 54" wide rear compartments. Includes (1) 44" wide compartment over the wheel well and one (1) Zico overhead ladder rack. SS eMAX only.	\$27,403		
3120-0532	Double hard suction storage rack: Two (2) hard suction hose storage racks shall be provided on the driver side of the body. The racks shall be positioned with one (1) rack located beside the other.	\$1,182		
3120-0533	Stainless steel officer side special tall body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$13,791		
3120-0534	(2) officer side roof top compartments for use with Zico ladder lift. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3120-0535	Officer side body with full height 60" wide forward and 62" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well, one (1) storage tunnel and (1) Zico Overhead Ladder Rack.	\$26,901		
3120-0536	Officer side body with full height 50" wide forward and 36" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Rear perimeter or body raised 4" for improved departure angle.	\$12,785		
3120-0537	Officer 3/4 side body with full height 42" wide forward and 54" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$8,000		
3120-0538	Officer half side stainless steel body with 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks, and 60" wide rear fender.	\$7,117		
3120-0539	(2) officer side roof top compartments. Includes hinged raised compartment lids with slam style D-ring latches and no grab handles. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$3,115		
3120-0540	(2) officer side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Includes fixed floor with hard suction storage below accessible through hinged rear panel access door with bent D-ring latch.	\$3,911		
3120-0541	Officer side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,418		
3120-0542	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,557		

Item #	Description	Extension	+1/-1	Total
3120-0543	Officer half side stainless steel body with 40" wide forward and 58" wide rearward extended compartmentation. Includes adjustable ladder tracks, and 60" wide rear fender.	\$7,179		
3120-0544	Officer half side body with 42" wide forward and 50" wide rearward enhanced extended compartmentation. Includes adjustable ladder tracks.	\$6,795		
3120-0545	Officer half side body with 24" wide forward and 50" wide rearward enhanced extended compartmentation.	\$5,881		
3120-0546	Officer side smooth plate roof top compartment and painted black Durabak. Includes vertically hinged smooth plate access door painted job color at the rear with push button latch to be wired to door ajar indicator in cab.	\$2,163		
3120-0547	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Amdor strip LED light and to be wired to door ajar indicator in cab.	\$6,785		
3120-0548	Officer full height side body with (3) full height, rescue style, forward compartments (48" and 30" wide) and (1) rearward compartment (24" wide), plus (1) upper compartment over w/well(33" wide and offset rearward of the rack opening).	\$10,575		
3120-0549	Stainless steel officer side body with full height/full depth 34" wide forward and 48" wide rearward compartmentation. Includes 60" wide compartment over the wheel well.	\$13,620		
3120-0550	Officer side tandem body with (1) 36" wide and (1) 20" wide forward and 54" wide rearward compartmentation. (1) forward compartment to be full height, (1) forward and rearward to be half height.	\$10,774		
3120-0551	Stainless steel officer side body with full height 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 40" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,348		
3120-0552	Officer Full height forward compartment and 3/4 side rear of R1 tandem body with 42" wide forward and 42" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well. Lowered W/Well for extra compt heighth. Side Dump Valves between Tandems N/A.	\$15,647		
3120-0553	(2) officer side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (3) bracket mounted EION LED lightS and to be wired to door ajar indicator in cab.	\$2,972		
3120-0554	Stainless steel officer half side body with 30" wide front and 40" wide rear and 60" wide fender panel.	\$5,817		
3120-0555	Officer side tandem body with upper and lower compartmentation. Includes 60" wide full height forward and 54" wide half height rearward compartments and (1) opening forward upper compartment with painted panels rearward.	\$18,945		
3120-0556	Officer side rear mount pumper body with full height 48" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and provisions to rear mount pump panel in rearward side compartment.	\$14,089		
3120-0557	Officer side body with full height 60" wide forward and 48" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,649		
3120-0558	(2) officer side roof top compartments for instillation of DOT/ASME bottles. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3120-0559	Officer side body with full height 42" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel beside the water tank.	\$15,334		
3120-0560	Officer side body with full height 34" and 48" wide forward and 56" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$24,373		
3120-0561	Officer side body with full height 30" wide forward and 44" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3120-0562	Officer side body with full height 42" and 40" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Side Mount eMAX only.	\$16,759		

Item #	Description	Extension	+1/-1	Total
3120-0563	Zico hydraulic drop-down ladder rack (LAS-XT) with 12 inches additional drop. Includes spacer brackets with ladder rack controller located on the officer side pump panel.	\$8,424		
3120-0564	Stainless steel officer side body with full height/full depth 60" wide forward and 60" wide rearward compartmentation. Includes 60" wide compartment over the wheel well and a 2-arm hydraulic overhead ladder rack.	\$16,437		
3120-0565	Officer side body with full height 26" and 50" wide forward compts, 56" wide over wheel compt and 52" wide rearward compt. Includes slide-back rear side compt for engine access and one (1) storage tunnel. eMAX HS only.	\$30,948		
3120-0566	Stainless steel officer side body with full height 48" wide forward and 40" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$13,337		
3120-0567	Officer side body with full height 26" and 50" wide forward compts, 33" wide compartment over the wheel well, Zico Overhead Ladder Rack and 52" wide rearward compt. Includes slide-back rear side compt for engine access. eMAX HS only.	\$35,430		
3120-0568	Officer side rear mount rescue pumper body with full height 38" wide forward and 42" wide rearward compartmentation with officer side ladder storage tunnel. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$16,949		
3120-0569	Stainless steel officer side body with full height, full depth 48" wide forward and 40" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$13,517		
3120-0570	Officer full height body side with (1) 48" wide, Full Height forward compartment, (1) 30" wide, lower forward compartment adjacent to w/well, (2) upper compartments (57" wide each), the rearward upper having a rear compartment face access door for portable tank storage, and (1) lower rearward compartment (24") to rear of the w/well.	\$12,675		
3120-0571	Stainless steel officer side body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$14,599		
3120-0572	Officer side body with full height 60" wide front and 54" wide rear compartments. Includes (1) 60" wide compartment over the wheel well and one (1) storage tunnel located behind reduced upper depth compartments. SS eMAX only.	\$21,740		
3120-0573	(2) side low profile stepped interior roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, gas shock hold opens and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Lids shall be without grab handles for lowered OAH and shall have a stepped interior.	\$6,062		
3120-0574	Officer half side body with 42" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,843		
3120-0575	Stainless steel officer side body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$15,509		
3120-0576	Officer side rear mount rescue pumper body with full height 62" wide forward and 42" wide rearward compartmentation with officer side ladder storage tunnel. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$19,188		
3120-0577	Officer side rear mount rescue pumper body with full height 62" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$16,015		
3120-0578	Officer side body with 3/4 height 36" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide x 20" high compartment over the wheel well.	\$9,409		
3120-0579	Officer side diamond plate roof top compartment. Includes smooth plate painted vertical hinged access door at the rear with D-Ring latch to be wired to door ajar indicator in cab. .125 material	\$1,758		

Item #	Description	Extension	+1/-1	Total
3120-0580	(1) officer side roof top compartment. This is to be used for long handle tool storage and to be accessible through hinged rear panel access door with trigger style latch. Includes (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Includes fixed forward wall at 143".	\$3,264		
3120-0581	Stainless steel officer half side body with 40" wide forward, 40" wide rear and a 60" wide fender panel. Includes adjustable ladder tracks.	\$6,249		
3120-0582	Officer side body with full height, full depth 30/60" wide front and 54" wide rear compartments. Includes (1) 44" wide compartment over the wheel well, with Zico overhead ladder rack. SS eMAX only.	\$29,606		
3120-0583	(1) shallow officer side roof top compartment with extra width to inboard side, forward position. Includes hinged raised compartment lid with turn latch, grab handle(s) and gas shock hold open and drain line(s) ran to below body. (1) rear opening hard suction storage compartment with lift up vertically hinged door w/bent D-ring latch. Each compartment to have a (1) LED light and to be wired to door ajar indicator in cab. Compartments shorter to allow recessing of ladder rack.	\$6,208		
3120-0584	Officer half side body with 30" wide forward and 60" wide rearward extended compartmentation. Includes adjustable ladder tracks.	\$7,151		
3120-0585	Stainless steel officer half side body with 30" wide front and 40" wide rear and 60" wide fender panel. For use with suicide hinged R1 door.	\$5,830		
3120-0586	(2) officer side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted ROM V4 LED strip light and to be wired to door ajar indicator in cab.	\$3,377		
3120-0587	Officer side body with full height 68" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls.	\$18,444		
3120-0588	Stainless steel officer side body with full height 60" wide forward and 60" wide rearward compartmentation with reduced upper depth. Includes (1) 60" wide compartment over the wheel well and (1) storage tunnel.	\$20,327		
3120-0589	Officer full height side body with (3) full height, rescue style, forward compartments (48" and 30" wide) and (1) rearward compartment (24" wide), (1) upper compartment (56" wide).	\$10,575		
3120-0590	Officer side rear mount rescue pumper body with full height 38" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$13,777		
3120-0591	(2) officer side roof top compartments with extra width to inboard side. Compartment top and lids to be smooth plate painted black Durabak. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$7,424		
3120-0592	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well, and a storage tunnel.	\$18,054		
3120-0593	Electric Lock for Zico Hydraulic Drop Down Ladder Rack.	\$2,323		
3120-0594	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted ROM V4 LED strip light and to be wired to door ajar indicator in cab.	\$6,344		
3120-0595	Officer side body with full height 30in. wide forward and 62in. wide rearward enhanced extended compartmentation. Includes (1) 56in. wide compartment over the wheel well and a cavity (using space from R1) between R1 and R2 for vertical exhaust to exit on outer compartment top just forward of wheel well.	\$17,099		
3120-0596	Officer half side tandem body with 60" wide forward and 48" wide rearward compartmentation.	\$9,795		
3120-0597	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls. Rear perimeter or body raised 3" for improved departure angle.	\$17,822		

Item #	Description	Extension	+1/-1	Total
3120-0598	Officer side body with full height 30" wide forward and 50" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,784		
3120-0599	Officer full height side body with 20" wide and 42" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well. For use with 30" high lower compt height only.	\$11,114		
3120-0600	Officer half side body with 44" wide forward and 36" wide rearward compartmentation and 28" high opening. Includes adjustable ladder tracks.	\$7,990		
3120-0601	Officer side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack. Rescue Pumper individual style compartments.	\$19,784		
3120-0602	Officer side body with full height 36" wide forward and 50" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack. Rescue Pumper individual style compartments.	\$20,771		
3120-0603	Officer half side tandem body with 66" wide forward and 40" wide rearward compartmentation. Includes 50" wide tandem wheel well compartment. SS top cap.	\$11,581		
3120-0604	Stainless steel officer side body with full height 40" wide forward and 40" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$12,114		
3120-0605	Officer side body with upper and lower compartmentation. Includes 42" wide forward and 42" wide rearward lower compartments, (3) opening upper compartments. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,458		
3120-0606	Officer side body with full height 60" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Top Mount eMAX Only.	\$14,649		
3120-0607	Officer 3/4 side tandem body with 3/4 full height 42" wide forward, (2) 51.5" wide compartments over the wheel well, and a 3/4 full height 42" wide rearward compartment. Additionally, there shall be a 3/4 full height 20" wide beavertail compartment openings.	\$11,400		
3120-0608	Officer full height side body (FOR 4X4 Chassis) with 30" high lower compartment height, (2) lower forward compartments (34" and 28" wide) ahead of wheel well, (1) one lower rearward compartment 24" wide, and (3) upper compartments (48.67" wide x 32" high opening) each, transverse front to rear.	\$10,575		
3120-0609	Stainless steel officer side body with full height 40" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 41" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,870		
3120-0610	Officer side body with full height 60" wide front and 54" wide rear compartments. Includes (1) 60" wide compartment over the wheel well for use with 2-arm ladder rack. SS eMAX only.	\$27,171		
3120-0611	(2) officer side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) Amdor LED strip light and to be wired to door ajar indicator in cab.	\$3,818		
3120-0612	Officer side tandem body with upper and lower compartmentation. Includes 48" wide full height forward and 48" wide rearward compartments and (3) opening upper compartments. Includes offseting upper compartments forward due to deck gun location and access panel on upper rear compartment face to deck gun piping.	\$17,767		
3120-0613	Officer 3/4 side stainless steel body with 40" wide forward and 58" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$8,808		
3120-0614	Officer side ERV style roof top compartment contents: (2) 6" x 10' hard suction hoses (not included) stored vertical. Includes vertical partition around hard suction hoses.	\$1,182		
3120-0615	Officer side rear mount pumper body with full height 54" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel and access door at rear.	\$24,649		
3120-0616	Officer side body with full height 60" wide forward and 52" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack. Includes slide-back rear side compt for engine access. HS only.	\$33,970		
3120-0617	Stainless steel officer half side body with 35" wide front and 40" wide rear and 60" wide fender panel.	\$6,045		

Item #	Description	Extension	+1/-1	Total
3120-0618	Officer side rear mount rescue pumper body with full height 24" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$12,657		
3120-0619	Officer 3/4 side body with (2) lower forward compartments (48" and 30" wide), (3) upper compartments (55") and (1) lower rearward compartment (28").	\$8,644		
3120-0620	Two (2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with one (1) L handle style 1/4 turn latch in the center of the compartment top, and two (2) grab handle(s) on each side of the L handle and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Amdor LED strip light and to be wired to door ajar indicator in cab.	\$6,806		
3120-0621	Officer 3/4 side tandem body with full height 42" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$11,487		
3120-0622	Officer high side stainless steel body with 60" front and 60" rear. (4) compartments, tandem axle. For use with single arm overhead ladder rack.	\$19,665		
3120-0623	Officer side tandem body with upper and lower compartmentation. Includes 60" wide lower forward and 54" wide lower rearward compartments and (1) forward upper compartment with standard hose bed side rearward.	\$18,945		
3120-0624	Officer side body with full height 60" wide front and 54" wide rear compartments. Includes (1) 44" wide compartment over the wheel well and one (1) Zico overhead ladder rack. Ladder rack offset rearward. SS eMAX only.	\$27,171		
3120-0625	Officer side body with upper and lower compartmentation. Includes full height 24" wide forward, 30" high by 38" wide lower rear, and 34" high by 38" wide upper rear compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$17,885		
3120-0626	Stainless steel officer side body with full height 54" wide forward and 54" wide rearward compartmentation with reduced upper depth. Includes (1) 60" wide compartment over the wheel well and (1) storage tunnel.	\$18,757		
3120-0627	Officer side body with full height 30" wide forward and 52" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,172		
3120-0628	Officer half side body with (2) forward compartments (42" and 20" wide) and (1) rearward compartment (42"). The compartment opening height to be 30" IPO 34". For use with custom chassis only.	\$6,858		
3120-0629	Officer side body with full height 60" wide forward compts, 56" wide over wheel compt and 52" wide rearward compt. Includes slide-back rear side compt for engine access and one (1) storage tunnel. HS only.	\$29,493		
3120-0630	Stainless steel officer side body with full height 48" wide front and 58" rear with reduced upper depth for "T" tank. Includes 60" wide compartment over rear wheels. Upper compartments to be 15" deep.	\$14,854		
3120-0631	(2) officer side roof top compartments for foam pails. Includes hinged compartment lids with turn latches and grab handle(s). Each compartment shall include LED lighting and to be wired to door ajar indicator in cab.	\$2,972		
3120-0632	Stainless steel officer half side body with 48" wide front and 40" wide rear and 60" wide fender panel. Includes adjustable ladder tracks.	\$6,669		
3120-0633	Stainless steel officer side body with full height/full depth 54" wide forward and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$18,212		
3120-0634	Stainless steel officer 3/4 side body with full height 40" wide forward and 40" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$7,813		
3120-0635	Officer side rear mount pumper body with (2) two full height 34" wide forward and (1) one 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel and access door at rear.	\$20,740		
3120-0636	Officer side tandem body with full height 60" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well. Wheel wells and lower compartment height to lowered 4" over standard. (Pumper/Rescue Pumper Height).	\$16,619		

Item #	Description	Extension	+1/-1	Total
3120-0637	Officer 1/2 side body with 24" wide forward and 42" wide rearward compartmentation. Includes adjustable ladder tracks.	\$5,981		
3120-0638	Officer side body with full height 28" and 28" wide forward compts, 56" wide over wheel compt and 52" wide rearward compt. Includes slide-back rear side compt for engine access and one (1) storage tunnel. HS only.	\$30,053		
3120-0639	Officer side roof top compartment contents: (2) 6" x 10' hard suction hoses (not included) stored vertically. Includes horizontal partition between the hard suction hoses. NO stop for hoses.	\$1,182		
3120-0640	Officer side rear mount pumper body with two full height 48" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$20,019		
3120-0641	Officer half side tandem body with 48" wide forward and 42" wide rearward compartmentation.	\$9,795		
3120-0642	Officer side body with full height 30" wide forward and 50" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$11,442		
3120-0643	Officer half side stainless steel body with 30" wide forward and 58" wide rearward extended compartmentation. Includes adjustable ladder tracks and 60" wide rear fender.	\$7,179		
3120-0644	Officer side body with full height 60in. wide forward and 42in. wide rearward compartments. Includes (1) 56in. wide compartment over the wheel well. Side Mount e-MAX only.	\$13,732		
3120-0645	Officer full height side body with 31" wide and 31" wide forward compartments and 42" wide rearward compartment. Includes (1) 56" wide compartments over the wheel well.	\$11,114		
3120-0646	**NARROW BODY** Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,949		
3120-0647	Rear aluminum smooth plate painted job color vertical hinged door on roof top compartment. Includes D-ring latch and wiring for door ajar switch.	\$241		
3120-0648	Roof top compartment contents: (1) 6in x 10ft hard suction hose (not included) stored in the lower area of roof top compartment. Includes stop bracket rear ward of hard suction hose if applicable to body length and partition surround over the hard suction hoses to accommodate storage area above and in front of the stored hose. Floor to include nylon pad as applicable for ease of deployment on scene.	\$762		
3120-0649	**NARROW BODY** Officer side body with full height 36" wide forward and 36" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$18,299		
3120-0650	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$13,656		
3120-0651	Stainless steel officer side body with full height 48" wide forward and 54" wide rearward compartment with reduced upper depth. Includes (1) 60" wide compartment over the wheel well and (1) storage tunnel.	\$18,212		
3120-0652	Officer side body with full height 30" and 60" wide forward compartments and 54" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well. Side mount SS eMAX only.	\$19,735		
3120-0653	Officer side body with special full height 23" wide forward and 50" wide rearward compartmentation. Includes (1) 50" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack with special provision for ladder rack to be lowered so as to meet customer requirements in the down position.	\$22,352		
3120-0654	Officer side diamond plate roof top compartment. Includes smooth plate painted vertical hinged access door at the rear with D-ring style latch to be wired to door ajar indicator in cab.	\$1,730		
3120-0655	Officer side rear mount rescue pumper body with full height 38" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, (1) Zico Overhead Ladder Rack, and 30 degree angled rear body for improved angle of departure.	\$21,396		
3120-0656	Officer half side stainless steel body with 30" wide forward and 46" wide rearward compartmentation. Includes full height adjustable ladder tracks, and 60" wide fender panel.	\$6,221		

Item #	Description	Extension	+1/-1	Total
3120-0657	Stainless steel 96" wide officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$13,656		
3120-0658	The front body corner on the right side to extend full height and have a smooth plate inner panel	\$215		
3120-0659	**NARROW BODY** Officer side body with half height 36" wide forward and 36" wide rearward compartmentation. Includes adjustable ladder tracks mounted to the hosebed side wall.	\$5,594		
3120-0660	Officer side body with full height 30" wide forward and 52" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$19,082		
3120-0661	Officer side tandem body with (2) full height 28" wide forward and 54" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$17,162		
3120-0662	Officer side body with 19.5in. wide forward and 31in. wide rearward compartmentation. Includes (1) 40in. wide compartment over the wheel well. Compartment tops raised approximately 6in. to match hosebed height. Rear of body under rearward compartment shall be raised 4in. or as applicable to allow for additional departure angle.	\$11,597		
3120-0663	Stainless steel officer side body with full height 36" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well and a ladder storage tunnel.	\$14,280		
3120-0664	Stainless steel officer side body with full height 44" wide forward and 60" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well and ladder storage tunnel.	\$14,280		
3120-0665	(3) Officer side roof top compartments with extra width to inboard side. (1) open generator compartment and (2) hinged raised compartments with lids and turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$6,225		
3120-0666	Officer half side tandem body with 54" wide forward and 48" wide rearward compartmentation. Compartment height 30" pumper style. Side dumps not available.	\$9,795		
3120-0667	Officer side body with full height 34" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$16,844		
3120-0668	Stainless steel officer side body with full height, full depth 48" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$15,509		
3120-0669	Officer side tandem body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (2) 51.5" wide compartments over the wheel well.	\$15,758		
3120-0670	Officer half side stainless steel body with 30" wide forward and 46" wide rearward compartmentation. Includes full height adjustable ladder tracks, and 66" wide fender panel.	\$6,221		
3120-0671	Officer side body with full height 60" wide forward and 46" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls.	\$17,167		
3120-0672	Officer side rear mount rescue pumper body with full height 24" wide forward and 42" wide rearward compartmentation with officer side ladder storage tunnel. Includes (1) 56" wide compartment over the wheel well and 30 degree angled rear body for improved angle of departure.	\$15,830		
3120-0673	Stainless steel officer side body with full height 48" wide front and 48" rear compartments. Includes 60" wide compartment over the rear wheels.	\$13,729		
3120-0674	Officer 3/4 side body with full height 60" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide and 20" high compartment over the wheel well.	\$10,699		
3120-0675	Officer side tandem body with two forward compartments ahead of the rear wheels, and one rear compartment behind rear wheels. The forward front compartment to be 38" wide and full height, the rearward front compartment to be 24" wide and half height. The single rear to be a half height 60" wide compartment.	\$16,619		
3120-0676	Stainless steel officer side body with half height 35" wide forward and 48" wide rearward compartmentation. Include 60" wide wheel well. Includes adjustable ladder tracks.	\$6,221		



Item #	Description	Extension	+1/-1	Total
3120-0677	Officer side body with full height 36" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,536		
3120-0678	Officer side tandem body with upper and lower compartmentation. Includes 66" wide half height forward and 60" wide half height rearward compartments and (1) opening rearward upper compartment to rear of compartment top mounted Portable Tank or Equipment Storage.	\$19,309		
3120-0679	Officer 3/4 side body with upper and lower compartmentation. Includes 42" wide forward and 48" wide rearward lower compartments and (2) opening upper compartments.	\$8,226		
3120-0680	Officer side body with full height 52" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls.	\$16,863		
3120-0681	Two (2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with one (1) ' L' handle style 1/4 turn latch in the center of the compartment top, two (2) grab handle(s) on each side of the ' L' handle, gas shock hold open and drain line(s) ran to below body. Each lid to have (1) Amdor LED strip light and to be wired to door ajar indicator in cab.	\$6,806		
3120-0682	Officer side body with full height 35" wide forward and 47" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$18,362		
3120-0683	(3) officer side roof top compartments with extra width to inboard side (20"/96"/15"). Includes hinged raised compartment lids with thumb latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Compartments shall be stepped at inboard side for a 26" deep section approximately 8.5" wide in order to stow a stokes basket.	\$6,947		
3120-0684	Stainless steel officer side body with full height 54" wide forward and 54" wide rearward compartmentation with reduced upper depth. Includes (1) 60" wide compartment over the wheel well and (1) storage tunnel. NOTE: 12" deep upper compartments to accommodate special ladder tunnel storage requirements.	\$18,757		
3120-0685	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,078		
3120-0686	Officer side body with full height 36" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) ladder storage tunnel and access door at rear.	\$15,708		
3120-0687	Stainless steel officer 3/4 side body with full height 40" wide forward and 48" wide rearward compartmentation. Includes (1) 54" wide compartment over the wheel well.	\$8,000		
3120-0688	Stainless steel officer side body with full height 48" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well, and a storage tunnel.	\$18,054		
3120-0689	Officer side roof top assembly. Does not include external upper doors. External framework, plate work, and internal floors only.	\$1,738		
3120-0690	Officer side body with upper and lower compartmentation. Includes 42" wide forward and 56" wide rearward lower compartments and (3) opening upper compartments.	\$13,739		
3120-0691	Officer side body with full height 42 in. wide forward and 56in. wide rearward enhanced extended compartment. Includes (1) 56" wide compartment over the wheel well and one storage tunnel.	\$16,949		
3120-0692	Vertical partitions located in officer side roof top compartment. Vertical partition located 3" forward of electric cord reel and a adjustable divider shall be installed forward of the partition. The divider shall span from front to rear and be adjustable left to right. The use of Unistrut or equal materials shall provide for adjustability as required for divider. The divider plate shall be 3/16" smooth aluminum.	\$791		
3120-0693	Roof top compartment modification to provide storage for a stokes basket accessible from the top. Includes partition wall to separate the stokes basket storage area from the remaining usable area of the compartment. Modify roof top compartment lids as needed.	\$721		

Item #	Description	Extension	+1/-1	Total
3120-0694	Officer side roof top compartment contents: (2) 6" x 10' hard suction hoses (not included) stored vertically. Lower suction storage shall be extended in length for suction hose with barrel strainer (not included). Includes horizontal partition between the hard suction hoses. NO stop for hoses.	\$1,182		
3120-0695	Stainless steel officer side body with full height/full depth, 60" wide forward and 60" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$20,236		
3120-0696	Officer side body with full height 48" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls. A cavity between R1 and R2 for vertical exhaust to exit on outer compartment top just forward of wheel well.	\$19,539		
3120-0697	Officer side body with full height 54" wide forward and 48" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$21,572		
3120-0698	Officer half side tandem body with (1) 44" wide first forward, (1) 30" wide second forward and (1) 66" wide rearward compartments. Compartment height openings to be 30" IPO standard 34".	\$13,230		
3120-0699	Officer side body with full height 40" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$13,690		
3120-0700	Officer side body with full height 42" wide forward and 56" wide rearward enhanced extended compartmentation. Includes (1) 33" wide compartment over the wheel well and (1) Zico Overhead Ladder Rack.	\$20,078		
3120-0701	Stainless steel officer side body with modified (63" high from bottom to comp top) full height full depth 48" wide forward and 48" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$16,938		
3120-0702	Officer side roof top compartment contents: (1) 6" x 10' hard suction hose (not included) stored in lower rearward area of the roof top storage with Nylatron compartment flooring. Includes surround forward and above hard suction hose to allow for additional storage in remaining available roof top storage compartments accessible from top lift doors.	\$781		
3120-0703	Officer side body with lower 48in wide forward and 48in wide rearward lower compartments. Includes: one (1) storage tunnel behind upper area inboard for ladders with an outer body additional storage tunnel accessible from the rear of the body for storage of four (4) 6in. diameter x minimum 12ft. hard suction hoses with rocker style or folding style handles. Storage chutes for hard tubes to be full body length trays and nylatron without tube stops so department can order custom full length hoses after delivery.	\$17,948		
3120-0704	Officer side body with full height 42" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$12,902		
3120-0705	Officer side rear mount rescue pumper body with full height 24" wide forward and 42" wide rearward compartmentation. Includes (1) 33" wide compartment over the wheel well, (1) Zico Overhead Ladder Rack, and 30 degree angled rear body for improved angle of departure.	\$20,265		
3120-0706	Officer side body with full height 72" wide forward and 60" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$21,083		
3120-0707	Officer side body with full height 50" wide forward and 42" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel located behind the upper (3) compartment back walls. Rear perimeter or body raised 3" for improved departure angle.	\$16,790		
3120-0708	Officer side body with upper and lower compartmentation. Includes 24" wide forward and 36" wide rearward lower compartments and (2) opening upper compartments. For use with 94"(96" with rubrail) wide body configuration.	\$10,252		
3120-0709	Flat back style Officer side body with full height 48" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well.	\$14,432		
3120-0710	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with D-Ring latches, no grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted ROM V4 LED strip light and to be wired to door ajar indicator in cab.	\$6,560		

Item #	Description	Extension	+1/-1	Total
3120-0711	Stainless steel officer half side body with 48" wide front and 48" wide rear and 60" wide fender panel. Includes adjustable ladder tracks.	\$7,030		
3120-0712	Stainless steel officer 3/4 side body with full height 48" wide forward and 40" wide rearward compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$8,063		
3120-0713	Zico Hydraulic Drop Down Ladder Rack, LAS-HA2 with electric lock option. Includes diamond plate spacer brackets with ladder rack controller located on the officer side pump panel.	\$7,700		
3120-0714	Officer side body with full height 42" wide forward and 56" wide rearward extended compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$16,949		
3120-0715	Stainless steel officer side body with full height 48" wide forward and 60" wide rearward compartment with reduced upper depth. Includes (1) 60" wide compartment over the wheel well and (1) storage tunnel. Special 69" high rescue pumper body height.	\$18,212		
3120-0716	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to be wired to door ajar indicator in cab. Special 24" interior depth.	\$5,792		
3120-0717	Officer side body with full height 26" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. Top Mount eMAX With Low Hosebed Only	\$16,176		
3120-0718	Officer half side tandem body with 66" wide forward and 60" wide rearward compartmentation.	\$10,678		
3120-0719	Flat back style Officer side body with full height 48" wide forward and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well and one (1) storage tunnel.	\$17,604		
3120-0720	Officer 3/4 side stainless steel body with 30" wide forward and 58" wide rearward enhanced extended compartmentation. Includes (1) 60" wide compartment over the wheel well.	\$8,250		
3120-0721	Officer high side stainless steel body with 60" front and 60" rear. (4) compartments, tandem axle. For use with single arm overhead ladder rack.	\$21,067		
3120-0722	Officer side body with full height/full depth 60" wide front and 54" wide rear compartment. Includes (1) 60" wide compartment over the wheel well. Side mount SS eMAX only.	\$19,888		
3120-0723	Stainless steel officer side body with full height 48" wide forward and 58" wide rearward compartmentation with reduced depth upper. Includes (1) 60" wide compartment over the wheel well.	\$14,481		
3120-0724	(1) Officer side shallow roof top compartment rearward of full height compartment R3. Top of door even with top of full height side compartments. Outer wall flush with outside of body compartments. Includes hinged raised compartment lid with turn latch, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Includes (1) bracket mounted LED light and to be wired to door ajar indicator in cab. Approximate size to be 7" high x 53.5" long x 11" wide. SS aerial body only.	\$2,455		
3120-0725	Officer side body with upper and lower compartmentation. Includes lower 48" wide forward and full height 48" wide rearward compartments and (2) opening upper compartments.	\$13,284		
3120-0726	The R3 compartment to be transverse into R4.	\$304		
3120-0727	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with D-ring latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$6,052		
3120-0728	Officer side body with full height 42" and 56" wide forward compartments and 56" wide rearward compartmentation. Includes (1) 56" wide compartment over the wheel well. The rearward section of R4 to be transverse with B1/L4 compartments.	\$18,716		
3120-0729	Officer 3/4 side body with 60in. wide forward and 56in. wide rearward extended compartment. Includes (1) 56in. wide compartment over the wheel well.	\$9,242		

Item #	Description	Extension	+1/-1	Total
3125-0001	Mid-Engine module with 58" wide opening. Forward area of module to have double stacked double crosslays to hold up to 200' of 2.0" DJ (each).	\$10,756		
3125-0002	Mid engine side access doors (PR) painted job color. Painted surface does not include expanded metal inserts.	\$1,615		
3125-0003	Mid engine side access doors (PR) diamond plate.	\$1,406		
3125-0004	Mid-Engine module with 56" wide opening. Upper area of module to have double stacked double crosslays. Includes vertical hinged access door with expanded metal, D-ring latch and hold open device located rearward of crosslays. Rear upper module to be match height of the body.	\$9,825		
3125-0005	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area, rack in upper storage area for (2) backboards (vertical stored offset forward - sleeve each side of center pump access), center front pump access doors and removable center floor in upper area.	\$2,834		
3125-0006	Full one piece body for use with rear mounted pump. Compartment widths front to rear: 44"/56"/33". Rear body to have smooth plate panels (no recess area for traffic advisor) and center area for rear mounted pump and pump panel (rear center body area to have no compartment interior). Includes 92" high body.	\$17,916		
3125-0007	eMAX crosswalk module. Includes raised floor, walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the eMAX front body extension.	\$1,795		
3125-0008	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area, sleeve in upper storage area for (2) backboards (vertical stored offset forward - sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area.	\$2,834		
3125-0009	eMAX Forward body configuration - TM. Includes a lower double preconnect storage area, provision for top mount pump operator's panel and center front pump access door.	\$2,834		
3125-0010	eMAX Forward body configuration. Includes a lower double preconnect storage area, upper transverse storage area with lift-up ptd door, rack in upper storage area for (2) backboards (vertically stored offset forward - sleeve each side of center pump access), center front pump access doors, removable center floor in upper area and upper storage pan.	\$3,084		
3125-0011	eMAX Forward body configuration - SM. Includes a lower transverse storage area for (2) backboards and (1) stokes basket with boxed out style access door (wired to door ajar). Center area to be sleeved for pump access with center front pump access door and removable center floor area.	\$2,586		
3125-0012	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area, rack in upper storage area for (2) backboards (vertically stored offset forward - sleeve each side of center pump access) with single preconnect storage rearward, center front pump access doors and removable center floor in upper area.	\$2,965		
3125-0013	SS eMAX forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area, sleeve in upper storage area for (2) backboards (vertically stored offset forward - sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area.	\$3,458		
3125-0014	eMAX Forward body configuration. Includes a lower transverse storage area, rack in upper storage area for (2) backboards (vertically stored offset forward - sleeve each side of center pump access), upper transverse storage area, center front pump access doors, removable center floor in upper and lower areas and upper storage pan (pan to extend into forward body area and be wider to the rear).	\$2,834		
3125-0015	eMAX Forward body configuration. Includes a rack in lower storage area for (2) backboards (vertically stored offset forward - sleeve each side of center pump access), lower transverse storage area, upper transverse storage area, center front pump access doors, removable center floor in upper and lower areas and upper storage pan (pan to extend into forward body area and be wider to the rear).	\$2,834		
3125-0016	eMAX Forward body configuration - SM. Includes a lower double preconnect area, upper transverse storage area, rack in upper storage area for (1) 17' Little Giant ladder (vertically stored offset forward - sleeve each side of center pump access), center front pump access doors and removable center floor in upper area.	\$3,123		

Item #	Description	Extension	+1/-1	Total
3125-0017	eMAX Forward body configuration - SM. Includes a transverse storage area above pump panels that include (2) fixed shelves going full length (left to right) of the transverse compartment. The lower most shelf shall be approximately 11" from the floor. It shall accommodate a door on each side approximately 10" in height. The doors shall be mounted below the lower most shelf and shall be recessed approximately 3" from each side. The smooth aluminum doors shall be 3/16" thick, include a thumb latch and have a vertical hinge mounted to the rear side. The second shelf shall be mounted approximately 18" above the lower shelf. The lower area floor shall be constructed from 1/8" smooth aluminum plate and be bolted in to facilitate pump system servicing. The outboard floors of the upper area shall be constructed from 1/8" smooth aluminum plate. The center upper floor shall be 1/8" smooth aluminum plate and removable to provide easy access to the pump manifold and valves.	\$3,123		
3125-0018	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, extruded boxed out upper transverse storage area with horizontal hinged door each side with push button latch and pull strap, rack in upper storage area for (2) backboards (vertically stored offset forward - sleeve each side of center pump access) and (1) stokes basket (offset rearward) - 84.5" long x 24" high x 7.5" deep, center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0019	SS eMAX forward body configuration - SM. Includes a lower double preconnect storage area, sleeve in upper storage area for backboards or other transverse items with lift-up access door each side (stored offset forward - sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area.	\$3,458		
3125-0020	eMAX Forward body configuration - TME. Includes a lower double preconnect storage area, upper transverse storage area, rack in upper storage area for (2) backboards (vertically stored offset forward - sleeve each side of center pump access), center front pump access doors and removable center floor in upper area.	\$2,834		
3125-0021	An eMAX forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area, rack in upper storage area for (1) 13' Little Giant Ladder (vertically stored offset forward sleeve each side of center pump access) and (1) Ferno Model 71-S two piece stokes basket (vertically stored), center front pump access doors with D-Ring latch and removable center floor in upper area.	\$3,327		
3125-0022	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area with a lift up door (each side) to include pull strap, push button latch, wired to door ajar. Center front pump access doors and removable center floor in upper area.	\$2,834		
3125-0025	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area, sleeve in upper storage area for (2) backboards (vertically stored offset forward - sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area. Upper logo panel and storage door to be smooth plate for paint color or zolotone application.	\$2,834		
3125-0026	Full one piece body for use with rear mounted pump and 30 degree angle of departure with flip down tailboard and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed. Compartment widths front to rear: 24"/56"/42". Compartment openings front to rear: 24"/56"/30". Rear body to have smooth plate panels (no recess area for traffic advisor) and center area for rear mounted pump and pump panel (rear center body area to have no compartment interior). R1 compartment floor to be raised and the bottom portion of the compartment to have a panel for routing the exhaust. Includes 95" high body.	\$25,645		
3125-0027	SS eMAX forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area (rearward), open storage area for dealer supplied hydraulic system (offset forward) , center front pump access doors and removable center floor in upper area. Bolt on ventilated brushed stainless steel cover plates on both ends of forward open storage area.	\$3,458		
3125-0028	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area with D-Ring latch each door, rack in upper storage area for (2) backboards (vertically stored offset forward - sleeve each side of center pump access), center front pump access doors and removable center floor in upper area.	\$3,014		

Item #	Description	Extension	+1/-1	Total
3125-0029	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area, and upper forward area for dry lay. Center front pump access doors and removable center floor in upper area. Pump module opening 23" wide for use with roll-up doors.	\$3,420		
3125-0030	Includes a lower double preconnect storage area, sleeve in upper storage area for long handle tools and/or other transverse items with lift-up access door each side- (sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area. Upper area recessed at depth of front eMAX body storage pan.	\$3,167		
3125-0031	eMAX Forward body configuration for use with a (2) arm ladder rack. - SM. Includes a lower double preconnect storage area, upper transverse storage area and deck gun piping access, center front pump access doors and removable center floor in upper area.	\$3,417		
3125-0032	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, extruded boxed out upper preconnect/storage area with horizontal hinged door each side with push button latch and pull strap, rack in upper storage area for (1) stokes basket (offset forward) - 84.5" long x 24" high x 7.5" deep and (1) preconnect area (offset rearward), center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0033	eMAX Forward body configuration for use with a (2) arm ladder rack and raised speedlays for 4X4 application. - SM. Includes a lower double preconnect storage area, upper transverse storage area and deck gun piping access, center front pump access doors and removable center floor in upper area.	\$3,417		
3125-0034	eMAX Forward full width body configuration - SM. Includes a lower double preconnect storage area, upper full usable body width transverse storage area, rack in upper storage area for (2) backboards (vertical stored offset forward and misc. storage rearward - sleeve each side of center pump access), center front pump access doors and removable center floor in upper area. e-MAX forward pump module to match body height.	\$7,234		
3125-0036	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area, an adjustable storage rack in upper storage area for (2) backboards (or similar items, vertically stored offset forward - sleeve each side of center pump access) with single preconnect storage rearward, center front pump access doors and removable center floor in upper area.	\$2,965		
3125-0037	SS eMAX forward body configuration - SM. Includes a lower double preconnect storage area, sleeve in upper storage area for (1) stokes basket or other transverse items with boxed out style lift-up access doors (wired to door ajar) each side (sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area.	\$3,699		
3125-0038	eMAX Forward Full Body Width configuration - SM. Includes a transverse double preconnect storage area, one single lower, and one single upper, with a bolt-on partition to keep storage trays from sliding forward. Both Trays shall accommodate a full height roll-up door on each side of body. Module also includes a center front pump access door, and a removable center floor in the upper area.	\$7,234		
3125-0039	eMAX Forward body configuration - SM. Includes an extruded boxed out lower double preconnect storage area, upper transverse storage area, sleeve in upper transverse storage area with provision for roll-up door each side, sleeve each side of center pump access) and (1) stokes basket (forward) - 86" long x 24.5" high x 8" deep, center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0040	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, extruded boxed out upper preconnect/storage area with horizontal hinged door each side with D-ring latch and pull strap, rack in upper storage area for (1) stokes basket (offset forward) - 84.5" long x 24" high x 7.5" deep and (1) preconnect area (offset rearward), center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0041	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area, rack in upper storage area for (2) backboards (horizontally stored - sleeve each side of center pump access), center front pump access doors and removable center floor in upper area.	\$3,143		

Item #	Description	Extension	+1/-1	Total
3125-0042	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, extruded boxed out upper preconnect/storage area with horizontal hinged smooth plate door painted job color each side with D-ring latch and pull strap, rack in upper storage area for (1) stokes basket (offset forward) - 84.5" long x 24" high x 7.5" deep and (1) preconnect area (offset rearward), center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0043	SS eMAX Forward body configuration - SM. Includes a full height upper transverse storage area for miscellaneous equipment with boxed out style access door frame (full width of body). Center area to be sleeved for pump access with center front pump access door and removable center floor area. Right side door opening is narrower to allow a recessed area for the ladder lift arm.	\$3,458		
3125-0044	eMAX Forward full width body configuration - SM. Includes a transverse storage area for (2) stokes baskets (84.5" long X 24" wide X 7.5" deep) with a vertical divider separating the two. The lower 15" below stokes storage floor to compartment floor for storage of long cribbing, center front pump access doors, removable center floor in upper area.	\$7,234		
3125-0045	eMAX Forward body configuration - SM. Includes a lower double pre connect storage area, extruded boxed out upper transverse storage area with horizontal smooth plate hinged job color door each side with D-Ring style latch and pull strap, rack in upper storage area for (2) back boards (vertical stored offset forward - sleeve each side of center pump access) and (1) stokes basket (offset rearward) - 84.5in. " long x 24in. high x 7.5in. deep, center front pump access doors, removable center floor in upper area.	\$3,748		
3125-0046	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area, an adjustable storage rack in upper storage area for (2) backboards (or similar items, vertically stored offset forward - sleeve each side of center pump access) with single preconnect storage rearward, center front pump access doors and removable center floor in upper area. Doors to have D-Ring latches IPO thumb latches	\$2,965		
3125-0047	eMAX Forward body configuration - SM. Includes a lower double pre connect storage area, extruded boxed out upper transverse storage area with horizontal hinged door each side with D-ring latch and pull strap, rack in upper storage area for (2) backboards (vertical stored offset forward - sleeve each side of center pump access) and (1) stokes basket (offset rearward) - 84.5" long x 24" high x 7.5" deep, center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0048	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper transverse storage area, an adjustable storage divider in upper storage area for (1) Little Giant 17' ladder vertically stored offset forward and with single preconnect storage rearward, center front pump access doors and removable center floor in upper area. Doors to have quarter turn latches IPO thumb latches. Little Giant storage to have a removable velcro strap stop 60" from the officer side opening.	\$2,965		
3125-0049	e-MAX Forward body configuration for use with a(2) arm ladder rack and raised speed lays for a 4x4 application - SM. Includes a lower double pre connect storage area, upper transverse storage area, rack in upper storage area for (2) backboards (horizontal stored in the bottom of transverse - sleeve each side of center pump access), center front pump access doors and removable center floor in upper area.	\$3,417		
3125-0050	SS eMAX forward body configuration - SM. Includes a lower double preconnect storage area, open dunnage storage area accessible from top of body, center front pump access doors and removable center floor in upper area.	\$3,458		
3125-0051	SS eMAX forward body configuration - SM. Includes a lower double preconnect storage area, upper double preconnect storage area, center front pump access doors and removable center floor in upper area. Three (3) areas to hold 250' of 1.75. Bed 4 (upper right) to hold 250' of 2.5".	\$3,883		
3125-0052	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper double preconnect storage area, forward area for dead lay, with a lift up door (each side) to include pull strap, push button latch, wired to door ajar. Center front pump access doors and removable center floor in upper area.	\$2,834		

Item #	Description	Extension	+1/-1	Total
3125-0053	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, extruded boxed out upper preconnect/storage area with horizontal hinged door each side with push button latch and pull strap, rack in upper storage area for (1) stokes basket (offset rearward) - 84.5" long x 24" high x 7.5" deep and (1) deadlay area (offset forward), center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0054	SS eMAX forward body configuration - SM 26" wide. Includes a lower double preconnect storage area, upper preconnect storage area, sleeve in upper storage area for (2) backboards (vertically stored offset forward - sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area. Unit designed to accept full height roll up doors one each side.	\$6,059		
3125-0055	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area, sleeve in upper storage area for (2) backboards (vertical stored offset forward - sleeve is removable for center pump access), center front pump access doors and removable center floor in upper area.. Lower area to hold (2) 200' of 1.75" DJ and upper area to hold (1) 300' of 2.00" DJ.	\$2,834		
3125-0056	eMAX Forward body configuration - SM. Includes an upper and lower double preconnect storage area. Center front pump access doors and removable center floor in upper area.	\$3,021		
3125-0057	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area, center front pump access doors and removable center floor in upper area. Lower area to hold (2) 200' of 1.75" DJ and upper area to hold (1) 200' of 2.50" DJ.	\$2,834		
3125-0058	eMAX Forward body configuration - SM. Includes an extruded boxed out lower double pre connect storage area, extruded boxed out upper transverse storage area with horizontal smooth plate painted job color hinged door each side with D-Ring style latch and pull strap, rack in upper storage area for (2) back boards (vertical stored offset forward - sleeve each side of center pump access) and (1) stokes basket (offset rearward) - 84.5in. " long x 24in. high x 7.5in. deep, center front pump access doors, removable center floor in upper area.	\$3,748		
3125-0059	eMAX Forward body configuration - SM. Includes a transverse storage area for (1) stokes baskets (84.5" long X 24" wide X 7.5" deep) with a vertical divider and center front pump access doors.	\$3,260		
3125-0060	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper preconnect storage area, upper backboard storage sleeve with vertical hinged door, center front pump access doors and removable center floor in upper area. Lower area to hold (2) 200' of 1.75" DJ and upper area to hold (1) 200' of 2.50" DJ.	\$3,014		
3125-0061	SS eMAX Forward body configuration - SM. Includes one (1) lower preconnect storage area (forward), a rearward full height transverse storage area, a sleeve in the upper storage area above the preconnect for (2) backboards and a Stokes basket. The storage areas will have a boxed out style access door frame (full width of body). Center area to be sleeved for pump access with center front pump access door and removable center floor area. Right side door opening is narrower to allow a recessed area for the ladder lift arm. Note; due to narrower officer side door opening, rearward tranverse storage access may be limited to the drivers side only.	\$3,458		
3125-0062	eMAX Forward body configuration - SM. Includes extruded boxed out upper and lower transverse storage area with rack in upper storage area with horizontal partition (centered) for misc storage (offset forward - sleeve each side of center pump access) and (1) stokes basket (offset rearward) - 84.5" long x 24" high x 7.5" deep, center front pump access doors, removable center floor in upper area. The lower 15" below stokes storage floor to compartment floor for storage of poly boxes.	\$3,428		
3125-0063	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, upper double preconnect storage area. Center front pump access doors and removable center floor in upper area. Pump module opening 23" wide for use with roll-up doors.	\$3,420		



Item #	Description	Extension	+1/-1	Total
3125-0064	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area, extruded boxed out upper preconnect storage area, upper stokes storage sleeve with vertical hinged door each side with push button latch, rack in upper storage area for (1) stokes basket (offset forward) - 84.5" long x 24" high x 7.5" deep and (1) preconnect area (offset rearward), center front pump access doors, removable center floor in upper area.	\$3,210		
3125-0065	SS eMAX forward body configuration, 22" wide - SM. Includes a lower double preconnect storage area, upper forward preconnect storage area and a sleeve in the upper rearward storage area for (1) stokes basket, and (1) backboard (stored in the stokes basket). The sleeve is removable for center pump access. The enclosed stokes storage area extends outward from the pump panels approx. 6" each side. Center front pump access doors and removable center floor in upper area. Optional preconnect storage trays selected separately.	\$4,020		
3125-0066	eMAX Forward body configuration - SM. Includes a lower double preconnect storage area with 24" high opening, upper storage area access from the top, center front pump access doors and removable center floor in upper area.	\$2,834		
3130-0003	Pump module. Includes 39" wide pump panel opening and running boards.	\$5,704		
3130-0004	Pump module. Includes 45" wide pump panel opening and running boards.	\$5,704		
3130-0005	Pump module. Includes 51" wide pump panel opening and running boards.	\$5,704		
3130-0006	Pump module. Includes 57" wide pump panel opening and running boards.	\$5,704		
3130-0007	Crosswalk module. Includes running boards, (1) folding step each side and access handrails mounted on the pump module.	\$1,125		
3130-0008	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) folding step each side and access handrails mounted on the pump module.	\$1,640		
3130-0009	Speedlay module. Includes area for (2) speedlays with trays, (1) area for dry storage, lower storage compartments with push button latches and running boards.	\$1,967		
3130-0010	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards.	\$2,515		
3130-0011	Transverse Module (full width). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring).	\$3,479		
3130-0012	Upper SM pump module with double stacked double crosslays and diamond plate storage pan.	\$1,682		
3130-0013	Upper SM pump module with single stacked double crosslays and diamond plate storage pan.	\$1,682		
3130-0014	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan.	\$2,109		
3130-0015	Upper SM pump module with single stacked double crosslay, backboard storage and diamond plate storage pan.	\$2,866		
3130-0016	Upper TM pump module with double stacked double crosslays.	\$1,877		
3130-0017	Upper TM pump module with single stacked double crosslays.	\$1,877		
3130-0018	Upper TM pump module with single stacked double crosslays and backboard storage.	\$3,018		
3130-0020	Upper TM pump module with diamond plate storage pan.	\$1,967		
3130-0021	Upper TM pump module with backboard storage and diamond plate storage pan.	\$2,408		
3130-0022	Speedlay module. Includes area for (2) speedlays with trays, (1) area for backboard storage with hinged doors with latches, lower storage compartments with push button latches and running boards.	\$3,109		
3130-0023	Speedlay module. Includes area for (3) speedlays with trays, lower storage compartments with push button latches and running boards.	\$2,395		
3130-0024	Upper SM pump module with diamond plate storage pan (only).	\$1,826		
3130-0030	Stainless steel pump module. Includes 39" wide pump panel opening and running boards.	\$7,135		
3130-0031	Stainless steel pump module. Includes 45" wide pump panel opening and running boards.	\$7,135		
3130-0032	Stainless steel pump module. Includes 51" wide pump panel opening and running boards.	\$7,135		
3130-0033	Stainless steel pump module. Includes 57" wide pump panel opening and running boards.	\$7,135		

Item #	Description	Extension	+1/-1	Total
3130-0036	Stainless steel Speedlay module. Includes area for (2) speedlays with trays, (1) area for dry storage, lower storage compartments with push button latches and running boards.	\$2,457		
3130-0037	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards.	\$3,141		
3130-0038	Transverse Module (full width). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring).	\$4,347		
3130-0039	Upper SM pump module with double stacked crosslays and diamond plate storage pan.	\$2,102		
3130-0040	Upper SM pump module with single stacked double crosslays and diamond plate storage pan.	\$2,102		
3130-0041	Upper SM pump module with triple single stacked crosslays and diamond plate storage pan.	\$2,635		
3130-0042	Upper SM pump module with single stacked double crosslay, backboard storage and diamond plate storage pan.	\$3,582		
3130-0043	Upper TM pump module with double stacked double crosslays.	\$2,344		
3130-0044	Upper TM pump module with single stacked double crosslays.	\$2,344		
3130-0045	Upper TM pump module with single stacked double crosslays and backboard storage.	\$3,772		
3130-0047	Upper TM pump module with diamond plate storage pan.	\$2,457		
3130-0048	Upper TM pump module with back board storage and diamond plate storage pan.	\$3,009		
3130-0050	Stainless steel speedlay module. Includes area for (2) speedlays with trays, (1) area for backboard storage with hinged doors with latches, lower storage compartments with push button latches and running boards.	\$3,885		
3130-0051	Stainless Steel Upper SM pump module with diamond plate storage pan (only).	\$2,278		
3130-0055	Stainless steel speedlay module. Includes area for (3) speedlays with trays, lower storage compartments with push button latches and running boards.	\$2,991		
3130-0058	Full width transverse module. Includes transverse area with full width floor, triple speedlay with removable trays and full width upper storage pan. Module height to match body.	\$10,746		
3130-0059	Pump module HP75 / HP78. Includes running boards.	\$8,524		
3130-0062	Upper SM pump module with quad single stacked crosslays and diamond plate storage pan.	\$2,536		
3130-0063	Upper SM pump module with quad single stacked crosslays and diamond plate storage pan. The rear crosslay is for dry hose storage.	\$2,536		
3130-0064	Upper stainless steel SM pump module with quad single stacked crosslays and diamond plate storage pan.	\$3,170		
3130-0065	Upper stainless steel SM pump module with quad single stacked crosslays and diamond plate storage pan. The rear crosslay is for dry hose storage.	\$3,170		
3130-0067	Upper TM pump module with single stacked triple crosslays. Includes (2) dividers.	\$2,085		
3130-0068	Upper TM pump module with single stacked triple crosslays and backboard storage.	\$3,607		
3130-0069	Upper SM pump module with double stacked triple dry crosslays. Crosslay floor to be hinged and accessed from driver side. Include gas shocks, hold open rod, adj tracks and (2) dividers w/handhold cut-outs on both ends.	\$5,263		
3130-0070	Pump module. Includes lowered area for lowered upper module and 45" wide pump panel opening and running boards.	\$7,135		
3130-0071	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan.	\$3,294		
3130-0072	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan. Upper module to be full width as applicable to match lower module.	\$3,160		
3130-0073	Pump panel opening is 43.5" wide.	\$0		
3130-0074	Pump panel opening is 45" wide.	\$0		
3130-0075	Pump panel opening is 45.5" wide.	\$0		
3130-0076	Pump panel opening is 47" wide.	\$0		
3130-0077	Pump panel opening is 50.5" wide.	\$0		
3130-0078	Pump panel opening is 52" wide.	\$0		

Item #	Description	Extension	+1/-1	Total
3130-0079	Pump panel opening is 55.5" wide.	\$0		
3130-0080	Pump panel opening is 57" wide.	\$0		
3130-0083	Speedlay module. Includes area for triple speedlays with divider(s) and lower storage compartments with push button latches and running boards.	\$2,395		
3130-0084	Speedlay module to have (2) dividers for a triple speedlay configuration. Each divider to be notched for preconnect nozzles. Preconnect plumbing to be internal to the speedlay.	\$437		
3130-0085	Upper TM pump module with single stacked 2.5" crosslay and 2.5" double single stacked dry crosslay.	\$3,018		
3130-0086	Driver side SM module extension for vertical exhaust. Includes forward extended running board.	\$316		
3130-0087	Upper SM pump module with double crosslay with double stack set-up in single stack depth. Includes backboard storage with raised push button latches and diamond plate storage pan (open back style). Crosslay divider to be adjustable side to side with slat style flooring.	\$3,294		
3130-0088	Speedlay module to have (1) divider for a double configuration. The divider is to be held short for preconnect nozzle. Preconnect plumbing to be internal to the speedlay. Rearward area to be for backboard storage and includes vertically hinged doors with push-button latching.	\$818		
3130-0089	Upper SM pump module with (5) single stacked crosslays- (4) 1.5" AND (1) 2.5" rearward. Includes open back style pan for generator.	\$2,919		
3130-0090	Pump module. Includes 63" wide pump panel opening and running boards.	\$5,704		
3130-0092	Stainless steel pump module. Includes 63" wide pump panel opening and running boards.	\$7,135		
3130-0093	Upper SM pump module with double stacked triple crosslays and diamond plate storage pan.	\$2,298		
3130-0094	Class 1 Tradition Pump Module. Includes additional forward 3" vertical extrusion and double stacked double crosslay. See Product Management for any questions.	\$56,289		
3130-0095	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) diamond plate gator grip step each side and access handrails mounted on the pump module.	\$1,894		
3130-0096	Speedlay module(stacked). Includes area for (2) stacked speedlays and (1) upper speedlay (crosslay style), lower storage compartments with push button latches and running boards. Lower speedlay, upper speedlay and crosslay.	\$2,670		
3130-0097	Speedlay module to be located between crosswalk module and pump module.	\$0		
3130-0098	Speedlay module full width. Includes area for (4) speedlays, (2) speedlays (stacked) per side with partition in center of module. Includes lower storage compartments with push button latches.	\$4,347		
3130-0099	Pump module. Includes 45" wide pump panel opening and running boards. Interior of module to have 70" width	\$5,704		
3130-0100	Upper SM pump module with triple single stacked crosslays and diamond plate storage pan. Module is for use with a wider lower module base. To include a non-stepped pan with 1.5" extrusion rearward and narrow crosslay widths.	\$2,109		
3130-0101	Upper SM pump module with single stacked double crosslay, backboard storage and diamond plate storage pan. Interior to be 70" wide to match lower module.	\$2,866		
3130-0102	Speedlay module(stacked). Includes area for (2) speedlays, lower storage compartments with push button latches and running boards.	\$2,395		
3130-0103	Speedlay module. Includes area for (2) speedlays with center divider, lower storage compartments with push button latches and running boards.	\$1,967		
3130-0104	Top mount enclosed pump module. Includes full width single crosslay, backboard storage and storage pan with push button latches and enclosed side pump panels with AM Roll-Up Doors.	\$16,097		
3130-0105	Ladder access and egress to top of body at [#LOC]. Industrial application	\$567		
3130-0106	Upper pump module. Includes double, double stacked crosslay area (rearward of module). Forward area to have storage for tools and backboards (horizontally stored). To include diamond plate hinged doors on sides (vertically hinged). The upper are is to have a diamond plate top.	\$5,536		

Item #	Description	Extension	+1/-1	Total
3130-0107	Speedlay module. Includes area for (2) speedlays with dividers, (1) area for backboard storage with hinged doors with latches, lower storage compartments with push button latches and running boards.	\$3,109		
3130-0108	Upper TM pump module with double stacked triple crosslays (single stack depth).	\$3,018		
3130-0109	Upper TM pump module with single stacked single crosslay, backboard storage and diamond plate storage pan. 2.5" crosslay to be rearward of the backboard storage.	\$3,018		
3130-0110	Speedlay module to be located forward of crosswalk module.	\$0		
3130-0111	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan.	\$4,118		
3130-0112	Pump Module. Includes 61" wide pump panel opening and running boards. Required with CAFS system. Interior of module to have 70" width.	\$5,704		
3130-0113	TM Pump Module. Includes triple crosslay area (crosslays to be 4.25"-divider-4.25"-divider-4.25" dry lay with stops provided, bottom of crosslay to be max of 60.5" from ground level with air suspension lowered. In reference to stops provided. Preconnect 1 will be enclosed on driver's side and preconnect 2 will be enclosed on officer's side). Walkway on this module is wider front to rear than standard and the walkway is incorporated into the main module. Driver and Officer runningboard hose trays to be angled and "floating" style..	\$9,841		
3130-0114	Pump module. Includes 51" wide pump panel opening and running boards. Interior of module to have 70" width	\$5,803		
3130-0115	Upper SM pump module with single stacked double crosslays and diamond plate storage pan. Interior of module to have 70" width.	\$1,682		
3130-0116	Pump module. Includes 39" wide pump panel opening and running boards. Interior of module to have 70" width	\$5,803		
3130-0119	Upper TM pump module with diamond plate storage pan. Interior to be 70" wide to match lower module.	\$1,967		
3130-0120	Crosswalk module. Includes running boards, (1) folding step each side and access handrails mounted on the pump module. Interior to be 70" to match lower module.	\$1,125		
3130-0121	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) folding step each side and access handrails mounted on the pump module. Interior to be 70" wide to match lower module.	\$1,640		
3130-0125	Upper SM pump module with triple single stacked crosslays and diamond plate storage pan. Interior to be 70" wide to match lower module.	\$2,109		
3130-0127	Upper TM pump module with single stacked double crosslays. Interior to be 70' wide to match lower module.	\$1,877		
3130-0155	Upper TM pump module with single stacked triple crosslays. Includes (2) dividers. Interior to be 70" to match lower module.	\$2,085		
3130-0164	Upper SM pump module with double stacked triple crosslays (single stacked depth) and diamond plate storage pan.	\$4,878		
3130-0165	Upper SM pump module with (5) single stacked crosslays. (4) single stacked 1.5" crosslays, (1) single stacked 2.5" crosslay rearward and diamond plate storage pan.	\$2,919		
3130-0166	Pump Module to be 72" wide (side to side). Includes upper, lower, crosswalk, speedlay and tranverse module(s) if applicable.	\$0		
3130-0167	Pump module to be 76" wide (side to side). Includes upper, lower, crosswalk, speedlay and tranverse module(s) if applicable.	\$0		
3130-0168	Upper SM pump module with triple single stacked crosslays and wide dry crosslay storage area. The area rearward of crosslays is for deck gun channel.	\$8,580		
3130-0169	Transverse module to hold: Lower section (1) Stokes basket and (2) backboards. Upper section to hold miscellaneous long handled tools.	\$696		
3130-0170	Upper SM pump module with double stacked (dry) crosslays and diamond plate storage pan.	\$1,682		
3130-0171	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for triple stacked double crosslay. Transverse floor to be over framereails only, do not extend over tool compartments.	\$4,540		
3130-0172	Upper SM pump module with triple stacked double crosslays and diamond plate storage pan.	\$3,018		

Item #	Description	Extension	+1/-1	Total
3130-0173	Stainless steel speedlay module. Includes area for (2) speedlays with center divider, lower storage compartments with push button latches and running boards.	\$2,458		
3130-0174	Pump module for top mount enclosed operation. Includes 57" panel opening and area for double stacked double crosslay with storage pan. Module has sanded finish and crosslay floors are slotted for draining.	\$11,330		
3130-0175	Raised crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) diamond plate walkway step w/gator grip each side and access handrails mounted on the pump module. Includes 8" raise with 5" high storage compartment with drop down diamond plate doors with push button latches.	\$3,173		
3130-0176	Upper TM pump module with double stacked double crosslays with backboard storage.	\$3,953		
3130-0177	Upper SM pump module with backboard storage and diamond plate storage pan. Backboard storage to be located rearward of storage pan. Deck gun channel to be located between pan and back board compartment.	\$2,757		
3130-0178	Upper SM pump module with 2.5" single stacked double crosslays and diamond plate storage pan.	\$2,102		
3130-0179	Speedlay module(stacked). Includes area for (2) stacked speedlays and (1) upper storage compartment, lower storage compartments with push button latches and running boards. Lower 1.75 speedlay and upper 2.5 speedlay. Single diamond plate cover for upper storage area. Includes (1) grab handle and (2) hold downs.	\$4,148		
3130-0180	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for single stacked triple crosslay.	\$4,540		
3130-0181	Pump/Speedlay Module. Includes area for runningboards, upper side stainless steel panels, (2) removable speedlay trays and upper dunnage storage pan.	\$13,159		
3130-0182	Upper SM pump module with triple crosslays (single stacked depth) and diamond plate storage pan. Forward crosslays to be double stacked and rearward crosslay to be single stacked dry lay.	\$5,306		
3130-0183	Upper SM pump module with double stacked triple crosslays and diamond plate storage pan. Upper module to be full width as applicable to match lower module.	\$5,069		
3130-0184	Pump module top mount with speedlays. Includes 41" wide pump panel opening, dunnage pan and running boards. Raised top mount walkway includes storage compartments with D-Ring latches, (1) 5" diamond plate top mount walkway step with gator grip each side and access handrails mounted on the pump module. Raised walkway for backboard storage includes diamond plate door with push button latches. Includes area for (2) speedlays with 1.5" plumbing. Driver and Officer side upper pump access panels to be horizontally hinged with diamond plate doors. Includes (2) D-Ring latches and (2) gas shock hold opens for each.	\$11,261		
3130-0186	Upper TM pump module with double stacked single 2.5" crosslay. Includes area for dry crosslay storage rearward of 2.5".	\$3,018		
3130-0187	Upper SM pump module with triple single stacked crosslays and diamond plate storage pan. Each crosslay to be 6" wide for nozzle storage.	\$2,380		
3130-0188	Upper TM pump module with single stacked quad crosslays. Includes (3) dividers.	\$2,297		
3130-0189	Upper SM pump module with backboard storage and diamond plate storage pan. Backboard storage to be located forward of storage pan.	\$2,757		
3130-0190	Top Mount Pump Module. Includes area for single stacked double crosslay (notched divider) and TM walkway with folding steps with intergral lights and (2) vertical handrails.	\$2,262		
3130-0191	Top Mount Pump Module. Includes area for single stacked triple crosslay (notched dividers) and TM walkway with folding steps with integral lights and (2) vertical handrails.	\$2,744		
3130-0192	Side Mount Pump Module. Includes area for single stacked double crosslay (notched divider).	\$0		
3130-0193	Side Mount Pump Module. Includes area for single stacked triple crosslay (notched dividers).	\$489		
3130-0194	Top Mount Pump Module. Includes area for a double speedlay and TM walkway with folding steps with integral lights and (2) vertical handrails.	\$3,576		

Item #	Description	Extension	+1/-1	Total
3130-0195	Top Mount Pump Module. Includes area for a double speedlay, single crosslay and TM walkway with folding steps with integral lights and (2) vertical handrails.	\$4,059		
3130-0196	Upper SM pump module with single stacked double crosslay, backboard storage and diamond plate storage pan. Backboard storage opening to be 6.5" wide.	\$4,945		
3130-0197	Upper SM pump module with double stacked double crosslay for 400' of 1.75" hose in each crosslay, backboard storage and diamond plate storage pan.	\$5,636		
3130-0198	Upper TM pump module with single stacked double crosslays. Each crosslay to hold 100' of 3" DJ.	\$4,646		
3130-0199	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan. (2) Backboard and Ferno model 6 or EXL scoop stretcher storage box located below the storage pan with lift-up diamond plate door with thumb latches each side. Upper module to be full width as applicable to match lower module.	\$6,252		
3130-0200	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for single stacked quad crosslay. Plumbing to terminate thru outboard extrusion as follows: #1 driver side, #2 officer side, #3 driver side and #4 officer side.	\$6,669		
3130-0201	Upper SM pump module with 2.5" double stacked double crosslay and diamond plate storage pan. Both preconnects to be offset to officer side of module.	\$5,836		
3130-0202	Speedlay module(stacked). Includes area for (3) speedlays, lower storage compartments with push button latches and running boards.	\$2,670		
3130-0203	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and upper area for triple stacked double crosslay with backboard storage.	\$5,377		
3130-0204	Pump module for top mount enclosed operation. Includes 47" panel opening, area for double stacked single crosslay, area for double stacked double speedlay with trays stacked side by side, lower storage compartments with D-ring latches and running boards. Crosslay floor to be slotted for draining. Includes backboard storage forward of crosslay. Includes deck gun channel and open back storage pan rearward of crosslay.	\$14,678		
3130-0205	Upper TM pump module with backboard storage and diamond plate storage pan. Backboard storage located rearward of storage pan.	\$2,408		
3130-0206	Upper SM pump module with 2.5" double stacked double crosslays and diamond plate storage pan.	\$5,209		
3130-0207	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for double stacked double crosslay.	\$5,233		
3130-0208	Pump/Speedlay Module. Includes area for E-ONE supplied runningboards, (2) removable speedlay trays and upper diamond plate panels/doors for access to (2) horizontally stored backboards.	\$13,667		
3130-0209	Crosswalk module. Includes walkway storage compartments with D-ring latches, running boards, (1) folding step each side and access handrails mounted on the pump module.	\$1,975		
3130-0210	Speedlay module. Includes area for (2) speedlays with trays, (1) area for backboard storage with hinged doors with latches, lower storage compartments with D-ring latches and running boards. Speedlays to hold 250' of 1.75" DJ hose.	\$3,916		
3130-0211	Upper SM pump module with quad single stacked crosslays and diamond plate storage pan. Preconnects to located as follows: Preconnects 1 and 3 to be offset to officer side, Preconnects 2 and 4 to be offset to driver side. Crosslays to be 66" high from ground. Includes diamond plate access door on officer side of module with push button latches.	\$4,613		
3130-0212	Pump module. Includes 57" wide pump panel opening and running boards. Crosslays to be 66" high from ground	\$7,091		
3130-0213	Speedlay module to be mounted with backboard storage located forward.	\$341		
3130-0214	Upper SM pump module with single stacked single crosslay and diamond plate storage pan.	\$4,870		

Item #	Description	Extension	+1/-1	Total
3130-0215	Transverse Module (full width). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring). Upper area for double stacked double crosslay.	\$4,521		
3130-0216	Upper SM pump module with double stacked triple crosslays and diamond plate storage pan.	\$7,646		
3130-0217	Speedlay module(stacked). Includes area for (3) 1.75" speedlays, lower storage compartments with push button latches and running boards. Upper speedlay to be dry lay.	\$2,670		
3130-0218	Upper TM pump module with 2.5" triple stacked single crosslay.	\$4,857		
3130-0219	Enclosed Pump Module with Triple Speedlays. Includes 45" wide pump panel opening. Includes area for (3) speedlays with trays, lower storage compartments with push button latches forward of pump panel opening. Upper module area to have storage pan.	\$20,295		
3130-0220	TM Upper module. Includes wide pan and open back style for special reel requirement.	\$4,735		
3130-0221	TM Pump Module. Includes triple crosslay area (crosslays to be 4.25"-divider-4.25"-divider-4.25") Rearward crosslay to be for a dry lay. Bottom of crosslay to be max of 60.5" from ground level with air suspension lowered. Walkway on this module is wider front to rear than standard and the walkway is incorporated into the main module. Driver and Officer runningboard hose trays to be angled and "floating" style. Special top mount diamond plate walkway access steps. Each step to be positioned where top stepping surface is centered between top of runningboard and top of walkway.	\$10,036		
3130-0222	Upper TM pump module with single stacked double crosslays. Rearward crosslay to hold 2.5" DJ hose.	\$2,497		
3130-0224	Upper TM pump module with single stacked triple crosslays, dunnage storage pan and backboard storage. Storage pan located between T/M panel and backboard storage.	\$4,475		
3130-0225	Pump module. Includes 45" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches.	\$9,685		
3130-0226	Upper SM pump module with double stacked double crosslay (single stack depth) and diamond plate storage pan. Built in compartment on officer side of module rearward of crosslays. Compartment dimensions to be approx. 18.5"W x 20"H x 20"D, includes stainless steel door with push button latches. Storage pan to be stepped around compartment. Crosslay divider to be adjustable side to side.	\$4,797		
3130-0227	Pump module. Includes lowered area for lowered upper module and 51" wide pump panel opening and running boards.	\$7,135		
3130-0228	Upper SM pump module with single stacked double crosslay, backboard storage and diamond plate storage pan. 2.5" plumbing for rear crosslay.	\$3,538		
3130-0229	Speedlay module. Includes area for triple speedlays with divider(s) and lower storage compartments with push button latches and running boards.	\$3,711		
3130-0230	One piece side mount pump module with (2) 4.25" and (1) 5.5" single stacked triple crosslays and diamond plate storage pan. Includes 76" wide (side to side) module with a 45.5" wide pump panel opening and running boards.	\$7,812		
3130-0231	Speedlay module. Includes area for triple speedlays with divider(s) and lower storage compartments with D-ring latches and running boards.	\$2,643		
3130-0232	Speedlay module(stacked). Includes area for (3) speedlays, lower storage compartments with push button latches and running boards.	\$3,257		
3130-0233	Speedlay module. Includes area for triple speedlays with divider(s) and lower storage compartments with push button latches and running boards. Forward speedlay to have 2.5" plumbing.	\$2,706		
3130-0234	Pump module. Includes 45.5" wide pump panel opening and running boards. Lowered to 45.5" high to allow approx 69" high crosslay height from ground.	\$7,050		

Item #	Description	Extension	+1/-1	Total
3130-0235	TM Pump Module. Includes triple crosslay area (crosslays to be 4.25"-divider-4.25"-divider-4.25") and backboard storage forward of crosslays. Bottom of crosslays to be approx. 67" from ground level with air suspension full. Walkway on this module is wider front to rear than standard and the walkway is incorporated into the main module. Driver and Officer runningboards to have hose storage trays. Special top mount diamond plate walkway access steps. Each step to be positioned where top stepping surface is centered between top of runningboard and top of walkway.	\$10,036		
3130-0236	Upper SM pump module with double stacked double crosslays and diamond plate storage pan. Storage pan to be open back style.	\$5,428		
3130-0237	Upper TM pump module with 2.5" double stacked single crosslay.	\$1,877		
3130-0238	Speedlay module. 48"H IPO 54.5"H so as not to block rear windows. Includes area for (2) speedlays with center divider, lower storage compartments with push button latches and running boards.	\$3,738		
3130-0239	Upper TM pump module with single stacked double crosslays and diamond plate storage pan.	\$2,745		
3130-0240	Pump module. Includes 51" wide pump panel opening and running boards. Includes modifications for 4x4 and plumbing applications as required.	\$7,133		
3130-0241	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan. Includes 8"W x 8"H storage rearward of the backboard storage and below the storage pan.	\$5,792		
3130-0242	Speedlay module(stacked). Includes area for (2) stacked speedlays and (1) upper speedlay (crosslay style), lower storage compartments with push button latches and running boards. Lower speedlay, upper speedlay and crosslay. For use with removable or slide-master tray(s).	\$3,330		
3130-0243	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for triple stacked double crosslay. Includes backboard storage in transverse upper for (5) backboards, each backboard slot be approx. 3" wide.	\$6,414		
3130-0244	Upper SM pump module with single stacked double crosslays and diamond plate storage pan. Crosslays to be 28" deep.	\$2,306		
3130-0245	Speedlay module (stacked). Includes area for (2) stacked speedlays with removable trays (each to hold 250' of 2.5" DJ triple stacked), lower storage compartments with push button latches, running boards and upper area dunnage pan.	\$8,825		
3130-0246	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan. Forward (2) crosslay to be 6" wide and the rearward crosslay to be 6.75" wide.	\$5,167		
3130-0247	Upper SM pump module with triple crosslays and diamond plate storage pan. Forward (2) crosslays to be single stack and rearward crosslay to be double stack.	\$4,726		
3130-0248	Pump module - one piece. Includes 45.5" wide pump panel opening and running boards	\$5,704		
3130-0249	Single stacked triple crosslays and diamond plate storage pan. Crosslays 5.5" wide each to hold 200'-1.75"DJ or 150-200'-2.5"DJ.	\$2,109		
3130-0250	Pump module. Includes 45" wide pump panel opening. Running boards to be smooth plate with gator grip and painted black duraback.	\$6,451		
3130-0251	Speedlay/crosslay module (stacked). Includes area for (2) speedlays with removable trays (each to hold 200' of 1.75" DJ), upper crosslay for storage of 200' of 2.5" DJ, lower storage compartments with push button latches and running boards.	\$8,825		
3130-0252	Upper SM pump module with double stacked single crosslay and diamond plate storage pan. Crosslay to be dry lay.	\$3,556		
3130-0253	Side mount pump module. Includes upper area for double stacked double preconnects.	\$0		
3130-0254	Pump module. Includes 75" wide pump panel opening and running boards.	\$5,704		
3130-0255	Pump/Speedlay Module. Includes area for E-ONE supplied runningboards, (2) removable speedlay trays and upper diamond plate panels/doors for access to (2) horizontally stored backboards.	\$6,626		



Item #	Description	Extension	+1/-1	Total
3130-0257	Crosslay plumbing to be run thru a channel on each side of forward upper corner of the lower module. Preconnects to located as follows: Preconnects 1 and 3 to be offset to officer side, Preconnect 2 to be offset to driver side. The plumbing channel to be the width of the crosslay opening. The plumbing channels may require the pump panel and/or pump access door(s) to be modified for clearance.	\$1,389		
3130-0258	Pump/Speedlay Module. Includes main module lower stainless steel side panels (officer side main panel to be vertically main hinged), diamond plate runningboards, (2) removable speedlay trays with side hand-holds. Upper module to have dunnage storage area.	\$10,019		
3130-0259	Pump module. Includes 51" wide pump panel opening and running boards. Lowered to allow 70" high crosslay height from ground.	\$6,954		
3130-0261	Pump module to have triple crosslay configuration (rearward crosslay for dry lay storage only). No plumbing will go to this area (note officer side rear 2.5" discharge application). Rearward area will have floor slotted and will have full capability to have a discharge added for future use.	\$460		
3130-0262	Pump module. Includes 45" wide pump panel opening and running boards. Includes modifications for 4x4 and plumbing applications as required.	\$7,133		
3130-0263	Side mount pump module. Includes upper area for double stacked double preconnects with area for dead lay of hose. Side panels to be stainless steel and backside of module to have diamond plate trim. Includes red crosslay cover with mechanical hold downs and quick release side flaps.	\$1,127		
3130-0264	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan. Storage pan to be open back style.	\$2,109		
3130-0265	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for triple crosslay, forward (2) crosslays to be single stacked and rearward crosslay to be double stacked.	\$5,514		
3130-0266	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for double stacked double crosslay.	\$5,233		
3130-0267	Pump/Speedlay Module. Includes double stacked single crosslay located above the (2) speedlays in the lower area. Includes area for E-ONE supplied runningboards and (2) removable speedlay trays.	\$11,780		
3130-0269	Pump module to be E-ONE built.	\$0		
3130-0270	Pump module to be Class 1 built.	\$0		
3130-0271	Upper SM pump module with triple crosslays and diamond plate storage pan. Forward (2) crosslays to be single stack and rearward crosslay to be double stack. Crosslay plumbing to be located centered in place of outboard.	\$4,726		
3130-0272	Transverse Module (narrow). Module to be unpainted. Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring full width) and running boards. Module to be same height as main pump module.	\$2,967		
3130-0273	Pump module. Includes 51" wide pump panel opening and running boards. Crosslays to be 73" high from ground	\$8,203		
3130-0274	Upper SM pump module with double stacked (single stack depth) double crosslays and diamond plate storage pan. Front headboard stepped down 5" to allow 18" deep crosslays.	\$3,358		
3130-0275	Upper SM pump module with single stacked double crosslay, backboard storage and diamond plate storage pan. Storage pan to be open back style due to Honda Generator. Storage pan to be 15.75" deep with 3" extrusions to step up generator for air flow.	\$4,117		
3130-0276	Speedlay module. Includes area for triple speedlays with divider(s) and lower storage compartments with push button latches and running boards. Speedlay module tool compartments to be 20" high.	\$3,331		
3130-0277	Speedlay module. Includes area for (2) speedlays with trays, lower storage compartments with push button latches and running boards.	\$2,217		

Item #	Description	Extension	+1/-1	Total
3130-0278	Pump module. Includes 45" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches	\$8,438		
3130-0279	Upper TM pump module with double stacked single crosslay and backboard storage. Crosslay to be rearward of the backboard storage. Crosslay to hold 3" DJ hose.	\$4,952		
3130-0280	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan. Rearward crosslay to be double stacked for extra capacity.	\$5,167		
3130-0281	Stainless steel 46" wide lower pump module. Includes side running boards with Gator Grip.	\$5,704		
3130-0282	Stainless steel 46" wide lower pump module. Includes side running boards with Bustin Tread inserts.	\$5,704		
3130-0283	Stainless steel 50" wide lower pump module. Includes side running boards with Gator Grip.	\$5,704		
3130-0284	Stainless steel 50" wide lower pump module. Includes side running boards with Bustin Tread inserts.	\$5,704		
3130-0285	Stainless steel 54" wide lower pump module. Includes side running boards with Gator Grip.	\$5,704		
3130-0286	Stainless steel 54" wide lower pump module. Includes side running boards with Bustin Tread.	\$5,704		
3130-0287	Stainless steel 60" wide lower pump module. Includes side running boards with Gator Grip. This size required for most CAFS units.	\$5,704		
3130-0288	Stainless steel 60" wide lower pump module. Includes side running boards with Bustin Tread. This size required for most CAFS units.	\$5,704		
3130-0289	Upper SM stainless steel pump module with single stacked double crosslays and top open storage with treadplate flooring.	\$1,682		
3130-0290	Upper SM stainless steel pump module with double stacked double crosslays and top open storage with treadplate flooring.	\$1,682		
3130-0291	Upper SM stainless steel pump module with single stacked triple crosslays and top open storage with treadplate flooring.	\$2,109		
3130-0292	Upper SM stainless steel pump module with double stacked triple crosslays and top open storage with treadplate flooring.	\$2,109		
3130-0293	Upper SM stainless steel pump module with single stacked double crosslays and a backboard with top open storage with treadplate flooring.	\$2,866		
3130-0294	Upper SM stainless steel pump module with double stacked double crosslays and a backboard plus top open storage with treadplate flooring.	\$2,866		
3130-0295	Upper SM stainless steel pump module with single stacked triple crosslays and a backboard with top open storage with treadplate flooring.	\$3,294		
3130-0296	Upper SM stainless steel pump module with double stacked triple crosslays and a backboard with top open storage with treadplate flooring.	\$3,294		
3130-0297	Upper SM stainless steel pump module without crosslays. Top open storage only with treadplate flooring. For use with crosslays mounted on top of a front of pump transverse storage module, or with preconnects in the main hose bed, or as otherwise specified.	\$1,826		
3130-0298	Upper TM stainless steel pump module with single stacked double crosslays and top open storage with treadplate flooring.	\$1,877		
3130-0299	Upper TM stainless steel pump module with single stacked double crosslays and a backboard with top open storage (if space available) with treadplate flooring.	\$3,018		
3130-0300	Upper TM stainless steel pump module without crosslays. Top open storage only with treadplate flooring. For use with various preconnected discharge options.	\$1,967		
3130-0301	Speedlay module. Includes area for (2) speedlays, (1) area for backboard storage with hinged doors with latches, stainless steel lower storage compartments with push-button latches and running boards.	\$3,109		

Item #	Description	Extension	+1/-1	Total
3130-0302	Speedlay module. Includes area for (3) speedlays, stainless steel lower storage compartments with push-button latches and running boards.	\$2,395		
3130-0303	Speedlay module. Includes area for (2) 1-3/4" speedlays with a sliding tray and center divider, stainless steel lower storage compartments with push-button latches and running boards.	\$1,967		
3130-0304	Speedlay module. Includes area for (2) speedlays with dividers, (1) area for backboard storage with hinged doors with latches, stainless steel lower storage compartments with push button latches and running boards.	\$3,109		
3130-0305	Speedlay module. Includes area for triple speedlays with dividers and stainless steel lower storage compartments with push-button latches and running boards.	\$2,395		
3130-0306	Transverse Module (narrow). Located forward of pump area. Includes a single stainless steel compartment opening per side (with a shallow lower area and a transverse upper area with SS flooring) and running boards with Gator Grip.	\$2,515		
3130-0307	Transverse module (20" wide) with brushed stainless steel doors. Located forward of pump area and welded integral. Includes a single stainless steel compartment opening per side (with a shallow lower area and a transverse upper area) and side running boards with Bustin Tread.	\$2,515		
3130-0308	Crosswalk module. Includes stainless steel walkway storage compartments with lift-up access lids and butterfly latches, non-skid running boards with Bustin Tread, and access hand rails mounted one each side to the front of the pump enclosure assembly.	\$1,640		
3130-0309	Speedlay module (stacked). Module to be full width. Includes area for (2) stacked speedlays and (1) upper speedlay (crosslay style), lower storage compartments with push button latches and running boards. Lower speedlay, upper speedlay and crosslay. For use with removable or slide-master tray(s).	\$4,828		
3130-0310	Upper SM pump module with diamond plate storage pan (only). Upper module to be full width as applicable to match lower module.	\$3,325		
3130-0311	Speedlay module(stacked). Includes area for (2) stacked speedlays, lower storage compartments with push button latches and running boards. For use with removable or slide-master tray(s).	\$2,643		
3130-0312	Upper SM pump module with double stacked double crosslay and diamond plate storage pan. Area rearward of crosslays to be raised 12" due to ladder tunnel above the tank.	\$5,167		
3130-0313	Pump module. Includes 51" wide pump panel opening and running boards. Crosslays to be 66" high from ground	\$7,091		
3130-0314	Pump module. Includes 39" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches.	\$9,685		
3130-0315	Pump module. Includes 57" wide pump panel opening and running boards. Includes modifications for 4x4 and plumbing applications as required.	\$7,133		
3130-0316	Lower module height opening to be [#LOC].	\$0		
3130-0318	Upper SM pump module with double stacked (single stacked depth) double crosslays and diamond plate storage pan.	\$2,109		
3130-0319	Upper SM pump module with triple crosslays (single stacked depth) and diamond plate storage pan. Forward crosslays to be double stacked and rearward crosslay to be single stacked dry lay.	\$2,846		
3130-0320	Pump module. Includes 45" wide pump panel opening and running boards. Lowered to allow 70" high crosslay height from ground.	\$6,954		
3130-0321	Pump module. Includes 51" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches. For use with removable or slide-master tray(s).	\$9,936		
3130-0322	Pump module. Includes 33" wide pump panel opening and running boards.	\$5,704		
3130-0323	Pump module. Includes 39" wide pump panel opening and running boards. Includes modifications for 4x4 and plumbing applications as required.	\$7,133		
3130-0324	Crosswalk module. Includes running boards, (1) folding step each side and access handrails mounted on the pump module. Includes modifications for 4x4 and plumbing applications as required.	\$1,406		

Item #	Description	Extension	+1/-1	Total
3130-0325	Transverse Module (narrow). Module to be located forward of the main pump module and match main module in height and finish. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring full width) and running boards.	\$5,428		
3130-0326	Top Mount Pump Module. Includes area for single stacked double crosslay (notched divider) and TM walkway with dual lighted LED folding steps with intergral lights and (2) vertical handrails.	\$2,262		
3130-0327	Top Mount Pump Module. Includes area for single stacked triple crosslay (notched dividers) and TM walkway with dual lighted LED folding steps with integral lights and (2) vertical handrails.	\$2,744		
3130-0328	Top Mount Pump Module. Includes area for a double speedlay and TM walkway with dual lighted LED folding steps with integral lights and (2) vertical handrails.	\$3,576		
3130-0329	Top Mount Pump Module. Includes area for a double speedlay, single crosslay and TM walkway with dual lighted LED folding steps with integral lights and (2) vertical handrails.	\$4,059		
3130-0330	Crosswalk module. Includes running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$1,125		
3130-0331	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$1,640		
3130-0332	Speedlay module(stacked). Includes area for (2) stacked speedlays and (1) upper speedlay (crosslay style, plumbing to be offset to driver side), lower storage compartments with push button latches and running boards. Lower speedlay, upper speedlay and crosslay. For use with removable or slide-master tray(s).	\$3,330		
3130-0333	Upper SM pump module with bolt-on top. Includes bracing below bolt-on top for light tower mounting. Vertically hinged stainless steel panels with push button latches on each side of the module.	\$1,826		
3130-0334	Side mount pump module (25MF) with area for double stacked crosslays w/divider and driver side pump control panel and officer side pump access panel (hinged)	\$0		
3130-0335	Top mount pump module (25MF) with area for double stacked crosslays w/divider and driver and officer side pump access panels (hinged).	\$2,297		
3130-0336	Top mount pump module (25MF) with area for double speedlays and driver and officer side pump access panels (hinged). Upper area behind TM includes panel cover.	\$3,422		
3130-0337	SM pump module runningboards.	\$0		
3130-0338	TM pump module runningboards.	\$0		
3130-0339	TM with speedlays pump module runningboards.	\$0		
3130-0340	Side mount pump module (23MF) with area for double stacked crosslays w/divider and driver side pump control panel and officer side pump access panel (hinged)	\$0		
3130-0341	Top mount pump module (23MF) with area for double stacked crosslays w/divider and driver and officer side pump access panels (hinged).	\$2,297		
3130-0342	Top mount pump module (23MF) with area for double speedlays and driver and officer side pump access panels (hinged). Upper area behind TM includes panel cover.	\$3,422		
3130-0343	Main lower pump module. For use with a 23" mainframe.	\$0		
3130-0344	Main lower pump module. For use with a 25" mainframe.	\$0		
3130-0345	Upper side mount module with area for double stacked crosslays w/divider (crosslays offset rearward). Includes deck gun channel and forward module area storage.	\$0		
3130-0346	Upper top mount module with area for double stacked crosslays w/divider. Includes deck gun channel and forward area for the top mount control panel.	\$0		
3130-0347	Upper top mount module for use with a speedlay module. Includes deck gun channel and rearward area storage	\$0		
3130-0348	Top mount walkway for use with a 23" mainframe. Includes diamond plate walkway, side runningboards and walkway access steps.	\$2,297		

Item #	Description	Extension	+1/-1	Total
3130-0349	Top mount walkway for use with a 25" mainframe. Includes diamond plate walkway, side runningboards and walkway access steps.	\$2,297		
3130-0350	Speedlay module behind cab with area for (2) side by side preconnects with (1) center divider and runningboards. Includes (2) handrails mounted (1) each side of module for use with walkway access steps.	\$1,129		
3130-0351	Speedlay module behind cab with area for (2) side by side preconnects with (1) center divider and runningboards. Includes (2) handrails mounted (1) each side of module for use with walkway access steps.	\$1,129		
3130-0352	Runningboards for main pump module.	\$0		
3130-0353	Top mount walkway for use with a 23" mainframe and speedlay module. Includes diamond plate walkway, side runningboards and walkway access steps.	\$2,297		
3130-0354	Top mount walkway for use with a 25" mainframe and speedlay module. Includes diamond plate walkway, side runningboards and walkway access steps.	\$2,297		
3130-0355	TM w/DBL SPDLY w/red side/frt cvrs and side vertically hinged panels (as applicable to overall design), OFC panel cab jack w/door, runningboards and TM wkwy w/folding steps.	\$3,422		
3130-0356	Top mount walkway for use with a 23" mainframe. Includes diamond plate walkway, side runningboards and walkway dual lighted LED folding steps.	\$2,297		
3130-0357	Top mount walkway for use with a 25" mainframe. Includes diamond plate walkway, side runningboards and walkway dual lighted LED folding steps.	\$2,297		
3130-0358	Top mount walkway for use with a 23" mainframe and speedlay module. Includes diamond plate walkway, side runningboards and walkway dual lighted LED folding steps.	\$2,297		
3130-0359	Top mount walkway for use with a 25" mainframe and speedlay module. Includes diamond plate walkway, side runningboards and walkway dual lighted LED folding steps.	\$2,297		
3130-0362	Crosswalk module. Includes running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Diamond plate walkway plate to be 20" wide due to 2-door Freightliner DEF tank.	\$1,125		
3130-0363	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Diamond plate walkway plate to be 20" wide due to 2-door Freightliner DEF tank.	\$1,640		
3130-0364	Special Top Mount Pump Module. Includes area for a double speedlay and TM walkway with dual lighted LED folding steps with integral lights and (2) vertical handrails. Extend-a-gun piping located in the dunnage pan offset to officer side.	\$4,827		
3130-0365	Upper top mount triple speedlays and storage in remaining area.	\$3,125		
3130-0366	Speedlay module full width with stokes basket and backboard storage. Includes area for (2) speedlays, lower storage compartments with push button latches. Upper area of module to hold (1) stokes basket and (2) backboards. Includes vertically hinged smooth plate door(s) with push button latches.	\$5,028		
3130-0367	Upper SM pump module with 2.5" double stacked single crosslay and diamond plate storage pan. 300' of 2.5" DJ	\$2,109		
3130-0368	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with single stacked double crosslays with diamond plate storage pan. Crosslays to be 68" high from ground.	\$7,753		
3130-0369	Pump module. Includes 63" wide pump panel opening and running boards. For use with Industrial products	\$5,704		
3130-0370	Pump module. Includes 71.5" wide pump panel opening and running boards. For use with Industrial products	\$5,704		
3130-0371	Upper SM pump module with double stacked double crosslays and diamond plate gator grip platform rearward of crosslays.	\$2,218		
3130-0373	Upper SM pump module with diamond plate gator grip platform.	\$1,804		
3130-0374	Upper TM pump module with double stacked double crosslays and diamond plate gator grip platform rearward of crosslays.	\$2,375		
3130-0375	Upper TM pump module with a diamond plate gator grip platform.	\$1,877		

Item #	Description	Extension	+1/-1	Total
3130-0376	Upper SM pump module with triple crosslays and diamond plate storage pan. Forward (2) crosslays to be single stack and rearward crosslay to be double stack.	\$2,636		
3130-0377	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan. Rearward crosslay to be double stacked dry lay.	\$3,358		
3130-0378	Pump module. Includes 33" wide pump panel opening and running boards. Includes modifications for front headboard due to special exhaust routing.	\$7,133		
3130-0379	Pump module. Includes 51" wide pump panel opening and running boards. Running boards to include gator grip and be painted black duraback.	\$6,352		
3130-0380	Raised crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) smooth plate walkway step w/gator grip each side and access handrails mounted on the pump module. Includes 8" raise with 5" high storage compartment with drop down aluminum smooth plate doors with push button latches. T/M walkway and walkway access steps to be smooth plate gator grip to be painted black durabak. All access doors on module to be painted gray zolatone.	\$3,932		
3130-0381	The main pump formed enclosure. The enclosure will not be part of the upper forward body. Final design will be clarified as the unit moves from engineering to production. See engineering with any questions.	\$0		
3130-0382	Pump module. Includes 51" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches.	\$9,685		
3130-0383	Pump module. Includes 57" wide pump panel opening and running boards. Crosslays to be 70" high from ground	\$7,091		
3130-0384	Upper SM pump module with backboard storage and diamond plate storage pan. Backboard storage to be located rearward of storage pan.	\$2,757		
3130-0385	Pump module. Includes 45" wide pump panel opening and running boards. Includes area forward of pump panel opening for (3) speedlays (stacked), lower storage compartments with push button latches.	\$10,315		
3130-0386	Pump module. Includes 69" wide pump panel opening and running boards.	\$5,704		
3130-0387	Enclosed Pump Module. Includes 51" pump panel opening. Driver side to have pump operator's panel. Officer side to include area for NFPA pump access. Upper area of pump module to have diamond plate storage pan.	\$11,839		
3130-0388	Crosswalk module with running boards. Includes upper walkway storage compartments with embossed diamond plate lift-up walkway lids (includes gas shock(s) as required to hold the lids at 90 degrees with butterfly style latch(es) for securing in the closed position). Compartments to be large as possible and include (1) light each (match body compartments for brand and type of light)and door ajar indicator wiring. Outboard sides of walkway to have diamond plate panels and each includes (1) intermediate style step and access handrails mounted on the pump module.	\$2,589		
3130-0389	Pump module. Includes 57" wide pump panel opening and running boards. Includes area forward of pump panel opening for (3) speedlays (stacked), lower storage compartments with push button latches. For use with removable tray(s).	\$9,066		
3130-0390	Upper SM pump module with triple crosslays and diamond plate storage pan. Forward (2) crosslays to be single stack and rearward crosslay to be double stack.	\$4,726		
3130-0391	Upper TM pump module with single stacked triple crosslays. Forward (2) crosslays to be single stack and rearward crosslay to be double stack.	\$2,636		
3130-0392	Upper TM pump module with single stacked double crosslays and backboard storage. Crosslays to be 6" wide each.	\$3,331		
3130-0393	Pump module. Includes 45" wide pump panel opening and running boards. Lowered to allow 72" high crosslay height from ground.	\$5,704		
3130-0394	Pump module. Includes 39" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches. For use with removable or slide-master tray(s).	\$9,936		
3130-0395	Upper TM pump module with double stacked double crosslays with backboard storage.	\$3,053		

Item #	Description	Extension	+1/-1	Total
3130-0396	Upper SM pump module with double stacked (single stack depth) double crosslays and diamond plate storage pan.	\$2,536		
3130-0397	Upper SM stainless steel pump module with single stacked triple crosslays and top open storage with treadplate flooring. Crosslay 1 to be a dead lay.	\$2,109		
3130-0398	Pump module. Includes 45" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches. For use with removable or slide-master tray(s).	\$9,936		
3130-0399	Pump module for top mount enclosed operation. Includes 51" panel opening, area for double stacked double speedlay with trays stacked side by side, lower storage compartments with push button latches and running boards. Speedlay floor to be slotted for draining. Includes backboard storage for (3) backboards. Includes deck gun channel and open back storage pan.	\$14,678		
3130-0400	Pump module. Includes 51" wide pump panel opening and running boards. Lowered to allow 72" high crosslay height from ground.	\$6,276		
3130-0401	Crosslay double with dry lay. Includes (2) double stack crosslays to hold up to 200' of 2.0" DJ each and (1) dry lay to hold up to 200' of 2.5" DJ. Wetside tanker only.	\$1,682		
3130-0402	Pump module side mount with 33" wide pump panel opening. Includes dia plt running boards. Wetside tanker only	\$3,719		
3130-0403	Upper SM pump module with single stacked triple crosslays and transverse storage area rearward of deckgun channel with stainless steel lift-up door with push button latches on driver side.	\$3,031		
3130-0404	Raised crosswalk module with forward headboard. Includes running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$1,623		
3130-0405	Pump module with stepped headboard. Includes 45" wide pump panel opening and running boards	\$6,103		
3130-0406	Main top mount pump module with upper storage area rearward of TM control panel. For use with individual TM walkway and speedlay module behind cab. Includes forward access pump door with push button latches and (2) vertical handrails (1 each side) mounted along the forward outboard extrusion.	\$3,576		
3130-0407	Pump module, base, single crosslay, stainless, Wildland	\$9,793		
3130-0408	Pump module, Option, Double crosslays, stainless, Wildland	\$10,050		
3130-0409	Pump module. Includes 31" wide pump panel opening and running boards.	\$5,704		
3130-0410	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$0		
3130-0411	Pre-connect module behind cab with area for (2) side by side preconnects with (1) center divider and runningboards. Pre-connects to feed from floor area.	\$0		
3130-0412	Pump module for use with frame mounted PTO pump. Will be mounted below tank forward of driver side front compartment and will reduce the size of L1 by approximately 39".	\$0		
3130-0413	Upper SM pump module with single stacked triple crosslays, deck gun channel and transverse storage area. Transverse storage area to be rearward of the deck gun channel. Includes vertically hinged diamond plate doors with butterfly latches, doors to be hinged rearward.	\$3,696		
3130-0414	Enclosed Pump Module with Triple Speedlays. Includes 51" wide pump panel opening. Includes area for (3) speedlays with trays, lower storage compartments with push button latches forward of pump panel opening. Upper module area to have storage pan.	\$20,295		
3130-0415	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan. Each crosslay to be 4.75" wide.	\$2,109		
3130-0416	Crosswalk module. Includes running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Includes modifications for 4x4 and plumbing applications as required.	\$1,349		
3130-0417	Top Mount Pump Module. Includes area for a diamond plate storage pan and 20" wide TM walkway with dual lighted LED folding steps with integral lights and (2) vertical handrails.	\$3,053		

Item #	Description	Extension	+1/-1	Total
3130-0418	Pump module with stepped headboard. Includes 51" wide pump panel opening and running boards	\$6,103		
3130-0419	Pump module. Includes 39" wide pump panel opening and running boards. Includes modifications for front headboard due to special exhaust routing.	\$7,133		
3130-0420	Upper SM pump module with double stacked triple crosslays and diamond plate storage pan. Crosslay plumbing to be located as far outboard as possible.	\$2,298		
3130-0421	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose and (1) tray for 200' of 2.5" DJ preconnected hose. Upper storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose offset to rear and storage area for (2) backboards vertically stored offset forward w/sleeve each side of center pump access.	\$9,605		
3130-0422	Pump module. Includes 45" wide pump panel opening and running boards. Includes area forward of pump panel opening for (3) speedlays (stacked), lower storage compartments with push button latches. For use with removable tray(s).	\$10,315		
3130-0423	Stainless steel pump module HP75 / HP78. Includes running boards with Bustin Tread inserts.	\$9,887		
3130-0424	Upper SM pump module with single stacked double crosslays and diamond plate open back storage pan.	\$1,682		
3130-0425	Upper TM pump module with single stacked double crosslays and diamond plate storage pan with lid for Hot Shot II Hydraulic Reservoir.	\$3,094		
3130-0426	Upper TM pump module with diamond plate open back storage pan.	\$2,217		
3130-0427	Upper SM pump module with backboard storage and diamond plate storage pan. Backboard storage to be located forward of storage pan. Backboard storage to be 12" wide and includes divider 4" off forward wall to create two storage spaces.	\$3,093		
3130-0428	Upper TM pump module with storage area with horizontally hinged access door (wired to door ajar) with push button latches, one each side.	\$3,014		
3130-0429	Crosswalk compartments to located rearward and dual lighted folding steps located forward on the crosswalk module.	\$0		
3130-0430	Pump module. Includes 39" wide pump panel opening and running boards. Upper SM pump module with double stacked double crosslays. Crosslays to be 66" high from ground.	\$8,047		
3130-0431	Pump module. Includes 45" wide pump panel opening and running boards. Upper SM pump module with double stacked double crosslays with diamond plate storage pan. Crosslays to be 66" high from ground.	\$7,753		
3130-0432	Pump module for top mount enclosed operation. Includes 80" panel opening and area for double stacked double crosslay with storage pan. Module has sanded finish and crosslay floors are slotted for draining.	\$11,330		
3130-0433	Crosslay double. Includes (2) double stack crosslays to hold up to 200' of 2.0" DJ each and a diamond plate cover over module to rear of crosslays. Wetside tanker only.	\$1,588		
3130-0434	Crosslay double. Includes (2) double stack crosslays to hold up to 200' of 2.0" DJ each and a diamond plate storage pan to rear of crosslays. Wetside tanker only.	\$2,080		
3130-0435	Pump module. Includes 45" wide pump panel opening and running boards. Upper SM pump module with single stacked double crosslays with diamond plate storage pan. Crosslays to be 66" high from ground.	\$7,753		
3130-0436	Upper SM pump module with single stacked double crosslays and transverse storage area rearward of deckgun channel with aluminum Zolatone lift-up door with push button latches on officer side.	\$2,778		
3130-0437	Upper SM pump module with single stacked triple crosslays and diamond plate open back storage pan. Duunage pan to be 17.75" deep on driver side due to booster reel height.	\$2,732		
3130-0438	Speedlay module full width with stokes basket and backboard storage. Includes area for (3) speedlays: (1) 2.5" in lower speedlay and (2) 1.5" in upper speedlay, lower storage compartments with push button latches. Upper area of module to hold (1) stokes basket and (2) backboards. Includes vertical hinged smooth plate door(s) with push button latches.	\$4,959		



Item #	Description	Extension	+1/-1	Total
3130-0439	Stainless steel 62" wide lower pump module. Includes side running boards with Bustin Tread. This size required for most CAFS units.	\$5,828		
3130-0440	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan. Rearward crosslays to be double stacked. Crosslays to be 28" deep.	\$4,599		
3130-0441	Upper TM pump module with double stacked double crosslays. Crosslays to hold 300' of 2.5" DJ hose.	\$2,229		
3130-0442	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan. Rearward crosslay to hold 150' of 3" DJ hose.	\$2,267		
3130-0443	Pump module. Includes 51" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches. Includes modifications for 4x4 and plumbing applications as required.	\$10,287		
3130-0444	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Includes modifications for 4x4 and plumbing applications as required.	\$2,030		
3130-0445	Pump module. Includes 39" wide pump panel opening and running boards. Upper SM pump module with single stacked double crosslays and open back storage pan.	\$7,731		
3130-0446	Side mount pump module. Includes upper area for double stacked double preconnects with area for dead lay of hose. Side panels to be stainless steel and backside of module to have diamond plate trim.	\$1,126		
3130-0447	Pump module. Includes 39" wide pump panel opening and running boards. Includes area forward of pump panel opening for (3) speedlays (stacked), lower storage compartments with push button latches.	\$9,558		
3130-0448	Top mount pump module with double stacked double crosslays and diamond plate gator grip platform rearward of crosslays. Includes 71.51" wide pump panel opening and running boards. Crosswalk (21" wide) with walkway storage compartments with D-ring latches, (1) top mount walkway step each side with mounting flanges to extend all the way from bottom to the top and access handrails mounted on the pump module. Crosswalk raised 10", formed lip on panel with lighting extrusion, breaker box in driver side tool box, all cab tilt controls in officer side tool box and hinged lift up access door on the opposite side of the access ladder if applicable. For use with Industrial products.	\$11,842		
3130-0449	Top mount eMAX pump module. Includes area for a double speedlay, TM walkway (raised) with compartments, dia plt running boards, folding steps with integral lights and (2) vertical handrails.	\$6,183		
3130-0450	Pump module top mount with speedlays. Includes 45" wide pump panel opening, dunnage pan and running boards. Top mount walkway includes storage compartments with push button latches, (1) 5" diamond plate top mount walkway step with gator grip each side and access handrails mounted on the pump module. Includes area for (3) speedlays - (2) with 1.5" plumbing and (1) with 2.5" plumbing. The front area of the speedlays to have a removable diamond plate panel with D-ring latches.	\$12,577		
3130-0451	Pump module. Includes 57" wide pump panel opening and running boards. Upper SM pump module with single stacked triple crosslays, backboard storage and diamond plate storage pan. Crosslays to be 65" high from ground.	\$10,760		
3130-0452	Speedlay module. Includes area for (2) speedlays with dividers, (1) area for backboard storage with hinged doors with latches, lower storage compartments with D-ring latches and running boards. Speedlays to hold 250' of 1.75 each.	\$3,916		
3130-0453	Crosswalk module. Includes walkway storage compartments with D-ring latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$1,640		
3130-0454	Upper SM pump module with double stacked double crosslays and diamond plate storage pan. Crosslay divider to be adjustable side to side.	\$2,087		
3130-0455	Pump module. Includes 51" wide pump panel opening and running boards. (Tradition style pump module see body layout). Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches.	\$9,684		
3130-0456	Upper TM pump module with double stacked single crosslay and backboard storage.	\$3,018		

Item #	Description	Extension	+1/-1	Total
3130-0457	Upper SM pump module with single stacked double crosslay, backboard storage and diamond plate open back storage pan.	\$3,234		
3130-0458	Upper stainless steel pump module with single stacked quad crosslays and top open storage with treadplate flooring. Crosslay floors lowered to approximately 72" above ground.	\$3,294		
3130-0459	Speedlay module to be mounted with backboard storage located forward. Two (2) latches shall be used to secure the doors. One (1) top and one (1) bottom.	\$353		
3130-0460	Upper SM pump module with single stacked double crosslay, backboard storage forward of crosslays and diamond plate open back storage pan.	\$2,866		
3130-0461	Pump module for use with frame mounted PTO pump. Will be mounted below tank rearward of driver side front compartment and will reduce the size of L1.	\$0		
3130-0462	Upper TM pump module with single stacked quad crosslays and backboard storage. Crosslay preconnects to be offset to driver side of module.	\$4,197		
3130-0463	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan. Area rearward of crosslays to be raised 6" due to hosebed preconnect.	\$3,951		
3130-0464	Upper SM stainless steel pump module with double stacked double crosslays for 1-1/2" DJ hose and top open storage with treadplate flooring. Width of each of the crosslay beds must be 6-1/2".	\$1,682		
3130-0465	Upper SM pump module with quad single stacked crosslays and diamond plate storage pan. The rear crosslay is for dry hose storage. The (3) forward crosslays to be 5.5" wide and the rearward crosslay to be 6" wide.	\$2,791		
3130-0466	Embossed diamond plate panel to be located above speedlays forward of top mount pump panel area. To include a "NOT A WALKING SURFACE" tag.	\$0		
3130-0467	Side Mount Pump Module. Includes area for double stacked double crosslay (notched dividers). Crosslay opening to be same as standard tradition triple crosslay design.	\$1,100		
3130-0468	Upper SM pump module with double stacked single crosslay and diamond plate storage pan. 400' of 1.75" DJ	\$2,109		
3130-0469	Upper SM pump module with quad single stacked crosslays and diamond plate storage pan. Rearward (2) crosslays to be 3" DJ dry lays.	\$2,536		
3130-0470	Pump module top mount with single stack double crosslay, double speedlay (9" wide) and diamond plate storage pan. Includes 45" wide pump panel opening and running boards. Top mount walkway storage compartments with push button latches, (1) 5" diamond plate top mount walkway step with gator grip each side and access handrails mounted on the pump module. Deck gun to be located in channel centered in storage pan running front to back. Embossed diamond plate covers with D-ring latches (wired to door ajar switch) each side of deck gun channel, covers to be reinforced and hinged to front.	\$13,571		
3130-0471	eMAX Forward body extension for aerial application. Includes a lower double preconnect storage area, upper transverse storage area, center front pump access doors, removable center floor in upper area, upper storage pan, and boom support diamond plate filler panels.	\$2,834		
3130-0472	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan. Rearward crosslay to be for 2.5" dry lay. Storage pan to be open back style due to generator.	\$4,599		
3130-0473	Vertical speedlay module welded integral to front of pump enclosure. Includes 12" wide area for (2) speedlays.	\$2,500		
3130-0474	Top mount eMAX pump module. Includes area for a double speedlay, TM walkway (raised) with compartments, dia plt running boards, fixed walkway steps and (2) vertical handrails.	\$6,183		
3130-0475	Upper TM pump module with triple stacked double crosslays.	\$1,877		
3130-0476	Top mount SS eMAX pump module. Includes area for double speedlays, TM walkway with compartments, treadplate running boards with Bustin Tread inserts and (2) vertical hand rails.	\$6,982		

Item #	Description	Extension	+1/-1	Total
3130-0477	Triple Speedlays with Enclosed Pump Panel Full Width Module. Includes 45" wide pump panel opening. Includes area for (3) speedlays and lower storage compartments with push button latches forward of pump panel opening. Backboard/stokes basket storage above the speedlays. Upper module area above the pump panel to have storage pan.	\$21,060		
3130-0478	Pump module top mount with 39" wide pump panel opening and integral walkway (no compartments). Includes dia plt running boards. Wetside tanker only.	\$4,841		
3130-0479	Crosslay Triple. Includes (3) single stack crosslays to hold up to 200' of 2.0" DJ each. Wetside tanker only.	\$1,588		
3130-0480	Upper SM pump module with single stacked double crosslay, New York Hook storage with horizontal divider 8" off floor and diamond plate open back storage pan.	\$3,234		
3130-0481	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with single stacked triple crosslays, backboard storage and diamond plate storage pan. Crosslays to be 72" high from ground.	\$9,637		
3130-0482	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (1) tray for 200' of 3" DJ preconnected hose offset to rear and storage area for (2) backboards vertically stored offset forward w/sleeve each side of center pump access. Upper storage area for dry storage.	\$9,605		
3130-0483	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for triple crosslay, forward (2) crosslays to be single stacked for 200' of 1.75 DJ hose per lay and rearward crosslay to be single stacked for 150-200' of 2.50" DJ hose.	\$5,271		
3130-0484	Upper SM pump module with backboard storage and diamond plate storage pan. Backboard storage to be located forward of storage pan. Deck gun piping to be located forward center area of pan and just rearward of back board compartment.	\$2,757		
3130-0485	Pump module - one piece. Includes 71.5" wide pump panel opening and running boards. For use with Industrial products.	\$5,704		
3130-0486	Upper TM pump module with smooth plate storage pan. Side panels to be Zolatone gray. Storage pan to be painted black durabak.	\$2,442		
3130-0487	Pump module. Includes 57" wide pump panel opening and running boards. Running boards to be painted black durabak.	\$6,091		
3130-0488	Painted crosswalk area to includes all smooth plate and extrusion surfaces exposed to exterior in the crosswalk area (speedlay and pump module) to be painted job color. Does not include top facing exposed surfaces.	\$2,835		
3130-0489	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Compartment doors to be painted job color. Crosswalk and running boards to be painted durabak black.	\$2,195		
3130-0490	Speedlay/crosslay HP75/78 module(stacked) for triple speedlays and double crosslay above. Includes 44" wide pump panel opening, running boards, upper area dunnage pan, lower storage compartments with push button latches and boom support diamond plate filler panels. Lower for (2) 1.75" speedlays to hold 150' of 1.75" DJ hose in each. Upper for (1) 2.5" speedlay to hold 200' of 2.5" DJ hose. Speedlays to utilize removable tray(s). Upper crosslay storage to hold up to 100' of 1.75" DJ (forward) and 400' of 2.5" DJ (rearward).	\$8,982		
3130-0491	Upper SM stainless steel pump module with single stacked triple crosslays and top open storage with treadplate flooring. Capacities of 300', 200' and 200' of hose for selected discharges.	\$2,354		
3130-0492	Pump module. Includes 45" wide pump panel opening and running boards. Upper SM pump module with single stacked double crosslays with diamond plate storage pan. Crosslays to be 72" high from ground.	\$7,753		

Item #	Description	Extension	+1/-1	Total
3130-0493	Speedlay module full width with stokes basket and backboard storage. Includes area for (2) speedlays: (2) 1.5" side by side speedlay storage compartments. Upper area of module shall have (2) adjustable dividers to hold (1) stokes basket and (2) backboards. Includes vertically hinged smooth plate door(s) with push button latches.	\$4,959		
3130-0494	Upper TM pump module with a transverse storage compartment with aluminum tread plate vertical hinged doors (1) each end of the compartment and a embossed tread plate top.	\$2,387		
3130-0495	Enclosed Pump Module with Double Speedlays. Includes 47.5" wide pump panel opening. Includes area for (2) stacked speedlays, lower storage compartments with push button latches forward of pump panel opening. Upper module area to have storage pan.	\$20,670		
3130-0496	Upper SM pump module. Crosslay area to be: (2) compts 4.5" at base, (1) compt 4.75" at base and (1) compt 7.5" at base. Ensure that each crosslay is wide enough to accommodate the nozzles so they are easily deployed for each side. Backboard storage and diamond plate storage pan. Crosslays to be 28" deep.	\$4,997		
3130-0497	Upper TM pump module with modified sides for improved visibility and diamond plate storage pan.	\$2,565		
3130-0498	Pump panel opening is 67" wide.	\$0		
3130-0499	Upper stainless steel pump module with single stacked quad crosslays and top open storage with treadplate flooring. Crosslay floors located approximately 75" above ground. Top mount pump module only.	\$3,294		
3130-0500	Upper SM pump module with forward (2) crosslays to be single stack and rearward crosslay to be double stack includes diamond plate storage pan.	\$4,726		
3130-0501	Upper SM pump module with single stacked quad crosslays and diamond plate storage pan. Crosslays to be 28" deep due to additional capacity.	\$3,033		
3130-0502	Pump panel opening is 62" wide.	\$0		
3130-0503	Crosswalk module. Includes running boards, (1) intermediate style step each side and access handrails mounted on the pump module. Crosswalk, intermediate steps and running boards to be 3/16" aluminum treadplate plate.	\$1,451		
3130-0504	Speedlay module. Includes area for (2) speedlays 15" front to rear with center divider curt to a height of 24", lower storage compartments with push button latches and running boards.	\$2,628		
3130-0505	Pump module top mount with speedlays. Includes 45" wide pump panel opening, dunnage pan and running boards. Top mount walkway includes storage compartments with push button latches, (1) 10" diamond plate top mount walkway step with gator grip each side and access handrails mounted on the pump module. Includes area for (3) speedlays - (2) with 1.5" plumbing and (1) with 2.5" plumbing. The front area of the speedlays to have a removable diamond plate panel with D-ring latches.	\$13,172		
3130-0506	Pump module. Includes 63" wide pump panel opening and running boards. Upper SM pump module with double stacked double crosslays with diamond plate storage pan. The hose to be in three (3) poly trays of 200' each. The module to be stepped up rearward of the crosslays.	\$7,753		
3130-0507	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. The crosswalk shall be raised to accommodate storage of (2) backboards	\$1,819		
3130-0508	SM Pump module. Includes 71.5" wide pump panel opening and running boards. Upper pump module with double stacked double crosslays and diamond plate gator grip platform rearward of crosslays. For use with Industrial products.	\$8,160		
3130-0509	Upper SM stainless steel pump module with single stacked single crosslay and a backboard/Stokes with top open storage with treadplate flooring.	\$2,866		
3130-0510	Pump module top mount with speedlays. Includes 51" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked). Includes crosswalk module and walkway storage compartments with push button latches, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$12,172		

Item #	Description	Extension	+1/-1	Total
3130-0511	Pump module. Includes 39" wide pump panel opening with integral double speedlays and running boards. Upper SM pump module with double stacked single crosslay and diamond plate storage pan.	\$12,375		
3130-0512	Enclosed triple vertically stacked speedlays with trays, 14" wide, capacities to be for the selected size preconnect discharges. Speedlay assembly welded integral to the front of SS pump enclosure. For use with enclosed side pump panels with special WB dimension added to create space for door openings. (Actual WB dimension for this application is 22".)	\$2,747		
3130-0513	Transverse full width module (24" wide) with full height doors. Located behind cab, and stands alone. Includes a single compartment opening per side (with approximately 27" deep lower area and a transverse upper area).	\$4,657		
3130-0514	Upper SM pump module with single stacked triple crosslays and transverse storage area rearward of deckgun channel with stainless steel lift-up doors with push button latches. (1) On driver and (1) on officer side.	\$3,181		
3130-0515	Pump module top mount with speedlays. Includes 45" wide pump panel opening, dunnage pan and running boards. The crosswalk shall be raised 3". The area directly below the crosswalk walkway shall include five (5) compartments, one (1) each side for storage in the lower area and a horizontal storage directly under the walkway surface with three (3) compartments.	\$13,351		
3130-0516	Pump module - one piece. Includes 49.5" wide pump panel opening includes smooth plate aluminum painted black Durabak with gator grip for running boards.	\$5,704		
3130-0517	Double stacked 15"D triple crosslays and aluminum smooth plate storage pan painted black durabak. (2) 7.5" wide each to hold 250' 1.75"DJ & (1) 10.5" wide to hold 200'-2.5"DJ.	\$2,689		
3130-0518	Crosswalk module. Includes walkway storage compartments with D-ring latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$1,640		
3130-0519	Pump module for top mount enclosed operation. Includes 45" panel opening and area for single stacked double crosslay and deck gun channel. Module has sanded finish and crosslay floors are slotted for draining.	\$11,033		
3130-0520	Upper SM pump module with double stacked double crosslays and transverse storage area. Transverse storage area to be rearward crosslays. Includes horizontally hinged diamond plate doors with thumb latches, doors to be hinged at top. Each crosslay to accommodate (1) removable poly tray (removable tray(s) sold separately).	\$3,696		
3130-0521	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose and (1) tray for 200' of 2.5" DJ preconnected hose. Upper storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose offset to rear of transverse storage area w/sleeve each side of center pump access. Label TRANSVERSE STORAGE (IPO BACK BOARD STORAGE).	\$9,605		
3130-0522	Upper SM pump module with double stacked triple crosslay, deck gun channel and backboard storage. The rear crosslay is for dry hose storage.	\$2,957		
3130-0523	Side mount pump module. Extruded aluminum with runningboards.	\$5,704		
3130-0524	Top mount pump module with 20" walkway. Extruded aluminum with runningboards and formed side access steps.	\$6,798		
3130-0525	Top mount pump module with walkway and integral double speedlays (9" W). Extruded aluminum with runningboards. Includes formed walkway access steps.	\$8,423		
3130-0526	Top mount pump module with walkway and integral triple speedlays (13" W). Extruded aluminum with runningboards. Includes formed walkway access steps. Each 1.5" speedlay will have capacity for up to 200 ft. of 1-3/4" hose. The 2.5" speedlay (if selected) will have capacity for 150 ft. of 2.5" hose.	\$8,949		
3130-0527	Upper SM pump module with 8" channel forward for turret , 2.5" single stacked single crosslay and diamond plate storage pan.	\$2,401		
3130-0528	Upper SM pump module with single stacked triple crosslays and diamond plate storage pan. Crosslay 3 to be a dead lay.	\$2,109		

Item #	Description	Extension	+1/-1	Total
3130-0529	Enclosed Pump Module with Double Speedlays. Includes 40.5" wide pump panel opening. Includes area for (2) stacked speedlays, lower storage compartments with D-handle latches forward of pump panel opening. Upper module area to have storage pan.	\$20,670		
3130-0530	A side mount pump module with triple crosslays. The module shall have overall dimensions of 70"H x 72"W (not including runningboards) x 49"L (front to rear).	\$8,339		
3130-0531	Pump panel opening is 33" wide. Tanker only.	\$0		
3130-0532	Pump panel opening is 39" wide. Pumper / tanker only.	\$0		
3130-0533	Pump panel opening is 45" wide. Pumper / tanker only.	\$0		
3130-0534	Pump panel opening is 51" wide. Pumper / tanker only.	\$0		
3130-0535	Pump panel opening is 57" wide. Pumper / tanker only.	\$0		
3130-0536	Pump panel opening is 63" wide. Pumper / tanker only.	\$0		
3130-0537	Pump module height is 65". Pumper / tanker only.	\$0		
3130-0538	Pump module height is 70". Pumper / tanker only.	\$0		
3130-0539	Pump module height is 75". Pumper / tanker only.	\$0		
3130-0540	Pump module height is 80". Pumper / tanker only.	\$0		
3130-0541	eMAX Forward body extension for aerial application. Includes lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (2) trays for 200' of 1.75" DJ preconnected hose each. Upper storage area to hold (1) tray for 200' of 2.5" DJ preconnected hose.	\$3,671		
3130-0542	Speedlay module. Includes area for (2) speedlays with divider forward, (1) area for four (4) pike pole storage tubes to accommodate 6' pike poles in rearward lower area of module staggered two tubes on forward compartment wall and two tubes on rearward compartment wall. Upper area of rearward storage area over the pike poles there shall be a shovel storage compartment in remaining space which is open to the top of module when lid on top is opened. There shall be a bolt in divider between the pike pole storage and the upper shovel area. There shall be a hinged door on officer side only of rearward upper pike and shovel storage area with 2 push button latches, lower storage compartments with push button latches and running boards. All storage doors shall be wired to door ajar circuit in accordance with NFPA.	\$4,138		
3130-0543	Upper SM pump module with 2.5" double stacked single crosslay and diamond plate storage pan. 250' of 2.50" DJ	\$2,109		
3130-0544	Triple vertically stacked speedlays for top console 12" wide (no trays), capacities to be for the selected size preconnect discharges. Speedlay assembly welded integral to the front of SS pump enclosure. Bustin Tread in side running boards of speedlay area.	\$2,626		
3130-0545	Upper SM pump module with single stacked triple crosslay, backboard storage and diamond plate storage pan.	\$3,413		
3130-0546	Crosswalk module. Includes stainless steel walkway storage compartments with lift-up access lids and butterfly latches, non-skid running boards with Bustin Tread, and access hand rails mounted one each side to the front of the pump enclosure assembly.	\$2,780		
3130-0547	Stainless steel 50" wide lower pump module. Includes side running boards with Bustin Tread inserts.	\$5,409		
3130-0548	Upper SM stainless steel pump module with (2) triple stacked crosslays and top open storage with treadplate flooring.	\$1,758		
3130-0549	Upper SM stainless steel pump module with (3) crosslays in both single and double stacks, and top open storage with treadplate flooring.	\$2,042		
3130-0550	Upper TM stainless steel pump module with (2) triple stacked crosslays.	\$1,932		
3130-0551	Upper TM stainless steel pump module with (3) crosslays in both single and double stacks.	\$2,216		
3130-0552	Pump module height is 85". Pumper / tanker only.	\$0		

Item #	Description	Extension	+1/-1	Total
3130-0553	Top mount pump module with double stacked double crosslays and diamond plate gator grip platform rearward of crosslays. Includes 71.51" wide pump panel opening and running boards. Crosswalk (21" wide) with walkway storage compartments with D-ring latches, (1) top mount walkway step each side with mounting flanges to extend all the way from bottom to the top and access handrails mounted on the pump module. Crosswalk raised 10", formed lip on panel with lighting extrusion, breaker box in driver side tool box, all cab tilt controls in officer side tool box and hinged lift up access door on the opposite side of the access ladder if applicable. For use with Industrial products.	\$11,842		
3130-0554	Pump module. Includes 39" wide pump panel opening and running boards. Upper SM pump module with double stacked double crosslays and transverse storage area. Transverse storage area to be rearward crosslays. Includes horizontally hinged diamond plate doors with push button latches. Each crosslay to accommodate (1) removable poly tray (trays not included).	\$9,398		
3130-0555	Pump module. Includes 41" wide pump panel opening and running boards. Upper SM pump module with diamond plate storage pan and forward transverse compartment with double stacked double crosslays. Crosslays to be 12" wide and 15" deep.	\$13,239		
3130-0556	Upper TM stainless steel pump module with single stacked double crosslays and a transverse storage compartment with top open storage (if space available) with treadplate flooring.	\$3,018		
3130-0557	Stainless steel 70" wide lower pump module. Includes side running boards with Bustin Tread. This size is used for some big Industrial type foam systems.	\$5,704		
3130-0558	Upper SM pump module with double stacked triple crosslays.	\$1,774		
3130-0559	Crosslay triple double stacked. Includes (2) double stack crosslays to hold up to 200' of 2.0" DJ each and (1) crosslay to hold up to 200' of 2.5" DJ. Wetside tanker only.	\$1,682		
3130-0560	Pump module. Includes 45" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) stacked speedlays and (1) upper speedlay (crosslay style), lower storage compartments with push button latches.	\$12,228		
3130-0561	Upper TM pump module with single stacked single crosslay and backboard storage.	\$4,226		
3130-0562	Crosswalk module. Includes running boards. The crosswalk shall be raised 8". (1) Dual lighted LED folding step each side and access handrails mounted on the pump module.	\$1,311		
3130-0563	Top mount eMAX pump module for use with a (2) arm ladder rack. Includes area for a double speedlay, TM walkway (raised) 21" front to rear without compartments, dia plt running boards, folding steps with integral lights and (2) vertical handrails.	\$6,183		
3130-0564	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (2) preconnected hose storage trays. Upper transverse storage area to to have provision for (2) backboards vertically stored offset forward w/sleeve each side of center pump access.	\$9,605		
3130-0565	Upper SM pump module with triple crosslays and diamond plate storage pan. Forward (2) crosslays to be single stack and rearward crosslay to be double stack.	\$2,407		
3130-0566	Speedlay module. Includes area for (2) speedlays, (1) area for backboard storage and Little Giant ladder with hinged doors with latches, lower storage compartments with push button latches and running boards.	\$3,293		
3130-0567	Speedlay module tray #1 to hold 200' of 1-3/4" hose in double stack and tray #2 to hold 300' of 1-3/4" hose in a triple stack.	\$0		
3130-0568	Pump module. Includes 45" wide pump panel opening and running boards. Upper SM pump module with double stacked triple crosslays with diamond plate storage pan.	\$7,753		
3130-0569	Upper TM pump module with 2.5" single stacked single crosslay.	\$2,025		

Item #	Description	Extension	+1/-1	Total
3130-0570	eMAX Tanker Pump module. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan. Lower storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose and (1) tray for 200' of 2.5" DJ preconnected hose. Upper storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose offset to rear and storage area for (2) backboards vertically stored offset forward w/sleeve each side of center pump access.	\$9,605		
3130-0571	Upper TM pump module with double stacked single crosslay and pike pole storage.	\$3,018		
3130-0572	Top mount pump module with 19" walkway. Extruded aluminum with runningboards.	\$6,798		
3130-0573	Transverse module (18" wide) with brushed stainless steel doors. Located forward of pump area and welded integral. Includes a single stainless steel compartment opening per side (with a shallow lower area and a transverse upper area) and side running boards with Bustin Tread.	\$2,686		
3130-0574	Transverse Module (narrow) 24.5. Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards.	\$2,656		
3130-0575	Transverse Module (full width). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring). Upper area for double stacked double crosslay.	\$4,521		
3130-0576	Crosslay double. Includes (2) single stack crosslays to hold up to 200' of 2.0" DJ each and a diamond plate storage pan to rear of crosslays. Wetside tanker only.	\$2,080		
3130-0577	Upper TM pump module with double crosslays. Forward crosslay to be double stacked and rearward crosslay to be dry lay for storage to include (2) pike pole tubes for 6' pike poles located on the rearward wall.	\$2,991		
3130-0578	Speedlay module. Includes a lower double preconnect storage area, upper preconnect storage area, sleeve in upper storage area for (2) backboards (vertically stored offset forward) lower storage compartments with push button latches and running boards.	\$3,822		
3130-0579	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with (4) single stacked single crosslays with diamond plate storage pan. Crosslays to be 66" high from ground.	\$7,753		
3130-0580	Top mount eMAX pump module. Includes area for a double speedlay, TM walkway (raised) with compartments with embossed diamond plate lift-up walkway lids (includes gas shock(s) as required to hold the lids open with butterfly style latch(es) for securing in the closed position). Compartments to be large as possible and include (1) light (match body compartments for brand and type of light) door ajar indicator wiring. Outboard sides of walkway to have diamond plate panels. Dia plt running boards, Gator Grip fixed walkway steps and (2) vertical handrails.	\$7,133		
3130-0581	Upper SM pump module with double stacked double crosslay, backboard storage and diamond plate storage pan.	\$3,039		
3130-0582	Speedlay module. Includes area for (2) speedlays with center divider, lower storage compartments with push button latches and running boards.	\$1,967		
3130-0583	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for double crosslay/drylay, forward crosslay to be single stacked and rearward drylay to be double stacked.	\$5,514		
3130-0584	Top mount pump module with double stacked double crosslays and diamond plate gator grip platform rearward of crosslays. Includes 71.5" wide pump panel opening and running boards. Crosswalk (21.5" wide) with walkway storage compartments with D-ring latches, (1) top mount walkway step with gator grip each side with mounting flanges and access handrails mounted on the pump module. Lip on panel with lighting extrusion. For use with Industrial products.	\$9,218		
3130-0585	Side mount pump module. Includes upper area for double stacked double preconnects with area for dead lay of hose. Side panels to be stainless steel and backside of module to have diamond plate trim.	\$1,178		
3130-0586	Pump module. Includes 45" wide pump panel opening and running boards. Upper SM pump module with 1.5" single stacked double crosslays 71" from ground, 2.5" double stack single dry crosslay stepped up 7" from double crosslay and diamond plate storage pan.	\$9,898		



Item #	Description	Extension	+1/-1	Total
3130-0587	Pump module. Includes 45" wide pump panel opening and running boards. Upper SM pump module with single stacked double crosslays, backboard storage and open back storage pan. Crosslays and backboard storage to be stepped down 8".	\$8,569		
3130-0588	Pump module. Includes 45" wide pump panel opening and running boards. Upper SM pump module with single stacked double crosslays, backboard storage and open back storage pan.	\$8,569		
3130-0589	Transverse Module (full width). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with smooth plate flooring).	\$3,479		
3130-0590	Transverse module to hold: Four (4) shoreboards 48" x 92" on edge.	\$1,448		
3130-0591	Transverse Module (narrow). Locate forward of pump area. Includes Upper and Lower compartment openings each side of module, a 3" extrusion located between upper and lower openings. The separate lower, "tool style" compartment on each side of module shall be shallow with diamond plate flooring, and include a diamond plate door with D-ring door latch. The upper transverse storage area shall include a diamond plate floor that shall extend out to the 3" extrusion which separates the upper and lower compartment openings.	\$5,377		
3130-0592	Speedlay module. Includes area for triple speedlays with divider(s) and lower storage compartments with push button latches and running boards. The side facing tool compartment doors along with the front and rear facing panels are to be smooth plate and painted gray Zolatone. Running boards to include gator grip and be painted black Durabak.	\$3,723		
3130-0593	Upper TM pump module with smooth plate side panels painted job color and smooth plate storage pan painted black Durabak.	\$2,343		
3130-0594	Pump module. Includes 45" wide pump panel opening and running boards. The front access door and the front panels to be smooth plate and painted gray Zolatone. Running boards to include gator grip and be painted black durabak. Used on TM module only.	\$7,131		
3130-0595	Upper SM pump module with double stacked quad crosslays and no storage pan. Crosslays to be 23" deep. For use on narrow 39" module only with applications approval that no pump panel will be utilized on upper module.	\$3,005		
3130-0596	Stainless steel 62" wide pump module with a pair of side by side integral speedlays. Includes side running boards with Bustin Tread. Consists of a 42" wide pump panel area with a 12" wide area forward for integral speedlays with 250' of 1-3/4" hose each.	\$7,792		
3130-0597	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for triple crosslay, forward (2) crosslays to be single stacked for 200' of 2.00" DJ hose per lay and rearward crosslay to be single stacked for 150' of 2.50" DJ hose.	\$5,271		
3130-0598	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with single stacked double crosslays, backboard storage and diamond plate storage pan. Crosslays to be @ 72" high from ground.	\$9,209		
3130-0599	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Diamond plate walkway plate to be 21" wide due to 2-door Freightliner DEF tank.	\$1,640		
3130-0600	Pump module modification. Includes modification to officer side of module to accommodate folding steps on forward body, resizing pump panel and relocating DEF fill forward if applicable. Option does not include steps.	\$874		
3130-0601	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with double stacked triple crosslays with diamond plate storage pan. Crosslays to be 70" high from ground. Front headboard of module to be lowered 10" and provisions added to mount crosslay cover forward of deck gun channel.	\$8,103		
3130-0602	Dunnage pan notch. Located in the pump module. Pan to have a notch on the rear wall for the ladders to extend into	\$306		

Item #	Description	Extension	+1/-1	Total
3130-0603	Top mount pump module with double stacked double crosslays and diamond plate gator grip platform rearward of crosslays. Includes 71.5" wide pump panel opening and running boards. Crosswalk (21" wide) with walkway storage compartments with push button latches, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Formed lip on panel with lighting extrusion, all cab tilt controls in officer side tool box and hinged lift up access door on the opposite side of the access ladder if applicable. For use with Industrial products.	\$11,842		
3130-0604	Upper SM pump module with double stacked double crosslay, backboard storage and diamond plate storage pan.	\$3,009		
3130-0605	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with double stacked triple crosslays single stack depth for extra capacity with diamond plate storage pan. Crosslays to be 70" high from ground.	\$8,439		
3130-0606	Upper SM stainless steel pump module with double stacked double crosslays for 1-1/2" DJ hose and top open storage with treadplate flooring. Width of each of the crosslay beds must be 6-1/2". Crosslay height to be approx. 65" from ground.	\$1,972		
3130-0607	Upper SM pump module with single stacked triple crosslays and enclosed storage compartment with vertical hinged (rearward) diamond plate access door (1) each side and a bolt-on diamond plate top. Inside compartment will be a vertical partition centered in the opening and a full width adjustable shelf forward of the partition.	\$4,564		
3130-0608	Top mount eMAX pump module for use with a (2) arm ladder rack. Includes area for a raised double speedlay, TM walkway (raised) 21" front to rear, diamond plate access doors without compartments, dia plt running boards, folding steps with integral lights and (2) vertical handrails. For use with 4X4 application.	\$6,183		
3130-0609	Pump module top mount with speedlays. Includes 45" wide pump panel opening, dunnage pan and running boards. The crosswalk shall be raised 3". The area directly below the crosswalk walkway shall include three (3) compartments, one (1) each side for storage in the lower area and a horizontal transverse backboard storage directly under the walkway surface with an access door on both sides of the module. (1) 14" diamond plate top mount walkway step with gator grip each side and access handrails mounted on the pump module. Includes area for two (2) speedlays with 1.5" plumbing, one (1) discharge swivel to either side of the body. The front area of the speedlays to have a removable diamond plate panel with D-ring latches.	\$12,939		
3130-0610	Heat shield. Locate below diamond plate walkway top.	\$154		
3130-0611	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose and (1) tray for 200' of 2.5" DJ preconnected hose. Upper storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose and for dry storage (1) tray for 200' of 2.5" DJ hose.	\$9,605		
3130-0612	Upper SM pump module with storage for (2) New York Hook pike poles and diamond plate storage pan.	\$2,866		
3130-0613	Pump module. Includes 57" wide pump panel opening and running boards. Upper SM pump module with double stacked double crosslays, backboard storage, and diamond plate storage pan. Crosslays to be no higher than 68" from ground.	\$8,181		
3130-0614	Pump module top mount with 39" wide pump panel opening, triple sgl stack crosslays rear of TM panel and integral walkway with compartments. Includes dia plt running boards.	\$9,569		
3130-0615	Upper SM stainless steel pump module with double stacked quad crosslays with top open storage with treadplate flooring.	\$2,254		
3130-0616	Pump module top mount with speedlays. Includes 45" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked). Includes crosswalk module and walkway storage compartments with push button latches, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$11,422		
3130-0617	Upper SM pump module with single stacked triple crosslays and rear of the crosslays a Double Stacked Dry Lay.	\$4,523		

Item #	Description	Extension	+1/-1	Total
3130-0618	Crosswalk module. Includes walkway storage compartments with push button latches, running boards, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. The crosswalk shall be raised to accommodate storage of (1) backboard.	\$1,819		
3130-0619	Pump module. Includes 51" wide pump panel opening, integral walkway and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches, (1) dual lighted LED folding step each side and access handrails mounted on the pump module.	\$11,902		
3130-0620	One (1) diamond plate gator grip step each side of TM walkway in place of the standard folding step.	\$255		
3130-0621	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with single stacked triple crosslays, backboard storage and open back storage pan. Crosslays and backboard storage to be stepped down 8".	\$9,063		
3130-0622	Pump panel opening is 37" wide. Pumper / tanker only.	\$0		
3130-0623	Pump module. Includes 39" wide pump panel opening with integral double speedlays and running boards. Upper SM pump module with diamond plate storage pan.	\$12,375		
3130-0624	Top Mount Enclosed Pump Module. Includes 39" panel opening and area directly below the top mount controls for a double stacked double speedlay with removable aluminum trays stacked side by side, lower storage compartments with push button latches and running boards. The upper module will include a storage pan.	\$12,297		
3130-0625	Top mount enclosed pump module. 70" overall length includes 22" wide pump panel, 100" wide, 110" tall. Running boards with Bustin tread inserts. Double speedlay storage.	\$50,916		
3130-0626	Pump module top mount with better visibility and with speedlays. Includes 45" wide pump panel opening, dunnage pan and running boards. Top mount walkway includes storage compartments with push button latches, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Includes area for (3) speedlays - (2) with 1.5" plumbing and (1) with 2.5" plumbing.	\$12,927		
3130-0627	Pump module. Includes 51" wide pump panel opening and running boards. Upper SM pump module with double stacked double crosslays with diamond plate storage pan. Crosslays to be 66" high from ground.	\$7,712		
3130-0628	Pump module top mount with better visibility and with speedlays. Includes 45" wide pump panel opening, dunnage pan and running boards. Top mount walkway includes storage compartments with push button latches, (1) dual lighted LED folding step each side and access handrails mounted on the pump module. Includes area for (3) speedlays - (2) with 1.5" plumbing and (1) with 2.5" plumbing. Each speedlay to have a 200' capacity of hose.	\$12,927		
3130-0629	Upper SM pump module with single stacked double crosslay, cribbage storage and diamond plate storage pan. Cribbage storage to be a minimum 4" clear opening (including latch).	\$3,157		
3130-0630	Upper SM pump module with double stacked triple crosslays (single stacked depth) and rear of the crosslays a single stacked Dry Lay.	\$4,523		
3130-0631	Pump module height is 90". Pumper / tanker only.	\$0		
3130-0632	Upper SM pump module with diamond plate storage pan and storage compartment. Storage compartment located forward of storage pan. Includes (1) full height adjustable divider and vertically hinged stainless steel door each side and push button latches.	\$5,447		
3130-0633	Upper stainless steel pump module with single stacked triple crosslays and top open storage with treadplate flooring. Crosslay floors lowered to approximately 66" above ground. Crosslay plumbing terminates at side panels below beds.	\$3,294		
3130-0634	One (1) Folding step each side of TM walkway in place of the standard diamond plate gator grip step.	\$0		
3130-0635	Side mount pump module fully enclosed. Includes upper area for double stacked double preconnects	\$0		
3130-0636	Side mount fully enclosed pump module. Includes upper area for double stacked double preconnects	\$0		
3130-0637	Double vertically stacked speedlays for use with removable trays, 9.5" wide, capacities to be for the selected size preconnect discharges. Includes (1) crosslay at top above speedlays. Module assembly welded integral to the front of SS pump enclosure. Actual module width 13".	\$3,306		

Item #	Description	Extension	+1/-1	Total
3130-0638	Crosslay triple. Includes two (2) double stack pre-connected crosslays forward to hold up to 200' of 2.0" DJ each, and one (1) double stacked crosslay rearward. Crosslay to hold up to 200' of 2.5" DJ dry hose. Wetside tanker only.	\$1,962		
3130-0639	Pump module one piece. Includes 39in. wide pump panel opening and running boards. Upper SM pump module with single stacked double cross lays and a transverse storage located rearward of cross lays equipped with boxed out lift up tread lids on both sides to accommodate storage of up to a 86in. length stokes basket and a nested back board. Boxed out doors to have D-ring latches, Stainless steel staked hinges and hold open device(s) and be designed to lift up high enough to easily deploy equipment from below. Door to be tied to door ajar circuit in cab. Upper module to be raised to also accommodate a dunnage pan.	\$9,468		
3130-0640	Enclosed Pump Module with Double Speedlays. Includes 40.5" wide pump panel opening. Includes area for (2) stacked speedlays, lower storage compartments with D-handle latches forward of pump panel opening. Upper module area to have storage pan.	\$20,670		
3130-0641	Top mount pump module with 20" walkway and running boards. Includes area forward of pump panel opening for (2) speedlays (stacked), lower storage compartments with push button latches.	\$9,685		
3130-0642	Pump module height is 72". Pumper / tanker only.	\$0		
3130-0643	Interior of Backboard Storage compartment shall include gray zoloatone on floor, sides, and top of storage enclosure. Floor of compartment to include a composite material overlay.	\$805		
3130-0644	Full Width Speedlay module. Includes a lower double preconnect storage area, upper preconnect storage area, full width storage pan, and lower storage compartments with push button latches.	\$4,343		
3130-0645	LINE-X package for side mount pump module: Includes exterior surfaces of all running boards (including speedlay running boards if applicable), integral running board platforms (underbody style not included), exterior surface of runningboard trays and lids, intermediate steps and all fabricated mounting plates installed under the module or body for plumbing options like drains, bleeders, etc. as applicable.	\$521		
3130-0646	LINE-X package for top mount pump module: Includes exterior surfaces of all running boards (including speedlay running boards if applicable), exterior surface of runningboard trays and lids, intermediate steps and all fabricated mounting plates installed under the module or body for plumbing options like drains, bleeders, stirrup style switch etc. as applicable. Also includes walkway and walkway steps.	\$988		
3130-0647	Top mount eMAX pump module. Includes area for a single 2.5" speedlay with 200' capacity, TM walkway (raised) with compartments, dia plt running boards, folding steps with integral lights and (2) vertical handrails.	\$6,183		
3130-0648	Top mount pump module with walkway and integral double speedlays (11" W). Extruded aluminum with runningboards. Includes formed walkway access steps.	\$8,423		
3130-0649	LINE-X for embossed diamond plate panel to be located above speedlays forward of top mount pump panel area.	\$292		
3130-0650	Raised crosswalk module. Includes 8" raise with 5" high storage compartment with drop down diamond plate doors with push button latches.	\$1,533		
3130-0651	Top mount pump module with walkway and integral double speedlays (11" W). Extruded aluminum with runningboards. Includes formed walkway access steps.	\$8,423		
3130-0652	Pump module, base, single crosslay, stainless, Wildland, Export	\$9,793		
3130-0653	eMAX Rescue Pump module. Includes a lower double preconnect storage area, enclosed pump panels, compartment on officer side (opposite pump panel), center front pump access doors and upper transverse storage area.	\$13,424		
3130-0654	Upper SM stainless steel pump module without crosslays. Side access open storage only with treadplate flooring. Includes (1) full width lift up door drivers side and (1) vertically hinged backboard door officer side.	\$3,171		
3130-0655	Raised walk surface on optioned module with integrated cross walk module. Includes additional structure for 8 in. raise with 5 in. high transverse storage compartment with drop down diamond plate doors with push button latches. Compartment to be sleeved to allow for un-specified dry storage.	\$1,533		
3130-0656	Upper TM pump module with diamond plate gator grip platform rearward top mount panel.	\$2,230		

Item #	Description	Extension	+1/-1	Total
3130-0657	Pump module. Includes 39" wide pump panel opening and running boards. Includes area forward of pump panel opening for (2) stacked speedlays and (1) upper speedlay (crosslay style), lower storage compartments with push button latches.	\$12,228		
3130-0658	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Upper and lower storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose and (1) tray for 200' of 2.5" DJ preconnected hose.	\$9,605		
3130-0659	Pump module. Includes 45" wide pump panel opening with integral double speedlays and running boards. Upper SM pump module with double stacked single crosslay, tool compartment each side below speedlay and diamond plate storage pan.	\$12,375		
3130-0660	Pump module. Includes 71.5" wide pump panel opening and running boards. Includes Extending pump module forward of side pump panels an additional 10" and providing access panel opening to interior of forward pump module area on each side of body. For use with Industrial products.	\$7,488		
3130-0661	Upper SM pump module with double stacked 2.5" double crosslays and diamond plate gator grip platform rearward of crosslays.	\$2,439		
3130-0662	Transverse Module (narrow). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and running boards. Upper area for double stacked triple crosslay. Crosslay 3 to be a dead lay.	\$5,514		
3130-0663	Upper SM pump module with storage for double stacked double crosslay/drylay and diamond plate gator grip platform rearward of hose storage area.	\$2,439		
3130-0664	Upper SM stainless steel pump module with (3) crosslays in double stacks, and top open storage with treadplate flooring.	\$2,042		
3130-0665	Upper TM stainless steel pump module with (3) crosslays in double stacks.	\$2,216		
3130-0666	Pump panel opening is 47" wide. Applies only to Bronto Industrial Q116.	\$0		
3130-0667	Upper pump module to be double stack double crosslay and diamond plate storage pan rearward of the crosslays with a Gator Grip hinged lid with gas shock hold opens.	\$2,218		
3130-0668	Stainless steel 62" wide lower pump module. Includes side running boards with Bustin Tread. This size required for most CAFS units.	\$5,704		
3130-0669	Top mount pump module with 20" walkway, 12" W tool compartment opening, and integral double speedlays (9" W). Extruded aluminum with runningboards. Includes full width formed walkway access steps.	\$8,423		
3130-0670	Upper SM pump module with single stacked triple crosslay area (4.25/4.25/6") and diamond plate storage pan. Rearward crosslay is to be a dry lay to hold 150' of 3" DJ (1" wider than standard). Forward crosslay areas are for up to 200' of 2" DJ each.	\$2,384		
3130-0671	The walkway step(s) shall be offset to the rear to accommodate pole/tripod light or other options located on the back of the cab. If equipped, the tool storage compartment door(s) shall be reduced in size.	\$0		
3130-0672	Pump module for side mount enclosed operation. Includes 52.5" panel opening and area for double stacked triple crosslay. Module has sanded finish and crosslay floors are slotted for draining. Pump module to be full width.	\$13,816		
3130-0673	Upper SM stainless steel pump module with single stacked double crosslays and double stacked dead lay for LDH hose. Top open storage with treadplate flooring.	\$2,109		
3130-0674	Pump panel opening is 48" wide.	\$0		
3130-0675	Upper stainless steel pump module with single stacked double crosslays and top open storage with treadplate flooring. Crosslay floors lowered to approximately 66" above ground. Crosslay plumbing terminates at side panels below beds. Crosslay 1 and crosslay 2 on the officer side.	\$3,294		

Item #	Description	Extension	+1/-1	Total
3130-0676	Door at officer side upper pump panel for dunnage compartment access Locate directly rearward of the crosslay beds with forward hinged vertical access door 17.5" wide x 31" tall and push button trigger latch.	\$290		
3130-0677	The tool compartments directly below the walkway shall have doors hinged to the rear IPOS so that the door opens away from walkway step and does not hit the step.	\$0		
3130-0678	Top mount pump module with 20in. walkway. Extruded aluminum with running boards and LED lighted folding side access steps.	\$6,798		
3130-0679	Side mount panel for lever controls IPO push pull handles.	\$1,666		
3130-0680	Durabak package for side mount pump module: Includes exterior surfaces of all running boards (including speedlay running boards if applicable), exterior surface of runningboard trays and lids, intermediate steps and all fabricated mounting plates installed under the module or body for plumbing options like drains, bleeders, stirrup style switch etc. as applicable.	\$521		
3130-0681	Durabak package for top mount pump module: Includes exterior surfaces of all running boards (including speedlay running boards if applicable), exterior surface of runningboard trays and lids, intermediate steps and all fabricated mounting plates installed under the module or body for plumbing options like drains, bleeders, stirrup style switch etc. as applicable. Also includes walkway and walkway steps.	\$988		
3130-0682	Upper SM stainless steel pump module with double stacked double crosslays and top open storage with treadplate flooring. Each bed to hold up to 200' of double jacket hose for the selected discharges.	\$1,682		
3130-0683	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (2) trays for 200' of 1.75" DJ preconnected hose. Upper storage area to hold (1) tray for 200' of 2.50" DJ preconnected hose offset to rear and storage area for (2) backboards vertically stored offset forward w/sleeve each side of center pump access.	\$9,605		
3130-0684	Top mount pump module with walkway and integral double speedlays (9" W). Extruded aluminum with runningboards. Includes formed walkway access steps.	\$8,423		
3130-0685	Pump module height is 87". Pumper / tanker only.	\$0		
3130-0686	Pump panel opening is 57" wide. Pumper / tanker only.	\$0		
3130-0687	Crosslay double. Includes (2) double stack crosslays for up to 300' of 2.0 DJ hose forward, and 200' of 2.5" DJ hose to rear, with either a diamond plate storage pan, or an aluminum treadplate panel in available area rearward of the crosslays. Wetside tanker only.	\$2,125		
3130-0688	Stainless steel 65" wide lower pump module. Includes side running boards with Bustin Tread. This size required for most CAFS units.	\$5,704		
3130-0689	Top mount pump module with walkway and integral double speedlays (11" W). Extruded aluminum with runningboards. Includes formed walkway access steps.	\$8,423		
3130-0690	Pump module side mount with 39" wide pump panel opening. Includes dia plt running boards. Wetside tanker only	\$3,719		
3130-0691	Upper stainless steel pump module with double stacked triple crosslays and top open storage with treadplate flooring. Crosslay floors lowered to approximately 71" above ground.	\$3,294		
3130-0692	Pump module modification for lowered crosslays accessed from the ground. Front headboard of module to be lowered and provisions added to mount crosslay cover forward of deck gun channel. See body layout.	\$467		
3130-0693	Upper SM stainless steel pump module with double stacked double crosslays and a backboard plus top open storage with treadplate flooring. Crosslay capacity of 300' of 1.75" hose per bed.	\$2,866		
3130-0694	Upper stainless steel pump module with single stacked triple crosslays and top open storage with treadplate flooring. Crosslay floors lowered to approximately 64" above ground.	\$3,294		
3130-0695	Pump panel opening is 37.5" wide. Pumper / tanker only.	\$0		

Item #	Description	Extension	+1/-1	Total
3130-0696	Upper SM pump module with single stacked triple crosslay, and diamond plate storage pan. Forward (2) crosslay to be 6" wide and the rearward crosslay to be 6.75" wide.	\$5,167		
3130-0697	Enclosed Side Mount Pump Module with 17" wide integral preconnect area located forward of pump panel. Includes tool compartment each side below the forward preconnect area and running boards.	\$16,556		
3130-0698	Pump panel opening is 47.5" wide.	\$0		
3130-0699	Pump module height is 95". Pumper / tanker only.	\$0		
3130-0700	Upper SM stainless steel pump module with double stacked double crosslays and a backboard plus top open storage with treadplate flooring. Crosslay capacity of 300' of 1.75" hose per bed. Crosslay floors lowered to approximately 71" above ground.	\$3,314		
3130-0701	Side Mount Pump Module with 11" wide integral preconnect storage area located forward of pump panel. Includes tool compartment each side below the forward preconnect storage area and running boards.	\$9,977		
3130-0702	Top mount eMAX pump module. Includes area for a double speedlay, TM walkway (raised) with compartments, dia plt running boards, folding steps with integral lights and (2) vertical handrails. The walkway shall be raised and stretched to accommodate storage of (2) backboards.	\$6,765		
3130-0703	Upper SM stainless steel pump module without crosslays. Transverse storage compartment 20" wide x 24" high with mid-point shelf at front of the enclosure with ADT cover. (1) door actuated light at each door opening. (2) vertical rearward hinged box pan fully gasketed doors with d-ring latches and gas tube hold opens. Wire to door adjar indicator in cab. A full height vertical partition installed 2.5" from the rear wall to provide space for backboard storage. Shelf installed forward of partition at mid-height to permit storage of high rise pack on bottom and long handle tools on top. Top open storage rearward of the transverse compartment with treadplate flooring. Outer door panel finish to match side pump panel finish.	\$3,874		
3130-0704	Pump module. Includes 39" wide pump panel opening with integral double speedlays and running boards. Upper SM pump module with double stacked single crosslay, tool compartment each side below speedlay and diamond plate storage pan.	\$12,375		
3130-0705	Pump module. Includes 63" wide pump panel opening and running boards. Upper SM pump module with double stacked triple crosslays extra capacity with diamond plate storage pan. Crosslays to be 68" high from ground. Front headboard of module to be lowered 15" and provisions added to mount crosslay cover.	\$8,258		
3130-0706	Upper SM pump module with double stacked double crosslays and diamond plate storage pan. Rear crosslay to be plumbed 2.5" with opening for 3" DJ hose.	\$1,965		
3130-0707	Pump panel opening is 34" wide Pumper/Tanker only. REQUIRES APPARATUS ENGINEERING APPROVALwith MIDSHIP pump in quote.	\$0		
3130-0709	Pump panels to be recess mounted in the pump module by approximately 2" each side of body	\$579		
3130-0710	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (2) preconnected hose storage trays. Upper storage area to have transverse area accessible thru lift-up door each side.	\$9,605		
3130-0711	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (1) tray for 200' of 3" DJ preconnected hose offset to rear and storage area for (2) backboards vertically stored offset forward w/sleeve each side of center pump access. Upper transverse storage area for dry storage accessible from both sides and open top area.	\$10,148		
3130-0712	Pump module height shall be customized per customer specific requirement. See drawings for more details. Pumper / tanker only.	\$0		

Item #	Description	Extension	+1/-1	Total
3130-0713	Pump module modification for lowered crosslays accessed from the ground. Front headboard of module to be lowered and provisions added to mount crosslay cover forward of deck gun channel. See body layout.	\$467		
3130-0714	Removable boxed out upper speedlays. The rear area of the two (2) upper speedlays are to be boxed out with a removable back wall to reduce the width of the speedlays. Both upper speedlays are to have 7" of clear opening front to rear including forward speedlay roller.	\$687		
3130-0715	Enclosed triple vertically stacked speedlays with trays, 14" wide, capacities to be for the selected size preconnect discharges. Speedlay assembly welded integral to the front of SS pump enclosure. For use with enclosed side pump panels with special WB dimension added to create space for door openings. Actual WB dimension for this application is 23".	\$3,121		
3130-0716	Top mount eMAX pump module. Includes area for a double speedlay, TM walkway (raised) without compartments (access doors ONLY for CAFS system), dia plt running boards, folding steps with integral lights and (2) vertical handrails.	\$6,183		
3130-0717	Crosswalk module. 19" wide. Includes stainless steel walkway storage compartments with lift-up access lids and butterfly latches, non-skid running boards with Bustin Tread, and access hand rails mounted one each side to the front of the pump enclosure assembly.	\$1,543		
3130-0718	Double vertically stacked speedlays 16" wide, capacities to be for the selected size preconnect discharges. Each bed to hold 300' of hose. Speedlay assembly welded integral to the front of SS pump enclosure.	\$2,934		
3130-0719	Pump panel opening is 36" wide. Pumper / tanker only.	\$0		
3130-0720	Side Mount Pump Module with 13" wide integral preconnect area located forward of pump panel. Includes tool compartment each side below the forward preconnect area and running boards.	\$10,249		
3130-0721	Side Mount Pump Module with 15" wide integral preconnect area located forward of pump panel. Includes tool compartment each side below the forward preconnect area and running boards.	\$10,521		
3130-0722	Side Mount Pump Module with 9" wide integral preconnect area located forward of pump panel. Includes tool compartment each side below the forward preconnect area and running boards.	\$9,706		
3130-0723	Pump panel opening is 46" wide.	\$0		
3130-0724	Speedlay module, 17" wide. Includes area for (2) 2" speedlays, fixed center divider, stainless steel lower storage compartments with push-button latches and running boards. Plumbing with swivel elbows will be routed outboard of the frame rails, (1) each side.	\$1,703		
3130-0725	Stainless steel 46" wide lower pump module. Includes side running boards with Bustin Tread inserts. Side access pump panels fully removable with lift and turn latches.	\$5,954		
3130-0726	Crosswalk module. Includes stainless steel walkway storage compartments with side opening lift-up access door/step combination, with gas shocks and latches, non-skid running boards with Bustin Tread and access hand rails mounted one each side to the front of the pump enclosure assembly.	\$1,696		
3130-0727	Top Mount Enclosed Pump Module with 19" wide integral preconnect area located forward of pump panel. Includes tool compartment each side below the forward preconnect area and running boards.	\$11,064		
3130-0728	Top Mount Enclosed Pump Module. Extruded aluminum with runningboards.	\$9,706		
3130-0729	Pump module height is 69". Top Mount Enclosed pump module only.	\$0		
3130-0730	The side mount pump module shall be enclosed with roll up doors on both sides. Roll up doors added seperately	\$4,750		
3130-0731	Enclosed triple vertically stacked speedlays, 15" wide, for use with trays (selected separately). Capacities to be 250' for the selected size preconnect discharges. Speedlay assembly welded integral to the front of SS pump enclosure. For use with enclosed side pump panels. Overall additional width adds 22" to the wheelbase.	\$2,747		
3130-0732	Enclosed Pump Module with Triple Speedlays vertical stacked. Includes 45" wide pump panel opening. Includes preconnect area for (3) 1.5" speedlays, lower storage compartments forward of pump panel opening. Upper module area to have storage pan.	\$18,915		
3130-0733	The outboard panels of the pump module to be smooth plate seamless and painted job color.	\$581		



Item #	Description	Extension	+1/-1	Total
3130-0734	Side Mount Pump Module with 17" wide integral preconnect area located forward of pump panel. Includes tool compartment each side below the forward preconnect area and running boards.	\$10,847		
3130-0735	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose and (1) tray for 200' of 2.5" DJ preconnected hose. Upper storage area to hold (1) tray for 200' of 1.75" DJ preconnected hose offset to rear and storage area offset forward. Includes sleeves offset forward each side of center pump access for (1) backboard vertically stored (approx. 3" wide) and remaining area to rear of backboard storage sleeve to be divided into (2) equal slots for long handle tools.	\$9,605		
3130-0736	Upper SM pump module with double stacked double cross lays and transverse storage area. Transverse storage area to be rearward cross lays. Includes horizontal hinged diamond plate doors with D-Ring latches and gas shocks, doors to be hinged at top and tied to door ajar in cab.	\$2,260		
3130-0737	Enclosed Pump Module with Triple Speedlays. Includes 51" wide pump panel opening. Includes a lower preconnect area for (1) 2.5" speedlay and a upper preconnect area for (2) 1.5" speedlays, lower storage compartments with push button latches forward of pump panel opening. Upper module area to have storage pan.	\$18,915		
3130-0738	Pump module compartment approx. 20 inches deep located on the officer side. Includes provision for discharges or intakes on the back wall as applicable. Requires enclosed pump module, special ordered water pump and engineering approval.	\$780		
3130-0739	The pump module side panels shall be inset at standard width on both sides of the apparatus with running boards only below module panels. Forward hose storage areas and/or upper module shall be extended outward to full body width to allow for longer storage capacity and for upper module to have a full body width dunnage pan as applicable per configuration. Side forward body steps not usable with this option and slide out platforms may be needed to accommodate reach to options in dunnage pan as applicable. i.e. booster or cord reels or similar which will deploy off of module side.	\$4,750		
3130-0740	Pump panel opening is 51" wide.	\$0		
3130-0741	Upper stainless steel pump module with double stacked double crosslays and top open storage with treadplate flooring. Crosslay floors lowered to approximately 66" above ground.	\$2,018		
3130-0742	Top mount pump module walkway, runningboards and formed walkway access steps shall be made out of embossed diamond plate with no gator grip in place of standard.	\$361		
3130-0743	Top mount pump module with 20" walk way. Extruded aluminum with running boards and full width formed side access steps.	\$6,798		
3130-0744	LINE-X pump module exterior: Includes exterior surfaces of all extrusions only. Specific areas like the areas for hinges, doors, handrails and pump panels shall not hav LINE-X finish to meet tight tolerance for better fit.	\$2,174		
3130-0745	Stainless steel 42" wide lower pump module. Includes side running boards with Bustin Tread inserts.	\$5,409		
3130-0746	304L stainless steel 14" wide crosslay module for Wetside tanker, located forward of body, intended for use with undertank pump when crosslays or officer side intake or discharge(s) are required. Includes area for (2) preconnected crosslays with center divider, lower storage compartment(s) with push button latches and running boards.	\$2,717		
3130-0747	Upper SM stainless steel pump module for Wetside Tanker with (2) 1.5" & (1) 2.5" single stacked preconnected crosslays, and top open storage with treadplate flooring.	\$2,042		
3130-0748	Upper SM stainless steel pump module for Wetside Tanker with two (2) 1.5" double stacked preconnected crosslays and top open storage with treadplate flooring.	\$1,826		
3130-0749	Upper SM stainless steel pump module for Wetside Tanker with two (2) 1.5" single stacked preconnected crosslays and one (1) dry lay and top open storage with treadplate flooring.	\$1,891		

Item #	Description	Extension	+1/-1	Total
3130-0750	Upper SM stainless steel pump module for Wetside Tanker with three (3) single stacked 1.5" preconnected crosslays, and top open storage with treadplate flooring.	\$1,989		
3130-0751	Upper SM pump module with double stacked double cross lays and double back board storage slot with no storage pan	\$1,954		
3130-0752	Vertically stacked combination speedlay/crosslay module. Assembly welded integral to the front of SS pump enclosure. (2) lower speedlays with extended height will be 15" wide (for use with trays) and each bed holds 200' of 1.75" hose. (1) upper crosslay bed to hold 200' of 2.5" hose, (3) lays wide, extends into the pump module dunnage pan. Bustin Tread in side running boards of speedlay area.	\$2,734		
3130-0753	Upper SM stainless steel pump module with single stacked double crosslays, Rearward of the crosslay is a transverse storage area approximately 8" wide with a 3.25" wide backboard storage area, a partition wall, and (2) aluminum tubes for 6' Boston rakes rearward of the partition (accessible from the officer side). Includes a top open storage area with treadplate flooring rearward of the transverse storage area. Crosslay floors lowered to approximately 64" above ground.	\$3,515		
3130-0754	eMAX Pump module HP75/78. Includes enclosed pump panel, compt on officer side (opposite pump panel), lower and upper storage areas, center front pump access doors, removable center floor in upper area, storage pan and boom support diamond plate filler panels. Lower storage area to hold (1) tray for 200' of 2.5" DJ preconnected hose. Upper storage area to hold (1) tray for 200' of 2.5" DJ preconnected hose offset to rear and storage area for (2) backboards vertically stored offset forward w/sleeve each side of center pump access.	\$9,605		
3130-0755	The outboard panels of the pump module to be smooth plate recessed and painted job color.	\$525		
3130-0756	Stainless steel 46" wide lower pump module for side mount application. Includes side running boards with Bustin Tread inserts. Officer side lower panel is lift-off style (IPO hinged) with lift and turn latches.	\$5,846		
3130-0757	Upper SM stainless steel pump module with double stacked double crosslays and top open storage with treadplate flooring. Crosslay capacity is 200' each bed. Overall pump module height to match rear body.	\$1,682		
3130-0758	Pump panel opening is 45.5" wide. MM Boom only.	\$0		
3130-0759	Enclosed Pump Module with Triple Speedlays. Includes 45" wide pump panel opening. Includes a lower preconnect area for (1) 2.5" speedlay and a upper preconnect area for (2) 1.5" speedlays, lower storage compartments with push button latches forward of pump panel opening. Upper module area to have storage pan.	\$18,915		
3130-0760	Top mount eMAX pump module with expanded upper module to include the speed lay storage area up to the top of the module. Speed Lays chute expanded for additional hose storage capacity Includes area for a double speed lay, TM walkway (raised) with compartments, dia plt running boards, fixed walkway steps and (2) vertical handrails.	\$12,845		
3130-0761	Side mount pump module with integral double speedlays (11" W). Extruded aluminum with runningboards.	\$8,423		
3130-0762	Transverse Module (full width). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area for storage of triple hard suction 6" in size with smooth plate flooring). Upper area for double stacked double crosslay. Crosslay to hold up to 200' of 2.00 DJ.	\$6,357		
3134-0006	The single gauge panel on the driver's side of the side mount module is to be hinged downward. Includes two (2) cable hold opens, and latches.	\$156		
3134-0009	The gauge panel(s) on the driver side of the Side Mount module to be hinged upward. Includes two (2) gas shock hold opens and latches.	\$156		
3134-0011	Officer side pump panel to be vertical hinged on forward extrusion. Panel(s) to be secured in the closed position with push button latches. Upper panel to be held open with gas shock.	\$574		
3134-0012	Officer side upper pump access panel to be horizontal hinged with diamond plate door. Includes (2) push button latches and (2) hold open devices.	\$0		
3134-0013	Driver and Officer side pump panels to be vertical hinged on forward extrusion. Panels to be (2) or (3) pieces, depending on module height, and secured in the closed position with push button latches. Upper panels to be held open with gas shock.	\$1,141		

Item #	Description	Extension	+1/-1	Total
3134-0014	Driver and Officer side upper pump access panels to be horizontal hinged with diamond plate doors. Includes (2) push-button latches and (2) hold opens for each.	\$0		
3134-0015	Stainless steel TM control panel, driver and officer side pump panels.	\$1,110		
3134-0016	Stainless steel driver and officer side pump panels.	\$0		
3134-0017	The TM control panel, driver and officer side pump panels are to be painted Zolatone black.	\$936		
3134-0018	The TM control panel, driver and officer side pump panels are to be painted Zolatone gray.	\$936		
3134-0019	The driver and officer side pump panels are to be painted Zolatone black.	\$728		
3134-0020	The driver and officer side pump panels are to be painted Zolatone gray.	\$728		
3134-0021	Body mainframe and upper body/hosebed side assemblies for a 95" high body.	\$1,516		
3134-0023	The TM control panel, driver and officer side pump panels are to be aluminum. For zolatone finish applications.	\$0		
3134-0024	The driver and officer side pump panels are to be aluminum plate. For zolatone finish application.	\$0		
3134-0025	16 Inch Wide Standard Pump Panel featuring (1) 2.5 discharge, (1) 2.5 Pressure Gauge and (1) 1.5 Foam Fill	\$6,334		
3134-0026	Pump panel support angles. Locate up to (3) horizontal mounted as required on interior side of the main vertically hinged pump panel(s).	\$177		
3134-0027	TM control panel to be Zolatone gray and driver and officer side panels to be stainless steel.	\$659		
3134-0028	Pump panel layout and approval drawing to match existing and/or previous unit. To match as close as possible (Engineering and/or vendor requirements may alter final panel layout).	\$484		
3134-0033	16 Inch Wide Standard Pump Panel featuring (1) 2.5 Electric actuated discharge, (1) 2.5 Pressure Gauge, and (1) 1.5 Foam Fill.	\$7,893		
3134-0034	16 Inch Wide Standard Pump Panel featuring (1) 2.5 Electric actuated discharge, (1) 2.5 Pressure Gauge and (1) 1.5 Foam Fill	\$8,166		
3134-0035	Officer side pump access door to be two piece. Split door for access to pump area with ladders mounted on rack.	\$248		
3134-0036	The TM control panel to be painted zolatone black and the driver and officer side pump panels are to be stainless steel	\$1,216		
3134-0037	Driver side pump panel to be vertically hinged on forward extrusion. Panel to be (2) piece and lower panel to be secured in the closed position with push button latches. Upper panel to be stationary. Includes vertically hinged panel rearward of backboard storage to be secured in the closed position with push button latches.	\$801		
3134-0038	Diagrammatic Color coded overlay around control handles and discharges	\$53		
3134-0039	The gauge panel on the driver side pump panel is to be hinged upward. Includes two spring type hold opens, two trigger latches, and a recessed handle.	\$156		
3134-0041	Pump operator panel in L1 forward area. Includes stainless steel panel with vertical hinge.	\$731		
3134-0042	Pump panels. Driver side upper pump access panel to be horizontally hinged with diamond plate door. Includes (2) push-button latches and (2) hold opens. Officer side pump panel to be vertically hinged on forward extrusion. Panel to be (2) or (3) pieces, depending on module height, and secured in the closed position with push button latches. Upper panel to be held open with gas shock.	\$1,141		
3134-0043	Rear Mount pump access door. Includes (2) push button latches and (2) hold open devices. Door to be [#LOC]. Door to open to 90 degrees and includes pull strap for access from ground.	\$558		
3134-0044	Rear main lower pump/ bleeder panel material to be [#LOC].	\$0		
3134-0045	Pump operator panel to be located [#LOC] body compartment behind the rear wheel well.	\$0		
3134-0046	Pump operator panel material to be [#LOC].	\$0		
3134-0048	Rear mount pump panel to be vertically hinged on driver side extrusion. Panel(s) to be secured in the closed position with push button latches.	\$801		
3134-0049	The main rear pump panel to be vertically hinged along officer side. Includes push-button latches and cable mounted hold open.	\$574		

Item #	Description	Extension	+1/-1	Total
3134-0050	The gauge panel is to swing downward/forward for access to electrical connections on panel. Includes two (2) cable hold opens, and push button latches.	\$0		
3134-0051	Driver and Officer side upper pump access panels to be horizontally hinged with diamond plate doors. Includes (2) D-ring latches and (2) hold opens for each.	\$677		
3134-0052	Driver side pump panel to be vertically hinged on forward extrusion. Panel to be (2) piece and lower panel to be secured in the closed position with push button latches. Upper panel to be stationary.	\$801		
3134-0053	Officer side pump panel Escutcheon Plate shall be attach with Thumb Latch.	\$206		
3134-0054	Pump panel standard instrumentation. Location: Driver's side pump panel	\$453		
3134-0055	Officer side upper pump access panel to be horizontal hinged with stainless steel door. Includes (2) push button latches and (2) hold open devices.	\$243		
3134-0056	Driver side panel shall be attach with screw. Officer side pump panels to be vertically hinged on forward extrusion. Panels to be (2) or (3) pieces, depending on module height, and secured in the closed position with push button latches. Upper panels to be held open with gas shock.	\$1,141		
3134-0057	Insulated wire cable shall replace standard BB chain on all applicable items.	\$0		
3134-0059	Driver and officer side pump panels for a non-NFPA compliant AP or MBP side mount pump module.	\$0		
3134-0060	Driver and officer side pump panels for a NFPA compliant AP or MBP side mount pump module.	\$0		
3134-0061	Driver and officer side pump panels for a non-NFPA compliant DSD side mount pump module.	\$0		
3134-0062	Driver and officer side pump panels for a NFPA compliant DSD side mount pump module.	\$0		
3134-0063	The rear mount gauge panel to be hinged upward. Includes (2) mechanical/pneumatic (as applicable to panel size) hold opens and latches.	\$183		
3134-0064	The gauge panel(s) on the driver side of the Side Mount module to be hinged upward. Panel(s) to include (2) mechanical/pneumatic (as applicable to panel size) hold opens and latches.	\$156		
3134-0065	Driver and Officer side pump panels. Upper panel to be bolt-on diamond plate panel. Lower pump panel to be vertically hinged on forward extrusion. Panel to be secured in the closed position with push button latches.	\$1,599		
3134-0066	Officer side upper pump access panel to be horizontally hinged with smooth plate door painted Zolatone black. Includes (2) push button latches and (2) hold open devices.	\$728		
3134-0067	Driver side pump panel to be full width of pump module due to thru-bolted push/pull rod extrusion	\$160		
3134-0068	Driver side panel shall be attach with screw and Escutcheon Plate shall be vertically hinge forward. Officer side pump panels to be vertically hinged on forward extrusion. Panels to be (2) or (3) pieces, depending on module height, and secured in the closed position with push button latches. Upper panels to be held open with gas shock.	\$1,141		
3134-0069	The stainless steel single gauge panel on the driver side of the side mount pump module is to be hinged downward. Includes two (2) cable hold opens, and latches.	\$156		
3134-0070	The stainless steel double gauge panels on the driver side of the side mount pump module are to be hinged downward. Includes two (2) cable hold opens and latches, per door. Required with 6" master gauges and/or overcrowded single lower gauge panels.	\$314		
3134-0071	The stainless steel single gauge panel on the top mount pump module is to be bottom hinged to swing toward the cab. Includes two (2) cable hold opens, and latches.	\$0		
3134-0072	Driver and officer side mounted pump panels are to be brushed stainless steel.	\$627		
3134-0073	Driver and officer side mount pump panels are to be stainless steel with black Zolatone finish. Includes black suction and discharge bezels.	\$728		
3134-0074	The top mount control panel and the driver and officer side pump panels are to be brushed stainless steel.	\$1,110		
3134-0075	The top mount control panel, driver and officer upper and lower side pump panels, and bleeder valve panels are to be stainless steel with a black Zolatone finish.	\$936		

Item #	Description	Extension	+1/-1	Total
3134-0076	Pump panels for use with side mount pump module. Includes driver side fixed main and bleeder panel and swing down upper gauge panel with latching and hold-open cables. Officer side with fixed lower(s) and a swing down removable upper with latching.	\$0		
3134-0077	Pump panels for use with top mount pump module. Includes swing forward top mount control panel with latching and hold-open cables. The driver and officer side panels are fixed lower(s) and a swing down/removable upper with latching.	\$0		
3134-0078	Special Driver and Officer side pump panels to be vertically hinged on forward extrusion. Panels to be (2) or (3) pieces, depending on module height, and secured in the closed position with push button latches. Upper panels to be held open with gas shock.	\$1,641		
3134-0079	The side pump intake / discharge panels to be stainless steel. eMAX only.	\$0		
3134-0080	Pump operator control panel in driver side forward body compartment to be stainless steel. eMAX only.	\$0		
3134-0081	Stainless steel pump panel located in [#LOC].	\$0		
3134-0082	Driver side pump panel Escutchion Plate shall be hinge forward. Include thumb Latches.	\$310		
3134-0083	The main and lower pump panel to be inset in the rear body and to run full height just below the roll-up door drum. Panels to enclosed on the sides and bottom with bolt-in plates matching main panel material.. Panel materials to be [#LOC].	\$573		
3134-0084	Driver and Officer side upper pump access panels to be horizontally hinged with aluminum smooth plate doors painted job color. Includes (2) push-button latches and (2) hold opens for each.	\$728		
3134-0085	Officer side upper pump access panel to be horizontally hinged with stainless steel door. Includes (2) push button latches and (2) hold open devices.	\$0		
3134-0086	The side pump intake / discharge panels to be painted Zolatone gray. eMAX only.	\$360		
3134-0087	Pump operator control panel in driver side forward body compartment to be painted Zolatone gray. eMAX only.	\$456		
3134-0088	The side pump intake / discharge panels to be painted Zolatone black. eMAX only.	\$360		
3134-0089	Pump operator control panel in driver side forward body compartment to be painted Zolatone black. eMAX only.	\$456		
3134-0090	Custom sized stainless steel gauge panel(s) on the driver side of the side mount pump panel are to be hinged downward. Includes two (2) cable hold opens and latches.	\$2,157		
3134-0091	Officer side upper pump access panel to be horizontally hinged with diamond plate door. Includes (2) push-button latches and (2) hold opens. Lower pump panel Escutchion plate to be vertically hinged forward. Panel to be secured in the closed position with push button latches.	\$801		
3134-0092	Top mounted pump operator control panel to be stainless steel. eMAX only.	\$0		
3134-0093	Top mounted pump operator control panel to be painted Zolatone gray. eMAX only.	\$376		
3134-0094	Top mounted pump operator control panel to be painted Zolatone black. eMAX only.	\$376		
3134-0095	The upper gauge panel on the enclosed pump panel is to be hinged forward. Side mount eMAX only	\$156		
3134-0096	Pump panels for use with top mount pump module. Includes swing forward top mount control panel with latching and hold-open cables. The driver and officer side panels are fixed lower(s) and a swing down/removable upper with latching. Driver side rearward pump panel are to have area for direct tank fill application.	\$0		
3134-0097	Rearward area pump panel header panels for use with hinged panels (vertical and horizontal) and forward body/tank mounted lighting with poles.	\$575		
3134-0098	The driver side under mount pump panel to be stainless steel. Includes panel supports and hinged upper diamond plate top with hold-down.	\$741		
3134-0099	The driver and officer side under mount pump panel to be stainless steel. Includes panel supports and hinged upper diamond plate top (driver side) with hold-down.	\$1,060		
3134-0100	Officer side upper pump access panel to be horizontally hinged with diamond plate door. Includes (2) push button latches and (1) hold open device.	\$0		

Item #	Description	Extension	+1/-1	Total
3134-0101	The driver side pump panel below tank to be painted Zolatone black. Wetside Tanker Only.	\$488		
3134-0102	The driver side under mount pump panel to be stainless steel. Includes panel supports and hinged upper diamond plate top (driver side) with hold-down. The officer side panel will be constructed of the same material as the body compartment.	\$1,060		
3134-0103	The pump operator's pump panel and rear main pump panels are to be painted Zolatone black.	\$728		
3134-0104	Officer side upper pump access panel behind crosslays to be horizontally hinged with stainless steel door. Includes (2) push button latches and (2) hold open devices.	\$243		
3134-0105	Stainless steel driver side pump panel. Wetside tanker with under tank pump only.	\$0		
3134-0106	Officer side pump panel escutchion plate shall be around each discharge, and pump intakes.	\$204		
3134-0107	The TM control panel to be stainless steel. The driver and officer side pump panels are to be painted Zolatone black	\$936		
3134-0108	Booster reel rewind switch. Switch guarded half moon. Location on driver side upper pump display panel.	\$34		
3134-0109	Booster reel rewind switch. Switch guarded half moon. Location on driver side upper pump display panel.	\$34		
3134-0110	Gauge panel on the driver's side compartment top for under tank pump module. Panel is to be hinged downward. Includes two (2) cable hold opens, and latches. To include Fuel Gauge, Class 1 TPG Control, Suction and Pressure Gauges, Tank to Pump Switch, Tank Level Gauge and Guarded Hose Reel Switch. Panel to be painted Zolatone black. OKC Only.	\$522		
3134-0111	Nylon looped strap to be installed on pump access door(s) to allow easy closure of door when fully open	\$105		
3134-0112	Side control pump enclosure structure and panels to be modified as necessary to provide the lowest practical crosslay floor height from the ground.	\$1,520		
3134-0113	Officer side upper pump access panel to be horizontally hinged with aluminum smooth plate door painted Zolatone black both sides. Includes (2) push button latches and (2) hold open devices.	\$290		
3134-0114	Driver and officer side mount pump panels are to be stainless steel with gray Zolatone finish.	\$728		
3134-0117	The main rear pump panel to be vertically hinged along officer side. Includes push-button latches and gas spring(s) mounted in place to hold open.	\$674		
3134-0118	Rear Mount pump access doors (2) lift-up doors, (1) each side. Includes (1) center slam strip reinforced, (2) push button latches each side and (2) hold open devices each side. Doors to be [#LOC]. Doors to open to 90 degrees and includes pull strap for access from ground.	\$558		
3134-0119	Pump panel standard instrumentation. Location: officer side pump panel.	\$490		
3134-0120	Driver and officer side mount pump control and gauge panels to be stainless steel with black Zolatone finish. Includes T bar and trim.	\$0		
3134-0121	The side pump intake / discharge panels to be painted Zolatone black. SS eMAX only.	\$439		
3134-0122	Pump operator control panel in driver side forward body compartment to be painted Zolatone black. SS eMAX only.	\$556		
3134-0123	Top mounted pump operator control panel to be painted Zolatone black. SS eMAX only.	\$459		
3134-0124	Officer side upper pump access panel to be horizontally hinged with diamond plate door. Includes (2) D-ring latches and (2) hold open devices.	\$0		
3134-0126	The top mount control panel and the driver and officer side pump panels are to be stainless steel. The top panel shall be finished with black Zolatone. The side panels shall remain stainless steel finish.	\$936		
3134-0127	Driver and officer side mount pump panels are to be stainless steel with black Zolatone finish. Includes brushed suction and discharge bezels (not coated). Includes T bar and trim.	\$688		
3134-0129	Driver side mount pump panel to be stainless steel with black Zolatone finish. Includes black suction and discharge escutcheon plates.	\$365		
3134-0130	Zoloatone escutcheon plate under each (4) foam control handles. Hole diameter shall be as tight as possible to handle shaft size.	\$271		

Item #	Description	Extension	+1/-1	Total
3134-0131	Driver and Officer side upper pump access panels to be horizontally hinged with stainless steel doors. Includes (2) D-ring latches and (2) hold opens for each.	\$781		
3134-0133	Driver and officer side upper pump access panels to be horizontal hinged with stainless steel doors. Includes (2) push-button latches and (2) hold opens for each.	\$484		
3134-0134	Officer side upper pump access panel to be horizontally hinged door painted Zolatone to match lower panels. Includes (2) push button latches and (2) hold open devices.	\$243		
3134-0135	Driver and officer side upper pump access panels to be horizontally hinged with smooth plate door painted Zolatone to match lower panels. Includes (2) push button latches and (2) hold opens for each.	\$484		
3134-0136	The side upper module panels/ access smooth plate doors to be painted Zolatone black. eMAX only	\$360		
3134-0137	The upper gauge panel is to be hinged forward. Includes (2) push-button latches.	\$152		
3134-0138	The stainless steel single gauge panel on the officer side of the side mount pump module are to be vertically hinged rearward. Includes hold open(s) and latches on panel. Panel to include retainer assemblies which will lock the panel in place when closed removing stress from hinges and latch assembly. Fixed lower line gauge panel below. Custom for right side pump modules with 6" master gauges and lower gauge panels.	\$368		
3134-0139	Hinge Pump Panel shall be reinforce with a stiffener mounted on each hinge panel.	\$127		
3134-0140	Officer side upper pump access panel to be horizontally hinged with smooth plate door painted to match lower panels. Includes (2) push button latches and (1) hold open device.	\$243		
3134-0141	Rear Mount pump access door. Includes (2) D-ring latches and (2) hold open devices. Door to be [#LOC]. Door to open to 90 degrees and includes pull strap for access from ground. D-ring latch to utilize a slot in extrusion or to latch behind extrusion to secure without angle latch catch.	\$646		
3134-0142	Pump panel support angles. Locate up to (3) horizontal mounted as required on interior side of the main vertically hinged pump panel(s).(Bolt on support).	\$176		
3134-0143	Officer side pump panel to be vertical hinged on forward extrusion. Panel to be (3) pieces with upper (2) panels secured in the closed position with push button latches. Upper panel to be held open with gas shock.	\$190		
3134-0144	Driver and officer side pump panels to be vertical hinged on forward extrusion. Panels to be (2) pieces with upper panel secured in the closed position with push button latches. Upper panels to be held open with gas shock.	\$0		
3134-0145	Driver and officer side pump panel to be vertical hinged on forward extrusion. Panels to be (3) pieces with upper (2) panels secured in the closed position with push button latches. Upper panel to be held open with gas shock.	\$378		
3134-0146	Officer side upper pump access panel to be horizontally hinged with stainless steel door. Includes (2) push button latches and (1) hold open device.	\$243		
3134-0147	Driver and officer side mount pump panels are to be stainless steel with black Zolatone finish.	\$689		
3134-0148	Front mounted pump panel angle mounted and located at left side of the extended front bumper. Instrument area shall have lift up of easy access to gauges.	\$2,969		
3134-0149	Stainless steel driver side front mount pump panel(s).	\$0		
3134-0150	Pump operator control panel in driver side forward body compartment L1 to be stainless steel.480	\$560		
3134-0151	The pump operator's pump panel are to be painted Zolatone black.	\$355		
3134-0152	The pump panels including gauge panels shall be coated with LINE-X.	\$1,481		
3134-0153	Officer's side panels forward of and above pump access door to be smooth plate and painted job color IPOS.	\$487		
3134-0154	Gauge panel on the driver's side is to be hinged downward to fully open without unplugging gauges, electrical, and any other components.	\$0		
3134-0155	Officer side upper pump access panel to be horizontal hinged door. Includes (1) D-Ring latch and (2) hold open devices	\$0		
3134-0156	The stainless steel single gauge panel on the driver side of the side mount pump module is to be fixed mounted with stainless steel fasteners. For use with left side intermediate pump step option.	\$109		
3134-0157	The upper gauge panel is to be hinged upward. Includes latching and hold-open device	\$205		

Item #	Description	Extension	+1/-1	Total
3134-0158	Exterior surfaces of the front, rear and side of the pump module as well as the upper access doors and t-bar/trim will have a black LINE-X finish.	\$2,756		
3134-0159	Driver and officer side mounted pump panels are to be stainless steel with a black LINE-X finish.	\$1,337		
3134-0160	(2) Custom sized stainless steel gauge panels on the driver side of the side mount pump panel, are to be (2) piece vertically hinged latching in center. Each panel includes two (2) cable hold opens and latches.	\$2,157		
3134-0161	Driver, and Officer side pump panel light shield to be an integral part of the pump panel.	\$0		
3134-0162	Driver, and Officer side pump panel Escutcheon Plate shall be attach with Thumb Latch.	\$413		
3134-0163	Top mount module upper side panels above and or forward of side pump panels and /or access doors to be stainless steel to match lower pump panels and shall be bolt on IPO welded in diamond plate aluminum.	\$804		
3134-0164	Driver and officer side mounted pump panels are to be stainless steel with a black LINE-X finish. Includes T-Bar and trim.	\$2,108		
3134-0165	Pump operator panel to be located on the officer side pump module.	\$0		
3134-0166	Driver side upper pump access panel to be horizontal hinged with stainless steel door. Includes (2) push button latches and (2) hold open devices.	\$243		
3134-0167	Top mount control handle trim plate to be diamond plate, in lieu of standard (stainless steel).	\$0		
3134-0168	The TM control panel, driver and officer side pump panels are to be aluminum. For swirl finish applications.	\$1,436		
3136-0000	Air horn switch at pump panel. Switch to be labeled "Evacuation Alert". Location: [#LOC].	\$162		
3136-0001	Backboard storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged diamond plate access door each side.	\$1,188		
3136-0002	Microphone box. Locate at the [#LOC].	\$568		
3136-0003	Microphone box, Cast Products. Locate at/in the [#LOC].	\$530		
3136-0004	The lower area of the pump compartment to have a four (4) sided heat pan with two (2) removable (side to side) bottoms. Bottoms to be secured in the closed position with mechanical fasteners.	\$1,154		
3136-0005	The crosslay divider(s) to be notched both ends for Task Force Nozzle.	\$140		
3136-0006	Two (2) pump compartment heaters are to be mounted in the pump area. Locate as low as possible.	\$1,877		
3136-0007	Two (2) FRC Mansaver bars, (1) each side. Installed at pump module crosswalk area. The bars are to include [#COL] vinyl covers.	\$1,452		
3136-0010	Stainless steel roller assemblies for crosslays and/or speedlays.	\$335		
3136-0011	P-Rubber in flex joint(s) between pump module and/or body modules.	\$688		
3136-0012	Slat flooring. The crosslay and/or speedlays are to have removable slat flooring.	\$425		
3136-0013	Additional Booster Reel Roller Assembly. Locate opposite side of booster reel.	\$279		
3136-0014	Booster Reel Roller Assembly. Locate to booster reel side.	\$0		
3136-0015	(2) vertical mounted booster reel spool guide roller assemblies. Locate (1) each side on trailing edge of beavertails/body (as applicable). For use with rear compartment mounted booster reel or similar.	\$552		
3136-0016	Speedlay module trays mounted to a bi-directional Slide Master tray.	\$1,402		
3136-0017	Driver side pump enclosure. The driver side lower pump module to be full width and full depth of the module and include area in upper section for mounting of roll-up door.	\$3,496		
3136-0018	Officer side pump enclosure. The officer side lower pump module to be full width and full depth of the module and include area in upper section for mounting of roll-up door.	\$3,496		
3136-0019	The label on the pump panel for the air horn to read: Emergency Evacuation. Label to be red back ground with white letters.	\$0		
3136-0020	Air horn switch at pump panel. Switch to be labeled EMERGENCY EVACUATION. Label to have red back ground with white letters. Location: [#LOC].	\$166		
3136-0021	Divider in storage pan with adjustable tracks (front to rear).	\$213		



Item #	Description	Extension	+1/-1	Total
3136-0023	Microphone Box Cast Products. Locate at/in the [#LOC].	\$563		
3136-0024	Crosslays to accomadate extra capacity.	\$606		
3136-0025	Microphone box. Dimensions for microphone box are 14" wide x 6.5" high x 5.5" deep. Locate at the [#LOC].	\$623		
3136-0026	The crosslay divider(s) to have a hand hold cutout on outboard edge each side of divider(s).	\$293		
3136-0027	The lower area of the pump compartment to have (2) heat pans. (1) pan located under the driver side and (1) pan located under the officer side. pump compartment.	\$1,154		
3136-0028	(PR) folding steps with handrails. Locate in walkway (1) each side of TM walkway access door (includes backing plate) and handrails mounted on upper module.	\$387		
3136-0029	Air horn switch at pump panel. Switch to be labeled "Air Horn". Location: [#LOC].	\$162		
3136-0030	Diamond plate cover for Vogel Auto Lube System. Cover to have cut-outs for checking system fluid levels. Location: driver's side of dunnage pan.	\$177		
3136-0031	Removable Speedlay Tray(s). The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$691		
3136-0032	Spacer plate for quartz lights. Requires 4" additional cab to body gap.	\$0		
3136-0033	Crosslay divider(s) to be lowered approx 5" to provide room for bail handled nozzle(s) below cover.	\$140		
3136-0034	Microphone box 10W X 6H X 11D located on pump operator panel.	\$647		
3136-0035	Officer side pump panel light shield to be offset forward to allow clearance for 2-section and roof ladders.	\$0		
3136-0036	Spacer plate for Commercial Chassis. Requires 6" additional to cab and body gap due to exhaust requirements.	\$0		
3136-0037	Top mount walkway compartments. Includes spring mounted hinged doors with push button latch. Each compartment includes (1) incandescent light and wired to door adjar indicator.	\$1,032		
3136-0038	Module mainframe for use with M2 chassis with 23,000 rear axle.	\$0		
3136-0039	Module mainframe for use with M2 chassis with 26,000 rear axle.	\$0		
3136-0040	Module mainframe for use with Typhoon chassis.	\$0		
3136-0041	Module mainframe for use with International chassis.	\$0		
3136-0042	Stainless steel roller assemblies for crosslays and/or speedlays. Rollers on side extrusions only and scuff plates on bottom extrusions.	\$873		
3136-0043	Cut-out for Booster Reel. Through upper panel on pump module and dunnage pan. Cut-out to be approx. 14" wide x 6" high for visibility of booster reel. Location(s): Driver and officer side upper pump module.	\$206		
3136-0044	Pump panel compartments with push button latch. Locate (1) driver side pump panel and (1) officer side pump panel. Compartments to be located in lower forward corner of pump panels. Compartments to be approx. 14" wide x 14" high x 14" deep.	\$2,119		
3136-0045	Microphone Box Cast Products. Locate at/in the [#LOC].	\$563		
3136-0046	All piping is to be color coded as follows: foam - blue; water - yellow; foam/water solution - red.	\$761		
3136-0047	Backboard storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertically hinged smooth plate painted job color access door each side.	\$1,460		
3136-0048	Notched crosslay divider(s) on both ends for preconnect line(s) nozzle end storage with NFPA cover(s) in closed position.	\$0		
3136-0049	Deckgun to be located offset to the driver side of the dunnage storage pan.	\$763		
3136-0050	Extreme weather heat pan plates. Includes interior module area mounted plates for increasing the lower heat pan (forward and rearward) into the lower area of the module for increased heat retaining.	\$493		
3136-0051	Air horn switch at pump panel. Switch to be labeled "Code Red". Location: [#LOC].	\$162		
3136-0052	Spacer plate for Custom Chassis. Requires 8" additional to cab and body gap due to vertical exhaust requirements.	\$0		
3136-0053	Microphone box. Locate at the [#LOC]. Microphone box to be 9"W x 11"H x 6.5"D.	\$709		

Item #	Description	Extension	+1/-1	Total
3136-0054	Deckgun to be located offset to the driver side of the dunnage storage pan. Deckgun piping to be recessed as low as possible for use with Akron Apollo Hi-Riser #3431	\$763		
3136-0055	The speedlay divider(s) to be held 12" short both ends for Nozzles.	\$440		
3136-0056	The crosslay divider(s) to be held 12" short both ends.	\$463		
3136-0057	Notched crosslay divider(s) extended both ends to 4" above the floor of the crosslay.	\$399		
3136-0058	E-ONE logo mounted one each side on pump module/preconnect panels. Logos to be sized as applicable to available space on panels.	\$0		
3136-0059	Speedlay module tray(s) mounted to a directional SlideMaster tray. SlideMaster to have 100% extension to one side.	\$1,611		
3136-0060	Transverse compt over pump panel. Includes lift-up dia plt door on each end with gas shock and D-Ring latch.	\$2,638		
3136-0061	Heat pan removable bottoms to have screws and nuts in place of butterfly latches.	\$314		
3136-0062	Crosslay divider(s) to be adjustable front to rear.	\$1,090		
3136-0063	Stone Guard cover plates. Locate one each side on front of lower pump module.	\$0		
3136-0064	Heat pan. The lower area of the pump compartment to have a four (4) sided heat pan with two (2) removable (side to side) bottoms. Bottoms to be secured in the closed position with butterfly latches.	\$1,154		
3136-0065	Push/Pull Rod Extrusion shall be thru bolted. IPOS	\$0		
3136-0066	Microphone box. Dimensions for microphone box are 12.5" wide x 8" high x 6" deep. Locate at the [#LOC].	\$623		
3136-0067	DEF Tank mounting provision in right side of pump compt. Includes tank supports, heat shield and tank fill access either through pump access door or separate door as applicable.	\$413		
3136-0068	E-One Logo. Mounted one each side on speedlay module. Logo to be sized as applicable to available space on panel(s)	\$0		
3136-0069	Speedlay module tray(s) mounted to a directional Slide Master tray. Slide Master to have 100% extension to the officer side.	\$1,611		
3136-0070	Stainless steel scuff plate assemblies for speedlays. Scuff plates to be on top, bottom and sides of each opening.	\$873		
3136-0071	Microphone Box Cast Products. Locate at/in the [#LOC].	\$530		
3136-0072	Spacer plate for Electric Pump Panel Control Cables. Requires 3" additional to cab and body gap.	\$0		
3136-0073	Removable Poly Speedlay Tray(s). The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose. Includes vertical slotted hand hold cutouts on each end to facilitate easy removal of the hose tray.	\$634		
3136-0074	Stainless steel scuff plates for crosslays and/or speedlays.	\$389		
3136-0075	Provide as much ground clearance as possible below the heat pan.	\$0		
3136-0076	Pump module mounted 3 sided light tower shield with approx 28 degree side slope to the driver side. The shield to be even with top of the body and painted job color.	\$1,364		
3136-0077	Top mount walkway without compartments.	\$0		
3136-0078	Top mount walkway compartments. Includes spring mounted hinged doors with push button latch. Each compartment includes (1) LED light and wired to door adjar indicator.	\$1,032		
3136-0079	Q2B switch at pump panel. Switch to be labeled "Evacuation Alert". Location: [#LOC].	\$162		
3136-0080	Compartment below the top mount walkway to be labeled "SHOVELS" on each door.	\$64		
3136-0081	A pump compartment heater with 110V blower to be mounted in the pump area.	\$1,463		
3136-0082	Two (2) pump compartment heaters are to be mounted in the pump area. Locate as low as possible. The lower area of the pump compartment to have a four (4) sided heat pan with removable bottoms. Extreme weather heat pan plates. Includes interior module area mounted plates for increasing the lower heat pan (forward and rearward) into the lower area of the module for increased heat retaining.	\$4,374		
3136-0083	Removable Poly Speedlay Tray. The floor will be notched for the preconnect swivel to be positioned as required with the tray in the stowed position. The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$634		

Item #	Description	Extension	+1/-1	Total
3136-0084	Mechanical spring-loaded stainless steel latches that automatically deploys upon loading the trays. The latches will be used one each side of the speedlay openings.	\$0		
3136-0085	Cast Products EB0010-1-A microphone box. Locate on driver side pump panel. Hinge door to the right.	\$612		
3136-0086	Notched crosslay divider(s) on both ends for preconnect line(s) nozzle end storage with NFPA cover(s) in closed position. Additional 45 degree angle notch on inside edge on each side. Crosslay divider(s) to be held 1" short below crosslay cover.	\$344		
3136-0087	Aluminum splash guard over top of hydraulic pump for cab tilt.	\$218		
3136-0088	Captive booster reel rollers mounted through panel/module. Locate to booster reel side and size for width of reel assembly.	\$456		
3136-0089	Two (2) pump compartment heaters are to be mounted in the pump area. Locate as low as possible within the pump module structure. Controlled with switch located on pump operator panel.	\$1,837		
3136-0090	Speedlay tray - removable. Tray includes a 1.25" extruded alum handle low on each end of tray and slots down each side to facilitate lifting. The floor of the tray shall have poly slides and be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$691		
3136-0091	Vertically hinged access door with push button latch for cord reel in driver side of dunnage pan. Includes cut-out in dunnage pan for access to cord reel rollers. Mount junction box to inside of access door.	\$541		
3136-0092	Pump module modification for vertical exhaust. Exhaust to run up through right side of pump compartment offset to rear thru storage pan.	\$0		
3136-0093	Dunnage area Right side, option, Wildland	\$1,343		
3136-0094	Pump panel compartment, Right side, base, Wildland	\$1,600		
3136-0095	Delete Pump panel compartment, Right side, option, Wildland	\$675		
3136-0096	Stainless steel roller assemblies for crosslays. Includes handrail the width of the crosslays in place of bottom roller.	\$485		
3136-0097	Cold climate insulation for pump module. Includes insulation for top, front wall, rear wall and compartment/stairway back walls as applicable. RLP application only.	\$1,488		
3136-0098	Microphone box. Dimensions for microphone box are 12" wide x 12" high x 6" deep. Locate at the [#LOC].	\$646		
3136-0099	Captive booster reel rollers. (1) mounted through dunnage pan floor inboard of booster reel and (1) thru pump access door. Locate to booster reel side and size for width of reel assembly.	\$456		
3136-0100	Notched Speedlay divider(s) on both ends for connecting preconnected hoses. Notch to be 12"L X 4"H enough room to use a spanner wincher for connecting hoses.	\$109		
3136-0101	Diamond plate shield for under tank pump module on Wetside Tankers. Shield shall be mounted vertically at the front of the module.	\$366		
3136-0102	Booster Reel Riser for rollers. Locate with officer side dunnage pan rollers.	\$103		
3136-0103	Booster Reel Riser for rollers. Locate with driver side dunnage pan rollers.	\$102		
3136-0104	The lower area of the under tank pump compartment to have a four (4) sided heat pan with two (2) removable (side to side) bottoms. Bottoms to be secured in the closed position with butterfly latches. Wetsides Only.	\$1,154		
3136-0105	Spacer plate for Commercial Chassis. Requires 4" additional to cab and body gap due to exhaust requirements.	\$0		
3136-0106	One (1) pump compartment heater is to be mounted in the pump area. Locate as low as possible.	\$799		
3136-0107	Microphone box. Locate at the [#LOC]. Microphone box to be 9"W x 11"H x 8"D. Locate Pump operator panel.	\$709		
3136-0108	(2) vertically mounted booster reel spool guide roller assemblies. Locate (1) each side inside rear body compartment opening. For use with rear compartment mounted booster reel.	\$552		
3136-0109	Removable Poly Box(s). Box to be located in lower transverse storage area (one each side), approx. 15" high x 14" wide x 34" deep. The floor of the box(es) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$634		

Item #	Description	Extension	+1/-1	Total
3136-0110	Captive booster reel rollers mounted through panel/module. Locate to booster reel side and size for width of reel assembly.	\$456		
3136-0111	Microphone box. Dimensions for microphone box are 8" wide x 12" high x 6" deep. Locate at the [#LOC].	\$623		
3136-0112	(3) "DO NOT STEP" tags to be installed upside down located (1) on each pump panel access door and (1) on inside of drop down door of driver side running board suction tray.	\$142		
3136-0113	"Crush Hazard" warning label to be mounted on aluminum panel behind pump module access ladder	\$47		
3136-0114	The running board(s) to be notched for Pistion Intake Valve. Location(s): [#LOC].	\$536		
3136-0115	The lower area of the pump compartment to have a four (4) sided heat pan with two (2) removable (side to side) bottoms. Lower section of pan designed to provide the maximum amount of ground clearance. Bottoms to be secured in the closed position with butterfly latches.	\$1,154		
3136-0116	DEF Tank mounting provision in left side pump compt to the rear of the pump. Includes tank supports and tank fill access door.	\$364		
3136-0117	P-Rubber in flex joint(s) between pump module and/or body modules. Horizontal across tops and along sides at flex joint(s).	\$688		
3136-0118	A two (2) piece aluminum pan shall be bolted in place below the pump controls within the pump module. This pan shall utilize .090 aluminum plate to provide a shield to reduce heat loss as the pump controls exit the pump module for the top mount control panel.	\$300		
3136-0120	Captive booster reel rollers mounted on booster reel assembly. Rollers sized for width of reel assembly.	\$456		
3136-0121	Speedlay tray - Polypropylene - removable. Tray includes pull out grab handle (poly dowel) down low on each end to facilitate lifting. The trays shall be made from Polypropylene, the floor of the tray shall be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$981		
3136-0122	Commercial chassis requires 3" additional to cab and body gap due to exhaust requirements.	\$388		
3136-0123	One (1) pump compartment heater to be mounted in the pump area. Locate in rear with the pump. Controlled with switch located cab.	\$924		
3136-0124	Backboard storage compartment located to rear of crosslays. Includes vertically hinged smooth plate painted job color access door each side. Top cover to be smooth plate IPO diamond plate painted black durabak.	\$1,519		
3136-0125	The officer side pump module upper plate-work shall be smooth plate IPO diamond plate (where E-One logo is mounted).	\$137		
3136-0126	Microphone box. Dimensions for microphone box are 7.5" wide x 15" high x 11" deep. Locate at the [#LOC].	\$623		
3136-0127	The pump module storage pan shall be upgraded to include a hinged cover. The hinged cover shall be constructed of 3/16" embossed aluminum tread plate, include a grab handle, (2) butterfly latches and hold open device(s). The cover shall be included in the door ajar circuit and may be used a walking surface.	\$589		
3136-0128	Modify the speedlay center divider to reduce the length side to side so it is shallow full width. The center divider will begin inboard of the preconnects to allow threading operations without interference related to the center divider.	\$0		
3136-0129	Horizontally hinged access door with D-ring latch for access to officer side of dunnage pan. Includes cut-out in dunnage pan.	\$541		
3136-0130	Speedlay tray - Polypropylene - removable. Tray includes pull out grab handle (poly dowel) down low on each end to facilitate lifting. The tray(s) shall be sized approximately 18" H X 10" W. The tray(s) shall be made from Polypropylene, the floor of the tray shall be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$981		
3136-0131	Notched crosslay divider(s) on both ends for preconnect line(s) nozzle end storage with NFPA cover(s) in closed position and a notch on the bottom of the divider for the spanner wrench access.	\$0		
3136-0132	Provide notch on right side of pump module for deck gun. Notch to be offset to rear of crosslays. To include formed .25" aluminum plate for support.	\$893		

Item #	Description	Extension	+1/-1	Total
3136-0133	Removable Poly Speedlay Tray(s). The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$634		
3136-0134	Replace pump module handrails (left and right) with 18" handrails IPOS.	\$429		
3136-0135	Removable Poly Speedlay Tray(s). The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose. Trays will be equipped with a handle each side to assist in removing from speedlay storage area.	\$634		
3136-0136	Removable speedlay tray(s). The floor of the tray(s) shall be sloped from a raised position in the middle slanted downward towards each end. Additionally the floors shall be slotted to prevent the accumulation of water and allow for ventilation of wet hose. There shall be slotted hand holds on each side of the tray (IPO grab handles on each end).	\$844		
3136-0137	All drains within the pump module shall be bundled together to exit the heat pan as a bundle beneath the pump, rather than separately.	\$237		
3136-0138	Pump module storage pan.	\$872		
3136-0139	Crosslay double 7.5" wide each to hold up to 200' of 2.0" DJ hose (each).	\$854		
3136-0140	Crosslay double 7.5" wide each with extra depth to hold up to 400' of 2.0" DJ hose (each).	\$1,052		
3136-0141	Crosslay double 4.25" wide single stack to hold up to 200' of 2.0" DJ (each).	\$1,022		
3136-0142	Crosslay triple 4.25/4.25/5" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and 150' to 200' of 2.5" DJ hose in rear lay.	\$1,514		
3136-0143	(4) "DO NOT STEP" tags to be installed upside down located (1) on each pump panel access door and (1) on inside of drop down door of driver side running board suction tray. (1) on inside of drop down door of officer side running board suction tray.	\$142		
3136-0144	Crosslay single 5" wide single stack to hold up to 200' of 2.0" DJ or 150' to 200' of 2.5" DJ hose.	\$566		
3136-0145	Insulation - front pump compartment access door.	\$123		
3136-0146	Compartments for TM walkway (PR). Includes hinged door each side with push button latch and LED compartment light. Requires TM pump module with walkway.	\$850		
3136-0147	All crosslay connections to be accessible from side of pump module.	\$0		
3136-0148	E-ONE logo mounted one each side on pump module/preconnect panels. Logos to be sized as applicable to available space on panels and installed without fasteners.	\$0		
3136-0149	A removable .187" aluminum treadplate cover panel shall be installed at the front of the speedlay module, adjacent to the crosswalk assembly. Panel shall be secured with lift & turn latches for quick removal and for accessibly for hose loading. SS Product only.	\$443		
3136-0150	Spacer plate for Commerical Exhaust. Requires 5" additional cab to body gap.	\$0		
3136-0151	Microphone box. Dimensions for microphone box are 12" wide x 12" high x 6" deep. Locate at the driver side pump panel. With hold open device.	\$762		
3136-0152	Air horn switch at pump panel. Switch to be labeled "Evacuation Alert" with a 4" x 2.5" orange backing plate.	\$220		
3136-0153	(2) vertically mounted booster reel spool guide roller assemblies. Locate (1) each side on trailing edge of body 3x3 down low.	\$552		
3136-0154	Enclosed transverse compartment above pump gauge panel. Approximately 24" H x 15" W x 76" L. Includes vertically hinged SS doors each side and D-ring latch with gas tube hold opens, and the top of the compartment will be embossed aluminum treadplate.	\$2,007		
3136-0155	Stainless steel roller assemblies to span full width of the bottom of hosebed and side to assist in deployment of hose.	\$1,001		
3136-0156	Top cover for pump module. Located rearward of crosslays or TM panel with no crosslays.	\$377		
3136-0157	Stainless steel scuff plates for speedlays. Includes full height of exterior extrusion to lower tool compartment.	\$360		

Item #	Description	Extension	+1/-1	Total
3136-0158	Upper and/or lower speedlay tray 8.5" interior width. - removable. Tray includes a 1.25" extruded alum handle low on each end of tray and slots down each side to facilitate lifting. The floor of the tray shall have poly slides and be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$691		
3136-0159	Speedlay module tray(s) mounted to a directional SlideMaster tray. SlideMaster to have 100% extension to drivers side only.	\$1,569		
3136-0160	Two (2) pump compartment heaters are to be mounted in the pump area. Locate (1) as low as possible and (1) to discharge on the back of the gauge panel.	\$1,828		
3136-0161	The lower front wall of the enclosed pump module shall have a removable front panel to allow pump service access. Panel shall be accessible when cab is tilted and includes lift and turn latches.	\$768		
3136-0162	Hi Rise tray - removable. Tray includes a 1.25" extruded alum handle low on each end of tray and slots down each side to facilitate lifting. The floor of the tray shall have poly slides and be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$691		
3136-0164	Stainless steel scuff plate assemblies for speedlays & crosslays. Scuff plates to be on top, bottom and sides of each opening mechanically fastened with screws.	\$1,338		
3136-0165	Microphone box. Dimensions for microphone box are 14" wide x 6" high x 6" deep. Locate at the pump operator panel	\$623		
3136-0166	Removable Speedlay Tray(s). The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose. The front and rear walls of tray(s) to be the same height. There shall be vertical slots on each side of the tray ( in place of extruded grab handle) to facilitate lifting. This tray shall only be used with taller speedlay opening so the preconnect swivel shall be at the top (as opposed to rear wall) and walls of the tray can be same height.	\$691		
3136-0167	Two (2) 12" x 22" sunroofs in TME module ceiling. Black aluminum frame with dark Gray tinted glass. Frameless exterior appearance.	\$990		
3136-0168	Three (3) 12" x 22" sunroofs in TME module ceiling. Black aluminum frame with dark Gray tinted glass. Frameless exterior appearance.	\$1,487		
3136-0170	A 24" x 24" escape hatch shall be installed in the roof of the TME module.	\$1,439		
3136-0171	The TME module shall include Eleven (11) fixed windows in addition to any sunroofs or windows in the entry doors.	\$1,405		
3136-0172	The TME module shall include Nine (9) fixed windows in addition to any sunroofs or windows in the entry doors.	\$1,442		
3136-0173	Two (2) Armrests shall be installed between the (3) seats in the TME module. Each armrest shall be constructed of stainless steel.	\$707		
3136-0174	Two (2) tool compartments shall be provided, one (1) each side, directly in front of the step well areas of the TME module, accessible from outside of the vehicle.	\$910		
3136-0175	Two (2) adjustable window defogger fans with individual switches shall be mounted in the TME module above the pump operator's panel. Each fan shall be rated at 250 cfm.	\$333		
3136-0176	Two (2) storage cubbies shall be provided (1) each side under outboard seating positions of TME module.	\$585		
3136-0177	Notched speedlay divider(s) on both ends for preconnect line(s) nozzle end storage with NFPA cover(s) in closed position.	\$0		
3136-0178	Microphone box. Dimensions for microphone box are 14" wide x 5" high x aprox 6" deep. Locate at the the right side of the top mount gauge panel. SS top mount product only	\$651		
3136-0179	Recessed area in storage pan for deck gun to be as low as practical. Deck gun connection to terminate 3" below top of pump module.	\$724		
3136-0180	Crosslay triple 4.25/4.25/4.25" wide single stack to hold up to 200' of 2.0" DJ in each hose lay.	\$1,514		
3136-0181	Speedlay tray - removable - extra length for full width module. Tray to be 14W x 9H x Full width of module. Tray includes a 1.25" extruded alum handle on each end of tray and slots down each side to facilitate lifting. The floor of the tray shall have poly slides and be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$797		
3136-0182	Crosslay double 6.25" wide single stack to hold up to 200' of 2.0" DJ or 150' of 3.0 DJ (each).	\$1,022		

Item #	Description	Extension	+1/-1	Total
3136-0183	Backboard/pike pole storage compartment located to rear of crosslays. Includes partition between backboard and pike poles and vertically hinged diamond plate access door each side. Note pike poles will only be accessible from driver side and longest pike pole that compartment will accommodate is 6'.	\$1,366		
3136-0184	Crosslay double 5.5" wide single stack to hold up to 200' of 2.0" DJ (each) or 150' of 3.0 DJ (each).	\$1,022		
3136-0185	Extra Capacity Removable Poly Speedlay Tray(s). Tray(s) to be approx 8.25" wide inside X 17.50" high inside. The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$634		
3136-0186	Air horn switch at pump panel. Switch to be labeled "Evacuation Alert" with red cover. Location: [#LOC].	\$162		
3136-0187	Speedlay module integral to body forward of compartment L1/R1. Beds to be accessible with vertically hinged stainless steel doors with a Bent D-Ring latches.	\$2,969		
3136-0188	Vertically stacked speedlay beds, each to hold 200' of 1-3/4" DJ hose. Removable aluminum trays with horizontal retention rollers supplied.	\$2,532		
3136-0189	Speedlay rollers mounted on hinged speedlay doors.	\$146		
3136-0190	Backboard storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged diamond plate access door each side. Backboard storage to be 10" wide.	\$1,142		
3136-0191	LINE-X package for pump module storage pan(s): Includes all surfaces of the pan visible from top of the truck. Also includes all platework fabricated at E-ONE mounted inside the pan such as hydraulic system cover, generator shield, reservoir cover, cooler cover, cord reel cover, boxes, dividers, trays, etc as applicable.	\$832		
3136-0192	Zolatone (same color as pump panels) package for top mount pump module platework: Includes pump module upper side panels, panels and access door(s) in front of the module adjacent to the walkway, back panel of speedlay module adjacent to the walkway if applicable, tool compartment doors on walkway and speedlay as applicable.	\$485		
3136-0193	Crosslay quadruple single stack. Forward two (2) lays to hold up to 200' of 1.75" DJ (each). Rearward two (2) lays to be dry lays that hold up to 200' of 1.75" DJ or 150 of 3.0" DJ (each).	\$1,989		
3136-0194	Crosslay triple 4.25/4.25/12" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and double stack to hold 200' of 3.0" DJ hose in rear lay.	\$1,514		
3136-0195	Pump module upper side panels shall be smooth plate painted job color (dual tone as applicable). Smooth plate Zolatone (same color as pump panels) finish shall be applied to panels and access door(s) in front of the module adjacent to the walkway, speedlay panels (back panel of separate speedlay module adjacent to the walkway and front panel facing the cab) as applicable, tool compartment doors on walkway and speedlay as applicable.	\$485		
3136-0196	Backboard/pike pole storage compartment located to rear of crosslays. Two (2) pikes to be offset rear in the compartment and up high. One (1) pike pole accessible from driver side and one (1) to be accessible from the officer side. Longest pike pole that compartment will accommodate is 6'.	\$1,366		
3136-0197	Backboard storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged diamond plate access door each side hinged rearward. Opening to be 7" wide.	\$1,188		
3136-0198	Backboard and rescue bag storage area for customer furnished and installed items. Module for (2) 19.5"W x 2"H x 75"L backboards in the forward section. Rearward left side sections, (1) Pedi board bag, (1) splint board bag, (1) collar bag and (1) KED bag. Module constructed of 1/8" smooth aluminum plate.	\$755		
3136-0199	Speedlay tray - removable. Tray includes a 1.25 inch extruded alum handle low on each end of tray and slots down each side to facilitate lifting. The floor of the tray shall have poly slides and be slotted to prevent the accumulation of water and allow for ventilation of wet hose. Tray designed to accommodate 200 feet of double stacked 1.75 inch hose.	\$691		
3136-0200	Crosslay triple 4.25/ 5"/ 4.25" wide single stack to hold up to 250' of 1.75" DJ (each) in front and rear lays and 200' 2.5" DJ hose in center lay. The crosslay depth shall be 28" deep.	\$1,514		
3136-0201	Cross lay divider(s) to be adjustable front to rear in slotted holes added to cross lay floor.	\$394		
3136-0202	Speedlay single - double stack to hold up to 200' of 2.0" DJ hose located in the rear pump compartment.	\$566		
3136-0203	Pump module modification for vertical exhaust. Exhaust to run up through officer side running board offset rearward.	\$0		

Item #	Description	Extension	+1/-1	Total
3136-0204	Modify the upper rear officers side pump module and dunnage pan. Assemble and install a 4-bottle SCBA storage rack (consisting of an 8" aluminum tube assy; 2-tubes wide/2-tubes high) for SCBA bottle storage up to 7.5" diameter x up to 25" long (including valve). Includes a Lift-up style door (matching pump access door material) w/gas spring (wired to door ajar alert), bottle tube safety straps, and a removable aluminum diamond plate protective cover in officers side dunnage pan over the bottle rack.	\$840		
3136-0205	Removable Aluminum Speedlay Tray(s) with slotted floor to prevent the accumulation of water and allow for ventilation of wet hose. Includes vertical slotted hand hold cutouts on each end to facilitate easy removal of the hose tray. No lip, No grab rod.	\$691		
3136-0206	Removable Poly Speedlay Tray(s). The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose. The front and rear walls of tray(s) to be the same height. There shall be vertical slots on each side of the tray ( in place of extruded grab handle) to facilitate lifting. Tray to have special notching for easy removal of tray(s) from module area.	\$634		
3136-0207	Crosslay double 4.25"/5.0" wide single stack to hold up to 200' of 2.0" DJ and 150' of 2.5" DJ	\$1,022		
3136-0208	Cross lay double, Lay 1- 4.25in. wide single stack to hold up to 200ft. of 2.0in. DJ and Lay 2- 7.75in. wide double stack to hold 200ft of 2.0in DJ with lower stacks or more with excess capacity as configured.	\$1,098		
3136-0209	Speedlay tray - removable. Tray includes a 1.25" extruded alum handle low on each end of tray and slots down each side to facilitate lifting. The floor of the tray shall have poly slides and be slotted to prevent the accumulation of water and allow for ventilation of wet hose. Tray to be 8" tall IPO standard.	\$657		
3136-0210	Crosslay double 5.5" wide single stack to hold up to 200' of 2.0" DJ (each).	\$1,022		
3136-0211	The pump module storage pan shall be upgraded to include a two piece cover for the Wabasto system. The cover shall be constructed of 3/16" embossed aluminum tread plate, include a grip strut insert in the section over the heater to allow heat dissipation. It shall be bolted down using four 5/16" HEX-head bolts in each section for easy removal. The cover may be used a walking surface.	\$589		
3136-0212	Crosslay single 10.25" wide single stack to hold up to 300' of 2.5" DJ hose.	\$566		
3136-0213	LINE-X package for enclosed pump module: All sheet metal surfaces including compartment walls, pump access doors, storage compartment walls and doors, running boards, etc shall be coated with LINE-X. Does not include pump panel or gauge panel which are part of a separate package.	\$464		
3136-0214	Crosslay triple 7.75/7.75/10" wide double stack to hold up to 200' of 2.0" DJ (each) in front lays and 200' of 2.5" DJ hose in rear lay.	\$1,514		
3136-0215	Gast air compressor 12v model ROA-P201-JH to be used IPO standard IAVA mini-pumper aux air system for pump shift. System shall be mounted to ceiling of B1 behind roll up door drum with isolated reservoir 1738 cu in. capacity with PR2 valve. For use as an upgraded system to operate pump shift and (separately)optioned air outlet located as specified.	\$1,654		
3136-0216	Enclosed pump panel backboard/pike pole storage located to rear of crosslays to be accessible beneath rollup door drum on driver and officer side. Includes aluminum smooth plate sleeve for (2) two backboards, approx size of backboard: 21"wide x 72"long x 3"thick, (2) two 6' aluminum tubes for 6' pike poles, one accessible from driver side, one accessible from officer side and horizontally hinged lift-up diamond plate doors with gas shock hold open and push button latches each side. Note longest pike pole that compartment will accommodate is 6'. Storage pan is not available with this option.	\$1,749		
3136-0217	Crosslay triple 4.25/4.25/5in. wide single stack to hold up to 200ft. of 2.0in. DJ (each) in front lays and 150-200ft. of 2.5in. DJ hose in rear lay. Cross Lay lowered height to be 68in. from ground for ease of deployment.	\$1,548		
3136-0218	Diamond plate protective cover shall be provided for the foam system hydraulic cooling fan assembly. Cover shall be partially made out of expandable metal or similar design for sufficient air flow.	\$415		
3136-0219	Diamond plate protective cover shall be provided for the foam system hydraulic reservoir. Cover shall be designed with the reservoir fill cap protruding through it for easier refilling.	\$271		



Item #	Description	Extension	+1/-1	Total
3136-0220	Crosslay triple 4.25/4.25/6" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and single stack to hold 150' of 3.0" DJ hose in rear lay.	\$1,514		
3136-0221	Crosslay quadruple single stack. All four (4) lays to hold up to 200' of 1.75" DJ (each).	\$1,989		
3136-0222	Durabak package for pump module storage pan(s): Includes all surfaces of the pan visible from top of the truck. Also includes all platework fabricated at E-ONE mounted inside the pan such as hydraulic system cover, generator shield, reservoir cover, cooler cover, cord reel cover, boxes, dividers, trays, etc as applicable.	\$832		
3136-0223	Crosslay single 5.5" wide single stack to hold up to 150' of 3.0" DJ.	\$566		
3136-0224	Aluminum speedlay module with divider and Duradek flooring. Constructed using 1/4" thick aluminum with a DA sanded finish.	\$1,072		
3136-0225	The upper side panels of the TM pump module to be smooth plate painted Zolatone to match the lower pump panels	\$291		
3136-0226	The upper side panels of the TM pump module to be stainless steel to match the lower pump panels.	\$291		
3136-0227	Crosslay quad 7.50/7.50/7.50/7.50 wide double stack to hold up to 200ft. of 1.75in. DJ hose (each) per lay.	\$2,105		
3136-0228	Upper storage compartment in pump module. Located in the upper rear corner of pump module. Includes driver side vertical hinged diamond plate access door.	\$1,188		
3136-0229	Crosslay triple 5.50/5.50/5.50" wide single stack to hold up to 200' of 2.0" DJ in each hose lay.	\$1,514		
3136-0230	Crosslay double 7.75"/ 7.75" wide double stack to hold up to 200' of 2.0" DJ (each) in front lays and dry lay 10" wide to hold 150' of 2.5" DJ hose in rear lay.	\$1,514		
3136-0231	Transverse storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged diamond plate access door each side. Width and Height of storage based on available space forward (or) aft of the crosslays ilo a Dunnage pan if applicable.	\$1,188		
3136-0232	Crosslay triple 4.75/4.75/5.50" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and 150' of 2.5" DJ hose in rear lay.	\$1,514		
3136-0233	A recessed pocket area in the rearward portion of the officer side running board shall be provided. It is a square fabricated assembly designed to store (1) 2.5 gallon pressurized water can fire extinguisher. The extinguisher shall be recessed in the running board approximately half of it height. A nylon buckle strap shall be provided to secure item for transit. Extinguisher not included.	\$301		
3136-0234	Crosslay triple 4.25/4.25/6" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and 200' of 3.0" DJ hose in rear lay.	\$1,514		
3136-0235	Backboard and Pike Pole storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged diamond plate access door each side. Storage for one (1) backboards forward and three (3) pike poles on the rear wall stored vertically. The pike pole tubes to be inside each door opening 8" (60" long tubes). The door opening to be 6" wide.	\$1,753		
3136-0236	Cross lay double 7.5" wide double stack to hold up to 200ft. of 2.0in. DJ (each) Cross Lay lowered height to be 66in. from ground for ease of deployment. Front module headboard height to be reduced aprox. 12in. on an 80" high module or as applicable to hose load and module height if otherwise optioned.	\$1,548		
3136-0237	A 19" wide preconnect area shall be provided on the pump module to accomodate three (3) speedlay hosebeds. The lower area shall each have two (2) speedlays each with a capacity to hold 200` of 1.75" DJ fire hose double stacked. The upper area shall have one (1) speedlay with a capacity to hold 200` of 2.5" DJ fire hose triple stacked.	\$1,514		
3136-0238	Storage pan access lid(s) made from embossed diamond plate. The lid(s) shall be hinged outboard with two grab handles per lid and gas shock hold opens.	\$802		
3136-0239	Storage pan side access door(s) made from aluminum smooth plate (same finish as pump module). The door(s) shall be lift up style with push button latch(es) and gas shock hold opens.	\$525		
3136-0240	The pump module shall include (3) 1.5" speedlays and (1) 2.5" crosslay rearward of the stacked preconnect area.	\$1,706		
3136-0241	Crosslay(s) to be lowered per customer specific requirement.	\$296		

Item #	Description	Extension	+1/-1	Total
3136-0243	Crosslay single 10" wide single stack to hold up to 300' of 1.75" DJ or 250' of 2.5" DJ hose.	\$965		
3136-0244	The walls of top mount walk way tool storage compartments to have (2) additional louver patterns in rear wall of each compartment for a total of (3) each side IPO standard for additional ventilation.	\$212		
3136-0245	Crosslay triple 5.50/5.50/5.50" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and 150' to 200' of 2.5" DJ hose in rear lay.	\$1,514		
3136-0246	Maximum size brushed stainless steel fully removable bolt-on access panel shall be installed on the driver side of the pump enclosure, lower pump connection panel.	\$541		
3136-0247	The module design shall include a storage area rearward of the cross lays for (2) New York Hooks each 72" long. The storage area shall have an opening of approximately 20in. high x 5in. wide. The hooks shall be secured with 1/8in. (.125) aluminum treadplate vertical hinged doors on each end of the compartment with push button latches. There shall be a horizontal divider 8in. off storage compartment floor and the door shall be tied to door ajar.	\$1,219		
3136-0248	Crosslay triple 6.5/6.5/8" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and single stack to hold up to 200' of 3.0" DJ hose in rear lay.	\$1,514		
3136-0249	Booster Reel Riser for rollers. Locate with officer side dunnage pan rollers. Riser to have increased height to clear the top of the body.	\$200		
3136-0250	The upper pump module shall be extended to the full width(side to side) of the lower pump module.	\$1,095		
3136-0251	Crosslay double 7.5" wide forward and 10.5" wide rearward each with extra depth. Forward lay to hold up to 400' of 2.0" DJ hose and rearward lay to hold up to 400' of 2.5" DJ hose.	\$1,161		
3136-0252	Crosslay triple 5.50 / 5.50 / 5.50" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and 200' of 2.5" DJ hose in rear lay.	\$1,514		
3136-0253	Rollers, roller assemblies for enclosed vertical stacked speedlay beds. (1) each side in forward door opening.	\$1,203		
3136-0254	Divider in back board compartment located 3" from the front wall. Rearward of the divider a full height stop located 50" from the door opening on the officer side for a 1" x 17" high x 45" long airbag.	\$261		
3136-0255	Speedlay tray - Polypropylene - removable. Tray includes pull out relief grab handles each end in side walls or as applicable in place of dowels to facilitate lifting. The trays shall be made from Polypropylene, the floor of the tray shall be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$981		
3136-0256	The pump module shall include (2) 1.5" speedlays and (1) 2.5" speedlay preconnect area.	\$1,489		
3136-0257	The pump module shall include (3) 1.5" speedlays.	\$1,489		
3136-0258	Tool storage compartment doors in module to have D-ring style latches in place of standard.	\$0		
3136-0259	Pump module upper side panels shall be Flush smooth plate painted job color (dual tone as applicable)	\$1,000		
3136-0260	Air horn switch at officer side pump panel. Switch to be labeled "Evacuation Alert" with a 4" x 2.5" orange backing plate.	\$220		
3136-0261	Heat pan, stainless steel. The lower area of the pump compartment to have a four (4) sided stainless steel heat pan with two (2) removable (side to side) bottoms. Bottoms to be secured in the closed position with butterfly latches.	\$1,524		
3136-0262	The pump module shall include (2) 1.5" speedlays and (1) 2.5" crosslay.	\$1,489		
3136-0263	The pump module shall include (2) 1.5" speedlays.	\$1,489		
3136-0264	Crosslay quadruple 5.5/5.5/5.5/6 wide single stack to hold up to 200' of 1.75" DJ in the front two lays and up to 150' of 2.5" in the rear two lays. Rear crosslay is a dry lay.	\$1,989		
3136-0265	Speedlay double - double stack to hold up to 200' of 1.75" DJ hose each located in the forward area of the pump module. Above the speedlay will be an open storage area for customer supplied storage.	\$1,556		
3136-0266	Speedlay(s) to be lowered per customer specific requirement.	\$296		
3136-0267	The pump module shall include (1) 1.5" speed lay and (1) 2.5" speed lay.	\$1,489		
3136-0268	Booster Reel Riser for rollers. Locate with officer side reel rollers.	\$103		
3136-0269	The crosslay(s) shall be dry lay(s).	\$0		

Item #	Description	Extension	+1/-1	Total
3136-0270	Stokes basket storage compartment in pump module. Locate in forward upper area of module or as applicable per module layout. Includes vertical hinged diamond plate access door each side with applicable latch and shall be tied to door ajar system per NFPA. Must be located in a full body width section of the module as optioned separately.	\$1,188		
3136-0271	Aerial wireless control box 18W X 9H X 12D located on pump operator panel. Door to be tie into door ajar.	\$647		
3136-0272	Pike and Hook storage; (2) 6' pike poles and (2) 6' hooks stacked vertically inside an enclosed compartment rearward of crosslays, accessible from the officer side. Compartment full height and width (side to side) of the dunnage area, constructed of aluminum treadplate. Brushed stainless door with push button latch. Pikes/hooks secured with a pin style retainer.	\$1,110		
3136-0273	Radio box. Dimensions for the box are 10" wide x 4" high x 12" deep. Locate at the [#LOC].	\$748		
3136-0274	Top mount walkway shall be enclosed with hinged doors on each side of walkway entrance.	\$1,862		
3136-0275	Crosslay quadruple single stack. 4.25/4.25/4.25/5" wide single stack to hold up to 200' of 2.0" DJ (each) in front lays and 150' of 2.5" DJ hose in rear lay.	\$1,989		
3136-0276	Crosslay double stacked double lays to each hold 200' of 2" hose.	\$0		
3136-0277	Backboard storage; (1) industry standard backboard stored on edge inside an enclosed compartment rearward of crosslays, accessible from the officer side. Compartment full height and width (side to side) of the dunnage area, constructed of aluminum treadplate. Brushed stainless door with push button latch.	\$1,110		
3136-0278	Crosslay double 10/15" wide with extra depth. Front lay to be double stack and to hold up to 100' of 2.5" DJ along with 200' of 1.75" DJ and rear lay to be triple stack and to hold 200' of 2.5" DJ hose. Crosslay lowered height to be 66" from ground for ease of deployment.	\$1,548		
3136-0280	Pump module storage pan to be smooth plate.	\$872		
3136-0281	Transverse storage compartment in pump module. Locate rearward of crosslays and/or backboard storage if applicable. Includes fixed transverse partition centered in compartment, vertically hinged double pan diamond plate access door each side and sealed top to prevent moisture from entering.	\$1,657		
3136-0282	Compartments for TM walkway (PR). Includes embossed diamond plate lift-up walkway lids each side for access with butterfly style latch(es) for securing in the closed position and LED compartment light. Requires TM pump module with walkway.	\$850		
3136-0283	Pump module exterior platerwork to have swirl finish. Includes tool compartment access doors, front access panel, and upper panels on top mounts. Does not include walkway or walkway steps.	\$1,727		
3136-0284	The pump module shall include (2) 1.5" speedlays and (1) 1.5" crosslay.	\$1,489		
3136-0285	Aluminum treadplate removable enclosure for the DOT bottle storage in the pump module dunnage area.	\$1,254		
3136-0286	Pump module upper side panels shall be smooth plate painted job color (dual tone as applicable)	\$485		
3136-0287	Crosslay double, 7.75" wide and 10" wide, to hold up to 200' of: 2.0" DJ (front) and 2.5" DJ (rear).	\$854		
3136-0288	Crosslay triple 4.25/4.25/5" wide single stack, to hold up to 200' of 2.0" DJ in front (2) lays, and 200' of 2.5" DJ hose in single rear lay.	\$1,514		
3136-0289	Transverse compt with vertical centered divider forward over pump panel. Includes vertical hinged to the front dia plt door tied to door ajar on each end with gas shock, D-Ring latch and compartment light.	\$1,174		
3136-0290	Crosslay double 7.5" wide each to hold up to 250' of 1.75" DJ hose (each). For use with poly trays (not included) and total width of 15.25" wide crosslay area. No divider.	\$854		
3136-0291	Transverse storage compartment in pump module. Includes vertical hinged access door each side to match adjacent panels. Width and Height of side openings dependant upon available space. Includes composite floor overlay. To hold misc equipt (or) two (2) 6" x 72" long Hard Suction Hose.	\$1,296		
3136-0292	Crosslay triple 4.25/4.25/7.5". Forward two crosslays to be single stack to hold up to 200' of 2.0" DJ (each) and the rearward crossley to be double stack to hold a minimum of 250' of 2.0" DJ hose.	\$1,514		
3136-0293	The upper side panels of the SM pump module to be smooth plate painted Zolatone to match the lower pump panels	\$291		

Item #	Description	Extension	+1/-1	Total
3136-0294	Backboard storage compartment in pump module. Locate rearward of crosslays on SM and forward of crosslays on TM. Includes vertical hinged smooth plate access door each side painted Zolatone to match the lower pump panels. Backboard storage to be 10" wide.	\$1,479		
3136-0295	Momentary switch at pump panel. Switch to be labeled "Evacuation Alert". Location: Driver side pump panel.	\$162		
3136-0296	Divider (bolt in) to be located pump module dunnage pan to be fabricated from .188 smooth plate aluminum. Divider to surround deck gun and/or riser to segregate plumbing from remaining storage space in pan. Divider to be 4 in tall minimum or as applicable to surround deck gun with ample space to cycle deck gun.	\$122		
3136-0297	Microphone box. Dimensions for microphone box are 12" wide x 12" high x 12" deep. Locate at the driver side pump panel. The door of the microphone box shall have a hinge at the top and open in a lift up style with hold open device.	\$762		
3200-0027	E-One supplied/Van-Mor installed Swivel Pedestal Seat. Locate in cab command area in front of desk. If more then one seat offset them.	\$597		
3300-0007	Door single vertical hinged painted. Location(s): [#LOC]	\$853		
3300-0008	Door double vertical hinged painted. Location(s): [#LOC].	\$949		
3300-0009	Door single vertical hinged diamond plate. Location(s): [#LOC]	\$597		
3300-0010	Door double vertical hinged diamond plate. Location(s): [#LOC].	\$853		
3300-0011	Door single horizontal hinged lift-up box pan configuration painted. Location(s): [#LOC]	\$829		
3300-0012	Door single horizontal hinged lift-up box pan configuration diamond plate. Location(s): [#LOC]	\$643		
3300-0013	Door roll up short (up to 45") with satin finish POK. Location(s): [#LOC]	\$860		
3300-0014	Door roll up tall (greater than 45") with satin finish POK. Location(s): [#LOC]	\$1,229		
3300-0015	Door roll up short (up to 45") with painted finish POK. Location(s): [#LOC]	\$1,375		
3300-0016	Door roll up tall (greater than 45") with painted finish POK. Location(s): [#LOC]	\$1,741		
3300-0017	Door roll up short (up to 45") with satin finish ROM. Location(s): [#LOC].	\$956		
3300-0019	Door roll up tall (greater than 45") with satin finish ROM. Location(s): [#LOC].	\$1,364		
3300-0021	Door roll up short (up to 45") with painted finish ROM. Location(s): [#LOC].	\$1,620		
3300-0022	Door roll up tall (greater than 45") with painted finish ROM. Location(s): [#LOC].	\$2,028		
3300-0023	Door single stainless steel vertical hinged painted. Location(s): [#LOC]	\$1,067		
3300-0024	Door double stainless steel vertical hinged painted. Location(s): [#LOC]	\$1,090		
3300-0025	Door single horizontal hinged drop down painted. Location(s): [#LOC]. Door(s) will have chain hold open devices	\$685		
3300-0027	Door bi-fold horizontal hinged diamond plate. Location(s): [#LOC]. Includes upper door mounted guide roller assembly and the lower door will have chains for side or upper rear body mount or bumper style for lower rear body mounted.	\$949		
3300-0028	Door tri-fold vertical hinged diamond plate. Location(s): [#LOC]	\$1,290		
3300-0029	Door single stainless steel horizontal hinged lift-up painted. Location(s): [#LOC]	\$1,093		
3300-0030	Door double 3-point vertical hinged painted. Location(s): [#LOC]	\$1,891		
3300-0062	Keyed compartment door latch with #1250 key. Location(s): [#LOC].	\$91		
3300-0063	Keyed roll-up compartment door with #1250 key. Location(s): [#LOC].	\$161		
3300-0064	All apparatus doors, body and chassis, are to be keyed alike. Not avail on Commercial Chassis. Requires keyed latch option to be included in shop order.	\$353		
3300-0065	Electric lock for an ROM roll-up door (EA). The door to lock on both sides of compartment as applicable. Includes manual J236 key lock. Location(s): [#LOC]	\$702		
3300-0066	Drip pan for a ROM roll-up door (EA). Location(s): [#LOC].	\$193		
3300-0076	Door double 3-point vertical hinged painted. Location(s): [#LOC]	\$1,378		
3300-0078	Cleveland door springs provided for all vertical hinged body doors.	\$175		
3300-0080	Stainless steel interior body door overlay. Each hinged body door interior surface to have a stainless steel overlay. Overlay to fit around any surface mounted items on the door.	\$3,550		

Item #	Description	Extension	+1/-1	Total
3300-0081	Keyed compartment door latch (Best Lock). Location(s): [#LOC]	\$231		
3300-0082	Roll-up door a tall, 3' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,229		
3300-0083	Roll-up door a tall, 4' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,516		
3300-0084	Roll-up door a tall, 5' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,550		
3300-0085	Roll-up door a tall, 3' wide, ROM door. Painted job color. Locate in [#LOC].	\$1,548		
3300-0086	Roll-up door a tall, 4' wide, ROM door. Painted job color. Locate in [#LOC].	\$1,850		
3300-0087	Roll-up door a tall, 5' wide, ROM door. Painted job color. Located in [#LOC].	\$1,907		
3300-0088	Roll-up door over wheel well, 4' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,199		
3300-0089	Roll-up door over wheel well, 5' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,495		
3300-0090	Roll-up door over wheel well, 4' wide, ROM door. Painted job color. Locate in [#LOC].	\$1,231		
3300-0091	Roll-up door over wheel well, 5' wide, ROM door. Painted job color. Locate in [#LOC].	\$1,548		
3300-0092	Door double 3-point vertical hinged diamond plate. Location(s): [#LOC].	\$1,824		
3300-0093	Door double stainless steel vertical hinged un-painted. Location(s): B1. Includes D-Ring latch. Includes brushed stainless steel overlay to match center rear body.	\$1,202		
3300-0096	Keyed roll-up compartment door with #J236 key. Location(s): [#LOC]	\$161		
3300-0097	Keyed compartment door latch with #J236 key. Location(s): [#LOC]	\$91		
3300-0098	Roll-up door package Amdor. Includes (2) short satin roll-up doors and (4) tall satin roll-up doors. Door pennant plates to be mounted offset forward of the compartment for better contact of external door slats to header plate brush.	\$9,253		
3300-0099	Intergrated sill plate. Water Dam type door sill for ROM rollup door. Location(s):[#LOC]	\$165		
3300-0100	Cleveland door springs provided for vertical hinged body door(s). Locate [#LOC].	\$175		
3300-0102	Polished stainless steel interior body door overlay. Each hinged body door interior surface to have a polished stainless steel overlay. Overlay to fit around any surface mounted items on the door.	\$5,325		
3300-0103	Door double vertical hinged smooth plate sanded. Location(s): [#LOC].	\$949		
3300-0104	Keyed compartment Tri-Mark model 030-1300 door locking latch with (2) TM-700 keys. Location: [#LOC].	\$183		
3300-0105	Door roll up tall (greater than 45") with satin finish Amdor. Location(s): [#LOC].	\$1,781		
3300-0106	Door roll up short (up to 45") with satin finish Amdor. Location(s): [#LOC].	\$1,276		
3300-0107	Pull down straps for lift-up door. Loc: [#LOC].	\$120		
3300-0108	Rear body door(s) to be painted 767681 EG black.	\$0		
3300-0109	ROM Roll-Up Non Locking Doors (6).	\$5,066		
3300-0110	ROM Roll-Up Non Locking Door Satin, seven (7) door package.	\$5,908		
3300-0111	ROM Roll-Up Non Locking Doors for a 6x6 or 8x8 unit.	\$8,819		
3300-0113	ROM Roll-Up Non Locking Doors Satin (4)	\$3,379		
3300-0115	ROM roll-up non locking door package satin finish, five (5) door package.	\$4,223		
3300-0119	Door single vertical hinged smooth plate sanded. Location(s): [#LOC].	\$853		
3300-0120	Electric lock for a ROM roll-up door (EA). The door to lock on both sides of compartment as applicable. Includes manual 1250 key lock. Location(s): [#LOC]	\$702		
3300-0121	Door bi-fold horizontal hinged painted. Location(s): [#LOC]	\$1,051		
3300-0128	Electric locking D-Ring latch. Includes manual key override. Switch for door to be located below rear intermedite step. Switch to be located out of view while standing at rear of unit. Locate on B1.	\$458		
3300-0129	Door bi-fold horizontal hinged smooth plate sanded. Location(s): [#LOC].	\$1,031		
3300-0130	Door single horizontal hinged drop-down painted. Includes body mounted stops to support the door in the open position. Location(s): [#LOC].	\$685		
3300-0131	Door bi-fold horizontal hinged painted. Location(s): [#LOC]. Includes upper door mounted guide roller assembly and the lower door will have chains for side or upper rear body mount or bumper style for lower rear body mounted.	\$1,176		

Item #	Description	Extension	+1/-1	Total
3300-0132	Door to be notched for LDH hose. Notch on driver side to be approximately 5.75"W x 3.75"H and notch on officer side door to be approximately 10"W x 3.75"H. Location: B1 door.	\$341		
3300-0133	Door single horizontal hinged drop-down sanded smooth plate. Location(s): [#LOC].	\$543		
3300-0134	Door single horizontal hinged lift-up box pan configuration painted. Includes double D-rings due to width of the door. Location(s): [#LOC]	\$829		
3300-0135	Door double 3-point vertical hinged smooth plate sanded. Location(s): [#LOC].	\$1,891		
3300-0136	Gas spring(s) on the specified vert hinged compt door(s) to be mounted at the bottom of the door. Compt: [#LOC].	\$199		
3300-0137	Stainless steel interior door overlay for R2. Overlay to fit around any surface mounted items on the door.	\$791		
3300-0138	Keyed compartment door latch with #CH751 key. Location(s): [#LOC]	\$91		
3300-0139	Door double 3-point horizontal hinged painted. Location(s): [#LOC]. Lower door should act as an exterior writing surface, w/ adjustable angles. The paddle latch on the second door shall not protrude past the edge of the door.	\$1,891		
3300-0140	Door single horizontal hinged drop down diamond plate. Location(s): [#LOC].	\$515		
3300-0141	Tri-Mark door latch. Location(s): [#LOC].	\$92		
3300-0142	Stainless steel door single vertical hinged painted. Location(s): [#LOC].	\$853		
3300-0143	Stainless steel short doors double vertical hinged painted. Location(s): [#LOC].	\$949		
3300-0144	Stainless steel door horizontal hinged lift-up painted. Location(s): [#LOC].	\$829		
3300-0145	Stainless steel door single horizontal hinged drop-down, painted. Location(s): [#LOC].	\$685		
3300-0146	Stainless steel tall doors double 3-point vertical hinged painted. Location(s): [#LOC].	\$1,891		
3300-0147	Stainless steel short doors double 3-point vertical hinged painted. Location(s): [#LOC].	\$1,378		
3300-0148	Stainless steel door single vertical hinged brushed, unpainted. Location(s): [#LOC].	\$853		
3300-0149	Roll-up door a tall, 2.6' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,229		
3300-0150	Roll-up door a tall, 2.6' wide, ROM door. Painted job color. Locate in [#LOC].	\$1,548		
3300-0151	Drip pan with drain for a ROM roll-up door (EA). Location(s): [#LOC].	\$248		
3300-0152	Officer 1/2 side body satin finish roll-up door package. Includes header plate(s) and dust brush(es).	\$0		
3300-0153	Officer 3/4 side body satin finish roll-up/hinge door package. Includes header plate(s) and dust brush(es) and drop down diamond plate door over wheel well with bumper stops.	\$0		
3300-0154	Officer full height side body satin finish roll-up door package. Includes header plate(s) and dust brush(es).	\$0		
3300-0155	Driver full height side body satin finish roll-up door package. Includes header plate(s) and dust brush(es).	\$0		
3300-0156	Driver and Officer full height side body satin finish roll-up door package. Includes header plate(s) and dust brush(es).	\$0		
3300-0157	Driver full height side body painted hinged door package. Includes drip rail(s).	\$0		
3300-0158	Officer full height side body painted hinged door package. Includes drip rail(s).	\$0		
3300-0159	Officer 3/4 side body painted hinged door package. Includes drip rail(s).	\$0		
3300-0160	Officer 1/2 side body painted hinged door package. Includes drip rail(s).	\$0		
3300-0161	Driver and Officer full height side body painted hinged door package. Includes drip rail(s).	\$0		
3300-0162	Pair of single vertical hinged diamond plate doors. Location(s): Driver and Officer side of transverse module. Doors to be reverse hinged and are to have plunger style hold opens IPO shocks for max door opening width in the open position.	\$1,035		
3300-0163	Roll-up door a tall, 2' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,152		
3300-0164	Door double vertical hinged w/rotary latches - painted . Location(s): [#LOC]	\$949		
3300-0165	Door double vertical hinged w/rotary latches - smooth plate sanded. Location(s): [#LOC].	\$949		
3300-0166	Door double vertical hinged w/rotary latches - diamond plate. Location(s): [#LOC]	\$853		
3300-0167	Door double 3-point vertical hinged w/rotary latches - painted. Location(s): [#LOC]	\$1,891		
3300-0168	Door double 3-point vertical hinged w/rotary latches - painted. For use with compartments up to 50" high. Location(s): [#LOC].	\$1,378		

Item #	Description	Extension	+1/-1	Total
3300-0169	Door double 3-point vertical hinged w/rotary latches - smooth plate sanded. Location(s): [#LOC]	\$1,891		
3300-0170	Door double 3-point vertical hinged w/rotary latches - diamond plate. Location(s): [#LOC].	\$1,824		
3300-0171	Door double 3-point horizontal hinged w/rotary latches - painted. Location(s): [#LOC]. Upper door to lift-up. Lower door to drop down w/adjustable door stays for door to act as an exterior writing surface.	\$1,891		
3300-0172	Remove pull cord from each roll-up door.	\$0		
3300-0173	(2) rubber bumpers to be mounted to exterior of B2 drop down door. Bumpers to hold door off rear intermediate step.	\$0		
3300-0174	Keyed roll-up compartment door with #CH751 key. Location(s): [#LOC].	\$161		
3300-0175	Door roll up short (up to 45") with satin finish Gortite. Location(s): L2 and R2.	\$1,226		
3300-0176	Door roll up tall (greater to 45") with satin finish Gortite. Location(s): L1/R1/L3/R3 and B1.	\$1,435		
3300-0177	Door single horizontal hinged drop down painted. Door will have 2 D-ring handles. Location(s): [#LOC].	\$884		
3300-0178	Gas spring to be positioned to allow lift-up door to open 20 degrees past horizontal. Compt: R2	\$0		
3300-0179	Extend all compartment drains approx. 4" below compartment floor.	\$0		
3300-0180	Driver and Officer full height side body painted finish (job color) roll-up door package. Includes header plate(s) and dust brush(es).	\$3,989		
3300-0181	All side body compartment doors shall be lap style and feature a 12 gauge 304L stainless steel outer skin with a stainless steel full inner box pan. Each door shall have a full length 12 gauge polished stainless steel continuous hinge with a 1/4" stainless steel center pin. Hinge pins shall be tack welded at the end to eliminate hinge pin drift and shall be bolted to the body and to the door for easy replacement and adjustment and provided with extruded closed cell automotive type rubber moldings. The door latching mechanisms shall be dead bolt rod type Eberhard locking 206 bent D-ring handles and N.Y.P.D. style Medeco locks. The compartment door handles shall be attached to outer door panel with screws. In addition all exterior doors shall have stainless steel hasp installed to secure doors in case of door latching mechanism failure.	\$16,656		
3300-0182	Keyed compartment door latch with Medeco latch & key, One (1) extra key shipped loose	\$97		
3300-0183	Roll up doors shall include interior protection to shield the roll up door spool	\$79		
3300-0185	Door single horizontal hinged lift-up box pan configuration smooth plate and sanded. Location(s): [#LOC].	\$829		
3300-0186	Doors B1/B2 at rear of body to be diamond plate IPO standard. Without pump aerial body only.	\$142		
3300-0187	Gas spring to be positioned to allow vertical hinged door to open past 90 degrees. Compt: B1	\$0		
3300-0188	Drip pan (E-ONE style) for a roll-up door (EA). Location(s): [#LOC].	\$218		
3300-0189	Tri-Mark latches IPO quarter turn latches. Includes compartments: B1, B2 & ladder tunnel doors.	\$364		
3300-0191	First closed door of double door compartment to have top and bottom latches (Each).	\$268		
3300-0192	Polished stainless steel overlay on all double pan door's inner pan on body. 95 mid-mount aerial only. Overlay will be full height and should go around latch, gas shock castings and lock cover.	\$2,285		
3300-0193	Gas spring to be positioned to allow vertical hinged door to open past 90 degrees. Location [#LOC]	\$0		
3300-0194	Clear Mylar film abrasion protectors shall be furnished and installed on the exterior of the painted doors where latch handles can contact surfaces.	\$243		
3300-0195	Door roll up tall (greater than 45") with painted finish Amdor. Location(s):[#LOC].	\$2,416		
3300-0196	Door double vertical hinged painted, includes (2) gas shock-style hold-open device IPOS. Location(s): [#LOC].	\$1,023		
3300-0197	Door roll up short (up to 45") with painted finish Amdor. Location(s): [#LOC].	\$2,145		
3300-0198	Door single vertical hinged painted. (For use on products with integral driprail only) Location(s): [#LOC]	\$813		
3300-0199	Door single vertical hinged diamond plate. (For use on products with integral driprail only) Location(s): [#LOC]	\$558		
3300-0200	Door double vertical hinged w/rotary latches - painted. (For use on products with integral driprail only) Location(s): [#LOC]	\$891		
3300-0201	Door double vertical hinged w/rotary latches - diamond plate. (For use on products with integral driprail only) Location(s): [#LOC]	\$797		

Item #	Description	Extension	+1/-1	Total
3300-0202	Door single horizontal hinged drop-down sanded smooth plate. Location(s): [#LOC].	\$543		
3300-0203	Door to be notched for 4" LDH hose. Notch to be 8.5" W x 3.75" H. Location: top of B1 driver side door. This door is to be the "first opened" door as shown on drawing.	\$341		
3300-0204	Door to be notched for 5" LDH hose. Notch to be approximately 8"W x 2.5 "H. Location: top of B1 officer side door.	\$341		
3300-0205	3-Point latch double doors to have latch brackets installed with "PULL" tags.	\$669		
3300-0206	Additional roll up door stop latches shall be mounted for B1 at a raised location aligned with the bottom of the ladder tunnel. The raised latches/hooks shall not be included as part the door ajar circuit.	\$84		
3300-0207	Door bi-fold horizontal hinged smooth plate sanded. Location(s): [#LOC]. Includes upper door mounted guide roller assembly and the lower door will have chains for side or upper rear body mount or bumper style for lower rear body mounted.	\$1,155		
3300-0208	Roll-up door over wheel well, 39" wide, ROM door. Satin finish. Locate in [#LOC].	\$1,199		
3300-0209	Gas spring to be positioned to allow horizontal hinged door to open past 90 degrees. Location [#LOC]	\$0		
3300-0210	Door to be notched for 4" LDH hose. Notch to be 8.5" W x 3.75" H. Location: top of B1 officer side door. This door is to be the "first closed" door as shown on drawing.	\$341		
3300-0211	Door to be notched for 3" DJ hose. Notch to be 5" W x 1" H. Location: top of B2 officer side door. This door is to be the "first opened" door as shown on drawing.	\$341		
3300-0212	Keyed compartment Tri-Mark model 030-1300 door locking latch with (2) 1250 keys. Location: [#LOC].	\$183		
3300-0213	All side body compartment doors shall be lap style and feature a 12 gauge 304L stainless steel outer skin with a stainless steel full inner box pan. Each door shall have a full length 12 gauge polished stainless steel continuous hinge with a 1/4" stainless steel center pin. Hinge pins shall be tack welded at the end to eliminate hinge pin drift and shall be bolted to the body and to the door for easy replacement and adjustment and provided with extruded closed cell automotive type rubber moldings. The door latching mechanisms shall be dead bolt rod type Eberhard locking 206 bent D-ring handles and N.Y.P.D. style Medeco locks. The compartment door handles shall be attached to outer door panel with screws. In addition all exterior doors shall have a 4.5" high stainless steel hasp installed to secure doors in case of door latching mechanism failure. Stainless steel protector plate below latch to protect paint from key damage	\$16,609		
3300-0214	Stainless steel abrasion protectors shall be furnished and installed on the exterior of the painted doors where latch handles can contact surfaces.	\$237		
3300-0215	Additional roll up door stop latches (PR) shall be mounted at a raised location aligned with the reduced depth transition area. The raised latches/hooks shall not be included as part the door ajar circuit. Location(s): [#LOC].	\$84		
3300-0216	Door horizontally hinged without pan lift-up smooth plate sanded. Location: B2	\$544		
3300-0217	Door horizontally hinged without pan lift-up smooth plate sanded. Location. B3	\$544		
3300-0219	Install dealer supplied roll up doors. The roll up doors for location(s): [#LOC]. shall be dealer supplied. These door kit(s) as supplied will be complete and correct for compartment(s) specified. E-ONE manufacturing shall install these dealer supplied ROM roll up door(s).	\$267		
3300-0220	Reverse hinge single compartment door. Includes vertical mounted drip rail along forward area of compartment opening (in addition to the horizontal drip rail above the door opening). Location(s): [#LOC].	\$177		
3300-0221	Shallow pan single compartment door. Location(s): [#LOC].	\$0		
3300-0222	Double door to have latch handle extension installed on secondary door's interior latch with "PULL" tags. Location(s): [#LOC]	\$68		
3300-0223	Tri-Mark latches IPO quater turn latches. Location(s): ladder tunnel door(s).	\$183		
3300-0224	Pull down straps for ROM roll-up door ipo rope. Location(s): [#LOC].	\$40		
3300-0225	Door to be notched for 4" LDH hose. Notch to be 12" W x 8" H. Location: top of B1 officers side door. This door is to be the "first closed" door as shown on drawing.	\$323		
3300-0226	Drip pan diamond plate with end plates(E-ONE style) for a roll-up door with drain hose. Location(s): [#LOC].	\$387		



Item #	Description	Extension	+1/-1	Total
3300-0227	Compartment [#LOC] to not have a door. Department to provide equipment restrains as required.	\$0		
3300-0228	Door double 3-point vertical hinged w/rotary latches - painted. Location: [#LOC]. D-ring primary door located rearward ipo standard. Door double 3-point vertical hinged w/rotary latches - painted.	\$1,891		
3300-0229	Door to be notched for 4" LDH hose. Notch to be 8.5" W x 2.75" H. Location: top of B1 officer side door. This door is to be the "first closed" door as shown on drawing.	\$341		
3300-0230	Door to be notched for 4" LDH hose. Notch to be 10.25" W x 8" H. Location: top of B1 officers side door. This door is to be the "first closed" door as shown on drawing.	\$323		
3300-0231	Door roll up tall (greater to 45") with satin finish Gortite. Location(s):[#LOC].	\$1,435		
3300-0232	Stainless steel door horizontal hinged lift-up unpainted. Location: B2	\$762		
3300-0233	Drip pan (E-ONE stainless steel style) for a roll-up door (EA). Location(s): All (9) Amdor shutters.	\$2,482		
3300-0234	Door single vertical hinged painted EOD USAF. Location(s): [#LOC]	\$853		
3300-0235	Door single horizontal hinged drop down painted. EOD USAF. Location(s): [#LOC]. Door(s) will have chain hold open devices.	\$685		
3300-0236	Door double vertical hinged - painted. EOD USAF. Location(s): [#LOC]	\$949		
3300-0238	Door single horizontal hinged lift-up box pan configuration painted. EOD USAF. Location(s): [#LOC]	\$829		
3300-0239	Door single vertical hinged painted with the hinge reversed so the door opens opposite of standard. Location(s): [#LOC]	\$853		
3300-0240	Door to be notched for 4" LDH hose. Notch to be 8" W x 4" H. Location: top of B1 officers side door.	\$323		
3300-0241	Two (2) stainless steel entry doors shall be provided, one (1) each side of TME module. Each door shall contain (3) windows, (2) fixed and (1) sliding with screen.	\$6,130		
3300-0242	Compartment door L2/R2 & L6/R6 D-ring latch lowered to align with following door's D-ring latch.	\$459		
3300-0245	Roll-up door over wheel well, 4.5' wide, ROM door. Satin finish. Locate: 1 ea for L3/R3 & L4/R4.	\$1,504		
3300-0246	D-Ring latch to be on the rearward door of compartment L1. This door is to be the "first opened" door as shown on drawing.	\$0		
3300-0247	Door horizontally hinged without pan drop down smooth plate sanded. Single point D-Ring latch. Includes (2) hose notches on opening end. Left side notch for 5" LDH and right side for 3" DJ. Location: B2	\$603		
3300-0248	There shall be single piece compartment door drip rail provided over L1/L2, L5/L6, R1/R2 & R4/R5. Only available with (2) consecutive compartments with like doors.	\$229		
3300-0249	Unpainted lower ROM lift bar extrusion for use on painted roll-up door (EA).	\$0		
3300-0250	Move the door pull cord on each of the roll-up door(s) located over wheel well toward the forward area of each compartment.	\$0		
3300-0252	Stainless steel door single horizontal hinged drop-down, rests on body mounted rubber stops, painted. Location(s): [#LOC].	\$819		
3300-0253	Drip pan with end plates(E-ONE style) for a roll-up door with drain hose. Location(s): [#LOC].	\$387		
3300-0254	Roll-up door a tall, 6' wide, ROM door. Satin finish. Locate in [#LOC].	\$1,595		
3300-0255	Door double expanded metal (material aluminum) and vertically hinged. Includes bolt latch and door hold open device. Door to be located inside of body compartment and as close as possible behind exterior body compartment access door. Minimum depth behind expanded doors to be 24 inches. Finish: Sanded aluminum. Locate: R4: forward of partition.	\$1,064		
3300-0256	Increase in size of the stainless steel door hasp system footprint to include an area to hang a carabineer with a safety cable (included). NYPD only.	\$421		
3300-0257	Door roll up short (up to 45") with stainless steel door bar and painted finish ROM. Location(s): [#LOC].	\$1,662		
3300-0258	Door roll up tall (greater than 45") with stainless steel door bar and painted finish ROM. Location(s): [#LOC].	\$2,069		
3300-0259	Door roll up tall (greater than 45 in.) with painted finish Hansen. Location(s): [#LOC]	\$2,151		

Item #	Description	Extension	+1/-1	Total
3300-0260	Door roll up short (up to 45 in.) with painted finish Hansen. Location(s): [#LOC]	\$1,932		
3300-0261	Door roll up tall (greater than 45 in.) with satin finish Hansen. Location(s): [#LOC].	\$1,649		
3300-0262	Door double vertical hinged painted. Location: B1 Primary door with the D-ring latch shall be positioned to the driver side so the first compartment door can be opened on the primary side which the rear discharge positioned to the officer side on rear also in use on scene.	\$949		
3300-0263	Door roll up short (up to 45 in.) with satin finish Hansen. Location(s): [#LOC].	\$1,038		
3300-0264	Door double 3-point vertical hinged w/dual rotary latches. Note exterior D-Ring latches on primary and secondary doors.- painted. Location(s): [#LOC].	\$2,473		
3300-0265	Stainless steel tall doors double 3-point vertical hinged unpainted. Location(s): [#LOC].	\$1,388		
3300-0266	Door to be notched for 4" LDH hose. Notch to be 8.5" W x 3.75" H. Location: top of B1 officer side door. This door is to be the "first opened" door as shown on drawing.	\$341		
3300-0267	Roll-up door over wheel well, 4.5' wide, ROM door. Painted job color. Locate in [#LOC].	\$1,548		
3300-0268	Door chain hold open device to be covered with clear flexible tubing. Location: All exterior body compartment doors as required.	\$0		
3300-0269	All side body double exterior doors shall have a 4.5" high stainless steel hasp installed to secure doors in case of door latching mechanism failure. This shall include an area to hang a carabineer with a safety cable (included).	\$603		
3300-0270	Stainless steel lift bar upgrade ROM roll-up door (EA).	\$57		
3300-0271	Door roll up short (up to 45") with painted finish ROM. Location(s): B1. SPECIAL PAINT INSTRUCTION: This door will be painted job color RED.	\$1,620		
3300-0272	Door to be notched for 3" DJ hose. Notch to be 8.5" W x 3.75" H. Location: top of B1 officer side door.	\$341		
3300-0273	Tri-Mark door latch IPO standard quarter turn latch. Location(s): [#LOC].	\$92		
3300-0274	Additional roll up door stop latches (PR) shall be mounted at a raised location aligned just above the dump. The raised latches/hooks shall not be included as part the door ajar circuit. Location(s): just above the dump for the door to be at the top of the dump.	\$84		
3300-0275	Roll-up door. A 2' wide locking ROM door shall be provided. Satin finish. Locate: Inside walk in body on driver side rear most cabinet.	\$1,369		
3300-0276	All vertical rear panel body storage compartments and tunnels with hinged doors greater than 1 sq. ft. shall have D-Ring latches in place of thumb latches .	\$0		
3300-0277	The tracks on the roll up door(s) to be satin finish.	\$0		
3300-0278	Doors. Vertically hinged double door with expanded metal (aluminum). Includes bolt latch and door check. Door to be located inside of body compartment and as close as possible behind exterior body compartment access door. Minimum depth behind expanded doors to be 24 inches. Finish: Sanded aluminum. Locate: [#LOC]	\$1,744		
3300-0279	Intergrated sill plate. Water Dam type door sill for Amdor rollup door. Location(s): [#LOC]	\$165		
3300-0280	ROM Generation IV upgrade for the rear body compartment doors.	\$0		
3300-0281	Keyed compartment Tri-Mark model 030-1300 door locking latch with (2) 1250 keys. Powered coated black. Location(s): [#LOC].	\$205		
3300-0282	Wetside stainless steel double short doors 3-point vertical hinged painted. Location(s): [#LOC].	\$1,467		
3300-0283	Wetside stainless steel single short door vertical hinged painted. Location(s): [#LOC].	\$978		
3300-0284	Wetside stainless steel door single horizontal hinged drop-down, rests on body mounted rubber stops, painted. Location(s): [#LOC].For tankers with triple dump in L2/R2 compartments	\$819		
3300-0285	Door double 3-point vertical hinged w/rotary latches. Door to be inside of walk in body to provide for access to exterior body compartment. Finish is diamond plate. Location(s): [#LOC]	\$1,460		
3305-0000	Diamond plate generator cover.	\$1,150		
3305-0001	Hosebed cover aluminum (2) piece with recessed handles, SideStacker. Note: This option effects hose bed capacity.	\$2,163		

Item #	Description	Extension	+1/-1	Total
3305-0002	Bi-Fold diamond plate cover for the crosslay area. Includes applicable grab handles and (2) hold downs.	\$1,007		
3305-0003	Single diamond plate cover for the crosslay area. Includes applicable grab handle(s) and (2) hold downs.	\$682		
3305-0004	Crosslay cover to be hinged forward.	\$0		
3305-0005	Crosslay cover to be hinged rearward.	\$0		
3305-0006	All hand rails (as applicable) are to have a rubber insert. Includes cab (N/A on commercial chassis), pump module and body.	\$2,035		
3305-0007	Vinyl [#COL] hose bed cover with attached rear flap(s).	\$982		
3305-0008	Vinyl [#COL] crosslay cover with attached side flaps.	\$346		
3305-0010	Compartment underbody. Includes drop down front door with push-button latches. Locate [#LOC].	\$1,421		
3305-0011	(2) piece aluminum hose bed cover with smooth bottom plate. Includes center hose bed divider with notched rear (as applicable), fill tower(s) access door(s) with handles (as applicable), gas shocks, positive hold opens/hold closed at rear, (2) grab handles front and (2) hand rails rear.	\$3,791		
3305-0012	(4) piece aluminum hosebed cover. Includes center hosebed divider with notched rear, fill tower(s) access door(s) with handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover.	\$6,767		
3305-0013	(2) piece aluminum hosebed cover. Includes dividerless cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at the rear, (2) grab handles (fwd) and (2) handrails (rear).	\$3,917		
3305-0014	(4) piece aluminum hosebed cover. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails rear of each cover.	\$7,112		
3305-0015	Vinyl [#COL] speedlay front cover.	\$272		
3305-0016	Vinyl [#COL] speedlay side covers.	\$230		
3305-0017	Nylon black strap on running board suction tray (EA). Location: [#LOC].	\$91		
3305-0021	Vinyl [#COL] hose bed cover with side bungee cords and attached rear flap(s).	\$1,366		
3305-0022	Vinyl rear cover for diamond plate hose bed cover. Color: [#COL].	\$305		
3305-0023	Nylon black cargo net at rear of diamond plate or vinyl hose bed cover or similar.	\$640		
3305-0024	Vinyl [#COL] side covers for diamond plate crosslay cover.	\$216		
3305-0025	Nylon black cargo net on sides for crosslay cover.	\$255		
3305-0026	Nylon black cargo net on front of speedlay.	\$404		
3305-0027	Nylon black cargo net on sides of speedlay.	\$297		
3305-0028	Vinyl [#COL] cover for running board suction tray. Location: [#LOC].	\$216		
3305-0029	Nylon black strap on running board suction tray (EA). For use with rolled hose. Location: [#LOC]	\$104		
3305-0031	(4) piece aluminum low profile dividerless hosebed cover. The hosebed cover to include gas shocks, low pro-file positive hold opens at rear, (2) grab handles- frt and (2) handrails -rear.	\$5,271		
3305-0032	Cover for side ladder tunnel. To include mounting bracket over upper ladders in pump module and black vinyl cover. Cover to be removable for access to pump area.	\$460		
3305-0033	Vinyl access cover for fill tower(s).	\$227		
3305-0034	Vinyl [#COL] hose bed cover without attached rear flap(s). Requires rear cover option.	\$832		
3305-0035	Diamond plate hosebed deflector. Located at front of hosebed area with angled front edge. To be hinged along forward edge with "T" style hold-downs. To cover all fill towers. The NFPA hosebed light (as applicable) to be located on trailing edge.	\$580		
3305-0036	TM control panel [#COL] vinyl cover. Includes lower twist locks and velcro front, side and top securing.	\$454		
3305-0037	Diamond plate generator cover with expanded metal on top and all (4) sides.	\$1,150		
3305-0038	Vinyl [#COL] crosslay cover top only.	\$293		

Item #	Description	Extension	+1/-1	Total
3305-0039	Diamond plate speedlay cover. Includes fixed rear portion on rear of module (over backboard storage area, if applicable) and hold-open with grab handles on forward area.	\$740		
3305-0040	Nylon black strap with clip release on running board suction tray (EA). Location: [#LOC]	\$162		
3305-0041	Vinyl [#COL] hosebed cover with side twist locks and bungee cord attached rear flap(s).	\$1,366		
3305-0042	Vinyl Red cover for officer side compartment top boxes. Includes snaps on hosebed side and velcro on the sides and outboard edge for securing. Includes notch for overhead ladder rack.	\$454		
3305-0043	Vinyl Red cover for driver side compartment top box. Includes snaps on hosebed side and velcro on the sides and outboard edge for securing.	\$454		
3305-0044	Hinged bustin grating cover each side of dunnage pan. Includes permanent mount bustin grating cover over center of dunnage pan. Diamond plate cover to be attached over officer side mounted bustin grating.	\$1,197		
3305-0045	Diamond Plate Storage Pan Cover. Includes (1) grab handle and (2) hold downs. Hinge to the front of the storage pan.	\$953		
3305-0046	Diamond Plate Battery Cover. Includes grab handle and hold downs. Hinge to the front of the storage pan. Includes divider wall to isolate batteries in pan.	\$356		
3305-0047	Cover aluminum/vinyl Bronto. Aluminum cover from above front of R5 compt back to slope, vinyl following contour and back, aluminum rear above R9. Note: This option effects hosebed capacity. Vinyl color: [#COL]	\$1,750		
3305-0048	Diamond plate cord reel cover. Includes hinged forward top door with grab handle and hold downs	\$709		
3305-0049	(4) piece aluminum low profile hosebed cover. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, low profile positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails rear of each cover.	\$7,173		
3305-0050	Hosebed cover fill tower support brackets. Includes two (2) "C" shaped plates mounted to the hosebed on either side of the fill tower. Plates are to be as high as the hosebed sides. Includes adding of twist locks to each corner of the hosebed cover tower flap (in addition to the velcro already provided).	\$530		
3305-0051	Diamond Plate Battery Cover. Includes grab handle and hold downs. Hinge to the officer side of the storage pan. Includes divider wall to isolate batteries in pan.	\$356		
3305-0052	Vinyl [#COL] hose bed cover with side snaps and bungee cord attached rear flap(s).	\$1,366		
3305-0053	Diamond plate cover for the dunnage pan area. Includes permanently mounted panel under ladder rack and hinged panel over remaining pan. Includes (2) butterfly latches to hold closed. Hinge to the rear of dunnage pan.	\$841		
3305-0054	(3) piece aluminum hosebed cover. Includes cover divider/walkway partition divider and (3) sized as required covers, main positive hold open/closed bracket to forward area of hosebed and remaining middle and rear covers to be pinable, fill tower(s) access door(s) and handles (as applicable), (1) gas shock, each cover to have (2) grab handles located on the inboard side (accessible from the walkway) and a nylon strap attached to each cover for easier closing (attach strap to cover divider so it can be reached at any time while the cover is open) (accessible from the walkway).	\$6,154		
3305-0055	Diamond plate battery cover to protect batteries. Cover includes louvers. Location: [#LOC].	\$226		
3305-0056	(2) piece aluminum hosebed cover. Includes center hosebed divider with notched rear, gas shocks, positive hold opens/hold closed at rear, (2) grab handles- frt and (2) handrails -rear.	\$3,123		
3305-0057	ROM roll-up hose bed cover with satin finish. Includes a momentary switch located [#LOC] and to be easily accessible from the ground. Includes enclosing the operator housing.	\$7,465		
3305-0058	Nylon black cargo cover for running board suction tray. Location: [#LOC].	\$404		
3305-0059	Customer supplied material for covers. Vinyl Lime Green hosebed cover with attached rear flap and crosslay cover with attached side flaps.	\$1,650		
3305-0060	Diamond plate cover for running board suction tray(s). Includes push-button latches and gator grip. Location(s): [#LOC].	\$428		
3305-0061	Vinyl black hose bed covers with side twist locks and bungee cord attached rear flap(s). Hose bed to have (1) cover each side of hose bed walkway twist-locks down each side and top of covers.	\$2,730		
3305-0062	Hosebed cover aluminum (1) piece with recessed handles, SideStacker. Note: This option effects hose bed capacity.	\$1,509		

Item #	Description	Extension	+1/-1	Total
3305-0063	Diamond plate cover(s) to protect cascade system valves and fittings located in the upper open storage area.	\$656		
3305-0064	Nylon black strap with aluminum quick-release buckle for hose tray. Strap to attach to side walls of tray down low as applicable. Location: [#LOC].	\$133		
3305-0065	Compartment underbody with slide-out tray. Includes drop down front door with D-ring latch(es). [#LOC]	\$2,523		
3305-0066	Vinyl cover for front headboard opening. Cover to be black with twist locks in the corners and snaps on the sides	\$293		
3305-0067	Vinyl cover for open storage area. Color: [#COL]	\$832		
3305-0068	Vinyl [#COL] hosebed cover with attached rear flap(s). Cover to have snaps and velcro along front (no awning attachment) and sides. No twist locks. The rear bungees to be tie-in versus sown (use ilets sized to secure a looped and tied bungee). Bungee to be easily removed and replaced (by fire department) in field.	\$1,663		
3305-0069	Diamond plate speedlay cover. Includes fixed rear portion on rear of module (over backboard storage area, if applicable) and hold-open with grab handles on rearward area.	\$740		
3305-0070	Diamond plate portable pump cover.	\$1,401		
3305-0071	(4) piece aluminum hosebed cover. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails rear of each cover. For use with Rear Mount Pumper.	\$7,237		
3305-0072	Hosebed and/or crosslay covers to be dealer/customer provided and installed. Covers to meet current NFPA standard for top and side/end to prevent un-intentional deployment of hose.	\$0		
3305-0073	Vinyl crosslay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Red.	\$0		
3305-0074	Additional reflective white strip to be sewn centered on nylon black strap for running board tray(s).	\$76		
3305-0075	Vinyl crosslay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Black	\$0		
3305-0076	The mechanical attachments of the side crosslay and rear hosebed covers to be small clip (black) IPO bungees.	\$456		
3305-0077	The grab handles on the bi-fold crosslay cover to be mounted to the inboard door (main door hinged to the pump module).	\$0		
3305-0078	Vinyl [#COL] hosebed cover with attached rear flap(s). Includes mechanical attachments at the forward body, the four corners of the main and rear body/pump module and velcro along the sides.	\$1,202		
3305-0079	Vinyl [#COL] hosebed cover with attached rear flap(s). Includes mechanical attachments at the forward body, the four corners of the main and rear body/pump module and velcro along the sides.	\$1,563		
3305-0080	Diamond plate cover for running board suction tray(s). Includes push-button latches and gator grip. Includes cords to prevent covers from dropping to the ground when removed. Location(s): [#LOC].	\$472		
3305-0081	NFPA hosebed cover to be installed after production due to customer requirements for style of mounting (bungee hold-downs). Details available with contract administrator.	\$0		
3305-0082	(4) piece aluminum hose bed cover. Includes center hose bed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) hand rails on rear cover. A landing platform (sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$3,537		
3305-0083	(4) piece aluminum hose bed cover. Includes dividerless cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) hand rails on rear cover. A landing platform (sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$4,831		

Item #	Description	Extension	+1/-1	Total
3305-0084	(4) piece aluminum hosebed cover. Includes center hosebed divider with notched rear, (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. A landing platform (sized and positioned as required with overall rearend configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hosebed cover operations.	\$4,347		
3305-0085	Aluminum hosebed cover to have "T" style push button pins.	\$0		
3305-0086	(4) piece aluminum hosebed cover for use with rear mount body. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. A landing platform (sized and positioned as required with overall rearend configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hosebed cover operations.	\$3,885		
3305-0087	(4) piece aluminum hosebed cover for use with rear mount body. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (4) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. A landing platform (sized and positioned as required with overall rearend configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hosebed cover operations.	\$5,768		
3305-0088	(4) piece aluminum hosebed cover with smooth bottom plate. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover.	\$5,081		
3305-0089	(4) piece aluminum hose bed cover with smooth bottom plate. Includes dividerless cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) hand rails on rear cover.	\$4,878		
3305-0090	The driver side rearward area of the hosebed cover to be notched for access/mounting of deck gun. Rear endflap to run full width of rear hosebed opening.	\$0		
3305-0091	Additional (2) gas shocks at the rear of the hosebed cover.	\$138		
3305-0092	Additional positive hold-opens/hold-closed at the front of the hosebed cover. Requires front compartment face folding steps to access pins.	\$339		
3305-0093	Vinyl fire retardent [#COL] hosebed cover with twist locks fasteners and bungee cord attached rear flap(s).	\$1,584		
3305-0094	Fire Retardent Vinyl [#COL] crosslay cover with attached side flaps.	\$687		
3305-0095	Booster Reel Cover. Cover to have roll-top access door with handle and held close with rubber latch.	\$1,993		
3305-0096	Cover for compartment mounted DEF tank. Includes hinged fill access door. Material and finish to match compartment walls.	\$0		
3305-0097	(4) piece aluminum hosebed cover. Includes center hosebed divider with notched rear, (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. The enhanced extended landing area(s) will be used to assist with hosebed cover operations. For use with Enhanced Extended Rescue Pumper only.	\$4,224		
3305-0098	Cover plate for the DEF tank in forward area of the R1 compartment. Material and finish to match compartment walls.	\$0		
3305-0099	Bolt-on aluminum cover for ladder tunnel. To include mounting bracket mounted to underside of dunnage storage pan and or other module/body components. Cover to be removable for access to ladder tunnel area.	\$772		
3305-0100	The rearward hosebed cover flap to be notched for access of backboard storage box.	\$0		
3305-0101	(4) piece aluminum hosebed cover. Includes center hosebed divider with notched rear, fill tower(s) access door(s) with handles (as applicable), (4) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. Includes center bracing between forward and rearward covers for mounting of gas shocks for rearward covers.	\$3,792		

Item #	Description	Extension	+1/-1	Total
3305-0102	Heavy duty Vinyl Black wheel well cover located in compartments L2 and R2. Cover to be full width drop down protector to prevent damage to painted surfaces below the wheel well compartments.	\$687		
3305-0103	Red vinyl hose bed cover with fill tower access flap. Includes fixed forward attachment with velcro sides with mechanical ends and end flap with manually released attachments.	\$0		
3305-0104	Red vinyl crosslay cover. Includes mechanical upper ends and endflaps with manually released attachments.	\$0		
3305-0105	Red vinyl speedlay covers. Includes (2) single piece covers (1 each side) with mechanical upper ends and lower manually released attachments. Walkway to have (2) covers with mechanical ends and center attachments.	\$0		
3305-0106	Black vinyl hose bed cover with fill tower access flap. Includes fixed forward attachment with velcro sides with mechanical ends and end flap with manually released attachments.	\$0		
3305-0107	Red vinyl hose bed cover with fill tower access flap. Includes fixed forward attachment with velcro sides with mechanical ends and end flap with manually released attachments.	\$0		
3305-0108	Black vinyl hose bed cover with fill tower access flap. Includes fixed forward attachment with velcro sides with mechanical ends and end flap with manually released attachments.	\$0		
3305-0109	Red vinyl hose bed cover. Includes fixed forward attachment with velcro sides with mechanical ends and end flap with manually released attachments. For use with hosebed storage pan option.	\$0		
3305-0110	Black vinyl hose bed cover. Includes fixed forward attachment with velcro sides with mechanical ends and end flap with manually released attachments. For use with hosebed storage pan option.	\$0		
3305-0111	Red vinyl hose bed cover. Includes fixed forward attachment with side bungees and end flap with manually released attachments. For use with hosebed storage pan option.	\$667		
3305-0112	Vinyl crosslay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Red	\$0		
3305-0113	Vinyl double speedlay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Red	\$0		
3305-0114	Vinyl double crosslay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Black	\$0		
3305-0115	Vinyl double speedlay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Black	\$0		
3305-0116	Aluminum double crosslay cover with side vinyl flaps. Crosslay cover to be hinged rearward. Includes grab handle(s), (2) hold downs and quick release side flap hold downs. Side flap covers color: Red	\$659		
3305-0117	(2) piece aluminum hosebed cover. Includes open area to driver side for access to tower(s) (as applicable), center hosebed divider with notched rear, gas shocks, positive hold opens/hold closed at rear, (2) grab handles- frt and (2) handrails -rear, (2) red vinyl end flaps with manual releases.	\$6,654		
3305-0118	Vinyl [#COL] [#LOC] storage tunnel front cover.	\$272		
3305-0119	Hold open device(s) for aluminum crosslay (single or bi-fold) cover. Locate as required based off options on module.	\$0		
3305-0120	Vinyl crosslay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Red. For use with DSD pump applications.	\$0		
3305-0121	Vinyl crosslay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Black. For use with DSD pump applications.	\$0		
3305-0122	Vinyl [#COL] upper hose storage cover with attached rear flap located above the ladder tunnel.	\$346		
3305-0123	Powered (2) piece aluminum hose bed cover. Includes center hose bed divider with notched rear, fill tower(s) access door(s) with handles (as applicable), (2) electric actuators, (2) grab handles forward area of cover with (2) hand rails on rearward area of cover. Partition at front of hose bed to cover electric actuators (approx 4" loss in hose bed length). Includes controls, through VMUX system (if so equipped): (2) momentary controls - (1) left cover and (1) right cover.	\$6,891		
3305-0124	Vinyl [#COL] crosslay cover with attached side flaps. Cover to have velcro on the top IPO snaps.	\$346		

Item #	Description	Extension	+1/-1	Total
3305-0125	(2) piece aluminum hose bed cover. Includes center hose bed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at rear, (2) grab handles on fwd area of cover with (2) hand rails on rear of cover. A landing platform (sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$3,537		
3305-0126	Red vinyl hose bed cover with fill tower access flap for three fill towers. Includes fixed forward attachment with velcro sides with mechanical ends and end flap with manually released attachments.	\$0		
3305-0127	The crosslay cover grab handle to be mounted centered on rear cover.	\$0		
3305-0128	Vinyl rear cover for diamond plate hosebed cover. Cover to be attached with snaps. Color: [#COL].	\$429		
3305-0129	Nylon black strap with airline style aluminum quick release buckle (each) for hose bed hose retention at rear. If hose bed divider is supplied there shall be a set on either side of divider to maintain tension on hose without interference of divider (if applicable).	\$383		
3305-0130	Vinyl [#COL] crosslay cover with attached side flaps. Cover to have snaps and velcro on the top. No twist locks. The side bungees to be tie-in versus sown (use ilets sized to secure a looped and tied bungee). Bungee to be easily removed and replaced (by fire department) in field.	\$585		
3305-0131	SS underbody compartment with slide-out tray [#LOC]. Includes SS access door with bent D-ring latch.	\$3,001		
3305-0132	SS underbody compartment. Includes drop-down front door with D-ring latch. Locate [#LOC].	\$2,252		
3305-0133	NFPA Hosebed cover to be dealer supplied and installed.	\$0		
3305-0135	Cargo Net Cover for R2 rear of the divider. Cargo netting will be 2"x2" squares.	\$940		
3305-0136	(2) piece aluminum hosebed cover. Includes center hosebed divider with NO notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at rear, (2) grab handles on fwd area of cover with (2) handrails on rear of cover. A FULL width step (sized and positioned as required with overall rearend configuration) with embossed diamond plate surface will be located at the upper rear of the apparatus to assist with hosebed cover/hose loading operations.	\$4,189		
3305-0137	Powered (2) piece aluminum hosebed cover. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) electric actuators, (2) grab handles forward area of cover with (2) handrails on rearward area of cover. Partition at front of hosebed to cover electric actuators (approx 4" loss in hosebed length). Includes control panel on officer side rear compartment face with (3) momentary switches: (1) master on/off, (1) left cover and (1) right cover.	\$8,082		
3305-0138	Stokes Basket storage box. Located on top of the driver side hosebed cover. To hold (1) stokes basket with access from a horizontally hinged lift-up diamond plate door with a push-button latch.	\$992		
3305-0140	Split style diamond plate hosebed cover. Covers to be low profile and light weight with cross support structure on underside. Covers to lay flat and stow against center hosebed storage box. Includes low profile hold-open and chrome grab handles at the front and rear (no stanchion type handrails to be used).	\$2,166		
3305-0141	Diamond plate hosebed deflector located at front of hosebed area with angled front edge. To be hinged along forward edge with "T" style hold-downs.	\$552		
3305-0142	Vinyl red side covers for diamond plate crosslay cover. Covers to attach to the DP cover with snaps. The lower corners to have bungee cords. Cords are to be tie-in versus sown. Flaps to have eyelets sized to secure individual looped and tied bungees. Cords to be easily removed and replaced (by fire department) in field.	\$353		
3305-0143	Vinyl rear cover for diamond plate hosebed cover. Cover to attach to the DP cover with snaps. The lower edge to have bungee cords. Cords are to be tie-in versus sown. Flap to have eyelets sized to secure individual looped and tied bungees. Cords to be easily removed and replaced (by fire department) in field. Color: Red	\$447		



Item #	Description	Extension	+1/-1	Total
3305-0144	(4) piece aluminum hosebed cover. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (8) handrails - (4) forward cover and (4) rearward cover. The enhanced extended landing area(s) will be used to assist with hosebed cover operations. For use with Enhanced Extended Rescue Pumper only.	\$3,839		
3305-0145	Zico ladder control switching wiring cover.	\$131		
3305-0146	Door ajar switch guard. For use with diamond plate hosebed covers.	\$0		
3305-0147	Nylon yellow strap with aluminum quick-release buckle for hose tray. Strap to attach to side walls of tray down low as applicable. Location: [#LOC].	\$133		
3305-0148	Cover for generator in hosebed storage pan. For max air flow and protection of main generator the side to be open and the upper flat surface to be bustin grating. Cover to be to officer side and hinged forward with gas shock and mechanical hold-downs. Hydraulic connections next to main generator to have a removable diamond plate cover.	\$828		
3305-0149	Nylon yellow cargo net on sides for crosslay cover. Cover to have snaps in place of bungees.	\$359		
3305-0150	Nylon yellow cargo net at rear of diamond plate or vinyl hosebed cover. Cover to have snaps in place of bungees	\$685		
3305-0151	2-piece aluminum hose bed cover, fill tower(s) access door(s) and handles (as applicable), positive hold opens/hold closed, (2) hand rails rear, Wildland	\$3,941		
3305-0152	Vinyl speedlay cover. For use with individual preconnect module with side by side storage. Includes mechanical hold-downs on top outer corners and quick-release side flap hold downs. Cover color: [#COL].	\$400		
3305-0153	A cover will be located over the generator in the pan. Cover will allow air flow while keeping the generator from sitting in the direct weather. Cover will have mesh on all 4 sides welded to Dia Plate.	\$1,408		
3305-0154	Single diamond plate hinged cover on top w/hinged stainless steel side panels for the crosslay area. Includes center grab handle. Liftup hinged side panels hinged across the top on each end, with gasket around sides and bottom. Includes center grab handle above rubber hood latch located at lower center of side panels to hold closed.	\$1,525		
3305-0155	Vertically hinged aluminum plate door includes gasket around side and bottom and latch at rear of body over hose chute for diamond plate hosebed cover. Door to match rear body finish.	\$479		
3305-0156	One piece vinyl cover for driver's side upper control & lower pump panel opening. RLP application only. Top of vinyl cover outboard corners to have twist locks with velcro around permieter and weighted lower bottom. Color to be Red.	\$604		
3305-0157	Nylon yellow cargo net on sides of speedlay. Covers to have snaps in place of bungees.	\$346		
3305-0158	Diamond Plate Booster Reel Cover. Includes (1) grab handle and (2) hold downs. Hinge towards the front of the storage pan. Includes partitions located around booster reel.	\$1,730		
3305-0159	Hosebed cover hold open devices to be thru bolted on side of 3x3 hosebed side extrusions	\$133		
3305-0160	Vinyl red utility bed cover with attached rear flap(s). Rear flap will have velcro to attach it to the top cover.	\$982		
3305-0161	Embossed diamond plate cover over generator fuel tank.	\$0		
3305-0162	Vinyl flaps for diamond plate crosslay and hose bed covers. Color: [#COL].	\$0		
3305-0163	Powered (2) piece aluminum hosebed cover with smooth bottom plate. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) electric actuators, (2) grab handles forward area of cover with (2) handrails on rearward area of cover. Partition at front of hosebed to cover electric actuators (approx 4" loss in hosebed length). Includes control panel on driver side rear body with (3) momentary switches: (1) master on/off, (1) left cover and (1) right cover.	\$6,890		
3305-0164	Nylon black cargo net hosebed cover with attached rear flap(s).	\$1,277		
3305-0165	Aluminum plate rear cover for diamond plate hosebed cover. Drop down with gasket along sides and top. Includes 1/4 turn D-Ring latch. Hose bed aluminum cover shall be provided with an extrusion at rear of cover for door's top gasket to seal against when door is closed. Door to match rear body finish. Note: on HP75/78 SideStacker, when door is open adjacent doors must be closed.	\$573		

Item #	Description	Extension	+1/-1	Total
3305-0166	Nylon black strap with aluminum quick-release buckle for hose tray. Strap to attach to side walls of tray down low as applicable. For use with rolled hose. Location: [#LOC].	\$145		
3305-0167	Vinyl rear cover for diamond plate cover on pre-connect tray. Color: [#COL]	\$110		
3305-0168	Vinyl [#COL] hose bed cover with side bungee cords without attached rear flap(s). Requires rear cover option.	\$1,217		
3305-0169	Diamond plate cover for the dunnage pan area. Includes (2) butterfly latches to hold closed. Hinge to the rear of dunnage pan.	\$841		
3305-0170	Spring hold down for hose tray. Spring to attach to side wall of tray with scuff plate on pump panel. Location: [#LOC].	\$175		
3305-0171	Diamond plate speedlay cover (3/16" diamond plate). Includes fixed rear portion on rear of module (over backboard storage area, if applicable) and hold-open with grab handles on rearward area.	\$773		
3305-0172	Diamond plate booster reel cover with open sides for hose deployment.	\$1,025		
3305-0173	Cargo Net for inside R3 compartment for containing cribbing in compartment when door is opened. Net to permanently fasten on rearward wall just inside door opening and fasten with twist locks on forward wall just inside door opening. Cargo netting will be 3"x3" squares. See photo in shop order file.	\$940		
3305-0174	Single diamond plate cover for the crosslay area. Includes applicable grab handle(s) and (2) hold downs. Cover to be embossed diamond plate.	\$751		
3305-0175	Vinyl fire retardent [#COL] hose bed cover with attached rear flap(s).	\$1,227		
3305-0176	Vinyl fire retardent [#COL] side covers for diamond plate crosslay cover.	\$271		
3305-0177	Vinyl fire retardent [#COL] cover for running board suction tray. Location: [#LOC].	\$271		
3305-0178	One piece vinyl fire retardent cover for top mount pump panel opening. Top of vinyl fire retardent cover outboard corners to have twist locks with velcro around perimetier. Color to be [#COL].	\$945		
3305-0179	(2) piece aluminum hosebed cover. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at rear, (2) grab handles on fwd area of cover with (2) handrails on rear of cover. A landing platform (sized and positioned as required with overall rearend configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hosebed cover operations.	\$4,485		
3305-0180	Vinyl [#COL] hose bed cover with side bungee cords and attached rear flap(s). Includes large pull tabs to ease securing cover while wearing gloves.	\$1,491		
3305-0181	Vinyl [#COL] hosebed cover with side twist locks with Velcro in between the twist locks and bungee cord attached rear flap(s).	\$1,636		
3305-0182	Hold open retaining pin for aluminum crosslay (single or bi-fold) cover. Locate as required based off options on module.	\$172		
3305-0183	Vinyl [#COL] crosslay cover with attached side flaps with bungee cord.	\$430		
3305-0184	Vinyl [#COL] side covers for diamond plate crosslay cover. Includes large pull tabs to ease securing end flaps while wearing gloves.	\$216		
3305-0185	Nylon red cargo cover for running board suction tray. Location: [#LOC].	\$436		
3305-0186	Nylon red cargo net on sides for crosslay cover.	\$285		
3305-0187	Nylon red cargo net at rear of diamond plate or vinyl hose bed cover.	\$677		
3305-0188	Nylon black strap with footman loops and Velcro closure to secure hose. Location: [#LOC].	\$104		
3305-0189	The rear flap(s) of the hosebed cover shall be upgraded to add weight to the bottom of the rear vertical flap(s).	\$611		
3305-0190	(4) piece aluminum hosebed cover. Includes off center hosebed divider located 8" left of center (NOT CENTERED) with notched rear, fill tower(s) access door(s) and handles (as applicable), (4) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. Includes center bracing between forward and rearward covers for mounting of gas shocks for rearward covers.	\$4,405		
3305-0191	Vinyl rear cover for diamond plate hose bed cover using California Type 3 straps IPOS. Color: [#COL].	\$465		

Item #	Description	Extension	+1/-1	Total
3305-0192	Vinyl rear cover for hose chute(s). Color: [#COL]. Includes large pull tabs to ease securing cover while wearing gloves.	\$305		
3305-0193	Hold open device(s) shall be provided. Rubber plunger type hold downs(s) shall hold the aluminum crosslay cover(s) (single or bi-fold) in the open position.	\$238		
3305-0194	Bi-Fold diamond plate cover for the crosslay area. Includes applicable grab handles, (2) hold downs and magnetic door ajar switch(s).	\$1,145		
3305-0195	(4) piece aluminum hose bed cover. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) hand rails on rear cover. A landing platform (10" in depth, the width shall be sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$4,831		
3305-0196	Diamond plate cover for the dunnage pan area. Includes (2) butterfly latches to hold closed and (1) grab handle mounted between butterfly latches. Hinge to the front of dunnage pan.	\$841		
3305-0197	Hose bed deflector. The diamond plate deflector shall be bolted in place on the front of hose bed area with an angled top edge to shield rain and wind from the frontal area of the hose bed.	\$580		
3305-0198	Diamond plate preconnect cover. Cover to attach to preconnect tray mounted on compartment top and protect preconnect discharge(s).	\$475		
3305-0199	Double diamond plate cover for each outboard hose storage area on the Low Hosebed body. Includes applicable grab handle(s) and (2) hold downs on each cover. Covers to be embossed diamond plate and hinged outboard.	\$1,716		
3305-0200	Vinyl [#COL] end covers for upper outboard hose storage of the hosebed.	\$216		
3305-0201	Bi-Fold smooth plate cover for the crosslay area. Includes applicable grab handles and (2) hold downs. The cover to be painted black durabak.	\$1,208		
3305-0202	(4) Piece aluminum smooth plate with black Scorpion coating (IPOS diamond plate) hosebed cover for use with rear mount body. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. A landing platform (sized and positioned as required with overall rear end configuration) with aluminum smooth plate with black Scorpion coating (IPOS diamond plate) surface will be centrally located at the upper rear of the apparatus to assist with hosebed cover operations.	\$4,381		
3305-0203	Nylon black strap with aluminum quick-release buckle for tailboard hose tray(s). Strap to attach to side walls of tray down low as applicable.	\$133		
3305-0204	(4) piece aluminum hosebed cover for use with rear mount body. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails on rear cover. A landing platform (sized and positioned as required with overall rear end configuration) with embossed diamond plate and gator grip surface will be centrally located at the upper rear of the apparatus to assist with hosebed cover operations.	\$3,885		
3305-0205	Vinyl [#COL] side covers for diamond plate crosslay cover. Covers to attach to the DP cover with snaps. The lower corners shall be secured in place using California type straps (2) each side IPOS. These straps shall function to allow each strap to be looped around the horizontal crosslay roller on each side as part of the attach system.	\$437		
3305-0206	Vinyl [#COL] hose bed cover using Nitrogen/Oxygen type straps (2) attach positions each side (4) total to secure the rear flap(s) IPOS. The upper straps shall be sewn in place leaving the ratchet clamp approximately half way or mid height of the rear flap(s). The bottom straps shall be fastened to a strap tie down mounted slightly above the horizontal handrail in line with the sewn in straps above (4) total top and (4) total bottom. The bottom straps shall feed directly above to the ratchet clamps (sewn in) as part of the attach/securing system.	\$1,863		
3305-0207	Vinyl [#COL] hose bed cover with side bungee cords for main hose bed storage area. Seperate cover w/snaps and attached rear flap for hose chute(s). Aerial application only.	\$1,366		

Item #	Description	Extension	+1/-1	Total
3305-0208	Cargo net for inside compartment for containing cribbing in compartment when door is opened. Net to permanently fasten on rearward wall just inside door opening and fasten with buckle straps on forward wall just inside door opening. Cargo netting will be 3" x 3" squares. Location: [#LOC].	\$940		
3305-0209	Smooth plate speedlay cover painted gray durabak. Includes fixed rear portion on rear of module (over backboard storage area, if applicable) and hold-open with grab handles on rearward area.	\$947		
3305-0210	Diamond plate cover for the dunnage pan area. Includes permanently mounted panel under ladder rack and hinged panel over remaining pan. Includes (2) butterfly latches to hold closed to include gas spring(s) as hold open device. Hinge to the rear of dunnage pan.	\$879		
3305-0211	(2) piece aluminum hosebed cover. Includes center hosebed divider with NO notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at rear, (2) grab handles on fwd area of cover with (2) handrails on rear of cover.	\$4,189		
3305-0212	Vinyl fire retardent [#COL] hosebed cover with twist locks fasteners and bungee cord attached rear flap(s). Cover to be partial hosebed cover leaving hosebed walkway area uncovered. To extend full length of the hosebed from roof top compartment on the side to divider against walkway in the middle and to hosebed storage pan rearward mounting flange at the front.	\$1,584		
3305-0213	(4) Piece aluminum hose bed cover. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, custom positive hold-open devices at the rear and separate hold closed devices (see photos in file), (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) 18" hand rails on rear cover mounted inboard not to interfere with upper warning lights.	\$4,932		
3305-0214	Nylon black cargo net at rear of diamond plate or vinyl hose bed cover. Notched for hosebed storage compartment(s) and door(s) as required.	\$640		
3305-0215	Vinyl [#COL] hose bed cover with attached rear flap(s). Cover to have snaps and velcro along front (NO awning attachment) and velcro along sides. No twist locks.	\$982		
3305-0216	Cargo Net Cover for R1 lower shelf rearward of partition to hold cribbing in place.	\$552		
3305-0217	Vinyl [#COL] hosebed cover with attached rear flap(s). Cover to have bungees on sides ipo velcro. Bungee to be easily removed and replaced (by fire department) in field.	\$1,663		
3305-0218	(4) piece aluminum smooth plate hosebed cover (flat profile with no pitch) painted with Durabak black coating. Includes center hosebed divider with notched rear, notch for boom support, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) handrails rear of each cover. The enhanced extended landing area(s) will be used to assist with hosebed cover operations. For 50' Teleboom with Enhanced Extended Rescue.	\$8,178		
3305-0219	(2) piece light weight aluminum hose bed cover. Includes center hose bed divider with notched rear (as applicable), fill tower(s) access door(s) and handles (as applicable), gas shocks, positive hold opens/hold closed at rear, (2) grab handles front and (2) hand rails rear.	\$3,458		
3305-0220	(2) piece light weight aluminum hose bed cover. Includes dividerless cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at the rear, (2) grab handles (fwd) and (2) hand rails (rear).	\$3,458		
3305-0221	Liftup hinged diamond plate side panels for single diamond plate crosslay cover. Hinged across the top on each end, with gasket around sides and bottom. Includes center grab handle above butterfly latch located at lower center of side panels to hold closed.	\$847		
3305-0222	Vinyl rear cover for diamond plate hosebed cover. Cover to be attached with bungee cords at all attachment positions. Color: [#COL].	\$434		
3305-0223	Nylon black cargo net on sides of speedlay. Cover to be attached with bungee cords at all attachment positions	\$372		

Item #	Description	Extension	+1/-1	Total
3305-0224	Nylon cargo net, color: Yellow (PR). (1) at each open end of square transverse tube. Location: rear of L3/R3 Covers to have snaps in place of bungees and permanent fasteners along compartment side wall mounting surface. Approx dimensions of net is 14" wide X 28" high.	\$716		
3305-0225	Nylon cargo net, color: Yellow. Locate inside of L1/R1 module compartment for containing storage on adjustable shelving on both side of module. Nets to fasten with snaps on edges and permanent fasteners along bottom of shelving edge. Cargo net will be 2x2 square. The bottom of the cargo net shall be permanently attached to the floor on the driver side and attached to the counter top above the R1 compartment on the officer side. The net shall comply with the latest edition of NFPA 1901.	\$1,416		
3305-0226	The driver and officer side pump panels shall include 3/16" smooth aluminum plate along the bottom of the pump panels. This plate work shall compliment other lower center body plate work to permit vinyl covers (1) each side to be secured in place using twist locks full perimeter. Color shall be: [#COL].	\$828		
3305-0227	Vinyl fire retardant rear cover for diamond plate hose bed cover. Color: [#COL].	\$335		
3305-0228	Fire Retardant Vinyl [#COL] side covers for diamond plate crosslay cover.	\$431		
3305-0229	Access cover for fill tower(s) dealer supplied and installed.	\$0		
3305-0230	NFPA Crosslay cover to be dealer supplied and installed.	\$0		
3305-0231	Powered (2) piece aluminum hosebed cover with notch built into the officer side rear corner (to miss monitor are mounted). Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) electric actuators, (2) grab handles forward area of cover with (2) handrails on rearward area of cover. Partition at front of hosebed to cover electric actuators (approx 4" loss in hosebed length). Includes control panel on left rear of body above taillights with (3) momentary switches: (1) master on/off, (1) left cover and (1) right cover.	\$7,887		
3305-0232	Speedlay side covers to be dealer/customer provided and installed. Covers to meet current NFPA standard(s) to prevent un-intentional deployment of hose.	\$0		
3305-0233	Cover for B2 upper storage compartment to be dealer installed/supplied per NFPA.	\$0		
3305-0234	Powered (2) piece aluminum hose bed cover. Includes center hose bed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) electric actuators, (2) grab handles forward area of cover with (2) hand rails on rearward area of cover. A landing platform (sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations. Partition at front of hose bed to cover electric actuators (approx 4" loss in hose bed length). Includes (2) momentary controls - (1) left cover and (1) right cover.	\$7,149		
3305-0235	Booster Reel Cover. Cover to be .125" diamond plate and shall include hinged lid for top access with 1.5" lip all around, gas shock hold open and (2) butterfly latches, one on each end. A slot shall also be provided with 1.5" diameter stainless steel rollers for hose to feed through. Location: [#LOC]..	\$998		
3305-0236	Vinyl [#COL] hose bed cover with front and side bungee cords and attached rear flap(s). Includes large pull tabs to ease securing cover while wearing gloves.	\$1,491		
3305-0237	E-One fabricated enclosure shall be provided for the Haskel Booster Pump. Cover to be .125" diamond plate and shall include hinged lid for top access with 1.5" lip all around and (2) butterfly latches, one on each end. Location: L4 compartment top offset forward.	\$998		
3305-0238	Vinyl [#COL] hose bed covers with attached rear flaps. Two Separate covers for bi-level hose bed sides stepped to clear overhead rack assembly.	\$1,179		
3305-0239	All twist lock, snap, and hook fasteners for crosslay and hosebed cargo nets to be in identical locations so that these covers are interchangeable for these multiple units.	\$0		
3305-0240	A cover will be located over the Hot Sho theat exchanger in the pan. Cover will have mesh on top to allow for air flow welded to Dia Plate.	\$1,350		

Item #	Description	Extension	+1/-1	Total
3305-0241	Bi-fold style diamond plate cover for running board suction tray(s) hinged outboard from pump panels. Includes butterfly latches and gator grip. Location(s): [#LOC].	\$472		
3305-0242	Bolt-on aluminum cover for the forward end of the driver side storage tunnel. To include mounting bracket mounted to underside of dunnage storage pan and or other module/body components as necessary. Cover to be removable for access to tunnel area.	\$443		
3305-0243	Vinyl [#COL] crosslay cover with attached side flaps. Includes side snaps.	\$429		
3305-0244	Cargo net: Black nylon with 2 inch openings, mechanical type hold downs and notch to accommodate pan mounted options if applicable. Locate in upper eMAX forward module roof pan area.	\$1,420		
3305-0245	Hose bed cover shall be installed on center hosebed only leaving side open bonus storage areas uncovered topside. Nylon black cargo net at rear of diamond plate or vinyl hose bed cover shall be applied to rear of center hosebed only. These outboard areas shall be utilized as misc. equipment storage.	\$0		
3305-0246	Smooth plate aluminum rear covers for the application of applicable chevrons mounted on the ends of the top outboard hose bed storage areas. Includes vertical hinge each side and a non-locking D-ring latch. Doors to be wired to door ajar circuit. Storage areas to be open to the top and shall be used for misc. equipment to be added/secured as applicable to NFPA by customer/dealer. Not identified to be used as loose hose storage.	\$915		
3305-0247	Diamond plate vertically hinged door each side of the 2.5" crosslay hinge rearward. Includes thumb latch and wiring for door ajar switch.	\$425		
3305-0248	(2) piece aluminum hose bed cover. Includes dividerless cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at the rear, (2) grab handles (fwd), (2) grab handles rear and (2) hand rails (rearend).	\$4,938		
3305-0249	The mechanical attachments of the side speedlay and rear hosebed covers to be small clip (black) IPO bungees.	\$444		
3305-0250	Diamond plate speedlay cover painted gray Zolatone. Includes fixed rear portion on rear of module (over backboard storage area, if applicable) and hold-open with grab handles on rearward area.	\$992		
3305-0251	Powered (2) piece aluminum smooth plate hosebed cover and painted black Durabak. Includes center hose bed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) electric actuators, (2) grab handles forward area of cover with (2) hand rails on rearward area of cover. Partition at front of hose bed to cover electric actuators (approx 4" loss in hose bed length). Includes controls, through VMUX system (if so equipped): (2) momentary controls - (1) left cover and (1) right cover.	\$8,614		
3305-0252	Nylon black cargo net hosebed cover with side bungee cords and attached rear flap(s). Rear Cover notched for hosebed storage compartment(s) and door(s) as required.	\$1,812		
3305-0253	One piece vinyl cover for top mount pump panel opening. Top of vinyl cover outboard corners to have twist locks with velcro around permetier. Color to be [#COL].	\$945		
3305-0254	Wiring covers in roof top compartments.	\$394		
3305-0255	Diamonda plate battery box to protect batteries. Cover includes louvers. Locate in hosebed offset to officer side.	\$459		
3305-0256	Powered (2) piece aluminum hose bed cover. Includes center hose bed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) air operated actuators, (2) grab handles forward area of cover with (2) hand rails on rearward area of cover. Partition at front of hose bed to cover actuators (mounted forward and enclosed). Includes controls through VMUX system: (2) momentary controls - (1) left cover and (1) right cover and switches located on rear wall of L3. Removable safety chains to be provided. (2) Amdor Luma-Bar lights strips provided on the underside of each cover to illuminate the hose bed.	\$7,594		
3305-0257	(2) lift-up top hatch covers above the pump enclosure, non-skid aluminum treadplate with D-ring latches. Covers hinged outboard and latching in center area, full length and width of upper pump house area.	\$1,288		
3305-0258	Vinyl front cover for diamond plate cover on pre-connect tray. Color: [#COL]	\$110		
3305-0259	Nylon black cargo net at rear of diamond plate or vinyl hose bed cover w/(2) aluminum quick release buckles	\$898		

Item #	Description	Extension	+1/-1	Total
3305-0260	Nylon black cargo net end flaps w/(2) aluminum quick release buckles on each side for crosslay cover.	\$639		
3305-0261	Vinyl rear cover for diamond plate hose bed cover. End flaps to have nylon webbing straps with stainless steel spring buckles and footman loops to secure cover closed. Color: Black	\$563		
3305-0262	Hosebed cover aluminum (3) piece with recessed handles, SideStacker. Note: This option effects hose bed capacity.	\$3,237		
3305-0263	Removable diamond plate cover for the crosslay area. Includes applicable grab handles and aluminum fabricated brackets with safety pins for hold downs.	\$1,007		
3305-0264	Diamond plate cover for running board suction tray(s). Includes butterfly latches and gator grip. Includes cords to prevent covers from dropping to the ground when removed. Location(s): [#LOC].	\$472		
3305-0265	Vinyl rear cover for diamond plate hose bed cover. The top of the cover shall be mechanically attached to the rear hose bed cover extrusion with over lapping flaps in the center secured with velcro. The lower portion of the cover shall be secured in place with heavy duty nylon straps. The lower portion fasteners shall be mounted at pick up. Color: Red.	\$447		
3305-0266	Vinyl crosslay cover. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Blue.	\$0		
3305-0267	(4) piece aluminum hose bed cover. Includes divider-less cross structure, fill tower(s) access door(s) and handles (as applicable), (4) 153 lb gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) hand rails on rear cover. A landing platform (10" in depth, the width shall be sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$4,924		
3305-0268	Diamond plate cover for the dunnage pan area. Includes (2) butterfly latches to hold closed and (2) gas shocks as hold open device. Cover to hinge to the rear of dunnage pan and open a full 90 deg.	\$879		
3305-0269	Vinyl rear cover for hose chute(s). Color: [#COL].	\$230		
3305-0270	The rearward hosebed cover flap to be notched for access to the hard suction storage.	\$0		
3305-0271	Nylon black cargo net end cover, for driver side upper outboard hose storage of the hosebed.	\$164		
3305-0272	Cargo Net Cover for for poly storage box in L4. Cargo netting will be 2"x2" squares.	\$940		
3305-0273	The rearward hosebed cover flap to be notched for access to, or to stop short of, the hard suction and/or hose bed storage box opening.	\$0		
3305-0274	Vinyl black hose bed cover with attached rear flap, on one side only, to the top of the hose bed storage compartment	\$982		
3305-0275	Diamond plate cover for running board suction tray(s). Includes lift & turn latches and stainless steel hinge. Location(s): [#LOC].	\$428		
3305-0276	Vinyl red crosslay cover top with attached nylon red cargo net on each side of cover.	\$659		
3305-0277	Vinyl rear cover for diamond plate hose bed cover. Cover shall attach to hard cover optioned and have weighted bottom edge with additional shock cord attaching cords to comply with NFPA current version. Cover shall be split in the center along hard cover center or divider at center of hose bed. D&S custom covers brand NFPA compliant with reflective yellow and red "A" chevrons.	\$984		
3305-0278	The hose bed center divider/support for the hosebed cover shall be offset to meet the hoseload and/or storage requirements.	\$191		
3305-0279	Forard crosslay cover to be hinged forward and rear drylay cover to be hinged rearward.	\$0		
3305-0280	Nylon black strap with aluminum quick-release buckle for hose tray. Location: to be mounted at final inspection. [#LOC].	\$133		
3305-0281	(4) piece aluminum hose bed cover. Includes center hose bed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover with (2) hand rails on rear cover. Requires an Intermediate rear step located at the upper rear of the apparatus to assist with hose bed cover operations.	\$3,537		

Item #	Description	Extension	+1/-1	Total
3305-0282	Vinyl black hose bed cover with nylon black strap with footman loops and Velcro closure to secure hosebed cover without attached rear flap(s). Requires rear cover option.	\$1,217		
3305-0283	Nylon black cargo net at rear of diamond plate or vinyl hosebed cover. Cover to have nylon black strap with footman loops and Velcro closure to secure hosebed end flap.	\$685		
3305-0284	Diamond plate hose bed deflector. Aluminum tread plate .25 in thick. Located at front of hosebed area with angled front edge. The NFPA hosebed light (as applicable) to be located on trailing edge and provisions added to secure hose bed vinyl cover along forward edge below deflector. Top of shield to extend upwards approx. 5 in. above hose bed top extrusion and approx. 10.5 in. rearward to trailing edge from front of body.	\$348		
3305-0285	Powered (2) piece aluminum hosebed cover with smooth bottom plate. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) electric actuators, (2) grab handles forward area of cover with (2) handrails on rearward area of cover. Partition at front of hosebed to cover electric actuators (approx 4" loss in hosebed length). Includes control panel [#LOC] with (3) momentary switches: (1) master on/off, (1) left cover and (1) right cover.	\$6,890		
3305-0286	Cover for side ladder tunnel forward end. Cover shall be fabricated from flat smooth plate aluminum and be easily removable for access to the forward end of the ladder tunnel for clean out. Usable only on body configurations where the ladders do NOT extend into pump module.	\$314		
3305-0287	(4) piece aluminum hosebed cover (flat profile with no pitch). Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at center and at the rear, (6) grab handles- (4) fwd cover and (2) fwd area of rear cover. (2) handrails on back lip of hosebed cover due to overall height restriction. A landing platform (sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$5,188		
3305-0288	Booster Reel Cover. Cover to be .125" aluminum and shall include hinged lid for top access with 1.5" lip all around, gas shock hold open and (2) butterfly latches, one on each end. A slot shall also be provided with 1.5" diameter stainless steel rollers for hose to fed through. Finish to be painted job color. Location: [#LOC].	\$998		
3305-0289	NFPA front and/or side Speedlay covers to be dealer supplied and installed.	\$0		
3305-0290	Trivantage aluminum hooks (item # 239100) to be used on crosslay and hosebed cover end flaps IPOS stainless steel.	\$0		
3305-0291	Nylon red cargo net on sides of speedlay.	\$346		
3305-0292	Removable diamond plate cover for the hydraulic power supply for E-ONE 2 arm ladder rack for use in top side dunnage or storage pan mounting applications. Includes flush access door with thumb latch to inspect or fill hydraulic reservoir. To include NO STEP tags as applicable.	\$426		
3305-0293	(2) piece aluminum smooth plate hose bed cover and painted black Durabak.. Includes dividerless cross structure, fill tower(s) access door(s) and handles (as applicable), (2) gas shocks, positive hold-opens/hold-closed at the rear, (2) grab handles (fwd) and (2) hand rails (rear).	\$6,038		
3305-0294	Vinyl red cover for fire extinguisher box. Cover to attach to the shelf lip with snaps. The lower corners to have bungee cords.	\$353		
3305-0295	NFPA Hosebed cover rear end flap to be dealer supplied and installed.	\$0		
3305-0296	(2) piece aluminum hose bed cover and painted black Durabak with smooth bottom plate. Includes center hose bed divider with notched rear (as applicable), fill tower(s) door(s) and handles (as applicable), gas shocks, positive hold opens/hold closed at rear, (2) grab handles front and (2) hand rails rear.	\$4,557		
3305-0297	Crosslay cover to be a diamond plate three (3) piece cover. Forward and middle covers w/center section below aerial fixed with hinged outside panels above swivel connections. Full width hinged cover over rearward dry lay storage area (hinged forward). Includes applicable grab handles and (4) hold downs.	\$2,045		



Item #	Description	Extension	+1/-1	Total
3305-0298	Nylon black strap with aluminum quick release buckle for rear bumper hose tray. Strap to attach to front and rear walls of tray down low as applicable. Location: rear step.	\$133		
3305-0299	Insulated vinyl red pump panel cover with bungee fasteners.	\$669		
3305-0300	Nylon black cargo net on sides for crosslay cover. Note: Side flaps are to be interchangeable from side to side.	\$367		
3305-0301	Red vinyl cover with snap fasteners for bumper tray officer side.	\$280		
3305-0302	LINE-X package for Pump Module top cover(s): Includes exterior surfaces only on all crosslay/speedlay cover(s) and top surface of backboard storage and deck gun channel as applicable.	\$228		
3305-0303	LINE-X package for aluminum hosebed cover(s): Includes exterior surfaces only on hosebed cover(s) including fabricated hold opens and access door(s) for fill towers, etc as applicable. Also includes the rear intermediate step/platform under the hosebed.	\$1,890		
3305-0304	Crosslay cover to be a diamond plate three (3) piece cover. Forward crosslay cover (hinged forward) and second crosslay cover (hinged rearward) are each a two piece cover which includes a separate cover for access to swivel connections when the aerial is bedded. One piece cover over rearward dry lay storage area (hinged forward). Includes applicable grab handles and (6) butterfly latches.	\$2,045		
3305-0305	Vinyl [#COL] hose bed cover with attached rear flap(s). End flap(s) to have nylon webbing straps with stainless steel spring buckles and footman loops to secure cover closed.	\$1,032		
3305-0306	Vinyl Black hosebed cover with twist locks fasteners and nylon strap attached rear flap(s).	\$1,031		
3305-0307	Vinyl [#COL] hose bed cover with attached rear flap(s). Cover to have snaps and velcro along front (NO awning attachment) and velcro along sides. Rear of cover to be attached with snaps (no bungee).	\$982		
3305-0308	R.O.M. power hose bed cover to be supplied with NFPA compliant walk surface option.	\$252		
3305-0309	Vinyl rear cover for ROM power hose bed cover. Color: Black	\$502		
3305-0310	The mechanical attachments of the side crosslays and rear hosebed covers to be small clip (black) IPO bungees.	\$444		
3305-0311	Vinyl [#COL] hose bed cover with side bungee cords and attached rear flap(s). Cover to accommodate main hose bed and side auxiliary hose bed above ladder tunnel. Top of cover to be one piece and rear cover to be one piece with two flaps to cover each storage area.	\$1,803		
3305-0312	Smooth plate rear cover for vinyl hosebed cover. Cover to have horizontally hinged door (wired to door ajar) w/push-button latch and painted job color.	\$659		
3305-0313	Access door. One (1) lift-up roof top access door shall be provided on the body roof above the reel(s). The access & door shall be sized to best accommodate reel access & minor service. The door shall be provided with a non-locking latch, hold open device and a door activated compartment light shall be included, wired to the door ajar indicator in the cab. Construction shall be aluminum treadplate. In the case where (2) reels are located side by side within (1) compartment the door shall be sized to accommodate access to both reels.	\$1,074		
3305-0314	Nylon black cargo net crosslay cover with attached side flaps.	\$472		
3305-0315	Bi-Fold diamond plate cover w/notch to clear waterway for the crosslay area. Includes applicable grab handles and (2) hold downs. Non-aerial applications to be tagged as a non-stepping surface. Notch is to allow cover to open while aerial is nested.	\$1,048		
3305-0316	Embossed diamond plate cover at top of body over Generator/APU. Includes hinged access door and sliding door over vent and baffle around radiator to prevent re-circulation. Generator's radiator air flow directed into pump module for heating pump/plumbing during cool climate and redirected out during warm climate.	\$2,168		
3305-0317	Vinyl [#COL] hose bed cover with attached rear flap(s). Rear face of body to have twist locks to hold down rear flap(s).	\$982		
3305-0318	Two (2) piece aluminum hosebed cover. The rear section shall slide over the forward section on tracks and rollers. When rolled open, the two sections shall lift upward on a forward mounted stainless steel piano hinge to assist in loading hose. Includes appropriate handrails per NFPA guidelines.	\$4,052		

Item #	Description	Extension	+1/-1	Total
3305-0319	D&S brand vinyl hose bed cover with removable attached rear flap(s). Top cover to be heavy duty red vinyl with shock cord attaching system and rear nylon buckles with straps to attach rear flap. Rear flap to be matching heavy duty red vinyl with shock cords and mating buckles. Rear flap to feature weighted bottom skirting and have Yellow reflective letters centered "WEMA" as large as possible with weighted bottom per application.	\$1,519		
3305-0321	The mechanical attachments of the side crosslay covers to be small clip (black) IPO bungees.	\$444		
3305-0322	Vinyl Black crosslay cover with attached side flaps. Includes side twist locks (ilo snaps).	\$429		
3305-0323	Vinyl cover for hose bed area. Includes lateral support bows across the hose bed area to minimize cover sag. The front edge of the cover shall be mechanically attached to the body. The sides of the cover shall be held in place with heavy duty Velcro strips running the length of the hose bed. The rear of the cover shall have an integral flap secured with straps. Color to be [#COL]	\$1,563		
3305-0324	D&S Custom Covers brand vinyl hose bed cover with removable attached rear flap(s). Top cover to be heavy duty black vinyl with shock cord attaching system and rear nylon buckles with straps to attach rear flap. Rear flap to feature weighted bottom skirting.	\$1,519		
3305-0327	Hose chute access door at rear of body. Diamond plate vertically hinged door, hinged on officer side of hosebed chute for door to swing outboard. Includes push-button latches and hinges that hold door in open position. Note door to work in conjunction with hose bed cover. Wired to door ajar. Aerial application only.	\$689		
3305-0328	Vinyl [#COL] upper storage area cover(s) without attached rear flap(s). If storage area is partitioned, then two seperate top covers shall be provided. Requires rear cover/door option.	\$346		
3305-0329	Cargo net, black, 2"x2" squares with buckles. Locate: R4. Net to be permanently fasten on aft compartment wall just inside door opening and spans forward to closest partition.	\$940		
3305-0330	(2) piece aluminum hose bed cover for officer side of hosebed. Includes hose bed divider, fill tower(s) access door(s) and handles (as applicable), (1) gas shocks, positive hold-opens/hold-closed at center and at the rear, (3) grab handles- (2) fwd cover and (1) fwd area of rear cover with (1) hand rail on rear cover. A full width landing platform (sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$2,795		
3305-0331	Single diamond plate cover for the crosslay area. Includes (2) hold downs. NO grab handle(s) on cover.	\$682		
3305-0332	Vinyl red flap for ladder tunnel opening at rear of body with twist lock fasteners.	\$372		
3305-0333	(2) lift-up top hatch covers above the pump enclosure, non-skid aluminum treadplate with double D-ring latches in each door. Covers hinged outboard and latching in center area, full length and width of upper pump house area.	\$1,339		
3305-0334	Vinyl [#COL] hose bed cover with attached rear flap(s) with straps and 1in. Delrin buckles.	\$1,038		
3305-0335	Vinyl [#COL] speed lay side covers with 1 inch Delrin buckles.	\$275		
3305-0336	Cargo Net Cover for B1 compartment. Cargo netting will be 2" x 2" squares and black in color. The bottom edge of the cover shall be mechanically attached to the body. The top and sides of the cover shall be held in place with nylon covered elastic synthetic rubber cord with stainless steel hooks.	\$722		
3305-0337	Diamond plate cover for forward dunnage area above the speedlays. Includes applicable grab handle(s), gas spring hold opens and latching hold downs. Cover to be embossed diamond plate and hinged forward. Cover to be wired to door ajar.	\$922		
3305-0338	(2) lift-up top hatch covers above the pump enclosure, non-skid aluminum treadplate with double D-ring latches in each door. Covers hinged forward and latching at rear area, full length and width of upper pump house area.	\$1,339		
3305-0339	Vinyl red crosslay cover top with attached nylon black cargo net on each side of cover. Vinyl cover to be attached with twist locks only (No snaps).	\$659		

Item #	Description	Extension	+1/-1	Total
3305-0341	Powered (2) piece aluminum hosebed cover with smooth bottom plate. Includes center hosebed divider with notched rear, fill tower(s) access door(s) and handles (as applicable), (2) electric actuators, (4) recessed handles, (2) forward and (2) rearward area of cover with (2) handrails on trailing edge of cover. Partition at front of hosebed to cover electric actuators (approx 4" loss in hosebed length). Includes control panel [#LOC] with (3) momentary switches: (1) master on/off, (1) left cover and (1) right cover.	\$7,338		
3305-0342	Vinyl rear cover for diamond plate hose bed cover. End flaps to have nylon webbing straps with aluminum quick release buckles and footman loops to secure cover closed and weighted lower bottom. Color: Red	\$835		
3305-0343	Center hosebed aluminum/vinyl cover without center divider. Includes (2) piece aluminum diamond plate cover from the front of the hosebed back to just ahead of the "V" deflector, vinyl covers between the rear of the dia plt covers and the forward ends of the hose chutes, fill tower access door(s), gas shocks, positive hold opens/hold closed at rear, (2) frt grab handles and (2) rear grab handles. Note: Cover to be level, no pitch. Aerial Application only.	\$4,415		
3305-0344	Vinyl [#COL] side covers for diamond plate crosslay cover. Cover will have metal loops on vertical extrusion and velcro tiedowns. (See photo in folder)	\$556		
3305-0345	Nylon black strap with aluminum quick-release buckle for hose tray. Strap to attach to side walls of tray as high as applicable. Location: [#LOC].	\$133		
3305-0346	Nylon black cargo net w/(2) pull straps and aluminum quick release buckles on each side for crosslay cover. Cargo net end flaps to be fasten at the front of the crosslay with twist locks and at the rear with the female portion of buckle at top and bottom corners. Includes (2) 2" aluminum quick release buckles (female end) to be attached at top and bottom of the cargo net on the rear of the crosslay opening to hold cargo net in place with the male portion attached to the module. Orange 1" nylon pull strap to be attached to the paddle to release for quick drop down access. Note pull straps to be attached to the crosslay with approx 5" hand loop at end and velcro on the back to hold in place during travel.	\$639		
3305-0347	Booster Reel Cover. Cover to be .125" (or thicker) smooth aluminum plate and shall be installed around the booster reel below the chassis frame rails to help protect the reel from road debris. Finish to be painted to match chassis frame rails.	\$998		
3305-0348	TM control panel black vinyl cover. Includes upper twist locks and velcro front, side and bungee cords on bottom	\$454		
3305-0349	Trivantage aluminum hooks (item # 239100) to be used on top mount cover bottom flap IPOS stainless steel.	\$0		
3305-0350	D&S brand heavy duty [#COL] vinyl cover for running board suction tray. Location: [#LOC].	\$436		
3305-0351	D&S Custom Covers brand heavy duty [#COL] vinyl cover on sides for cross lay cover with shock cord attaching system. One pair of covers.	\$394		
3305-0352	D&S brand 22 oz heavy duty [#COL] vinyl hose bed cover with attached vinyl rear flap. Top cover fastened at the front and both sides using patented shock cord system. Rear flap with weighted end attached with nylon buckles at bottom and attached to the top cover using a zipper.	\$1,460		
3305-0353	Heavy duty black nylon cargo netting with airline style quick release buckles shall be installed at the rear apparatus hose bed.	\$857		
3305-0354	A heavy duty black nylon strap (EACH) with an airline style aluminum quick release buckle shall be provided for hose retention inside crosslay/speedlay as applicable. The strap shall be attached by looping beneath slats or drainage slots as applicable, beneath respective hose storage areas.	\$183		
3305-0355	Heavy duty black nylon cargo netting with airline style quick release buckles shall be installed on either side of the crosslay/speedlay hose storage areas.	\$473		
3305-0357	A heavy duty black nylon strap (EACH) with an airline style aluminum quick release buckle shall be provided for hosebed hose retention. The strap shall be attached by looping beneath hosebed extrusions and beneath respective hose storage areas.	\$274		

Item #	Description	Extension	+1/-1	Total
3305-0358	Diamond plate cover for driver side outboard hose storage area on the Low Hosebed body. Includes applicable grab handle(s) and (2) hold downs. Cover to be embossed diamond plate and hinged outboard. Cover to be wired to door ajar.	\$860		
3305-0359	(1) piece aluminum hose bed cover. Includes fill tower(s) access door(s) and handles (as applicable), (1) gas shock, positive hold-open/hold-closed at the rear, (1) grab handle (fwd) and (1) hand rail (rear).	\$3,262		
3305-0360	Embossed diamond plate (No gator grip) cover for running board suction tray(s). Includes push-button latches. Cover shall prevent water intrusion in the tray. Location(s): [#LOC].	\$471		
3305-0361	Diamond plate hosebed deflector 12" long located at front of hosebed area. Leading edge to be tapered, hinged along forward edge with stainless steel piano hinge, fastened with quarter turn latches. Includes a black vinyl hose bed cover attached to trailing edge of the deflector using Velcro and extending to the rear of the hose bed secured with side Velcro attachment. Rear of hose bed has cargo net secured to drivers side and quick release buckles on officer side.	\$2,776		
3305-0362	Nylon black strap with aluminum quick-release buckle for officer side hose tray. Strap to attach to TOP of tray.	\$133		
3305-0363	Vinyl rear cover for ROM power hose bed cover. Color: Red	\$502		
3305-0364	Vinyl red cover for fire extinguisher box. Cover to attach with snaps. The lower corners to have bungee cords.	\$353		
3305-0365	Two (2) piece aluminum hosebed cover. The rear section shall roll over the forward section on tracks and rollers. When rolled open, the two sections shall lift upward on a forward mounted stainless steel piano hinge to assist in loading hose. Includes appropriate handrails per NFPA guidelines.	\$4,052		
3305-0366	Diamond Plate Storage Pan Cover. Includes (1) grab handle and (2) Tri-Mark latches. Hinge to the front of the storage pan.	\$1,303		
3305-0367	Black vinyl speedlay cover. Includes (2) single piece covers (1 each side). The cover to be attached at the bottom with slide and pull-down bungees at the top.	\$639		
3305-0368	A chrome handle will be attached to each side of the diamond plate cover in addition to the standard handles, centered front to rear on top outboard.	\$267		
3305-0369	Diamond plate hosebed deflector 18" long located at front of hosebed area. Leading edge to be tapered, hinged along forward edge with stainless steel piano hinge, fastened with quarter turn latches. Includes a black vinyl hose bed cover attached to trailing edge of the deflector using Velcro and extending to the rear of the hose bed secured with side Velcro attachment. Rear of hose bed has cargo net secured to drivers side and quick release buckles on officer side.	\$2,776		
3305-0370	Vinyl black hose bed cover with attached rear flap(s). Rear flap to feature weighted bottom skirting.	\$1,173		
3305-0372	Cover for front headboard opening. Cover to be diamond plate with butterfly latches.	\$414		
3305-0373	D&S brand 22 oz heavy duty [#COL] vinyl hosebed rear flap. For use with aluminum hosebed cover (added separately). Rear flap with weighted end attached with nylon buckles at bottom and attached to the top cover using a zipper.	\$754		
3305-0374	D&S Custom Covers brand heavy duty black cargo net on sides for combined speed lay cover with bottom footman's loop attaching points and top seatbelt style pull release straps. Top seat belt style buckles to feature a lanyard pull attached to each corner seatbelt release to extend down and join to a common pull point. Pulling lanyard shall release both buckles and allow net to drop down for rapid deployment on-scene One pair of covers sized to allow for a single cover each side over two speed lay chutes.	\$754		
3305-0375	The end flap of the crosslay cover(s) shall be upgraded to add weight to the bottom of each end flap(s).	\$475		
3305-0376	Nylon black cargo net at rear of truck for lower storage.	\$640		
3305-0377	A chrome handle will be attached to the diamond plate hosebed cover access door.	\$134		
3305-0378	The rearward hosebed cover flap to be notched for access of backboard storage box.	\$109		
3305-0379	Vinyl cover located forward pump module open storage area. Includes mechanical hold-downs on top outer corners and quick release side flap hold downs. Cover color: Black	\$339		
3305-0380	The speedlay cover flap to be notched 1" narrower than opening.	\$0		
3305-0381	D&S brand heavy duty vinyl [#COL] crosslay cover with attached side flaps.	\$649		

Item #	Description	Extension	+1/-1	Total
3305-0382	Diamond plate cover built per customer specific requirements to store a power unit or similar option. Includes top access door with grab handle and hold downs. Cover shall be ventilated with slots on all sides to maintain air flow.	\$709		
3305-0383	Vinyl Black hosebed cover with attached rear flap(s). Cover to have Twist locks and velcro along front and sides (no awning attachment), No snaps. The rear bungees to be tie-in versus sown (use ilets sized to secure a looped and tied bungee). Bungee to be easily removed and replaced (by fire department) in field.	\$1,663		
3305-0384	Red & Lime Yellow "A" pattern chevron sewn with PTFE thread on D&S Custom Covers brand hosebed rear flap (cover added seperately).	\$462		
3305-0385	Reflective [#COL] letters as large as possible (up to 12") inlayed sewn with PTFE thread on D&S Custom Covers brand hosebed rear flap (cover added seperately).	\$65		
3305-0386	Reflective [#COL] letters as large as possible (up to 20") inlayed sewn with PTFE thread on D&S Custom Covers brand hosebed rear flap (cover added seperately).	\$111		
3305-0387	D&S brand [#COL] cargo net covers (pair) for crosslay sides. To be used with aluminum crosslay cover. Side covers to be attached to the aluminum top cover using twist locks. Bottom of the side covers attached using patented shock cord system with pull tabs.	\$530		
3305-0388	D&S brand [#COL] cargo net covers (pair) for speedlay sides. One pair shall cover one speedlay opening. Cover attached using patented shock cord system with pull tabs on top corners and at the center and nylon buckles at the bottom corners.	\$435		
3305-0389	D&S brand [#COL] cargo net covers (pair) for speedlay sides. All speedlay openings covered using a single cover. Cover attached using patented shock cord system with pull tabs on top corners of top most speedlay and in between each speedlay and nylon buckles at the bottom corners of bottom most speeday.	\$692		
3305-0390	D&S brand [#COL] vinyl covers (pair) for speedlay sides. One pair shall cover one speedlay opening. Cover attached using patented shock cord system with pull tabs on top corners and at the center and nylon buckles at the bottom corners.	\$435		
3305-0391	D&S brand [#COL] vinyl covers (pair) for speedlay sides. All speedlay openings covered using a single cover. Cover attached using patented shock cord system with pull tabs on top corners of top most speedlay and in between each speedlay and nylon buckles at the bottom corners of bottom most speeday.	\$692		
3305-0392	D&S brand 22 oz heavy duty [#COL] vinyl hose bed cover with attached cargo net rear flap. Top cover fastened at the front and both sides using patented shock cord system. Rear flap attached with nylon buckles at bottom and attached to the top cover using a zipper.	\$1,470		
3305-0393	D&S brand 22 oz heavy duty vinyl boot over the water fill tower. Attached to and same color as the main vinyl hosebed cover.	\$296		
3305-0394	D&S brand [#COL] cargo net covers for speedlay front opening. One cover per opening. Cover attached using patented shock cord system with pull tabs on top corners and in between corners and nylon buckles at the bottom corners.	\$435		
3305-0395	D&S brand [#COL] cargo net cover for speedlay front openings. One cover for all openings. Cover attached using patented shock cord system with pull tabs on top corners and in between corners and nylon buckles at the bottom corners.	\$692		
3305-0396	D&S brand 22 oz heavy duty [#COL] vinyl covers for speedlay front opening. One cover per opening. Cover attached using patented shock cord system with pull tabs on top corners and in between corners and nylon buckles at the bottom corners.	\$435		
3305-0397	D&S brand 22 oz heavy duty [#COL] vinyl cover for speedlay front openings. One cover for all openings. Cover attached using patented shock cord system with pull tabs on top corners and in between corners and nylon buckles at the bottom corners.	\$692		

Item #	Description	Extension	+1/-1	Total
3305-0398	D&S brand 22 oz heavy duty [#COL] vinyl hosebed rear flap. Single cover on Aerials, 2 piece cover on all other products. For use with aluminum hosebed cover (added seperately). Rear flap with weighted end attached with seat belt style buckles at bottom and attached to the top with twist locks.	\$970		
3305-0399	D&S brand heavy duty [#COL] cargo hosebed rear flap. Single cover on Aerials, 2 piece cover on all other products. For use with aluminum hosebed cover (added seperately). Rear flap with nylon buckles at bottom and attached to the top with twist locks.	\$970		
3305-0400	D&S brand [#COL] crosslay cover with cargo net covers (pair) for crosslay sides. Side covers to be attached to the vinyl top cover using twist locks. Bottom of the side covers attached using patented shock cord system with pull tabs.	\$829		
3305-0401	Vinyl [#COL] speed lay side covers with 1 inch Delrin buckles.	\$275		
3305-0402	Vinyl [#COL] speedlay side covers secured with belt buckle style fasteners.	\$288		
3305-0403	D&S brand [#COL] vinyl covers (pair) for crosslay sides. To be used with aluminum crosslay cover. Side covers to be attached to the aluminum top cover using twist locks. Bottom of the side covers attached using seat belt buckles.	\$731		
3305-0404	D&S brand 22 oz heavy duty [#COL] vinyl covers (pair) for speedlay sides. Cover attached using twist locks on top corners and seat belt buckles at the bottom corners.	\$731		
3305-0405	D&S brand [#COL] cargo net covers (pair) for speedlay sides. Cover attached using twist locks on top corners and nylon buckles at the bottom corners.	\$530		
3305-0406	Nylon black cargo net hosebed cover with attached rear flap(s). Cover to be held down with Quarter Turn fasteners ilo snaps. No Velcro to be used.	\$1,277		
3305-0407	Smooth plate painted job color horizontally hinged door each side of the speedlay. Includes thumb latch and wiring for door ajar switch.	\$425		
3305-0408	D&S brand 22 oz. heavy duty [#COL] vinyl covers (pair) for rear side raised hose beds with lowered main hose bed. To be used with aluminum cover. Rear side covers to be attached to the aluminum top cover using twist locks. Bottom of the covers attached using seat belt buckles.	\$731		
3305-0409	Vinyl [#COL] hose bed cover with side twist lock fasteners without attached rear flap(s). Requires rear cover option.	\$1,217		
3305-0410	Vinyl [#COL] hose bed cover with attached rear flap(s). Cover to be held down with Quarter Turn fasteners ilo snaps. No Velcro to be used.	\$982		
3305-0411	D&S brand 22 oz heavy duty [#COL] vinyl hosebed rear flap. For use with aluminum hosebed cover (added seperately). Rear flap with weighted end attached with nylon buckles at bottom and attached to the top with twist locks.	\$754		
3305-0412	Two (2) piece aluminum hosebed cover.The rear section shall roll over the forward section on tracks and rollers. Includes appropriate handrails per NFPA guidelines.	\$4,052		
3305-0413	Vinyl rear cover for diamond plate hosebed cover. Cover to attach to the DP cover with twist locks. The lower edge to have bungee cords. Cords are to be tie-in versus sown. Flap to have eyelets sized to secure individual looped and tied bungees. Cords to be easily removed and replaced (by fire department) in field. Color: Red	\$447		
3305-0414	Vinyl red side covers for diamond plate crosslay cover. Covers to attach to the DP cover with twist locks. The lower corners to have bungee cords. Cords are to be tie-in versus sown. Flaps to have eyelets sized to secure individual looped and tied bungees. Cords to be easily removed and replaced (by fire department) in field.	\$353		
3305-0415	Nylon black cargo net on sides for crosslay cover. Webbing to be 1" wide material.	\$255		
3305-0416	Nylon black cargo net at rear vinyl hose bed cover. Attached independently of the hose bed cover	\$749		
3305-0417	Nylon black cargo net on sides of crosslay cover. Attached independently of the crosslay cover.	\$364		
3305-0418	A vinyl cover shall be provided for the booster reel rollers with notch for front booster reel hose. Includes velcro fasteners around the perimeter of cover. Vinyl color shall match colors on unit.	\$291		
3305-0419	Nylon black cargo net on sides for crosslay cover. Includes seat belt style buckles at each upper corner of flap attached to a lanyard pull release to extend down and join to a common pull point. Pulling lanyard shall release both buckles and allow net to drop down for rapid deployment.	\$474		

Item #	Description	Extension	+1/-1	Total
3305-0420	Nylon black cargo net for inside compartment for containing cribbing in compartment when door is opened. Net to permanently attach to the bottom just to inside of door opening and fasten with three (3) seat belt style buckles at the top just to inside of door opening. Cargo netting will be 3" x 3" squares. Location: L5.	\$940		
3305-0421	Vinyl [#COL] hose bed cover with snaps and without attached rear flap(s). Requires rear cover option.	\$1,366		
3305-0422	Nylon black cargo net end flaps with airline style quick release buckles on each side for crosslay cover. Driver side cover to be fixed along forward edge of crosslay with buckles on rearward edge. Officer side cover to be fixed along rearward edge of crosslay with buckles on forward edge.	\$639		
3305-0423	Heavy duty black nylon cargo netting with airline style quick release buckles shall be installed at the rear apparatus hose bed	\$898		
3305-0424	D&S brand heavy duty cover on officer side of aux raised hose bed to have a pre-connect hose notch in the lower right corner to allow hose to pass through to be pre-connected to attach nozzle. Notch to be stitched into cover and reinforced for durability. Notch to be approx.. 6in. wide x 1" tall or as applicable per flat non-charged hose to be routed through notch.	\$73		
3305-0425	Nylon green cargo net speedlay covers w/(2) aluminum quick release buckles on each side for crosslay cover. Cover to have the male portion of buckle at top corners.	\$639		
3305-0426	Hinged covers one each side of dunnage pan. Includes grab handles and hold downs. Includes permanent mount channel in center of dunnage pan.	\$1,821		
3305-0427	Diamond plate hosebed deflector located at front of hosebed area with angled lip. To be hinged along forward edge with butterfly latches as hold-downs.	\$674		
3310-0000	Compartments driver side tandem axle HP SideStacker. Includes rescue style compartments.	\$45,427		
3310-0001	Compartments driver side tandem axle HP SideStacker. Includes rescue style extended height compartments.	\$48,343		
3310-0002	Compartments driver side CR100/95 platform SideStacker with 300g tank. Includes rescue style compartments.	\$44,390		
3310-0003	Compartments driver side CR100/CR137/95 platform SideStacker with 300g tank. Includes rescue style extended height compartments.	\$47,625		
3310-0004	Compartments officer side tandem axle HP SideStacker. Includes low side compartments with full length extended hosebed. Decreases height of compartments R1 and R2.	\$27,832		
3310-0005	Compartments officer side tandem axle HP SideStacker. Includes low side compartments with full length hosebed. Decreases height of compartments R1 and R2.	\$26,212		
3310-0006	Compartments officer side tandem axle HP SideStacker. Includes rescue style compartments ahead of wheel well, with extended hosebed.	\$32,641		
3310-0007	Compartments officer side tandem axle HP SideStacker. Includes rescue style compartments ahead of wheel well with standard hosebed.	\$31,020		
3310-0008	Compartments officer side tandem axle HP SideStacker. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$35,112		
3310-0009	Compartments officer side tandem axle HP SideStacker. Includes rescue style extended height compartments ahead of wheel well with standard hosebed.	\$36,758		
3310-0010	Compartments officer side CR100/95 platform SideStacker with 300g tank. Includes low side compartments with full length extended hosebed. Decreases height of compartments R1 and R2.	\$27,457		
3310-0011	Compartments officer side CR100/95 platform SideStacker with 300g tank. Includes low side compartments with full length hosebed. Decreases height of compartments R1 and R2.	\$26,036		
3310-0012	Compartments officer side CR100/95 platform SideStacker with 300g tank. Includes rescue style compartments ahead of wheel well, with extended hosebed.	\$31,409		
3310-0013	Compartments officer side CR100/95 platform SideStacker with 300g tank. Includes rescue style compartments ahead of wheel wells with standard hosebed.	\$29,983		

Item #	Description	Extension	+1/-1	Total
3310-0014	Compartments officer side CR100/CR137/95 platform SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$34,028		
3310-0015	Compartments officer side CR100/95 platform SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well with standard hosebed.	\$32,606		
3310-0016	Crosslay with backboard compartment RLP. Includes (2) 1.5" single stacked x-lays for 200' - 1.75" DJ each, (1) 2.5" single stacked x-lay for 200' - 2.5" DJ (all 5.5" wide less plumbing), x-lay rollers on each end and 8" wide backboard compartment located ahead of x-lays w/diamond plate door on each end.	\$3,645		
3310-0017	Auxiliary jack pad 24X24 (PR) with side mounted handle. Includes mounting brackets.	\$1,331		
3310-0018	Auxiliary jack pads 24X24 (4). Includes pads with side mounted handle and mounting brackets to store (2) each side of the body next to front drop down jacks.	\$1,901		
3310-0019	Auxiliary jack pads 30X30 (4). Pads to have side mounted handles. Includes (4) mounting brackets.	\$2,881		
3310-0020	Step fold-down rear (EA).	\$1,061		
3310-0021	Step flop down rear 24" wide rung type (EA).	\$653		
3310-0022	Step flop down rear 12" wide rung type (PR).	\$1,102		
3310-0023	Step pocket flop down rear (PR).	\$1,326		
3310-0024	Tailboard 12" bolt on-G067. Includes handrail below hosebed and (1) underbody ground light on the officer's side	\$823		
3310-0026	Contoured beavertail compartments. Door opening raised for warning light.	\$4,260		
3310-0027	SCBA bottle storage with flat plate door (PR). Locate above forward outriggers.	\$1,064		
3310-0028	Auxiliary jack pad 26X26 (4) with side mounted handle. Includes (4) mounting brackets.	\$2,279		
3310-0029	Auxiliary jack pad 26X26 (4) with side mounted handle. Includes (2) double mounting brackets.	\$2,279		
3310-0030	Crosslay with cord reel compartment RLP. Includes (2) 1.5" single stacked x-lays for 200' - 1.75" DJ each, (1) 2.5" single stacked x-lay for 200' - 2.5" DJ (all 5.5" wide less plumbing with 2.5" to rear), x-lay rollers on each end and cord reel compartments located each side ahead of x-lays w/lift-up diamond plate door.	\$3,485		
3310-0031	Transverse/cord reel compartment without pump RLP. Includes transverse compartment with painted vertically hinged doors and cord reel compartments located each side ahead of transverse w/lift up dia plt door.	\$3,600		
3310-0032	Recessed tubes for (6) pike poles. Not available on HP75 SideStacker.	\$734		
3310-0033	Pike pole/ladder storage. Available on HP75 SideStacker only. The access door to match the rear body finish.	\$734		
3310-0034	Pikepole storage recessed for (4) poles. Bronto 118 only. Includes (2) recessed boxes at rear of box below tow eyes. Each box will have tubes for (1) 6' and (1) 8' pike pole.	\$768		
3310-0035	Roll-up door with satin finish for rear ladder tunnel.	\$1,362		
3310-0036	Rollup rear ladder compartment door with satin finish for SideStacker and NPNT aerial with side staircases (N/A on HP100P). Includes hinged ladder retention plate.	\$2,067		
3310-0037	Rear ladder tunnel doors. Vertically hinged diamond plate.	\$793		
3310-0038	Rear ladder tunnel door. Diamond plate lift up door to open 20 degrees past horizontal.	\$841		
3310-0039	Cut-out on compartment floor for exhaust and cover plate for hydraulic lines.	\$552		
3310-0040	Notch compartment R2 in deep area above jack leg to allow for routing of hydraulic generator hoses.	\$371		
3310-0041	Compartments driver side CR100/95 platform SideStacker with 500g tank. Includes rescue style compartments.	\$44,390		
3310-0042	Compartments driver side CR100/95 platform SideStacker with 500g tank. Includes rescue style extended height compartments.	\$47,625		
3310-0043	Compartments officer side CR100/95 platform SideStacker with 500g tank. Includes low side compartments with full length extended hosebed. Decreases height of compartments R1 and R2.	\$27,457		
3310-0044	Compartments officer side CR100/95 platform SideStacker with 500g tank. Includes low side compartments with full length hosebed. Decreases height of compartments R1 and R2.	\$26,036		



Item #	Description	Extension	+1/-1	Total
3310-0045	Compartments officer side CR100/95 platform SideStacker with 500g tank. Includes rescue style compartments ahead of wheel well, with extended hosebed.	\$31,409		
3310-0046	Compartments officer side CR100/95 platform SideStacker with 500g tank. Includes rescue style compartments ahead of wheel wells with standard hosebed.	\$29,983		
3310-0047	Compartments officer side CR100/95 platform SideStacker with 500g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$34,028		
3310-0048	Compartments officer side CR100/95 platform SideStacker with 500g tank. Includes rescue style extended height compartments ahead of wheel well with standard hosebed.	\$32,606		
3310-0049	Auxiliary jack pad 24X24 (4) with side mounted handles. Includes welded mounting brackets.	\$2,660		
3310-0050	Crosslay triple 5.5" wide single stack to hold up to 200' of 2.0" DJ (each) or 150'-200' 2.5" DJ (each). Includes storage pan to rear of crosslays	\$4,155		
3310-0051	Crosslay double to hold up to 200' of 2.0" DJ (each). Includes storage pan to rear of crosslays.	\$3,062		
3310-0052	Crosslay double 5.5" wide single stack to hold up to 200' of 2.0" DJ (each) or 150'-200' 2.5" DJ (each). Includes storage pan to rear of crosslays (if applicable).	\$3,062		
3310-0053	Crosslay double to hold up to 400' of 2.0" DJ (each). Includes storage pan to rear of crosslays.	\$3,590		
3310-0054	Crosslay triple to hold up to 200' of 2.0" DJ (each). Includes storage pan to rear of crosslays.	\$4,155		
3310-0055	Crosslay double w/dry lay. Includes (2) 5.5" wide single stack crosslays to hold up to 200' of 2.0" DJ or 150'-200' 2.5" DJ (each) and (1) 11" wide dry lay for up to 300' of 3.0" DJ. Includes storage pan to rear of crosslays.	\$4,155		
3310-0056	Crosslay Double (1) Single (1) Double Stacked Midmount. Forward lay 5.5"W x 18"D to hold up to 200' of 2" DJ. Rearward lay 11.25"W x 18"D to hold up to 600' of 1.75" or 350' of 2.5" DJ. Midmount only.	\$3,081		
3310-0057	Crosslay double to hold up to 400' of 2.0" DJ (each).	\$3,081		
3310-0058	Crosslay triple 5.5" wide single stack to hold up to (2) 200' of 2.0" DJ (each) and up to 200' 2.5" DJ.	\$3,289		
3310-0059	Storage box at rear of body for handheld jack control 12W x 13H x 8D. Locate below extended top step. Material to be the same as rear body surface.	\$390		
3310-0060	Boxed out rear ladder tunnel doors. Vertically hinged diamond plate.	\$1,247		
3310-0061	Crosslay triple (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each) and (1) 5.5" wide to hold up to 150'-200' 2.5" DJ. Includes storage pan to rear of crosslays	\$4,155		
3310-0062	Rectangular beavertail compartments with double pan door opening to outside. Door opening raised for warning light	\$4,264		
3310-0063	Jack leg covers diamond plate. Includes (4) diamond plate extension covers and (4) diamond plate fixed covers. Access doors on covers to match the outrigger covers.	\$2,527		
3310-0064	Jack leg covers painted job color. Includes (4) painted extension covers and (4) painted fixed covers. Access doors on covers to match the outrigger covers.	\$3,797		
3310-0065	Jack leg covers. Includes (4) polished stainless steel extension covers and (4) painted fixed covers. Access doors on fixed covers to match the fixed outrigger cover material finish.	\$4,168		
3310-0066	Cover plate over hydraulic generator lines located towards front of compartment below generator.	\$287		
3310-0067	Roll-up door for rear ladder tunnel painted job color.	\$2,027		
3310-0068	Rollup rear ladder compartment door for SideStacker aerial painted job color. Includes hinged ladder retention plate	\$2,731		
3310-0069	Rear ladder tunnel doors. Vertically hinged smooth plate to match rear body finish.	\$1,000		
3310-0070	Rear ladder tunnel door. Lift-up door to open 20 degrees past horizontal (degrees may be reduced due to other options). Door will match rear body finish.	\$1,048		
3310-0071	Boxed out rear ladder tunnel doors. Vertically hinged smooth plate. Doors to match rear body finish.	\$1,524		
3310-0072	Compartments driver side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments. The door on small compts next to rear outrigger to match wheelwell.	\$47,625		

Item #	Description	Extension	+1/-1	Total
3310-0073	Compartments officer side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$34,028		
3310-0074	Compartments officer side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well, compartment over forward tandem and extended hosebed.	\$35,412		
3310-0075	Upper dunnage area extension 34 x 58 diamond plate.	\$629		
3310-0076	Body wheelwell compartments (4) approx 24" W x 6" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$1,607		
3310-0079	Stainless steel trim on bottom edge of rear ladder tunnels, turntable access and pike pole compartment openings.	\$565		
3310-0080	Crosslay triple (2) 5.5" wide single stack to hold up to 200' of 2.0" DJ (each) and (1) 10.5" wide to hold up to 300'-400' of 2.5" DJ. Includes storage pan to rear of crosslays (if applicable).	\$4,155		
3310-0081	Jack leg opening cover diamond plate (4). Includes diamond plate outrigger cover and diamond plate filler panel	\$951		
3310-0082	Wall at rear of upper open storage area bolt-in 3/16 Dia Plt. with diamonds facing rear. May require notching for lift cylinder clearance if applicable.	\$430		
3310-0083	Rear double beavertail handrails (outer handrail only) to be extended up and wrap up over top of body approx 10"	\$239		
3310-0084	All tags on body to be mechanically attached with S/S screws and nuts.	\$920		
3310-0085	Compartment at right rear of body for storage of tethered horn control. Locate above pike pole compartment.	\$424		
3310-0086	Label package for Memphis aerial - Includes the following: Labeling of items behind removable / hinged panels (including relays); Labels on driver and officer seat risers stating: "NO ELECTRICAL COMPONENTS INSTALLED IN THIS AREA"; Label on electrical cover at center of dash stating: PC BOARD, LOAD MANAGER & FUSE FOR RADIO BEHIND THIS ACCESS COVER"; Special cab tilt tags to read: "CHECK LOOSE ITEMS IN CAB. CHECK QUARTZ LIGHTS AND MOVE AERIAL BEFORE TILTING CAB (if equipped). THIS IS A TWO PERSON OPERATION" located on cab tilt door and on officer's side dash; Tag in cab listing front GAWR, rear GAWR and total GVWR; Tag in cab listing OAL, OAH and OAW; Tag next to hyd oil fill stating: HYDRAULIC OIL"; Tags on rear wall next to each light and driver's side dash stating: "LOWER POLE COMPLETELY DOWN PRIOR TO TILTING CAB" (if equipped). Tags to be mechanically fastened.	\$1,645		
3310-0087	Boxed out rear ladder tunnel doors. Vertically hinged diamond plate with lowered D-rings and gas shocks. Includes recess above doors for directional light.	\$1,894		
3310-0088	Body module for Snozzle boom.	\$8,076		
3310-0089	Compartments officer side CR100/95 platform SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and optional R3 compartment above forward tandem.	\$35,412		
3310-0090	Hose bed depth 18" HP75 / HP78 SideStacker. Will hold up to 1200' of 5" LDH. Capacity will be reduced with diamond plate covers.	\$0		
3310-0091	Hosebed depth 20" HP75 / HP78 SideStacker. Will hold up to 1400' of 5" LDH. Capacity will be reduced with diamond plate covers.	\$0		
3310-0092	Hosebed depth 21" HP75 / HP78 SideStacker. Will hold up to 1450' of 5" LDH. Capacity will be reduced with diamond plate covers.	\$0		
3310-0093	Hose bed depth 16" HP75 / HP78 SideStacker. Will hold up to 1100' of 5" LDH. Capacity will be reduced with diamond plate covers.	\$0		
3310-0094	Hosebed depth 19" HP75 / HP78 SideStacker. Will hold up to 1300' of 5" LDH. Capacity will be reduced with diamond plate covers.	\$0		
3310-0095	Rear ladder tunnel doors. Vertically hinged diamond plate with slam latch style d-ring assemblies.	\$876		
3310-0096	Doors for rear master and jack control controls. Doors will match rear body finish.	\$458		
3310-0097	Hose bed depth 26" HP75 / HP78 SideStacker with tall R1. Will hold up to 800' of 5" LDH and up to 300-400' of 2.5 or 3" DJ. Capacity will be reduced with optional diamond plate covers.	\$0		

Item #	Description	Extension	+1/-1	Total
3310-0098	Step fold-down (EA). Location: [#LOC].	\$1,061		
3310-0099	Jack leg covers painted job color. Includes (2) painted extension covers and (2) painted fixed covers.	\$1,902		
3310-0100	Enclosed pump panels. Upper door opening stepped up to allow crosslays to be accessed from inside compartment. Includes hinged diamond plate crosslay cover.	\$9,613		
3310-0101	Smooth plate fixed panels rear of tandem axle painted job color.	\$214		
3310-0102	Recessed storage for (6) pike poles. Includes box at upper left rear of body for (2) D-handled 6' poles, (1) recessed tube on the left side below 6' poles for a 12' pole, and (3) recessed tubes below right side hose chute for (2) 10' poles and (1) 12' pole. For use with center HB 4-jack aerial body with sgl chute.	\$1,763		
3310-0103	Crosslay single w/dry lay. Includes (1) dbl stack for 200' of 2.0" DJ in forward lay and (1) 20" wide dry lay for up to 400' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$4,155		
3310-0104	Crosslay double, forward lay 7.5" w x 18" d to hold up to 400' of 2" DJ. Rearward lay 9.25" w x 18" d to hold 350' of 2.5" DJ. Midmount only.	\$3,081		
3310-0105	Crosslay double w/dry lay. Includes (2) 4.25" wide single stack crosslays to hold up to 200' of 2.0" DJ (each) and (1) 5.5" wide dry lay for up to 200' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$4,155		
3310-0106	Rear ladder tunnel doors. Horizontally hinged drop down diamond plate.	\$793		
3310-0107	Transverse compartment floor to be extended out to door opening in L1/R1.	\$954		
3310-0108	Pan shallow for generator. Locate at front of open storage area.	\$724		
3310-0109	Auxiliary jack pad 24X24 (4) with side mounted handles. Includes mounting brackets that are bolted to body.	\$3,124		
3310-0110	Boxed out rear ladder tunnel doors. Horizontally hinged diamond plate (drop down).	\$1,247		
3310-0111	Recessed tubes for (4) pike poles. Not available on HP75 SideStacker.	\$588		
3310-0112	Body module for Snozzle boom. Side panels / doors to be smooth painted plate.	\$9,485		
3310-0113	Upper body side panels to be smooth plate painted job color IPO D.P.	\$861		
3310-0114	Crosslay triple (2) 5.5" wide single stack to hold up to 200' of 2.0" DJ or 150'-200' 2.5" DJ (each) and (1) 11" wide double stack for up to 300' of 3.0" DJ. Includes storage pan to rear of crosslays.	\$4,155		
3310-0115	Jack leg covers polished stainless steel. Includes (2) polished stainless steel extension covers and (2) painted fixed covers.	\$2,084		
3310-0116	Transverse compartment floor to be extended out to approx 4" from inside of door opening in L1.	\$634		
3310-0117	Pikepole/backboard storage. Available on HP75/78 SideStacker only. The access door to match the rear body finish.	\$734		
3310-0118	Crosslay triple w/dry lay. Includes (2) 5.5" wide single stack crosslays to hold up to 200' of 2.0" DJ (each), (1) 6" wide single stack crosslay to hold up to 150'-200' 2.5" DJ and (1) 6" wide dry lay for up to 150-200' of 3.0" DJ. Includes storage pan to rear of crosslays if applicable.	\$5,248		
3310-0119	Auxiliary jack pad 24X24x1.5 poly (4) with textured finish and rope handles. Includes mounting brackets (welded on).	\$3,557		
3310-0120	Transverse compartment floor to be extended out to door opening in R1.	\$478		
3310-0121	Body module for 50' Mid-mount boom. 100" wide. Includes left side staircase and provision for aerial control panel.	\$8,759		
3310-0122	Hosebed depth 23" HP75 / HP78 SideStacker. Will hold up to 1600' of 5" LDH. Capacity will be reduced with diamond plate covers.	\$0		
3310-0123	Crosslay double w/dry lay. Includes (2) 5.5" wide single stack crosslays to hold up to 200' of 2.0" DJ or 150'-200' 2.5" DJ (each) and (1) 5.5" wide dry lay for up to 150-200' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$4,155		
3310-0124	Raised lip 3" high 3/16" dia plt on each end of center raised transverse compartment floor. Loc: L4/R4.	\$452		
3310-0125	Recessed tubes for (4) pike poles. Tubes to be for (2) 8' and (2) 10' poles.	\$588		
3310-0126	Storage compartment on top of body. Box to be dia plt approx 90L x 10H x 16W with lift-up door on outboard side of box. Locate over L4/L5/L6 and R4/R5/R6.	\$2,006		
3310-0127	Crosslay quad w/dry lay. Includes (3) 5.5" wide single stack crosslays to hold up to 200' of 2.0" DJ or 150'-200' 2.5" DJ (each) and (1) 6" wide dry lay for up to 150-200' of 3.0" DJ. Includes storage pan to rear of crosslays if applicable.	\$5,248		

Item #	Description	Extension	+1/-1	Total
3310-0128	Pike pole/Ladder storage. Available on HP75/78 SideStacker with tall R1 & HM100/110 SideStacker only. The access door to match the rear body finish.	\$734		
3310-0129	Crosslay triple to hold 400' of 1.75" DJ (each) in two forward lays and up to 300' of 2.5" DJ in rear lay. Includes storage pan to rear of crosslays (if applicable).	\$4,155		
3310-0130	Crosslay quad with (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each) and (2) 5.5" wide to hold up to 150'-200' 2.5" DJ (each). Includes storage pan to rear of crosslays	\$5,248		
3310-0131	Upper storage box w/hinged cover (PR). Boxes to be dia plt approx 20" wide x 72" long x 11" deep. Lid to be hinged on outboard side with a gas spring hold-open and chrome grab handle offset to the rear. Left side compt to have a full length divider centered side to side. Locate on top of the body between the upper transverse compartments and the turntable.	\$3,674		
3310-0132	Hose storage box w/hinged cover. Box to be dia plt approx 18" wide x 64" long x 8" deep. Lid to be hinged on outboard side with a gas spring hold-open and chrome grab handle. Floor to have extruded alum slats. Locate on top of body left side offset forward.	\$1,294		
3310-0133	Storage boxes above officer side recessed side mount ladder offset rearward. Provide (3) diamond plate storage boxes with drop down doors and D-ring latches. Two rearward boxes to be approx 80" wide each with remaining space for third box.	\$2,931		
3310-0134	Rear ladder tunnel doors. Vertically hinged diamond plate. Doors to hinge on outboard sides and latch in the middle. D-ring to be on right hand "primary" door.	\$793		
3310-0135	Recessed tubes for (6) 16' pike poles. Tubes to have locking slots to hold poles in compt IPO doors.	\$1,029		
3310-0136	Compartments officer side tandem axle HM100/110 SideStacker with 300 gallon tank. Includes rescue style extended height compartments ahead of wheel well, compartment over forward tandem and extended hosebed.	\$36,495		
3310-0137	Compartments driver side tandem axle HM100/110 SideStacker with 300 gallon tank. Includes rescue style extended height compartments.	\$48,343		
3310-0138	Crosslay double (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each). Includes storage pan to rear of crosslays	\$3,062		
3310-0139	Pikepole/Ladder storage. Holds (4) pike poles and (1) 10' attic with shoes. Available on rear mount platform only. The access doors to match the rear body finish.	\$1,308		
3310-0140	Crosslay double (1) 7.5" wide double stack to hold up to 400' of 2.0" DJ and (1) 10.5" wide to hold 300'-400' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$3,590		
3310-0141	Body wheelwell compartments (4). Driver side forward, driver side rearward and officer side rearward approx 24" W x 6" H x 26" D. Officer side forward approx 48" W x 6" H x 26" D. All with drop down doors. Door material to match wheelwell finish. N/A with 8 SCBA tubes (6 max).	\$2,595		
3310-0142	Compartments officer side CR100/95 platform SideStacker with 500g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and optional R3 compartment above forward tandem.	\$35,412		
3310-0143	Auxiliary jack pad 24X24 (PR) with handle welded to top surface of pad. Includes mounting brackets.	\$1,331		
3310-0144	Rear ladder tunnel doors. Vertically hinged smooth plate aluminum. Doors to hinge on outboard sides and latch in the middle. D-ring to be on right hand "primary" door.	\$793		
3310-0145	Storage boxes above officer side recessed side mount ladder offset rearward. Provide (2) diamond plate storage boxes with drop down doors and D-ring latches. Boxes to be approx 93" wide each.	\$2,880		
3310-0146	Auxiliary jack pad 24X24 (PR) with side mounted handle. Includes mounting brackets. Driver side mounted below L1, officer below RSBM. Mid mount boom only.	\$1,331		
3310-0147	Compartments officer side HP100 SideStacker 3" lowered body with 450g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and optional R3 compartment above forward tandem.	\$38,859		
3310-0148	Compartments driver side tandem axle HP SideStacker 3" lowered body with 450g tank. Includes rescue style extended height compartments.	\$50,839		

Item #	Description	Extension	+1/-1	Total
3310-0149	Fixed diamond plate cover at front of hosebed approx 24" long.	\$653		
3310-0150	Nozzle/Hose holder with aluminum plate bottom and upright pipe. Location: Hosebed chute tray.	\$487		
3310-0151	Crosslay triple 7.5w x 23d (to 3x3) to hold up to 400' of 2.0" DJ (each). Includes storage pan to rear of crosslays (if applicable).	\$4,681		
3310-0152	Crosslay dry storage. Includes 20"W storage area and storage pan to rear of crosslay.	\$4,155		
3310-0153	Hose storage box w/hinged cover. Box to be dia plt approx 18" wide x 64" long x 8" deep. Lid to be hinged on outboard side with a gas spring hold-open and chrome grab handle. Floor to have extruded alum slats. Locate on top of body right side offset forward.	\$1,294		
3310-0154	Recessed tubes for (8) pike poles. Tubes to be sized for (2) 6', (2) 8', (2) 10', and (2) 12' poles.	\$977		
3310-0155	Body wheelwell compartments (2) above forward tandem approx 24" W x 6" H x 26" D with drop down doors. Door material to match wheelwell finish.	\$898		
3310-0156	Single pan diamond plate door with return bends. Location: B1 and B2.	\$0		
3310-0157	(8) pike pole style tubes to provide storage for brooms, shovels etc. Assembly located in L1/R1 bolted to bottom of transverse shelf. Tubes to be spaced down 2" and recessed in from inside of door opening by 10" on each side. Includes warning label (569518) on each side of compartment.	\$977		
3310-0158	Recessed tubes for (6) 12' pike poles. Tubes to have locking slots to hold poles in compt.	\$902		
3310-0159	Side intake panels Zolatone black. HP95MM no tank/pump only.	\$368		
3310-0160	Crosslay triple w/dry lay. All to be 31" deep (to 3x3) with approx 28" high dividers. Includes (2) 4.25" wide single stack crosslays to hold 200' of 1.75" DJ (each), (1) 5.5" wide single stack crosslays to hold 200' of 2.5" DJ and (1) 5.5" wide dry lay for 200' of 2.5" DJ. Includes storage pan to rear of crosslays if applicable.	\$5,774		
3310-0161	Jack leg opening covers diamond plate (2) sets. Includes diamond plate outrigger covers and fixed diamond plate filler panels.	\$0		
3310-0162	Jack leg opening covers diamond plate (4) sets. Includes diamond plate outrigger covers and fixed diamond plate filler panels. HM100/110 requires surface mount warning lights.	\$0		
3310-0163	Rear ladder tunnel door. Smooth plate lift up door to open 20 degrees past horizontal. Door will be painted	\$1,048		
3310-0164	Compartments driver side tandem axle HM100/110 SideStacker with 500 gallon tank. Includes rescue style extended height compartments (L1-L3).	\$48,967		
3310-0165	Compartments officer side tandem axle HM100/110 SideStacker with 500 gallon tank. Includes rescue style extended height compartments ahead of wheel well, compartment over forward tandem (extended height) and extended hosebed.	\$37,120		
3310-0166	Crosslay quad with (3) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each) and (1) 5.5" wide to hold up to 150'-200' 2.5" DJ. Includes storage pan to rear of crosslays.	\$5,248		
3310-0167	Fixed diamond plate cover at front of hosebed approx 12" long.	\$653		
3310-0168	Crosslay triple 28" deep (to 3x3). Includes (2) 4.25" wide single stack to hold up to 250' of 1.75" DJ(each) and (1) 8.75" wide dbl stack to hold 500' of 1.75" DJ. Includes storage pan to rear of crosslays.	\$5,586		
3310-0169	Pikepole/Ladder storage. Holds (2)6' APH6, (2)8' APH8, (2)12' APH12 Fire Hooks Unlimited Inc. pike poles and (1) FL-10 attic ladder. Available on HP75 SideStacker only. The access door to match the rear body finish.	\$734		
3310-0170	Crosslay Quad (3) 4.25" wide single stack to hold up to 200' of 2.0" DJ each and (1) 10.5 wide double stack to hold up to 300' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$5,538		
3310-0171	Crosslay quad with (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each), (1) 5.5" wide to hold up to 150'-200' 2.5" DJ and (1) 10.25" wide dry lay for up to 300' of 2.5" DJ.. Includes storage pan to rear of crosslays if applicable.	\$5,248		
3310-0172	Diamond plate trim plate at top of SideStacker hosebed to simulate compartment top.	\$303		
3310-0173	Fuel fill door at rear of body. Finish to match rear of body.	\$323		
3310-0174	Provide gas shock for rear ladder tunnel doors at rear of body. To keep doors open when ladders are being deployed	\$199		

Item #	Description	Extension	+1/-1	Total
3310-0175	Body wheelwell compartments (4) approx 26" W x 5" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$2,041		
3310-0176	Transverse compartment floor to be extended out to approx 12" from inside of door opening in L1/R1.	\$634		
3310-0177	Pikepole/tool storage. Holds (3) pike poles and (3) Akron Brass Rubbish Hooks. Available on rear mount platform only. The access doors to match the rear body finish.	\$1,308		
3310-0178	Crosslay triple (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each) and (1) 11" wide dbl stack to hold 300' of 3" DJ. Includes storage pan to rear of crosslays	\$4,155		
3310-0179	Cover plate over hydraulic generator lines located towards rear of compartment below generator.	\$287		
3310-0180	Crosslay with cord reel compartment RLP. Includes 2.5" x-lay extra capacity for 650' - 2.5" DJ approx. 17" w x 23" d (to 3x3), x-lay rollers on each end and cord reel compartments located each side ahead of x-lay w/lift-up diamond plate door.	\$3,485		
3310-0181	Crosslay triple (2) 7.50" wide double stack to hold up to 400' of 1.75" DJ (each) and (1) 5.5" wide single stack to hold up to 150'-200' 2.5" DJ. Includes storage pan to rear of crosslays	\$4,681		
3310-0182	Crosslay triple w/dry lay. Includes (2) 10w x 18d (to 3x3) double stack to hold up to 400' of 1.5" DJ or 250-300' of 2.5" DJ each and (1) 16" w x 18d (to 3x3) wide dry lay. Does NOT include space for a dunnage pan to rear of crosslays.	\$2,953		
3310-0183	Recessed tubes for (6) pike poles (2)6', (2)8', (1)12' & (1)14'. Note 14' pike pole located officer side storage at bottom position. Not available on HP75 SideStacker.	\$984		
3310-0184	Bolt-in 3/16" diamond plate wall. Locate in upper storage area beneath aerial from side to side just ahead of point where body sides angle down. Note may require notching to wall for aerial lift cylinder clearance (if applicable).	\$256		
3310-0185	Compartments officer side CR100/CR137/95 platform SideStacker with 450g tank. Includes rescue style compartments ahead of wheel wells with standard hosebed. 58" high body for low OAH. Requires troughed cab.	\$32,483		
3310-0186	Compartments driver side CR100/CR137/95 platform SideStacker with 450g tank. Includes rescue style compartments. 58" high body for low OAH. Requires troughed cab.	\$46,888		
3310-0187	Compartments officer side CR100/95 platform with 300g tank. Includes rescue style extended height compartments.	\$48,873		
3310-0188	Rear SideStacker body access doors (4) to have single pan doors with slam style compartment latches.	\$711		
3310-0189	Storage box w/hinged cover. Box to be dia plt approx 13" wide x 96" long x 10" deep. Lid to be hinged on outboard side with slat flooring, gas spring hold-opens and chrome grab handle. Locate on top of right side extended high compartments offset rearward.	\$1,111		
3310-0190	Auxiliary jack pad 24X24 (PR) with side mounted handle and 2x2 aluminum angles welded to form u-shaped channel for jack foot. Includes mounting brackets. Note: Truck is not to be driven with pads on jack feet.	\$1,458		
3310-0191	Observation door with light to view hydraulic generator's reservoir sight level gauge. Locate door above forward driver side outrigger. RLP only.	\$250		
3310-0192	Hose storage box w/hinged covers hinged on outboard side. Box to be dia plt approx 9" wide x 132" long x 14" deep. Cover to be two piece split in the middle with tab permanently attached to underside surface of one of the covers to support the other cover. Includes gas spring hold-opens, chrome grab handles and (2) butterfly latches for each cover. Floor to have extruded alum slats. Locate on top of body right side offset as far forward as possible.	\$1,840		
3310-0193	Crosslay with backboard compartment RLP. Includes (2) 1.5" single stacked x-lays for 200' - 1.75" DJ each, (1) 2.5" single stacked x-lay for 200' - 2.5" DJ (all 5.5" wide less plumbing), stainless steel trim around crosslay openings on each end and 8" wide backboard compartment located ahead of x-lays w/smooth plate painted door on each end (Note fixed panel ahead of backboard storage on each side also to be smooth plate painted).	\$3,645		
3310-0194	Stainless steel trim shall be installed vertically at the hosebed chute at rear of body to help protect the body paint.	\$209		
3310-0195	Compartments officer side tandem axle HP SideStacker. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and optional R3 compartment above forward tandem.	\$39,566		

Item #	Description	Extension	+1/-1	Total
3310-0196	Notch compartment L2 in deep area above jack leg to allow for routing of hydraulic generator hoses.	\$371		
3310-0197	Hosebed depth 22" HP75 / HP78 SideStacker with tall R1. Will hold up to 700' of 5" LDH and up to 200-300' of 2.5 or 3" DJ. Capacity will be reduced with diamond plate covers.	\$0		
3310-0198	Crosslay double to hold up to 200' of 2" DJ (each). Includes storage pan to rear of crosslays. Stainless steel product.	\$3,551		
3310-0199	Crosslay triple 5.5" wide single stack to hold up to 200' of 2" DJ (each) or 150'-200' 2-1/2" DJ (each). Includes storage pan to rear of crosslays. Stainless steel product.	\$4,820		
3310-0200	Crosslay double 5.5" wide single stack to hold up to 200' of 2" DJ (each) or 150'-200' 2.5" DJ (each). Includes storage pan to rear of crosslays. Stainless Steel product.	\$3,551		
3310-0201	Crosslay double w/dry lay. Includes (2) 5.5" wide single stack crosslays to hold up to 200' of 2" DJ or 150'-200' 2.5" DJ (each) and (1) 11" wide dry lay for up to 300' of 3.0" DJ. Includes storage pan to rear of crosslays. Stainless Steel product.	\$4,820		
3310-0202	Crosslay double to hold up to 400' of 2" DJ (each). Includes storage pan to rear of crosslays. Stainless steel product.	\$4,162		
3310-0203	Crosslay triple (2) 4.25" wide single stack to hold up to 200' of 2" DJ (each) and (1) 5.5" wide to hold up to 150'-200' 2.5" DJ. Includes storage pan to rear of crosslays. Stainless steel product.	\$4,820		
3310-0204	Notch compartment R3 in deep area below compartment depth change offset to forward wall to allow for routing of hydraulic generator hoses.	\$371		
3310-0205	Additional "Safe Operating Grade Indicator" gauge shall be provided, gauge is in addition to gauge at rear of body. To be located side facing at rear of body midway up on body panel above corner tailboard. Aerial body only.	\$134		
3310-0206	Crosslay double. Both lays 10.875"W x 23"D (to 3x3) to hold up to 300-350' of 2.5" (each) or 300' of 3" DJ (each). Includes storage pan to rear of crosslays if applicable.	\$3,590		
3310-0207	Crosslay triple extra deep. All to be 31" deep (to 3x3) with approx 28" high dividers. Includes (2) 4.25" wide single stack crosslays to hold 200' of 1.75" DJ (each), (1) 5.5" wide single stack crosslays to hold 200' of 2.5" DJ. Includes storage pan to rear of crosslays if applicable.	\$4,671		
3310-0208	Jack leg opening covers smooth plate painted job color (2) sets. Includes outrigger covers and fixed filler panels	\$1,273		
3310-0209	Forward jack pad access doors painted outside surface job color and inside surface zolatone gray IPO diamond plate. 95 Mid-mount only.	\$496		
3310-0210	Storage at rear of body in rear tow eye compartment for Junkin MIL-8131-W stokes basket and (2) two pike pole tubes for (1)10' and (1)12' poles. 95' Mid-Mount only.	\$556		
3310-0211	Diamond plate storage box with hinged lid to outside for (2) K12 power cut saws. Box to be approx 48L x 18W x 18H includes butterfly latch, gas shock hold-upen and chrome grab handle. Locate on top of body right side offset forward.	\$1,065		
3310-0212	Crosslay triple extra deep. All to be 31" deep (to 3x3) with approx 28" high dividers (notched). Includes (2) 4.25" wide single stack crosslays to hold 250' of 1.75" DJ (each), (1) 5.5" wide single stack crosslays to hold 200-250' of 2.5" DJ. Includes storage pan to rear of crosslays if applicable.	\$4,671		
3310-0213	Pike pole/Ladder storage. Available on HP75/78 SideStacker with tall R1 & HM100/110 SideStacker only. The pike pole tubes to accomodate APH pike poles. The access door to match the rear body finish.	\$734		
3310-0214	Jack leg opening covers polished stainless steel (2) sets. Includes outrigger covers and fixed filler panels.	\$2,084		
3310-0215	Transverse compartment floor to be extended out to door opening in L1.	\$479		
3310-0216	Compartments officer side tandem axle HP eMAX SideStacker. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$36,948		
3310-0217	Storage box w/hinged cover. Box to be dia plt approx 15" wide x 96" long x 15" deep. Lid with 1.5" lip to be hinged on outboard side with (2) thumb latches, (3) EON LED lights mounted to lid to illuminate interior when open , gas spring hold-opens and chrome grab handle. Locate on top of body right side above R1/R2.	\$1,648		
3310-0218	Storage box w/hinged cover. Box to be dia plt approx 15" wide x 96" long x 15" deep. Lid with 1.5" lip to be hinged on outboard side with (2) thumb latches, (3) EON LED lights mounted to lid to illuminate interior when open , gas spring hold-opens and chrome grab handle. Locate on top of body left side above L1/L2.	\$1,648		

Item #	Description	Extension	+1/-1	Total
3310-0219	Storage box w/hinged cover. Box to be dia plt approx 16" wide x 43" long x 12" deep. Lid to be hinged on outboard side with gas shock hold-opens and chrome grab handle. Locate on top of body over R1 offset forward.	\$1,092		
3310-0220	Crosslay single (1) 10.5" wide double stack to hold up to 300-400' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$1,677		
3310-0221	Compartments driver side tandem axle HP eMAX SideStacker, med cab, 240 WB. Includes rescue style extended height compartments.	\$48,967		
3310-0222	Rear turntable access door. Smooth plate lift up door to open 20 degrees past horizontal. Door will match rear body finish.	\$1,048		
3310-0223	Compartments driver side HP100 industrial platform SideStacker with short cab, 1000 gallon tank and 260" WB. Includes rescue style extended height compartments and raised rear perimeter aft of rear jack legs. The door on small compts next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$50,123		
3310-0224	Compartments officer side HP100 industrial platform SideStacker with 1000 gallon tank and 260" WB. Includes rescue style extended height compartments ahead of wheel well with extended hosebed, optional R3 compartment above forward tandem and raised rear perimeter aft of rear jack legs. Requires aerial envelope controls.	\$37,140		
3310-0225	Compartments officer side CR100/95 platform with 300g tank. Includes rescue style extended height compartments.	\$48,848		
3310-0226	Jack leg opening covers smooth plate painted job color (4) sets. Includes painted plate outrigger covers and fixed painted plate filler panels. HM100/110 requires surface mount warning lights.	\$2,006		
3310-0227	Exterior body stepping surfaces (running boards, floor of left rear staircase, staircase turntable access steps and rear area at top of access steps) to be 3/16" smooth plate with gator grip painted black durabak IPOS diamond plate.	\$1,561		
3310-0228	Recessed compartment at right rear of body up high for storage of long handle tools (approx size: 6"W x 13"H x 88"D). Locate to outside of officer side pike pole compartment includes hinged door with push button latch. The access door to match the rear body finish.	\$801		
3310-0229	Compartments driver side HP100 Platform SideStacker 260" W/B with medium cab and 300g tank. Includes rescue style extended height compartments. The door on small compts next to rear outrigger to match wheelwell.	\$47,625		
3310-0231	Compartments officer side HP100 SideStacker 3" lowered body with 450g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$37,634		
3310-0234	Compartments officer side HP100 industrial platform SideStacker with 750 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and raised rear perimeter. Requires aerial envelope controls.	\$35,254		
3310-0235	Compartments driver side HP100 industrial platform SideStacker with short cab, 750 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments and raised rear perimeter. The door on small compts next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$48,848		
3310-0236	Recessed tubes for (4) pike poles. Tubes to be for (2) 6' and (2) 12' poles.	\$588		
3310-0237	Body wheelwell compartments (2), one each side above rearward tandem wheel approx 24" W x 6" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$898		
3310-0238	Wall at rearward most point between cord reel enclosure storage boxes to enclose open storage area beneath aerial. Shall be bolt-in 3/16 Dia Plt. with diamonds facing rear. May require notching for lift cylinder clearance if applicable.	\$430		
3310-0239	Compartments officer side HP100 Platform SideStacker with 300 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well, compartment over forward tandem and extended hosebed. Requires aerial envelope controls.	\$36,606		
3310-0240	Compartments driver side HP100 Platform SideStacker for long cab with 300 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well. The door on small compt next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$48,819		



Item #	Description	Extension	+1/-1	Total
3310-0241	Compartments officer side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well and rescue style compartments IPO hosebed. The door on small compts next to rear outrigger to match wheelwell.	\$37,247		
3310-0242	Compartments driver side HP100 Platform SideStacker with 300g tank (lowered 2"). Includes rescue style extended height compartments. The door on small compts next to rear outrigger to match wheelwell.	\$50,123		
3310-0243	Compartments officer side HP100 Platform SideStacker with 300g tank (lowered 2"). Includes rescue style extended height compartments ahead of wheel well and rescue style compartments IPO hosebed. The door on small compts next to rear outrigger to match wheelwell.	\$50,123		
3310-0244	Contoured beavertail compartments. Full height door for compartment opening. Includes special mount painted job color for upper rear warning light and rear facing scene (if applicable).	\$4,260		
3310-0245	Notch compartment(s) L1 & R1 in deep area forward above jack leg to allow for routing of deck gun piping. N/A with rollup door.	\$506		
3310-0246	Auxiliary jack pad 24X24 (4) with side mounted handle. Includes (2) double mounting brackets welded in place.	\$2,660		
3310-0247	Compartments driver side HP100 industrial platform SideStacker for short cab, 1000 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments. The door on small compt next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$50,123		
3310-0248	Compartments officer side HP100 industrial platform SideStacker with 1000 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well with extended hosebed, optional R3 compartment above forward tandem. Requires aerial envelope controls.	\$37,140		
3310-0249	Storage box for handheld jack control. Approx size: 14"wide x 8" high x 14"deep. Includes hinged diamond plate door with push button latch. Locate in driver side rear staircase down low recessed in back wall.	\$390		
3310-0250	Diamond plate trm between turntable disc and top of body. Required on Metro 100 with waterway.	\$539		
3310-0251	Recessed storage for (4) pike poles IPO recessed tubes at rear of body. Includes boxes at driver's side for (2) D-handled 6' poles and officer's side for (2) D-handled 8' poles. The access doors to match the rear body finish. For use with rear mount aerials.	\$1,308		
3310-0252	Body module for 50' Mid-mount boom. 100" wide. Includes left side staircase, provision for aerial control panel and access door below aerial control panel. The access door and the left and right rear facing outboard panels just ahead of pump panel to be smooth plate painted job color. The following items: staircase platework, access steps, compartment top (below the boom module control panel) and top of module platework shall be aluminum smooth plate painted black durabak.	\$9,814		
3310-0253	Recessed tubes for (4) pike poles. Tubes to be for (2) APH-6', (1) APH-8' and (1) APH-12' Fire Hooks Unlimited poles.	\$588		
3310-0254	Diamond plate storage box with hinged lid to outside for chain saws. Box to be approx 35L x 16W x 18H includes butterfly latch, gas shock hold-upen and chrome grab handle. Locate on top of body right side offset forward.	\$1,019		
3310-0255	Crosslay triple extra deep. All to be 27" deep (to 3x3). Includes (2) 4.25" wide single stack crosslays to hold 225' of 1.75" DJ (each), (1) 5.5" wide single stack crosslays to hold 200' of 2.5" DJ. Includes storage pan to rear of crosslays if applicable.	\$4,671		
3310-0256	Compartments driver side tandem axle HP eMAX SideStacker, med cab, 240 WB. Includes rescue style compartments.	\$46,052		
3310-0257	Compartments officer side tandem axle HP eMAX SideStacker, med cab, 240 WB. Includes low side compartments with full length hosebed. Decreases height of compartments R1 and R2.	\$28,049		
3310-0258	Corner tailboard at officer side to rear of hosebed is squared off (90 degree corner) IPO 45 degree angle.	\$0		
3310-0259	Recessed tubes for (10) pike poles. Tubes to be sized for (4) 8', (2) 10' and (4) 12' poles. Locate (5) each side of rear ladder tunnel.	\$1,220		
3310-0260	Aluminum plate provided at bottom behind fuel fill door at rear of body to protect wiring from spills when refueling	\$152		
3310-0261	Ladder tunnel opening to have chain to retain ladders.	\$0		

Item #	Description	Extension	+1/-1	Total
3310-0262	Upper dunnage area extension 34 x 73 diamond plate.	\$750		
3310-0263	Crosslay triple to hold 200' of 1.75" DJ (each) in two forward lays and 200' of 2.5" DJ in rear lay. Includes storage pan to rear of crosslays.	\$4,155		
3310-0264	Compartments driver side HP100 Platform SideStacker for long cab with 300 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well and raised rear perimeter. The door on small compt next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$48,819		
3310-0265	Compartments officer side HP100 Platform SideStacker with 300 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well, compartment over forward tandem and extended hosebed and raised rear perimeter.	\$36,606		
3310-0266	Rear ladder tunnel door. Smooth plate lift up door to open 20 degrees past horizontal. Door will be painted to match the "two tone" sale code color.	\$1,048		
3310-0267	Compartments officer side HP100 Platform SideStacker with 300 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well, extended hosebed and raised rear perimeter.	\$35,224		
3310-0268	Compartments driver side HP100 Platform SideStacker for medium cab with 300 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well and raised rear perimeter. The door on small compt next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$48,819		
3310-0269	Recessed tubes for (6) pike poles. Not available on HP75 SideStacker.	\$734		
3310-0270	Pike pole/Attic ladder storage at rear of body each side of ladder tunnel. Shall hold (3) pike poles and (1) 8' Duo-Safety attic ladder on driver side and (3) pike poles and (1) 10' Duo-Safety attic ladder on officer side. Available on rear mount platform only. The access doors to match the rear body finish.	\$2,043		
3310-0271	Recessed tubes for (6) pike poles: (2)8', (1)10', (1)12', (1) 14' & (1)16'. Note 14' & 16' pike poles located one each side in lower storage at rear of body. Not available on HP75 SideStacker.	\$1,240		
3310-0272	Compartments officer side tandem axle HM100/110 SideStacker 3" lowered body with 450 gallon tank. Includes rescue style extended height compartments ahead of wheel well and extended hosebed.	\$39,569		
3310-0273	Compartments driver side tandem axle HM100/110 SideStacker 3" lowered body with 450g tank. Includes rescue style extended height compartments ahead of wheel well.	\$51,415		
3310-0274	Rear tandem wheel well splash shields provided on driver and officer sides to prevent road salt from getting between ladder tunnel platework and top of torque box. Shields must be removable (bolt-on) for periodic cleaning. Aerial application only.	\$1,912		
3310-0275	Crosslay quad with (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each), (1) 5.5" wide to hold up to 150'-200' 2.5" DJ and (1) 22" wide dry lay for up to 600' of 3" DJ. Includes storage pan to rear of crosslays if applicable.	\$5,248		
3310-0276	Crosslay double extra deep. All to be 31" deep (to 3x3) with approx 28" high dividers. Includes (2) 5.5" wide single stack crosslays to hold up to 250' of 2.0" DJ (each) or 200' 2.5" DJ (each). Includes storage pan to rear of crosslays if applicable.	\$4,067		
3310-0277	Boxed out rear ladder tunnel doors. Horizontally hinged smooth plate (drop down). Doors to match rear body finish.	\$1,524		
3310-0278	Notch compartment R4 lower ceiling below offset, to allow for routing of 5" rear intake pipe to exit out at rear of body beneath officer side ladder tunnel.	\$371		
3310-0279	Crosslay triple 5.5" wide single stack to hold up to 200' of 2.0" DJ (each) or 150'-200' 2.5" DJ (each). Includes smooth plate IPO diamond plate storage pan painted black durabak to rear of crosslays.	\$4,327		

Item #	Description	Extension	+1/-1	Total
3310-0280	There shall be no visible diamond plate on the body exterior. The following items on the body to be smooth plate painted job color or two tone if applicable: forward facing panels in the pump module's headboard, panel to rear of crosslay on the officer side, upper side and rear facing panels driver and officer side above compartments and bolt-on splash guards at front of the pump module. The following items on the body to be smooth plate painted black durabak: gator grip running boards, upper deck plate work on top of body including compartment tops, rear beavertail plate work, rear access steps w/gator grip, tailboard w/gator grip and exterior inside facing platework/extrusions on the extended beavertail compartments at either side of driver and officer side ladder tunnels.	\$1,412		
3310-0281	Rear ladder tunnel doors. Horizontally hinged drop down smooth plate. Doors to match rear body finish.	\$793		
3310-0282	Combine L4 lower with L5 for mounting long handled tools on back wall. Note this applies to the height of L5 only	\$426		
3310-0283	Crosslay triple 10.5w x 15d (to 3x3) to hold up to 200' of 2.5" DJ (each). Includes storage pan to rear of crosslays if applicable.	\$4,681		
3310-0284	Crosslay double (1) 5.5" wide single stack to hold up to 200' of 2.0" DJ and (1) 16.5 wide triple stack for dry storage to hold up to 400' of 3.0" DJ. Includes storage pan to rear of crosslays (if applicable).	\$3,120		
3310-0285	Compartments driver side tandem axle HP SideStacker. Includes rescue style compartments, ext height on L1-L3.	\$48,967		
3310-0286	Compartments officer side tandem axle HP SideStacker. Includes rescue style compartments ahead of wheel well, with extended hosebed and optional R3 compartment above forward tandem.	\$37,096		
3310-0287	Bolt-in floor. Location: turntable access area. HP75/78 only.	\$424		
3310-0288	Compartments officer side HP100 Platform SideStacker, 400-500 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well and extended hosebed. Requires aerial envelope controls.	\$35,224		
3310-0289	Compartments driver side HP100 Platform SideStacker for long cab with 400-500 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well. The door on small compt. next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$48,819		
3310-0290	Jack leg opening covers brushed finish S/S (2) sets. Includes outrigger covers and fixed filler panels. HP95 MM only.	\$323		
3310-0291	Jack leg opening covers brushed finish S/S (4) sets. Includes outrigger covers and fixed filler panels.	\$644		
3310-0292	Jack leg opening covers brushed finish S/S (2) sets. Includes outrigger covers and fixed filler panels. For HP75/78 and Tiller.	\$440		
3310-0293	Crosslay Triple (2) single stacked and (1) double stacked Midmount. Forward two lays 5.5"W x 18"D to hold up to 200' of 2" DJ each. Rearward lay 10.5"W x 18"D to hold up to 300' of 2.5" DJ. Midmount only.	\$3,886		
3310-0294	Storage box w/hinged cover for miscellaneous items. Box to be dia plt approx 16" wide x 60" long x 10" deep. Lid to be hinged on outboard side with a gas spring hold-open, chrome grab handle and butterfly latch. Locate on top of body on compartment top over L4.	\$1,294		
3310-0295	Additional "Safe Operating Grade Indicator" gauge (PR) shall be provided, gauge is in addition to gauge at rear of body. To be located one each side in driver and officer side rear side staircases attached to back wall. Aerial body only.	\$267		
3310-0296	Auxiliary jack pad 24X24 (4) with handle welded to top surface of pad. Includes mounting brackets.	\$2,660		
3310-0297	Recessed tubes for (6) pike poles. Not available on HP75 SideStacker.	\$734		
3310-0298	Auxiliary jack pad 26X26x1.5 poly (4) with textured finish and rope handles. Includes (2) double mounting brackets (welded on).	\$3,800		
3310-0299	Miscellaneous long handle tool storage sleeve. Suspended from ceiling mounted just below roll-up door approximate size: 8"H x 16"W x 89"L. Includes 1.5" lip on each side of opening to prevent tools from interfering with roll-up door. Location: L1/R1 transverse offset rearward.	\$1,405		
3310-0300	Compartments driver side HPS105 ladder SideStacker and 300 gallon tank (182 C/A). Includes rescue style extended height compartments and raised rear body for improved angle of departure.	\$47,625		
3310-0301	Compartments officer side HPS105 ladder SideStacker with 300 gallon tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and raised rear body for improved angle of departure.	\$34,028		

Item #	Description	Extension	+1/-1	Total
3310-0302	Boxed out rear ladder tunnel doors. Horizontally hinged (drop down) on driver side, vertically hinged on officer side (hinged outboard). Doors to match rear body finish.	\$1,524		
3310-0303	Auxiliary jack pad 24X24 (4) with 20 degree formed handle. Includes (4) mounting brackets.	\$2,660		
3310-0304	Jack leg opening covers smooth plate painted Durabak black (4) sets. Includes painted plate outrigger covers and fixed painted plate filler panels. HM100/110 requires surface mount warning lights. Only available with jack leg tie off eye on outriggers.	\$2,006		
3310-0305	Storage box w/hinged cover. Box to be smooth plt painted black Durabak approx 15" wide x 96" long x 15" tall. Lid with 1.5" lip to be hinged on outboard side with (3) EON LED lights mounted to lid to illuminate interior when open , gas spring hold-opens and chrome grab handle painted Durabak black. Note: Aerial applications may require raising aerial to open storage lid, if option for ladder storage bracket mounted to side of base is present in order. Locate on top of body above L2-L4.	\$1,753		
3310-0306	Storage box w/hinged cover. Box to be smooth plt painted black Durabak approx 15" wide x 96" long x 15" tall. Lid with 1.5" lip to be hinged on outboard side with (3) EON LED lights mounted to lid to illuminate interior when open , gas spring hold-opens and chrome grab handle painted Durabak black. Note: Aerial applications may require raising aerial to open storage lid, if option for ladder storage bracket mounted to side of base is present in order. Locate on top of body above R2-R4.	\$1,753		
3310-0307	Aluminum smooth plate IPO diamond plate, painted job color for the following: forward facing panels in the pump module's headboard, upper side facing and rear facing panels driver and officer side above compartments, panel just to rear of tandem axle and bolt-on splash guards at front of the body. Diamond plate painted Durabak black for the following: upper deck plate work on top of body including compartment tops and contoured beavertail exterior inside facing plate work. Body plate work to be smooth plate IPO diamond plate, painted Durabak black for the following: rear access steps w/gator grip and tailboard w/gator grip.	\$2,693		
3310-0308	Storage area beneath aerial at top of body to have roof top style compartment lids for weather proof storage, gas shocks, chrome grab handles painted Durabak black and (3) EON LED lights mounted to each lid to illuminate interior when open. All exterior plate work to be diamond plate painted Durabak black. All enclosed interior plate work to be smooth plate with sanded finish (unpainted). Includes an open transverse storage forward for generator and (2) lift up lids with one degree pitch hinged to outside to enclose rearward storage. Note inside enclosed storage area to be open without partitions.	\$11,765		
3310-0309	Auxiliary jack pad 26X26 (4) with 20 degree formed handle. Includes (4) mounting brackets.	\$2,735		
3310-0310	Auxiliary jack pad 26X26 (4) with 20 degree formed handle. Includes (2) double mounting brackets.	\$2,279		
3310-0311	Auxiliary jack pads 24X24 (4) with 20 degree formed handle. Includes mounting brackets to store (2) each side of the body next to front drop down jacks.	\$2,190		
3310-0312	Auxiliary jack pad 28X28 (4) with 20 degree formed handle. Includes (2) double mounting brackets.	\$2,345		
3310-0313	Auxiliary jack pad 30X30 (4) with 20 degree formed handle. Includes (4) mounting brackets.	\$2,881		
3310-0314	Auxiliary jack pad 24X24 (2) with 20 degree formed handle. Includes mounting brackets.	\$1,331		
3310-0315	Auxiliary jack pad 26X26 (4) with 20 degree formed handles. Includes (2) double mounting brackets. Note both pads to store in same slot, to reduce profile below body.	\$2,660		
3310-0316	Aerial jack controls shall be located one each side inboard of beavertail below second from bottom rear step. Master control at standard location. Applies only to beavertail style rear end.	\$0		
3310-0317	Hose storage box w/hinged covers hinged on outboard side. Box to be dia plt approx 11" wide x 115" long x 16" deep with forward facing surface of box left open for preconnected hose. Cover to be two piece split in the middle with tab permanently attached to underside surface of one of the covers to support the other cover. Includes black nylon strap with buckle to secure hose and gas spring hold-opens, chrome grab handles and (2) butterfly latches for each cover. Floor to have extruded alum slats. Locate on top of body right side offset as far forward as possible.	\$1,840		

Item #	Description	Extension	+1/-1	Total
3310-0318	Compartments officer side HP100 Platform SideStacker with 300g tank (lowered 2"). Includes rescue style extended height compartments ahead of wheel well, compartment over forward tandem and extended hosebed.	\$37,109		
3310-0319	Hose/Electric ladder pipe storage box w/hinged cover to outside for 100' of 3" DJ and Akron Electric Ladder Pipe monitor model#1494 with 5177 nozzle. Box to be dia plt approx 12" wide x 88" long x 16" deep with divider offset 50" from forward wall to separate hose storage side from electric ladder pipe storage side. Includes gas spring hold-opens, chrome grab handle and (2) butterfly latches. Hose storage side (38" long) floor to have extruded alum slats. Locate on top of body right side offset forward.	\$2,142		
3310-0320	Body exterior aluminum plate work to be smooth plate IPO diamond plate and painted job color as follows: upper side facing and rear facing panels driver and officer side above compartments and fuel fill hinged door and fixed panel below door each side to rear of tandem axle.	\$624		
3310-0321	Access panels on upper back wall of L4/R3 for access to inside of ladder tunnel for periodic cleaning. Requires corresponding access panels on ladder tunnel plate work. Aerial bodies with center ladder tunnel only.	\$371		
3310-0322	Compartments officer side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments and rescue style compartments IPO hosebed (Note officer side compartments to match driver side). The door on small compt next to rear outrigger to match wheelwell.	\$48,520		
3310-0323	Compartments driver side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments and separate rear side compartment ahead of 18"W rear side staircase. The door on small compt next to rear outrigger to match wheelwell.	\$48,520		
3310-0324	Crosslay double w/dry lay 26" deep. Includes (1) 4.25" wide single stack to hold up to 200' of 2.0" DJ, (1) 5.5" wide single stack to hold up to 200' of 2.5" DJ and (1) 11" wide dry lay to hold up to 300' of 3" DJ. Includes storage pan to rear of crosslays (if applicable).	\$4,155		
3310-0325	Storage box w/hinged cover for miscellaneous items. Box to be dia plt approx 16" wide x 60" long x 10" deep. Lid to be bi-fold style and hinged on outboard side with a gas spring hold-open, chrome grab handle and butterfly latch. Floor to have extruded aluminum slats. Locate on top of body on compartment top over L4.	\$1,518		
3310-0326	Compartments driver side CR100/CR137/95 platform SideStacker with 300g tank. Includes rescue style extended height compartments (L1-L3) and rear corner style staircase w/corner access steps to allow 45 degree angle access to turntable.	\$49,348		
3310-0327	Recessed tubes for (8) Fire Hooks Unlimited pike poles. Tubes to be sized for (2) 6', (2) 8', (2) 10', and (2) 12' poles. The access doors to match the rear body finish. Not available on HP75/78 SideStacker.	\$977		
3310-0328	Compartments officer side CR100/CR137/95 platform SideStacker with 300g tank. Includes rescue style extended height compartments (R1-R3) and rear corner style staircase w/corner access steps to allow 45 degree angle access to turntable IPO hosebed.	\$51,087		
3310-0329	Double crosslays for use with removable poly trays and dry lay storage offset to rear without tray. Forward tray to be accessible from driver side only and second tray to be accessible from officer side only, each tray to hold 180' of 2" DJ preconnected hose. Rearward for dry lay storage to hold 200' of 3" DJ, accessible from officer side only. Includes storage pan to rear (if applicable).	\$3,595		
3310-0330	Fuel fill hinged door and fixed panel below door each side to rear of tandem axle to be brushed S/S IPOS. Grain to run horizontal.	\$66		
3310-0331	Compartments driver side HPS105 ladder SideStacker with 500g tank (182 C/A). Includes rescue style extended height compartments and raised rear body for improved angle of departure.	\$47,625		
3310-0332	Compartments officer side HPS105 ladder SideStacker with 500 gallon tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and raised rear body for improved angle of departure.	\$34,028		
3310-0334	Stainless steel trim (PR) along sides and top edge of each fuel fill opening on driver and officer side of body.	\$397		

Item #	Description	Extension	+1/-1	Total
3310-0335	Fabricated aluminum smooth plate enclosure for pump panel to mount to. Located in L1 transverse compartment against rearward wall that extends from inside of L1 door opening to center of transverse compartment to allow plumbing to enter up through floor between frame rails. Includes an access panel with thumb latches on forward wall for plumbing access. Note enclosure to match compartment interior finish.	\$1,453		
3310-0336	Crosslay double w/dry lay. Includes (2) 7.5" wide double stacked crosslays to hold up to 200' of 1.75" DJ preconnected hose in each lay and (1) 11.5" w double stack dry lay for 200' of 3" DJ (15" deep to 3x3). Forward lay to be accessible from driver side only with second lay and third dry lay accessible from officer side only. Remaining space to rear of crosslays for long handle tool storage with vertically hinged diamond plate door and thumb latch on driver side only. For use with hose connection above crosslay floor only.	\$4,597		
3310-0337	Crosslay single w/dry storage. Includes (1) 5.5" wide single stack to hold up to 200' of 2.0" DJ or 150'-200' 2.5" DJ and (1) 14.25" wide for dry storage. Includes storage pan to rear of crosslays.	\$4,290		
3310-0338	Crosslay quad (4) 4.75" wide single stack to hold up to 200' of 2.0" DJ (each) or 150-200' of 2.5" DJ (each). Includes storage pan to rear of crosslays.	\$5,248		
3310-0339	Crosslay single w/dry lay. Includes (1) 5.5" wide single stack crosslays to hold up to 200' of 2.0" DJ or 150'-200' 2.5" DJ and (1) 11" wide dry lay for up to 300' of 3.0" DJ. Includes storage pan to rear of crosslays.	\$4,155		
3310-0340	Jack leg opening covers smooth plate (4) sets. Includes aluminum smooth plate outrigger covers and fixed aluminum smooth plate filler panels. HM100/110 requires surface mount warning lights.	\$0		
3310-0341	Compartments officer side CR100/95 platform/CR137 SideStacker with 500g tank. Includes rescue style compartments ahead of wheel well, optional R3/R4 above tandem, with extended hosebed with single lay extending behind R4. Rear of body raised 4" for improved angle of departure.	\$37,020		
3310-0342	Compartments driver side CR100/95 platform/CR137 SideStacker, 250" w/b with 500g tank. Includes rescue style extended height compartments on L1-L3. Rear of body raised 4" for improved angle of departure.	\$48,932		
3310-0343	Compartments driver side HP100 Platform SideStacker for medium cab, 400-500 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well and raised rear perimeter. The door on small compt next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$48,819		
3310-0344	Compartments driver side HP100 Platform SideStacker for long cab, 400-500 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well and raised rear perimeter. The door on small compt next to rear outrigger to match wheelwell. Requires aerial envelope controls.	\$48,819		
3310-0345	Compartments officer side HP100 Platform SideStacker, 400-500 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well, extended hosebed and raised rear perimeter. Requires aerial envelope controls.	\$35,224		
3310-0346	Compartments officer side HP100 Platform SideStacker, 400-500 gallon tank, 252" WB and 58-62K rear. Includes rescue style extended height compartments ahead of wheel well, optional R3 compartment above forward tandem, extended hosebed and raised rear perimeter. Requires aerial envelope controls.	\$35,819		
3310-0347	Body exterior aluminum plate work to be smooth plate IPO diamond plate and painted job color as follows: upper side facing and rear facing panels, driver and officer side above compartments.	\$391		
3310-0348	Auxiliary jack pad 24X24 (4) with 20 degree formed handle. Includes (1) double mounting bracket for driver side and (2) single mounting brackets for officer side. Applies to L2 lower aerial hydraulic reservoir location.	\$2,432		
3310-0349	Body wheelwell compartments (2), one each side above forward tandem wheel approx 24" W x 4" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$898		

Item #	Description	Extension	+1/-1	Total
3310-0350	Storage shall be provided for two (2) customer supplied Junkin JSA-200 stokes baskets and four (4) 6' pike poles in L2/R2 transverse compartment. Includes the transverse floor extended out to door opening on each side, one horizontal fixed shelf offset approximately 8.5" above transverse floor and four 6' aluminum tubes. Four 6' pike pole tubes located, one at each lower corner of the two storage bins that will store the stokes baskets, pike pole tubes to be bolted in. Note pike poles to exit out L2 to be mounted ahead of stokes and pike poles to exit out R2 to mount to rearward of stokes baskets.	\$689		
3310-0351	Two storage boxes (PR) for dealer supplied 6' Dragon Slayer hooks with D-Handles. Approx. box size: 8" wide x 74" long x 3" high. Boxes to be fabricated from .125" diamond plate with drop down hinged door and butterfly latches on each box end. Locate over horizontal ladder storage offset forward bolted to ceiling positioned approximately at 15 degree angle out to rear.	\$1,063		
3310-0352	Long handle tool storage box w/lift-up hinged cover. Special design box to allow cover to open with storage box extending below bottom rail of aerial base section. Box to be diamond plate approx 26" wide x 74" long x 14" tall. Lid hinged on outboard side with 1.5" lip all sides, chrome grab handle, (2) thumb latches, (3) EON LED lights mounted to lid to illuminate interior when open and gas spring hold-opens. Locate on top of body driver side just to rear of L2 extended high side.	\$1,659		
3310-0353	There shall be no E-One logo(s) on rear ladder tunnel door.	\$0		
3310-0354	Auxiliary jack pad 24X24 (4) with 20 degree formed handle. Includes (2) double mounting brackets.	\$2,204		
3310-0355	Body wheelwell compartments for total of (4) shall be as follows: driver side (2) approx 24" W and officer side (2) approx 20" W both sides x 6" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$1,607		
3310-0356	Upper dunnage area extension 34 x 46 diamond plate. Includes offset for generator cover clearance.	\$685		
3310-0357	Body modification to R3 compartment for mounting diesel generator. Includes support bracing, diamond plate cover raised approx 4" with lift-up hinged access door on top, gas shock hold open and thumb latches. Diamond plate liftup door with expanded metal cutout for side access IPO double pan door, includes gas shock hold open and thumb latches. Fixed diamond plate panel w/expanded metal cutout offset ahead of lift-up door with partition wall to prevent air flow recirculation.	\$3,343		
3310-0358	Hinged smooth plate cover for the aerial hydraulic reservoir for use in top side mounting applications. Includes flush access door with thumb latch to inspect or fill hydraulic reservoir.	\$426		
3310-0359	Crosslay triple extra deep. All to be 30" deep (to 3x3). Includes (2) 4.25" wide single stack crosslays to hold 250' of 1.75" DJ (each), (1) 5.5" wide single stack crosslays to hold 200' of 2.5" DJ. Includes storage pan to rear of crosslays if applicable.	\$4,671		
3310-0360	Ladder tunnel opening to have a S/S chain to retain ladders.	\$393		
3310-0361	Crosslay double (1) 7.5" wide double stack for 200' of 2.0" DJ and (1) 10.5" wide double stack for 200' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$3,590		
3310-0362	Diamond plate liftup door with expanded metal cutout for side access to diesel/APU generator. Includes hinged lift-up diamond plate access panel w/D-ring latch and (2) gas shocks. Officer side of body over forward outrigger.	\$468		
3310-0363	Compartments driver side HP100 Platform SideStacker with pump, no tank. Includes rescue style extended height compartments. The door on small compts next to rear outrigger to match wheelwell.	\$47,625		
3310-0364	Compartments officer side HP100 Platform SideStacker with pump, no tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$34,028		
3310-0365	Compartments officer side HP100 Platform SideStacker with 150g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$34,028		
3310-0366	Compartments driver side HP100 Platform SideStacker with 150g tank. Includes rescue style extended height compartments. The door on small compts next to rear outrigger to match wheelwell.	\$47,625		

Item #	Description	Extension	+1/-1	Total
3310-0367	Crosslay quad w/dry lay. Includes (2) 5.5" wide single stack crosslays to hold up to 200' of 2.0" DJ, (1) 10.5" wide double stack to hold up to 200' of 2.5" DJ and (1) 11" wide dry lay for up to 300' of 3.0" DJ. Does NOT include a storage pan rearward of crosslays.	\$4,496		
3310-0368	Crosslay quad with (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each), (1) 10.5" wide to hold 200' 2.5" DJ and (1) 16.5" wide dry lay for up to 450' of 3" DJ. Does NOT include storage pan to rear of crosslays.	\$5,248		
3310-0369	Rear under-body splash shield(s) to mitigate road debris from getting on components up in chassis at rear of body. HP100 Platform only. Locate rearward of jacks. Shield(s) must be removable (bolt-on) for periodic cleaning.	\$1,098		
3310-0370	Recessed tubes for (6) NY Hook pike poles. Not available on HP75 SideStacker.	\$734		
3310-0371	Pike pole/Attic ladder storage at rear of body each side of ladder tunnel. Shall hold (2) 8' and (2) 10' pike poles w/Fire Hooks Unlimited all purpose heads on driver side and (2) 10' Duo-Safety attic ladders (585-A) on officer side. Available on rear mount platform only. The access doors to match the rear body finish.	\$2,043		
3310-0372	Rear beavertail access staircase's top step on both sides to extend to and align with hose chute floor.	\$159		
3310-0373	Body wheelwell compartments (4) approx 24" W x 4" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$1,354		
3310-0374	Crosslay single (1) 10.5" wide double stack to hold up to 200' of 2.5" DJ. Includes storage pan to rear of crosslays (if applicable).	\$1,677		
3310-0375	Compartments officer side CR100/95 platform SideStacker with 500g tank and extended hosebed. Includes rescue style extended height compartments R1-R2 ahead of wheel well extended higher to match enclosed pump panel compartment height, followed by optional R3 over forward tandem wheel stepped down to standard extended height with hosebed behind for additional hose storage, making R3 shallow compartment.	\$40,472		
3310-0376	Compartments driver side CR100/CR137/95 platform SideStacker, 250" WB with 500g tank. Includes rescue style extended height compartments L1-L2 ahead of wheel well extended higher to match enclosed pump panel compartment height, followed by L3 stepped down to standard extended high.	\$46,745		
3310-0377	Doors for rear master and jack control controls. Doors for jack controls to be drop down door. Doors to match rear body finish.	\$458		
3310-0378	Diamond plate hose storage box on officer side of open storage area below aerial device behind generator. Includes open top area with (3) seatbelt style hold downs and decking. Size box to fit 150' of 3" hose. (hose not included)	\$1,042		
3310-0379	Compartments L3 & L4 modified into one continuous compartment on the inside, without wall between. Note will maintain original compartment depths.	\$367		
3310-0380	Doors for rear master and jack control controls. Doors for jack controls, to hinged on inboard side for clearance when operating controls. Door for master control to be drop down door. Doors will match rear body finish.	\$458		
3310-0381	Pikepole/Ladder storage. Recessed tubes for (5) Fire Hooks Unlimited pike poles w/straight fiberglass poles and (1) 10' attic with shoes. Available on rear mount platform only. The access doors to match the rear body finish.	\$861		
3310-0382	Jack leg opening covers smooth plate painted job color (2) sets. Includes painted plate outrigger covers and fixed painted plate filler panels. HP95 MM only.	\$1,003		
3310-0383	Auxiliary jack pad 26X26x1.5 poly (4) with textured finish and rope handles. Includes mounting brackets (welded on).	\$3,632		
3310-0384	Storage boxes above officer side recessed side mount ladder offset rearward. Provide (2) diamond plate storage boxes with drop down doors and D-ring latches. Boxes to be approx 72" wide each	\$2,804		
3310-0385	Recessed fuel fills IPOS for dual fuel fill application, (1) each side recessed in panel behind body wheel wells. Aerial application only.	\$751		
3310-0386	Attic ladder storage at rear of body, above top step, each side of ladder tunnel. Shall hold (2)10' Alco-Lite attic ladders w/shoes, one each side. Available on rear mount platform only. The access doors to match the rear body finish.	\$2,043		



Item #	Description	Extension	+1/-1	Total
3310-0387	Storage sleeve ceiling mounted in L1/R1 compartment in transverse area horizontally mounted. Sleeve to hold pike poles and quartz lights. Sleeve to be approximately 24" wide x 12" high x 72" long, centered side to side between compartment openings. Sleeve shall have four total openings. Upper opening to be approximately 23.5" wide x 6" high x 72" long. Three lower openings equally spaced, approximately 7.75" wide x 6" high x 72" long. Below each equally spaced compartment shall be (1) 6' pike pole tube. (2) tubes to be accessible from officer side, (1) from the driver side. See photo on file.	\$2,353		
3310-0388	Compartments officer side HPS105 ladder SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed, optional R3 compartment above forward tandem and raised rear body for improved angle of departure.	\$35,412		
3310-0389	Compartments officer side HPS105 ladder SideStacker with 500g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed, optional R3 compartment above forward tandem and raised rear body for improved angle of departure.	\$35,412		
3310-0390	Compartments driver side CR100/CR137/95 platform SideStacker with 270g tank. Includes rescue style height compartments. 58" high body for low OAH. Requires troughed cab.	\$46,719		
3310-0391	Compartments officer side CR100/CR137/95 platform SideStacker with 270g tank. Includes rescue style height compartments ahead of wheel well with standard hosebed. 58" high body for low OAH.	\$33,735		
3310-0392	Contoured beavertail compartments. Door opening raised for warning light. Includes special mount painted job color for upper rear warning light and rear facing scene (if applicable).	\$4,260		
3310-0393	Rollup rear ladder compartment door for SideStacker and NPNT aerial with side staircases (N/A on HP100P) painted upper two-tone job color. Includes hinged ladder retention plate.	\$2,731		
3310-0394	Jack leg opening covers brushed finish S/S (4) sets. Includes outrigger covers and fixed filler panels. Panels made of 12ga material.	\$838		
3310-0395	Hinged access door with (2) thumb latches for access to aerial hydraulic reservoir fill cap. Located in hosebed floor.	\$0		
3310-0396	Recessed tubes for (4) pike poles. Not available on HP75 SideStacker.	\$588		
3310-0397	Compartments officer side HP100 Platform SideStacker with 300g tank (lowered 2"). Includes rescue style extended height compartments ahead of wheel well with extended hosebed.	\$36,527		
3310-0398	Auxiliary jack pad 24X24 (4) with 20 degree formed handle. Includes (4) mounting brackets. Brackets to be mounted so the formed handles are flush with edge of rubrail.	\$3,220		
3310-0399	Hose storage box w/hinged cover to outside. Box to be diamond plate approximately 10.25" wide x 62" long x 12" deep. Includes gas spring hold-opens, chrome grab handle and (2) butterfly latches. Floor to have extruded alum slats. Locate on top of body right side offset forward.	\$1,294		
3310-0400	Compartments driver side CR100/95 platform/CR137 SideStacker with 500g tank, long cab, 250 WB. Includes rescue style extended height compartments.	\$48,184		
3310-0401	Recessed storage box at driver side rear of body for handheld jack control 10W x 13H x 10D. Locate below extended top step. Door material to be the same as rear body surface.	\$565		
3310-0402	Access handrails at driver side rear staircase to be (2) two pairs. One pair mounted on side of body and second separate pair on top of body as low as possible IPO standard pool style handrails. Applies to 95 mid-mount only.	\$0		
3310-0403	Storage pan. Locate in forward area of ladder tunnel in center body section on officer side ahead of ladders for generator storage. Applies to 95 mid-mount only.	\$872		
3310-0404	Compartments officer side tandem axle HP SideStacker. Includes rescue style extended height compartments ahead of wheel well with extended hosebed and optional R3 & R4 compartments above forward and rearward tandem wheels.	\$40,653		
3310-0405	Crosslay quad with (3) 4.75" wide single stack to hold up to 200' of 2.0" DJ (each) and (1) 5.5" wide to hold up to 150'-200' 2.5" DJ. Includes storage pan to rear of crosslays.	\$5,520		

Item #	Description	Extension	+1/-1	Total
3310-0406	Boxed out rear ladder tunnel doors. Vertically hinged smooth plate aluminum. Doors to hinge on outboard sides and latch in the middle. D-ring to be on right hand "primary" door. Doors to match rear body finish.	\$1,337		
3310-0407	Compartment door drip rail provided over each wheel well cribbage storage compartment(s). Only available with tandem axle wheel well storage compartment option.	\$229		
3310-0408	Upgrade the aerial turntable access steps to include cutouts with Grip Strut inserts, IPO Gator Grip.	\$613		
3310-0409	Body wheelwell compartments for a total of (4) shall be as follows: (1) each side centered over forward wheel approx 20" W and (1) each side centered over rearward wheel approx 24" W both sides x 6" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$1,607		
3310-0410	Relocate fuel fill as high as possible at rear of body.	\$543		
3310-0411	Crosslay triple (3) 6.00" wide single stack to hold up to 200' of 2.0" DJ or 150'-200' 2.5" DJ. Includes storage pan to rear of crosslays.	\$4,155		
3310-0412	Jack leg opening covers polished stainless steel (4) sets. Includes outrigger covers and fixed filler panels.	\$1,460		
3310-0413	Storage shall be provided for one (1) customer supplied Junkin JSA-200 stokes basket in L2/R2 transverse compartment. Includes the transverse floor extended out to door opening on each side and one horizontal fixed shelf offset approximately 8.5" above transverse floor.	\$446		
3310-0414	Long handle tool storage box w/lift-up hinged cover. Box to be diamond plate approx 18" wide x 74" long x 14" tall. Lid hinged on outboard side with 1.5" lip all sides, chrome grab handle, (2) thumb latches, (3) EON LED lights mounted to lid to illuminate interior when open and gas spring hold-opens (Note lid to open up to 90 degrees). Locate on top of body officer side just to rear of R2 extended high side.	\$1,659		
3310-0415	Compartments driver side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments and separate rear side compartments. The door on small compt next to rear outrigger to match wheelwell.	\$48,520		
3310-0416	Recessed tubes for (5) pike poles and (1) NY Hook. Not available on HP75 SideStacker.	\$897		
3310-0417	Crosslay double (1)4.25"/(1)5.50" wide single stack to hold up to 200' of 2.0" DJ/150'-200' 2.5" DJ. Includes storage pan to rear of crosslays.	\$3,062		
3310-0418	Compartments driver side HP100 Platform SideStacker with pump (No tank). Includes extended height compartments ahead of wheel well. The door on small compts next to rear outrigger to match wheelwell.	\$47,625		
3310-0419	Compartments officer side HP100 Platform rescue body with pump (No tank). Includes extended height compartments ahead of wheel well and rescue style compartments IPO hosebed. The door on small compts next to rear outrigger to match wheelwell.	\$47,625		
3310-0420	Storage box w/hinged cover for customer supplied rescue jacks. Box to be .187" diamond plate approx 60" wide x 8" high x 22" deep. Lid to be hinged on inboard side with a gas spring hold-opens, Nylatron floor overlay, (2) EON LED lights mounted to lid to illuminate interior when open and D-ring latch. Note front face and top are one piece hinged lift-up lid. Located on top of the body over L7 offset forward.	\$1,568		
3310-0421	Storage box with hinged lift-up door on each end shall be provided to store dealer supplied and installed Ferno Advantage Plastic Basket Stretcher. The box shall be .125" aluminum diamond plate approximately 25.5" wide x 86.25" long x 8" high. Includes (2) thumb latches, one on each door. The box shall be located on top of the body mounted transversely over L4/R4, accessible from each side of apparatus. Applicable only with standard height tiller body.	\$1,502		
3310-0422	Storage box w/hinged cover. Box to be diamond plate approx 15" wide x 122" long x 15" tall. Lid with 1.5" lip to be hinged on outboard side with (3) EON LED lights mounted to lid to illuminate interior when open, gas spring hold-opens and chrome grab handles. Dividers in box to separate fill and route drain for Super CAFS system. Note: Aerial applications may require raising aerial to open storage lid, if option for ladder storage bracket mounted to side of base is present in order. Locate on top of body above L1-L3.	\$1,842		

Item #	Description	Extension	+1/-1	Total
3310-0423	Pike pole/Attic ladder storage at rear of body each side of ladder tunnel. Shall hold (1) 10' Duo-Safety attic ladder on driver side and (4) pike poles w/ New York Hook heads on officer side. Available on rear mount platform only. The access doors to match the rear body finish.	\$2,043		
3310-0424	Storage box w/hinged cover. Box to be diamond plate approx 15" wide x 122" long x 15" tall. Lid with 1.5" lip to be hinged on outboard side with (3) EON LED lights mounted to lid to illuminate interior when open , gas spring hold-opens and chrome grab handles. Note: Aerial applications may require raising aerial to open storage lid, if option for ladder storage bracket mounted to side of base is present in order. Locate on top of body above R1-R3.	\$1,842		
3310-0425	Rear tandem wheel well modification to driver and officer side to increase storage, by lowering extrusion above. Note SCBA bottle storage not available. Applies only to HP100 rear mount platform without pump.	\$563		
3310-0426	Boxed out rear ladder tunnel door. Smooth plate lift-up door to open 20 degrees past horizontal (degrees may be reduced due to other options). Door will match rear body finish.	\$1,571		
3310-0427	Compartments officer side tandem axle HM100/110 SideStacker with 500 gallon tank. Includes rescue style extended height compartments ahead of wheel well, compartment over forward tandem and extended hosebed.	\$37,120		
3310-0428	Compartments driver side tandem axle HM100/110 SideStacker with 500 gallon tank. Includes rescue style extended height compartments ahead of wheel well.	\$48,423		
3310-0429	Crosslay triple 6" wide single stack to hold up to 200' of 2.0" DJ (each) or 150'-200' 2.5" DJ (each). Includes storage pan to rear of crosslays.	\$4,155		
3310-0430	Crosslay double w/dry lay. Includes (1) 11.5"w for 400' of 1.75" DJ in forward lay and (1) 20"w dry lay for 400' of 2.5" DJ (15" deep to 3x3). Includes storage pan to rear of crosslays (if applicable).	\$3,031		
3310-0431	Pike pole/Attic ladder storage at rear of body each side of ladder tunnel. Shall hold (2) 4' and (2) 6' pike poles w/Fire Hooks Unlimited New York style heads on driver side and 10' Duo-Safety attic ladder (585-A) on officer side. Available on rear mount platform only. The access doors to match the rear body finish.	\$1,608		
3310-0432	Crosslay quad w/dry lay. All to be 31" deep (to 3x3) with approx 28" high dividers. Includes (3) 5.5" wide single stack crosslays to hold up to 200' of 2.0" DJ or 200' of 2.5" DJ (each) and (1) 6" wide dry lay for up to 150-200' of 3.0" DJ. Includes storage pan to rear of crosslays (if applicable).	\$5,774		
3310-0433	Pike pole/Ladder storage. Available on HP75/78 SideStacker with tall R1 & HM100/110 SideStacker only. The pike pole tubes to accomodate New York roof hook pike poles. The access door to match the rear body finish.	\$734		
3310-0434	Body mounts at rear of body to be spring mounted. Applies only to HP75/78.	\$272		
3310-0435	Compartments officer side CR100/95 platform SideStacker with 300g tank. Includes rescue style extended height compartments (R1-R3) with extended hosebed.	\$35,971		
3310-0436	Compartments driver side CR100/95 platform/CR137 SideStacker, Med cab, 240" W/B with 300g tank. Includes rescue style extended height compartments (L1-L3) and 18" wide rear staircase.	\$48,184		
3310-0437	Storage box with hinged drop down door on long side, shall be provided to store (3) backboards. The box shall be .125" aluminum diamond plate approximately 25.5" wide x 86.25" long x 8" high. Includes (2) thumb latches for securing door closed. The box shall be located on top of the body mounted front to back over R5/R6, accessible only from side of apparatus.	\$1,602		
3310-0438	Compartments driver side HPS105 ladder SideStacker 3" lowered 96" wide body with 500g tank, med cab, 250 WB. Includes rescue style extended height compartments and raised rear body for improved angle of departure. 61" high body for low OAH. Requires troughed cab.	\$50,390		
3310-0439	Compartments officer side HPS105 ladder SideStacker 3" lowered 96" wide body with 500g tank. Includes rescue style extended height compartments ahead of wheel well with extended hosebed, optional R3 compartment above forward tandem and raised rear body for improved angle of departure. 61" high body for low OAH. Requires troughed cab.	\$37,921		

Item #	Description	Extension	+1/-1	Total
3310-0440	Storage box w/hinged cover for miscellaneous storage. Box to be smooth plate painted two tone job color approx 18" wide x 30" long x 12" deep. Lid hinged on outboard side with 1.5" lip all sides, chrome grab handle and gas spring hold-open. Locate on top of the body over L3 offset forward.	\$1,247		
3310-0441	Storage box w/hinged cover for miscellaneous storage. Box to be smooth plate painted two tone job color approx 16.5" wide x 30" long x 12" deep. Lid hinged on outboard side with 1.5" lip all sides, chrome grab handle and gas spring hold-open. Locate on top of the body over R3 offset forward.	\$1,226		
3310-0442	Auxiliary jack pad 26X26 (2) with 20 degree formed handle. Includes mounting brackets.	\$1,368		
3310-0443	Compartments driver side single axle LTH100/HM100/110 SideStacker. Includes rescue style extended height compartments ahead of wheel well and full width body over pump panel. Requires front tank module.	\$39,921		
3310-0444	Compartments officer side single axle LTH100/HM100/110 SideStacker. Includes rescue style extended height compartments ahead of wheel well and full width body over pump panel.	\$31,366		
3310-0445	HR 100 single axle Quint front body module for use with 500 gallon tank and vertical SCR.	\$14,257		
3310-0446	Recessed tubes for (8) Fire Hooks Unlimited pike poles w/straight poles. Not available on HP75/78 SideStacker.	\$734		
3310-0447	Left rear staircase with pocket style drop down step to be 18" wide IPO standard. Note reduces compartment volume of compartment immediately ahead of staircase.	\$491		
3310-0449	Pikepole/Ladder storage. Holds (2)6' New York Hook, (2)6' Boston Hook, (1)12' New York Hook and (1) 12' Boston Hook pike poles and (1) FL-10 attic ladder. Available on HP75 SideStacker only. The access door to match the rear body finish.	\$734		
3310-0450	Amdor rear ladder compartment rollup door with satin finish for SideStacker and NPNT aerial with side staircases (N/A on HP100P). Includes hinged ladder retention plate.	\$2,067		
3310-0451	Body wheelwell compartments (2) above rearward tandem approx 18" W x 6" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$898		
3310-0452	Modify L3/R3 compartment opening to accommodate cord reel and junction box. Note the forward and rearward compartment's interior shall remain combined into one large compartment over driver and officer side tandem wheel.	\$852		
3310-0453	Compartments officer side HP100 Platform SideStacker with 300g tank. Includes rescue style extended height compartments ahead of wheel well, optional compartments over forward and rearward tandem wheels and extended hosebed for customer's specific hose load requirement.	\$37,585		
3310-0454	Pike pole/Attic ladder storage at rear of body each side of ladder tunnel. Shall hold (2) 8' and (2) 10' pike poles w/Fire Hooks Unlimited all purpose heads on officer side and (1) 10' Duo-Safety attic ladder (585-A) and (1) Fire Hooks Unlimited Dry Wall Hook on driver side. Available on rear mount platform only. The access doors to match the rear body finish.	\$2,043		
3310-0455	Crosslay quadruple single stack, dry lay storage and storage for high rise pack split into two separate areas by backboard storage. Forward storage to be as follows: (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each), (1) 5.5" wide to hold up to 150-200' 2.5" DJ and (1) 6" wide single stack to hold up to 150-200' of 3.0" DJ. Rearward storage to be as follows: 11.5" wide dry lay to hold up to 300' of 3" DJ and (1) 11" wide storage for a high rise pack. Does not include storage pan to rear.	\$4,563		
3310-0456	HR 100 single axle Quint front body module for use with 300 gallon tank and vertical SCR.	\$14,800		
3310-0457	Compartments officer side single axle LTH100/HM100/110 SideStacker. Includes rescue style extended height compartments ahead of wheel well.	\$31,366		
3310-0458	Compartments driver side single axle LTH100/HM100/110 SideStacker. Includes rescue style extended height compartments ahead of wheel well. Requires front tank module.	\$39,921		
3310-0459	Crosslay triple (2) 4.25" wide single stack to hold up to 200' of 2.0" DJ (each) and (1) 9.75" wide dbl stack to hold 300' of 2.5" DJ. Includes storage pan to rear of crosslays.	\$4,155		

Item #	Description	Extension	+1/-1	Total
3310-0460	Pikepole/Ladder storage. Holds (4) pike poles and (1) 6' sheet rock hook. Available on rear mount platform only. The access doors to match the rear body finish.	\$1,308		
3310-0461	Storage box w/hinged cover. Box to be diamond plate painted Line-X black approx 15" wide x 79" long x 15" deep. Lid with 1.5" lip to be hinged on outboard side with (2) thumb latches, (2) EON LED lights mounted to lid to illuminate interior when open, gas spring hold-opens and chrome grab handle. Note: Aerial applications may require raising aerial to open storage lid, if option for ladder storage bracket mounted to side of base is present in order. Locate on top of body over L1/L2.	\$1,679		
3315-0005	2-Bottle DOT 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in [#LOC].	\$14,416		
3315-0006	4-Bottle DOT 6000 PSI breathing air cascade system with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located [#LOC].	\$20,245		
3315-0007	6-Bottle DOT 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in [#LOC].	\$27,031		
3315-0008	2-Bottle ASME 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in [#LOC].	\$17,723		
3315-0009	4-Bottle ASME 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in [#LOC].	\$26,164		
3315-0010	6-Bottle ASME 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in [#LOC].	\$35,977		
3315-0017	Breathing Air Compressor Bauer 15 HP, 19.0 CFM, 6000 PSI. The compressor shall be located in the middle of the transverse rear wheel well compartment. Compressor shorepower connection and transfer switch required.	\$62,500		
3315-0018	Breathing Air Compressor Bauer 20 HP, 25.2 CFM, 6000 PSI. The compressor shall be located in the middle of the transverse rear wheel well compartment. Compressor shorepower connection and transfer switch required.	\$63,626		
3315-0021	Utility Air Compressor, Atlas Copco 5.5 HP, 20 CFM @145 PSI. Location: [#LOC].	\$6,454		
3315-0023	Storage rack for three DOT or ASME air bottles. Mounted either vertical or horizontal in a compartment or top of body. Locate [#LOC].	\$581		
3315-0024	Sierra Booster Pump, 6000 PSI. Locate in [#LOC].	\$16,119		
3315-0025	6-Bottle ASME 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in L5. There shall also be a Bauer CFS2 two (2) bottle fill station located in R5.	\$45,048		
3315-0026	Pasco County Air System. There will be bracing for the 19.2 Bauer Open compressor centered between L1/R1 and a 6 bottle cascade system 2 high x 3 wide directly behind B1 centered. Need cut-out and bracing for a Space Saver Fill station in B1 offset to officer side. Generator sizing needs to be verified based on Air Compressor HP and all other AC loads.	\$377		
3315-0027	3-Bottle ASME 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in B1 rearward. Bauer CFS2 two (2) bottle fill station shall be located in B1 with control panel.	\$30,847		
3315-0028	City of Clinton Air System (dealer installed). There will be bracing for a 3 bottle cascade system in Transverse area of L1/R1 rearward offset to the officer's side. Need cut-out and bracing for a Bauer 1 bottle fill station in L1 offset rearward. Generator sizing needs to be verified based on Air Compressor HP and all other AC loads.	\$366		
3315-0029	Air System. There will be bracing for the 14cfm Mako compressor centered between L1/R1 and a 9 bottle cascade system 3 high x 3 wide directly behind B1 centered. Need cut-out and bracing for a Space Saver Fill station in B1 offset to officer side. Dealer supplied air system. Generator sizing needs to be verified based on Air Compressor HP and all other AC loads.	\$377		

Item #	Description	Extension	+1/-1	Total
3315-0030	System shall consist of a Space Saver 2 bottle fill station offset against rearward wall and control panel with provisions to have low pressure system which includes controls for E-One supplied air reel and air outlet port. Control panel shall be mounted in an E-One fabricated enclosure offset against forward wall located in L3. Haskel booster pump shall be provided in L3 mounted to fixed shelf just above breathing air system units. A (4) DOT bottle cascade system located in L1/R1 horizontally mounted to transverse floor offset as far forward as possible in an E-One supplied rack.	\$43,795		
3315-0031	Storage rack for four (2x2) DOT or ASME air bottles. Locate [#LOC].	\$2,317		
3315-0033	Location for the air panel of the breathing air cascade system shall be: R1 rearward wall.	\$0		
3315-0034	Bauer BP13H-E3 truck compressor module mobile skid with 4 DOT type UN bottles Located in L3/R3 with "tilt out filter design" and Bauer CFSII-2 fill station with "top mount flush fill panel cascade located in R4. Purification cartridge(s) tilt feature shall be located in L3 and the compressor and controls shall be located in R3.	\$60,841		
3315-0035	Low pressure utility air outlet with regulator , gauge and shut off. Located on breathing air panel and plumbed into the on board cascade system.	\$413		
3315-0036	Storage rack for two DOT or ASME air bottles. Mounted either vertical or horizontal in a compartment or top of body. Locate top of body in upper storage beneath aerial offset forward transversely mounted ahead of aerial hydraulic reservoir.	\$581		
3315-0037	Storage enclosure for breathing air system's control panel shall be provided. Located in L3 offset against forward wall.	\$723		
3315-0038	System shall consist of a Space Saver 2 bottle fill station offset against rearward wall in L3 compartment and control panel with provisions to have low pressure system which includes controls for E-One supplied air reel and air outlet port. Control panel shall be mounted in an E-One fabricated enclosure offset against forward wall located in L3. Haskel booster pump with E-One supplied diamond plate cover shall be located on compartment top over L4 offset forward. A (4) ASME bottle cascade system located top of body in upper storage beneath aerial offset forward transversely mounted ahead of aerial hydraulic reservoir in an E-One supplied racks.	\$47,000		
3315-0041	Storage rack for Six (3Wx2T) DOT or ASME air bottles. Locate between L2/R2 over rear axle and provide access to bottles thru B1 rear wall.	\$3,481		
3315-0042	System shall consist of horizontal Space Saver 2 bottle fill station with control fill panel above, located in R2. System includes all associated plumbing, valves and gauges to accommodate a (6) bottle system. NOTE: the (6) DOT bottles are not included and shall be dealer or customer supplied! Control panel shall be mounted in an E-One fabricated enclosure. (6) Bottle DOT 6000 PSI breathing air cascade system shall be horizontally mounted in an E-One fabricated storage rack located between L2/R2 over the rear axle with intent of bottle valves to be access thru rear of B1 compartment door for easy access to DOT bottle valves.	\$16,910		
3315-0043	6-Bottle DOT 6000 PSI Breathing Air Cascade bottles with air lines routed to fill station location in L4 forward area. Rack and bottles to be located in forward roof top boxes (3) bottles on driver side and (3) bottles on officer side. Note: No control panel included.	\$12,915		
3315-0044	Storage rack for four (4) DOT or ASME air bottles. Mounted horizontal in roof top compartments. Locate two (2) each side in roof top compartments for dealer supplied and installed DOT/ASME bottles and Cascade system.	\$943		
3315-0045	Storage rack for One (1) 4500 nitrogen bottle air bottle. Mounted horizontal above standard bottles (1) B1 and (1) B2.	\$681		
3315-0046	SpaceSaver Fill Station, horizontal operation, fill two SCBA cylinders. Fill station to be located in R3.	\$15,901		
3315-0047	Storage rack for two DOT or ASME air bottles. Mounted either vertical or horizontal in a compartment or top of body. Locate: [#LOC].	\$581		
3315-0048	Compressor System, Breathing Air. E-ONE provided breathing air compressor system. Dealer to generate CRs providing unique customer requirements for breathing air compressor system, shoreline connection, and accommodating body modifications. Generator size requires verification. Due to unique qualities of breathing air system pricing not provided by this sales code.	\$0		

Item #	Description	Extension	+1/-1	Total
3315-0049	Compressor System, Breathing Air. Dealer supplied and installed breathing air compressor system. Dealer to provide compressor system specifications on files tab. Dealer to generate CRs providing unique customer requirements for shoreline connection and accommodating body modifications. Generator size requires verification. Due to unique qualities of breathing air system pricing not provided by this sales code.	\$0		
3315-0050	SpaceSaver Fill Station, vertical operation, fill two SCBA cylinders. Fill station to be locate: L2 floor. Sierra Booster Pump, 6000 PSI. Locate: Above L2 in coffin style compartment with a remote mounted on control panel. 4-Bottle DOT 6000 PSI Breathing Air Cascade System with air panel located in L2 above fill station, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located: (2) in roof top compartments over wheelwells on officer side and (2) in roof top compartment over wheelwells on driver side.	\$35,019		
3315-0051	SpaceSaver Fill Station, horizontal operation, fill two SCBA cylinders. Fill station to be locate: R2 floor. Sierra Booster Pump, 6000 PSI. Locate:: 2-Bottle DOT 6000 PSI Breathing Air Cascade System with air panel located above fill station and all associated air lines, valves and gauges. The bottles are to be located on the rear wall.	\$29,124		
3315-0053	4-Bottle DOT 6000 PSI breathing air cascade system with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located [#LOC].	\$19,155		
3315-0054	4-Bottle ASME 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located in [#LOC].	\$27,369		
3315-0055	SpaceSaver M2792M two (2) bottle vertical fill station. Fill station to be located in [#LOC].	\$15,085		
3315-0056	Bauer CFS5.5-2M two (2) bottle fill station. Fill station to be located in [#LOC].	\$15,616		
3315-0057	Haskel Booster Pump 6000 psi, #58985-2 or equivalent	\$16,358		
3315-0058	Mako MSCFS2 two (2) bottle fill station. Fill Station will be located in [#LOC].	\$16,970		
3315-0059	2-bottle DOT 6000 PSI breathing air cascade system, Klamp-it, fill station and Haskel booster with control panel, installed. Bottle rack and all associated air lines, valves and gauges. Bottles, fill station, booster to be located in R2.	\$32,282		
3315-0060	Breathing air system with (6) ASME bottles. Includes: (1) 35.9 cfm 6000 psi compressor with (TBD 208V or 230V voltage) 3 phase soft start motor & P10 Securus, (4) vertical Space Saver 2 bottle fill stations. (6) 6000 psi ASME storage bottles, control fill panel, all associated plumbing, valves and gauges to accommodate system. Compressor Located between L1/L2 & R1/R2, (2) ASME bottles located on aft wall of L4, (2) ASME bottles located on aft wall of R4, (2) ASME bottles located on rear wall of B1, (2) SpaceSaver fill stations located in L4 forward, (2) SpaceSaver fill stations located in R4 forward, Control panel located in B1 E-One fabricated enclosure. Purification to be relocated to accommodate servicing.	\$144,471		
3315-0061	Enclosure to mount air system control panel with 6 ASME bottles and (4) 2 bottle SpaceSaver fill stations. Finish: sanded aluminum. Location: B1	\$1,153		
3315-0062	1-Bottle DOT 6000 PSI tool air system with air panel, bottle and all associated air lines, valves and gauges (Breathing Air Systems supplied).Bottle located in L1 rearward back wall. Air Panel located in L3 upper between reels.	\$4,699		
3315-0063	Storage enclosure for breathing air system's control panel shall be provided. Panel for (1) DOT tool system. Located in L3 between reels as high as possible.	\$458		
3315-0064	Storage rack for One (1) DOT air bottle. Mounted vertical top of body in compartment L1 rearward to back wall.	\$681		
3315-0065	2-Bottle DOT 6000 PSI tool air cascade system, bottle rack, associated air lines, valves and gauges. Rack and bottles to be located in [#LOC].	\$14,416		
3315-0066	Back fill port for cascade system. Includes quick-connect fitting for refilling storage vessels. Locate on mini panel for reel locate in [#LOC].	\$0		
3315-0067	Bauer BP13H-E3 truck compressor module mobile skid module. Includes soft start feature. Located in L3/R3 with "tilt out filter design". Purification cartridge(s) tilt feature shall be located in B1 (behind lift up stair case) and the compressor and controls shall be located in R3. Installation requires the elimination of the back walls of compartments L3/R3 for installation and airflow requirements.	\$45,295		

Item #	Description	Extension	+1/-1	Total
3315-0068	Partition between roof top compartments and cascade bottle storage areas for both driver and officer side. Floor to be provided above the cascade bottle storage areas to use remaining area above.	\$3,094		
3315-0069	8-Bottle DOT 6000 PSI Breathing Air Cascade System with air panel, bottle rack and all associated air lines, valves and gauges. Rack and bottles to be located (4) each in compartments L2 and R2.	\$33,235		
3315-0070	High pressure breathing air outlet with HP regulator, supply & regulated pressure gauges and shut off. Includes 6000 PSI quick disconnect and cap. Located on breathing air panel and plumbed into the on board cascade system. For off-filling of cascade systems with onboard compressor at scene or station houses.	\$2,570		
3315-0071	Storage enclosure for breathing air system's control panel shall be provided. Panel for (3) DOT breathing air system. Located in L4 above the fill station..	\$458		
3315-0072	Cascade system, 3-bottle DOT 6000 PSI breathing air system with Sidewinder fill station, air panel above fill station and all associated air lines, valves and gauges. Locate: L3.	\$20,230		
3315-0073	Storage enclosure for breathing air system's control panel shall be provided. Panel for (3) DOT breathing air system. Located in L3 above the fill station..	\$458		
3315-0074	Storage rack for four (4) DOT or ASME air bottles. Mounted horizontal in roof top compartments. Locate two (2) each side in roof top compartments for DOT/ASME bottles and Cascade system.	\$943		
3315-0075	Storage rack for Two DOT or ASME air bottles. A dual bottle storage rack with lifting eyes shall be provided so that the rack with storage bottles installed can be lifted from the mounting surface for service. Rack to accommodate bottles configured side by side horizontally. Locate: Body roof. Note: Bottles not included.	\$1,764		
3315-0076	Raceway to accommodate air lines routed thru body roof. Provision to accommodate dealer supplied and installed air lines. Option shall be designed to prevent water intrusion into compartment from roof top opening. Locate: Forward area of L4 and as close to rear of compartment as possible.	\$690		
3315-0077	Diamond plate enclosure for six (6) DOT breathing air bottles in open storage area beneath aerial.	\$2,026		
3315-0078	System shall consist of HYPRES single containment fill station with control fill panel. System includes all associated plumbing from cascade storage bottles to compartment with fill station. Locate: L3	\$29,029		
3315-0079	Enclosure for breathing air system control panel shall be provided. Locate: L3 above fill station.	\$723		
3315-0080	BreathingAir Systems cascade system: Shall consist of a Soft Start 3 phase 10 HP 13 CFM compressor, P5 Securus tilt out purification, remote controls, electric carbon monoxide monitor with calibration kit, (1) one SpaceSaver M2794 4 bottle fill station, control panel mounted in an E-One fabricated enclosure, A (6) DOT bottle cascade system roof mounted in E-One supplied racks 3 bottles each side in forward roof top compartments. Also includes: 60 FT of remote fill hose, panel fill connection, panel air outletfrom cascade, all plumbing to complete install. Compressor pkg located: L1/R1 centered. SpaceSaver fill station and controls Located: R1.	\$81,280		
3315-0081	Enclosure, aluminum construction to accommodate air system control panel with 6 storage bottles. Finish: sanded aluminum. Location: R1	\$1,153		
3315-0082	Storage racks (PR) for DOT or ASME air bottles shall be provided. A pair of three (3) bottle storage racks with lifting eyes shall be provided so that the rack with storage bottles installed can be lifted from the mounting surface for service. Racks to accommodate bottles configured side by side horizontally. Locate: Body roof compartment with (1) over L2/L3 & (1) over R2/R3. Note: Bottles not included.	\$4,673		
3315-0083	SpaceSaver Fill Station, horizontal operation, fill two SCBA cylinders. Fill station to be located in [#LOC].	\$15,901		
3315-0084	Raceway for air lines between L2 & L3 compartments at upper rear corner and from open storage area to L2 compartment.	\$690		
3315-0085	2-Bottle DOT 6000 PSI Breathing Air Cascade System with Space Saver M2792M 2-bottle fill station in L2 offset against forward wall, bottle rack and all associated air lines, valves and gauges for Dealer supplied and installed air control panel. Includes Sierra Precision 12000A electric booster pump 30A/110V in L3 offset forward. Rack and bottles to be located in open storage area on officer side beneath aerial.	\$25,088		



Item #	Description	Extension	+1/-1	Total
3315-0086	Enclosure for breathing air system control panel shall be provided. Controls & panel not included. Finish shall be sanded aluminum unless otherwise specified. Locate:[#LOC].	\$723		
3315-0087	Removable floor. A removable floor shall be provided in the roof top compartment to accommodate access and storage of ASME /DOT storage bottles below. The floor design shall be designed to maximize compartment storage space and access. The removable floor shall include a thumb latch access plate to provide quick access to the bottle valve without the need to remove the floor plate. Material shall be 3/16 smooth aluminum with a sanded finish. Locate: Roof top compartments over L3 and R3.	\$1,539		
3315-0088	SpaceSaver M2791M Single bottle vertical fill station. Fill station to be located in [#LOC].	\$11,890		
3315-0089	SpaceSaver fill station 300H, horizontal operation, fills two (2) SCBA cylinders. Locate in L2 offset as far rearward as practical.	\$15,901		
3315-0090	Storage racks for Twelve (12) DOT / ASME air bottles that accommodate lift out service to bottles thru body roof. Provide Two (2) storage racks to accommodate Six (6) bottles each arranged 2Wx3L vertically secured in a lift out steel rack. Body roof access not included. Locate: Between L2/R2.	\$6,861		
3315-0091	Storage rack for six (6) DOT air bottles for dealer supplied and installed bottles and cascade system. (6) mounted horizontal (3) wide x (2) high above the frame between L3/R3.	\$1,430		
3315-0092	Dealer prep for a Mako MCF52 2 bottle Fill Station. Fill Station will be located in L4, offset rearward.	\$799		
3320-0001	SCBA large tube bottle rack. Location: [#LOC].	\$116		
3320-0002	SCBA Small Tube Bottle Rack. Location: [#LOC]	\$98		
3320-0003	SCBA compartment storage vertical. Location: [#LOC].	\$0		
3320-0004	SCBA compartment storage horizontal. Location: [#LOC].	\$0		
3320-0005	SCBA Bottle Storage. (4) Cast Product SCBA bottle storage with gasketed doors. (2) each side in rear wheel well area.	\$851		
3320-0006	SCBA Bottle Storage. (3) Cast Product SCBA bottle storage with gasketed doors. (2) officer side and (1) driver side (fwd) in rear wheel well area.	\$1,274		
3320-0007	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side and (3) driver side in wheel well area.	\$1,362		
3320-0008	SCBA Bottle Storage. (8) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side and (4) driver side in wheel well area.	\$1,624		
3320-0009	SCBA Bottle Storage. (8) Cast Product SCBA bottle storage with gasketed doors. (4) each side in rear wheel well area.	\$1,698		
3320-0010	SCBA Bottle Storage. (4) Cast Product SCBA bottle storage doors. (2) each side in rear wheel well area. Each tube to include a ribbed rubber insert mounted to rear of tube.	\$765		
3320-0011	SCBA Bottle Storage. (11) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side and (5) driver side in wheel well area- (3) FWD and (2) RWD.	\$1,830		
3320-0012	SCBA bottle storage. (7) E-ONE SCBA bottle storage with hinged stainless steel doors with push-button latches. (4) officer side and (3) driver side in wheel well area.	\$1,487		
3320-0013	SCBA Bottle Storage Cast Product SCBA bottle storage with gasketed doors located in [#LOC]	\$216		
3320-0014	SCBA Bottle Storage. (6) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (3) officer side and (3) driver side in wheel well area for use with dual tank fills.	\$1,329		
3320-0015	SCBA Bottle Storage. (2) Cast Product SCBA bottle storage with gasketed doors. Located driver side rear wheel well area.	\$851		
3320-0016	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged doors with push button latches. (4) officer side and (3) driver side in wheel well area. Rear driver side to have Cast Product SCBA bottle storage with gasketed door.	\$1,362		
3320-0017	SCBA Bottle Storage. (4) Cast Product SCBA bottle storage with gasketed doors. (2) each side in rear wheel well area. Recessed fuel fill to be protected behind the rear driver side SCBA door.	\$1,523		

Item #	Description	Extension	+1/-1	Total
3320-0018	SCBA Bottle Storage. (8) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (4) officer side and (4) driver side in wheel well area.	\$1,982		
3320-0019	SCBA Bottle Storage. (7) Fire Shopp SCBA bottle storage with doors hinged doors with push button latches. Doors shall have a brushed stainless steel finish. (4) officer side and (3) driver side in wheel well area.	\$1,659		
3320-0020	SCBA Bottle Storage. (4) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (2) officer side and (2) driver side in wheel well area.	\$1,442		
3320-0021	SCBA/Wheel Chock Storage. (2) Cast Product SCBA bottle storage with gasketed doors on driver side in wheel well area. (2) wheel chock storage compartments with hinged doors and push button latches located on officer side in wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks. Storage doors to match wheel well material.	\$3,365		
3320-0022	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (3) officer side and (4) driver side in wheel well area.	\$1,362		
3320-0023	SCBA Storage. (6) Cast Product SCBA bottle storage with gasketed doors. (3) each side rear wheel well area located in center and rearward positions.	\$1,275		
3320-0024	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged stainless steel doors with push button latches. (4) officer side and (3) driver side in wheel well area.	\$1,797		
3320-0025	SCBA Storage. (6) Cast Product SCBA bottle storage with gasketed doors. (4) Driver side rear wheel well area and (2) officer side (located either side of the rearward tandem wheel).	\$1,275		
3320-0026	(2) SCBA Storage. Located (1) each side and rearward of the rear axle.	\$682		
3320-0027	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side and (3) driver side in wheel well area. The rear door on driver side will be a single door and will not cover the fuel fill.	\$1,612		
3320-0028	Vision Mark tag for officer side rearward SCBA bottle storage. Tag to have red letters on white background. Tag to read "Extinguishers".	\$50		
3320-0030	SCBA Bottle Storage. (8) E-ONE SCBA bottle storage with hinged stainless steel doors with push-button latches. (4) officer side and (4) driver side in wheel well area.	\$1,090		
3320-0031	Zico, metal QUIC-STORAGE bottle rack for large bottles for 6.1" to 7.4" cylinder. Locate in [#LOC]. Each unit will have straps to hold the bottle in and all top units will have a flat top. Each unit will be bolted together and be [#COL] PVC coated.	\$159		
3320-0032	Zico, metal QUIC-STORAGE for small bottles 5.3" to 5.8" cylinder. Locate in [#LOC]. Each unit will have straps to hold the bottle in, an angle floor to hold bottle in place, and all top units will have a flat top. Each unit will be bolted together and be [#COL] PVC coated.	\$159		
3320-0033	SCBA/Wheel Chock Storage. (4) Cast Product SCBA bottle storage with gasketed doors, two (2) each side centered between tandems. Four (4) wheel chock storage compartments with hinged doors (doors to match wheel well material) and push button latches located two (2) each side (1) forward and (1) rearward in each rear wheel well area for (1) SAC-44-E wheel chock to be stored per compartment. Does not include wheel chocks.	\$3,365		
3320-0034	Four (4) SCBA bottle bracket's will be supplied evenly spaced on driver's side wall above bench seat. Bracket will be a Zico model KD-UN-5-SF.	\$127		
3320-0035	SCBA Bottle storage - behind the cab qty of (4)	\$682		
3320-0036	(4) SCBA Storage. Located (2) each side rearward of the rear axle in the body skirting.	\$1,389		
3320-0037	(4) SCBA Storage. Located (2) each side- (1) forward and (1) rearward of the rear axle in the body skirting.	\$1,389		
3320-0038	SCBA bottle storage. (2) Fire Shopp style SCBA bottle storage with hinged brushed stainless steel doors with push-button latches. (1) officer side and (1) driver side in the rear wheel well area.	\$723		

Item #	Description	Extension	+1/-1	Total
3320-0039	SCBA bottle storage. (3) Fire Shopp style SCBA bottle storage with hinged brushed stainless steel doors with push-button latches. (2) officer side and (1) driver side in the rear wheel well area.	\$1,083		
3320-0040	SCBA bottle storage. (4) Fire Shopp style SCBA bottle storage with hinged brushed stainless steel doors with push-button latches. (2) officer side and (2) driver side in the rear wheel well area.	\$1,442		
3320-0041	SCBA Bottle Storage. (4) Cast Product SCBA bottle storage with gasketed doors with locking latches. (2) each side in rear wheel well area.	\$952		
3320-0042	SCBA Bottle Storage. (8) Cast Product SCBA bottle storage with gasketed doors with locking latches. (4) each side in rear wheel well area.	\$1,969		
3320-0043	SCBA/Wheel Chock Storage. (5) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side and (1) driver side in wheel well area. (1) wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks.	\$2,112		
3320-0044	SCBA Bottle Storage. (6) E-ONE SCBA bottle storage with hinged stainless steel doors with push button latches. (3) officer side and (3) driver side in wheel well area. There will (2) bottles forward of the rear axle and (1) rearward.	\$968		
3320-0045	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged stainless steel doors with push button latches. (4) officer side and (3) driver side in wheel well area.	\$1,030		
3320-0046	SCBA Bottle Storage. (12) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches and one aluminum tray for each bottle. Each side of body to have (3) Double SCBA bottle storage compartments, (1) forward, (1) rearward and (1) between tandem offset to rear in wheel well area.	\$1,917		
3320-0047	SCBA Bottle Storage. (2) Cast Product SCBA bottle storage with gasketed doors. Located officer's side rear wheel well area.	\$851		
3320-0048	(4) SCBA Storage. Located (2) each side in wheel well - (1) forward and (1) rearward of the rear axle.	\$1,458		
3320-0049	Four (4) SCBA bottle storage. Located (2) each side in body wheel well area.	\$744		
3320-0050	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged polished stainless steel doors with push button latches. (4) officer side and (3) driver side in wheel well area.	\$1,837		
3320-0051	The officer side rearward SCBA/Extinguisher trough to be held 4" back from opening due to extinguisher handle.	\$0		
3320-0052	Stainless steel trim on bottom edge of each SCBA/Extinguisher compartment opening.	\$246		
3320-0053	SCBA Bottle Storage. (4) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (2) officer side and (2) driver side in wheel well area.	\$813		
3320-0054	SCBA Bottle Storage. (4) Fire Shopp SCBA double bottle storage with hinged doors and push button latches. (2) SCBA bottles forward and (2) SCBA bottles rearward each side in wheel well area.	\$1,982		
3320-0055	SCBA Storage. (6) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (4) Driver side rear wheel well area and (2) officer side (located either side of the rearward tandem wheel).	\$2,162		
3320-0056	SCBA storage, PVC, large, (3), center rear, Wildland	\$340		
3320-0057	SCBA storage, PVC, small, (4), center rear, Wildland	\$340		
3320-0058	SCBA Bottle Storage. (2) Fire Shopp SCBA bottle storage with hinged doors with push button latches. Located centered in officer side wheel well area.	\$723		
3320-0059	SCBA Bottle Storage. (6) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (4) officer side and (2) in center on driver side in tandem wheel well area.	\$1,487		
3320-0061	SCBA Bottle Storage. (4) Cast Product SCBA bottle storage doors. (2) each side in rear wheel well area.	\$765		
3320-0062	SCBA/Wheel Chock Storage. (1) E-ONE SCBA bottle storage with hinged door (door to match wheel well material) with push button latches. (1) driver side in wheel well area. (3) wheel chock storage compartment with hinged door and push button latch, (1) driver side in forward wheel well area and (2) officer side in forward and rearward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks.	\$3,093		

Item #	Description	Extension	+1/-1	Total
3320-0063	(2) SCBA Storage. Located (1) each side in rear wheel well. Driver's side will be forward of axle, officer's side will be rear of axle.	\$682		
3320-0064	SCBA/Fire Extinguisher Storage. Eight (8) storage compartments with hinged doors (doors to match wheel well material) and push button latches. Four each side in rear wheel well area.	\$3,365		
3320-0065	SCBA Bottle Storage. (6) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (3) officer side and (3) driver side in wheel well area.	\$1,552		
3320-0066	Zico Bottle rack for large bottles. Locate in roll-out tray in B1 (vertically mounted) 3 wide x 3 deep. Each unit will have straps to hold the bottle in and all top units will have a flat top. Each unit will be bolted together and be Black PVC coated.	\$155		
3320-0067	SCBA Bottle Storage. (5) Cast Product SCBA bottle storage with gasketed doors. (3) officer side - (2) over forward axle and (1) at rear of wheel well area. (2) driver side (over forward axle) in rear wheel well area.	\$1,063		
3320-0068	SCBA bottle storage. (2) Fire Shopp style SCBA bottle storage with hinged brushed stainless steel doors with push-button latches. Driver's side will be forward of axle, officer's side will be rear of axle.	\$723		
3320-0069	PAC Cylinder Mate. Locate in [#LOC]. Each unit will be black in color and have a strap to secure bottle.	\$273		
3320-0070	Each SCBA storage area to include a ribbed rubber insert mounted to rear of storage area.	\$101		
3320-0071	SCBA bottle storage for 5.25" diameter high pressure cylinders. (3) dually style SCBA bottle compartments with hinged brushed stainless steel doors and push-button latches for total storage of 6 bottles. (2) officer side and (1) driver side in the rear fender panels.	\$1,329		
3320-0072	SCBA Bottle Storage. (8) Cast Product gasketed doors with (7) SCBA bottle storage tubes. (4) Cast Product SCBA bottle storage with gasketed doors on officer's side and (3) Cast Product SCBA bottle storage tubes with (4) gasketed doors on driver's side. Recessed fuel fill to be protected behind the rear driver side SCBA door.	\$1,698		
3320-0073	SCBA bottle storage/Recessed fuel fill. (7) Fire Shopp style SCBA bottle storage with hinged polished stainless steel doors with push-button latches. (4) officer side, (3) driver side and (1) recessed fuel fill with cast stainless housing and hinged SCBA style polished stainless steel door offset rearward in wheel well area. Note all doors to match.	\$4,821		
3320-0074	SCBA Bottle Storage. (16) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches and one aluminum tray for each bottle. (8) officer side and (8) driver side in wheel well area.	\$2,553		
3320-0075	SCBA storage modification to officer's side. Tubes shall be left open, no trays / brackets or matting required tubes only.	\$0		
3320-0076	SCBA Bottle Storage. (2) Cast Product SCBA bottle storage with gasketed doors. Located (1) driver's side forward wheel well area, (1) officer's side rear wheel well area.	\$851		
3320-0077	SCBA/Wheel Chock Storage. (6) Cast Product SCBA bottle storage with gasketed doors, (2) two driver side centered between tandem and (4) four officer side. Two (2) wheel chock storage compartments with hinged doors (doors to match wheel well material) and push button latches located (2) two driver side (1) forward and (1) rearward in rear wheel well area for (1) one SAC-44-E wheel chock to be stored in each compartment. Does not include wheel chocks.	\$3,365		
3320-0079	SCBA Bottle Storage. (7) Fire Shopp SCBA bottle storage with hinged doors with push button latches (wired to door ajar). (4) officer side and (3) driver side in wheel well area.	\$2,235		
3320-0080	SCBA Bottle Storage. (2) Fire Shopp SCBA bottle storage with hinged doors with push button latches. Located centered in driver side wheel well area.	\$723		
3320-0081	Vision Mark tags (2) for driver side wheel well area SCBA bottle storage. Tags to have red letters on white background. (1) Tag forward inboard tube to read "WATER EXTINGUISHER". (1) Tag rearward inboard tube to read "DRY CHEM".	\$122		
3320-0082	Universal air pack bottle bracket (EA). Ziamatic ULLH Universal SCBA bottle bracket(s) shall be mounted in place. Location : [#LOC].	\$212		

Item #	Description	Extension	+1/-1	Total
3320-0083	SCBA Bottle Storage. (4) Fire Shopp SCBA double bottle storage for (8) bottles and (4) Fire Shopp SCBA single bottle storage for (4) bottles with hinged doors and push button latches (wired to door ajar). Double storage tubes located over forward tandem wheel and single storage tubes over rearward tandem wheel each side in rear wheel well area for a total of (12) SCBA bottles.	\$3,421		
3320-0084	"Extinguishers" label to be mounted on the Officer's side rear SCBA bottle storage door IPOS.	\$47		
3320-0085	SCBA bottle storage for 5.25" diameter high pressure cylinders. (4) dually style SCBA bottle compartments with hinged brushed stainless steel doors and push-button latches for total storage of 7 bottles. (2) officer side and (2) driver side in the rear wheel well area. Left side rear door covers the fuel pocket and has single bottle SCBA storage.	\$1,693		
3320-0086	SCBA/Wheel Chock Storage. (3) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (2) Officer side and (1) driver side in wheel well area. (2) Wheel chock storage compartments with hinged door and push button latch. (1) Officer side, (1) driver side in forward wheel well area. (2) Wheel chocks to be stored per compartment. Does not include wheel chocks.	\$2,695		
3320-0087	SCBA Bottle Storage. (4) E-ONE SCBA bottle storage with hinged doors. Doors are smooth aluminum plate painted job color (doors only) with push button latches. (2) officer side and (2) driver side in wheel well area.	\$1,142		
3320-0088	SCBA/Wheel Chock Storage. (5) E-ONE SCBA bottle storage with hinged doors. Doors are smooth aluminum plate painted job color (doors only) with push button latches. (4) Officer side and (1) driver side in wheel well area. (1) Wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks.	\$2,112		
3320-0089	SCBA Bottle Storage. (4) Fire Shopp SCBA bottle storage with hinged doors with push button latches with locking latches. (2) officer side and (2) driver side in wheel well area.	\$1,679		
3320-0090	SCBA bottle storage. (7) E-ONE SCBA bottle storage hinged doors. Doors are smooth aluminum plate painted job color (doors only) with push button latches. (4) Officer side and (3) driver side in wheel well area.	\$1,997		
3320-0091	SCBA Bottle Storage. (6) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (3) officer side and (3) driver side in wheel well area. All doors to be hinged forward.	\$2,422		
3320-0092	PAC Cylinder Mate. Each unit will be black in color and have a strap to hold the bottle in. Locate: Inside rear body, drivers side, on top of counter top in rear most corner.	\$273		
3320-0093	SCBA bottle storage. (3) Fire Shopp style SCBA bottle storage with hinged brushed stainless steel doors with push-button latches. (2) officer side and (1) driver side in the forward wheel well area.	\$1,083		
3320-0094	SCBA Storage. (6) Cast Product SCBA bottle storage with gasketed doors. (3) each side rear wheel well area located in center and forward positions.	\$1,275		
3320-0095	SCBA Bottle Storage. (7) E-ONE SCBA/Extinguisher bottle storage with hinged brushed stainless steel doors with push button latches. (4) officer side and (3) driver side in wheel well area.	\$1,822		
3320-0096	Tag for SCBA/Extinguisher bottle storage. Tag to have red letters on white background. Tag to read "SCBA/FIRE EXTINGUISHER"	\$50		
3320-0097	SCBA/Wheel Chock Storage. (3) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches in driver side in wheel well area. (2) Wheel chock storage compartments with hinged door and push button latch in officer side in wheel well area. Does not include wheel chocks.	\$2,695		
3320-0098	SCBA/Wheel Chock Storage with hinged doors (doors to match wheel well material) with push button latches. (6) E-ONE SCBA bottle storage, (2) two driver side centered between tandem and (4) four officer side. Two (2) wheel chock storage compartments located (2) two driver side (1) forward and (1) rearward in rear wheel well area for (1) one SAC-44-E wheel chock to be stored in each compartment. Does not include wheel chocks.	\$3,365		
3320-0099	SCBA Bottle Storage. (7) Fire Shopp SCBA bottle storage with hinged doors with locking push button latches. (4) officer side and (3) driver side in wheel well area.	\$2,170		
3320-0100	Strap(s), loop style to retain SCBA bottle(s). Locate one per bottle in each exterior storage compartment.	\$0		

Item #	Description	Extension	+1/-1	Total
3320-0101	SCBA bottle storage. (7) E-ONE SCBA bottle storage with hinged stainless steel doors with push-button latches. (4) officer side and (3) driver side in wheel well area. Left side rear door also covers the fuel pocket.	\$1,607		
3320-0102	SCBA Bottle Storage. (3) Cast Product SCBA bottle storage with gasketed doors. Locate: In rear wheelwell area (2) officer side and (1) driver side (fwd).	\$640		
3320-0103	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with 1/4 turn latches. (4) officer side and (3) driver side in wheel well area.	\$1,362		
3320-0104	SCBA Bottle Storage shall be designed per customer request. A sample drawing and/or photo with reference to a previously built truck shall be provided in the shop order Engineering Handoff folder.	\$0		
3320-0105	Storage sleeve for small portable O2 bottle includes securing device. Bottle size is 4.5" dia X 20" long. Finish is sanded aluminum unless otherwise specified. Locate: R3, Forward of SCBA bottles.	\$140		
3320-0106	SCBA Bottle/Extinguisher Storage. (8) E-ONE SCBA/Ext. bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side and (4) driver side in wheel well area. Driver side to accommodate four (4) Scott 45 min 4500 PSI bottles. Officer side to accommodate two(2) Amerex model A411 20# ABC Dry Chem extinguishers and Two(2) Amerex model A240 2.5 gal pressurized water extinguishers. Officer side to load one ABC drychem and One H2O extinguisher in forward storage and same in rearward storage arranged thus to provide space for the different nozzles on extinguishers.	\$1,677		
3320-0107	SCBA Bottle Storage. (4) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (4) driver side only in wheel well area. Officer side SCBA not to be installed due to rear body plumbing options. Available only on commercial units with forward fuel tanks or custom applications with officer side only fuel fill.	\$1,002		
3320-0108	SCBA Storage. (6) Cast Product SCBA bottle storage with gasketed doors. (3) each side rear wheel well area located in center and rearward positions. Note rear bottle tube support brackets to be welded to body IPO bolted.	\$1,275		
3320-0109	Extinguisher Bottle Storage (PR). Includes hinged stainless steel door with push button latch and fabricated aluminum bottle tray. Each storage compartment 26" deep to fit Amerex 420 2.5 gallon H2O extinguisher at 8" diameter or Ansul 1-20-G extinguisher at 9" diameter. Locate driver and officer side in rear tandem wheel well offset forward. Wired to door ajar.	\$3,202		
3320-0110	SCBA Bottle Storage. (4) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side only.	\$813		
3320-0111	SCBA Bottle Storage. (4) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) driver side only.	\$813		
3320-0112	SCBA Bottle Storage. (10) E-ONE SCBA bottle storage with hinged stainless steel doors with push button latches. (5) officer side and (5) driver side in wheel well area.	\$2,379		
3320-0113	SCBA Bottle Storage. (8) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. Note one aluminum tray for each bottle in double storage compartments. Each side of body to have (2) Double SCBA bottle storage compartments (1) offset forward and (1) offset rearward over each tandem wheel in wheel well area.	\$1,435		
3320-0114	SCBA Bottle Storage. (9) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side and (3) driver side in wheel well area.	\$2,986		
3320-0115	SCBA Bottle Storage. (6) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side and (2) driver side in wheel well area.	\$1,218		
3320-0116	SCBA Bottle Storage. (10) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. Note one aluminum tray for each bottle in double storage compartments. Each side of body to have (1) Double SCBA bottle storage compartment offset forward and (3) single storage compartments (2) between tandem and (1) offset to rear in wheel well area.	\$1,917		

Item #	Description	Extension	+1/-1	Total
3320-0117	SCBA Air Pack Storage. (4) E-ONE SCBA air pack storage (2 each side) with hinged door (door to match wheel well material) with push button latches. Does not include SCBA bottles or air pack.	\$3,259		
3320-0118	SCBA Bottle Storage. (11) E-ONE SCBA bottle storage with hinged stainless steel doors with push button latches. (5) driver side and (6) officer side in wheel well area.	\$2,497		
3320-0119	SCBA/Wheel Chock Storage. (5) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) officer side and (1) driver side in wheel well area. (1) wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area. (2) wheel chocks (fits Worden #HWG non-folding chock) to be stored per compartment. Does not include wheel chocks.	\$3,028		
3320-0120	Strap, loop style to retain SCBA bottle (EA). Locate one per bottle in each cab outside SCBA storage compartment.	\$0		
3320-0121	SCBA Bottle Storage. (4) Fire Shopp SCBA double bottle storage and (4) Fire Shopp SCBA single bottle storage with hinged doors and push button latches to store twelve (12) SCBA bottles. Locate (2) Double SCBA bottle storage compartments (1) offset forward over each tandem wheel and (2) single storage compartments (1) offset rearward over each tandem wheel in wheel well area.	\$2,840		
3320-0122	SCBA Bottle Storage. (15) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (8) officer side and (7) driver side in wheel well area.	\$3,641		
3320-0123	SCBA Bottle Storage. (12) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. Note one aluminum tray for each bottle in double storage compartments. Each side of body to have (2) Double SCBA bottle storage compartments (1) offset forward over each tandem wheel and (2) single storage compartments (1) offset rearward over each tandem wheel in wheel well area.	\$2,150		
3320-0124	SCBA Bottle Storage. (10) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side in 2 (3) bottle pods and (4) driver side in wheel well area. Driver side to have (1) 3 bottle pod forward and a single bottle and fuel fill rearward under a single door.	\$3,011		
3320-0125	SCBA bottle storage. (7) E-ONE SCBA bottle storage with hinged stainless steel doors with push-button latches. (4) officer side and (3) driver side in wheel well area. Left side rear door also covers the fuel pocket. Fuel pocket shall be formed stainless steel with opening large enough to open fuel cap with gloved hand.	\$1,775		
3320-0126	SCBA/Wheel Chock Storage. (6) Fire Shopp SCBA bottle storage doors, (2) two driver side centered between tandem and (4) four officer side. Two (2) wheel chock storage compartments with hinged doors (doors to match wheel well material) and push button latches located (2) two driver side (1) forward and (1) rearward in rear wheel well area for (1) one SAC-44-E wheel chock to be stored in each compartment. Does not include wheel chocks.	\$3,365		
3320-0127	SCBA/SPEED-DRI Storage. (5) E-ONE SCBA bottle storage/Speedi-Dri hopper with hinged doors (doors to match wheel well material) with push button latches. (2) SCBA officer side rearward, (1) speedy-dri pull out storage compartment forward. (3) driver side in wheel well area, (2) forward (1) rearward with recessed fuel fill. Speedy Dri pull out storage to be sized to utilize available space in forward wheel well and hold max available capacity per wheel well area as optioned. Hopper to hold approximately 35 lbs of absorbent.	\$3,215		
3320-0128	SCBA Bottle Storage. (3) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (3) driver side ONLY in wheel well area.	\$623		
3320-0129	SCBA Bottle Storage. (10) E-ONE SCBA bottle storage with hinged brushed stainless steel doors with push button latches. (6) officer side and (4) driver side in wheel well area. Officer side to have (1) 3 bottle storage forward and (1) 3 bottle storage rearward. Driver side to have (1) 3 bottle storage forward and a single bottle and fuel fill rearward under a single door.	\$3,447		
3320-0130	SCBA/Wheel Chock Storage. (5) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (3) officer side and (2) driver side in wheel well area. (1) wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks. Requires right side fuel fill.	\$3,028		

Item #	Description	Extension	+1/-1	Total
3320-0131	SCBA Bottle Storage. (4) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (2) officer side and (2) driver side in 2 bottle pods in forward wheel well areas only.	\$1,442		
3320-0132	SCBA/Wheel Chock Storage. (7) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side and (1) driver side in wheel well area. (1) wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks.	\$3,217		
3320-0133	Extinguisher Bottle Storage (PR). Includes hinged stainless steel door with push button latch and fabricated aluminum bottle tray. Each storage compartment 26" deep to fit Amerex 420 2.5 gallon H2O extinguisher at 8" diameter or Ansul 1-20-G extinguisher at 9" diameter. Locate officer side in rear tandem wheel well one forward and one rearward. Wired to door ajar.	\$3,202		
3320-0134	SCBA Storage. (6) Cast Product SCBA bottle storage with gasketed doors. (4) Driver side rear wheel well area and (2) officer side (located center between of the rearward tandem wheel).	\$1,275		
3320-0135	SCBA Bottle Storage. (4) Cast Product SCBA bottle storage with gasketed doors. Officer side in rear tandem wheel well area.	\$851		
3320-0136	SCBA/Wheel Chock Storage. (3) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (2) officer side and (1) driver side in wheel well area. (1) wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks.	\$1,725		
3320-0137	SCBA Bottle Storage. (2) Fire Shopp SCBA double bottle storage with hinged doors and push button latches. (2) SCBA bottles, forward, each side of body in wheel well area.	\$991		
3320-0138	SCBA Bottle Storage. (11) SCBA bottle storage with brushed stainless steel hinged doors with push-button latches. (6) officer side and (5) driver side in wheel well area. For use with high pressure 5.25" diameter cylinders only.	\$2,497		
3320-0139	The wheel well SCBA/Storage door(s) shall not cover the fuel fill(s).	\$0		
3320-0140	SCBA Bottle Storage. (4) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (2) officer side and (2) driver side in forward wheel well areas.	\$813		
3320-0141	Extinguisher Bottle Storage (PR). Includes hinged door (doors to match wheel well material) with push button latch and fabricated aluminum bottle tray. Each storage compartment 26" deep to fit Amerex 420 2.5 gallon H2O extinguisher at 8" diameter or Ansul 1-20-G extinguisher at 9" diameter. Locate driver and officer side in rear tandem wheel well offset forward. Wired to door ajar.	\$3,202		
3320-0142	SCBA Bottle Storage. (8) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. Note one aluminum tray for each bottle in double storage compartments. Each side of body to have (1) Double SCBA bottle storage compartment offset forward over each rear tandem wheel and (2) single storage compartments (1) offset rearward over each tandem wheel in wheel well area.	\$1,624		
3320-0143	SCBA bottle storage. (5) E-ONE SCBA bottle storage with hinged stainless steel doors with push-button latches. (2) officer side rear and (3) driver side in wheel well area.	\$1,063		
3320-0144	E-ONE SCBA/Extinguisher bottle storage with hinged stainless steel doors with push button latches. Locate officer side forward wheel well area. Compartment sized for up to (2) 7.25" diameter SCBA bottles or extinguishers.	\$456		
3320-0145	SCBA/Wheel Chock Storage. (4) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches in Officer side in wheel well area. (2) Wheel chock storage compartments with hinged door and push button latch in Driver side in wheel well area. Does not include wheel chocks.	\$2,695		
3320-0146	One E-One air pack/air bottle holder located in L2.	\$168		
3320-0147	Extinguisher Bottle Storage. Includes hinged stainless steel door with push button latch and fabricated aluminum bottle tray. Storage compartment 26" deep to fit Amerex 420 2.5 gallon H2O extinguisher at 8" diameter or Ansul 1-20-G extinguisher at 9" diameter. Locate driver side in rear tandem wheel well offset forward.	\$1,601		



Item #	Description	Extension	+1/-1	Total
3320-0148	SCBA Bottle Storage. (12) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side in 2 (3) bottle pods and (6) driver side in 2 (3) bottle pods in wheel well areas. For use on commercial units or apparatus without a wheel well located fuel fill. May not be compatible with wheel well located receptacles, aux. turn signals or back up lighting if located in wheel wells.	\$3,235		
3320-0149	SCBA/CHOCK Bottle Storage. (7) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side in 2 (3) bottle pods and (1) driver side in wheel well area. Driver side to have (1) wheel chock storage pod forward for 2 chocks and a single bottle and fuel fill rearward under a single door.	\$3,011		
3320-0150	SCBA Bottle Storage. (4) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) driver side in wheel well area. Driver side to have (1) 3 bottle pod forward and a single bottle and fuel fill rearward under a single door. Officer side shall not have SCBA tubes to accommodate space for rear intake piping to utilize the wheel well area for piping.	\$1,098		
3320-0151	SCBA/Fire Extinguisher Storage. (12) E-ONE SCBA bottle and Fire Extinguisher storage with hinged doors (doors to match wheel well material) with push button latches. Note one aluminum tray for each SCBA bottle in double storage compartments. Each side of body to have (2) Double SCBA bottle storage compartments (1) offset forward over each tandem wheel and (1) single storage compartment offset rearward over forward tandem wheel and Fire Extinguisher storage compartment offset to rear over rearward tandem wheel.	\$2,633		
3320-0152	SCBA Pack (1) and Spare Bottle Storage (6). Storage compartment in driver side forward wheel well area to hold (1) SCBA pack and (1) SCBA spare bottle (partitioned). (1) spare bottle storage in rearward driver side wheel well area. (4) bottles in two storage compartments on officer side (one front and one rear of wheel well). Compartment doors will be hinged with push button latches and match wheel well material. Bottles are Scott 4.5. Does not include equipment.	\$3,269		
3320-0153	SCBA/Wheel Chock Storage. (3) E-ONE SCBA double bottle storage compartments with hinged doors (doors to match wheel well material) with push button latches. Includes one aluminum tray for each bottle for total of (6) SCBA bottles, (4) officer side and (2) driver side in wheel well area. Storage compartment with hinged door and push button latch driver side in forward wheel well area for (2) NON-folding AC-44 Zico wheel chocks. Does not include wheel chocks.	\$2,533		
3320-0154	SCBA storage modification. Wheel well storage area for SCBA bottles in wheel well area to be modified to accommodate Scott Safety Model 5.5 75 minute, 5500 psi, NxG Snap-Change Valve Bottle ref Scott p/n 200976-01. Non Standard depth for SCBA Bottle Storage.	\$280		
3320-0155	Vision Mark tag for officer SCBA bottle storage. Tag to have red letters on white background. Tag to read "SCBA STORAGE".	\$50		
3320-0156	Vision Mark tag for extinguisher storage. Tag to have red letters on white background. Tag to read "EXTINGUISHER".	\$50		
3320-0157	SCBA/Wheel Chock Storage. (9) E-ONE SCBA bottle and Wheel Chock storage with hinged doors (doors to match wheel well material) with push button latches. Note one aluminum tray for each SCBA bottle in double storage compartments. Officer side to have (2) Double SCBA bottle storage compartments (1) offset forward over each tandem wheel and (2) single storage compartments (1) offset rearward over each tandem wheel. Driver side of body to have (1) Double SCBA bottle storage compartment offset forward over rear tandem wheel and (1) single storage compartment offset rearward over forward tandem wheel with (2) Wheel Chock storage compartments (1) forward and (1) rearward in rear wheel well area. One (1) SAC-44-E wheel chock to be stored in each compartment. Does not include wheel chocks.	\$2,633		
3320-0158	SCBA/Wheel Chock Storage. (5) E-ONE SCBA bottle storage with stainless steel hinged doors and push button latches. (2) officer side and (3) driver side in wheel well area. Rearward door on drivers side covers the fuel fill. (1) 25" deep wheel chock/misc. storage compartment with hinged door and push button latch officer side in forward wheel well area. Fits up to (2) Worden #HWG non-folding chocks or misc. storage as desired. Does not include wheel chocks or partitions.	\$3,028		

Item #	Description	Extension	+1/-1	Total
3320-0159	SCBA bottle storage. (5) E-ONE SCBA bottle storage with hinged stainless steel doors with push-button latches. (3) officer side and (2) driver side in wheel well area.	\$1,063		
3320-0160	SCBA/Wheel Chock Storage. (1) E-ONE SCBA bottle storage with hinged door (door to match wheel well material) with push button latches. (1) rearward driver side in wheel well area. The rear door on driver side will be a single door and will not cover the fuel fill. (3) wheel chock storage compartment with hinged door and push button latch, (1) driver side in forward wheel well area and (2) officer side in forward and rearward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks.	\$3,093		
3320-0161	SCBA Bottle Storage. (4) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (2) officer side and (2) driver side in rearward wheel well areas.	\$813		
3320-0162	SCBA/Extinguisher E-ONE Style Storage. (6) SCBA; (4) officer side and (2) driver side forward with (1) driver extinguisher driver side rearward in wheel well area. Brushed stainless steel hinged doors with push-button latches. Extinguisher compartments sized for up to a 7.25" diameter bottle. Extinguisher compartment 8.5" square minimum ID and as deep as possible to store different size extinguishers.	\$1,533		
3320-0163	SCBA Bottle Storage. (9) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side in 2 (3) bottle pods and (3) driver side in a single (3) bottle pod located rearward in the wheel well area. Driver side forward wheel well area to accommodate one (1) wheel chock storage to fit two (2) Ziamatic model SAC-44-E wheel chocks. (not included). For use on commercial units or apparatus without a wheel well located fuel fill. May not be compatible with wheel well located receptacles, aux. turn signals or back up lighting if located in wheel wells.	\$3,235		
3320-0164	SCBA bottle storage. (7) E-ONE SCBA bottle storage with hinged stainless steel doors & push-button latches. Locate: Rear body wheel well area with (4) four on officer side & (3) three on driver side. Rear door on driver side sized to not cover recessed fuel fill.	\$1,612		
3320-0165	The Wheel Chock storage area to include a ribbed rubber insert mounted to the walls and floor of storage area.	\$202		
3320-0166	SCBA/Wheel Chock Storage. (1) E-ONE SCBA triple bottle storage driver side in rear wheel well area, forward. (1) E-ONE SCBA single bottle storage driver side in rear wheel well area, rearward. SCBA compartments to fit up to a 6.26" diameter MSA H-45 low-profile carbon cylinders. (2) wheel chock compartments on the officer side (front and rear of wheels), up to (2) wheel chocks, (2) extinguishers or misc. equipment per compartment. Does not include equipment or compartment partitions.	\$2,529		
3320-0167	Mounting bracket to accommodate locating SCBA bottle bracket at a 45 degree position from the wall. Bracket can accommodate 1 or 2 bottle brackets. Locate: next to or between bench or fold down seating.	\$218		
3320-0168	SCBA / Wheel Chock Storage on tandem rear axle chassis. (9) nine E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) six officer side and (3) three driver side in wheel well area. (1) one wheel chock storage compartment with hinged door and push button latch located on driver side in forward wheel well area. (2) Wheel chocks to be stored in compartment. Wheel chocks not include.	\$3,407		
3320-0169	SCBA Bottle Storage. (5) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (2) single SCBA officer side and (1) single and (1) double on driver side in wheel well area. The forward drivers side to include the double SCBA storage.	\$1,577		
3320-0170	SCBA/Wheel Chock Storage. (6) Fire Shopp SCBA bottle storage doors, (3) three each side. Two (2) wheel chock storage compartments with bushed stainless steel hinged doors and push button latches located (1) one each side offset forward in rear wheel well area for (1) one SAC-44-E wheel chock to be stored in each compartment. Does not include wheel chocks.	\$3,365		
3320-0171	Fire Extinguisher Storage. Four (4) storage compartments with hinged doors. Doors are smooth aluminum plate painted job color (doors only) with push button latches. Four in rear wheel well area officers side. Tandem axle only w/out side Newton Dump.	\$2,318		

Item #	Description	Extension	+1/-1	Total
3320-0172	SCBA bottle storage. (7) E-ONE SCBA bottle storage hinged doors. Doors are smooth aluminum plate painted job color (doors only) with push button latches. (4) drivers side forward, and (3) driver side rearward in wheel well area, includes the fuel fill access in rear door. Tandem axle only w/out side Newton Dump.	\$1,997		
3320-0173	SCBA/Oxygen Bottle Storage. (4) Fire Shopp SCBA bottle storage with hinged doors with push button latches. (2) officer side and (2) driver side in wheel well area. The (2) forward tubes shall hold "D" sized oxygen bottle, (1) each side, the (2) rear tubes to hold SCBA bottles, (1) each side.	\$1,985		
3320-0174	SCBA/Wheel Chock Storage. (5) E-ONE SCBA bottle storage with hinged stainless steel doors with push button latches. (4) officer side and (1) driver side in wheel well area. (1) wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area. (2) wheel chocks to be stored per compartment. Does not include wheel chocks.	\$2,237		
3320-0175	SCBA Bottle Storage. (10) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side and (4) driver side in wheel well area.	\$2,074		
3320-0176	SCBA Bottle Storage. (9) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (5) officer side in (1) 3-bottle pod forward, (1) double SCBA bottle storage compartment rearward. (4) driver side in wheel well area. Driver side to have (1) 3 bottle pod forward and a single bottle and fuel fill rearward under a single door.	\$2,899		
3320-0177	SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (4) driver side in wheel well area. Driver side to have (1) 3 bottle pod forward and a single bottle and fuel fill rearward under a single door.	\$1,080		
3320-0178	SCBA/Wheel Chock Storage. (6) Fire Shopp SCBA bottle storage doors, (3) three each side. Two (2) wheel chock storage compartments with bushed stainless steel hinged doors and push button latches located (1) one each side offset forward in rear wheel well area for (2) two NON-folding AC-44 Zico wheel chocks to be stored in each compartment. Does not include wheel chocks.	\$3,365		
3320-0179	There shall be a horizontally mounted SCBA/Fire Extinguisher storage trough(s) located in compartment [#LOC].	\$136		
3320-0180	SCBA Bottle Storage. (8) Cast Product SCBA bottle storage doors. (4) each side in rear wheel well area. Each tube to include a ribbed rubber insert mounted to rear of tube.	\$1,526		
3320-0181	SCBA bottle storage. (6) Fire Shopp style SCBA bottle storage with hinged brushed stainless steel doors with push-button latches. (3) officer side and (3) driver side in wheel well area. Left and right side rear doors also cover the fuel pockets.	\$1,940		
3320-0182	E-ONE (1) SCBA bottle storage [#LOC] with hinged door and push button latch. Door material to match wheel well material. Door shall cover the recessed fuel fill if located adjacent to the SCBA storage.	\$291		
3320-0183	E-ONE (2) SCBA bottle storage [#LOC] with hinged door and push button latch. Door material to match wheel well material.	\$438		
3320-0184	E-ONE designed (3) SCBA bottle storage [#LOC] with hinged door and push button latch. Door material to match wheel well material.	\$681		
3320-0185	Fire Shopp brand (1) SCBA bottle storage with hinged door and push button latch. Door shall have a brushed stainless steel finish. Door shall NOT cover the recessed fuel fill if located adjacent to the SCBA storage. Location:[#LOC]	\$363		
3320-0186	Fire Shopp brand (2) SCBA bottle storage with hinged door and push button latch. Door shall have a brushed stainless steel finish. Location:[#LOC]	\$565		
3320-0187	Cast Products brand (1) SCBA bottle storage with gasketed door and push button latch. Door shall NOT cover the recessed fuel fill if located adjacent to the SCBA storage. Location: [#LOC]	\$242		
3320-0188	E-ONE designed Wheel Chock storage compartment [#LOC] with hinged door and push button latch. Door material to match wheel well material. Storage area shall hold (2) Zico Model SAC-44-E or comparable Wheel Chocks (not included).	\$487		

Item #	Description	Extension	+1/-1	Total
3320-0189	E-ONE Speedy Dry storage compartment [#LOC] with hinged door and push button latch. Door material to match wheel well material. Includes a slide out bin (sanded finish) with hinged lid on top and grab handle on front. Capacity: Approximately 35 lbs of Speedy Dry absorbent material.	\$1,264		
3320-0190	SCBA Bottle Storage (16). Fire Shopp SCBA double bottle storage with hinged doors and push button latches. (8) SCBA bottles officer side and (8) SCBA bottles driver side in wheel well area.	\$3,959		
3320-0191	Wheel well storage area door(s) to be stainless steel in place of standard.	\$381		
3320-0192	Compartment approx 26" W x 10" H x 25" D with drop down door. Door material to match wheelwell finish. Minimum 34" high lower body compartment openings required. Location:[#LOC]	\$632		
3320-0193	SCBA Bottle Storage. (7) E-ONE SCBA bottle storage with hinged doors (doors to match wheel well material) with push button latches. (6) officer side in 2 (3) bottle pods and (1) driver side in a single (1) bottle pod located rearward in the wheel well area. Driver side forward wheel well area to accommodate one (1) wheel chock storage to fit two (2) NON-folding AC-44 Zico wheel chocks. (not included). For use on commercial units or apparatus without a wheel well located fuel fill. May not be compatible with wheel well located receptacles, aux. turn signals or back up lighting if located in wheel wells.	\$3,235		
3320-0194	E-ONE (4) SCBA bottle storage (2 bottle storage per door) located [#LOC] with hinged doors and push button latches. The doors shall be hinged at the center with one door facing forward and other door facing rearward. Door material to match wheel well material.	\$873		
3320-0195	E-ONE designed (6) SCBA bottle storage (3 bottle storage per door) located [#LOC] with hinged doors and push button latches. The doors shall be hinged at the center with one door facing forward and other door facing rearward. Door material to match wheel well material.	\$1,364		
3320-0196	SCBA Air Pack Storage. (1) E-ONE SCBA air pack storage with hinged door (door to match wheel well material) with push button latches. Does not include SCBA bottles or air pack.	\$596		
3320-0197	E-ONE (2) SCBA bottle storage (1 bottle storage per door) located [#LOC] with hinged doors and push button latches. The doors shall be hinged at the center with one door facing forward and other door facing rearward. Door material to match wheel well material.	\$581		
3320-0198	Fire Shopp brand (2) SCBA bottle storage (1 bottle storage per door) located [#LOC] with hinged doors and push button latches. Doors shall have a brushed stainless steel finish and shall be hinged at the center with one door facing forward and other door facing rearward.	\$788		
3320-0199	Fire Shopp brand (4) SCBA bottle storage (2 bottle storage per door) located [#LOC] with hinged doors and push button latches. Doors shall have a brushed stainless steel finish and shall be hinged at the center with one door facing forward and other door facing rearward.	\$1,226		
3320-0200	Cast Products brand (2) SCBA bottle storage (1 bottle storage per door) located [#LOC] with gasketed doors and push button latches. The doors shall be hinged at the center with one door facing forward and other door facing rearward.	\$876		
3320-0201	E-ONE Wheel Chock storage with hinged stainless steel door with push button latch. Locate driver side forward wheel well area. Assembly to fit (2) Worden #HWG non-folding wheel chocks. Does not include wheel chocks.	\$456		
3320-0202	SCBA bottle storage for 5.6" diameter cylinders. (2) triple style SCBA bottle compartments with hinged brushed stainless steel doors and push-button latches for total storage of (6) bottles. Locate officer side forward and rearward in the rear body wheel well.	\$1,476		
3320-0203	SCBA bottle storage. (5) E-ONE SCBA bottle storage with hinged stainless steel doors with push-button latches. (2) officer side rear and (3) driver side in wheel well area. Rear door on driver side covers the fuel fill.	\$1,085		
3320-0204	(6) E-ONE SCBA bottles and (4) Wheel Chocks storage. SCBA bottles located; (3) officer and (3) driver side in wheel well area (two center and one rear) with an individual door for each bottle. (2) wheel chock compartments located; (1) officer and (1) driver side in forward wheel well area. Each chock compartment fits up to (2) Worden #HWG non-folding chocks. Wheel chocks selected separately. All doors are brushed stainless steel with a push button latch.	\$3,039		

Item #	Description	Extension	+1/-1	Total
3320-0205	SCBA/Wheel Chock Storage. (8) SCBA bottle and (4) Wheel Chock storage with E-One style hinged doors (doors to match wheel well material) with push button latches. Note one aluminum tray for each SCBA bottle in double storage compartments. Both sides to have (4) SCBA bottles each side. (1) Double SCBA bottle storage compartment offset rearward over each forward tandem wheel and (2) single storage compartments (1) forward and (1) rearward over each rearward tandem wheel. (2) Wheel Chock storage compartments offset forward over each forward tandem wheel for (2) two NON-folding AC-44 Zico wheel chocks to be stored in each compartment. Does not include wheel chocks.	\$3,365		
3320-0206	SCBA/Extinguisher/Chock storage. (3) Fire Shopp style SCBA bottle storage with hinged brushed stainless steel doors and push-button latches. (2) officer side and (1) driver side (rearward) in the rear wheel well area. (1) wheel chock storage compartment with hinged door and push button latch driver side in forward wheel well area, fits (2) Worden #HWG non-folding chocks. Does not include equipment.	\$1,442		
3325-0000	E-ONE designed PTO driven HRT system, 9,000-10,500 PSI system, with 3 tool capability.	\$40,643		
3325-0001	E-ONE designed PTO driven HRT system, 9,000-10,500 PSI system, with 4 tool capability.	\$49,737		
3325-0002	E-ONE designed 2 PTO driven HRT system, 9,000-10,500 PSI system, with 6 tool capability.	\$74,784		
3325-0003	E-ONE designed PTO driven HRT system, 9,000-10,500 PSI system, with 2 tool capability.	\$37,154		
3325-0004	XRT Hydraulic tool system with 2 tool capability. 10,500 PSI system. Includes selector vlv for each reel, hyd res / filter and remote cooler. Requires gen with XRT hyd pump.	\$25,547		
3325-0005	E-One designed PTO driven HRT system. 5,000 PSI system with 3 tool capability.	\$40,643		
3325-0006	The hydraulic tool system selector control(s) shall be located: [#LOC].	\$0		
3325-0007	HRT 3 tool system for Holmatro, thru drive on generator hydraulic pump for HRT air clutch and drive pump. Locate reservoir in upper pan adjacent to the hydraulic generator unit in rear dunnage pan. Locate the manifold inside the pump panel compartment up high with roof access for adjustments. Locate the cooler adjacent to the foam system cooler in forward dunnage pan. Port locations are (2) quick disconnect panels in the L4/ R4 and (1) to the reel in R4. L4 quick disconnect station to be as high as possible offset to the rear of the compartment. R4 quick connect station to be as high as possible offset forward in the compartment. Control panels for quick connect stations to be integral with quick connect mounting plates. R4 reel to be offset rearward and control panel shall be up high adjacent to the reel.	\$57,243		
3325-0008	TNT PTO-TWIN Hydraulic tool system with 2 tool capability. 10,500 PSI system. Requires Harrison gen with IHT configuration. Pump location: [#LOC]	\$14,279		
3325-0009	XRT Hydraulic tool system with 3 tool capability. 5,000 PSI system. Includes selector vlv for each reel, hyd res / filter and remote cooler. Requires gen with XRT hyd pump.	\$28,714		
3325-0010	XRT Hydraulic tool system with 2 tool capability. 5,000 PSI system. Includes selector vlv for each reel, hyd res / filter and remote cooler. Requires gen with XRT hyd pump.	\$29,917		
3325-0011	Additional hydraulic reel valves. (2) Dump and (2) splitter valves shall be provided. The (2) dump valves are required when providing functionality for (2) additional reels. The (2) splitter valves are required to allow (2) tools to operate at each of (2) reels.	\$16,177		
3325-0012	Route hyd lines from IHT function manifold to [#LOC]. Terminate with bulkhead fittings.	\$0		
3325-0013	TNT PTO-TWIN-LP Hydraulic tool system with 2 tool capability. 5000 PSI system. Requires Harrison gen with IHT configuration. Pump location: [#LOC]	\$14,606		
3325-0014	XRT Hydraulic tool system with 3 tool capability. 10,500 PSI system. Includes selector vlv for each reel, hyd res / filter and remote cooler. Requires gen with XRT hyd pump.	\$28,714		
3325-0015	HRT 2 tool system for Holmatro, thru drive on generator hydraulic pump for HRT air clutch and drive pump. Locate reservoir in upper pan adjacent to the hydraulic generator unit in rear dunnage pan. Locate the manifold inside the pump panel compartment up high with roof access for adjustments. Locate the cooler adjacent to the foam system cooler in forward dunnage pan. Plumb to reels in front bumper.	\$56,018		
3325-0016	E-ONE designed PTO driven HRT system, 10,000 PSI, with 3 tool capability.	\$46,343		

Item #	Description	Extension	+1/-1	Total
3325-0017	Amkus 4-tool Ultimate system. Includes (4) Amkus reels each with 150' 10500PSI twin line hoses located (1) above forward L2 (red) and (1) above rearward L2 (blue), (1) above forward R2 (black) and (1) (yellow) above rearward R2. Pennant mount controllers in L2 & R2. System installed between L1 & R1 with roof mounted cooler on top of forward rescue body.	\$125,041		
3325-0018	There will be a thru shaft for the generator to work off the same PTO as HRT system.	\$2,551		
3325-0019	E-ONE HRT hydraulic outlet control panel for Amkus tools. Location: driver and officer side front bumper.	\$2,596		
3325-0021	Genesis Mach III Hydraulic tool system with 2 tool capability. 10,000 PSI system. Requires Harrison gen with IHT configuration. Pump location: [#LOC].	\$17,786		
3325-0022	XRT Hydraulic tool system with 1 tool capability. Includes selector vlv for each reel, hyd res / filter, remote cooler and hydraulic pump. Requires Smart Power Liberator generator.	\$22,650		
3325-0023	Hydraulic tool system to be for 5000 PSI tools.	\$0		
3325-0024	XRT PTO driven HRT system, 5,000 PSI system, with 2 tool capability.	\$33,865		
3325-0025	Holmatro Core hydraulic pump with 240v 60 Htz electric motor, three (3) bulkhead fittings, and three (3) Core hoses.	\$26,955		
3325-0026	Control panel Hydraulic outlet control panel for Hurst tools. Location: Front bumper over frame rail area, driver side.	\$2,596		
3325-0027	Control panel Hydraulic outlet control panel for Hurst tools. Location: Front bumper over frame rail area, officer side.	\$2,596		
3325-0028	Holmatro / Harrison PTO driven HRT system, 10,500 PSI system, with 4 tool capability. NOTE: Option to be utilized with CORE connections not included and requires additional sales code.	\$35,064		
3325-0029	Hydraulic bulkhead fitting for Holmatro CORE (fitting comes with hinged cover) shall be mounted to an angled mounting bracket which is mounted to the top of the driver side gravel shield. The mounting bracket shall enclose the lead lines feeding the rear of the bulkhead fitting as mounted on the angled bracket. The bracket shall be made of 1/8 aluminum diamond plate. Includes Core Technology hose (up to 10,000 PSI). The hose shall run from Holmatro pump to the driver side front bumper gravel shield.	\$4,681		
3325-0030	Hydraulic bulkhead fitting for Holmatro CORE (fitting comes with hinged cover) shall be mounted to an angled mounting bracket which is mounted to the top of the officer side gravel shield. The mounting bracket shall enclose the lead lines feeding the rear of the bulkhead fitting as mounted on the angled bracket. The bracket shall be made of 1/8 aluminum diamond plate. Includes Core Technology hose (up to 10,000 PSI). The hose shall run from Holmatro pump to the officer side front bumper gravel shield.	\$4,681		
3325-0031	Hydraulic bulkhead fitting for Holmatro CORE (fitting comes with hinged cover). Includes Core Technology hose (up to 10,000 PSI). The hose shall run from Holmatro pump to the rear body on the driver side below the DOT light.	\$4,681		
3325-0032	Hydraulic bulkhead fitting for Holmatro CORE (fitting comes with hinged cover). Includes Core Technology hose (up to 10,000 PSI). The hose shall run from Holmatro pump to the rear body on the officer side below the DOT light.	\$4,681		
3325-0033	A wireless remote will be hooked up to the HRT system. There will be up to 4 wireless controllers located near reels. System antennas and control module will be located in the dunnage area.	\$5,179		
3325-0034	Genesis Outlaw hydraulic electric pump. Pump to be located [#LOC].	\$14,327		
3325-0035	Valve diverter for XRT 5,000 PSI tool system. Location: L1 rear wall.	\$2,005		
3330-0000	Lower handrails for both cab and body to be rubber inlaid	\$656		
3330-0001	Slide-out platform, integral driver side running board (includes hand rail as applicable).	\$1,603		
3330-0002	Slide-out platform, rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable). Located [#LOC].	\$1,552		
3330-0003	Rear slideout platform - rollerless HP75 / HP78 SideStacker 36" wide located below hosebed. Includes a chrome grab handle centered on the frt face of the platform and a handrail below hosebed.	\$1,162		
3330-0004	Slideout platform-recessed rear. Located below hosebed. Includes a handrail below hosebed. Requires extended hosebed on HP100, CR100, and 92 Pltfrm SideStacker bodies.	\$1,049		
3330-0005	Slideout platform-rollerless low profile style located below driver side pump panel. RLP only.	\$1,040		

Item #	Description	Extension	+1/-1	Total
3330-0007	Folding Step. Location [#LOC]. Each location requires a minimum of (1) handrail per NFPA.	\$151		
3330-0008	Handrail up to 12". Location [#LOC].	\$133		
3330-0012	Intermediate pump panel step officer side with forward tapered corner. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$799		
3330-0013	Platform with 500lbs. slides. Locate [#LOC]. Platform sized as required per location. I includes a chrome grab pull handle and a body mounted handrail (as applicable for body mounted locations).	\$1,044		
3330-0015	Auto Kwikiee Step for Large Rescues. Locate under Entry door. The step shall be locked out when parking brake is activated.	\$952		
3330-0017	Ceiling Handrail - Install full length ceiling handrail to ceiling of walk-in area. Offset drivers side 14 inches off the center. Van-Mor will be installing the handrail.	\$330		
3330-0020	Intermediate pump panel step driver and officer side with forward tapered corner. Includes step lighting (as applicable). Step lights to be switched through work light in cab.	\$1,533		
3330-0023	Slideout platform-integral officer side running board. Not available with a front suction (includes handrail as applicable).	\$1,603		
3330-0024	Steps rear NFPA. Includes folding steps on driver side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$0		
3330-0025	Steps rear. Includes folding steps on officer side (staggered stepped as applicable with tailboard depth) for additional hosebed access and handrail mounted on officer side upper hosebed side (as applicable).	\$431		
3330-0026	(3) Cast Product steps. Mount to driver side of B1. To include lighting under each step and driver side upper hose bed hand rail.	\$399		
3330-0027	(3) Cast Product steps. Mount to officer side of B1. To include lighting under each step and officer side upper hose bed hand rail.	\$399		
3330-0028	Rear driver side cast products steps with intermediate step. Includes step lighting with cast product steps.	\$1,125		
3330-0029	Intermediate pump panel step officer side with forward tapered corner. Includes (1) lower and (1) upper folding step with (1) handrail and (1) recessed step light located above the intermediate step. Step light to be switched thru work light in cab.	\$1,086		
3330-0030	Intermediate pump panel step officer side with forward tapered corner. Includes (2) lower and (1) upper folding step with (1) handrail and (1) recessed step light located above the intermediate step. Step light to be switched thru work light in cab.	\$1,227		
3330-0031	Intermediate pump module step officer side with forward and rearward tapered corners. Locate just below the crosslay floor. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$524		
3330-0032	(3) Folding Steps. Located on the officer side rear of cab. Position all (3) steps below the upper module intermediate step. Handrail to be mounted on top of pump module rearward of the crosslays	\$662		
3330-0033	Intermediate pump module step driver side. Locate just below the crosslay floor. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$369		
3330-0034	Recessed folding step box. Driver side rear. To accommodate all steps as applicable.	\$297		
3330-0035	Recessed folding step box. Officer side rear. To accommodate all steps as applicable.	\$297		
3330-0036	(5) Folding Steps. Located on the officer and driver side behind rear doors of cab. Handrail to be mounted on upper portion of cab for access to the crosslays	\$1,540		
3330-0037	Intermediate pump panel step driver side directly below crosslays (full width). Includes (2) lower folding steps with (1) loop handrail towards rear. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$1,301		
3330-0038	Upper hosebed handrail. Locate to rear most area of hosebed with same stanchions as rear tailboard handrails. Handrail not to be in the hosebed.	\$277		

Item #	Description	Extension	+1/-1	Total
3330-0039	Handrail reinforcement located behind driver side upper pump panel. To be welded into place for mounting of handrail.	\$45		
3330-0040	Steps rear NFPA. Includes diamond plate gator grip corner steps on driver side for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$0		
3330-0041	Steps Rear NFPA. Includes diamond plate corner steps on driver and officer side for NFPA hosebed access and handrail mounted on driver and officer side upper hosebed side (as applicable)	\$280		
3330-0042	Hansen white LED body hand rails upgrade package (includes pump module if applicable).	\$1,555		
3330-0043	Full width handrail to be mounted just below hosebed. Handrail to run from beavertail to beavertail. Includes (2) pass-through stanchions equally spaced. This handrail is in place of standard handrail.	\$413		
3330-0044	Step rear intermediate. Includes steps for NFPA hosebed access and handrail on upper hosebed side on driver side. Locate: (1) large corner step each side below intermediate step and (1) small corner step each side above intermediate step. Includes handrail mounted on officer upper hosebed side.	\$849		
3330-0045	Handrail to be mounted just below hosebed to be thru bolted. Includes (2) pass-through stanchions equally spaced. This 48" handrail is in place of standard 48" handrail.	\$591		
3330-0046	Folding Step Package. Steps include LED integral lights. Locate (3) each front compartment face and (2) each side rear. Includes applicable handrails as required.	\$2,468		
3330-0047	(2) Folding Steps. Located on the officer and driver side behind rear doors of cab. Rear cab handrails will be used for steps.	\$832		
3330-0048	Handrails above compartments over 96" (Pair). To be mounted on top of body.	\$413		
3330-0049	Handrails full length of hosebed cover door. Total of (4) handrails. Location (1) handrail on inboard side of each hosebed cover door.	\$1,294		
3330-0050	Intermediate pump panel step driver side with forward tapered corner. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$799		
3330-0051	Step rear intermediate above B1. Includes handrail mounted on top of 5x5 extrusions both sides.	\$837		
3330-0052	Slideout platform-rollerless low profile style located [#LOC]. Includes (1) hand rail (mounted as applicable).	\$1,040		
3330-0053	Folding Step, Fire Shopp. Location [#LOC]. Step include integral lights. Each location requires a minimum of (1) handrail per NFPA.	\$175		
3330-0054	Steps rear NFPA, Fire Shopp. Steps include integral lights. Includes folding steps on driver side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$0		
3330-0055	Steps rear, Fire Shopp. Steps include integral lights. Includes folding steps on officer side (staggered stepped as applicable with tailboard depth) for additional hosebed access and handrail mounted on officer side upper hosebed side (as applicable).	\$522		
3330-0056	Intermediate pump panel step officer side with forward and rearward tapered corners. Includes step lighting (as applicable). Step lights to be switched thru work light in cab.	\$997		
3330-0057	Handrails to be mounted just below hosebed to be thru bolted. Handrails to have offset stanchions. These (2) appropriately sized handrails are in place of standard 48" handrail.	\$591		
3330-0058	Intermediate pump panel step driver side with forward and rearward tapered corners. Includes step lighting (as applicable). Step lights to be switched thru work light in cab.	\$997		
3330-0059	Zico swing-out access ladder with 4 rungs on main ladder and 2 rungs on swing down ladder. Locate on right side of pump module offset to rear.	\$2,229		
3330-0060	Folding Step. Location (1) one each side of staircase on rear extrusions for access to staircase . Each location requires a minimum of (1) handrail per NFPA.	\$293		



Item #	Description	Extension	+1/-1	Total
3330-0061	Handrail to be mounted on the rear of the hosebed. Handrail to use offset stanchions and be mounted downward. This is in place of standard below the hosebed handrail.	\$212		
3330-0062	Step rear intermediate. Intermediate rear step to be embossed diamond plate. Includes folding steps on driver side for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$655		
3330-0063	Steps rear. Includes diamond plate gator grip corner steps on officer side for hosebed access and handrail mounted on officer side upper hosebed side (as applicable).	\$541		
3330-0064	Hosebed Access Ladder. Aluminum extruded ladder with diamond plate gator grip steps located on driver side inboard of beavertail. Requires removal of gator grip on tailboard below step for mounting.	\$1,526		
3330-0065	Zico access ladder. Location: [#LOC]. Includes required step lights.	\$1,993		
3330-0067	Compartment (interior) mounted manually operated fold-out step/platform with gator grip surface. Includes a mechanical hold close located in the compartment and (1) vertically mounted handrail mounted along one side of the compartment exterior. Step/platform will reduce compartment interior mounted items overall width and/or depth. Locate: [#LOC].	\$1,162		
3330-0068	Slideout platform-rollerless. Includes mounting brackets to lower the platform (bottom of platform) to approximately 12" from the ground and a chrome grab handle centered on the front face of the platform. Located [#LOC].	\$2,015		
3330-0069	Spacer bracket for platform mounting. Bracket to lower platform to approx. 12" from ground (measured to bottom of platform). Locate: [#LOC].	\$306		
3330-0070	Steps rear driver and officer (Montreal). Includes folding steps on driver and officer side with steps mounted as far rearward on the beavertail (not staggered) as applicable. Steps located (top of tailboard to top of step(down) flat surface) lowest (11"), middle (24.5") and top (39.5").	\$498		
3330-0071	Step rear intermediate above B2.	\$837		
3330-0072	Hansen red LED body handrails upgrade package (includes pump module if applicable).	\$1,555		
3330-0073	Step rear intermediate embossed tread plate. Locate rear body. Includes handrail (in place of horizontal hosebed handrail).	\$655		
3330-0074	Access ladder. Aluminum extruded ladder with ribbed aluminum extrusion steps located on officer side of pump module offset to the rear. Rear rail to loop up and over to aid in access into/out of dunnage storage pan.	\$1,876		
3330-0075	Slideout platform - SlideMaster. Location: [#LOC].	\$2,046		
3330-0076	Pool style hand rail. Includes and approx. 16" loop over the body. Location: driver side staircase; forward hand rail.	\$298		
3330-0077	Intermediate pump panel step officer without taper. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$842		
3330-0078	Handrail pool stlye. Locate on rear of beavertail and rear upper body corner. In place of standard 48" beavertail and 10" upper rear body handrails.	\$515		
3330-0079	Slide-out platform, rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable for body mounted locations) and required step lighting. Located [#LOC].	\$1,044		
3330-0080	Intermediate pump panel step driver side located rearward of the crosslays. Includes step lighting (as applicable). Step lights to be switched thru work light in cab.	\$997		
3330-0081	(5) Folding Steps. Located on the driver side behind rear doors of cab w/ diamond plate paint guard. Handrail to be mounted on upper portion of cab for access to dunnage area.	\$910		
3330-0082	Handrail 36". Location: driver side vertically mounted on forward corner extrusion of pump module..	\$393		
3330-0083	Handrail 18". Location: (1) on top of forward staircase module 3x3 extrusion, (1) on officer side lip of staircase storage pan and (1) on top of officer side compartment top offset to front.	\$588		
3330-0084	Step pocket flop down. Locate under staircase in rub rail.	\$664		

Item #	Description	Extension	+1/-1	Total
3330-0085	Ladder, aluminum access rear of body with extruded and ribbed extrusion sides and steps. The outboard vertical extrusion is to extend full height and over the rear upper body for an additional gripping surface when accessing the upper body/hosebed area. Locate to the [#LOC]	\$681		
3330-0086	Below body step (PR) bolt-on. Locate on right side of body, forward and rearward of rear outrigger. Steps to be approx 12" wide with gator grip top surface. Each step to include a horizontal handrail on side of body. Requires aux jack pad to be located to rear of rearward step. For use with extended HB body only.	\$1,022		
3330-0087	Aluminum access ladder with extruded and ribbed extrusion sides and steps. Note that ladder width may vary with position of pump intake/discharge locations. Locate to the [#LOC]	\$1,360		
3330-0088	Ladder, hosebed access. Includes welded aluminum rungs and stanchion connector/ends. Location: [#LOC].	\$1,041		
3330-0089	Intermediate pump panel step driver and officer side without taper. Includes step lighting (as applicable). Step light to be switched thru work light in cab. Mounting feet to be reverse mounted due to vertically hinged panel.	\$1,533		
3330-0090	Handrail on pump module to be full length as possible. Location: [#LOC].	\$133		
3330-0091	Rear intermediate landing platform. Locate above pump access door at rear of body.	\$655		
3330-0092	Grab-Handles to be installed to the rear of the engine cover.	\$102		
3330-0093	Ladder access, aluminum extruded ladder with ribbed aluminum extrusion steps located on the rear offset to the officer side. Includes required step lights.	\$1,888		
3330-0094	A pair of 12" handrails shall be supplied. Locate 1 each side outboard of ladder on roof.	\$263		
3330-0095	Intermediate pump panel step driver and officer side located rearward of the backboard storage. Includes step lighting (as applicable). Step lights to be switched thru work light in cab.	\$997		
3330-0096	Steps rear package. Includes (2) diamond plate gator grip corner steps - (1) up high and (1) down low and (1) folding step between the corner steps on the driver and officer sides for hosebed access. Includes handrails mounted vertically on driver and officer side rear upper hosebed sides (as applicable).	\$541		
3330-0097	Handrail 36". Location: (1) each side on driver and officer side pump module up high.	\$591		
3330-0098	Handrail 12". Location outboard driver and officer side rear hosebed side.	\$133		
3330-0099	Step rear intermediate. Intermediate rear step to be located just below the upper rear body compartment.	\$655		
3330-0100	Step below body. Located below [#LOC]. Each location requires a minimum of (1) handrail / handhold per NFPA.	\$399		
3330-0101	Intermediate pump panel step for rear pump panel.	\$444		
3330-0102	Handrail 18" (PR) located one each side at front of body for use when entering or exiting rear cab doors.	\$429		
3330-0103	Dual lighted LED folding steps rear NFPA. Includes folding steps on driver side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$0		
3330-0104	Dual lighted LED folding steps rear NFPA. Includes folding steps on officer side (staggered stepped as applicable with tailboard depth) for additional hosebed access and handrail mounted on officer side upper hosebed side (as applicable).	\$461		
3330-0105	Dual lighted LED folding step. Location: [#LOC]. Each location requires a minimum of (1) handrail per NFPA.	\$142		
3330-0106	Step rear intermediate. Intermediate rear step to be located just below the upper ladder storage compartment.	\$655		
3330-0107	All body and pump module (if applicable) hand rails to use Austin Hardware model GR-002-AL-BRT-144 knurled bright anodized aluminum tubes IPOS.	\$347		
3330-0108	Five (5) folding steps- two (2) officer and three (3) driver side front compartment face. Includes two (2) handrails - one (1) officer side and one (1) driver side of pump module and (1) light up high on driver side compartment face.	\$580		
3330-0109	Four (4) folding steps- one (1) officer and three (3) driver side front compartment face. Includes two (2) handrails - one (1) officer side and one (1) driver side of pump module and (1) light up high on driver side compartment face.	\$453		
3330-0110	Six (6) folding steps- three (3) officer and three (3) driver side front compartment face. Includes two (2) handrails - one (1) officer side and one (1) driver side of pump module and (2) lights up high on front compartment faces.	\$711		

Item #	Description	Extension	+1/-1	Total
3330-0111	Four (4) dual lighted LED folding steps- one (1) officer and three (3) driver side front compartment face. Includes two (2) handrails - one (1) officer side and one (1) driver side of pump module.	\$0		
3330-0112	Five (5) dual lighted LED folding steps- two (2) officer and three (3) driver side front compartment face. Includes two (2) handrails - one (1) officer side and one (1) driver side of pump module.	\$0		
3330-0113	Six (6) dual lighted LED folding steps- three (3) officer and three (3) driver side front compartment face. Includes two (2) handrails - one (1) officer side and one (1) driver side of pump module.	\$0		
3330-0114	Intermediate pump panel step officer side with forward tapered corner. Includes (1) lower and (1) upper dual LED lighted CPI folding step and a minimum of (1) handrail as req to meet NFPA. Step lights to be switched thru work light in cab.	\$1,079		
3330-0115	Intermediate pump panel step officer side with forward tapered corner. Includes (2) lower and (1) upper dual LED lighted CPI folding step and a minimum of (1) handrail as req to meet NFPA. Step lights to be switched thru work light in cab.	\$1,218		
3330-0116	Dual lighted LED folding step. Location: (1) one each side of staircase for access to staircase. Each location requires a minimum of (1) handrail per NFPA.	\$285		
3330-0117	Frame mounted stirrup style step with gator grip offset to forward area of pump module one each side. Requires relocating oil catch muffler.	\$1,502		
3330-0118	Steps rear. Steps include integral LED lights. Includes (6) folding steps - (3) on driver side and (3) on officer side (staggered stepped as applicable with tailboard depth) for additional hosebed access and handrail mounted on driver and officer side upper hosebed side (as applicable).	\$773		
3330-0119	Handrail location for the folding steps on the driver's side front compartment face shall be 2" from the front of the body to the center of the handrail stantion on the front of the hosebed side.	\$0		
3330-0121	Rear intermediate step with Bustin Tread insert above compartment B2. Includes hand rails mounted on both sides (or as applicable).	\$839		
3330-0122	Handrails for rear body steps to be mounted on inboard side of 3x3 extrusion above each of the landing platforms on each side of the body. Handrails to use offset stanchions and be mounted upward.	\$0		
3330-0123	Rear landing platform located above the B1 compartment. Landing platform to be used for hose loading operations and will be embossed diamond plate.	\$655		
3330-0124	Access ladder. Aluminum extruded ladder with ribbed aluminum extrusion steps located on the rear offset to the driver side. Includes required step lights.	\$1,888		
3330-0125	Slideout platform-integral driver side running board (includes handrail as applicable). The platform step to be smooth plate with gator grip painted black durabak.	\$1,927		
3330-0126	Slideout platform-rollerless. Includes chrome grab handle centered on the frt face of the platform (includes handrail as applicable). Located below officer side pump panel. The platform step to be smooth plate with gator grip painted black durabak	\$1,876		
3330-0127	Handrail 36". Location: (1) each side on driver and officer side pump module forward extrusion vertically mounted.	\$591		
3330-0128	Diamond plate step (approx. 12"w) with Gator Grip at center rear of body even with top of body to provide additional top deck area. Step to have tapered ends left and right and 1" lip extending up. Available on SideStacker style bodies only.	\$872		
3330-0129	Auto Kwikkee step. Step shall be wired into the door interlock system to enable the step to automatically extend when the door is opened and retract when the door is closed. Location: [#LOC].	\$952		
3330-0130	Diamond plate gator grip overlay to be located on driver and officer compartment tops forward body and compartment tops ahead of turntable.	\$844		
3330-0131	Zico retractable Step for Large Rescues. The step shall be locked out when parking brake is activated. Locate under entry door.	\$2,372		

Item #	Description	Extension	+1/-1	Total
3330-0132	A flop down step shall be provided at the rear. Step shall be mounted to the top of the tailboard and fold down behind the tailboard. Platform of the step shall be approx 14" deep x 36" wide. Step will be pinned in the up position for transit.	\$1,321		
3330-0133	Access ladder. Aluminum extruded ladder with ribbed aluminum extrusion steps located on the rear offset to the driver side. Includes required step lights.	\$1,888		
3330-0134	Step rear intermediate. Locate above rear traffic advisor, includes handrail (in place of horizontal hosebed handrail).	\$655		
3330-0135	Handrail on top pump module to be full length as possible. Location: Driver and officer side pump module	\$245		
3330-0136	The rear body vertical hand rails extended to top of body.	\$142		
3330-0137	The side upper rear body handrails extended to rear of body.	\$142		
3330-0138	Diamond plate step. Located below hosebed with step running from inboard of access ladder to opposite side end of hosebed. Step to be embossed diamond plate.	\$749		
3330-0139	Step below side intake / discharge panel (PR). Embossed dia plt with supports. Each location requires a minimum of (1) handrail / handhold per NFPA. eMAX only.	\$1,557		
3330-0140	Driver side rear flop down step (24" wide). Includes driver side step area only gator grip overlay, (1) 18" handrail vertically mounted on rear inboard side of hard suction storage box and (1) 12" mounted horizontally on rear of driver side compartment top storage. Step to be stored in the up/pinned position when not in use.	\$734		
3330-0141	Access ladder with aluminum side rails and aluminum ribbed extruded steps for NFPA hosebed access and handrail mounted on upper hosebed side (as applicable). LED lighting provided and positioned to illuminate steps per NFPA. Ladder to be located [#LOC].	\$1,307		
3330-0142	Rear Step/Bumper, 12" stainless steel w/swing-up assist, Wildland	\$2,291		
3330-0143	Folding Step Package. Steps include LED integral lights. Locate (3) each side rear. Includes applicable hand rails as required, Wildland.	\$1,663		
3330-0144	Ceiling Handrail. E-One supplied/Van-Mor installed. - Install a 10' long ceiling handrail to ceiling of walk-in area. Van-Mor will be installing the handrail.	\$330		
3330-0145	Handrail 36". Location: (1) each side on rear body each side of utility area vertically mounted.	\$593		
3330-0146	Step rear intermediate below B1. Step will be approx 8" deep.	\$837		
3330-0147	Slideout platform with OnScene Solutions slide 81900 step series rated at 500lbs. Platform sized as required per location and includes handrail (as applicable for body mounted locations). Location: [#LOC].	\$2,280		
3330-0149	(7) Stainless steel knurled grip surface hand rails, (1) mounted on the inside of each rear entrance door interior box pan, (1) 24 at the back of the body to assist in entry to rear of body, (5) hand rails shall be provided in the interior walkway.	\$940		
3330-0150	Intermediate pump panel step officer side without taper. Includes (1) lower and (1) upper dual LED lighted CPI folding step and a minimum of (1) handrail as req to meet NFPA. Step lights to be switched thru work light in cab.	\$1,079		
3330-0151	Rescue body access ladder. Zico model RL12 for increased visibility of rear outboard body mounted DOT/NFPA lighting. Includes required step lights and additional hand rail(s) if applicable. Location: [#LOC].	\$1,974		
3330-0152	Handrail 36". Location offset to driver side of body headboard forward of the water tank fill tower(s).	\$263		
3330-0153	Tailboard 12" bolt-on w/Bustin insert. Stainless steel body. Includes hand rail below hose bed and (1) underbody ground light on the officer's side.	\$952		
3330-0154	Full width brushed stainless steel rubrail for the back of aerial body.	\$284		
3330-0155	Step rear intermediate. Locate above B1.	\$655		
3330-0156	Step rear intermediate. Intermediate rear step to be located above the thru the tank storage tunnel.	\$655		
3330-0157	Handrails mounted to the top deck shall be extended to 35" in height in place of standard top deck handrail height. Mounted to the top deck in a manner to support 200 pounds of lateral force.	\$1,281		

Item #	Description	Extension	+1/-1	Total
3330-0158	Step below side intake / discharge panel (PR). Gator grip diamond plate. Each location requires a minimum of (1) handrail / handhold per NFPA. eMAX only.	\$1,191		
3330-0159	Step rear intermediate. Intermediate rear step to be located above the rear Newton dump.	\$655		
3330-0160	Handrail 12". Location inboard driver side rear hosebed side angled.	\$133		
3330-0161	Handrail 12" with angled stanchions. Location: outboard on driver side compartment top 8" off front compartment face.	\$133		
3330-0162	Step rear intermediate. Intermediate rear step to be located just below the dry chemical access door or raised B1 above frame height compartment	\$655		
3330-0163	Slide-out platform, integral below driver side running board (includes hand rail as applicable) with Bustin Tread insert. SS product only.	\$1,603		
3330-0164	Slide-out platform, recessed rear. Located below hose bed. Includes a hand rail near hose bed. Requires extended hose bed on HP100, CR100, and 92 Pltfrm SideStacker bodies. SS product.	\$1,049		
3330-0165	Handrail 24". Location [#LOC].	\$239		
3330-0166	Handrail 12". Location: Mount on rear of truck at E-One discretion.	\$133		
3330-0167	Intermediate rear step to be approximately 10" deep located above the rear Newton dump valve, and be of embossed aluminum treadplate.	\$655		
3330-0168	Slide-out platform, rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable). Located under right side pump running board.	\$1,552		
3330-0169	Handrails on rear of body. Includes (3) vertically on trailing edge of body (2 driver side and 1 officer side) and horizontally mounted handrail(s) below hosebed.	\$0		
3330-0170	Slideout platform-roller-less. Includes chrome grab handle and retaining pin, centered on the front face of the platform (includes handrail as applicable for body mounted locations) and required step lighting. Located: [#LOC].	\$1,044		
3330-0171	Steps rear NFPA compliant. Includes diamond plate corner steps on driver and officer side rear of body for NFPA hose bed access. Includes hand rails mounted vertically on driver and officer side rear beavertails and horizontal below the hose bed (as applicable).	\$473		
3330-0172	Dual lighted LED folding steps rear mounted, Includes folding steps on driver side on lower rear body and step(s) mounted to the slam strip (center divider) of the dual rear mount pump access doors on the upper rear body NFPA. (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable). Requires rear mount access door option with reinforced center slam strip option.	\$0		
3330-0173	Step bolt on, 19.9" X 8" gator grip stepping surface shall be mounted [#LOC].	\$361		
3330-0174	Slideout platform-rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable). The platform step to be smooth plate with gator grip painted black durabak. Located [#LOC].	\$1,859		
3330-0175	Intermediate pump panel step driver side above operator's panel. Includes (2) loop handrails, (1) forward, (1) rearward. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$1,424		
3330-0176	Handrails located each side at the left rear staircase to be mounted on sloped upper extrusions only	\$0		
3330-0177	Intermediate pump panel step constructed of 3/16" (.187") aluminum smooth plate with black Scorpion coating (IPOS diamond plate) for rear pump panel.	\$610		
3330-0178	Rescue body access ladder. Zico model RL12 for increased visibility of rear outboard body mounted DOT/NFPA lighting. Includes required step lights and additional hand rail(s) if applicable. Location: [#LOC].	\$1,974		
3330-0179	Steps below side intake / discharge panel (PR). Bustin Tread and diamond plate. Each location requires a minimum of (1) hand rail / hand hold per NFPA. SM SS eMAX only.	\$1,191		
3330-0180	Dual lighted LED folding steps rear NFPA. Includes folding steps on officer side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on officer side upper hosebed side (as applicable). Option is only available if driver side access steps are deleted.	\$0		
3330-0181	Intermediate rear step to be located [#LOC], and be of embossed aluminum treadplate.	\$0		

Item #	Description	Extension	+1/-1	Total
3330-0182	Step rear intermediate embossed treadplate. Locate above B1, includes handrail (in place of horizontal hosebed handrail).	\$655		
3330-0183	Step rear intermediate. Locate above B1, includes handrail (in place of horizontal hosebed handrail). Step construction shall be aluminum smooth plate IPO diamond plate painted Black Scorpion (rough finish).	\$923		
3330-0184	Step rear intermediate. Locate above B2, includes handrail (in place of horizontal hosebed handrail).	\$655		
3330-0185	Step below side intake / discharge panel (PR). Gator grip plate constructed of 1/8" (.125") aluminum smooth plate with black Scorpion coating (rough finish) IPOS diamond plate. Each location requires a minimum of (1) handrail / handhold per NFPA. eMAX only.	\$1,513		
3330-0186	Rear handrails. Locate on rear of the body 3x3 and extend from just above the tailboard to the top of the body on the driver and officer sides. In place of standard 48" handrail.	\$515		
3330-0187	Step rear intermediate. Locate above B1. The step shall be 10" in depth.	\$715		
3330-0188	Hansen green LED body hand rails upgrade package (includes pump module if applicable).	\$1,555		
3330-0189	Step rear intermediate embossed treadplate. Locate below fold-a-tank.	\$655		
3330-0190	Step below side intake / discharge panel (PR). Smooth plate aluminum with gator grip painted black durabak. Each location requires a minimum of (1) handrail / handhold per NFPA. eMAX only.	\$1,430		
3330-0191	Access ladder. Aluminum extruded ladder with ribbed aluminum extrusion steps located on driver side of pump module offset to the rear. Rear rail to loop up and over to aid in access into/out of dunnage storage pan.	\$1,876		
3330-0192	Chrome grab handle (EA). Location: (1) each side front of open bed doors	\$54		
3330-0193	Step rear intermediate. Locate below hosebed, includes handrail (in place of horizontal hosebed handrail)	\$655		
3330-0194	Intermediate Step. An 8" deep x 46" wide non-skid aluminum treadplate step with mitered corners shall be installed above the rear panel compartment door opening for ease of access to the upper body area. The step shall include a Bustin tread insert for increased traction and drainage.	\$684		
3330-0195	An 8" deep non-skid aluminum treadplate step with mitered corners shall be installed above the rear panel compartment door opening for ease of access to the upper body area. The step shall include a Bustin tread insert for increased traction and drainage. The width of the step shall be 38" when one rear discharge is selected or 31" when two rear discharges are selected.	\$675		
3330-0196	Additional handrails horizontal above pump panel, below upper pump module (1) driver, (1) officer side. Mount handrails offset to the rear (just forward of folding steps).	\$256		
3330-0197	Steps NFPA compliant. Fabricated diamond plate steps on driver and officer side of crosswalk.	\$473		
3330-0198	Intermediate rear step to be approximately 10" deep located above the rear compartment and be of embossed aluminum treadplate.	\$655		
3330-0199	Steps below body. Located each side below crosswalk.	\$539		
3330-0200	Step flop down rear 16" wide rung type (PR) IPO pocket step at rear side staircases.	\$1,102		
3330-0201	Step rear intermediate embossed tread plate. Locate rear body. Includes hand hold cut-outs on top of the step in place of the hand rail.	\$655		
3330-0202	Intermediate rear step to be approximately 8" deep located at the rear panel and be constructed of embossed aluminum treadplate.	\$568		
3330-0203	Intermediate rear step to be approximately 8" deep located above the upper rear panel compartment that is below the hose bed, and be of embossed aluminum treadplate. Step to have hand hole cut outs and integral handrail assembly welded into step structure.	\$714		
3330-0204	Diamond plate step (approx. 12"w) with Gator Grip at center rear of body even with top of body to provide additional top deck area. Step to have square ends left and right and 1" lip extending up. Available on SideStacker style bodies only.	\$872		

Item #	Description	Extension	+1/-1	Total
3330-0205	Step pocket flop down (EACH). Step to be a pull out style designed to stow in body rubrail. Locate: on rear of body facing rear on officer side.	\$663		
3330-0206	Step rear 10" intermediate embossed treadplate. Locate below hosebed, includes three (3) hand hold cut-outs on top of the step in place of the hand rail.	\$655		
3330-0207	Hansen blue LED body hand rails upgrade package (includes pump module if applicable).	\$1,555		
3330-0208	Rescue body access ladder. Zico model RL18 for increased visibility of rear outboard body mounted DOT/NFPA lighting.. Includes required step lights and additional hand rail(s) if applicable. Location: [#LOC].	\$2,409		
3330-0209	Slide-out platform, rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable). Located below tailboard centered and the step area the same width as the access ladder.	\$1,552		
3330-0210	Handrail 12". Install 12" handrails on the upper flat section above the speedlays for easier access to the top mount pump panel walkway.	\$133		
3330-0211	Intermediate pump panel step officers side located rearward of the crosslays. Step to be constructed of embossed aluminum treadplate. Includes step lighting (as applicable). Step lights to be switched thru work light switch in cab.	\$1,000		
3330-0212	(2) Dual lighted LED folding steps. Location: Side by side centered on front pump module access door above walkway to aid pump operator in reaching and operating deck gun from crosswalk area. Includes reinforced 3/16" diamond plate pump access door. Each location requires a minimum of (1) handrail per NFPA.	\$402		
3330-0213	Two (2) bright polished knurled stainless steel handrails shall be provided, one (1) at each entry door, mounted vertically inside the TME module approximately 12 inches inboard of door opening, to aid in entrance and egress.	\$274		
3330-0214	Slidemaster pull out platform shall be mounted in B1 compartment floor.	\$1,328		
3330-0215	Step flop down rear 12" wide rung type (PR). Painted Durabak black.	\$1,393		
3330-0216	Access ladder. Sure Step V2. Finish: Aluminum. Includes required step lights and additional hand rail(s) if applicable. Location: [#LOC].	\$2,793		
3330-0217	Haralson Metals Stainless steel knurled grip surface hand rails shall be provided in place of standard anodized handrails on Body and Pump Module (as applicable).	\$734		
3330-0218	Step rear 10" deep intermediate. Step to be embossed treadplate and located between engine access door and lower air intake.	\$655		
3330-0219	Step rear intermediate embossed treadplate. Locate below hose bed, to extend rearward from body 12 in. and shall include three (3) hand hold cut-outs on top of the step in place of the hand rail.	\$717		
3330-0220	Slide-out platform, rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable). Located [#LOC].	\$1,552		
3330-0221	Sides of intermediate rear step to be cut out.	\$50		
3330-0222	Rear landing platform (full width) located below hosebed area. Landing platform to be used for hosebed operations and will be embossed diamond plate.	\$924		
3330-0223	Intermediate rear step to be approximately 10" deep located above the rear compartment and be of embossed aluminum treadplate. Includes side mounted gussets to provide a 500lb weight rating.	\$731		
3330-0224	Handrails 12". Install (2) 12" Hansen white LED lighted handrails on the upper rear top of body forward of the rear unistruts.	\$443		
3330-0225	Folding Step. Step to be located 18" above surface of tailboard, and directly below drivers side rear vertical handrail.	\$287		
3330-0226	Step rear intermediate smooth plate painted black Durabak. Locate above B1, includes handrail (in place of horizontal hosebed handrail).	\$819		
3330-0227	Step rear intermediate above B1. Includes handrail mounted on top of 5x5 extrusions both sides. Modified GatorGrip pattern to accommodate hose deployment from walkway aft of the walkway hose bed.	\$926		
3330-0228	Step rear intermediate embossed treadplate. Locate above B1, includes three (3) hand hold cut-outs on top of the step in place of the hand rail.	\$655		

Item #	Description	Extension	+1/-1	Total
3330-0229	Diamond plate step (approx. 8"w) with Gator Grip at center rear of body full width even with top of body to provide additional top deck area. Step to have tapered ends left and right with 1" lip extending up. Includes (2) two gussets, one each side inboard of upper rear warning lights. Available on SideStacker style bodies only.	\$1,207		
3330-0230	Non-folding 8x8 bolt on surface mount CPI step with LED lighting. CPI model# SP2012-1-D Each location requires a minimum of (1) handrail per NFPA. Location: Officer side rear of body	\$178		
3330-0231	Slide-out platform, rollerless to be painted Durabak black. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable). Located [#LOC]..	\$3,878		
3330-0232	Step below side intake / discharge panel (PR) to be painted Durabak black.. Smooth plate. Each location requires a minimum of (1) handrail / handhold per NFPA. eMAX only.	\$1,490		
3330-0233	Dual lighted LED folding steps rear NFPA. Includes folding steps on driver and officer side (staggered stepped as applicable with tailboard depth) for NFPA hose bed access and handrails mounted on rear panel as required.	\$142		
3330-0234	Hansen white LED handrails upgrade (EA).	\$226		
3330-0235	Modular diamond plate intermediate steps shall be provided - one step on the driver and officer side of the rear dump valve and one above it. Includes handrails as applicable.	\$767		
3330-0236	Cut-outs in top rear intermediate step. Includes three (3) hand hold cut-outs on top of the step in place of the hand rail.	\$50		
3330-0237	Handrail 60". Location: (1) each side on driver and officer side pump module forward extrusion vertically mounted.	\$591		
3330-0238	Rescue body access ladder. Zico model RL15 for increased visibility of rear outboard body mounted DOT/NFPA lighting. Includes required step lights and additional hand rail(s) if applicable. Location: rear of body driver side .	\$2,038		
3330-0239	Four (4) Handrails 60" at rear body. Two (2) mounted either side of the B1 compartment and two (2) mounted outboard of body.	\$1,114		
3330-0240	Step, staircase access, treadplate with Gator Grip. Pair. Locate: Rear of body, 1 step each side of staircase for access to staircase from tailboard.	\$655		
3330-0241	Handrails located each side at rear staircases to be mounted within outside perimeter of body. To protect against damage.	\$0		
3330-0242	Flop down 36" wide step (EA) fabricated from .125" diamond plate with gator grip to be located at rear of body for access to turntable. Includes mechanical lock to store in the up and stored position.	\$1,852		
3330-0243	Compartment (interior) mounted manually operated fold-out Seat/step/platform with Bustin inserts. Includes a mechanical hold close located in the compartment and (1) vertically mounted handrail mounted along one side of the compartment exterior. Seat/step/platform will reduce compartment interior mounted items overall width and/or depth. Locate: L1, L2, L4, R1, R2 & R4	\$1,162		
3330-0244	Diamond plate step w/Gator Grip at rear of body even with top of body. Located between beavertail aerial access staircases over ladder tunnel, to provide additional stepping surface. Available on aerial center hosebed style bodies only.	\$609		
3330-0245	LINE-X Package for step below body (each).	\$152		
3330-0246	Slidemaster pull out platform shall be mounted in B1 compartment at compartment break so that the stepping surface when deployed is at same height as the enhanced extended compartment side steps at rear of apparatus. To include center compartment structure as needed to mount and secure slide master slide unit in elevated position.	\$1,600		
3330-0247	Handrails full length of hosebed cover door. Total of (2) handrails. Location (1) handrail on inboard side of each hosebed cover door.	\$648		
3330-0248	Intermediate pump panel step driver side above operator's panel with forward tapered corner. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$1,086		
3330-0249	Intermediate pump panel step officer side above operator's panel with forward tapered corner. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$1,086		



Item #	Description	Extension	+1/-1	Total
3330-0250	Zico HVS-1 retractable Step for Large Rescues. The step shall be locked out when parking brake is activated. Locate under rear body entry door.	\$1,719		
3330-0251	Intermediate pump panel step drivers side located rearward of the crosslays. Step to be constructed of embossed aluminum treadplate. Includes step lighting (as applicable). Step lights to be switched thru work light switch in cab. Includes (1) handrail at the top of the pump module and (1) at the top of the left side body.	\$1,002		
3330-0252	Intermediate pump panel step officers side located rearward of the crosslays. Step to be constructed of embossed aluminum treadplate. Includes step lighting (as applicable). Step lights to be switched thru work light switch in cab. Includes (1) handrail at the top of the pump module and (1) at the top of the right side body.	\$1,002		
3330-0253	Dual lighted LED folding steps rear NFPA. Includes folding steps on driver side (staggered stepped as applicable with tailboard depth) for body roof access and handrail mounted on driver side upper hosebed side (as applicable).	\$442		
3330-0254	Step rear intermediate embossed treadplate. Locate below hosebed, includes two (2) hand hold cut-outs on top of the step in place of the hand rail. The cut-outs to be on the left side and center only.	\$655		
3330-0255	Slide-out platform, rollerless. Includes chrome grab handle centered on the front face of the platform (includes hand rail as applicable for body mounted locations) and required step lighting. Located R1 as wide as space allows due to exhaust pipe.	\$1,044		
3330-0256	Hansen amber LED body hand rails upgrade package (includes pump module if applicable).	\$1,555		
3330-0257	Upper rear turntable handrails shall have (2) two additional horizontal handrails spaced approximately 14" from the top and bottom of each of the main handrails.	\$755		
3330-0258	Intermediate pump panel step on driver and officer side located above the pump panel but below level of cross lays. Includes step lighting (as applicable). Step lights to be switched thru work light in cab. Steps to be 8in toe depth or greater step surface and shall allow for panel lighting to be mounted under step if applicable or optioned separately.	\$997		
3330-0259	Rear landing platform located above the storage tunnel through tank. Landing platform to be used for hose loading operations and will be embossed diamond plate.	\$655		
3330-0260	Intermediate pump panel step drivers side located rearward of the crosslays. Step to be constructed of embossed aluminum treadplate. Includes step lighting (as applicable). Step lights to be switched thru work light switch in cab.	\$1,000		
3330-0261	Dual lighted LED folding steps, Signature Partners Inc. Each location requires a minimum of (1) handrail per NFPA. Location: Drivers and officers side front compartment faces.	\$234		
3330-0262	Dual lighted LED folding steps Signature Partners Inc, rear NFPA. Includes folding steps on driver and officers sides (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrails mounted on drivers and officers sides upper hosebed sides (as applicable).	\$930		
3330-0263	Intermediate pump panel step driver and officer side without taper below crosslays. Intermediate steps to be 8" wide and made of embossed diamond plate. Includes (2) lower and (1) above dual LED lighted CPI folding steps each side and a minimum of (1) handrail as required to meet NFPA. Step lights to be switched thru work light in cab. (officer side requires vertical hinged pump panel)	\$2,375		
3330-0264	Rescue body access ladder. Zico model RL15 for increased visibility of rear outboard body mounted DOT/NFPA lighting. Includes required step lights and additional hand rail(s) if applicable. Location: [#LOC].	\$2,038		
3330-0265	Rear landing platform located below the Ladder Storage Tunnel. Landing platform to be used to assist in hose loading operations and will be embossed diamond plate.	\$655		
3330-0266	Dual lighted rear fixed steps (1) driver side and (1) officer side and handrails mounted each side outboard of the storage compartment doors for additional hose bed access.	\$605		
3330-0268	Step rear intermediate embossed treadplate. Locate on extrusion above rear dump and tank fills, includes three (3) hand hold cut-outs on top of the step in place of the hand rail.	\$655		
3330-0269	Dual lighted LED Signature4 folding step. Location: [#LOC]. Each location requires a minimum of (1) handrail per NFPA.	\$209		

Item #	Description	Extension	+1/-1	Total
3330-0270	Intermediate rear step to be approximately 8" deep x 36" wide located below the hose bed, and be of embossed aluminum treadplate. Step to have hand hole cut outs and integral handrail assembly welded into step structure. Formed stainless steel angle braces provided at each end of step for additional support.	\$714		
3330-0271	Handrail package - Provide (4) handrails. (2) two full available length walkway handrails inside of body located to ceiling 7 inches either side of roof centerline, (1) one each side of counter top at forward edge and span from side of cabinets forward to end of walkway.	\$4,456		
3330-0272	Additional handrails on pump panel.	\$256		
3330-0273	A flop down step shall be provided at the rear. Step shall be mounted to the top of the tailboard and fold down behind the tailboard. Platform of the step shall be approx 9" deep x 28" wide. Step will be pinned in the up position for transit.	\$1,366		
3330-0274	Ladder Hose Bed access, aluminum extrusion and gator grip steps stair case style located on the rear offset to the officer side against inside of rear beavertail. Includes required step lights.	\$3,435		
3330-0275	Intermediate pump panel step officer side with forward tapered corner. Includes (1) lower and (1) upper Innovative Controls dual LED lighted folding step with (1) handrail and (1) recessed step light located above the intermediate step. Step light to be switched thru work light in cab.	\$1,131		
3330-0276	Intermediate pump panel step officer side with forward tapered corner. Includes (2) lower and (1) upper Innovative Controls dual LED lighted folding step with (1) handrail and (1) recessed step light located above the intermediate step. Step light to be switched thru work light in cab.	\$1,287		
3330-0277	Innovative Controls dual lighted LED folding steps rear NFPA. Includes folding steps on driver side rear of the body. (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$68		
3330-0278	Innovative Controls dual lighted LED folding steps rear NFPA. Includes folding steps on officer side (staggered stepped as applicable with tailboard depth) for additional hosebed access and handrail mounted on officer side upper hosebed side (as applicable).	\$529		
3330-0279	Innovative Controls dual lighted LED folding step. Location: [#LOC]. Each location requires a minimum of (1) handrail per NFPA.	\$211		
3330-0280	Intermediate pump panel step officer side with forward tapered corner. Includes (1) lower and (1) upper Innovative Controls dual LED lighted folding step and a minimum of (1) handrail as req to meet NFPA. Step lights to be switched thru work light in cab.	\$1,125		
3330-0281	Intermediate pump panel step officer side with forward tapered corner. Includes (2) lower and (1) upper Innovative Controls dual LED lighted folding step and a minimum of (1) handrail as req to meet NFPA. Step lights to be switched thru work light in cab.	\$1,287		
3330-0282	Innovative Controls dual lighted LED folding step. Location: (1) one each side of staircase for access to staircase. Each location requires a minimum of (1) handrail per NFPA.	\$330		
3330-0283	Handrail 18" (PR) located on each side inboard of beavertails up high angled to assist in access to aerial device.	\$429		
3330-0284	Hansen red LED body hand rails upgrade package (includes pump module if applicable).	\$1,555		
3330-0285	Handrail 18". Location: Officer side above pump panel and below E-One logo.	\$199		
3330-0286	Access ladder. Aluminum access ladder driver side pump module with diamond plate gator grip steps and handrails. Rear rail to loop up and over to aid in access into/out of dunnage storage pan.	\$2,795		
3330-0287	Steps below body. Located each side below tailboard.	\$539		
3330-0288	Step swing down diamond plate with gator grip located at each aerial access staircase (3). Includes mechanical lock to store in the up position. (HP95MM Platform only)	\$916		
3330-0290	Steps NFPA compliant. Fabricated diamond plate steps on driver and officer side of crosswalk. Full width.	\$541		
3330-0291	Intermediate rear step to be located behind the rear Newton dump valve swivel chute assembly, on the Driver's or Officer's side, and be of embossed aluminum treadplate.	\$523		

Item #	Description	Extension	+1/-1	Total
3330-0292	Step swing down diamond plate with gator grip located at each aerial access staircase. Includes mechanical lock to store in the up position.	\$305		
3330-0293	Step rear intermediate approximately 8" deep and full width of hosebed. Locate above B1, includes handrail (in place of horizontal hosebed handrail).	\$924		
3330-0294	Diamond plate gator grip overlay to be located on driver side forward compartment top.	\$201		
3330-0295	Diamond plate gator grip overlay to be located on officer side forward compartment top.	\$201		
3330-0296	Intermediate pump panel step officer side above operator's panel. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$1,086		
3330-0297	Intermediate pump panel step driver side above operator's panel. Includes step lighting (as applicable). Step light to be switched thru work light in cab.	\$1,086		
3330-0298	Handrail on pump module to be full length as possible. Location: Officer side just below crosslays.	\$133		
3330-0299	Chrome grab handle (Pair). Location: Rear upper body (1) each side of body entry way IPO standard grab rail.	\$109		
3330-0300	Innovative Controls dual lighted LED folding steps rear NFPA. Includes folding steps on officer side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on officer side upper hosebed side (as applicable). This code only for use if primary rear steps for climb per NFPA will be mounted on officer side. and unit will have tunnel on the driver side.	\$68		
3330-0301	Steps rear NFPA. Includes folding steps on driver side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on driver side upper hosebed side and/or rear of tank (as applicable). Includes mounting blocks as necessary for Wetside Tank.	\$721		
3330-0302	Slide-out Slide Master brand intermediate step. Includes hand hold notch centered on the front face of the step and required step lighting. Located on the rear body.	\$1,305		
3330-0303	Handrail 18in. Location: Vertical orientation mounted driver and officer side on rearward area on speed lay module as additional hand rails for upper top mount walkover access.	\$199		
3330-0304	All hand rails (as applicable) are to have a rubber insert. Includes cab (N/A on commercial chassis), pump module and body. Wetside Tanker only.	\$656		
3330-0305	Steps rear NFPA. Includes folding steps on office side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrail mounted on officer side upper hosebed side and/or rear of tank (as applicable). Includes mounting blocks as necessary for Wetside Tank only.	\$812		
3330-0306	Dual lighted LED folding step, Signature Partners Inc. Each location requires a minimum of (1) handrail per NFPA. Location: officers side front compartment face.	\$175		
3330-0307	Dual lighted LED folding steps Signature Partners Inc, rear NFPA. Includes folding steps on driver side (staggered stepped as applicable with tailboard depth) for NFPA hosebed access and handrails mounted on drivers and officers sides upper hosebed sides (as applicable).	\$465		
3330-0308	Slidemaster pull out platform shall be mounted in Rear Body compartment at location depicted on Sales Drawing. To include center compartment structure as needed to mount and secure slide master slide unit in elevated position.	\$1,600		
3330-0309	Intermediate pump panel step on driver and officer side located above the pump panel rearward of cross lays mounted at same level as bottom of cross lay opening or above as applicable to NFPA step distance to top of module. Includes step lighting (as applicable). Step lights to be switched thru work light in cab. Steps to be 8 in. toe depth or greater step surface and shall allow for panel lighting to be mounted under step if applicable or optioned separately.	\$997		
3330-0310	Step pocket, flop down side of body rear aerial staircase (single).	\$663		
3330-0311	Step rear intermediate embossed tread plate. Locate rear body. Includes hand hold cut-outs on top of the step in place of the hand rail. Step shall extend 9in. from body rear surface to trailing edge of step as mounted.	\$655		

Item #	Description	Extension	+1/-1	Total
3330-0312	Intermediate pump panel step driver and officer side without taper below crosslays. Intermediate steps to be 8" wide and made of embossed diamond plate. Includes (2) lower and (1) above dual LED lighted IC folding steps each side and a minimum of (1) handrail as required to meet NFPA. Step lights to be switched thru work light in cab. (officer side requires vertical hinged pump panel)	\$2,375		
3330-0313	Austin Hardware Model# FS-200 CHR folding step w/Whelen Model# 0A0E0DCR LED w/chrome bezel . Location: [#LOC]. Each location requires a minimum of (1) handrail per NFPA.	\$341		
3330-0314	Handrail up to 18". Location [#LOC].	\$133		
3340-0003	Cast Products recessed fuel fill with door.	\$153		
3340-0004	Hosebed above the booster tank. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed (as is practical with other hosebed mounted equipment).	\$1,908		
3340-0005	Step rear intermediate. Includes folding steps on driver side for NFPA hosebed access and handrail mounted on driver side upper hosebed side (as applicable).	\$655		
3340-0010	This unit has a overall height restriction. The height restriction must not be exceeded.	\$0		
3340-0011	This unit has an overall length restriction. The length restriction must not be exceeded.	\$0		
3340-0012	Overall Width of the Vehicle	\$0		
3340-0015	Diamond plate single axle wheel well. Includes bolt-on composite wheel well liners and aluminum trim fenderettes	\$1,315		
3340-0016	Poly storage box 85" X 20" X 30" located on top deck.	\$1,891		
3340-0017	Poly Box Storage 85x24x30 located on Top Deck	\$2,264		
3340-0021	Compartment Heaters installed in [#LOC].	\$560		
3340-0022	Vehicle number sign plates located one on each side of the engine cover and one on top of the engine cover / rear body.	\$500		
3340-0023	Propellant bottle lift, right hand side.	\$5,087		
3340-0026	Diamond plate overlay front body. For Stainless Steel product only. To include the entire front body panels. Do not wrap to the door opening.	\$484		
3340-0027	Diamond plate corner guards for the driver and officer front compartment face. Guards to wrap around the corner and be full height of side assembly or to a max of 96".	\$246		
3340-0028	Stainless Steel corner guards for the driver and officer front compartment face. Guards to wrap around the corner and be full height of side assembly.	\$312		
3340-0029	Brushed stainless steel overlay. Locate on rear body (centered) directly below the hosebed and down to bottom of body.	\$273		
3340-0030	For Stainless Steel product only. Brushed stainless steel panels on entire rear panels of the body.	\$1,786		
3340-0033	Stainless Steel product only. AL/DP center lower area of body	\$273		
3340-0034	The hinged door(s) of [#LOC] to have door louvers for additional ventalation.	\$190		
3340-0035	Divider Long. To run full length of hose bed (front to rear).	\$580		
3340-0036	Body compartment interiors to have a swirled finish. Includes pan or hinged door as applicable.	\$2,472		
3340-0041	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted job color. Lettering and/or graphics not included.	\$320		
3340-0042	Includes diamond plate cover and mounting hardware (PTS-TCH).	\$9,950		
3340-0045	(2) driver side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3340-0046	For Stainless Steel product only. Hinged door SCBA compartment recessed into wheel well area with dual SCBA tubes (each). Doors will match wheel well panels.	\$760		

Item #	Description	Extension	+1/-1	Total
3340-0047	For Stainless Steel product only. Wheel well compartment for fire extinguisher, includes door of aluminum diamond plate or brushed S/S. Available for any type of wheel well panel (each)	\$760		
3340-0049	Hosebed storage pan. Locate in forward area of hosebed.	\$872		
3340-0051	Reinforce flooring of compartment [#LOC] for storage of heavy equipment.	\$381		
3340-0052	Stainless steel trim on bottom edge of compartment opening of [#LOC].	\$145		
3340-0055	Cast Products recessed fuel fills with doors for dual fuel fill application.	\$519		
3340-0056	Fuel fill (non-recessed) driver side wheel well.	\$0		
3340-0057	Fuel fills (non-recessed) for dual fuel fill application. (1) each side in wheel well.	\$0		
3340-0058	Recessed fuel fill driver side wheel well.	\$0		
3340-0059	Recessed fuel fills for dual fuel fill application, (1) each side in rear wheel wells.	\$296		
3340-0060	Diamond plate corner guards for the driver and officer rear compartment face. Guards to wrap around the corner and be full height of side assembly or to a max of 96".	\$278		
3340-0061	The walls of compartment [#LOC] to have additional louvers for additional ventilation.	\$98		
3340-0062	Divider medium. To run full length of hose bed (front to rear) behind single fill tower.	\$521		
3340-0063	Divider short. To run full length of hose bed (front to rear) behind dual fill towers or single set back fill tower.	\$437		
3340-0064	Stainless steel trim package for compartment openings and step areas.	\$589		
3340-0065	Pike Pole Bracket(PR)2 Poles mounted Horizontally. Location.[#LOC]	\$275		
3340-0067	Turtle Tile Brand [#COL] Floor Matting covering all applicable Compartment Floors, Shelves, and Rollout Trays.	\$1,256		
3340-0068	Mud flaps, rear, black with Saulsbury logo.	\$193		
3340-0070	Bracket for Installation of Cutter Tool [#LOC]	\$87		
3340-0071	Bracket for Installation of the Crow Bar	\$277		
3340-0072	Single Hard Suction Rack to Hold a 2.5" or 3" Diameter Suction Hose	\$283		
3340-0074	Body mainframe and hosebed side assemblies for a 85" high body.	\$1,378		
3340-0075	Body mainframe and hosebed side assemblies for a 90" high body.	\$2,751		
3340-0076	(2) officer side roof top compartments. Includes hinged raised compartment lids with turn latches and grab handle(s). Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$2,972		
3340-0077	Body compartment Interiors to have Zolatone gray finish. To include pan of hinged doors and tool compartments (as applicable). Does not include floors if they are dia plt.	\$6,185		
3340-0078	Body compartment Interiors and compartment mounted components (shelves, trays, toolboards,etc.) to have Zolatone gray finish. To include pan of hinged doors, and tool compartments (as applicable). Does not include floors if they are dia plt.	\$13,119		
3340-0079	Locate Tank Fill Tower(s) in the hose bed storage pan as applicable.	\$0		
3340-0080	Bolt-on diamond plate 18" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,099		
3340-0081	Bolt-on diamond plate tailboard (full width of body). Includes handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,467		
3340-0082	Bolt-on diamond plate tailboard (full width of hosebed). Includes handrails- (2) vertical mounted on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$828		
3340-0083	Bolt-on diamond plate tailboard (full width of rear compartment). Includes the enhanced extended side compartment frame work with diamond plate compartment tops, (1) officer side lower area folding step. Driver side includes (1) upper hosebed mounted handrail (as applicable) and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$981		
3340-0088	Smooth plate single axle wheel well painted job color. Includes bolt-on composite wheel well liners	\$1,905		

Item #	Description	Extension	+1/-1	Total
3340-0089	Turtle Tile Brand [#COL] Floor Matting covering all applicable Compartment Floors, Shelves, and Rollout Trays.	\$2,026		
3340-0090	Turtle Tile Brand [#COL] Floor Matting covering all applicable Compartment Floors, Shelves, and Rollout Trays.	\$2,757		
3340-0093	Mud flaps, rear, black with E-ONE logo.	\$192		
3340-0094	Body mainframe and hosebed side assemblies for a 95" high body.	\$4,126		
3340-0095	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$5,940		
3340-0096	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$5,940		
3340-0097	Brushed Stainless Steel single axle wheel wells. Includes bolt-on composite wheel well liners and fenderettes	\$1,446		
3340-0098	Stainless Steel single axle wheel wells. Includes job color paint, bolt-on composite wheel well liners and fenderettes	\$1,799		
3340-0099	Diamond plate overlay rear body. For Stainless Steel product only. To include the entire rear body panels. Do not wrap to the door opening.	\$398		
3340-0102	Angled (Boston style) style tailboard corners.	\$524		
3340-0103	Lower center body and lower rear body to be painted job color.	\$2,295		
3340-0104	Lower center body shall be made with diamond plate and lower rear body shall be constructed of diamond plate	\$0		
3340-0105	Smooth Plate Engine Cover Painted Job Color	\$1,473		
3340-0106	Engine cover shall be constructed of diamond plate.	\$0		
3340-0107	Diamond plate tandem axle wheel well. Includes bolt-on composite wheel well liners and fenderettes.	\$2,623		
3340-0108	Smooth plate tandem axle wheel well painted job color. Includes bolt-on composite wheel well liners and fenderettes.	\$3,803		
3340-0109	Power vent system located in [#LOC]. Includes timer and is run from shorepower inlet.	\$227		
3340-0110	The rear of each hose bed divider to have a hand hold cut-out(s).	\$0		
3340-0111	Horizontal ladder bracket. Location and type of ladder: [#LOC].	\$304		
3340-0113	Adjustable ladder brackets. Mount in adjustable tracks on officer side.	\$555		
3340-0114	Hosebed above the booster tank and side body compartments. Includes forward hosebed and tower(s) cover plate work (as applicable) and extended width side to side (over side compartments) for increased hosebed capacity.	\$3,654		
3340-0115	Bolt-on diamond plate 16" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$1,029		
3340-0116	Bolt-on diamond plate 14" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$956		
3340-0117	Bolt-on diamond plate 12" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal (as applicable) mounted handrail(s) below hosebed.	\$886		
3340-0118	Bolt-on diamond plate 10" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed.	\$813		
3340-0119	Speedy dry hopper. Locate [#LOC]. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. Capacity of speedy dry hopper is 200 lbs.	\$1,847		
3340-0121	Full length driver side tunnel. Reduces driver side upper compartment depths to 12" deep IPO 26". Tunnel includes access door at rear.	\$1,665		

Item #	Description	Extension	+1/-1	Total
3340-0122	Half length driver side tunnel. Reduces driver side upper compartment depths of L2 and L3 to 12" deep IPO 26".	\$1,039		
3340-0124	Upgrade runningboards to 3/16" diamond plate.	\$110		
3340-0125	Directional light bar to be recess mounted. Located on rear area of body.	\$469		
3340-0126	Diamond plate single axle wheel well. Includes fenderettes and bolt-on stainless steel wheel well liners.	\$3,360		
3340-0127	Body mainframe and hosebed side assemblies for a 77" high body.	\$829		
3340-0128	Bolt-in partition walls. Locate in lower rear compartment transverse area. Partitions to separate the side rear compartments from the rear compartment.	\$276		
3340-0129	Overlay compartment R1 floor with stainless steel.	\$330		
3340-0130	B1 floor to have removable slat flooring	\$316		
3340-0131	Diamond plate hose storage box. Locate on driver side compartment top. Hosebed side to be the inside edge of box for maximum storage. Use .090 overlay on hosebed side to protect paint and rear 3x3 extrusion. Box to include a 3" radius rear corner, removable slat flooring and a cargo net top and rear.	\$868		
3340-0132	Diamond plate single axle wheel well. Includes fenderettes and bolt-on aluminum wheel well liners painted job color	\$2,623		
3340-0133	Officer side beavertail to have recess box (9"w x 14"H x depth of beavertail). Box to be mounted low flush with top of tailboard.	\$484		
3340-0134	Bolt-in floor L2. Floor is in addition to the existing DP floor. Floor to have 2" raised forward area (tapered towards rear for securing cribbing) and run full length front to rear.	\$260		
3340-0135	Body mainframe and hosebed side assemblies for a 73" high body.	\$1,928		
3340-0136	Bolt-on diamond plate 20" tailboard (full width of body). Includes (2) squared off beavertails (no stanchions) with removable outer panels and handrails- (2) vertically on beavertails and (1) horizontally below hosebed.	\$1,173		
3340-0137	Body mainframe and hosebed side assemblies for a 92" high body.	\$3,300		
3340-0138	Full length officer side tunnel. Reduces officer side upper compartment depths to 12" deep IPO 26".	\$1,665		
3340-0139	Bolt-on diamond plate 18" tailboard (full width of body). Includes (2) slanted beavertails (no stanchions) with removable outer panels and handrails- (2) vertically on trailing edge of body and horizontally mounted handrail(s) below hosebed.	\$1,374		
3340-0140	Hosebed above the booster tank. Includes forward hosebed and tower(s) cover plate work (as applicable). Adjustable track rearward of the fill tower(s) to run full width of the hosebed area.	\$2,135		
3340-0141	Label package for Memphis units only, to include labeling of removable panels to indicate what is behind	\$116		
3340-0142	Crosslay roller 18". Mount driver side front compartment face just below compartment top.	\$177		
3340-0143	Interior ladder tunnel door. Locate in B1 inline with ladder tunnel thru tank. Hinge to officer side with D-Ring latch and driver side to be notched for cord reel.	\$500		
3340-0144	Stainless Steel floor overlay. B1/R1 full width.	\$325		
3340-0145	Rub rail for the body and pump area module(s).	\$884		
3340-0146	Stainless steel rubrail for the body and pump area module(s).	\$1,762		
3340-0147	Louver Guards. All lower body compartment louvers to have protective guard provided on exterior of compartments. Guards to prevent road spray from entering compartments.	\$629		
3340-0148	Body and Cab logos (exterior large and small logos) to be mounted at final inspection.	\$884		
3340-0149	Transverse Module (full width). Locate forward of pump area. Includes a single compartment opening per side (with a shallow lower area and a transverse upper area with diamond plate flooring) and upper area for single stacked double crosslay with backboard storage.	\$4,655		
3340-0150	Dri-Dek brand [#COL] floor matting covering all applicable compartment floors, shelves, and rollout trays.	\$1,173		
3340-0151	Dri-Dek Brand [#COL] floor matting covering all applicable body compartment floors, shelves, and rollout trays.	\$1,940		
3340-0152	Dri-Dek brand [#COL] floor matting covering all applicable compartment floors, shelves, and rollout trays.	\$2,673		

Item #	Description	Extension	+1/-1	Total
3340-0153	Hosebed storage pan diamond plate lids (2) lids. Officer side lid to run just under the ladder rack in the stored position. The driver side to be as large as possible with remaining space. Each hinged to rear of pan. Includes (1) gas shock hold open and push-button latches. Included in the pan are vertical "L" shaped partition walls located next to inboard side of fill towers. Seal partitions to keep water from entering from the outboard position.	\$823		
3340-0154	Mud flaps, rear, black with no logo.	\$192		
3340-0155	L1,L3,R1,R3 floors to have removable slat flooring.	\$1,250		
3340-0156	Driver side rear compartment face to have recessed compartment (8"W x 18"H x 3"D) includes diamond plate hinged door with thumb latch. For storage of Ramsay signal controls and horn.	\$414		
3340-0157	1/2" x 2" aluminum flat bar mounted on trailing edges of bvtails to allow for support of handrails and booster reel rollers. To be mounted on the inner section of beavertail not visible from outside.	\$393		
3340-0158	Underbody splash guard behind rear axle mounted to body.	\$621		
3340-0159	(3) E-ONE logos to be mounted (1) on driver side B1 door and (1) centered each side on wheel well panel. Reference photos in shop order folder.	\$0		
3340-0161	Axe Bracket installed on [#LOC].	\$164		
3340-0162	Crow Bar Bracket installed on the [#LOC].	\$279		
3340-0163	Turtle Tile brand [#COL] floor matting covering all applicable compartment floors, shelves, and rollout trays.	\$792		
3340-0164	Winch System 24 volt Electrical Nitrogen	\$4,451		
3340-0165	Bracket pac trac jumbolok p/n 1070 PT. To hold (2) pike poles (1) 6ft and (1) 10ft. To be located on officer side compartment top.	\$318		
3340-0166	Partition, bolt-in vertical partition wall. Locate in [#LOC].	\$256		
3340-0167	Tag kit in Spanish for cab interior switches, controls and gauges (5/8" X 1 1/2" or 1" X 3") as best will fit to duplicate English tags. For other warning, caution and operational tags, labels, and plaques a label shall be made in Spanish to duplicate English (verbiage only, no picture). Sizing/font size may vary to allow fit.	\$1,784		
3340-0173	Backboard storage box. Located in the officer side of the hosebed (full length). Includes vertically hinged door (wired to door ajar) w/push-button latch and composite flooring. Box to hold: (2) backboards. The box to have an open area (top access) to the rear of the backboards in remaining hosebed area.	\$592		
3340-0174	Stokes basket storage compartment. Locate in [#LOC] with a strap(s) to hold basket in rack.	\$860		
3340-0175	Backboard storage compartment. Locate in [#LOC] with a strap to hold the boards in the rack. Rack to hold 3 boards.	\$800		
3340-0176	Swirl plate single axle wheel well with clear coat finish. Includes bolt-on composite wheel well liners	\$2,020		
3340-0177	Black Dri-Deck flooring to be installed on all flat surfaces of the body. This includes floor, shelves and trays.	\$1,430		
3340-0178	Storage rack floor mounted in R3. For storage of air bags and plywood.	\$1,162		
3340-0179	Roof top compartments to have clear 12.5" opening.	\$0		
3340-0180	Brushed stainless steel overlay front body. For Stainless Steel product only. To include the entire front body panels. Do not wrap to the door opening.	\$722		
3340-0181	Each lid to have (1) additional bracket mounted light. This is in addition to light that comes standard for total of (2) lights per compartment.	\$179		
3340-0182	Brushed stainless steel single axle wheel well. Includes bolt-on stainless steel wheel well liners and fenderettes.	\$2,885		
3340-0183	Body Saulsbury logo package. For use with Spartan chassis. Includes all applicable Saulsbury logos for the body and/or pump module (as applicable)	\$0		
3340-0184	Diamond plate box for directional lightbar and (2) GH scene lights. Box to be mounted on 3" x 3" aluminum angle at rear of hosebed storage pan. Lights to be surface mounted to box.	\$662		
3340-0185	Hosebed divider(s) to be notched for hosebed preconnects. Notch to be large enough for divider(s) to be adjustable over preconnects.	\$177		



Item #	Description	Extension	+1/-1	Total
3340-0186	Recessed storage compartment located between driver side upper and lower compartments. Compartment to hold dealer supplied and installed back up tether and plug.	\$479		
3340-0187	Sign "Stay Back 150 Metres" with black reflective lettering. Locate below rear of body.	\$158		
3340-0189	Seattle Body. Includes all body doors (hinged doors to have magnetic door ajar includes TM walkway tool cmpts, side body roll-up doors (as applicable) to be painted job color), B1 to be notched on (8" wide x 3" high) D-Ring door (door to have no gas shock, to be plunger style), hosebed, rear int. step 10" wide IPOS with (2) lower folding steps (no upper steps), Zico drop down rack (hat brackets to be reduced in depth to pull ladders closer inboard), ladder rack to include audible alarm same as last units, vertical partition in B1 compt was deleted from units. L3/R3 extended areas to have flush floors. Unit to have old style shelf tracking. Tracks to be ran to compartment floor to just below roll-up door from compartment ceiling. All compartment floors to be 3/16" smooth plate IPOS diamond plate.	\$42,369		
3340-0190	Diamond Plate Hosebed Storage Pan Cover. Includes (1) D-ring latch and gas shock(s). Hinge to the rear of the hosebed storage pan. Cover to open to 90 degrees.	\$1,217		
3340-0191	Divider Support to run full width of hosebed (side to side) at the front of the hosebed and towards the rear of the hosebed at top of the divider(s). Attach to each hosebed divider to provide additional support.	\$397		
3340-0192	Storage box ceiling mounted in transverse of L3/R3.	\$524		
3340-0193	Pumper Body, Pump Module and Cab Tags in French to replace standard English E-One supplied Tags. Includes pump panel and multiplex display if applicable.	\$1,784		
3340-0194	Bolt-on diamond plate tailboard (full width of rear compartment) for use with low hosebed. Includes driver side (1) upper hosebed mounted handrail (as applicable), handrail(s) mounted horizontally below hosebed and (2) handrails mounted vertically on trailing edge of body.	\$981		
3340-0195	Rear body propellant lift with 12v electric winch to raise and stow bottle.	\$2,926		
3340-0196	Rear body propellant lift with 24v electric winch to raise, lower, and stow bottle.	\$3,279		
3340-0197	The following compartments to be full height and full depth L1, L2, R1.	\$1,042		
3340-0198	Rear diamond plate vertical hinged door on driver side roof top compartments. Includes thumb latch and wiring for door ajar switch.	\$213		
3340-0199	Hosebed storage box for 17' Little Giant Ladder to be vertically stored. Includes vertically hinged door (wired to door ajar) with push-button latch. Located in driver side of hosebed.	\$1,036		
3340-0200	Removable slat flooring. Location: [#LOC]	\$316		
3340-0202	Arabic tags in addition to the standard English tags on the body and cab. Also includes .625 inch x 1.5 inch located next to cab switches.	\$2,644		
3340-0203	Bracket Hooligan tool mount [#LOC]	\$190		
3340-0204	Mount customer supplied Spanner wrench sets(PR). 1ea. on each Pump panel. To be painted Job color	\$280		
3340-0207	Piping cover to be located in compartment [#LOC]. Includes compartment wall cut-outs for piping.	\$534		
3340-0210	Brushed stainless steel overlay rear body. For Stainless Steel product only. To include the entire rear body panels. Do not wrap to the door opening.	\$722		
3340-0211	Painted smooth plate overlay rear body. For Stainless Steel product only. To include the entire rear body panels. Do not wrap to the door opening.	\$2,223		
3340-0212	Diamond plate access door in dunnage pan for access to plumbing in pump module. Includes push button latches	\$389		
3340-0213	"L" shaped partition located in hosebed to protect the fill towers.	\$408		
3340-0214	Smooth plate outboard beavertail panels (PR). Painted job color.	\$621		
3340-0215	Divider Long. To run full length of hosebed (front to rear). Divider height to half of hosebed depth (top to bottom). For use with low hosebed configurations only.	\$580		
3340-0216	Body mainframe and upper body/hosebed side assemblies for a 90" high body.	\$762		

Item #	Description	Extension	+1/-1	Total
3340-0217	The upper outboard panels of the speedlay module, the wheel well and the rear end upper/lower rearward facing panels to smooth plate overlays. These area are to be seamless and painted job color.	\$4,971		
3340-0218	Sign "Stay Back 500FT". White plate with red reflective lettering. Locate low on rear of body / body doors.	\$158		
3340-0219	Body and hosebed storage pan pump access panel package. Includes removable access panels in upper forward area of L1/R1 and a large removable access panel in floor of the hosebed storage pan.	\$688		
3340-0220	Body compartment Interiors to have Zolatone black finish. To include pan of hinged doors (as applicable). Does not include floors if they are dia plt.	\$6,185		
3340-0221	Body compartment Interiors and compartment mounted components (shelves, trays, toolboards,etc.) to have Zolatone black finish. To include pan of hinged doors (as applicable). Does not include floors if they are dia plt.	\$13,119		
3340-0222	Locking push button latches. Located (1) on each backboard storage door and (2) on drop down door for stokes basket storage.	\$74		
3340-0223	Stainless Steel corner guards for the driver and officer rear compartment face. Guards to wrap around the corner and be the height of the top of the tail lights.	\$297		
3340-0224	(1) officer side rear pump module extra width (inboard side) roof top compartment (offset rearward and sized to accommodate electric reel). Includes hinged raised compartment lid with push-button latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Forward area to be open for general location of deck gun (open to walkway area). Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed walkway end (rearward facing plate work to match rear of body as applicable).	\$2,597		
3340-0225	Stair case module (full width of body). Includes large compartment area with lower storage area and upper area dunnage pan. Stair case located to [#LOC].	\$10,157		
3340-0226	Special hosebed configuration. (1) long divider driver side on top of discharge box 4.25" from hosebed side. (1) short divider officer side on top of discharge box 5.625" from hosebed side. (1) short divider officer side up against discharge box 8.875" from hosebed side. (1) short divider officer side 14.625" from hosebed side. (2) short dividers officer side 14" high, (1) divider 21.375" in from hosebed side and (1) divider 28.125" in from hosebed side. Includes bolt-in vertical partition from right side hosebed wall to center divider, 84" from rear of hosebed. Remaining area forward of partition to be used for storage area. Includes hinged shelf in hosebed over the (2) 14" high dividers hinged on right side 20" wide x 84" long. Includes hosebed dividers and discharge cover boxes.	\$4,035		
3340-0227	Divider Long. To be split for rear mount hosebed application. Main body hosebed divider to be squared on both ends. Rear hosebed divider to have radius end.	\$867		
3340-0228	Storage area for misc. equipment located above the upper speedlay compartment on driver side rear. Includes divider with (2) 6' pike pole with D-Handle and two small shovels (remaining space with pike poles high-approx. 5' foot deep). Includes smooth plate door with push button latch.	\$2,455		
3340-0229	Speedy Dry Hopper. Locate [#LOC]. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. Capacity of speedy hopper is 50 lbs.	\$1,386		
3340-0230	(4) Removable aluminum trays for the rear preconnects. The (2) driver and (1) officer upper trays to hold 200' of 1.75" DJ hose. The (1) officer lower tray to hold 150' of 3" DJ hose (tray will be longer front to rear for capacity). Each tray is removable from the rear of the body and include handhold cut outs on each side (4 total) and (2) handrails mounted side to side and placed 13" back from tray edge.	\$1,858		
3340-0231	Nylon black cargo net(s) in interior compartment opening(s) behind lift-up doors of [#LOC]. Cargo net(s) to be held in place at top between two (2) pieces of flat bar, through-bolted. Cargo net(s) to be held in place at bottom with twist-locks outboard and snaps inboard. Two (2) velcro straps to be installed: (1) on rear of flat bar and (1) on cargo net to hold in place for compartment access.	\$786		

Item #	Description	Extension	+1/-1	Total
3340-0232	Directional Lightbar Box. Located on rear area of body between upper rear hosebed side tubes. Box to be diamond plate.	\$677		
3340-0233	Speedy Dry Hopper. Locate roof top compartment above R3. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. Capacity of speedy hopper is 68 lbs.	\$1,443		
3340-0234	Divider Long. To run full length of hosebed (front to rear). Rear of divider to have cut at 45 degree angle and hand hold cutout at 45 degree angle.	\$580		
3340-0235	Rubrail for the body and pump area module(s). Rubrail for rear of tailboard not included.	\$884		
3340-0236	Center hose bed walkway. Non-slip diamond plate walkway to run full length of hose bed.	\$546		
3340-0237	Speedy Dry Hopper. Locate dunnage pan on officer side. Locate control on officer side pump panel, plumbing to terminate approx. 20" above runningboard. Includes 2.5" Akron ball valve to control plow and provide cap. Includes snubber valve control of air to assist feed of speedy dry and a trash screen to in top of hopper. Capacity of speedy hopper is 200 lbs.	\$3,384		
3340-0238	Recessed fuel fill driver side top rear of tractor body.	\$0		
3340-0239	Recessed fuel fills for dual fuel fill applications. Fills located (1) each side top rear of tractor body.	\$296		
3340-0240	Hydraulic hose cover. Removable cover located in the dunnage pan to protect hydraulic hose from damage	\$341		
3340-0241	Rear diamond plate vertical hinged door on officer side roof top compartments. Includes thumb latch and wiring for door ajar switch.	\$213		
3340-0242	Diamond plate storage box with hinged lid w/push button latches. Located in hosebed storage pan to be approx. 36"W x 60"L x 18"H.	\$1,929		
3340-0243	Hose storage tray located on officer side compartment top. Tray to be full length of compartment top and have drainage slots on bottom of tray. Includes cargo net cover.	\$2,056		
3340-0244	Locking push button latches to match body compartment door locks. Locate (2) on ladder storage door, (1) on each backboard storage door (if applicable), (1) on microphone box (if applicable), (1) on each pike pole door (if applicable) and (1) on each SCBA bottle storage door.	\$74		
3340-0245	Nylon black cargo net(s) over exterior compartment opening(s) [#LOC]. Cargo net to be held in place with twist-locks.	\$640		
3340-0246	Air bag storage for 4 bags. Appox slot sizes: (1) 3" wide x 17" high x 17" deep, (1) 3" wide x 8" high x 8" deep, (1) 3" wide x 16" high x 28" deep, (1) 3" wide x 24" high x 22" deep, and a plywood sleeve that is 6" wide x 24" high x 22" deep. Locate in L3 compartment..	\$364		
3340-0247	Hosebed storage pan partition. Partition to be located forward of generator and water/foam fill towers.	\$369		
3340-0248	Hosebed Storage Pan. Locate in forward area of hosebed. Extra width front to back for equipment, generator and fill tower storage.	\$1,740		
3340-0249	Stokes basket storage on forward top of body officer side.	\$591		
3340-0250	Poly Box Storage 90x20x30 located on Top Deck	\$2,893		
3340-0251	Half length driver side tunnel. Reduces driver side upper compartment depths of L2 and L3 to 12" deep IPO 26". Includes cut-out in hosebed side wall in forward area of L2. Cut-out to forward of Little Gaint sleeve. Includes cover plate with push button latches.	\$2,383		
3340-0252	Bolt-in floor R2. Floor is in addition to the existing DP floor. Floor to have 2" raised forward area (tapered towards rear for securing cribbing) and run full length front to rear.	\$260		
3340-0253	Backboard storage compartment. Locate in officer side ladder tunnel. Rack to be approx 2" wide.	\$487		
3340-0254	All compartment walls are to be non-louvered.	\$273		
3340-0255	Hosebed storage pan partition. Partition to seperate the booster reel from rest of pan.	\$369		
3340-0256	Glad Hand connections will be provided at front and rear of the unit (approach and departure panels).	\$418		
3340-0257	Diamond plate box storage 85 x 20 x 30 located on top deck.	\$2,101		

Item #	Description	Extension	+1/-1	Total
3340-0258	A deflector shield will be placed in front of the light tower or A/C system. Construction aluminum diamond plate. Deflector will be in front of the forward most component.	\$1,095		
3340-0259	(1) officer side transverse module extra width (inboard side) roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab.	\$2,597		
3340-0260	Transverse module (full width and height of body) with lower storage areas and frame width transverse floor (compartment opening 48" wide and same height as main body compartments). Includes open front storage pan to driver side (same depth as staircase storage pan), transverse (front to rear) walkway area (inline with staircase and main body).	\$7,101		
3340-0261	Stair case module (full width of body). Includes large compartment area with lower storage area and upper area open back storage pan. Stair case located to [#LOC].	\$10,157		
3340-0262	(1) transverse storage pan roof top type compartment. Locate to inboard side (access from walkway). Compartment top and walls (diamond plate) to be bolt-in type and spaced to allow required air-flow for generator. Lid to be raised with push button latches (like roof top compartment lids) with gas shock hold open and includes one bracket mounted LED light.	\$2,467		
3340-0263	Bolt-on 1/8" aluminum smooth plate wheel well liners.	\$463		
3340-0264	License plate sized number plate. Locate in license plate bracket(s). Plate to be painted job color. Lettering and/or graphics not included.	\$249		
3340-0265	Diamond plate fill tower deflector. Locate around fill tower located in hosebed storage pan. To be four sided and bolt-in for removing and to be height of pan.	\$389		
3340-0266	Seattle Body (Rev B). Includes all body doors (hinged doors to have plunger style door ajar including TM walkway tool cmpts), side body roll-up doors (as applicable) to be painted job color, B1 to be notched on (8" wide x 3" high) D-Ring door (both doors to have plunger style hold opens- NO GAS SHOCKS), hosebed, rear int. step 10" wide IPOS with (2) lower folding steps (no upper steps), Zico drop down rack (hat brackets to be reduced in depth to pull ladders closer inboard), ladder rack to include audible alarm same as last units. L3/R3 extended areas to have flush floors. Unit to have old style shelf tracking. Tracks to be ran to compartment floor to just below roll-up door from compartment ceiling. All compartment floors to be 3/16" smooth plate IPOS diamond plate. Includes aluminum multiplex covers in L3/R3 compartments IPOS ABS covers.	\$43,214		
3340-0267	Stokes/backboard storage rack. Stokes rack for 8"W x 24"H x 84"L basket with backboard sleeves for (2) backboards 2.5"W x 18"H x 84"L forward of rack. Includes restraining strap for stokes and backboards on each side. Location: L1/R1 transverse rear wall.	\$1,114		
3340-0268	(1) staircase module storage pan roof top type compartment. Locate to inboard side (access from walkway). Compartment top and walls (diamond plate) to be bolt-in type. Lid to be raised with push button latch (like roof top compartment lids) with gas shock hold open and includes one bracket mounted LED light.	\$1,212		
3340-0269	Diamond plate tandem axle wheel well. Includes bolt-on alum wheel well liners (un-painted) and fenderettes.	\$3,242		
3340-0270	The painted aerial body side panels shall be smooth / flush. Applies to SideStacker HB side, panels next to water tank on MM, and upper body sides on RLP.	\$0		
3340-0271	Nylon black cargo net in interior compartment opening behind door(s) of [#LOC]. Cargo net to be mechanically attached to bottom of compartment opening and bungee cords in the top corners.	\$640		
3340-0272	Sign "Stay Back 500FT" with black reflective lettering. Locate B1 door above D-ring.	\$158		
3340-0273	A Do Not Move Apparatus label shall be affixed to the Door Ajar Warning Light.	\$36		
3340-0274	Storage Pan. Locate in forward area of body, running front to rear for light tower.	\$872		
3340-0275	Lower Center Body propellant lift with 12v electric winch to raise and stow bottle	\$3,043		
3340-0276	Hosebed divider(s) to be notched. Notch(es) to be 24" wide x 24" high at the upper front corner of the divider(s).	\$306		

Item #	Description	Extension	+1/-1	Total
3340-0277	Pass through in compartment ceiling for cord reel cable / hyd hose. For use with compts that have a ceiling spaced away from compt top. Loc: [#LOC]	\$1,003		
3340-0278	Diamond plate tandem axle wheel well. Includes bolt-on painted job color alum wheel well liners and fenderettes	\$3,781		
3340-0279	Hosebed above the booster tank. Includes forward hosebed with notch for boom support, deflector for boom support and tower(s) cover plate work. Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed.	\$1,908		
3340-0280	Divider Long. To run full length of hosebed (front to rear). Locate on top of hard suction storage in hosebed.	\$580		
3340-0281	Backboard storage compartment for (2) boards. [#LOC]. Includes retaining strap for boards.	\$800		
3340-0282	Cab tilt switch and manual jack to be located: [#LOC].	\$0		
3340-0283	Horizontal ladder bracket. Location and type of ladder: [#LOC].	\$304		
3340-0284	The hosebed divider(s) to be notched on the rearward end for nozzle(s).	\$306		
3340-0285	Bolt-in partition wall. Locate in centered (front to back) in driver side roof top compartment.	\$383		
3340-0286	Mounting bar for 36" long roll of sheet plastic. Includes "U" brackets on each end and quick release pins to hold bar to brackets. Bar to be up high in compt positioned for a 10" dia roll. Loc: [#LOC].	\$639		
3340-0287	Lip 2" high along lower compartment door opening just inside door. Loc: [#LOC].	\$172		
3340-0288	Louvers, each compartment shall contain nine (9) slotted louvers.	\$26		
3340-0289	Stokes basket storage on forward top of body driver side for storage of a CMC Rescue-CMC Pro Series Model #726112-T1 stokes basket.	\$591		
3340-0290	Full width partition(s) located in hosebed rearward of the fill tower(s).	\$625		
3340-0291	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted job color. Plate to be 8"W x 20"H. Lettering and/or graphics not included.	\$453		
3340-0292	Smooth plate single axle wheel well painted job color. Includes bolt-on composite wheel well liners. Wheel well plate(s) to be flush mounted.	\$4,405		
3340-0293	Crosswalk and Speedlay module compartment Interiors to have Zolatone gray finish. Does not include floors if they are dia plt.	\$832		
3340-0294	Recessed fuel fill officer side wheel well.	\$347		
3340-0295	(1) driver side rear pump module extra width (inboard side) roof top compartment (offset rearward and sized to allow deck gun to stow without interfering with hosebed area). Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed.	\$2,597		
3340-0296	(1) driver side transverse module extra width (inboard side) roof top compartment (offset rearward). Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Forward area to be open for general location of items in forward transverse pan.	\$2,597		
3340-0297	(1) officer side transverse module extra width (inboard side) roof top compartment (offset rearward). Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Forward area to be open for general location of items in forward transverse pan.	\$2,597		
3340-0298	(1) officer side rear pump module extra width (inboard side) roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$2,971		
3340-0299	Transverse module (full width and height of body) with lower storage areas (compartment opening 67" wide and same height as main body compartments). Includes full width forward storage pan and a pan in the rearward center/officer area between the driver roof top compartment. Transverse floor to run full width. Rear headboard to have area for routing of plumbing for preconnects located in rearward area.	\$8,350		

Item #	Description	Extension	+1/-1	Total
3340-0300	(1) officer side rear pump module roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$1,487		
3340-0301	Special hosebed configuration. First hosebed divider to be 12" off driver side hosebed side, to have fixed shelf centered vertically between hosebed side and hosebed divider, includes (1) long divider centered on top of fixed shelf. Second hosebed divider to be 18.25" off driver side hosebed side, to have fixed shelf centered vertically between first and second hosebed dividers. Both fixed shelves to run full length of dividers.	\$1,443		
3340-0302	Long hose bed divider(s) to be held short to allow for adjustability of the divider(s) with hose bed preconnect(s) if applicable per hose loading and option locations.	\$0		
3340-0303	(1) driver side rear pump module roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$1,487		
3340-0304	Recessed fuel fill officer side wheel well.	\$0		
3340-0305	Body mainframe and hosebed side assemblies for a 90" high body. Includes modifications for 4x4 and plumbing applications as required.	\$3,437		
3340-0306	Speedy Dry Hopper. Locate [#LOC]. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. Capacity of speedy hopper is 100 lbs.	\$1,847		
3340-0307	Stop bracket. Bracket to be located approx 125" back from door opening on rear compartment face of the roof top compartment.	\$36		
3340-0309	Sign "Keep Back 300FT". White plate with red reflective lettering. Locate on rear ladder access door.	\$158		
3340-0311	Two dividers in hosebed storage pan with adjustable tracks to move fore and aft in pan. Each divider to be full height and depth of dunnage area.	\$1,090		
3340-0312	(1) driver side rear pump module roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$1,487		
3340-0313	Locate Foam Fill Tower in the hosebed storage pan. Water Fill Tower located in the hosebed.	\$502		
3340-0314	Air bag module for Paratech air bags as follows: 1-KPI-1, 1-KPI-3, 1-KPI-5, 1-KPI-12, 1-KPI-17, 1-KPI-22, 1-KPI-32, 1-KPI-35L, 1-KPI-44, 1-KPI-74. Locate in upper part of R1 rearward.	\$1,551		
3340-0315	Four (4) rope hooks will be on a slide that extends out of the compartment. Locate in R1 against rearward wall below air bag module.	\$488		
3340-0316	Storage for 4 fire extinguishers. Locate in upper part of L1, rearward.	\$1,177		
3340-0317	Storage Pan. Locate in forward area of body. For equipment, generator and light tower storage. Pan will be centered at the front of the body and the long way will run [#LOC].	\$1,786		
3340-0318	Lower center body shall be diamond plate.	\$0		
3340-0319	Bolt-on diamond plate 10" tailboard (full width of body). For use with rear ladder application. Includes handrails- (1) vertical on trailing edge of body opposite side of ladder and handrail(s) horizontal below hosebed.	\$1,058		
3340-0320	Locate Tank Fill Tower(s) in the hosebed area. For use with hosebed storage pan for max storage pan capacity.	\$885		
3340-0321	Driver side hosebed storage box. Storage box to hold (3) pike poles and (3) backboards. Pike poles to be stored down low. Backboards to be stored up high with dividers seperating storage for each board. Includes vertically hinge hinged door (wired to door ajar) with D-ring latch.	\$1,558		
3340-0322	Diamond plate deflector shield for Light Tower. Deflector to be mounted to forward area of hosebed storage pan. Includes cross mounting structure in hosebed storage pan for Light Tower mounting.	\$1,500		
3340-0323	Partitions to seperate the side rear compartments from the rear compartment to be pop riveted into place.	\$65		
3340-0324	Body mainframe and hosebed side assemblies for a 98" high body.	\$4,952		

Item #	Description	Extension	+1/-1	Total
3340-0325	(PR) NFPA compliant wheel chocks. Locate (1) each side rearward of the rear axle.	\$818		
3340-0326	Storage compartment driver side compartment top. Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light.	\$2,259		
3340-0327	Heat Pan for rear mount pump application. Includes notching for tow eyes and rear hitch receiver (as applicable). Pan to not interfere with the connections of any towing hooks.	\$2,482		
3340-0328	Hosebed partition. Locate at rear of hosebed, approx 9.25" from right side wall, extend 90" forward and taper at 45 degrees to right hosebed side wall. Partition to be .25" al plt with sanded finish.	\$764		
3340-0329	The main hosebed sides and front are to be raised an additional 3" to fit the requested hoseload with the NFPA diamond plate hosebed covers.	\$0		
3340-0330	Transverse module (full width and 95" high) with lower storage areas (compartment opening 40" wide and same height as main body compartments). Includes storage pan inboard of driver side roof top compartment. Transverse floor to run full width. Rear headboard to have area for routing of plumbing for preconnects located in rearward area.	\$8,350		
3340-0331	Transverse module (full width and 95" high) with lower storage areas (compartment opening 25" wide and same height as main body compartments). Includes upper dunnage pan, transverse floor to run full width. Rear headboard to have area for routing of plumbing for preconnects located in rearward area.	\$10,047		
3340-0332	Full width hosebed above the booster tank and rear mounted pump. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed.	\$2,567		
3340-0333	Ribbed extrusion for additional divider support to be welded around the top and rearward edges of hosesbed divider(s).	\$415		
3340-0334	(2) Removable aluminum trays for the officer rear preconnects. The (1) officer upper tray to hold 200' of 1.75" DJ hose. The (1) officer lower tray to hold 200' of 2.5" DJ hose (both trays sized the same and to take the full R3 interior compartment width). Each tray is removable from the rear of the body and includes handhold cut outs on each side (4 total) and (2) handrails mounted side to side and placed 13" back from tray edge.	\$930		
3340-0335	Door, pass thru. A Cast Products Inc. CPI sealed pass thru door shall be provided. There will be a sealed pass thru from the outside of the truck to the inside for wires. Opening size 5-1/2" T x 5-5/8" W. Locate [#LOC].	\$153		
3340-0336	Guard, A/C. Guard construction to be from hand rail extrusion, will be provided around the A/C unit.	\$909		
3340-0337	Hosebed divider with 45 degree offset to store customer required hose load. Rear section of divider approx. 94.5" to rear of offset and forward section of divider approx. 102.5" ahead of offset. HP75/78 only.	\$855		
3340-0338	(1) driver side rear pump module extra width (inboard side) roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed end.	\$2,971		
3340-0339	(1) driver side transverse module extra width (inboard side) roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab.	\$2,597		
3340-0340	Backboard storage box. Located in [#LOC]. Includes sanded smooth plate exterior with smooth plate interior with (1) velcro strap on each end. Sized to hold (2) backboards.	\$589		
3340-0341	Diamond plate raised cover with rubber hold-downs. Locate forward area of dunnage pan above transverse compartment. Hinge forward and wire to door ajar indicator in cab. Includes (1) bracket mounted LED light.	\$614		
3340-0342	Body mainframe and hosebed side assemblies for a 90" high body. Includes height of rear body/pump module	\$0		
3340-0343	Body mainframe and hosebed side assemblies for a 95" high body. Includes height of rear body/pump module	\$1,378		

Item #	Description	Extension	+1/-1	Total
3340-0344	Hosebed above the booster tank and rear pump. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the forward hosebed.	\$1,908		
3340-0345	Hosebed above the booster tank and rear pump. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed.	\$1,364		
3340-0346	Hosebed above the booster tank and rear pump. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed.	\$1,718		
3340-0347	Hosebed above the booster tank and rear pump. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed.	\$2,617		
3340-0348	Divider Short. To be split for rear mount hosebed application. Main body hosebed divider to be squared on both ends. Rear hosebed divider to have radius end.	\$751		
3340-0349	Divider Medium. To be split for rear mount hosebed application. Main body hosebed divider to be squared on both ends. Rear hosebed divider to have radius end.	\$809		
3340-0350	Hosebed Storage Pan (24" front to rear). Locate in forward area of hosebed.	\$528		
3340-0351	Hosebed Storage Pan (40" front to rear). Locate in forward area of hosebed.	\$872		
3340-0352	Special hosebed configuration. To have the following dividers: (4) 14" high long dividers, (1) short (1) medium and (2) long standard height dividers and storage for (1) hardsuction with drop down door, with bumpers, wired to door ajar (do not shorten hosebed handrail length). Provide hosebed slats above storage with (1) adjustable divider. Reference layout in file.	\$6,529		
3340-0353	Body compartment Interiors and compartment mounted components (shelves, trays, toolboards,etc.) to have Zolatone gray finish. To include pan of hinged doors (as applicable).	\$6,185		
3340-0354	(1) officer side rear pump module extra width (inboard side) roof top compartment (offset rearward and sized to allow deck gun to stow without interfering with hosebed area). Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab. Outboard side of body to run full width and wrap around the rear and meet with the end of the hosebed.	\$2,597		
3340-0355	(1) officer side rear transverse module roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab.	\$1,487		
3340-0356	(1) driver side rear transverse module roof top compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab.	\$1,487		
3340-0357	Body mainframe and hosebed side assemblies for a 85" high body. Includes modifications for 4x4 and plumbing applications as required.	\$1,721		
3340-0358	Backboard storage sleeve for (1) board. 4"H x 20"W x 76"L. Includes (2) retaining straps, (1) each side for boards. Location: Horizontally mounted through L3/B1/R3.	\$800		
3340-0359	Backboard storage box. Located in [#LOC]. Includes sanded smooth plate exterior with smooth plate interior with (1) velcro strap on each end. Sized to hold (3) backboards and spaced 3" per space.	\$882		
3340-0360	Access panel on back wall of compartments L3 and R3 for access to the jet dump and rear tank inlet plumbing.	\$314		
3340-0361	Divider Support to run full width of hosebed (side to side) at the front of the hosebed and towards the rear of the hosebed at top of the divider(s). Attach to each hosebed divider to provide additional support. Rear divider support to be split on either side of the aluminum hosebed center divider.	\$397		
3340-0362	Black Dri-Deck flooring to be installed on floor of the backboard storage, hosebed storage pan and both medical cabinets.	\$1,430		
3340-0363	Hosebed Storage Pan. Locate in forward area of hosebed. Pan to be 30" wide.	\$1,123		
3340-0364	Diamond Plate Hosebed Storage Pan Cover. Cover to be split due to ladder rack for access when in stowed position. Includes D-ring latches and gas shock(s). Hinge to the rear of the hosebed storage pan.	\$1,842		



Item #	Description	Extension	+1/-1	Total
3340-0365	Hosebed deflector divider. Locate to driver side rear of hosebed forward of deck gun. Deflector to only cover the forward and side of the deck gun piping. Rear area fo hosebed to be open for access from driver side rear.	\$388		
3340-0366	Seattle Body (RevB). Includes all body doors (hinged doors to have plunger style door ajar including TM walkway tool cmpts), side body roll-up doors (as applicable) to be painted job color, B1 to be smooth plate doors with smooth plate panels outboard, to be notched on (8" wide x 3" high) D-Ring door (both doors to have plunger style hold opens- NO GAS SHOCKS), B2 to have diamond plate drop down door with diamond plate panels outboard, hosebed, rear int. step 10" wide IPOS with (2) lower folding steps with handrails (no upper steps), Zico drop down rack (hat brackets to be reduced in depth to pull ladders closer inboard), ladder rack to include audible alarm same as last units. L3/R3 extended areas to have flush floors. Unit to have old style shelf tracking. Tracks to be ran to compartment floor to just below roll-up door from compartment ceiling. All compartment floors to be 3/16" smooth plate IPOS diamond plate. Includes aluminum multiplex covers in compartment L3/R3 IPOS ABS covers.	\$43,214		
3340-0367	Sign "NO STEP". White vinyl background with red reflective lettering. Locate (1) each forward and rearward on each of the hosebed cover doors.	\$158		
3340-0368	Mount customer supplied AkronBrass Model 443 Spanner wrench. 1ea. on driver's side pump panel. Shall be unpainted.	\$280		
3340-0369	Bracket ProBar30 Hooligan tool shall be mounted in the L3 compartment on the back wall.	\$190		
3340-0370	Body mainframe and hosebed side assemblies for a 80" high body. Includes modifications for 4x4 and plumbing applications as required.	\$347		
3340-0371	Crosswalk module compartment Interiors to have Zolatone gray finish. Does not include floors if they are dia plt.	\$417		
3340-0372	There shall be an area in R3 on the floor ahead of the divider to hold 2 batteries. The lowest shelf shall be approx 3" above the batteries and have rubber mounted to the bottom. There shall also be a rubber mat on the floor under the batteries.	\$0		
3340-0373	The R1 compartment to have smooth plate floor and compartment walls to be non-louvered.	\$330		
3340-0374	Sign "Stay Back 300FT" with black reflective lettering. Locate below rear of body.	\$158		
3340-0375	Ship E-ONE body logos loose with unit.	\$0		
3340-0376	Diamond plate single axle wheel well. Includes fenderettes and bolt-on aluminum wheel well liners sanded finish	\$2,372		
3340-0377	Storage compartment driver side compartment top. Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 2000 Gallon Tank.	\$2,259		
3340-0378	Storage compartment driver side compartment top. Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 2500 Gallon Tank.	\$2,259		
3340-0379	Storage compartment driver side compartment top. Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 3000 Gallon Tank.	\$2,259		
3340-0380	Storage compartment driver side compartment top. Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 3500 Gallon Tank.	\$2,259		
3340-0381	Storage compartment driver side compartment top. Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 4000 Gallon Tank.	\$2,259		
3340-0382	Body main frame and hose bed side assemblies for a 78" high pumper body.	\$1,251		
3340-0383	Body main frame and hose bed side assemblies for an 83" high pumper body.	\$1,378		
3340-0384	Body main frame and hose bed side assemblies for an 88" high pumper body.	\$2,751		
3340-0385	Body main frame and hose bed side assemblies for a 93" high pumper body.	\$4,126		
3340-0386	Mateflex brand [#COL] floor matting covering all applicable compartment floors, shelves, and roll-out trays.	\$2,026		
3340-0387	Full width of hose bed stainless steel transverse storage divider. Located in forward area of hose bed to separate equipment items such as generator, etc. from the main storage area. Main hose bed dividers will be located rearward of the transverse divider.	\$872		

Item #	Description	Extension	+1/-1	Total
3340-0388	Brushed stainless steel rubrails for the sides of the body below the lower side compartments.	\$884		
3340-0389	Stainless steel rear fender panels painted job color. (Recommended for FRP paint process compatibility!) Includes bolt-on stainless steel inner wheel well liners (not painted) and polished stainless steel outer fenderettes.	\$1,905		
3340-0390	Stainless steel rear fender panels with aluminum treadplate overlays IPO painted finish. Includes bolt-on stainless steel wheel well liners (not painted) and polished stainless steel outer fenderettes.	\$1,446		
3340-0391	Body mainframe and hosebed side assemblies for a 83" high body.	\$1,378		
3340-0392	Underbody full width mudflap behind rear axle (as applicable) mounted to body.	\$731		
3340-0393	Hosebed above the booster tank. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed.	\$0		
3340-0394	Hosebed Storage Pan (36" front to rear). Locate in forward area of hosebed.	\$786		
3340-0395	Pike pole storage box. Located in the officer side of the hose bed (full length). Includes vertically hinged door (wired to door ajar) w/push-button latch. Box to hold: (4) 10' pike poles.	\$1,604		
3340-0396	A deflector shield will be placed in front of the light tower or A/C system. Deflector will be in front of the forward most component. Deflector will be painted [#COL].	\$1,364		
3340-0397	Recessed fuel fill with flat latching Stainless Steel door.	\$252		
3340-0398	Propane Tank storage compartment. Box to be dia plt approx 20H x 14W x 14L with lift up door on top of box with 1/4 turn latch. Locate at front of catwalk.	\$1,969		
3340-0399	Body mainframe and hosebed side assemblies for a 90" high body.	\$0		
3340-0400	Backboard storage compartment for (2) boards in transverse. Location: [#LOC]. Includes retaining straps on both sides for boards.	\$800		
3340-0401	Water Master wheel well to have E-One style trim. For use with single axle only.	\$0		
3340-0402	Water Master wheel well to have E-One style trim. For use with tandem axle only.	\$961		
3340-0403	Diamond plate side dump panels. Includes lift-up diamond plate doors with spring loaded hinges	\$528		
3340-0404	Smooth plate side dump panels. Includes lift-up smooth plate doors with spring loaded hinges. Smooth plate panels painted job color.	\$1,004		
3340-0405	Sign, "STAY BACK 500 FEET" with black reflective lettering. Locate below rear of body.	\$158		
3340-0406	Sign "Stay Back 150 Metres" with black reflective lettering. Locate below rear of body.	\$158		
3340-0407	Hosebed above the booster tank. Hosebed assembly to be 3-piece design due to stepped hosebed. Includes forward hosebed and tower(s) cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed.	\$2,532		
3340-0408	Adjustable ladder brackets. Locate in track [#LOC].	\$575		
3340-0409	Adjustable tracks (pair). Locate tracks to [#LOC] assembly. For use with ladder and/or hard suction rack(s).	\$227		
3340-0410	Water Master Body, Pump Module and Cab Tags in French to replace standard English E-One supplied Tags.	\$1,784		
3340-0411	Recessed DEF fill Ford. Locate forward driver side wheel well.	\$0		
3340-0412	Bolt-on diamond plate 24" tailboard (full width of body). Includes (2) squared off 12" deep beavertails (no stanchions) with removable outer panels and handrails- (2) vertical on trailing edge of body and horizontal mounted handrail(s) below hosebed. For use with swivel style rear tank dump only.	\$1,295		
3340-0413	Wheel Chocks 44" NFPA Complaint - Pair of Zico SAC-44. Up to 44" diameter Tires. Includes mounting bracket. Locate [#LOC].	\$761		
3340-0414	Body main frame and 46" wide hose bed for a 90" high rescue pumper body.	\$2,751		
3340-0415	Body main frame and 46" wide hose bed for a 97" high rescue pumper body.	\$4,126		
3340-0416	Removable number plate with mounting brackets. Locate driver side outboard of B1. Plate to be painted job color. Plate to be 10"W x 10"H. Lettering and/or graphics not included.	\$320		

Item #	Description	Extension	+1/-1	Total
3340-0417	Removable number plate with mounting brackets. Locate driver and officer side of the cab below canopy window. Plate to be painted job color. Plate to be 12"W x 12"H. Lettering and/or graphics not included.	\$320		
3340-0418	Body compartment floors to be diamond plate.	\$0		
3340-0419	Body compartments to be smooth plate (natural finish).	\$0		
3340-0420	Smooth plate panels of body interior compartments to have zolatone (gray) finish.	\$4,212		
3340-0421	Diamond plate single axle wheel well. Includes bolt-on composite wheel well liners and mudflaps.	\$0		
3340-0422	Double hardsuction storage with NFPA compliant restraints. Locate over adjustable ladder brackets.	\$655		
3340-0423	Double hardsuction storage with NFPA compliant restraints. Locate (1) officer side on ladder rack and (1) driver side on compartment top.	\$655		
3340-0424	Double hardsuction storage with NFPA compliant restraints. Locate (1) officer side on ladder rack and (1) driver side on compartment top.	\$655		
3340-0425	Storage brackets for(1) attic ladder and (2) pike poles. Officer side compartment top.	\$0		
3340-0426	Storage brackets for(1) attic ladder and (2) pike poles. Officer side ladder rack.	\$0		
3340-0427	Storage brackets for (1) attic ladder and (2) pike poles. Officer side ladder rack (inboard).	\$0		
3340-0428	Long hosebed divider.	\$417		
3340-0429	Main (structural) body rubrail package. Includes white scotchlite inserts.	\$691		
3340-0430	Hosebed assembly for use with single fill tower.	\$0		
3340-0431	Hosebed assembly for use with dual fill towers.	\$0		
3340-0432	Long hosebed divider.	\$437		
3340-0433	Hosebed assembly for use with hosebed storage pan.	\$0		
3340-0434	Long hosebed divider. For use with hosebed storage pan option.	\$365		
3340-0435	Hosebed storage pan for use with single fill tower. Pan dimensions to be 69.125" L x 40" W x 12.75" D.	\$0		
3340-0436	Hosebed storage pan for use with dual fill towers. Pan dimensions to be 69.125" L x 40" W x 12.75" D.	\$0		
3340-0437	Diamond plate single axle wheel well. Includes bolt-on composite wheel well, sanded fenderettes and mudflaps	\$0		
3340-0438	Diamond plate single axle wheel well. Includes bolt-on composite wheel well, sanded fenderettes and mudflaps. Includes driver side recessed fuel fill.	\$0		
3340-0439	Diamond plate single axle wheel well. Includes bolt-on composite wheel well, sanded fenderettes and mudflaps. Includes storage for (4) SCBA bottles - (2) driver side and (2) officer side.	\$2,183		
3340-0440	Diamond plate single axle wheel well. Includes bolt-on composite wheel well, sanded fenderettes and mudflaps. Includes driver side recessed fuel fill and storage for (4) SCBA bottles - (2) driver side and (2) officer side.	\$2,183		
3340-0441	Diamond plate single axle wheel well. Includes bolt-on composite wheel well, sanded fenderettes and mudflaps. Includes driver side recessed fuel fill and storage for (7) SCBA bottles - (3) driver side and (4) officer side.	\$2,634		
3340-0442	Diamond plate single axle wheel well. Includes bolt-on composite wheel well, sanded fenderettes and mudflaps. Includes storage for (8) SCBA bottles - (4) driver side and (4) officer side.	\$2,826		
3340-0443	Double hardsuction storage with NFPA compliant restraints. Locate (1) officer side on compartment top and (1) driver side on compartment top.	\$655		
3340-0444	Main (structural) body rubrail package. Includes white scotchlite inserts.	\$784		
3340-0445	Backboard storage. Storage for (1) backboard in officer side storage tunnel against hosebed side wall. Includes stop bracket.	\$211		
3340-0446	Cover plate for the DEF tank in forward area of the officer side forward body compartment.	\$0		
3340-0447	Bolt-in partition for the DEF tank in lower forward area of the officer side forward body compartment. Includes fixed shelf over the DEF tank.	\$80		
3340-0448	Bolt-in partition for the DEF tank in lower forward area of the officer side forward body compartment. Includes fixed shelf over the DEF tank.	\$80		

Item #	Description	Extension	+1/-1	Total
3340-0449	Cover plate above the rear body compartment.	\$0		
3340-0450	Bolt-in partition for the DEF tank in lower forward area of the officer side forward body compartment. Includes fixed shelf over the DEF tank.	\$80		
3340-0451	Double hardsuction storage with NFPA compliant restraints. Locate (2) driver side on compartment top.	\$655		
3340-0452	Hosebed storage pan for use with single fill tower. Pan dimensions to be 64.625" L x 40" W x 12.75" D.	\$807		
3340-0453	Hosebed assembly for use with hosebed storage pan.	\$0		
3340-0454	Long hosebed divider. For use with hosebed storage pan option.	\$365		
3340-0455	Reinforce compartment [#LOC] for storage of heavy equipment. The compartment to be capable of storing up to 1000lbs of equipment.	\$381		
3340-0456	4000lbs Equipment Weight Allowance. This exceeds the standard NFPA equipment weight allowance for Pumpers.	\$0		
3340-0457	Zico vertical QUIC-MOUNT pike pole holder, locate on officer's side of catwalk. Holders shall accommodate 10 foot pike poles. There shall be a pin added to the U-shaped Zico bracket to secure the poles.	\$343		
3340-0458	Adjustable ladder brackets. Mount in adjustable tracks on [#LOC] in the catwalk.	\$681		
3340-0459	Locking push button latches to match body compartment door locks. Locate (1) on each door of the deluxe trim package of chassis and (1) on each SCBA bottle storage door.	\$74		
3340-0460	Body main frame and hose bed side assemblies for a 78" high body with low hose bed and "L" shaped water tank.	\$1,563		
3340-0461	Body main frame and hose bed side assemblies for an 83" high body with low hose bed and "L" shaped water tank.	\$1,877		
3340-0463	Commercial chassis tandem axle wheelbase modification. Adds 1" to wheelbase due rear axle offset between commercial and custom chassis.	\$0		
3340-0464	Rubrail spaced .50" away from body IPOS.	\$265		
3340-0465	Pass thru between B1 and R3 compartments to allow room for booster reel motor for B1 mounted booster reel.	\$314		
3340-0466	Turtle Tile Brand Red Floor Matting covering all applicable Compartment Floors, Shelves, and Rollout Trays.	\$786		
3340-0467	Roof top compartment Interiors to have Zolatone gray finish.	\$2,234		
3340-0468	Storage compartment driver side compartment top with extended length (58" opening with roll-up door open). Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 3500 Gallon Tank.	\$2,509		
3340-0469	Driver side upper body storage area to have black dri-deck installed and run full length and width as applicable. Area to be for storage of two (2) lays of 5" LDH hose (500' total). Includes bolt-in plate at rear to square off back of storage area and three (3) NFPA retaining straps (sized to wrap up from floor and over hoses with adjustability for hose stacking). Hose to be deployable from the rear with rear body and bolt-in plate notched to provide rear opening. A red vinyl drop down flap shall be provided with quarter turn upper latching.	\$993		
3340-0470	The outboard panels of the roof top compartments or full width hosebed as applicable to be smooth plate overlays. These areas are to be seamless and painted job color.	\$3,095		
3340-0471	Hosebed partition. Locate at rear of hosebed, approx 9.25" from left side wall, extend 86" forward and taper at 45 degrees to left hosebed side wall. Partition to be .25" al plt with sanded finish.	\$764		
3340-0472	Compartment floors to be flush for sweep out.	\$730		
3340-0473	Lower Center Body to be Painted Job Color	\$800		
3340-0474	Body, Cab and Aerial Tags in French to replace standard English E-One supplied Tags. Includes pump panel and multiplex display if applicable.	\$1,784		
3340-0475	This unit has an overall length restriction of 428", overall width restrictions of 125" and an overall height restriction of 130". These restrictions do not include the mirrors. These restrictions must not be exceeded.	\$836		
3340-0476	Stainless steel tandem axle rear fender panels painted job color. Includes bolt-on stainless steel wheel well liners (not painted) and polished stainless steel outer fenderettes.	\$2,500		
3340-0477	Bolt-on cover plates for light hole cut-outs in each body compartment.	\$0		

Item #	Description	Extension	+1/-1	Total
3340-0478	Insulation shall be installed behind and / or below the body to protect the compartment(s) from excessive exhaust system heat.	\$1,076		
3340-0479	Upper rear corner on each side of body to have diamond plate cover.	\$160		
3340-0480	Hosebed assembly for use with three fill towers.	\$0		
3340-0481	Vehicle number sign plate located on the top of the rear body / engine cover. The sign plate shall be 34" X 34" of smooth plate aluminum painted job color..	\$155		
3340-0482	Roof top compartments on driver and officer side to have 1" drain holes with tubing and plugs.	\$314		
3340-0483	Divider Long. To run full length of hose bed (front to rear). Divider 3/4 height of hose bed depth (top to bottom). For use with low hose bed configurations only.	\$580		
3340-0485	Body mainframe and hosebed side assemblies for a 95" high body. Includes modifications for 4x4 and plumbing applications as required.	\$4,951		
3340-0486	Diamond plate single axle wheel well. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes.	\$1,191		
3340-0487	Backboard storage sleeve. Locate in ladder tunnel between PEL-24 and PRL-14. Sleeve to be approx 4"W x 19.625"H x 74"L.	\$487		
3340-0488	Divider long for use with hosebed preconnect. Divider to be set back and/or notched at forward area of hosebed for access to preconnect line connection.	\$580		
3340-0489	ABC Extinguisher 10#. Locate bracket [#LOC].	\$193		
3340-0490	Sign "Stay Back 15 Meters" with black reflective lettering. Locate below rear of body.	\$158		
3340-0491	There shall be an antenna raceway made of Diamond Plate located on top of the walk-in module on each side. The officer's side shall hold 6 antennas approx 18" apart. The driver's side shall hold 6 antennas approx 14" apart. Deflector shield will be shortened on the officer's side due to raceway. Race Way will be installed at VanMor.	\$406		
3340-0492	Panels removable under truck to protect from debris.	\$6,436		
3340-0493	Sign "Keep Back 150M". White plate with red reflective lettering. Locate on rear ladder access doors.	\$158		
3340-0494	Rubrail for the body.	\$884		
3340-0495	Fabricate and install a storz hose holder including Zico coupling mount (CM 3.0/4.0) for 4" hose at rear of body on officers side below pike pole storage. Fabricated from .125" aluminum diamond plate.	\$647		
3340-0496	Louver Guards. All body compartment louvers to have protective guard provided on exterior of compartments. Guards to prevent road spray from entering compartments.	\$629		
3340-0497	Storage bin with (4) cells each approx. 9"w x 9"h, for square configuration. Located in L3 floor mounted offset rearward.	\$502		
3340-0498	Storage bin approx. 24"w x 8"h. Located in R3 suspended from ceiling offset rearward.	\$377		
3340-0499	Storage area to officer side of center hosebed divider. Area to include (from driver to officer side): (1) 10" H x 10" W. This includes (1) divider with square ends and hosebed style top. Remaining are to be for horizontally stored backboards (2). Area to be 6" H x remaining hosebed width with a hosebed style top (full length of hosebed). Each storage area to have a drop down diamond plate door with push button latching and each wired to door ajar indicator in cab.	\$752		
3340-0500	[#LOC] compartment walls are to be non-louvered.	\$273		
3340-0501	Fenders additional in wheel wells added to forward center body, rear center body, rear body, tank skins and lower center body. All fenders including cab fenders to measure 4" extension from cab skin to protect body and cab painted surfaces from road debris.	\$1,807		
3340-0502	Compartment walls shall be insulated using aluminum plate to sandwich 1" closed cell insulation for all heated compartments.	\$3,701		
3340-0503	Handrails mounted on the top deck shall be extended to a height of 36".	\$666		

Item #	Description	Extension	+1/-1	Total
3340-0504	E-ONE logo mounted (1) each side on forward body side rearward of water level gauge and (1) rear below the rear tank inlet and offset to driver side. Logos to be sized as applicable to available space.	\$0		
3340-0505	Storage for air bags. Locate in R1 above the crosslay on the rear wall and against lower forward wall in R1. Storage will hold a Sava 223 Ton City Heavy Rescue Kit, 7 Lift Bag Set.	\$1,551		
3340-0506	Stokes basket mounting brackets on top of body. Locate in the catwalk offset to the drivers side. Bracket will include a set of straps and a piece of poly on catwalk floor.	\$563		
3340-0507	Backboard storage compartment. Locate in driver's side roof compartment on the forward interior corner. Rack to hold 3 boards.	\$800		
3340-0508	Utility Air Compressor, Atlas Copco LT3-20, 3 HP, 7.8 CFM @290 PSIG. Located in dunnage are on the driver's side.	\$7,603		
3340-0509	The outboard panels of the roof top compartments to be smooth plate overlays. These areas are to be seamless and painted job color.	\$3,095		
3340-0510	Hosebed dividers to be 34" tall.	\$0		
3340-0511	Bolt-in partition walls. Locate in lower rear compartment transverse area. Partitions to separate the L3 compartment from the rear compartment.	\$139		
3340-0512	I-Zone brackets mounted on driver and officer rear body compartment face up high. Includes 14" removable poles with keeper pins.	\$268		
3340-0513	Special hosebed configuration from driver to officer side. 500' of 2.5" DJ hose, (1) short divider, backboard storage to hold (2) backboards with access from a vertically hinged diamond plate door with a push-button latch, (1) short divider, 750' of 3" DJ hose to be stored above strut storage box with (3) 5" aluminum tubes length of the hosebed includes drop down door (wired to door ajar) with push-button latch and hosebed style top, hosebed cover center divider, 1200' of 5" LDH hose, (1) long divider with horizontally hinged shelf to separate upper hose packs from lower 300' of 1.75" DJ hose.	\$3,624		
3340-0514	Compartment R1 to have no louvers. Requires roll-up door application.	\$127		
3340-0515	Driver side upper body storage area to have black dri-deck installed and run full length and width as applicable. Area to be for storage of 400' Of 2.5" DJ hose. Includes bolt-in plate at rear to square off back of storage area and three (3) NFPA retaining straps (sized to wrap up from floor and over hoses with adjustability for hose stacking). Hose to be deployable from the side of the body.	\$993		
3340-0516	Storage Pan Hot Shot II Hydraulic Reservoir. Includes a hinged lid with gas shock hold open.	\$872		
3340-0517	Bolt-in partition to separate the officer side booster reel from the officer side main hosebed. Partion to have scotch-brite finish.	\$368		
3340-0518	Storage Pan. Locate in forward area of body. For equipment, generator and/or light tower storage. Pan will be centered at the front of the body and the long way will run side to side.	\$1,405		
3340-0519	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted job color. Plate to be 12"W x 12"H. Lettering and/or graphics not included.	\$334		
3340-0520	Smooth plate single axle wheel well painted job color. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes.	\$1,783		
3340-0521	All body and pump module compartments (if applicable) and/or storage areas to have no louvers or vents.	\$314		
3340-0522	Vehicle number sign plate (painted job color) bolted on top of compartment top over R1.	\$162		
3340-0523	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions.	\$3,146		
3340-0524	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions.	\$4,769		
3340-0526	Hose bed storage pan to extend forward over eMAX transverse storage area(s).	\$369		
3340-0527	2x2 angle to be located full width of opening of compartment L2.	\$204		

Item #	Description	Extension	+1/-1	Total
3340-0528	This unit has an overall length restriction of 494", overall width restrictions of 125" and an overall height restriction of 150". These restrictions do not include the mirrors. These restrictions must not be exceeded.	\$0		
3340-0529	Smooth plate single axle wheel well. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes. Panel to be painted job color.	\$1,936		
3340-0530	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted job color. Plate to be 12"W x 8"H. Lettering and/or graphics not included.	\$304		
3340-0531	Spare tire carrier lift, 12VDC, below body, Wildland	\$2,064		
3340-0532	Storage compartment on top of body. Box to be dia plt approx 120L x 8H x 20W with lift-up door on the rear of box. Door will be equiped with a hold open device and have a thumb latch. Locate 1 bolted to the officer's side compartment top and 1 bolted to the driver's side compartment top . Box will be made out of .1875 dia plate.	\$1,033		
3340-0533	Backboard storage sleeve. Locate within LS hose bed cover, underneath. Sleeve to be approximately 3" H x 20" W x 72" L, Wildland	\$900		
3340-0534	Backboard storage sleeves. Locate in under both hose bed covers. Racks to be approximately 3" H x 20" W x 72" L, Wildland	\$1,332		
3340-0535	Hose bed bulkhead dividers, stainless, Wildland	\$828		
3340-0536	Hose bed divider, aluminum, Wildland	\$410		
3340-0537	Stokes basket mounting brackets on top of body. Locate in the catwalk offset to the drivers side. Bracket will be lined with poly material and include straps.	\$563		
3340-0538	Brushed stainless steel rubrails for the sides of the body below the lower side compartments, Wildland	\$518		
3340-0539	Bolt-on rubber fenderettes, Wildland	\$676		
3340-0540	Embossed aluminum treadplate trim, Wildland	\$880		
3340-0541	Cab, Body and Pump Module safety and warning Tags in French to be in addition to standard English E-One supplied Tags.	\$2,393		
3340-0542	Hose bed divider, aluminum, additional, Wildland	\$410		
3340-0543	Transverse sleeve thru backwall of compartments L1 and R1. Transverse area to be approx. 32" wide x 18" high x 47" deep.	\$866		
3340-0544	Body mainframe and hosebed side assemblies for a 70" high body	\$0		
3340-0545	Diamond plate box for directional lightbar. Box to be mounted on 3" x 3" aluminum angle at rear of hosebed storage pan. Lightbar to be surface mounted to box.	\$662		
3340-0546	A bolt-on preconnect storage area to be provide to the driver side upper tank area. To include aluminum sides and front (notched for discharges), (2) dividers (notched for nozzle) with handhold cut-outs. Storage from driver to officer (double stacked) : 200' of 1.75" DJ/ 200' of 1.75" DJ/ 200' of 2.5" DJ. Storage area depth to be approximatley 8.75" deep to the dri-deck flooring.	\$1,566		
3340-0547	A chrome handle will be attached to each roof compartment lid, centered front to rear.	\$134		
3340-0548	Zico Walkaway bracket with standard spring clip brackets will be located as follows: two (2) on the forward toolboard forward facing and two (2) on the rearward toolboard rearward facing in L6.	\$164		
3340-0549	Flexible 2.5" conduit with connectors. Location: R3 rearward below roll-out work surface to below the desk centered in the floor.	\$727		
3340-0550	Top of hosebed sides to be approximately same height as top of commercial cab. Adjust standard hosebed height as required to meet this customer requirement.	\$0		
3340-0551	Diamond plate hose storage box located on driver side compartment top. Includes lift-up door for easy access from the ground. Tray to sized for 150' of 2.50" hose (deadlay).	\$2,681		
3340-0552	Double pre-connect tray on top of the drivers side compartment top offset to the rear. Tray to be "U" shape to hold 200' of 1.75" DJ (each). Includes hinged diamond plate cover.	\$1,662		

Item #	Description	Extension	+1/-1	Total
3340-0553	Solid aluminum 1" x 3" bar stock rubrail with 45 degree mitered ends. Includes white Diamond Grade Scotchlite.	\$1,182		
3340-0554	Aluminum smooth plate false back wall bolted-in 6" from outside of body. Locate in each L2 & R4 compartments.	\$460		
3340-0555	Roof top compartments to have raised push button latches in place of turn latches.	\$385		
3340-0556	Recessed fuel fill officer side.	\$0		
3340-0557	Triple hardsuction storage with NFPA compliant restraints. Locate (1) officer side inboard on ladder rack and (2) driver side on compartment top (stacked).	\$1,057		
3340-0558	Storage brackets for (1) attic ladder and (3) pike poles (6', 8' and 10'). Locate the attic ladder and pike poles on outboard side of the ladder rack.	\$524		
3340-0559	There will be a compartment accessible from the rear below the open bed for storage of a stokes basket. Compartment offset to the officer side. Compartment approximately 26" wide x 88" deep. The floor of the compartment to have poly attached for ease of sliding stokes basket in and out. Compartment to have drop down smooth plate door with thumb latches.	\$265		
3340-0560	Rolled hose rack for (4) hose rolls. Includes (3) adjustable dividers to be 18" high x 24" deep each with adjustable tracking on floor. Locate in floor of L1 compartment.	\$685		
3340-0561	Access panel on back wall of the driver and officer side body compartments rearward of the wheel well for access to the frame mounted tow eyes.	\$0		
3340-0562	Universal air pack bottle bracket installed on backwall of compartment [#LOC].	\$177		
3340-0563	Driver and officer side assembly compartment tops to cover upper section of hosebed sides.	\$0		
3340-0564	The unit has critical dimensions. See specification.	\$0		
3340-0566	Front panel of the body shall be covered by 16 gauge brushed finish stainless steel. The vertical panels at the inner rear entrance area shall be covered with brushed 16 gauge stainless steel. 16 gauge stainless steel overlays shall be placed between the compartment door hinges on the exterior left and right sides of the body. Non-skid aluminum treadplate protection on the entire roof of the command body area with built-in or add on upper side drip rails.	\$3,194		
3340-0567	Underbody UltraGuard splash guard behind rear axle mounted to body.	\$621		
3340-0568	(2) Stainless steel eyebolts shall be mounted through the body at the upper top rear corners at the rear of the vehicle. The eyebolts shall have an I.D. of 2" and stainless steel scuff plates shall be provided behind the eyebolts. The eyebolts shall be to provide a maximum pull of 4500 lbs. per location.	\$2,188		
3340-0569	14 gauge stainless steel floor lip guards shall be provided.	\$347		
3340-0570	An oil dip stick hinged access door shall be located in R4.	\$0		
3340-0571	Hinged access door to foam transfer pump breaker.	\$322		
3340-0572	Stainless steel tag on wheel well area above each tire location. To include pressure, torque and size of each tire.	\$123		
3340-0574	Color coded warning labels NYPD. Yellow/black caution, Red/black danger, Black/white informational. See Specifications for detail.	\$0		
3340-0575	Recessed DEF fill forward officer side wheel well.	\$0		
3340-0576	Mateflex brand [#COL] floor matting covering all applicable compartment floors, shelves, and roll-out trays.	\$1,226		
3340-0577	Bolt-in partition wall. Located forward of electric cord reels in driver and officer side roof top compartments.	\$256		
3340-0578	Bolt-on trim panels to be installed over the side walls extrusions of the driver and officer side roof top compartments.	\$966		
3340-0579	Provide (2) two inch conduits with pull wires in them for dealer/customer installed equipment. Locate (1) from driver side forward roof top compartment to the hydraulic ports on the front bumper and (1) from driver side forward roof top compartment to the hydraulic ports in the B1 compartment.	\$510		
3340-0580	Backboard storage compartment. Locate in R1/L1 as high as possible ahead of the vertical partition with a strap to hold the boards in the rack. Rack to hold 2 backboards/spine boards. Each compartment will be 4.5"h x 22"w x transverse.	\$536		
3340-0581	B2 storage will consist of stokes basket storage and 3 pike poles.	\$860		
3340-0582	B3 will consist of 3 pike poles, position for a PEL-14 14' 2 section extension ladder, and a 10' attic ladder.	\$857		



Item #	Description	Extension	+1/-1	Total
3340-0583	Cast Products recessed DEF fill with door.	\$153		
3340-0584	Hosebed dividers to be 19" tall.	\$0		
3340-0585	Ladder storage box. Located in the driver side of the hosebed. Includes vertically hinged door (wired to door ajar) w/push-button latch and composite flooring. Box to hold: (1) Alco-lite CJL-12 ladder. Deletion of aluminum hose bed cover center divider notch may be required as applicable.	\$731		
3340-0586	Storage pan over eMAX transverse storage area(s).	\$521		
3340-0587	Slip-on stainless steel dump elbow and 36" straight extension chute. Includes body mounted removable support arm and mounting brackets at rear of body for elbow and straight chute.	\$1,965		
3340-0588	Slip-on painted steel dump elbow and 36" straight extension chute. Includes body mounted removable support arm and mounting brackets at rear of body for elbow and straight chute.	\$1,517		
3340-0589	Body main frame and 46" wide hose bed for a 83" high rescue pumper body. Intended for use with overhead ladder rack and stay under 10' OAH.	\$2,751		
3340-0590	Storage sleeve compartment in transverse. Location: L1/R1 just below rollup door drum centered on upper rear wall. Approximately 6" wide x 12" high x 72" long. Includes retaining straps on both sides.	\$541		
3340-0591	Hose bed bulkhead divider, stainless.	\$647		
3340-0592	Body walk-in Interiors to have Zolatone gray finish. To include extrusions, smooth plate surfaces and storage cabinets interior and exterior (as applicable). Does not include floors if they are dia plt.	\$4,218		
3340-0593	Bottom louver to be approximate 11" from the floor in R1.	\$0		
3340-0594	Staircase storage will be as follows: B1 - open, B2 - open, B3 - Stokes basket, B4 - (1) 24' 2 section ladder, (1) 14' roof ladder, (1) 10' attic ladder and (2) pike poles. All floors to have Nylatron.	\$2,290		
3340-0595	Area between L3 and R3 will not be transverse due to storage in the staircase.	\$0		
3340-0596	Backboard storage compartment. Locate in R2 upper with a black cargo net to hold the boards in the rack. Rack to hold 3 boards.	\$926		
3340-0597	Handrail to be mounted between stanchion posts. Stanchion post be 6" high and set back 11" from back of body	\$575		
3340-0598	Driver side upper body storage area to have black dri-deck installed and run full length and width as applicable. Area to be for storage of 200' Of 3" DJ hose. Includes welded plate at rear to square off back of storage area and three (3) NFPA retaining straps (sized to wrap up from floor and over hoses with adjustability for hose stacking). Hose to be deployable from the rear of the body. A black vinyl drop down flap shall be provided with quarter turn upper latching.	\$993		
3340-0599	Hosebed storage box. Located in the driver side of the hosebed. To hold (2) backboards, (2) 10' pike poles and (1) 10' attic ladder with access from a vertically hinged diamond plate door (wired to door ajar) with a push-button latch.	\$1,740		
3340-0600	Bolt-in partition walls. Locate in lower rear compartment transverse area. Partitions to separate the R2 compartment from the rear compartment.	\$139		
3340-0601	Backboard storage compartment for (2) boards in transverse. Location: [#LOC]. Includes retaining straps on both sides for boards.	\$800		
3340-0602	Diamond plate side dump panels. Includes drop-down diamond plate doors with counter balanced actuation	\$773		
3340-0603	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted lower job color (if cab is painted two tone). Plate to be 8"W x 14"H. Lettering and/or graphics not included.	\$334		
3340-0604	Diamond plate hose storage box. Locate on driver side compartment top. Box to include removable flooring and a diamond plate drop down door with d-ring latch(s). Rubber stops will be provided ipo chains.	\$1,662		
3340-0605	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted upper job color (if cab is painted two tone). Plate to be 14"W x 8"H. Lettering and/or graphics not included.	\$334		
3340-0606	Diamond plate partition on inboard side of hydraulic generator in open storage area.	\$412		

Item #	Description	Extension	+1/-1	Total
3340-0607	Hosebed above the booster tank. Includes forward hosebed and tower(s) cover plate work. Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed. Includes access panel at rear of truck to access dry chemical system.	\$2,291		
3340-0608	Hosebed area above booster tank. Includes raised sides and front of water tank. No hosebed slats in hosebed.	\$1,940		
3340-0609	Guard Booster Reel. There shall be an expanded metal guard provided for booster reel mounted below body between frame rails to prevent booster reel hose from falling below the truck.	\$646		
3340-0610	Full width partition/channel located in hosebed rearward of the fill tower(s). Channel shall be approximately 6" wide x 2" high and located 106" from the rear of the truck. See photos on file.	\$531		
3340-0611	Body will have (2) additional compartments, (1) each side behind the rear wheels. Doors to match material of forward doors. Wetsides.	\$1,461		
3340-0612	Diamond plate shield over electrical items mounted on extended box at upper rear of Wetside tank.	\$114		
3340-0613	Storage compartment on top of body. Box to be dia plt approx 120L x 8H x 20W with open top and a door on the rear of box. Locate 1 bolted to the driver's side compartment top . Box will be made out of .1875 dia plate. Box will have slats for water drainage.	\$1,220		
3340-0614	[#COL] edge trim for floor mounted Turtle Tile matting. Locate on door opening side only. Requires seperate floor matting option.	\$442		
3340-0615	Pan mounted diamond plate 3 sided generator shield. Includes partition in storage pan for driver side wall.	\$1,095		
3340-0616	Tool air system. Includes 6000 PSI DOT cyl, bottle rack, fill panel. Rack located driver side roof top compartment. Fill panel adjacent to breaker box In L1.	\$5,547		
3340-0617	The following items to be sanded smooth plate painted with black Scorpion coating place of standard diamond plate: Compartment tops, roof top compartment lids, hosebed storage pan, transverse module storage pan, aluminum hosebed covers, tailboard, rear intermediate steps, transverse module running boards.	\$3,646		
3340-0618	Captive booster reel rollers mounted through center rear compartment face. Locate down low and size for width of reel assembly.	\$456		
3340-0619	Body will have (2) additional compartments, located (1) each side behind rear wheels. Narrow tank Wetside only.	\$259		
3340-0620	Body will have (2) additional compartments, located (1) each side behind rear wheels. Wide tank Wetside only.	\$259		
3340-0621	Air bag storage:(6) bags. Slot sizes: approximately 24" wide x 5" high x 24" deep. located R3 on rear portion of SlideMaster tray. Includes tray on top with 2 inch lip all around.	\$1,225		
3340-0622	Air bag storage for 4 bags. Appox slot sizes: (4) 24" wide x 4" high x 31" deep. Locate in L3 compartment.	\$1,168		
3340-0623	There shall be a compartment below side dumps, it will include a vertically hinged access door (one each side) below the side dumps with push button latch. Doors to match dump panel material. Compartment dims to be approximately 15" high x 24" wide x 26" deep.	\$326		
3340-0624	Box mounted on driver side rear compartment face to hold auto eject rectacle and battery charger display. Box to be angled downward at an approximate 15 degree angle.	\$301		
3340-0625	Catwalk to be installed above hydraulic generator in hosebed storage pan.	\$1,012		
3340-0626	Body mainframe and hosebed side assemblies for a 94" high body.	\$4,126		
3340-0627	Hosebed dividers heights to vary depending on the hose load requirements of each lay	\$309		
3340-0628	Entire top of body's diamond plate panels to be sand blasted to remove shine.	\$805		
3340-0629	Hose Reel Nozzle Bracket. Location (1) above L1 compartment and (1) shipped loose.	\$92		
3340-0630	Upper hosebed above the upper section of the booster tank. Includes forward hosebed cover plate work and modifying hosebed storage pan to be 39" wide above upper section of booster tank.	\$1,222		
3340-0631	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted body job color. Plate to be 8"W x 14"H. Lettering and/or graphics not included.	\$334		
3340-0632	Body main frame and 59" wide hose bed for a 90" high rescue pumper body.	\$2,751		

Item #	Description	Extension	+1/-1	Total
3340-0633	Removable Poly hose bed storage tray (EA). The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$634		
3340-0634	Double pre-connect tray on top of the drivers side compartment top offset to the rear. Tray to be "U" shape to hold 200' of 1.75" DJ (each). Includes black vinyl cover.	\$1,662		
3340-0635	Mud flaps, in front of rear wheels, black with no logo. Install additional row of fasteners close to bottom of wheel well.	\$253		
3340-0636	Fill Tower support bracket to be held 1/4" back from fill tower and attached to front hosebed wall.	\$138		
3340-0637	Cover plates around rear frame mounted tow eyes in B1 compartment.	\$138		
3340-0638	Bolt-in partition wall. Located rearward of air cord reel in officer's side roof top compartment.	\$256		
3340-0639	Front of hose bed stainless steel partial storage divider on officer side for selected accessory such as a generator. Located in forward area of hose bed to separate the storage area from the main hose storage area. Applicable main hose bed dividers will be located rearward of the partial divider.	\$925		
3340-0640	Bolt-in partition walls located as follows in hose bed, (1) one partition side to side to rear of fill towers and (2) partitions located one each side to inside of each tower for additional storage space between fill towers.	\$813		
3340-0641	Removable number plate with mounting brackets. Locate [#LOC]. Plate to be painted upper cab job color. Plate to be 5.5"H x 11"W. Lettering and/or graphics not included.	\$334		
3340-0642	Body will have (2) additional compartments, (1) each side behind the rear wheels.	\$891		
3340-0643	Stainless steel trim for lower edge of rear mudflap (PR). The trim shall be 2" in height and go full width of the mudflap. The material shall be "polished" stainless steel and it will be mounted to the lower edge of the rear (back side) of the mudflaps.	\$368		
3340-0644	Flooring plate additional in L2 and R2 compartments. 3/16" aluminum smooth plate to be bolted in place 1/2" above standard diamond plate compartment floors.	\$184		
3340-0645	(2) driver side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids ("embossed" treadplate) with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$6,001		
3340-0646	(2) officer side roof top compartments with extra width to inboard side. Includes hinged raised compartment lids ("embossed" treadplate) with turn latches, grab handle(s) and gas shock hold open and drain line(s) ran to below body. Each lid to have (1) bracket mounted LED light and to be wired to door ajar indicator in cab.	\$6,001		
3340-0647	Roof top compartment doors shall have larger latches installed (Southco model C5-11-15 latch, C5-82 gasket) in place of standard.	\$265		
3340-0648	Air bag storage for Paratech air bags. Three (3) areas, one (1) inside body walkway and two (2) in R4. See specifications for details.	\$860		
3340-0650	Fill tower partition. "U" shaped partition to be located around water fill tower and extend rearward to bolt to rear surface of storage pan. This 1/8" diamond plate "hat" section shall provide fill tower protection within the hose bed.	\$377		
3340-0651	Piping cover where visible for discharge piping above pump enclosure to front of hose bed (each). Cover to be stainless steel to blend with surrounding area.	\$560		
3340-0652	Stainless steel trim for lower edge of front mudflap (PR). The trim shall be 2" in height and go full width of the mudflap. The material shall be "polished" stainless steel and it will be mounted to the lower edge of the rear (back side) of the mudflaps.	\$368		
3340-0653	Diamond plate tandem axle wheel well. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes.	\$2,380		
3340-0654	Sign plates made from smooth aluminum plate (PR), 12" X12", painted color: [#COL] shall be mounted to the diamond plate panel rearward of the rear tires each side.	\$288		

Item #	Description	Extension	+1/-1	Total
3340-0655	The forward body shall be modified to allow the headboard to stow rearward of it's normal position (flex joint area) thus allowing the monitor to rotate 360 degrees without interference. Tread plate shall be used as necessary to trim/closeout the repositioned headboard mounting surface rearward of the body's forward most or normal headboard storage position.	\$400		
3340-0656	The forward body upper storage area shall have the partition removed between the backboard and stokes storage area.	\$0		
3340-0657	Trim between the body front and the cab. One (1) each side to close out the majority of the gap between the body and cab, The trim pieces shall be smooth aluminum plate painted job color and will be bolted in place to the body.	\$493		
3340-0658	Locate Tank Foam Fill Tower(s) in the officer side of hose bed storage pan. If two towers, they will be located side to side in storage pan. Water tower to be located in standard location in hosebed.	\$0		
3340-0659	Speedy Dry Hopper location: [#LOC]. Mounted on a floor mounted 500# roll-out tray. Tray to have notch on front wall for Speedy Dry Hopper valve to hold #200 pounds.	\$3,031		
3340-0660	Insulation to protect compartment from exhaust system heat. Locate in R2 lower back wall.	\$1,076		
3340-0661	Vehicle number sign plate (un-painted smooth plate) bolted on top of storage box over R1. Approx. size 16" x 24".	\$153		
3340-0662	Recessed fuel fill with flat latching stainless steel door. Door style to match SCBA doors.	\$321		
3340-0663	Recessed fuel fill driver side forward of L1 compartment, up high due to fuel tank location.	\$0		
3340-0664	Backboard storage box. Located in the officer side of the hosebed. To hold (1) backboard with access from a vertically hinged diamond plate door with a lift and turn latch. The box to only run the length of the backboards.	\$592		
3340-0665	Hosebed storage pan partition. Partition to be adjustable front to back in hosebed storage pan.	\$377		
3340-0666	Mounting for directional light bar. Located on rear area of body below upper or intermediate step.	\$142		
3340-0668	The forward edge of all side body mounted rub rails shall be mitered at a 45 degree angle. This includes the two (2) upper body and two (2) lower body assemblies on each side of the vehicle. The rearward ends shall remain square cut. The two (2) rub rails at the back of the body shall remain as is.	\$216		
3340-0669	Rubrail for the body (sides only, serrated surface facing down).	\$657		
3340-0670	Double pre-connect tray on top of the drivers side compartment top offset to the rear. Tray to be "U" shape to hold 200' of 1.75" DJ (each). Includes cover to protect preconnects and hinged smooth plate cover for hose. Tray and covers to be painted job color.	\$1,847		
3340-0671	Recessed fuel fill driver side wheel well supplied by Ford.	\$0		
3340-0672	Body and Cab Tags in French to replace standard English E-One supplied Tags.	\$1,784		
3340-0673	Storage box with (2) drop down doors. Diamond plate box to be approx. 136" long x 12" high x 12" deep mounted on officer side compartment top between hosebed side tubes. Includes hinged drop down doors with locking D-ring latches (wire to door ajar).	\$1,104		
3340-0674	There shall be a metal plate mounted to the side of the driver side compartment top mounted preconnect tray to assist in the application of the NFPA stripe and/or Lettering.	\$198		
3340-0675	The outboard panels of the rear body to be smooth plate overlays. These areas are to be seamless and painted job color.	\$3,065		
3340-0676	Hosebed divider with 45 degree offset to store customer required hose load. Locate on driver side of hosebed, to store 400' of 2.5" DJ hose.	\$976		
3340-0677	Stokes basket storage top of body [#LOC].	\$591		
3340-0678	Double pre-connect tray on top of the drivers side compartment top offset to the rear. Tray to be "U" shape to hold 200' of 1.75" DJ (each). Includes red vinyl cover.	\$1,662		
3340-0679	Body mainframe layout line to be 22". Includes body and all applicable modules.	\$0		
3340-0680	Body mainframe layout line to be 23". Includes body and all applicable modules.	\$0		
3340-0681	Body mainframe layout line to be 24". Includes body and all applicable modules.	\$0		

Item #	Description	Extension	+1/-1	Total
3340-0682	Body mainframe layout line to be 25". Includes body and all applicable modules.	\$0		
3340-0683	Hosebed storage pan. Locate in forward area of hosebed. Pan depth shall be approximately 18".	\$1,229		
3340-0684	Body compartment interiors to have Zolatone gray finish. To include pan of hinged doors (as applicable). Does not include floors if they are dia plt. Wetside Only.	\$1,550		
3340-0685	Backboard storage compartment. Locate in R1/L1 vertical against forward wall with a strap to hold the boards in the rack. Rack to hold 2 boards in a single slot.	\$536		
3340-0686	Body mainframe and hosebed side assemblies for a 75" high body.	\$1,378		
3340-0688	The driver & officer side upper body to be flush painted smooth plate body panels. Includes rear facing to rear of extended high side body panels and side facing over L3 & R3 body panels. These areas are to be painted job color.	\$1,033		
3340-0689	Insulation to protect compartment from exhaust system heat. Locate behind R1 wall.	\$629		
3340-0690	Slide-out Speedy Dry Hopper. Tray mounted to floor mounted tray that is located in R3, forward. Capacity of hopper is 100 lbs. (Tray not included which must be selected separately.)	\$1,847		
3340-0691	Drop down fuel fill door and panel below on side of body to rear of driver and officer side tandem wheel well to be smooth plate painted job color.	\$394		
3340-0692	Each storage compartment shall include a compartment capacity tag to identify maximum load capacities based upon weight analysis.	\$0		
3340-0693	Equipment capacity tag(s) shall identify maximum allowable equipment capacity(s) based upon weight analysis.	\$0		
3340-0694	Spool qty (4) to accommodate plastic or paper roll storage. Mounting bar to fit 48" long x 12" Dia. roll of sheet plastic. Includes "U" brackets & quick release pins on each end. Loc: [#LOC]. Locate (2) spools up high to rear (2) in L3 and (2) R3.	\$829		
3340-0695	Soda ash hopper. Locate [#LOC]. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. The hopper shall be constructed of stainless steel, holding capacity shall be 200 lbs.	\$2,489		
3340-0696	Louvers The rear wall and floor of [#LOC] to have louvers for additional ventilation.	\$408		
3340-0697	Power vent system located in [#LOC]. Wired through receptacle in compartment.	\$228		
3340-0698	Body compartment floors to be 3/16" aluminum smooth plate.	\$790		
3340-0699	Bolt-on cover plate over upper section of water tank to be embossed diamond plate.	\$664		
3340-0700	Body will have (2) additional compartments, (1) each side behind the rear wheels below side dumps. Includes a vertically hinged diamond plate door with thumb latch.	\$891		
3340-0701	Body mainframe layout line to be 26". Includes body and all applicable modules.	\$0		
3340-0702	Hosebed storage box. Located in the driver side of the hosebed. To be 76" long X 25" wide X hosebed depth. Box to have diamond plate top with approx. 4" upper. 4" middle and 8" lower storage space. Includes a vertically hinged diamond plate door (wired to door ajar) with a push-button latch.Hinge door to outside.	\$1,740		
3340-0703	Diamond plate box for directional lightbar. Box to be mounted on 3" x 3" aluminum angle at rear of hosebed decking. Includes two (2) Whelen M6 Super LED scene lights to be surface mounted to box outboard.	\$1,529		
3340-0704	(2) Two access panels to be provided. (1) One thru B1 interior forward bulkhead to access dealer installed DOT bottle valves and (1) One roof access for installation and service of dealer installed DOT bottles installed in E-1 provided rack.	\$1,694		
3340-0705	Within the hose bed the divider(s) shall be located: [#LOC].	\$0		
3340-0706	NO HOSEBED - EZDRAW USE ONLY	\$0		
3340-0707	Upper right side of body to be notched to allow hydraulic overhead ladder rack to be lowered for reduced travel height. Compartment opening height to remain std.	\$1,813		
3340-0708	The outboard panels of the driver side roof top compartments to be smooth plate overlays. These areas are to be seamless and painted job color.	\$1,550		

Item #	Description	Extension	+1/-1	Total
3340-0709	Vertical handrails as mounted the rear body shall extend full height from the bottom of the body to the top of the body IPOS (as practicality permits).	\$155		
3340-0710	Transverse storage modification affecting L3, B1 and R3 compartments to accommodate a transverse storage area running from L3 to R3 (lower area only). The transverse tunnel area shall be approximately the full depth of the B1 compartment, the compartment opening height shall start approximately 2" above the floor to maximum height available (height may be reduced as required depending upon the rear body storage tunnel foot print). The B1 compartment side walls will be opened (removed) as part of the transverse modifications necessary.	\$1,295		
3340-0711	Hosebed divider with 45 degree offset to store customer required hose load. Rear section of divider approx. 82" to rear of offset and forward section of divider approx. 46" ahead of offset. HP75/78 only.	\$855		
3340-0712	Recessed area in storage pan for deck gun or other applicable option located in pan to be as low as practical	\$724		
3340-0713	Diamond plate deflector shield for Light Tower. Deflector to be mounted on driver side compartment top at front of body. See photos on file.	\$471		
3340-0714	Bolt-in floor [#LOC]. Floor is in addition to the existing DP floor. Floor to have 2" raised forward area (tapered towards rear for securing cribbing) and run full length front to rear.	\$260		
3340-0715	Stokes/backboard storage area for customer furnished and installed items. Full width 1/8" smooth aluminum Stokes divider for 8"W x 24"H x 84"L basket with backboards to be installed inside the basket . Includes restraining straps for stokes and backboards on each side. Location to be in the top open storage area rearward of the light tower.	\$777		
3340-0716	Bolt-in SS floor taper [#LOC]. Floor taper is in addition to the existing stainless steel floor. Floor to have 1.5" raised outer area (tapered towards back wall for securing cribbing) and run full length side to side.	\$260		
3340-0718	A tag stating DIESEL FUEL ONLY shall be permanently affixed to the vehicle near the fuel fill(s) IATS.	\$78		
3340-0719	One (1) horizontal air bag module to contain six (6) customer supplied 24" square air bags. Module to be .125" aluminum sheet with six (6) slots and installed on upper right side slide out tray in compartment R3. Half circle cut outs shall be provided on the outer edge to assist in grabbing the bags. Layout shall be in a one (1) wide & six (6) tall configuration . One (1) strap will be installed vertically across the openings to keep items securely stowed in side	\$1,225		
3340-0720	Slip-on painted steel dump elbow and 36" straight extension chute. Includes body mounted removable support arm and mounting brackets in compartment [#LOC] for elbow and straight chute.	\$1,517		
3340-0721	E-ONE logos (1) for the pump panel, (1) each side over wheels and (1) for the rear body not to be mounted until final inspection rather than standard location.	\$0		
3340-0722	Body Saulsbury logo package, Hamburg. For use with Custom or Commercial chassis. Includes all applicable Saulsbury logos for the body and/or pump module (as appicable)	\$0		
3340-0723	All compartment floors to have Zolatone gray finish. Includes changing floors from diamond plate to smooth plate.	\$2,145		
3340-0724	Diamond plate tandem axle wheel well. Includes fenderettes and bolt-on aluminum wheel well liners painted job color.	\$2,623		
3340-0725	Rear vertically hinged door for the officer's side roof top compartment. The door includes thumb latch(s) and wiring for the door ajar switch. The material shall be 1/8" aluminum smooth plate and the hinge shall be placed outboard.	\$142		
3340-0726	Nylon black cargo net for interior compartment opening of compartment [#LOC]. Cargo net to have custom designed one-piece bar assembly and one step Velcro attachment process with footman loops shall be used opposite the bar end.	\$354		
3340-0727	Body main frame and hose bed for a 85" high stainless steel eMAX rescue pumper body.	\$1,742		
3340-0728	Body main frame and hose bed for a 90" high stainless steel eMAX rescue pumper body.	\$3,354		
3340-0729	Body main frame and hose bed for a 95" high stainless steel eMAX rescue pumper body.	\$5,034		
3340-0730	Smooth plate corner guards for the driver and officer front and rear compartment faces. Guards to wrap around the corner and be full height of side assembly or to a max of 96". Corner guards to be painted black durabak.	\$1,056		

Item #	Description	Extension	+1/-1	Total
3340-0731	Access panels thru B1 interior officer side and into rear of R4. Service access rear of fill station controls. Access panel to be sized as large as possible to accommodate service operations.	\$541		
3340-0732	Black poly box Qty (1) to be .50" polypropylene with carry handles. Locate: R4 above fill panel approx 28in wide x 24in deep x 6in tall.	\$777		
3340-0733	Bolt-in lower floor R1. Floor is in addition to the existing DP floor. Floor to have 2" raised forward area (tapered towards rear for securing cribbing) and run full length front to rear.	\$260		
3340-0734	Storage tunnel for (1) backboard. Locate tunnel in L2/R2 on ceiling, rear of L2 partition offset to rearward wall. Tunnel shall be approximately 72" long (side to side) X 19" wide (front to rear) to hang approximately 6.5" below the roll up door with strap(s) to stow board in place.	\$850		
3340-0735	The [#LOC] compartment to have .187" smooth plate floor IPO diamond plate.	\$209		
3340-0736	Body main frame and hose bed side assemblies for an 83" high body with low hose bed and "L" shaped water tank. No upper rear crossover hand rail.	\$1,638		
3340-0737	Body mainframe and hosebed side assemblies for a 100" high body.	\$5,499		
3340-0738	A landing platform (10" in depth, the width shall be sized and positioned as required with overall rear end configuration) with embossed diamond plate surface will be centrally located at the upper rear of the apparatus to assist with hose bed cover operations.	\$426		
3340-0739	Turtle Tile brand floor matting covering driver and officer roof top compartment floors full length and width. Color: [#COL].	\$716		
3340-0740	Divider shroud for cab tilt pump, bolt in R1.	\$215		
3340-0741	Rubrail for the body (sides only, serrated surface facing up).	\$657		
3340-0742	Hose bed walkway offset to driver side. Non-slip diamond plate walkway to run full length of hose bed.	\$546		
3340-0743	Backboard Storage sleeve. Located in the officer side hard suction storage compartment. Sleeve to hold (1) backboard, 2"H x 16" W x 73" L. Includes stop bracket approximately 74" back from opening.	\$487		
3340-0744	Full width hosebed above the booster tank from the driver side extra wide roof top compartments to the officer side with raised side assembly.	\$2,107		
3340-0745	Divider Support to run full available width of hosebed (side to side not including hosebed walkway) at the front of the hosebed and at the rear of the hosebed at top of the divider(s) even with the top of the hosebed. Position inboard divider to be utilized as a walkway sidewall and add an aluminum angle bracket along the length of the divider on the hosebed side to facilitate mounting of twist-lock fasteners for the hosebed cover.	\$522		
3340-0746	CTECH Brand 4 drawer compartment toolbox unit in [#LOC]. Includes Cal Gray drawer face finish with two (2) 8" drawers below and two (2) 3" drawers above to mount in an available compartment opening. Toolbox dimensions to fit in an opening 39.5" W X 23.0" H X 24". Requires a fixed shelf mounted above toolbox enclose top drawer and to create opening height added separately.	\$2,310		
3340-0747	Compartment heater as high as possible on forward wall. Includes switch on driver overhead. Location: [#LOC].	\$1,408		
3340-0748	Horizontal air bag module for five (5) customer furnished air bags. Bags will be Paratech Maxiforce brand and each bag will store with two (2) identical pieces of 3/4" plywood. Locate under backboard module in compartment L2. See specifications for details.	\$1,992		
3340-0749	Directional light bar box. Located on rear area of body between upper rear hose bed Unistruts. Box to be .125" diamond plate and mounted to structural stainless steel framework including Unistrut channel for hose bed divider attachment. SS product only.	\$2,673		
3340-0750	Four (4) divider supports to attach to each top rear edge of each hose bed divider to provide additional support. Ship loose for dealership installation. SS product only.	\$286		

Item #	Description	Extension	+1/-1	Total
3340-0751	One (1) vertical air bag module to contain four (4) customer supplied air bags (2) 21" x 21" and (2) 22.5" x 16". Module to be .125" aluminum sheet with four (4) slots and installed in L2 offset forward. Half circle cut outs shall be provided on the outer edge to assist in grabbing the bags. Layout shall be (2) slots approximately 2" W x 12" H x 23" D, (2) slots 2" W x 22" H x 22" D configuration. One (1) strap will be installed horizontally across the openings to keep items securely stowed.	\$817		
3340-0752	Embossed diamond plate in place of ALL standard and optioned diamond plate on body and modules	\$1,655		
3340-0753	Diamond plate storage enclosure on top of body. Enclose the driver side forward area of the catwalk to create a storage area with interior dimensions of approx. 60"L x 60"W x 15"D. Method of construction optional. Two (2) double pan diamond plate lift-up doors hinged to the outboard (left and right) of the box. The doors shall utilize D-ring handles with (2) point latching and be wired to the door ajar circuit. LED lighting shall be provided for each compartment. The lights shall illuminate when the compartment lid is in the open position. There shall be gas spring hold open device(s) on each door. The rear of the doors shall include pull down straps to assist closing the doors by pulling the straps from the opened position. Locate forward of driver side roof top compartments extending forward and to the right short of generator as mounted position.	\$3,250		
3340-0754	Hosebed storage pan constructed of 3/16" (.187") aluminum smooth plate with black Scorpion coating (rough finish) IPOS diamond plate. Locate in forward area of hosebed.	\$1,106		
3340-0755	Upper body side panels driver & officer side to be flush.	\$1,733		
3340-0756	Smooth plate deflector shield for Carefree automatic awning. Deflector to be located forward of awning. Location: [#LOC] of body. To be painted job color.	\$252		
3340-0757	Floor overlay [#LOC]. The overlay shall be constructed of 1/8" treadplate and shall be raised at the interior wall 1" providing a sloped floor (low point at the door opening).	\$440		
3340-0758	Speedy dry hopper. Locate [#LOC]. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. Capacity of speedy dry hopper is 180 lbs for a shorter upper body (less than 19").	\$1,847		
3340-0759	Backboard storage compartment for (2) boards in transverse, side by side. Location: [#LOC]. Includes retaining straps on both sides for boards.	\$800		
3340-0760	Body main frame and hose bed side assemblies for an 93" high pumper body. Upper outer body has rescue body style appearance (100" wide) and header to be used for NFPA lighting, lettering, etc.	\$2,937		
3340-0761	Warning light cut-out/mounting holes provided on the forward upper body panels of left and right sides of body. Cut-outs to be covered with existing painted FRP panels. Cut-out to be designed for Whelen 900 series super LED warning lights.	\$0		
3340-0762	False ceiling L1/R1. Mounted in place just below roll up guards ( upper door handle stop) and stop each side just inside the roll up door drums (open ends inboard of drums are acceptable) full length and width.	\$525		
3340-0763	Storage box, fully enclosed for Paratech TVS 200. (1) in L1/R1 transverse floor mounted centered on rear wall 12" tall x8" wide. Access available from L1 and or R1, includes a strap to secure the stabilizer in place within the storage box. Does not include Paratech Stabilizer TVS 200.	\$356		
3340-0764	Engle MR040 AC/DC fridge-freezer with durable corrosion-resistant ABS case. Location: tray mounted in compartment R2. Requires 12 volt and 120 volt power sources in selected location.	\$2,163		
3340-0765	Upper body panels driver side, officer side and rear body to be seamless and flush.	\$2,091		
3340-0766	Rear body panels to be seamless and flush.	\$515		
3340-0767	Dividers, bolt in, Qty (2) for transverse compartment. Location between L3/R3. One (1) divider to be located 26 inches deep from L3 and one 28 inches deep R3 door opening so as to generate a compartment located over chassis centerline.	\$1,118		



Item #	Description	Extension	+1/-1	Total
3340-0768	Horizontal air bag module for five (5) customer furnished air bags. Location: R3 rearward. Bags will be Paratech. Openings to be 2 inch wide. (1) 16 inch X 44 inch, (4) 26 inch X 26 inch.	\$1,992		
3340-0769	Ladder tunnel. Tunnel to be a compact design and approximately 12" Tall X full width of B1 X approx 14 feet deep. Tunnel sized to stow (1) 24' 2-section ladder, (1) 14' roof ladder, (1) 10' folding attic ladder, (6) 12' pike poles. Tunnel option will reduce the compartment area of the lower body. Locate: B1 high as possible.	\$3,696		
3340-0770	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 20" high (18" deep hosebed). Wetside only.	\$6,203		
3340-0771	Special hose bed divider height and reinforcement. The height of the hose bed divider from driver to officer side: 1st divider 36"T, 2nd divider 30"T. Each divider shall have a round reinforcement welded in place on the forward and rear vertical edges and the top horizontal edges to stiffen the dividers as mounted.	\$291		
3340-0772	Rear wheel well trim shall be added to both sides of the unit. Diamond plate 1/16" thick shall be added to the 4" extrusion that surrounds the wheel well. The extrusion forward, rear and on top of the wheel well shall have a diamond plate overlay added.	\$238		
3340-0773	Label SCBA doors with 1x3 labels to read applicable contents per location. ex. SCBA, CO2, etc.	\$0		
3340-0774	Body wheelwell compartments (2) centered above tandem approx 24" W x 6" H x 26" D with drop down doors. Door material to match wheelwell finish.	\$898		
3340-0775	Stokes basket storage box for a Ferno Washington model 71. The storage box shall be made from diamond plate material approx 9" wide x 26" tall x 90" deep. It shall include a rear mounted door with a vertical hinge and a thumb latch. Location officer side hosebed.	\$1,969		
3340-0776	The driver side rear body engine access door shall be modified. The hinge shall be mounted horizontally (IPO vertically). A grab strap shall be added to pull the door from its open position.	\$95		
3340-0777	Slip-on stainless steel dump elbow and 36" straight extension chute. Includes body mounted removable support arm and mounting brackets in compartment [#LOC] for elbow and straight chute.	\$1,965		
3340-0778	Wheel well liner extensions for inboard side of rear wheel well liners (PR).	\$389		
3340-0779	All folding steps shall be Signature Fire Shopp brand. The folding steps shall be dual LED (top and bottom) model 101953-2 IPOS.	\$180		
3340-0780	The officer side upper body roof top compartment rear wall to have welded filler panel to be seamless and flush with supporting extrusions.	\$265		
3340-0781	Storage tube 14in x 14in square x transverse, (pr). locate to rear in compartment L3/R3 and stack vertically.	\$1,290		
3340-0783	The upper body side panels driver & officer side to have welded filler panels to be flush with supporting extrusions. Includes forward body module.	\$1,733		
3340-0784	Removable brushed stainless steel panel shall be provided that includes from top to bottom: Chassis air inlet, Battery charge indicator, Yellow 30 AMP shore line auto-eject receptacle, and at the bottom of the panel a dedicated Red 30 AMP shore line auto-eject receptacle for roof top air conditioner. Locate: rear of body on driver side.	\$390		
3340-0785	There shall be no visible diamond plate on the body exterior.	\$360		
3340-0786	Dual Hosebed above the booster tank. Includes forward hosebed cover plate work (as applicable). Hosebed adjustable divider extrusion rearward of the furthest tower is to run full width of the hosebed in the upper hose bed. (as is practical with other hosebed mounted equipment). Lower hose bed over tank shall have one non adjustable center divider hard mounted to divide lower hosebed into (2) equal width storage compartments for dealer added pull out hosetrays with nylatron slide plates	\$3,434		
3340-0787	Air bag storage for Paratech air bags. Two (2) areas, one (1) inside body walkway and one (1) in R4. See specifications for details.	\$390		
3340-0788	Storage Pan Hot Shot II Hydraulic Reservoir. Includes a lid hinged forward with gas shock hold open.	\$872		

Item #	Description	Extension	+1/-1	Total
3340-0789	Hosebed storage pan. Locate in forward area of hosebed. Storage pan to be 109" interior length for Night Scan NSP7.5 light tower.	\$1,742		
3340-0790	Swing arm bracket with smooth plate box for TAL65 lightbar mounted on square extrusion. Swing arm to be mounted at rear of hosebed, with pivot tower and (2) locking towers to be provided.	\$835		
3340-0791	Body mainframe and hosebed side assemblies for a 87" high body.	\$2,751		
3340-0792	Body mainframe layout line to be 28". Includes body and all applicable modules.	\$0		
3340-0793	Hosebed divider for dry lay storage with 45 degree offset to store customer required hose load. Locate on driver side of hosebed, to store 300' of 3" DJ hose.	\$976		
3340-0794	B2 and B3 storage: B2 storage shall accommodate (2) 6` pike poles, (2) 8` pike poles and (1) Little Giant 22 ladder. B3 storage shall accommodate (1) Stokes basket, (2) backboards, (2) 12` pike poles and (1) attic ladder. Compartments shall be designed to secure stowed items with aluminum construction dividers, tubing and extrusions. Stops and securing devices shall be utilized as required to prevent items from shifting during transport.	\$1,220		
3340-0795	Stainless steel rear fender panels.Includes bolt-on stainless steel inner wheel well liners (not painted) and polished stainless steel outer fenderettes.	\$1,753		
3340-0796	Body main frame and hose bed side assemblies for a 94" high rescue pumper body.	\$4,017		
3340-0797	Body main frame and hose bed side assemblies for a 88" high pumper body.	\$4,711		
3340-0798	Extruded aluminum rubrails for the sides of the body below the lower side compartments and full width of the rear tailboard.	\$774		
3340-0799	A cut-out shall be provided on the lower right rear panel of the body, accessing a hydrant assist valve that will be located in compartment R3. Door opening shall be a minimum of 14" wide x 19" high. A vertically hinged smooth plate rear door shall be provided with a bent D-ring latch, and a light wired to door ajar indicator circuit.	\$1,471		
3340-0800	Notched hosebed divider(s). Notch to be in center approximately 32" up from floor and angle up 45 degrees at each end. See photo on file.	\$489		
3340-0801	Special hose bed divider reinforcement. Each divider shall have a round reinforcement welded in place on the forward and rear vertical edges and the top horizontal edges to stiffen the dividers as mounted.	\$387		
3340-0802	The vehicle shall be supplied with a deck gun cradle for additional support of the deck gun's tip/nozzle assembly. The cradle shall be made of stainless steel materials with a cushioned rest pad. Cradle shall remain unpainted.	\$301		
3340-0803	The driver & officer side upper body side panels over L1/R1 to be a flush smooth plate finish.	\$406		
3340-0804	Zico Quic-Index Multiple Bracket Holder. Without brackets. located in the rear walkin body on top of the counter next to the rear entry door.	\$591		
3340-0805	Mount customer supplied hooligan tool in L2, on the rear wall.	\$280		
3340-0806	Cab, Body and Pump Module safety and warning Tags in French to be in addition to standard English E-One supplied Tags.	\$1,784		
3340-0807	Speedy Dry Hopper. Locate in roof compartment above R2. Includes discharge thru bottom of compartment R3 along forward compartment wall with valve for ground level dispensing. Capacity of speedy hopper is 100 lbs.	\$1,591		
3340-0808	DEF fill located officer side pump panel.	\$0		
3340-0809	Body main frame and hose bed for a 95" high stainless steel eMAX rescue pumper body. Hose bed to be 56" wide.	\$5,034		
3340-0810	Rolled hose rack for (2) hose rolls, (1) 35' of 5" and (1) 50' of 3", Speedy Dry, traffic cones and cribbing. Includes (5) dividers attached to roll out tray(s) in compartment(s) L1, R1.	\$807		
3340-0811	Two (2) stainless steel dividers with ADT doors to be installed in the upper forward body dunnage area with clearance for deck gun. Hinged outboard side.	\$1,274		

Item #	Description	Extension	+1/-1	Total
3340-0812	Hose tray - Polypropylene - removable. Tray includes pull-out grab handle (poly dowel) down low on each end to facilitate lifting. The tray shall be sized to fit the area above the ground ladders. The tray(s) shall be made from Polypropylene, the floor of the tray shall be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$981		
3340-0813	Driver side hosebed storage box. Storage box to hold (3) New York style pike poles and (3) backboards (2"x16"x71"). Pike poles to be stored down low. Backboards to be stored up high with dividers separating storage for each board. Includes vertically hinge hinged door (wired to door ajar) with D-ring latch.	\$1,558		
3340-0814	(2) Wheel well storage compartments with vertically hinged stainless steel painted doors and latches. Wired into compartment door ajar circuit.	\$1,132		
3340-0815	Horizontal air bag module for nine (9) customer furnished Paratech air bags. Location: L1 rearward. Vertical storage for two (2) large Paratech bags inside the walk-in rescue body. See specification for details.	\$1,992		
3340-0816	Bolt-in two piece cribbing storage modules constructed of .1875 smooth plate aluminum installed in compartments L3 & R3. Modules to hold (8) 2 x 6, (8) 6 x 6, (40) 4 x 4 and (3) divided areas for miscellaneous items. Spaced apart for step chock storage.	\$1,072		
3340-0817	Vertical extension cord modules for customer furnished cords. Location: L1 and R1 offset forward. Each constructed of smooth plate aluminum, 18.5" H x 19" W x 22" D with (3) vertical dividers on 3" centers.	\$485		
3340-0818	Stainless steel light guards on the strip lights in compartment L2 and armory. Guard on ceiling mounted fluorescent fixture in armory. See specifications for details. NYPD only.	\$271		
3340-0819	Mount (4) footman loops on the side of the ladder tunnel in the walk-in rescue body. Mount customer supplied 36Volt portable tool and charger in the walk-in rescue body. Mount and hard wire customer supplied TNT hydraulic power supply to the shelf in compartment L2. NYPD only.	\$133		
3340-0820	Removable aluminum hose bed storage tray (EA), installed at the top rear of bed 1. Tray shall include manual release assembly to lock tray in place. The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$815		
3340-0821	Locate (2) hosebed storage pans (1) each side of ladder storage box in forward area of hosebed. Pans to hold hydraulic cooler and hydraulic reservoir.	\$992		
3340-0822	Air bag storage:(3) bags. Slot sizes: approximately 40" wide x 6" high x 24" deep. located L3 on rear portion of SlideMaster tray. Includes tray on top with 2 inch lip all around.	\$1,225		
3340-0823	Body mainframe and hosebed side assemblies for a 85" high bi-level body. Includes stepped headboard	\$1,378		
3340-0824	The unit has critical dimensions. See specification. NYPD 80" cab.	\$0		
3340-0825	Sign plate located on the lower rear grill of the engine cover. The sign plate shall be 42"L X 7"H bolted in place and made of smooth plate aluminum plate painted job color.	\$131		
3340-0826	Air bag storage for (11) bags. Horizontal storage to accommodate Paratech brand bags. Includes vertical restraint straps. The air bag sizes are as follows: (1) 15x21 (1) 15x42 (2) 20x20 (2) 15x15 (2) 24x24 (3) 37x37. Locate in R3.	\$2,270		
3340-0827	Ice sled storage compartment. Locate below right rear aluminum hose bed cover with a strap to hold ice sled in rack. Floor of the rack will have poly. Ice sled shall be approx 24" wide x 5" high x 74" long.	\$696		
3340-0829	Sign plate made from smooth aluminum plate (PR), 12" X 12", painted color: FLNA3225E-1 Red shall be mounted to the rear of body.	\$145		
3340-0830	Turtle Tile brand floor matting covering L1, R1 and B1 compartment floors only. Color: [#COL].	\$716		
3340-0831	Sign plates made from smooth aluminum plate (PR), 30" X 30", painted job color. They shall overlay the diamond plate panel rearward of the rear tires each side.	\$463		
3340-0832	Hosebed dividers to be 26" high.	\$0		

Item #	Description	Extension	+1/-1	Total
3340-0833	Above the right side ladder tunnel shall be a weather resistant top hatch compartment, forward of the shovel and broom storage module. Compartment shall be approximately 12.75" wide x 74" long x 13.5" deep. Includes 3/16" polished aluminum treadplate door, hinged outboard, latching towards the hose bed. One (1) clear lens light shall be installed in the compartment and the lid shall be wired to the door ajar indicator in the cab.	\$578		
3340-0834	Body main frame and hose bed side assemblies for an 83" high body with low hose bed and "L" shaped water tank. No upper cross over handrail.	\$1,718		
3340-0835	Turtle Tile Brand [#COL] Floor Matting, 1/2" tiles covering all applicable Compartment Floors, Shelves, and Rollout Trays.	\$2,026		
3340-0836	Compartment pan drop down door inside to have Zolatone gray finish (door only). Location L2 and R2 drop down doors	\$270		
3340-0837	Cast products AD0039-1 switch box assembly with polished flange, 120 grit directional finish on lid and concealed hardware and hinges, mounted on the rear body.	\$239		
3340-0838	Hosebed deflector divider. Locate to officer side rear of hosebed forward of deck gun. Deflector smooth plate to cover the forward and side of the deck gun piping. Rearward side of deflector at back of hose bed to be diamond plate.	\$388		
3340-0839	Stokes / backboard tunnel. A storage tunnel with approx size of 10 inches tall X 44 inches wide X 90 inches long shall accommodate (1) stokes basket, (2) backboards and (1) scoop stretcher. Option shall reduce the transverse area of body compartment L2/R2. Location: B1 ceiling mounted on center.	\$1,991		
3340-0840	Divider in left hand full body length storage area running side to side with adjustable track (Provides two storage areas, one ahead and one behind divider). To be located in LH hosebed open storage area on driver side top of body. Locate adjustable divider tracks on sides of storage area 55" forward of the rear of the storage area with tracks to allow for adjustment a minimum of 15" forward and rearward from 55" location. For storage of a bound Hi-Rise hose pack to be stored rearward of the divider and the forward area to be open misc. equipment storage.	\$277		
3340-0841	Sign plate smooth 30" x 30" mounted centered on body roof. Color: [#COL].	\$276		
3340-0842	The hose bed is to have the capacity for the following hose (unless otherwise specified on the approval drawing). Hose load shall be listed from driver to officer. The hoseload will be 500' of 5.00" DJ and 1000' of 7.25" DJ.	\$0		
3340-0843	Storage compartment driver side compartment top with extended length (42" W x 34 tall opening with roll up door added). Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 3500 Gallon Tank.	\$2,509		
3340-0844	Storage compartment officer side compartment top with extended length (42" W x 34 tall opening with roll up door added). Locate to forward area. Includes roll-up door (wired to door ajar) with header and (1) interior strip light. For use with 3500 Gallon Tank.	\$2,509		
3340-0845	Driver and officer side upper body storage area to have a rearward deployment notch with vinyl cover with twist button latches to match color as selected for other areas of apparatus. A strap shall be provided each side rearward within reach from the rear of the apparatus to secure equipment. Area both sides to be for storage of (2) 6 in. x 10' diameter hard suction hoses. For use with dual folding tank body racks mounted to body sides which further captivate stored hard tubes.	\$1,014		
3340-0846	Hosebed dividers to be 30" high.	\$0		
3340-0847	Rubrail for the body (sides only, serrated surface facing down).	\$657		
3340-0848	Backboard storage compartment. Locate in [#LOC] with a strap to hold the boards in the rack. Rack to hold 2 boards.	\$800		
3340-0849	Rub rail assemblies constructed of 3" x 2" Black U.H.M.W. plastic. (1) bolted to the lower exterior edge of the apparatus body and pump module. Rub rail shall be mitered 45 degrees at leading and trailing end and notched for marker and warning lights clearance (where applicable)	\$1,042		
3340-0850	Windows body side sliding. Locate over L1	\$318		

Item #	Description	Extension	+1/-1	Total
3340-0851	A fixed window with an approx size of 12 x 18 inches shall be provided in the lower section of the body entry door. The window shall be oriented vertically and located below the door latch so as to provide a visual reference of the entry and exit step area. LOC: Body entry door.	\$669		
3340-0852	Stokes basket storage compartment with a strap(s) to hold basket in rack. "Ferno" brand. Locate: on floor in walkin body with opening facing rear body entry door on driver side. Compartment to be oriented on its side and as far aft as posiable.	\$978		
3340-0853	Storage / pige hole: 18 in X 18 in square X 26 in deep. For bunker gear. Locate inside walkin body	\$230		
3340-0854	Cargo net cover for pige storage opening. Cargo net to be Black 2 in x 2 in squares. Use permanent fastners along top edge and snaps in other locations.	\$138		
3340-0855	There will be an access panel located in the hosebed for access to the water/foam tank level senders.	\$127		
3340-0856	Body roof recess storage to accommodate generator and service access all around unit. Approx sixe 42 in. front to rear X wide as possible X deep as possible. Locate in forward area of body roof.	\$1,405		
3340-0857	Divider for transverse compartment, bolt in between L1/R1. Locate 22 in. deep from inside of L1 door. Finish is sanded aluminum unless otherwise specified.	\$560		
3340-0858	Divider for transverse compartment, bolt in between L2/R2. Located at chassis centerline and forward of partition. Finish is sanded aluminum unless otherwise specified.	\$560		
3340-0859	B2 and B3 storage: Provide storage for Stokes basket in B2 and storage for (2) backboards and (1) 8 foot pike pole in B3.	\$1,220		
3340-0861	Reinforce flooring of compartment LTC and RTC for storage of heavy equipment.	\$585		
3340-0862	Stainless steel trim on bottom edge of compartment opening of [#LOC]. Includes full height of exterior extrusion.	\$180		
3340-0863	Headboard extrusions and smooth plate at top front of the body to be painted job color finished.	\$226		
3340-0864	Diamond plate single axle wheel well. Includes bolt-on composite wheel well liners and sanded aluminum trim fenderettes.	\$1,066		
3340-0865	Roof top compartment for Stokes Basket storage. Compartment to accommodate (1) Stokes Basket. Compartment approx size 105 in. L x 12 in. T X 25 in. W. Includes rear lift up diamond plate hinged door with D-style latch, door hold open device located at rear and interior stop to limit basket travel from sliding forward out of reach. Location: Roof top of body on officer side.	\$1,776		
3340-0866	Roof top compartment for hard suction storage. Compartment to accommodate (2) 6 inch. X 8 foot long hard suction pipes. Compartment approx size 105 in. L x 12 in. T X 25 in. W. Includes: Diamond plate construction, (1) vertical divider centered, rear lift up hinged door with D-style latch and door hold open device located at rear. Locate: Roof top of body on driver side.	\$1,921		
3340-0867	Pike pole storage for (4) 8' Nupla pike poles. Located inside body with access thru rear, officer side. Includes horizontally hinged door with push button style latch. Door Material to match mounting surface. (wire to door ajar).	\$1,749		
3340-0868	Fire Shopp recessed fuel fills for dual fuel fill applications. Includes brushed finish S/S doors with positive latch.	\$682		
3340-0869	Divider long. To run full length of hosebed from front of hosebed to rear of hose chute on driver side of hosebed/chute. Divider shall also be set back and/or notched at forward area of hosebed for access to preconnect line connection. Can be multiple pieces due to overall length if needed.	\$697		
3340-0870	Stainless steel trim on bottom edge and covering entire surface of extrusion below compartment opening of [#LOC].	\$217		
3340-0871	Air bag rack for (10) air bags. Rack only (does not include air bags). Brand: TNT. Vertical storage for bags as follows, left to right: (1) 32" x 32" (2) 28" x 28" (6) 25" x 25" (1) 16" x 16". Locate in R2.	\$1,820		
3340-0872	Provision for Revolve Air fill station to be installed after delivery. Includes blowout cutout, mounting preperation and cover plate. Location: L4.	\$627		

Item #	Description	Extension	+1/-1	Total
3340-0873	Compartment for Stokes storage. Basket approx size 25 inches tall X 8 inches wide X 86 inches long. Compartment to include: hinged top access lid, thumb latches and door hold open device. Compartment shall accommodate (1) basket. Brand and model: Traverse rescue "StratLoad" Advantage Basket Stretcher Part No. 11-0125A: Compartment to be aluminum diamond plate. Locate: Roof top walkway, attached to front of forward roof top storage box on officer side of body.	\$2,300		
3340-0874	Reinforced hinged .188" embossed diamond plate lid for dunnage pan. Includes two (2) D-Ring latches, stainless steel hinge along forward edge and gas shock hold open. Lid to be reinforced with welded on structure on underside to allow for lid to be a walking surface.	\$793		
3340-0875	Removable fuel tank access panel to be installed on the rear wall of compartment B1. Panel to be retained with stainless steel machine screws.	\$216		
3340-0876	Bolt-in floor rise and horizontally bottom hinged smooth plate aluminum door with D-ring latch in compartment R2. Floor rise to have 2" raised forward area (tapered towards rear for securing cribbing) and run full width front to rear.	\$920		
3340-0877	Brushed stainless steel rear fender panels. Includes bolt-on stainless steel inner wheel well liners (not painted) and polished stainless steel outer fenderettes.	\$2,272		
3340-0878	Front of hose bed stainless steel transverse storage divider for selected accessory such as a generator, fill towers. Located in forward area of 46" wide hose bed to separate the storage area from the main hose storage area. Applicable main hose bed dividers will be located rearward of the transverse divider.	\$585		
3340-0879	Body main frame and 46" wide hose bed for a 88" high rescue pumper body.	\$2,751		
3340-0880	Brushed stainless steel scuff plates for all body handrails.	\$552		
3340-0881	Sign plate holder made from smooth aluminum material, sized to be 12"w x 6"h, painted job color. Locate (1) at rear of truck, one (1) mounted on front bumper and (1) each side on L1/R1 in forward upper corner.	\$578		
3340-0882	Body main frame and hose bed for a 97" high stainless steel eMAX rescue pumper body.	\$5,140		
3340-0883	Rubber fenderette in place of weld-on.	\$334		
3340-0884	Body main frame and hose bed side assemblies for a 91" high pumper body with special location side sheet on right side to lower overhead ladder rack. No upper rear crossover hand rail with this option.	\$4,104		
3340-0885	Locate Tank Foam Fill Tower(s) in the driver's side of hose bed storage pan. If two towers, they will be located in storage pan as per design drawing(s) indicates. Water tower to be located in standard location in hosebed.	\$0		
3340-0888	FRP exterior panel replacement set for stainless steel tanker body. Panels to include all original factory cutouts and notches. Panels to be shipped loose with vehicle upon delivery.	\$1,198		
3340-0889	Body mainframe and hosebed side assemblies for a 96" high body.	\$4,401		
3340-0890	Divider Hose Bed Special Height iat standard. All Hose Bed Divider(s) shall include an extra 4" height over the standard hose bed divider height.	\$228		
3340-0891	Louvered vent filters. All body compartment louvered vents to have dust filters provided. Filters to prevent road debris from entering compartments.	\$260		
3340-0892	Rub rail assemblies constructed of 3" x 2" Black U.H.M.W. plastic. (1) bolted to the lower exterior edge of the apparatus body only. Rub rail shall be mitered 45 degrees at leading and trailing end and notched for marker and warning lights clearance (where applicable)	\$706		
3340-0893	Hosebed divider with 45 degree offset to store customer required hose load. Locate on driver side of hosebed, to store 250' of 3" DJ hose.	\$976		
3340-0894	Smooth plate single axle wheel well painted job color. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes. Wheel well plates to be flush mounted.	\$3,582		
3340-0895	Smooth plate tandem axle wheel well painted job color. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes. Wheel well plates to be flush mounted.	\$5,833		

Item #	Description	Extension	+1/-1	Total
3340-0896	Body wheelwell driver side compartments (2) approx 24" W x 6" H x 26" deep. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$804		
3340-0897	Air bag storage rack with four (4) horizontal slots that angle downward into the compartment to hold three (3) air bags (each 24"W x 24"L x 1"THK) and one (1) pelican case (24"W x 20"L x 9"THK). The rack fabricated from .125" smooth plate aluminum with a strap to hold contents in rack and finish to match body compartment interior. Note rack is designed with slot directed at an angle down to allow 24" x 24" air bag to fit in upper compartment's 24" depth. Openings are: (3) 26" wide x 24.5" deep x 2" tall and (1) 26" wide x 21" deep x 10" tall. Located in L1 ceiling mounted offset against forward face of partition wall.	\$1,464		
3340-0898	Rolled hose rack for (2) hose rolls, (1) 5" LDH 9" wide, (1) for the balance of tray. Includes (3) dividers attached to roll out tray in compartment L1.	\$426		
3340-0899	Storage sleeve officer side rear of tank. Sleeve to hold large road signs. Opening to be approx 16"W x 16"H x 44"D with 4 individual storage areas approximately 8"W x 8"H x 44"D (EA) seperated by dividers. Wetside.	\$1,966		
3340-0900	Single Hard Suction Rack to Hold a 2.5" or 3" Diameter Suction Hose.	\$456		
3340-0901	(3) Removable number plates with mounting brackets. Locate (1) each side of cab rearward of driver and officer doors, (1) driver side rear compartment face above taillights. Plates to be 5.25" tall X 5" wide and painted job color. Lettering and/or graphics not included.	\$957		
3340-0902	Body wheelwell compartments (4) approx 24" W x 6" H x maximum depth permissible without interference with hydraulic line(s) reservoir(s) etc. A gasketed drop down door shall be installed on each compartment. Door material to match wheelwell finish.	\$1,607		
3340-0903	Rear discharge piping will pass through upper back wall of side compartments (without covers).	\$0		
3340-0904	Logo, rear body to be mounted at final inspection.	\$286		
3340-0905	Zolatone Gray finish compartments. Side body compartment interior walls and floors shall have a Zolatone Gray finish. Includes inner pan of hinged doors and floors (if smooth plate). Does not include floors if they are diamond plate. Option does not include rear body or roof top compartments.	\$6,185		
3340-0907	Body mainframe and hosebed side assemblies for a 88" high body.	\$2,751		
3340-0908	Slip-on stainless steel dump elbow and 36" straight extension chute. Includes body mounted removable support arm, mounting brackets at rear of body for elbow and brackets for straight chute in R2	\$1,965		
3340-0909	Divider Long Fixed. To run full length of hose bed (front to rear) positioned fixed as close to center of hosebed ROM roll up door drum center as hose loading permits..	\$685		
3340-0910	Label wheel well doors with 1x3 labels to read applicable contents per location. Mechanically attached lable to each location required.	\$24		
3340-0911	A polypropylene storage box for foan cannisters shall be supplied. The storage shall be for fourteen (14) cannister 7 wide x 2 high. Each compartment shall be 6" wide x 11" high. There shall be NO back wall on the box.	\$1,743		
3340-0912	Attic ladder storage for (1) 10' attic ladder with feet. Locate: B1 officer side up high. Includes smooth hinged door with thumb latch. Finish: sanded aluminum.	\$688		
3340-0913	Divider for transverse compartment, bolt in between L1/R1. Locate: R1, 26 in deep from inside of door. Finish is sanded aluminum unless otherwise specified.	\$560		
3340-0914	Divider for transverse compartment, bolt in between L2/R2. Locate: R2, 26 in deep from inside of door. Finish is sanded aluminum unless otherwise specified.	\$560		
3340-0915	Body main frame and 46" wide hose bed for a 95" high rescue pumper body.	\$3,735		
3340-0916	Warning light wiring shield (PR) fabricated from .090 smooth plate aluminum finished to match compartment interiors, shall be provided in upper hard suction storage compartment at rear.	\$258		
3340-0917	Recessed fuel fill driver side pump panel area.	\$0		
3340-0918	Wheel Chocks Alum HGS Heavy Includes Brackets. Locate below compartment ahead of Drivers side rear wheels.	\$618		

Item #	Description	Extension	+1/-1	Total
3340-0919	Diamond plate Storage Box. Located on the driver side compartment top for long tool storage. Includes hinged raised compartment lid with turn latches and grab handle(wired to door ajar indicator). Box to be as long as possible.	\$1,181		
3340-0920	Bolt-in partition wall. Locate in lower rear compartment transverse area. Partition to separate R3 compartment from B1 compartment.	\$180		
3340-0921	Special hose bed divider height and reinforcement for single (or first) hose bed divider. The height of the hose bed divider shall be lowered 10" over standard. The divider shall have a round reinforcement welded in place on the rear vertical and the top horizontal edges to stiffen the divider as mounted. A Divider Support to run full width of hosebed (side to side) at the front of the hosebed and be attached to the hosebed divider to provide additional support.	\$542		
3340-0922	Hosebed rearward of the booster tank. Includes diamond plate tank cover, engine access provision and adjustable divider extrusions. HS pumper only.	\$2,699		
3340-0923	Speedy Dry Hopper. Locate in roof compartment above R3. Includes discharge thru bottom of compartment R4 along forward compartment wall with valve for ground level dispensing. Capacity of speedy hopper is 100 lbs.	\$1,591		
3340-0924	Aluminum angle 2"x2" bolt on light guard to protect ROM light fixture and roll-up door track from damage for L4 rearward light only. (1) 18" piece at top and (1) 18" piece at the bottom bolted to the rear wall.	\$133		
3340-0925	Speedy dry hopper. Locate [#LOC]. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. Capacity of speedy dry hopper is 200 lbs.	\$1,847		
3340-0926	The hose bed is to have the capacity for the following hose (unless otherwise specified on the approval drawing). Hose load shall be listed from driver to officer. Bed 1, 250' of 2-1/2" hose, Bed 2, 1000' of 1" forestry hose, Bed 3, 800' of 3" hose, Bed 4 , 1000' of 4" hose	\$0		
3340-0927	Divider long fixed at the edge of the step-down in hosebed (driver side). Divider to run full length of hose bed (front to rear).	\$580		
3340-0928	Body main frame and hose bed side assemblies for a 93" high pumper body with special location side sheet on right side to lower overhead ladder rack. No upper rear crossover hand rail with this option.	\$4,104		
3340-0929	Smooth plate tandem axle wheel well painted job color. Includes bolt-on composite wheel well liners and fenderettes painted Durabak black.	\$4,501		
3340-0930	Hosebed storage area (no pan) in forward area of hosebed with embossed diamond plate cover hinged forward with two grab handles and gas shock hold opens. The cover to open past 90 degree for ease of equipment loading and removal in the storage area.	\$872		
3340-0931	B2 and B3 storage for (1) Stokes basket (1) backboard, (3) pike poles, (1) 10' FL-10 with feet Alco-Lite ladder. B3 storage for long handle tools only.	\$1,220		
3340-0932	Transverse opening in the lower section of side compartments to accommodate pass through the rear compartment. The opening will be 2" above the floor and have aluminum picture frame style trim from each compartment over lapping to enclose compartment wall breaks without a sleeve.	\$2,312		
3340-0933	Body mainframe and hosebed side assemblies for a 88" high body.	\$2,751		
3340-0934	Bolt-in floor rise and horizontally top hinged smooth plate full height aluminum door with D-ring latch and gas spring hold open in compartment R2. Floor rise to have 2" raised forward area (tapered towards rear for securing cribbing) and run full width front to rear.	\$999		
3340-0935	Removable wiring access panels to be installed on the rear wall of compartment L3 and R3. Panels to be retained with stainless steel machine screws.	\$216		
3340-0936	Air bag module for Paratech air bags as follows: 1-KPI-1, 1-KPI-3, 1-KPI-5, 1-KPI-12, 1-KPI-17, 1-KPI-22, 1-KPI-32, 1-KPI-35L. Locate floor mounted in lower R3.	\$1,551		
3340-0937	Tank sides to be raised 14" above booster tank. Includes raised sides and front of water tank. No hosebed slats to be installed.	\$2,717		



Item #	Description	Extension	+1/-1	Total
3340-0938	Provide access with covers on forward wall of compartment R3 to access to upper KLAMP-IT hardware for DOT storage bottles located in R2.	\$214		
3340-0939	Tool box, CTECH brand 4 drawer compartment toolbox. Includes Cal Gray drawer face finish with two (1) 8" drawer below and three (3) 3" drawers above. Toolbox dimensions to fit in an opening 36" W X 18" H X 24" deep. Requires a fixed shelf mounted above toolbox to enclose top drawer and create opening height added separately. Locate: forward and below extended floor in L2.	\$2,310		
3340-0940	Storage Pan. Pan to accommodate generator and light tower equipment. Approx size 46 inches wide and depth to match upperbody height X 216 in. long. Locate on top of rear body roof and span from front of body to rear body.	\$3,299		
3340-0941	There shall be (2) rubber bumpers to be mounted to exterior of rear access door. Bumpers to hold door off of the tank and protect the paint.	\$0		
3340-0942	Speedy Dry Hopper location: [#LOC]. Mounted on a floor mounted 500# roll-out tray. Tray to have notch on front wall for Speedy Dry Hopper valve to hold #150 pounds.	\$2,309		
3340-0943	Transverse opening in the lower rear section of side compartments to accommodate pass through the rear compartment. The opening will be 2" above the floor and have aluminum picture frame style trim from each compartment over lapping to enclose compartment wall breaks without a sleeve.	\$1,295		
3340-0944	Access thru body roof to accommodate DOT / ASME bottle valve access. Includes: Thumb latch type access diamond plate cover. Location: Above B1 in body roof pan aft side wall centered forward of bottle valve area.	\$389		
3340-0945	Storage Pan. For equipment, generator and light tower storage. Sized to accommodate equipment option. Locate: over rear axle area.	\$1,786		
3340-0946	Body mud flap heights. Bottom of flaps to be approx. 6" off ground.	\$0		
3340-0947	Rolled hose rack for (3) hose rolls, (1) 50' of 1.75", (1) 25' of 3" and (1) 25' of 5. Includes adjustable (4) dividers attached to roll out tray(s) in compartment(s) L1, R1.	\$678		
3340-0948	The hose bed is to have the capacity for the following hose (unless otherwise specified on the approval drawing). Hose load shall be listed from driver to officer. Bed 1, 1000' of 5" hose, Bed 2, 200' of 2-1/2" hose, Bed 3, 300' of 2" hose, Bed 4, 200' of 3" hose, Bed 5, (2) areas each holding 200' of 3" hose seperated by a hinged false floor.	\$701		
3340-0949	Stokes storage with stops located in the drivers side upper header. Includes a lift-up rear access door (wired to door ajar) w/bent D-ring latch.	\$1,959		
3340-0950	Rubrail for the body (serrated surface facing down).	\$657		
3340-0951	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 18" high (16" deep hosebed). Wetside only.	\$6,203		
3340-0952	Hosebed deflector box and access to the dry chem fill. Locate center of the hosebed at rear.	\$619		
3340-0953	Rub rail assembly constructed of 3" x 2" Black U.H.M.W. plastic. Bolted to the lower exterior perimeter edge of the apparatus body. Rub rail shall be mitered 45 degrees at leading and trailing end and notched for marker and warning lights clearance (where applicable).	\$1,542		
3340-0954	Stainless steel rear fender panels painted job color. (Recommended for FRP paint process compatibility!) Includes bolt-on stainless steel inner wheel well liners (not painted) and rubber outer fenderettes.	\$1,625		
3340-0955	Backboard storage sleeve. Locate in ladder tunnel. Rack to be approx 3"W x 18"H x 72"L.	\$487		
3340-0956	Compartment R1 to be notched for vertical exhaust in back forward corner of the compartment.	\$314		
3340-0957	Compartment R4 to be notched for deck gun piping in back rearward corner of the compartment.	\$314		
3340-0958	Backboard storage sleeve for (2) boards individually stored one on top of the other. Each area to be 3"W x 17"H x 72"L. Includes (1) retaining strap on the driver side. Location: Vertically mounted in L1 and into R1 (no access this side) inboard of the vertical exhaust.	\$800		

Item #	Description	Extension	+1/-1	Total
3340-0959	One (1) Vertical mount traffic cone holder shall be fabricated and installed to hold up to (8) 28" tall traffic cones with 12" bases (not included). The bracket shall be constructed of 1/8" aluminum smooth plate, bolted and mounted to the left rear panel step bumperette, inboard of the tail light assembly.	\$314		
3340-0960	Body main frame and hose bed side assemblies for a 90" high pumper body.	\$4,822		
3340-0961	Divider long fixed at the edge of the step-down in hosebed (officer side) to be "L" shaped. Divider to run full length of hose bed (front to rear).	\$580		
3340-0962	Body main frame and hose bed side assemblies for a 97 in. high body.	\$4,677		
3340-0963	Hosebed storage pan smooth plate painted black Durabak. Locate in forward area of hosebed.	\$1,090		
3340-0964	Storage pan over eMAX transverse storage area(s) to be smooth plate painted black Durabak.	\$652		
3340-0965	Tunnel, ladder. A ladder tunnel to be a compact design. Tunnel sized to stow (1) 24 foot 2-section ladder, (1) 14 foot roof ladder, (1) 10 foot folding attic ladder & (1) 10 foot pike pole. Option reduces the compartment area of the lower body. Ladder shall extend thru end of tunnel and into a water tank notch on the officer side. Locate: B1 vertically stacked on officer side low as possible.	\$2,781		
3340-0966	Hosebed to accommodate 500 feet of 5 inch LDH. Locate: Roof top walkway on driver side in front of roof top compartments and span full length. Design to accommodate passing over roof access to water tank in body. Includes: hosebed pan, side wall, slatts, hinged top access cover with handels and latches to load hose and stand on top of lid if required & vinyl cover at rear of body. (as applicable).	\$4,628		
3340-0967	Mounting plate for battery charger receptacle, indicator and air inlet (if applicable). Plate to be removable brushed stainless steel. Locate: rear of body driver side.	\$329		
3340-0968	Tunnel, cribbing. A storage tunnel, approx size 8 inches tall X 23 inches wide X 72 inches deep shall be provided. Includes: Lift up rear access door, thumb style latch, hold open device and shall be wired to door ajar. Door finish shall match rear of body. Locate: Below roof top compartment on driver side of body.	\$1,991		
3340-0969	Divider Reinforcement. To run full length of hose bed divider on top surface (front to rear). 3/4" extruded aluminum tubing welded to divider. Price per each divider.	\$376		
3340-0970	Hosebed divider #1 to be 30" high.	\$0		
3340-0971	Stainless steel tag on wheel well area above each tire location. Tag to be engraved, silver with black lettering, and specify pressure, torque and size of each tire.	\$247		
3340-0972	B1 compartment modifications. Provide (2) 4" diameter holes on left side wall of B1 into the rear wall of L3, approx 29" off floor. offset to rear. These will be directly below the left side reel rewind switch Provide (2) hose notches with welded reinforcements on the upper shelf in the B1 compartment. Notches shall be approximately 3" wide x 5" deep. These shall be centered below the reel rollers. See photos in job folder.	\$261		
3340-0973	The R2 Compartment shall include Unistrut for dealer/customer supplied equipment. (2) full width horizontal lengths shall be attached to the rear wall of the compartment. Bottom strut shall be located 8" from floor and second one 10" from center of lower.	\$295		
3340-0974	NO logos to be mounted on doors covering the cord reels on body.	\$0		
3340-0975	Smooth plate painted tandem axle wheel well. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes.	\$3,608		
3340-0976	Horizontal air bag module for four (4) customer furnished air bags. Bags will be Paratech Maxiforce brand and each bag will store with two (2) identical pieces of 3/4" plywood. Nylon buckle strap assembly shall be provided across the openings. Locate on floor of compartment L2. See specifications for details.	\$1,410		
3340-0977	The foam transfer pump breaker shall be located inside the vertical storage compartment in the driver side lower center body.	\$322		
3340-0978	Body mainframe and hosebed side assemblies for a 104" high body.	\$6,595		

Item #	Description	Extension	+1/-1	Total
3340-0979	Smooth plate single axle wheel well painted black Durabak. Includes bolt-on composite wheel well liners and bolt-on polished alum fenderettes.	\$1,783		
3340-0980	Sign plate holder made from smooth aluminum material, sized to be 12"w x 6"h, painted job color. Locate (1) at rear of truck, one (1) mounted on front bumper and (1) each side cab below canopy windows.	\$578		
3340-0981	Divider Support to run full width of hosebed (side to side) at the front of the hosebed and towards the rear of the hosebed at top of the divider(s). Attach to each hosebed divider to provide additional support. The rear divider support to be located as far rearward as available space on upper rear hose bed allows for support mounting.	\$441		
3340-0982	Body mainframe and hosebed side assemblies for a 72" high body.	\$0		
3340-0983	All body and pump module compartments (if applicable) and/or storage areas (EXCEPT R1 compartment) to have no louvers or vents. Louvers or vents for compartment R1 are to be located up high only.	\$314		
3340-0984	Special Driver side hose bed walkway. Embossed diamond plate walkway driver side over driver side compartments to run full length of the body. Walkway to have drains with drain tubes that extend to the bottom of the vehicle.	\$730		
3340-0985	Attic Ladder / Pike Pole cover to be located in compartment R1. Includes compartment wall cut-outs.	\$203		
3340-0986	Rear step trays drivers and officer's sides with slats. Each to hold (1) length of 3" DJ hose. They shall be a floating design.	\$956		
3340-0987	Wheel chock storage areas behind hinged doors. (1) pair of chocks driver's side. (Chocks not included)	\$204		
3340-0988	Hose bed above the booster tank. Includes DuraDeck fiberglass grating.	\$1,908		
3340-0989	Body mainframe and hose bed side assemblies for a 100" high body.	\$4,126		
3340-0990	Stainless steel tandem axle rear fender panels painted job color. Includes bolt-on stainless steel wheel well liners (not painted) and polished stainless steel outer fenderettes.	\$2,500		
3340-0991	Backboard storage sleeve. Locate within RS hose bed cover, underneath. Sleeve to be approximately 3" H x 20" W x 72" L.	\$900		
3340-0992	Hosebed storage pan partition. Partition to be adjustable side to side in hosebed storage pan. (2) adjustable tracks on the front wall and (2) adjustable tracks on the rear wall of the storage pan.	\$377		
3340-0993	LINE-X package for hosebed storage pan(s): Includes all surfaces of the pan visible from top of the truck. Also includes all platework fabricated at E-ONE mounted inside the pan such as hydraulic system cover, generator shield, reservoir cover, cooler cover, cord reel cover, boxes, dividers, trays, etc as applicable.	\$832		
3340-0994	LINE-X package for Pumper or Tanker body (excluding eMAX), see specification for more details.	\$2,551		
3340-0995	LINE-X package for under body platform(s): Includes all exterior surfaces of the pump panel operator and/or under body platform(s) as applicable. Quantity each.	\$148		
3340-0996	LINE-X package for eMAX Pumper, see specification for details.	\$4,244		
3340-0997	Horizontal fixed shelf. Shelf to separate upper hose from lower hose.	\$636		
3340-0998	Body mainframe and hosebed side assemblies for a 101" high body.	\$5,778		
3340-0999	Push button latches to match side pump panel latch. Locate Top Mount pump panel	\$221		
3340-1000	Cast Products FG4102-1-250-N (hinge right) recessed fuel fill with door. Recessed fuel fill driver side wheel well.	\$153		
3340-1001	Tunnel, ladder. A ladder tunnel to be a compact design. Tunnel sized to stow (1) 24' 2-section ladder, (1) 14' roof ladder & (1) 10 foot folding attic ladder. Option may reduce the compartment area. Locate: B3.	\$2,502		
3340-1002	Upper body side panels driver & officer side to be flush. Option for extended body height modification and includes forward body module (if applicable) .	\$2,853		
3340-1003	Storage pan over eMAX Rescue module.	\$2,125		
3340-1004	Stokes storage compartment. Compartment shall include a top load hinged access door with D-ring latches and moon spring door hold open device. Compartment shall be 9 in. wide X full width of body and full height of upper body. Locate: eMAX module pan toward aft bulkhead with vertical access to rear body catwalk area.	\$1,679		

Item #	Description	Extension	+1/-1	Total
3340-1005	Storage sleeves. A open faced storage sleeve unit shall be provided that is 25 in. wide X 26 in. deep X 18 in tall. Unit includes (1) shelf centered horizontally inside. Construction is 3/16 smooth aluminum. Locate: in L1, up high and forward in compartment.	\$364		
3340-1006	Hosebed to accommodate 800 feet of 3 inch DJ hose. Locate: Roof top walkway on driver side in front of roof top compartments and span full length. Design to accommodate passing over roof access to water tank in body. Includes: hosebed, side wall, slats, hinged top access cover with handles and latches to load hose and stand on top of lid if required & a cargo net cover shall be provided to access the hose bed area from the rear of body. Cargo net color: Black	\$4,628		
3340-1007	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 12" high (10" deep hosebed). Wetside only.	\$3,706		
3340-1008	Air bag module. Module to include drop down horizontal hinged door for access. (Final design details TBD) Module to accommodate " BRAND TBD" air bags as follows: TBD. Finish: Sanded aluminum. Locate: R3.	\$2,110		
3340-1009	The L3 Upper Compartment shall include Unistrut for dealer/customer supplied equipment. Two (2) full width horizontal lengths shall be attached to the upper back wall of the compartment. Top strut shall be located approx 14" down from compt opening. Second strut shall be located 12" below the upper, measured center to center.	\$295		
3340-1010	Notched hosebed divider(s). Notch to be in center approximately 25" up from hose bed floor and angle up 45 degrees at each end. Priced per divider.	\$99		
3340-1011	Special hose bed divider reinforcement. Each divider shall have 3/4" extruded aluminum tubing reinforcement welded in place on the forward and rear vertical edges and the top horizontal edges to stiffen the dividers as mounted. Price per divider.	\$376		
3340-1012	One (1) divider support(s) to attach to each top rear edge of each hose bed divider to provide additional support. SS product only. Price each.	\$66		
3340-1013	The ladder compartment door shall be equipped with a hold open device.	\$138		
3340-1014	Hang rod, stainless steel, bolt in. Qty (1). Design to be similar to grabrail. configuration to accommodate Sterns life jackets stowed on hangers. Hang rod to be approx half compartment length. Locate: R3 centered on ceiling against aft wall and to run forward.	\$437		
3340-1015	Sign, "STAY BACK 500 FEET" with black reflective lettering. Sign to be a vertically split design with "STAY BACK" on the left plat side plate and "500 FEET" on the right side plate. Locate: B1 door centered.	\$315		
3340-1016	Access panels, pair. Bolt in access panels for body compartment back wall to provide service access located over chassis centerline. Construction to be consistant with compartment interior. Locate: L2/R2 26 inches deep from body door opening.	\$1,118		
3340-1017	LINE-X package for Tandem Axle Aerial, see specification for details.	\$9,443		
3340-1018	LINE-X package for body fenderettes.	\$260		
3340-1019	LINE-X package for Aerial body miscellaneous parts: Includes wheel well plates, outrigger covers, diamond plate filler panels, diamond plate fuel fill doors and aerial control doors as applicable.	\$1,167		
3340-1020	Body will have (2) additional compartments, (1) each side behind the rear wheels. Size increased as necessary for tank capacity and/or side dump valves in w/wells.	\$891		
3340-1021	Body mud flaps to be located as far outboard as practical.	\$0		
3340-1022	Storage pan over eMAX transverse storage area to be deleted and a solid tread panel top added.	\$403		
3340-1023	Cab, Body, Multiplex Color Display and Pump Module, safety and warning Tags in Spanish to be in addition to standard English E-One supplied Tags.	\$2,987		
3340-1024	Provision for roof access to ASME/DOT storage bottles located in B2 and B4. Includes: removabe roof access cover plates. Location: Rear body roof over B2 and B4.	\$874		

Item #	Description	Extension	+1/-1	Total
3340-1025	Storage sleeve compartment in transverse. Location: L1/R1 offset to the rear of the compartment. There shall be three separate storage areas. The bottom sleeve shall be approximately 34" wide x 12" high x 86" long. Two vertical sleeves shall be on top of this base section. The first shall be 16" wide x 24" high x 86" long and offset to the rear. The second shall be 18" wide x 24" high x 86" long and shall be offset forward. Includes (3) sets of retaining straps on both sides, (1) for each sleeve.	\$1,623		
3340-1026	Driver and officer side compartment top to be embossed diamond plate IPO standard.	\$827		
3340-1027	Sign plate, smooth, large as possible. Locate: top of roof top compartment officer side forward. Color: White FLNA 4006	\$792		
3340-1028	Divider for transverse compartment, bolt in between L3/R3. Located at chassis centerline. Finish is sanded aluminum unless otherwise specified.	\$560		
3340-1029	Cover for ASME / DOT storage bottles. A bolt on diamond plate cover shall be provided for the ASME / DOT storage bottles. Includes: Thumb latch type fast access to bottle valve. Location: eMAX dunnage pan.	\$868		
3340-1030	Recessed switch enclosure with hinged stainless steel door with lift and turn latch. Located on the right rear body panel to protect the power hose bed cover switches.	\$290		
3340-1031	Turtle tile floor matting on floor of walk-in body. Matting to be secured to the floor with stainless steel machine screws and locktite. NYPD only.	\$454		
3340-1032	Mount dealer supplied white board in the walk in area of the body. To be located on the armory door(s). Exact details to be completed at the time of a future customer inspection.	\$85		
3340-1033	Mount (4) footman loops on the side of the ladder tunnel in the walk-in rescue body. Mount customer supplied 36Volt portable tool and charger in the walk-in rescue body. Mount and hard wire customer supplied TNT hydraulic power supply to the shelf in compartment L2. Mount four (4) additional footman loops on the side of the ladder tunnel in the walk-in rescue body. Exact details to be completed at the time of a future customer inspection. NYPD only.	\$259		
3340-1034	Air bag storage for Paratech air bags. Two (2) areas, one (1) inside body walkway and one (1) in R4. See specifications for details.	\$648		
3340-1035	All compartment louvers to be up as high as possible.	\$327		
3340-1036	Body compartment floors to be 3/16" aluminum smooth plate.	\$1,370		
3340-1038	Roof top compartment Interiors to have Zolatone black finish.	\$2,234		
3340-1039	Diamond plate tandem axle wheel well. Includes bolt-on composite wheel well liners and bolt-on rubber trim fenderettes.	\$2,233		
3340-1040	Body compartment Interiors and compartment mounted components (shelves, trays, toolboards,etc.) to have gray Scorpion polyurethane coating. To include pan of hinged doors, and tool compartments (as applicable). Does not include floors if they are dia plt.	\$15,228		
3340-1041	Solid aluminum 1" x 2" bar stock rubrail with 45 degree mitered ends. No scotchlite striping to be included.	\$1,073		
3340-1042	The vehicle shall be supplied with a deck gun cradle for additional support of the deck gun assembly above the pump module. The cradle shall be made of Alum Extrusion and smooth plate with Nylon cushioned rest pads. Cradle shall be painted fluorescent Orange on all metal parts.	\$1,465		
3340-1043	Hosebed above the booster tank. Hosebed assembly to be designed with short divider(s) held forward 20". Hosebed adjustable divider extrusion rearward to run full width of the hosebed.	\$2,532		
3340-1044	Body mainframe and hosebed side assemblies for a 93" high body.	\$3,573		
3340-1045	Speedy Dry Hopper. Locate in roof compartment above forwardmost driver side compartment. Includes discharge through bottom of compartment along forward wall with valve for ground level dispensing. Pipe to be fully boxed in with a vertical partition running the full height and depth of the compartment and completely enclosed at the front as wide as necessary so the pipe is not visible. Capacity of speedy hopper is 100 lbs.	\$1,842		
3340-1046	There shall be 12 gauge stainless steel smooth plate false wall bolted-in 16" in from outside of body. Locate in one (1) each L2 & R2 compartments.	\$543		

Item #	Description	Extension	+1/-1	Total
3340-1047	Hosebed divider with 45 degree offset to store customer required hose load. Locate on officer side of hosebed, to store 400' of 2.5" DJ hose.	\$976		
3340-1048	L1 vertical partition to have cut in the lower area of the partition to accomadate a recessed breaker box with the door flush with partition wall. Partition will also include cuts as needed for other electrical items to be recessed as much as possible.	\$0		
3340-1049	Stainless Steel corner guards for the driver and officer rear compartment face. Guards to wrap around the corner and be full height of side assembly.	\$320		
3340-1050	Bottom hinged, flat latching stainless steel doors with lift and turn latches shall be provided on each side the forward body wheel well panels for access to the side mounted portable winch receiver assembly and electrical connection. The rear side interior walls of the compartments adjacent to the side mounted receivers, shall have access doors for connection purposes.	\$471		
3340-1051	Diamond plate box for directional lightbar and (2) GH scene lights. Box to be mounted at rear of hosebed. Lights to be surface mounted to box.	\$662		
3340-1052	Body mainframe and hosebed side assemblies Low Profile for a 85" high Tanker style body with OAH issue.	\$2,751		
3340-1053	Redesign the TAC-Stick box holder for the current dealer supplied model. Holder shall mount in compartment L1. This is in lieu of the existing holder. NYPD only.	\$326		
3340-1054	Sign plate smooth plate with sanded finish 30" x 30" mounted on forward body roof.	\$276		
3340-1055	A tag stating "Top off DEF tank when fueling main tank" shall be permanently affixed to the vehicle near the fuel fill(s).	\$78		
3340-1056	Body main frame and hose bed side assemblies for a 96" high tanker body.	\$4,272		
3340-1057	Modified hose bed divider height and reinforcement. The height of the hose bed divider (s) to extend up over body height 2 inches with tapered forward end at front of hose bed and rounded rear end. Divider (s) shall have a split round reinforcement welded in place on the forward and rear vertical edges and the top horizontal edges to stiffen the divider (s) as mounted and to provide a rounded edge where raised divider (s) will contact hose bed nylon cover in transit to reduce chaffing. Added per each divider as equipped.	\$176		
3340-1058	Doors, access to wheel well receiver, (pair). Access doors shall be provided on each side of the rear body wheel well panels to access to the side mounted portable winch receiver assembly and electrical connection (if applicable). The rear side interior walls of the compartments adjacent to the side mounted receivers, shall have access doors for pin connection access. Door construction shall be consistant with the body design and match panels they are located in.	\$471		
3340-1059	(1) top of body, forward hose bed compartment. This includes divider wall located behind the water tank fill tower. Area shall be approximately 46" wide x 22" long x 34" deep. Includes hinged compartment lid with turn latches, grab handle(s) and gas shock hold open. Door hinges at the forward hose bed wall opening to the rear. This provides an area for additional rolled hose storage. This area is not watertight.	\$910		
3340-1060	Pan for pole light to be recessed in roof. Construction to be consistant with roof construction and includes drain. Pan shall be sized by engineering to best accommodate pole lighting that is designated in same location. Locate: [#LOC].	\$890		
3340-1061	Hosebed storage pan partition. Provide an "L" shape partion for the fill tower(s).	\$369		
3340-1062	Body main frame and 70" wide hose bed for an 90" high body with low hose bed and "L" shape tank. Hose bed is 40" from top of tailboard to bottom of hose bed.	\$2,715		
3340-1063	Rub rail assemblies constructed of 2.5" x 2" Black U.H.M.W. plastic. The first rub rail shall be bolted to the lower exterior edge of the apparatus body below the compartment doors. The second rub rail shall be mounted above the compartment doors on both sides of the body from front to back. The third rub rail shall be mounted just below the compartment tops on both sides of the body from front to back.	\$2,831		

Item #	Description	Extension	+1/-1	Total
3340-1064	LINE-X Package: Body compartment Interiors and compartment mounted components (shelves, trays, toolboards,etc.) to have LINE-X finish. To include pan of hinged doors, and tool compartments (as applicable). Includes diamond plate floors and E-ONE style wheel well SCBA compartments if applicable. Package does not include roof top compartment interior.	\$19,679		
3340-1065	LINE-X package for Pumper or Tanker body stepping surfaces, see specification for more details.	\$851		
3340-1066	The storage box(es) shall have LINE-X finish both inside and outside.	\$692		
3340-1067	LINE-X Package: Body compartment Interiors shall have LINE-X finish. Package does not include roof top compartment interior.	\$9,276		
3340-1068	Smooth plate tandem axle wheel well painted job color. Includes bolt-on composite wheel well liners and bolt-on alum fenderettes painted Durabak black. Wheel well plates to be flush mounted.	\$6,509		
3340-1069	Staircase steps and plamework and upper rear deckplate shall be made out of smooth plate and shall be coated with black Durabak. There shall be GATOR GRIP on the stepping surfaces.	\$0		
3340-1070	LINE-X package for Rescue catwalk area on top of the body. Includes floor surfaces of catwalk and forward pan area.	\$2,121		
3340-1072	Storage for 4 rope bags. 8 in. x 8 in. square tube design x 24 in. deep with closed back & Includes securing straps in front. Aluminum construction with sanded finish. Locate: L1.	\$957		
3340-1073	Air bag module for Paratech air bags as follows: 1-6X6, 1-10X10, 1-6X12, 1-15X15, 2-15X21 & leak seal bag with webbing 1-20X20, 1-24X24, 1-28X28, 1-15X42 & 1-37X37. All bags slots shall include space to accommodate 3/4 inch thk plywood. Plywood not included. Locate:R1.	\$2,110		
3340-1074	Ladder storage in roof top walkway. A compartment for a 24'-2 section extension ladder shall be provided. Ladders shall be stored on beam. Provide a lift up hinged access door with a thumb style lever latch and door hold open device located at rear. Locate: Driver side of body.	\$2,050		
3340-1075	Ladder storage in roof top walkway. A compartment for a 16' roof ladder and four (4) pike poles shall be provided. Ladder shall be stored on beam. Pike poles to be stowed in tubes accessed through rear facing hinged access door with a thumb style lever latch. Provide a lift up hinged access door on top for ladder access with a thumb style lever latch and door hold open device. Locate: Officer side of body.	\$2,273		
3340-1076	Tunnel, cribbing. A storage tunnel shall be provided that will be sized to accommodate (4) 6x6 post and (6) 4x4 post 10 feet long stowed flat on the B1 extended floor extending forward over chassis frame area. The tunnel design shall include a hinged drop down rear access door with D type handle to secure cribbing in place.	\$2,155		
3340-1077	Stop bracket. A 1 inch aluminum angle to be located along body compartment floor edge close to door opening. Locate: L3.	\$48		
3340-1078	Stop bracket. A 1 inch aluminum angle to be located along body compartment floor edge close to door opening and between aft wall and 2nd partition. Locate: R4.	\$48		
3340-1079	Slip-on stainless steel dump elbow and 36" straight extension chute. Includes body mounted removable support arm and mounting brackets at rear of body for straight chute and in dunnage pan for elbow.	\$2,163		
3340-1080	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 14" high (12" deep hosebed). Wetside only.	\$4,674		
3340-1081	Two (2) short dividers to run from forward hosebed wall front of fill tower to create a storage area. Wetside Tanker Only.	\$874		
3340-1082	Speedy Dry Hopper location: R2 floor. Mounted on a floor mounted 500# roll-out tray. Tray to have notch on front wall for Speedy Dry Hopper valve. Capacity #145 pounds.	\$2,919		
3340-1083	Provision for reels to be dealer installed after delivery. Provision includes: Four (4) adjustable tracks welded to compartment roof structure and a mounting plate bolted into place to later be removable and fitted with reels after delivery. Mounting plate to be approximately 38 in. x 50 in. Locate: L1/R1 ceiling centered.	\$560		

Item #	Description	Extension	+1/-1	Total
3340-1084	Hinged .188in. embossed diamond plate lid for dunnage pan. Includes two (2) D-Ring latches, stainless steel hinge along rearward edge or as applicable to options, and gas shock or mechanical hold open. For narrow dunnage pans without additional span reinforcement required up to 10in. inside pan width.	\$314		
3340-1085	Body wheelwell compartments (2), one each side above tandem wheelwell approximately 24" wide x 6" high x maximum depth permissible, with drop down doors. Door material to match wheelwell finish.	\$898		
3340-1086	Front of hose bed stainless steel 57" wide transverse storage divider for selected accessory such as a hose reel, fill towers. Located in right side forward area of the hose bed to separate the second storage area from the main hose storage area. Applicable main hose bed dividers will be located rearward of the transverse divider.	\$603		
3340-1087	Stokes / Step Ladder module. A storage module with approx size of 15" tall x 25.25" wide x 90" long shall accommodate (1) stokes basket and (1) customer supplied 7' tall folding step ladder. Construction shall be smooth aluminum sheet metal with a sanded finish unless otherwise specified. Poly shall be utilized on the floor of the Stokes and Ladder tunnel. Location: B1 ceiling mounted offset to right side. Nylon strap assemblies shall be provided across the openings.	\$1,724		
3340-1088	Officer side running board modified to extend out 2" beyond body side with 45 degree angled forward and rearward corners	\$249		
3340-1089	Hosebed divider fixed to store customer required hose load. Locate divider inline with back wall of R3 shallow compartment extending rearward to hosebed opening, to store 750' of 5" LDH hose.	\$580		
3340-1090	Diamond plate single axle wheel well. Includes bolt-on aluminum wheel well liners sanded finish and bolt-on polished aluminum fenderettes.	\$1,769		
3340-1091	Durabak package for Tandem Axle Aerial, see specification for details.	\$9,443		
3340-1092	Install a stainless steel 2" high flange full width of the door opening on the floor of compartment L2.	\$50		
3340-1093	The rear of each hose bed divider to have a hand hold cut-out(s). The base of each divider will have an 8" deep x full height set back notch. Base of the divider extends to rear of hose bed for mounting.	\$0		
3340-1094	Over the hose bed swing-out bracket for rear lighting accessories. Height not to exceed highest point on rear body. Swing bracket located on inside of hose bed side sheet. to reduce OAH of installation. Constructed of aluminum extrusion/tubing with aluminum plate end brackets. Paint job color.	\$1,361		
3340-1095	Brushed stainless steel scuff plate for folding or formed step. (ea.) Locate per step on painted surface to protect paint from boot contact while climbing. Position on body, module walkover or as applicable where folding or formed steps are optioned on apparatus. Not to be used where painted surface is coated with Line-X or similar anti scuff coatings.	\$33		
3340-1096	Full width hose bed above the booster tank from the officer side hose bed at ladder rack Urban notch to the driver side with raised side assemblies.	\$2,107		
3340-1097	Vertical air bag module for four (4) customer furnished air bags. Bags will be Vetter brand. Nylon buckle strap assembly shall be provided across the openings. Locate on the upper rear wall of compartment L2. See specifications for details.	\$1,517		
3340-1098	Hose bed walkway offset to officer side. Non-slip diamond plate walkway to run full length of hose bed.	\$546		
3340-1099	Stainless steel light guards on the strip lights in body compartments. Price per compartment fixture.	\$64		
3340-1100	A deflector shall be located on the cab roof and to the rear. The deflector shall be designed with an angled face at 45 degrees upward toward the body and shall be sized to best accommodate the height of the body aft of the cab. Deflector to be painted [#COL].	\$2,088		
3340-1101	Hosebed rearward of the booster tank. Includes diamond plate pan over tank, engine access provision and adjustable divider extrusions. HS pumper only.	\$3,147		
3340-1102	Durabak package for hosebed storage pan(s): Includes all surfaces of the pan visible from top of the truck. Also includes all platework fabricated at E-ONE mounted inside the pan such as hydraulic system cover, generator shield, reservoir cover, cooler cover, cord reel cover, boxes, dividers, trays, etc as applicable.	\$832		
3340-1103	Durabak package for Pumper or Tanker body (excluding eMAX), see specification for more details.	\$2,551		



Item #	Description	Extension	+1/-1	Total
3340-1104	Durabak package for body fenderettes.	\$260		
3340-1105	Durabak package for body interior door panels. Location(s): [#LOC].	\$260		
3340-1106	Hinged access door for rear mounted booster reel.	\$372		
3340-1107	Front of hose bed stainless steel transverse storage divider for selected accessory such as a generator, hose reel and fill towers. Located in forward area of 72" wide hose bed to separate the storage area from the main hose storage area. Applicable main hose bed dividers will be located rearward of the transverse divider.	\$585		
3340-1108	Provision for MAKO fill station to be installed. Includes blowout cutout, mounting preparation. Fill station mounting specs to be provided to E-1 by dealer prior to engineering release. Location: L4.	\$627		
3340-1109	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 15" high (13" deep hosebed). Wetside only.	\$6,298		
3340-1110	There shall be two (2) short dividers, one (1) forward, to run from forward hosebed wall to front of fill tower, one (1) rearward from rear of fill tower to end of hose bed.	\$874		
3340-1111	Brackets to store one (1) 14' extension ladder. Construction is aluminum. Finish is sanded aluminum. Locate: in catwalk on driver side.	\$835		
3340-1112	Deflector for hosebed. To run from center of "V" to the left side of hosebed so all hose deploys through right side chute	\$363		
3340-1113	Bracing installed for Dealer supplied and installed wheel chock brackets (PR). Location below L2 & R2 offset rearward. Note requires jack pad bracket offset forward as far as possible (if applicable).	\$514		
3340-1114	Body compartment door pans to have a swirled finish. Includes pan or hinged door as applicable.	\$618		
3340-1115	Rub rail, Poly 3" x 2" Black U.H.M.W. plastic bolted to body. Rub rail shall be mitered at each end and shall be fitted between body lighting (where applicable). Locate: IPO standard aluminum rubrail of the apparatus side body only.	\$1,542		
3340-1116	Rub rail, Poly 3" x 2" Black U.H.M.W. plastic bolted to body. Rub rail shall be mitered at each end and shall be fitted between body lighting (where applicable). Locate: above body compartment header extrusion apparatus side body only.	\$1,542		
3340-1117	Rub rail, Poly 3" x 2" Black U.H.M.W. plastic bolted to body. Rub rail shall be mitered at each end and shall be fitted between body lighting (where applicable). Locate: upper roof extrusion of the apparatus side body only.	\$1,542		
3340-1118	The end(s) of each crosslay divider to be held short 5" from end of each bed(s).	\$0		
3340-1119	Rivet in place stainless steel trim on bottom edge of compartment opening. Option quantity is each. Option does not include stainless steel trim.	\$59		
3340-1120	Stokes basket mounting brackets top of body officer side over R3/R4 for storage of a CMC Rescue-Stainless Steel Rescue Litter Model #726101 Stokes basket.	\$591		
3340-1121	Storage sleeve. A open faced storage sleeve unit shall be provided that is 6 W X 40 T X 40 D. Includes: nylon strap with plastic buckle across opening at center. Construction is 3/16 aluminum diamond plate. Locate: inside walkin module against aft wall on driver side with opening facing module entry door.	\$364		
3340-1122	Conduit, flexible, 2.5" conduit with connectors. Location: Route from aft area of cab map box to body module electronics cabine above refrigerator. Includes (4) four pull wires labeled 1 thru 4. Renton Rescue.	\$868		
3340-1123	Underbody full width mudflap mounted to body. Includes white reflective "STAY BACK 300 FEET" lettering. Locate at rear of body ahead of staircase. Bottom of flap to be approx 12" off ground.	\$888		
3340-1124	Raceway. There shall be a antenna raceway provided and fabricated of aluminum Diamond plate. The design shall provide for easy access and installation of antennas. The raceway shall be located on top of the walk-in module to the officer side and span front to rear of the module area.	\$406		
3340-1125	All body, walkway and speedlay compartments (if applicable) and/or storage areas (EXCEPT R3 compartment) to have no louvers or vents. Louvers for compartment R3 are to located only on the rear and back walls.	\$314		
3340-1126	Spool plastic roll storage 1 inch diameter round bar stock for a 36 inch long roll of plastic located in R4 upper. See Photos on file.	\$484		

Item #	Description	Extension	+1/-1	Total
3340-1127	Roof top compartment Interiors to have Zolatone black finish.	\$2,234		
3340-1128	Hosebed dividers to be 35" high.	\$0		
3340-1129	Underbody UltraGuard splash guard behind rear axle mounted to body at rear step area. Guard to be modified to include cutouts for rear tow eyes and rear hitch receiver (If applicable).	\$755		
3340-1130	Provision for SpaceSaver M2792M two bottle mobile fill station to be installed after delivery. Includes blowout cutout, mounting preparation and cover plate. Location: L4.	\$627		
3340-1131	Storage for Fire Department supplied ALS gear in a shelving style pigeon hole horizontal fashion to closely match existing Chicago units in compartment L3 and lower B1. Module constructed of 1/8" smooth aluminum plate.	\$2,702		
3340-1132	Stainless steel rear fender panels with aluminum treadplate overlays IPO painted finish. Includes bolt-on stainless steel wheel well liners (not painted) and rubber outer fenderettes.	\$1,339		
3340-1133	Cargo net. Black Nylon cargo net with 2x2 openings shall be provided inside body compartment for area below transverse style extended floor [#LOC]. Cargo net to be permanently fastened to bottom of transverse compartment style extended floor and secured in place at bottom and sides with twist-locks, snaps and Velcro straps as deemed required by E-1 engineering to adequately secure cargo in place.	\$786		
3340-1134	LINE-X package for Wetside body: All visible diamond plate surfaces shall be coated with LINE-X finish. See specification for more details.	\$2,551		
3340-1135	Double hose restraints to be located on the officer side Water Master body to match those provided with the body on the driver side to utilize both compartment top storage areas for hose as required to meet departments needs. Water Master only.	\$179		
3340-1143	Body main frame and hose bed side assemblies for a 90" high pumper body with a 72" wide low hose bed.	\$2,814		
3340-1144	Deflector, for roof mounted A/C unit. A 3 sided smooth aluminum deflector shall be positioned in front of and around a pair of roof mounted A/C systems on the body roof. The deflector shall be slotted on the sides to provide unobstructed ventilation. Finish: Paint FLNA 4006 White.	\$1,316		
3340-1145	Removable aluminum hose bed storage tray (EA), installed at the top rear of bed 1 at the center of the body. Tray shall include manual release assembly to lock tray in place. The floor of the tray(s) to be slotted to prevent the accumulation of water and allow for ventilation of wet hose. UHMW strips on the bottom rails to assist in installation/removal of tray.	\$815		
3340-1146	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 14" high (12" deep hosebed). Wetside only.	\$5,991		
3340-1147	Bolt-on diamond plate 24" tailboard (full width of body) ILO a standard tailboard. Includes (2) slanted beavertails (no stanchions) with removable outer panels and handrails - (2) vertical on trailing edge of beavertails. Wetside Tanker Only.	\$1,450		
3340-1148	Divider Support to run full width of hosebed (side to side) at the front of the hosebed divider(s). Attach to each hosebed divider to provide additional support.	\$343		
3340-1149	Stainless Steel corner guard for the officer rear 3x3 to protect the paint from the pike poles.. Guard to wrap around the 3x3.	\$161		
3340-1150	Rear Aerial staircase steps, beavertail platework and tailboard shall be coated with black Line-X.	\$940		
3340-1151	Smooth plate corner guards for the driver and officer front compartment face. Guards to wrap around the corner and be full height of side assembly. Corner guards to be painted job color.	\$699		
3340-1152	The upper right sight side of the body shall include an integral drip edge formed into the compartment top trim assembly. Trim shall be formed at a 30 degree angle. The upper side of the body shall include a full length FRP panel without exposed seams. The seams will be positioned behind the upper side warning lights. The warning lights shall be trimmed with a 14" x 14" mirror polished stainless steel trim panels.	\$175		

Item #	Description	Extension	+1/-1	Total
3340-1153	Binder box. A smooth aluminum box with a sealed water resistant front drop down hinged access door shall be provided. Includes: Shock resistant lined interior finish, water resistant design, thumb style door latching, door support and interior light. The box interior shall be lined with a thin profile shock resistant product to provide minimal protection for items stored inside. Approx dimensions: 20 in. wide X 16 in. tall X 25 in. deep. Finish: Sanded aluminum. Locate: R2, below extended floor.	\$1,626		
3340-1154	Provision for SpaceSaver M2794M Quad 4 bottle fill station. Includes blowout cutout and mounting. Location: R1.	\$582		
3340-1155	Storage / pigeon hole: 18 in wide X 15 in tall X 25 in deep interior dimensions. Locate: L3.	\$230		
3340-1156	Storage / pigeon hole, REMOVABLE: 18 wide X 18 in tall X 19 in deep for bunker gear. Locate: L1 compartment floor.	\$230		
3340-1157	Storage / pigeon hole: 18 in wide X 15 in tall X 25 in deep interior dimensions. Locate: R3.	\$230		
3340-1158	Divider for transverse compartment, bolt in between L2/R2. Locate: R2, 26 inches deep. Finish is sanded aluminum unless otherwise specified.	\$560		
3340-1159	Bolt-in partition. Locate: R4, 23 inches from aft compartment wall and span from compartment floor to bottom of permanent shelf located 20 inches above floor mounted generator tray.	\$276		
3340-1160	Cargo net cover for (6) six pigeon storage openings. Cargo net to be Black 2 in x 2 in squares. Use Velcro along top and sides and snaps along the bottom. Locate: L3	\$802		
3340-1161	Stokes storage compartment. Compartment shall include a top load hinged access door with D-ring latches and moon spring door hold open device. Compartment shall be sized to best accommodate stokes basket. Locate: Upper body catwalk against face of roof top storage box on driver side and forward bulkhead.	\$1,679		
3340-1162	Cargo net cover for (6) six pigeon storage openings. Cargo net to be Black 2 in x 2 in squares. Use Velcro along top and sides and snaps along the bottom. Locate: R3	\$802		
3340-1163	Compartment heater. Includes switch on driver overhead. Location: [#LOC].	\$1,408		
3340-1164	The upper top sides of the body shall include an integral drip edge formed into the compartment top trim assembly. Trim shall be formed at a 30 degree angle.	\$143		
3340-1165	Body main frame and 96" wide hose bed for an 83" high body with low hose bed and "L" shaped water tank	\$1,877		
3340-1166	Rub rail assemblies constructed of 2.5" x 2" Black U.H.M.W. plastic. Bolt to the lower exterior edge of the apparatus body below the side of body compartment doors.	\$1,170		
3340-1167	Stainless steel trim on edges of compartment openings; vertical edge of L1 and R1 opposite the hinges and the vertical edges of L2 and R2	\$578		
3340-1168	Brushed stainless steel rear fender panels. Includes bolt-on stainless steel inner wheel well liners (not painted) and rubber fenderettes.	\$2,160		
3340-1169	Body main frame and 59" wide hose bed side assemblies for a 90" high pumper body.	\$3,383		
3340-1170	The hose bed is to have the capacity for the following hose (unless otherwise specified on the approval drawing). Hose load shall be listed from driver to officer. Lay-1, 300' of 2.50" DJ with 300' of 1.75" DJ stacked on top, Lay-2, 500' of 2.50" DJ with 300' of 1.75" DJ stacked on top, Lay-3, 1000' of 5.00" LDH, Lay-4, 500' of 2.50" DJ.	\$0		
3340-1171	Rub rail assemblies constructed of 2.5" x 2" Black U.H.M.W. plastic. The first rub rail shall be bolted to the lower exterior edge of the apparatus body below the compartment doors. The second rub rail shall be mounted above the compartment doors on both sides of the body from front to back.	\$2,187		
3340-1172	Poly box with approx size 12" W x 12" H x 23" D to be located on the rearward adjustable shelf in L2.	\$379		
3340-1173	Horizontal air bag module for five (5) customer furnished air bags. Location: R3. Each storage area to be 2" high. The bottom storage are to be full width and the uppers to be half width.	\$1,992		
3340-1174	Horizontal air bag module for (7) seven customer furnished Paratech air bags. Floor mounted in L3 compartment offset against rearward wall. See sketch in file and for specifications see detailed specs.	\$860		

Item #	Description	Extension	+1/-1	Total
3340-1175	Air bag storage for (5) five customer furnished Paratech air bags. Floor mounted in L2 compartment. Includes hinged style box that swings outward towards opening and stops for access to bags and lock to store in upright position. See sketch in file and for specifications see detailed specs.	\$1,382		
3340-1176	Recessed fuel fill on MAN chassis. Locate: officer side body module forward of mudule entry door.	\$291		
3340-1177	Body main frame and hose bed side assemblies for a 88" high rescue pumper body with a 72" wide hose bed and a special location side sheet on right side to lower overhead ladder rack. No upper rear crossover hand rail with this option.	\$4,104		
3340-1178	Sign plate, smooth, 25 in wide x 30 in long front to rear. Locate: top of body roof, officer side forward. Color: White FLNA 4006	\$598		
3340-1179	Flooring plate additional in R2 compartment. 3/16" aluminum smooth plate to be bolted in place 1/2" above standard diamond plate compartment floor.	\$92		
3340-1180	Notch the ceiling of the [#LOC] compartment and add a cap to raise the ceiling height.	\$324		
3340-1186	LINE-X package for roof top compartment lids: Includes all exterior surfaces of the lids only, no interior.	\$832		
3340-1187	Doors, access to tandem wheel well receiver (set). Access shall be provided for the side receiver assembly and electrical connection (if applicable) thru a hinged door located in front of the receiver centered in the tandem wheel well. Construction shall be consistent with the body design and match panels where located.	\$579		
3340-1188	Cast Products recessed fuel fill with door in driver side wheel well.	\$153		
3340-1189	Nylatron bolt-on overlay for compartment floor (full width/full depth). Includes 45 degree beveled edge to outside and .187" smooth plate aluminum beneath Nylatron floor with fasteners countersunk. Location: [#LOC].	\$624		
3340-1190	Hosebed Storage Pan. Locate in forward area of hosebed. To be utilized for a Wetside Tanker application. Wetside Tanker only.	\$1,740		
3340-1191	Storage box with doors over forward body pan. Diamond plate storage enclosure on top of body. Construction shall be consistent with the upper body design. Includes: A split pan diamond plate lift-up door hinged to the outboard (left and right) of the box. The doors shall utilize D-ring handles with (2) point latching and be wired to the door ajar circuit. LED lighting shall be provided for each. The lights shall illuminate when the compartment lid is in the open position. There shall be gas spring hold open device(s) on each door. The rear of the doors shall include pull down straps to assist closing the doors by.	\$3,250		
3340-1192	Tunnel, ladders & cribbing. Tunnel to be compact design and split into two levels. Tunnel upper level to accommodate (1) one Duo Safety 775-A 14' roof ladder and (1) one Duo Safety 585-A 10' folding ladder. Tunnel lower level to accommodate 4X4X12 foot cribbing. Option shall reduce the compartment area in L2/R2. Option includes angles and stops to provide as guides for ease of equipment access and security. Locate: B3.	\$2,771		
3340-1193	There shall be 12 gauge stainless steel smooth plate floor above the horizontal hard suction storage racks in the drivers roof top compartments to provide additional storage.	\$1,108		
3340-1194	The rear of the outer (2) hose bed dividers to be cut back 6". An additional adjustable track will be installed at the rear of the hose bed to secure these dividers.	\$296		
3340-1195	Cargo net for opening of storage cabinet located inside walk in rescue body side walls. Size to best accommodate cabinet openings. Cargo net to be Black 2 in x 2 in squares. Use permanent fastners along bottom edge and snaps in other locations. Qty each.	\$330		
3340-1197	Storage module for air bags and plywood as follows (from bottom to top): Plywood Storage, (2)26x26 air bags, (2)21.5x21.5 air bags, (2)16.5x22 air bags, (2)16.5x16.5 air bags, and (2) 13.5x19.5 air bags. Locate floor mounted in R2 compartment.	\$1,551		
3340-1198	Bolt-in partition wall. Locate in lower rearward side compartment in order to divide the compartment storage area from the cord reel, and/or other, permanently mounted equipment in the forward, or rearward, area of the compartment.	\$139		

Item #	Description	Extension	+1/-1	Total
3340-1199	Body will have (2) additional compartments, (1) each side behind the rear wheels below side dumps. Includes a vertically hinged door, same material finish as wheel well with thumb latch.	\$891		
3340-1200	Storage module located in [#LOC] compartment. Module shall be designed per customer specific requirement and drawing shall be provided for review and approval.	\$688		
3340-1201	Storage module located in [#LOC] compartment. Module shall be designed per customer specific requirement and drawing shall be provided for review and approval.	\$1,340		
3340-1202	Storage module located in [#LOC] compartment. Module shall be designed per customer specific requirement and drawing shall be provided for review and approval.	\$1,992		
3340-1203	3/8" thick white poly box with hand hold cutout on each end located in [#LOC] compartment. The box shall be designed per customer specific requirement and drawing shall be provided for review and approval.	\$379		
3340-1204	1/2" thick black poly box with hand hold cutout on each end located in [#LOC] compartment. The box shall be designed per customer specific requirement and drawing shall be provided for review and approval.	\$379		
3340-1205	Brackets to store one (1) extension ladder & one (1) roof ladder. Construction: aluminum. Finish: sanded aluminum. Locate: in catwalk on driver side.	\$1,052		
3340-1206	Storage module located in [#LOC] compartment. Module shall be designed per customer specific requirement and drawing shall be provided for review and approval.	\$688		
3340-1207	(1) Front of hose bed top open storage compartment. Includes hinged raised compartment lid with turn latches and grab handle(s). Located rearward of eMAX transverse pan, forward of fill tower(s). Bolt in deign to allow water tank serviceability. Compartment to have (1) bracket mounted LED light and wired to door ajar indicator in cab.	\$1,487		
3340-1208	Body main frame and hose bed for a 95" high stainless steel eMAX rescue pumper body. Hose bed to be 46" wide.	\$5,034		
3340-1209	Body mainframe and hosebed side assemblies for a 93" high body.	\$3,573		
3340-1210	Body mainframe and hosebed side assemblies for a 100" high body. Includes height of rear body/pump module	\$2,510		
3340-1211	Front of hose bed stainless steel partial storage divider on driver side for additional storage. Located in forward area of hose bed at end of hard suction storage assembly to separate the storage area from the main hose storage area. Applicable main hose bed dividers will be located rearward of the partial divider.	\$491		
3340-1212	The following items to be sanded smooth plate painted with gray Scorpion coating in place of standard diamond plate: Aluminum hose bed covers. The coating shall be tinted to match the upper body color and have a flat (not glossy) slip resistant finish.	\$1,802		
3340-1213	Rear compartment protruding through rear side compartment. Includes hinged door (to match rear body finish) with D-Ring latch. Door Ajar included.	\$628		
3340-1214	Aluminum diamond plate trim on bottom and side edges of speedlay openings.	\$444		
3340-1215	1.25" diameter spool rod to accommodate plastic roll storage. Includes applicable brackets and quick release pins on each end. Located in [#LOC].	\$180		
3340-1216	Body mainframe and hosebed side assemblies for a 102" high body.	\$5,945		
3340-1217	Cast products AD0003-1 switch box assembly with polished flange, 120 grit directional finish on lid and concealed hardware and hinges, mounted on the rear body.	\$227		
3340-1218	Access thru body roof pan to accommodate DOT / ASME bottle valve access. Includes: Thumb latch type access diamond plate cover. Location: Body roof pan aft vertical side wall centered forward of bottle valve area.	\$389		
3340-1219	Access thru roof. Roof access shall be provided in the rear body for ASME / DOT bottle installation and servicing. A bolt in door shall be located on top of DOT bottle storage area at running long ways, sized by engineering to best accommodate service access. Construction shall be consistant with the body roof and accommodate stepping and walking activity.	\$1,471		
3340-1220	Speedy Dry Hopper. Locate in roof compartment above L4. Includes discharge thru bottom of compartment L4 along forward compartment wall with valve for ground level dispensing. Capacity of speedy hopper is 100 lbs.	\$1,591		

Item #	Description	Extension	+1/-1	Total
3340-1221	An additional hose bed divider track to be held 24" from rear of hose bed to allow for adjustability and space to walk side to side for hose bed access.	\$0		
3340-1222	Backboard open storage located in the driver side hose bed using an additional hose bed divider. (2) Backboards, no divider between boards. Back stop and nylon retaining strap with quick release buckle provided.	\$722		
3340-1223	Speedy dry hopper. Locate: roof top compartment above R5. Includes: discharge chute in compartment directly below roof top compartment routed thru compartment floor close to door opening, close off dispensing valve and extension hose for ground level dispensing below compartment. Capacity of speedy dry hopper is 200 lbs.	\$2,228		
3340-1224	Upper rear body panels to be seamless and flush.	\$471		
3340-1225	Diamond plate single axle wheel well. Includes bolt-on composite wheel well liners and bolt-on rubber trim fenderettes.	\$1,156		
3340-1226	Provision for Bauer CFSII 2 bottle fill station. Includes blowout cutout and mounting. Locate:[#LOC].	\$582		
3340-1227	Speedy Dry Hopper. Locate [#LOC]. The hopper shall have a discharge chute with a shut-off valve that extends down into the interior compartment directly below the roof compartment. with an extension hose for ground level dispensing . Capacity of speedy hopper is 25 lbs.	\$1,386		
3340-1228	Horizontal air bag and poly box module for four (4) poly boxes and three (3) customer furnished air bags. Location: R3.	\$1,992		
3340-1229	Smooth plate single axle wheel well painted job color. Includes bolt-on aluminum wheel well liners painted Job Color and bolt-on polished aluminum fenderettes.	\$2,020		
3340-1230	Diamond plate box for directional lightbar. Box to be mounted below intermediate step at rear of body. Lightbar to be surface mounted to box.	\$671		
3340-1231	Vertical air bag module for four (4) customer furnished air bags. Nylon buckle strap assembly shall be provided across the openings. Locate on the floor of compartment R3, offset rearward. See specifications for details.	\$1,517		
3340-1232	Storage box, fully enclosed for miscellaneous equipment. 12" high x 16" wide x compartment depth. Includes horizontally hinged drop down ADT door with trigger style latch. Location: On the upper back wall of the B1 compartment.	\$516		
3340-1233	Add a removable cover to the two rear roof top compartment interiors to cover all upper rear body 900 LED lights, upper side rear body 900 LED lights, and corner electrical harnesses.	\$1,048		
3340-1234	Nylon black cargo net in interior compartment opening behind door(s) of upper [#LOC]. Cargo net to be mechanically attached at compartment offset and bungee cords in the top corners.	\$640		
3340-1235	Body wheelwell compartments (2) centered above tandems approx 26" W x 10" H x 25" D with drop down doors. One compartment each side of body. Door material to match wheelwell finish. Minimum 34" high lower body compartment openings required.	\$1,335		
3340-1236	Two (2) diamond plate aluminum storage boxes (PR) with lift-up hinged doors that flip back onto the top of the storage box (No hold open device required). Storage box outside dimensions to be 37" wide x 37" deep x 12" high. Includes fixed shelf offset 6" from floor and (2) two push button latches for each storage box. Located side by side on top of L5/L6 compartments.	\$2,270		
3340-1237	Enclosure to box-in the CAFS components and thereby provide an obstruction free usable space in the remainder of the compartment. Locate: [#LOC]	\$270		
3340-1238	Sleeve through the driver side compartment into the rear compartment to accommodate Little Giant Model 17 ladder on its beam recessed as much as possible. Includes a strap to secure the ladder and appropriate spacer/stop. Bolt on vertical partition in front of the sleeve full width and full height of the rear compartment to separate the usable compartment space.	\$788		
3340-1239	Painted smooth plate shield over electrical items mounted on extended box at upper rear of Wetside tank.	\$220		

Item #	Description	Extension	+1/-1	Total
3340-1240	Aluminum diamond plate overlays on both sides of the pump module to extend from the top of the pump panel or as applicable to surround openings down to running boards. Overlay shall surround the openings for the speed lay(s) and or tool compartments in the forward area of the pump module and shall be positioned to protect the module surface during tool or hose deployment.	\$804		
3340-1241	Removable upper rear side trailing panel designed to mimic the upper left rear panel of the body. Constructed of smooth plate stainless steel and painted job color. Formed construction to mimic a hose bed side sheet with forward facing access cover. Rear surface can be used for mounting warning and/or scene lights. Located on the upper right side rear compartment top.	\$786		
3340-1242	Hosebed tray - removable. Tray includes a 1.25" extruded alum handle low on each end of tray and slots down each side to facilitate lifting. The floor of the tray shall have poly slides and be slotted to prevent the accumulation of water and allow for ventilation of wet hose.	\$691		
3340-1243	Backboard storage sleeve. Locate within RS hose bed cover, underneath. Sleeve to be approximately 5" H x 20" W x 72" L. Rear of storage sleeve to have a horizontal hinged door with push button latches and mounting for notched rear hosebed cover flap.	\$981		
3340-1244	Flooring plate additional in [#LOC] compartment. 3/16" aluminum smooth plate to be bolted in place 1/2" above standard diamond plate compartment floor.	\$184		
3340-1245	Flooring plate additional in R2 compartment. The 3/16" aluminum smooth plate to be bolted in place 1/2" above standard diamond plate compartment floor and shall be 30" wide x deep as possible, offset rearward.	\$184		
3340-1246	CTECH Brand tool box. A (5) five drawer toolbox shall be provided. Finish: Cal Gray drawer face. Drawer size: five (5) 3in. tall drawers. Toolbox dimensions to fit in an opening 36 in W X 18 in H X 24 in deep. Requires shelf above to enclose top drawer. Locate: R1.	\$2,745		
3340-1247	Storage module for storing 4x4 wood cribbage. Module to include vertical partition, lower bolt-in floor and above (1) one permanently fixed shelf at compartment offset. Lower floor is in addition to the existing DP floor. The bolt-in floor and fixed shelf both shall include 2" raised area at opening (tapered towards backwall for securing cribbing) and run full length opening to backwall. Located in R1 compartment.	\$688		
3340-1248	One (1) Vertical mount traffic cone holder shall be fabricated and installed to hold up to (8) 28" tall traffic cones with 12" bases (not included). The bracket shall be constructed of 1/8" aluminum smooth plate, bolted and mounted to the right rear panel step bumperette, inboard of the tail light assembly.	\$314		
3340-1249	Divider for transverse compartment to be bolt in. Locate: between L2/R2 at chassis centerline and aft of partition. Finish is sanded aluminum unless otherwise specified.	\$560		
3340-1250	Provision for reel to be dealer installed after delivery. Provision includes: ceiling mounted Unistrut track spanning front to rear inside compartment to accommodate hydraulic reel model JL-ER. Rollers & additional brackets not included. Locate: L1 ceiling offset forward.	\$560		
3340-1251	Provision for reel to be dealer installed after delivery. Provision includes: ceiling mounted Unistrut track spanning front to rear inside compartment to accommodate hydraulic reel model JL-ER. Rollers & additional brackets not included. Locate: R1 ceiling offset forward.	\$560		
3340-1252	All body and pump module compartments (if applicable) and/or storage areas (EXCEPT R1 and R3 compartments) to have no louvers or vents. Louvers or vents for compartment R1 and R3 are to located up high only.	\$314		
3340-1253	LINE-X Package: Specified Body compartment interior and compartment mounted components (shelves, trays, toolboards,etc.) to have LINE-X finish. To include pan of hinged doors if applicable. Compartment interior includes floor, back and side walls and ceiling as applicable. Location(s): [#LOC].	\$2,811		
3340-1254	Body will have (2) additional compartments, (1) each side behind the rear wheels.	\$891		
3340-1255	Body will have (2) additional compartments, (1) each side behind the rear wheels 24" wide.	\$891		

Item #	Description	Extension	+1/-1	Total
3340-1256	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 15" high (13" deep hosebed). Wetside only.	\$4,674		
3340-1257	Hosebed divider with 45 degree offset to store customer required hose load. Rear section of divider approx. 80.5" to rear of offset and forward section of divider approx. 57.5" ahead of offset. HP75/78 only.	\$855		
3340-1258	Body main frame and 72" wide hose bed for a 93" high rescue pumper body.	\$3,042		
3340-1259	The spacer plates between the cab and body shall be coated with LINE-X.	\$270		
3340-1260	Captive booster reel rollers mounted through center rear compartment face on a removable bolt-on access panel assembly. Assembly shall be located down low, size for width of reel as components and structures allow. Roller panel assembly shall be removable to allow for limited access to Booster Reel.	\$612		
3340-1261	Hosebed area above booster tank. Includes raised sides and front of water tank, slatted flooring and adjustable divider extrusions. Hosebed walls to be 17" high (15" deep hosebed). Wetside only.	\$5,438		
3340-1262	Double pre-connect tray on top of the drivers side compartment top offset to the rear. Tray to be "U" shape to hold 250' of 1.75" DJ (each). Include inged diamond plate cover. Wetside Tanker only.	\$1,847		
3340-1263	Storage module located in [#LOC] compartment. Module shall be designed per customer specific requirement and drawing shall be provided for review and approval.	\$3,247		
3340-1264	Roof top compartment for hard suction storage. Compartment to accommodate (2) 6 inch. X 8 foot long hard suction pipes. Compartment approx size 105 in. L x 12 in. T X 25 in. W. Includes: Diamond plate construction, (1) vertical divider centered, rear lift up hinged door with D-style latch and door hold open device located at rear. Locate: Roof top of body on officer side.	\$1,921		
3340-1265	One (1) Vertical mount traffic cone holder shall be fabricated and installed to hold up to (8) 28" tall traffic cones with 12" bases (not included). The bracket shall be constructed of 1/8" aluminum smooth plate, bolted and mounted to the right rear panel step, inboard of the tail light assembly. Note; this may extend the OAL of the vehicle depending upon the depth of the selected rear step.	\$314		
3340-1266	Body will have (2) additional compartments, (1) each side behind the rear wheels.	\$980		
3340-1267	Body mainframe layout line to be 31" due to 4x4 application. Includes body and all applicable modules	\$0		
3340-1268	Transverse sleeve in the upper rear section of side compartments to accommodate pass through the rear compartment. Sleeve to be designed per customer specific requirements detailed on the apparatus layout.	\$1,947		
3340-1269	Provision for SpaceSaver M2791M single bottle mobile fill station to be installed after delivery. Includes blowout cutout, mounting preparation and cover plate. Location: L4.	\$627		
3340-1270	Body will have (2) additional compartments, (1) each side behind the rear wheels. Raised as necessary for side dumps in W/Wells.	\$891		
3340-1271	Cover , heater. Cover to be aluminum. Finish to match compartment interior. Location: [#LOC].	\$108		
3340-1272	Speedy dry hopper. Locate [#LOC]. Includes discharge chute in compartment directly below roof top compartment with close off valve and extension hose for ground level dispensing. Capacity of speedy dry hopper is 150 lbs.	\$1,847		
3340-1273	Diamond plate corner guard shall extend from inside the wall of the hosebed.	\$337		
3340-1274	Stop bracket. A 1 inch aluminum angle to be located along body compartment floor edge close to door opening. Locate: L1.	\$85		
3340-1275	Enhanced extended compartment located [#LOC]. Includes hinged door (to match rear body finish) with D-Ring latch. Door Ajar included. Requires enhanced extended body compartmentation (selected separately). This option reduces the depth of rear side compartments.	\$453		



Item #	Description	Extension	+1/-1	Total
3340-1276	Bolt-in partition walls to be located as follows: in the forward hose bed area, (1) one partition mounted side to side, with a 16" clear opening to rear of forward Hosebed-Headboard wall, and a second identical partition located rearward of the forward partition. The second partition to create a 42" clear opening rearward of the first. Each partition shall have a minimum 2" 90 degree break at the bottom edge (located against the hose bed floor), and an extrusion welded across the top edge of the partition wall to facilitate tie-off's. These partitions to create two separate Storage areas.	\$856		
3340-1277	A Stainless Steel plate shall be mounted on the Drv's side rear of tank for mounting of Hydrant Wrench Set. Include mounting bosses on rear tank wall as per final customer design. Customer to supply design sketch/drawing for approval prior to start of manufacturing of tank.	\$380		
3340-1278	Roof top compartment for hard suction storage. Compartment to accommodate (2) 6 inch. X 8 foot long hard suction pipes. Compartment approx size 105 in. L x 12 in. T X 25 in. W. Includes: (1) vertical divider centered, rear lift up hinged door with D-style latch and door hold open device located at rear. Construction: smooth aluminum with sanded finish unless other wise specified. Locate: Roof top of body on driver side.	\$1,921		
3340-1279	Roof top compartment for hard suction storage. Compartment to accommodate (2) 6 inch. X 8 foot long hard suction pipes. Compartment approx size 105 in. L x 12 in. T X 25 in. W. Includes: (1) vertical divider centered, rear lift up hinged door with D-style latch and door hold open device located at rear. Construction: smooth aluminum with sanded finish unless other wise specified. Locate: Roof top of body on officer side.	\$1,921		
3340-1280	Bolt-in partition walls for officer side storage. Ship loose. Partition to be 3/16" smooth plate x 26" wide x 18" high.	\$139		
3340-1281	Body mainframe layout line to be 27in. Includes body and all applicable modules.	\$0		
3340-1282	Stainless steel trim along sides and top edge of each fuel fill opening on driver side of body	\$199		
3340-1283	Speedy Dry Hopper. Locate in roof compartment above L4. Includes discharge thru bottom of compartment L4 along rearward compartment wall with valve for ground level dispensing. Capacity of speedy hopper is 100 lbs.	\$1,591		
3340-1284	Swirl plate corner guards for the driver and officer front compartment face. Guards to wrap around the corner and be full height of side assembly or to a max of 96".	\$494		
3340-1285	Fuel fill driver side wheel well to be recessed & covered with a Fire Shopp brushed finish S/S door with positive latch. Locate: Driver side wheel well to rear.	\$631		
3340-1286	Deflector for hosebed. A bolt in deflector shall span across the forward hosebed bulkhead between the body roof top boxes and with matched height (as applicable). Construction shall be diamond plate.	\$489		
3340-1287	Roof compartment for mini pumper body. 24 in wide x 12 in tall inside x 96 in long. Includes: Removable shelf center mounted inside box, Includes full length top hinged access door to open to outboard side and rear drop down hinged access door, D-ring latches, door check devices. Aluminum diamond plate construction. Access doors to be wired to door ajar system. Locate: Top of rear body, driver side.	\$1,919		
3340-1288	Roof compartment for mini pumper body. 24 in wide x 12 in tall inside x length as long as space provides. Includes: Removable shelf center mounted inside box, Includes full length top hinged access door to open to outboard side and rear drop down hinged access door, D-ring latches, door check devices. Aluminum diamond plate construction. Access doors to be wired to door ajar system. Locate: Top of rear body, officer side.	\$1,448		
3340-1289	Divider, transverse and full width of hose bed. Locate in forward area of hose bed to separate equipment items such as fill towers etc. from the main hose storage area. Main hose bed dividers if optioned will be located rearward of the transverse divider. Locate divider approx. 21in from the storage pan located at the front of the hose bed and just AFT of the fill tower(s). hose bed pre-connect(s) if optioned shall pass through transverse divider.	\$437		
3340-1290	Body main frame and 46" wide hose bed for a 93" high rescue pumper body.	\$3,735		
3340-1291	Backboard storage sleeve. Locate in hose bed on Officer side. Sleeve to be approx 3"W x 18"H x 72"L.	\$421		
3340-1292	Vehicle number sign plate located on the top of the rear body / engine cover. The sign plate shall be 28" X 28" of smooth plate aluminum painted job color.	\$155		

Item #	Description	Extension	+1/-1	Total
3340-1293	Stainless Steel hose bed side guard panel for compartment top mounted Portable Tank Rack. The guard panel(s) shall extend approximately 2" above, and at either end of, the compartment top mounted portable tank rack assembly to help protect painted surfaces.	\$1,118		
3340-1294	Provision for SpaceSaver M2792M two bottle mobile fill station to be installed after delivery. Includes blowout cutout, mounting preparation and cover plate as required. Qty (each). Location: B1	\$627		
3340-1295	Body mainframe and hosebed side assemblies for a 103" high body.	\$6,322		
3340-1296	Access thru roof. Roof access shall be provided in the rear body for ASME / DOT bottle installation and servicing. A hinged door shall be located at the center of the body running long ways, sized by engineering to best accommodate air storage system. The door shall be fabricated from the same material as the roof and accommodate walking on. Door to include a chrome grab handle, and gas springs. Locate: centered between L2/R2.	\$1,471		
3340-1297	Horizontal air bag module for six (6) customer furnished air bags. Each bag will store with two (2) identical pieces of 3/4" plywood. Nylon buckle strap assembly shall be provided across the openings. Locate on floor of compartment R2. Brand and size TBD.	\$1,962		
3340-1298	Rear compartment access through rear side compartment wall. Includes hinged door (to match rear body finish) with D-Ring latch. Door Ajar included.	\$628		
3340-1299	There shall be 12 gauge stainless steel smooth plate floor above the Stokes storage in the officers roof top compartment to provide additional storage.	\$848		
3340-1300	Body mainframe and hosebed side assemblies for a 105" high body.	\$6,872		
3340-1301	Aluminum treadplate catwalk, 14" wide x full length, at top of hosebed side sheet, officer side.	\$985		
3340-1302	Body main frame and hose bed side assemblies for a 70" high body with low hose bed and "L" shaped water tank.	\$1,877		
3340-1303	Body main frame and hose bed for a 95" high stainless steel eMAX rescue pumper body. Hose bed to be 59" wide	\$5,034		
3340-1304	LINE-X custom package for Pumper body, see sales drawing additional sheet for coverage or exclusion details.	\$4,244		
3340-1305	Ladder storage in roof top walkway. A compartment for a 24'-2 section extension ladder shall be provided. Ladders shall be stored on beam. Provide a lift up hinged access door with a thumb style lever latch and door hold open device located at rear. Locate: Officer side of body.	\$2,050		
3340-1306	Rub rail constructed of 3" x 2" black U.H.M.W. plastic. Bolted to the lower exterior of the apparatus at the rear of the body, full width. Rub rail mitered 45 degrees at the ends and notched for marker and warning lights clearance (where applicable).	\$772		
3340-1307	Speedy Dry Hopper. Locate in roof compartment above L2. Includes discharge thru bottom of compartment L3 along forward compartment wall with valve for ground level dispensing. Capacity of speedy hopper is 100 lbs.	\$1,591		
3340-1308	One (1) Vertical mount traffic cone holder shall be fabricated and installed to hold up to (5) 28" tall traffic cones with 12" bases (not included). The bracket shall be constructed of 1/8" aluminum smooth plate, bolted and mounted to the forward corner of roll-out tray to the rear of the compartment R4.	\$314		
3340-1309	Catwalk to be installed above driver side hosebed storage pan.	\$1,012		
3340-1310	Storage Pan for PyroBlitz Hydraulic Reservoir and cooler. Includes a hinged lid with gas shock hold open.	\$872		
3340-1311	Stainless steel tandem axle rear fender panels painted job color. Includes bolt-on stainless steel wheel well liners (not painted) and black rubber fenderettes.	\$2,500		
3340-1312	Speedy Dry Hopper. Locate in roof compartment above L2/L3. Includes discharge thru bottom of compartment L3 along forward compartment wall with valve for ground level dispensing. Capacity of speedy hopper is 180 lbs.	\$1,847		
3340-1313	Storage module located in R1 lower compartment offset rearward. Module shall be 26" wide x 30" high x full depth with smooth plate door, hinged to the rear and (2) thumb latches. Module spaced off rear most wall. Top of module shall be a full width permanent shelf that runs full width of compartment.	\$1,340		
3340-1314	Extend wheel well liners close to frame, to include splash shields (deflect road splash downward) to mitigate road splash grime to inner body.	\$1,106		

Item #	Description	Extension	+1/-1	Total
3340-1315	Compartment, storage for air bags. Provide a sleeve 8W x 40T x 42D to stow two (2) customer furnished air bags vertically. Brand and model TBD at prebuild. Access to have a single vertically hinged diamond plate door with thumb style latches and wired to door ajar. Locate: Rear body between B1 entry and officer side DOT lights.	\$1,033		
3340-1316	Smooth plate bolt-in sleeve for around transverse storage components. Located in transverse compartment. Storage sleeve will have an access door in the rear compartment with flush mounted latches. To be sized based on transverse storage equipment and run the full width of the truck.	\$1,314		
3340-1317	Tinted glass. Dark tint (smoked glass with approx 30% light transmittance) IPOS shall be provided for rear body window options. Option provides for side wall, entry doors and slide out room windows if so equipped. Qty is per each window.	\$168		
3340-1318	Rear light switches to be recessed into the body.	\$202		
3340-1319	Removable wall at the back of B1 for DOT bottle access.	\$613		
3340-1320	12 gauge stainless steel removeable smooth plate enclosure for the horizontal cascade system bottle storage racks in between the L3/R3 compartments.	\$1,092		
3350-0000	Hydraulic hose reel for use with Hurst brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 5,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color: [#COL].	\$2,856		
3350-0001	Air Reel w/electric rewind. 12V with 100' 1/4 in. hose plumbed to the truck air system (unless otherwise specified). Location: [#LOC].	\$3,140		
3350-0002	Low Pressure Utility Air Hose Reel assembly with 175' 3/8 in. low pressure air hose and mini panel. Locate in [#LOC].	\$2,856		
3350-0003	Low Pressure Breathing Air Hose Reel assembly with 175' 3/8 in. low pressure air hose and mini panel. Locate in [#LOC].	\$3,008		
3350-0004	Reel, Air. Low Pressure Utility Air Hose Reel assembly (Includes Rollers) with 250' 3/8 in. low pressure air hose. Includes mini panel located in compartment below reel. Located in [#LOC].	\$3,012		
3350-0006	Low Pressure Breathing Air Hose Reel assembly with 250' 3/8 in. low pressure air hose and panel. Locate in [#LOC].	\$3,042		
3350-0007	High Pressure Breathing Air Hose Reel assembly with 150' 1/4 in. high pressure air hose and panel. Locate in [#LOC].	\$3,637		
3350-0008	High Pressure Breathing Air Hose Reel assembly with 250' 1/4 in. high pressure air hose and panel. Locate in [#LOC].	\$3,856		
3350-0009	Hydraulic hose reel for use with TNT brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 10,500 PSI) and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$5,737		
3350-0010	Hydraulic hose reel for use with Phoenix brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 5,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$2,856		
3350-0011	Hydraulic hose reel for use with Code 3 brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 5,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$2,856		
3350-0012	Hydraulic hose reel for use with Amkus brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 10,500 PSI) and rollers (captive type). Location: [#LOC]. Hose Color: [#COL].	\$5,737		
3350-0013	Hydraulic hose reel for use with Hurst Centaur brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 10,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$5,737		
3350-0014	Hydraulic hose reel for use with Genesis brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 10,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$5,737		
3350-0015	Hydraulic hose reel for use with Holmatro brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 10,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$5,737		
3350-0016	12' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,000 PSI hyd reels. Locate on reel in [#LOC].	\$977		
3350-0017	30' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels. Locate [#LOC].	\$1,452		
3350-0018	12' Lead/Supply Line for low pressure hydraulic reel. To be used with 5,000 PSI hyd reels. Locate [#LOC].	\$782		
3350-0019	30' Lead/Supply Line for low pressure hydraulic reel. To be used with 5,000 PSI hyd reels. Locate [#LOC].	\$1,229		
3350-0020	Air reel w/ electric rewind 150' of .375" hose plumbed to the truck air system. Location: [#LOC].	\$1,540		

Item #	Description	Extension	+1/-1	Total
3350-0021	Hanney Core Reel in compartment L3. Mounted in rearward area. Includes reel mounted rollers, rearward wall mounted rewind switch and 100' of blue hose. The lead line from the compartment to forward area of driver side roof top compartment to be wrapped (No use of loom to be in conduit).	\$8,716		
3350-0022	Hanney Core Reel in driver side bumper tray (tray not included). Includes reel mounted rollers and rewind switch and 100' of orange hose. Lead line that is ran to the driver side forward upper roof compartment is to be wrapped for protection (No use of loom to be in conduit).	\$9,221		
3350-0024	Dual hydraulic reel rollers mounted thru bolt-on bracket. Location(s): [#LOC].	\$575		
3350-0025	Hydraulic hose reel for use with TNT brand tools. Includes 100' 1/4" synthetic rubber hose (up to 10,500 PSI) and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$5,737		
3350-0026	Hydraulic hose reel for use with Amkus brand tools. Includes 100' 1/4" rubber hose (up to 10,500 PSI) and rollers (captive type). Location: [#LOC]. Hose Color: [#COL].	\$5,737		
3350-0027	Reel(s) mounted in transverse area to be mounted to center area of transverse (max storage space forward of reel(s)).	\$0		
3350-0028	Raceway for 12' Lead/Supply Line between the B1 and L3 compartments.	\$399		
3350-0029	Route hydraulic lead line(s) to [#LOC].	\$116		
3350-0030	Low pressure utility air hose reel w/spring rewind. Includes 50' 3/8" low pressure air hose, rollers, ball stop and and shut-off valve accessible from ground. Loc: [#LOC].	\$1,581		
3350-0031	High Pressure Breathing Air Hose Reel assembly with 300' 1/4 in. high pressure air hose and panel. Locate [#LOC].	\$4,245		
3350-0032	Akron utility air hose reel. Includes 200' 3/8" hose and reel mounted rollers (captive type). Loc: [#LOC].	\$1,679		
3350-0033	Akron hydraulic hose reel for use with Hurst brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 5,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color: [#COL].	\$2,655		
3350-0034	Hydraulic hose reel for use with Holmatro Core Technology tools. Reel model EF2220-17-18 w/ 100' of CORE hydraulic hose and a 30' CORE Holmatro pigtail. Location: [#LOC]. Hose Color [#COL].	\$9,087		
3350-0035	A set of hydraulic ports will be located in the front bumper for use with Hurst Brand tools. Ports should have quick disconnects, be colored black and blue so a lead may be plugged directly into them. Locate on driver side, under diamond plate lid.	\$502		
3350-0036	Hydraulic hose reel for use with Hurst Centaur brand tools. Includes 150' 1/4" Parker Polyflex hose (up to 10,000 PSI) and rollers (captive type). Location [#LOC]. Hose Color [#COL].	\$6,985		
3350-0037	Streamline fittings for hurst Centaur reels and tools. This covers 3 hose to lead connections and 6 tool to reel connections.	\$3,825		
3350-0038	Hurst tool power unit, portable model JL-4GH-SI. Gasoline powered pull start motor. Location: [#LOC].	\$12,547		
3350-0039	Reel Hurst hydraulic 12V rewind, 100' orange line. Location: [#LOC].	\$5,416		
3350-0040	12' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels. Locate on reel in [#LOC].	\$1,026		
3350-0041	30' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels. Locate [#LOC].	\$1,524		
3350-0042	Triple Hose Lead/Supply Line for TNT Reels. (1) 30' Lead/Supply Line for high pressure hydraulic reel. Locate officer side front bumper. Hose Color Blue. (2) 12' Lead/Supply Line for high pressure hydraulic reel. driver forward roof compartment (above L1 forward). Hose Color (1) Red and (1) Yellow. To be used with 10,000 PSI hyd reels.	\$4,784		
3350-0043	Akron hydraulic hose reel for use with Amkus brand tools. Includes 100' 1/4" Parker Polyflex hose (up to 10,500 PSI) and rollers (captive type). Location: [#LOC]. Hose Color: [#COL].	\$4,095		
3350-0044	Akron reel to be powder painted standard color. Location: [#LOC]. Reel Color: [#COL].	\$0		
3350-0045	Akron reel to be powder painted custom color. Requires approval from vendor on color. Location: [#LOC]. Reel Color: [#COL].	\$145		
3350-0046	8' Lead/Supply Line for high pressure hydraulic reel. To be used with hydraulic reels between 10,000 to 10,500 PSI. Locate: [#LOC].	\$476		
3350-0047	6' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels. Locate on reel in [#LOC].	\$964		

Item #	Description	Extension	+1/-1	Total
3350-0048	Low Pressure Utility Air Hose Reel assembly with 250' 3/8 in. low pressure air hose. Locate in [#LOC].	\$2,263		
3350-0049	Streamline fittings for Hurst reels and tools. This covers 3 hose to lead connections and 6 tool to reel connections.	\$3,825		
3350-0050	Dual hydraulic reel rewind switch panel. Includes mounting rewind switches towards center of bracket. Location: mounted between B1 hydraulic reels.	\$296		
3350-0051	Nexus couplings with swivels main reel hose only. Lead-ins to use standard TNT couplers.	\$1,327		
3350-0052	6' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,000 PSI hyd reels. Locate on reel in [#LOC].	\$940		
3350-0053	40' Lead/Supply Line for low pressure hydraulic reel. To be used with 5,000 PSI hyd reels. Locate [#LOC].	\$1,639		
3350-0054	Hydraulic hose reel with Nexus couplings with swivels for use with TNT brand tools. Includes 60' 3/8" hose (up to 10,500 PSI) and rollers (captive type). Location: officer side front bumper. Hose Color: Black/Black with Blue shrink wrap every 10'.	\$7,060		
3350-0055	Hydraulic hose reel with Nexus couplings with swivels for use with TNT brand tools. Includes 100' 3/8" hose (up to 10,500 PSI) and rollers (captive type). Location: B1 driver side. Hose Color: Black/Black with Red shrink wrap every 10'.	\$7,060		
3350-0056	Akron utility air hose reel. Includes 200' 3/8" hose and reel mounted rollers (captive type). Loc: [#LOC].	\$1,222		
3350-0057	Streamline fittings for Hurst reels. This covers 3 streamline fittings on 3 hose reels.	\$1,451		
3350-0058	Streamline fittings for Hurst reels and tools. This covers hose to lead connections and 2 tool to reel connections.	\$1,277		
3350-0059	6' Lead/Supply Line for Holmatro Core hydraulic reel. To be used with Holmatro Core hyd reels. Locate on reel in [#LOC].	\$1,202		
3350-0060	Hydraulic hose reel for use with Holmatro Core Technology tools. Reel model EF2220-17-18 w/ 100' of CORE hydraulic hose. Location: [#LOC]. Hose Color [#COL].	\$6,872		
3350-0061	A set of hydraulic ports will be located in the front bumper and B1 compartment for use with Hurst Brand tools. Ports should have quick disconnects, be colored black so a lead may be plugged directly into them. Locate on driver side of front bumper and B1 driver side, up high (approximately 4" below and 2" rearward of roll up door spool). Includes 30' Lead/Supply Line to be used with 5,000 PSI hydraulic ports. The Lead/Supply Line to be routed from the driver side front bumper and B1 compartment to the forward area of L1.	\$1,730		
3350-0062	Hydraulic hose reel for use with Hurst brand tools. Includes rollers (captive type). Does not include hydraulic hose. Location: [#LOC].	\$2,192		
3350-0063	Low Pressure Utility Air Hose Reel assembly with 175' low pressure 1/2" air hose and mini panel. Locate in L2 offset rearward of cord reel, set back 24" from compartment opening with rewind switch located next to the breaker box, locate the air panel in L2 between lower air bag rack and adjustable shelves with protective shield above air panel, run reel plumbing to dunnage area forward of drivers side coffin compartment for the customer installed air compressor.	\$3,024		
3350-0064	Air reel w/electric rewind 100' of .375" hose plumbed to the cascade system for low pressure utility air. Includes 100' 3/8" low pressure air hose, rollers and ball stop (controls for reel included with breathing air system). Location: L3 suspended below fixed shelf offset rearward next to breathing air fill station.	\$2,263		
3350-0065	Rollers and bracket, captive for air reel. Roller shall be mounted through a bolt-on bracket. Includes rewind switch mounted on side wall. Location(s): [#LOC].	\$861		
3350-0066	16' Lead/Supply Line for low pressure hydraulic reel. To be used with 5,000 PSI hyd reels. Locate [#LOC].	\$830		
3350-0067	Dual rollers for cord reel and air reel mounted thru bolt-on bracket. Includes mounting rewind switches towards center of bracket. Locate in B1 compartment.	\$1,004		
3350-0068	A lead line #8, 5,000 psi hydraulic hose line routed from IHT manifold to B2 lower rear wall.	\$559		
3350-0069	Hydraulic tool ports with TNT RV-120 remote actuation vlv. Quick connect fittings on vlv to be for Phoenix brand tools. vlv with tool fittings to be located on officer side of front bumper. Includes hyd supply lines run to B1.	\$2,198		

Item #	Description	Extension	+1/-1	Total
3350-0070	Hydraulic hose reel for use with Holmatro brand tools. Includes 150' 1/4" Parker Polyflex hose (up to 10,000 PSI) and rollers (captive type). Location: R4 upper backwall high as possible and offset rearward as possible. Hose Color Blue/Black. Each tool circuit is to be provided with a control panel mounted adjacent to the reel. The panel shall contain a pressure gauge. Locking toggle switch labeled "PRESSURE" and "DUMP", green indicator light and reel rewind push button.	\$7,268		
3350-0071	Air Reel w/electric rewind. 12V with 200' .5" hose plumbed to the truck air system. Location: officer side hosebed pan rearward of generator. Install 1/4 turn valve to shut off in case of hose failure or leakage. Rewind switch to be located on the officer's side wheel well next to booster reel rewind switch.	\$5,258		
3350-0072	A lead line 5,000 psi hydraulic line routed from B2 lower forward wall to dunnage pan located MAS heat exchanger	\$799		
3350-0073	A return lead line 5,000 psi hydraulic line routed from B2 lower forward wall to dunnage pan located generator	\$799		
3350-0074	Raceway 8" x 8" (round) for hydraulic hose routing from dunnage area to chassis	\$690		
3350-0075	Remote actuation vlv for hyd tool reels. Includes TNT RV-ATT vlv and hyd supply lines run to front bumper. Vlv to be located low on back wall of center frt bumper tray with inlet lines running through back wall. Lines between RV-ATT vlv and reel to have quick connect fittings.	\$4,154		
3350-0076	Hannay hydraulic hose reel for use with TNT brand tools. Includes rollers (captive type). Location: L2	\$1,713		
3350-0077	Hydraulic hose reel for use with Amkus brand tools. Includes 150' 1/4" Parker Polyflex hose (up to 10,500 PSI) and rollers (captive type). Location: [#LOC]. Hose Color: [#COL].	\$6,024		
3350-0078	Hydraulic reels to be mounted in aluminum tray with a cutout for roller assembly. A 1" lip around roller tray assembly to contain any fluids that may leak from hyd reel. Location [#LOC].	\$464		
3350-0080	Captive roller assemblies for (1)cord reel and (2)hyd reels mounted thru bolt-on bracket. Includes mounting rewind switches adjacent to each roller for it respective reel on bracket. Locate in R1 compartment 11" in from door opening.	\$1,345		
3350-0081	Raceway for Air Lines from Driver and Officer Roof Top compartments to rearward L3 compartment for Dealer Supplied and Installed Air Fill System. Locate raceway in ceiling of L3, rearward and as far back as possible.	\$690		
3350-0083	Hydraulic hose reel for use with Amkus brand tools. Includes rollers (captive type). Does not include hydraulic hose. Location: [#LOC].	\$2,536		
3350-0084	16' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels, lines are red and black in color. Compatible with Amkus tool brand. Locate on reel in [#LOC].	\$1,202		
3350-0085	16' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels, lines are yellow and black in color. Compatible with Amkus tool brand. Locate on reel in [#LOC].	\$1,202		
3350-0086	Hydraulic hose reel with Nexus couplings with swivels for use with TNT brand tools. Includes 100' 3/8" hose (up to 10,500 PSI) and rollers (captive type). Location(s): [#LOC].	\$7,060		
3350-0087	Low Pressure Breathing Air Hose Reel assembly with 175' low pressure air hose. Reel to include strap (Comet) brake to provide drag pressure to reel axle and a mini panel. Locate in [#LOC].	\$3,099		
3350-0088	40' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels. Locate: [#LOC].	\$1,936		
3350-0089	CMW model 6011-W3-H1 dual reel, low pressure working air and hydraulic hose reel combo. Includes 100' of 300 PSI blue air hose and 100' of 10,500 PSI red/black hydraulic hose, compatible with Amkus tools. Located on ceiling of compartment B1 offset to officer side.	\$7,608		
3350-0090	CMW model 6011 dual hydraulic hose reel for use with 10,500 PSI Amkus tools. Reel SHALL NOT be supplied with hose or ball stops. Located on ceiling of compartment B1 offset to driver side.	\$5,335		
3350-0091	15' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels. Locate on reel in [#LOC].	\$1,123		
3350-0092	Hydraulic hose reel for use with Holmatro brand tools. Includes 60' of Core Technology hose installed (up to 10,000 PSI) and rollers (captive type). Location: [#LOC]. Hose Color: [#COL].	\$5,457		

Item #	Description	Extension	+1/-1	Total
3350-0093	Holmatro bulkhead fitting on driver side front bumper (fitting comes with hinged cover). Includes Core Technology hose (up to 10,000 PSI). The hose shall run from R7 compartment to the driver side front bumper. The bulkhead fitting shall be mounted to an angled mounting bracket which is mounted to the top of the gravel shield. The mounting bracket shall enclose the lead lines feeding the rear of the bulkhead fitting as mounted on the angled bracket. The bracket shall be made of 1/8" aluminum diamond plate.	\$4,681		
3350-0095	Remote actuation vlv for hyd tool reels. Includes TNT RV-ATT vlv and hyd supply lines run to front bumper. Vlv to be located low on back wall of center frt bumper tray with inlet lines running through back wall. Lines between RV-ATT vlv and reel to have quick connect fittings.	\$4,154		
3350-0097	Hannay hydraulic hose reel for use with TNT brand tools. Includes blue twinline hose, blue lead in lines annd rollers (captive type). Location: L2	\$6,858		
3350-0098	45' Lead/Supply Line for low pressure hydraulic reel. To be used with 5,000 PSI hyd reels. Locate [#LOC].	\$1,706		
3350-0099	Hydraulic hose reel for use with Holmatro Core Technology tools. Reel model EF2220-17-18 w/ 80' of CORE hydraulic hose. Location: [#LOC]. Hose Color [#COL].	\$6,098		
3350-0100	31' to 40' Core Technology Lead/Supply Line for high pressure hydraulic reel. To be used with 10,000 PSI hyd reels. Locate on reel in [#LOC].	\$2,010		
3350-0101	Up to 10' Core Technology Lead/Supply Line for high pressure hydraulic reel. To be used with 10,000 PSI hyd reels. Locate on reel in [#LOC].	\$1,365		
3350-0102	Hydraulic reel rewind switch. Switch located [#LOC].	\$136		
3350-0103	Up to 16' maximum length Lead/Supply Line for high pressure hydraulic reel(s) To be used with 10,500 PSI hyd reel(s), lines are to match the color of the reel(s). Compatible with Amkus tool brand. Hoses shall be custom length.	\$1,201		
3350-0104	8' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,500 PSI hyd reels. Locate on reel in [#LOC].	\$925		
3350-0105	Low pressure utility air hose reel assembly with 250' low pressure air hose and mini panel shall be plumbed to the cascade system for low pressure utility air. Locate in [#LOC].	\$3,012		
3350-0106	Air reel w/electric rewind 100' of .375" hose. Breathing Air to plumbed to the B/A cascade system for low pressure utility air. Includes 100' 3/8" low pressure air hose, rollers and ball stop (controls for reel included with breathing air system). Location: Roof top compartment above R4 rearward.	\$2,263		
3350-0107	Air reel w/electric rewind 100' of .375" hose for low pressure utility air. Dealer is responsible for plumbing air reel to the cascade system. Includes 100' 3/8" low pressure air hose, rollers and ball stop. Location: L4 ceiling offset forward rearwar of cord reel.	\$2,263		
3350-0108	CMW model 6011 dual hydraulic hose reels for use with 5,000 PSI tools shall be provided and installed. Includes two (2) sets of 100' 1/4" twinline hose (up to 5,000 PSI), hose guides and ball stops. Includes (2) 30' lead/supply lines. Location: [#LOC]. Hose Color: [#COL].	\$13,906		
3350-0109	A slide out and hinged roller assembly. Roller shall be Hannay Reels, 4 way roller 2.5" opening mounted on a slide out bracket attached up high on the side walls of compartment L3.	\$371		
3350-0110	TNT Nexus connector on the tool end of hydraulic hose reel. This requires removing the Hannay twinline end connection tool couplers from existing hydraulic hose reel. Existing Hannay connectors shall be shipped loose with the vehicle upon delivery.	\$647		
3350-0111	Bulk Head Fittings, including (2) 3' Pig Tails. Locate R3 back wall offset forward and 10" off compartment floor.	\$952		
3350-0112	Low Pressure Breathing Air Hose Reel assembly with 175' low pressure air hose. Includes: Co-locating reel controls on cascade system control paanel. Locate: R5, ceiling towards rear.	\$3,371		
3350-0113	Low pressure utility air hose reel assembly with 250' low pressure air hose. Reel shall be plumbed to the cascade system for low pressure utility air. (controls for reel provided on air system panel). Locate: driver roof compartment (above L2 forward). Reel color: Black.	\$3,012		

Item #	Description	Extension	+1/-1	Total
3350-0114	Hydraulic hose reel for use with TNT brand tools. Includes 100' 3/8" hose (up to 10,500 PSI), rollers (captive type), ball stop and a Nexus coupler at end of hose. Includes (2) 12' 3/8" lead in lines. Hose Color: Black/Black with Red shrink bands every 10' and matching colored bend restrictors at the fitting ends. Location: L2 upper right side ceiling area.	\$7,325		
3350-0115	CMW model 6011 dual hydraulic hose reel for use with 10,500 PSI TNT tools shall be provided and installed. Includes two (2) sets of 100' 1/4" twinline hose (up to 10,500 PSI), hose guides and ball stops. Location: [#LOC]. Hose Color: [#COL].	\$11,137		
3350-0116	Dual hydraulic reel rollers located in back wall of center front bumper tray.	\$575		
3350-0117	Captive roller assemblies for (1) cord reel and (1) air reel mounted thru bolt-on bracket. Includes mounting rewind switches adjacent to each roller for it respective reel on bracket. Locate in [#LOC].	\$1,004		
3350-0118	CMW model 6011 dual hydraulic hose reel for use with 10,000 PSI Genesis tools shall be provided and installed. Includes two (2) sets of 100' 1/4" twinline hose (up to 10,500 PSI), hose guides and ball stops. Location: [#LOC]. Hose Color: [#COL].	\$11,137		
3350-0119	Akron utility air hose reel. Capacity for 200' 3/8" hose (hose not included) and reel mounted rollers (captive type). Loc: L3 forward.	\$1,391		
3350-0120	Remote dual actuation vlv for (2) hyd tool reels. Includes Genesis remote dual valve. Does not include lead lines.	\$4,919		
3350-0121	30' Lead/Supply Line for high pressure hydraulic reel. To be used with 10,000 PSI hyd reels. Locate [#LOC].	\$1,452		
3350-0122	Mounting to be provided for twin line hydraulic hose reel. Includes mounting only. Location: [#LOC]	\$560		
3350-0123	Bulk Head Fittings, including (2) 5' Pig Tails. Locate R3 back wall offset forward and 10" off compartment floor.	\$1,176		
3350-0124	Air reel w/electric rewind 100' of .375" hose. Breathing Air to plumbed to the B/A cascade system for low pressure utility air. Includes 100' 3/8" low pressure air hose, rollers and ball stop (controls for reel included with breathing air system). Location: Roof top compartment above R4 rearward.	\$2,263		
3350-0125	Rollers, captive roller assemblies for (1) cord reel and (2) hyd reels mounted thru bolt-on bracket. Includes mounting rewind switches adjacent to each roller for the respective reel. Locate: L2.	\$1,345		
3350-0126	Rollers, captive roller assemblies for (1) cord reel and (2) hyd reels mounted thru bolt-on bracket. Includes mounting rewind switches adjacent to each roller for the respective reel. Locate: R2.	\$1,345		
3350-0127	Hydraulic hose reel for use with Genesis brand tools. Includes Genesis 100' 1/4" twinline hose with One Step coupler and rollers (captive type). Location: [#LOC]. Hose Color [#COL].	\$7,713		
3350-0128	Captive roller assemblies mounted on slideout assembly. Includes mounting rewind switches adjacent to each roller for it respective reel on slideout assembly. Locate in [#LOC].	\$506		
3350-0129	Bulk Head Fittings, including (2) 5' Pig Tails. Locate R3 back wall offset rearward and 10" off compartment floor.	\$1,176		
3350-0130	CMW model 6011 dual hydraulic hose reel for use with 10,500 PSI Amkus tools shall be provided and installed. Includes two (2) sets of 100' 1/4" twinline hose (up to 10,500 PSI), hose guides and ball stops. Location: officer side front bumper. Hose Color: Reel #1: Yellow, Reel #2: Blue.	\$11,137		
3350-0131	CMW model 6011 dual hydraulic hose reel for use with 10,500 PSI Genesis tools. Reel SHALL NOT be supplied with hose or ball stops. Located [#LOC].	\$5,335		
3350-0132	Air Reel w/electric rewind. 12V with 100' .375" hose plumbed to the truck air system (unless otherwise specified). Location: [#LOC].	\$3,140		
3350-0133	Lead-ins to use standard TNT couplers on the pump end and Nexus couplings on the reel end.	\$1,327		
3350-0134	Hydraulic hose reel Hannay model EF2516-17-18 for use with TNT brand tools. Includes rollers (captive type). Does not include hydraulic hose. Location: [#LOC].	\$2,791		
3350-0135	Remote actuation hydraulic valve for hydraulic tool utility (reel, outlet etc). Includes TNT RV-120 valve and hydraulic supply lines run from dealer supplied tool pump/power unit to RV120 valve and from RV-120 valve to hydraulic utility (reel, outlet etc). Lines between RV-120 valve and reel to have quick connect fittings. RV-120 valve location: Front Bumper.	\$2,198		



Item #	Description	Extension	+1/-1	Total
3350-0136	The lead lines connecting the hydraulic tool outlet valve to the power unit shall have #6 FJIC connections on the power unit side and #6 MNPT connections on the valve side.	\$55		
3350-0137	Air reel w/electric rewind 100' of .375" hose plumbed to the cascade system for low pressure utility air. Includes 100' 3/8" low pressure air hose, rollers and ball stop (controls for reel included with breathing air system). Location: [#LOC].	\$2,263		
3350-0138	Upgrade hydraulic hose on a reel to Hurst brand yellow/grey with Streamline fitting (EA).	\$3,041		
3350-0139	A slide out and hinged roller assembly. Roller shall be Hannay Reels, 4 way roller 2.5" opening mounted on a slide out bracket attached up high on the side walls of compartment L2.	\$371		
3350-0140	CMW model 6011 dual reel, electric cord and hydraulic hose reel combo. Includes 100' of 10/4 yellow cord and 100' of 5,000 PSI [#COL] (vendor supplied) hydraulic hose, compatible with Hurst tools. Location: [#LOC].	\$9,172		
3350-0141	Rollers, captive for air reel mounted on reel.	\$405		
3350-0142	CMW model 6011 dual reel, electric cord and hydraulic hose reel combo. Includes 100' of 10/3 black cord and 100' of 10,500 PSI [#COL] (vendor supplied) hydraulic hose, compatible with TNT tools. Location: [#LOC].	\$9,172		
3350-0143	Hannay dual hydraulic hose reel model TEF2516-17-18 for use with Hurst 5,000psi hose. Painted graphite. Roller assemblies selected separately. Does not include hydraulic hose or lead in lines. Location: [#LOC].	\$3,605		
3350-0144	CMW model 6022 dual hydraulic hose reel for use with 10,500 PSI Amkus tools shall be provided and installed. Includes two (2) sets of 200' 1/4" twinline hose (up to 10,500 PSI), hose guides and ball stops. Location: [#LOC]. Hose Color: [#COL].	\$12,231		
3350-0145	CMW model 6011 dual hydraulic hose reel for use with 10,500 PSI Amkus tools shall be provided and installed. Includes two (2) sets of 100' 1/4" twinline hose (up to 10,500 PSI), hose guides and ball stops. Location: [#LOC]. Hose Color: [#COL].	\$11,137		
3350-0146	CMW model 6011 dual hydraulic hose reel for use with 10,500 PSI tools. Reel SHALL NOT be supplied with hose or ball stops. Location: [#LOC]	\$5,335		
3350-0147	Hannay dual hydraulic hose reel model TEF2516-17-18 for use with TNT 10,500 psi hose. Painted graphite. Roller assemblies selected separately. Does not include hydraulic hose or lead in lines. Location: [#LOC].	\$3,931		
3350-0148	Hannay dual hydraulic hose reel model TEF2516-17-18 for use with 10,500psi hose. Painted graphite. Roller assemblies selected separately. Does not include hydraulic hose or lead in lines. Location: [#LOC].	\$3,931		
3350-0149	Low Pressure Utility Air Hose Reel assembly with 175' 3/8 in. low pressure air hose and mini panel shall be plumbed to the CAF system for low pressure utility air. Locate in [#LOC].	\$2,856		
3350-0150	Rollers, reel mounted on a support bracket, for (1) hydraulic reel.	\$405		
3350-0151	Conduit flexible 1.5" for hydraulic lead line installation. Conduit routed from each bumper reel to behind L2 compartment.	\$685		
3350-0152	Genesis One Step coupler with 100' of Genesis twin line hydraulic hose ipos (EA).	\$1,976		
3365-0002	Recessed folding ladder storage compartment located [#LOC]. Compartment sized to store a 10' ladder with feet.	\$655		
3365-0003	Overhead Zico storage rack to have a job color painted door.	\$270		
3365-0004	(2) pike pole storage tubes. Locate inboard side of ladder rack with pike pole hooks stored in the up position	\$515		
3365-0005	Drop Down Fold-A-Tank Rack. Rack to hold [#LOC] gallon portable tank.	\$1,815		
3365-0006	In place of standard diamond plate.	\$646		
3365-0008	Overhead Zico storage rack to have a diamond plate door.	\$0		
3365-0010	(3) pike pole storage tubes. Locate inboard side of rack with pike pole hooks stored in the up position	\$772		
3365-0011	Floor mounted roll-out tray. Includes 250lbs. tray capacity. Mount on [#LOC] floor.	\$773		
3365-0012	Recessed folding ladder and pike pole storage compartment located [#LOC]. Compartment sized to store a 10' ladder with feet and (2) pike poles.	\$1,028		
3365-0013	Center mounted ladder tunnel. Ladder rack to hold: [#LOC].	\$6,059		
3365-0014	Dual ladder tunnel for HP75 / HP78 SideStacker. Ladder rack to hold: [#LOC].	\$6,059		

Item #	Description	Extension	+1/-1	Total
3365-0015	Dual ladder tunnel for HP75 / HP78. Ladder rack to hold: [#LOC]	\$6,059		
3365-0016	Box type enclosure for forward end of ladder tunnel. Required on center HB HP75 / HP78 with ladder tunnel doors.	\$515		
3365-0018	Hold down brackets to secure a 2-section extension and roof ladder.	\$0		
3365-0019	Poly Horizontal Ladder Rack welded to the Top Deck	\$607		
3365-0020	Zico electric drop-down ladder rack. Includes spacer brackets with ladder rack controller located on the officer side pump panel.	\$5,805		
3365-0021	Manual Operated Aluminum Drop Down Ladder Rack. Includes (2) assist lift/lower handles and securing pins (accessible from ground) on each end.Ladder hold downs to secure (1) 2-section extension and (1) roof.	\$2,735		
3365-0022	Hold down brackets to secure a 3-section extension and roof ladder.	\$0		
3365-0023	Ladder storage through tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers.	\$3,303		
3365-0024	Ladder storage thru tank for (1) 3-section 35' extension, (1) 14' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers.	\$3,596		
3365-0025	Attic ladder mounting brackets (PR). Locate [#LOC].	\$365		
3365-0026	Zico pike pole mounting brackets (PR). Locate on top of Zico drop-down ladder rack.	\$196		
3365-0027	Zico attic ladder mounting brackets (PR). Locate on top of Zico drop-down ladder rack.	\$414		
3365-0028	Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$439		
3365-0029	Hard suction storage box (pr). Stored (1) each side below "T" of tank. Includes hinged door with push-button latch.	\$647		
3365-0030	Double Hard Suction Storage Rack for 10' hard suction hoses. Driver side compartment top. Includes spring hold downs with scuff plates (as applicable)	\$869		
3365-0031	Hard Suction Storage Rack. Officer side in adjustable track above ladders (if applicable). Includes spring hold downs and scuff plates.	\$458		
3365-0032	Hard Suction Storage Box. Stored below driver side "T" of tank. Includes hinged door with push-button latch.	\$325		
3365-0033	Recessed pike pole storage compartment located [#LOC]. Compartment sized to store (2) pike poles.	\$530		
3365-0034	(2) aluminum pike pole storage tubes. Locate [#LOC].	\$377		
3365-0035	Hard Suction Storage Rack. Officer side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$439		
3365-0036	Center mounted ladder tunnel. Ladder rack to hold: [#LOC]	\$6,059		
3365-0037	Center mounted ladder tunnel. Ladder rack to hold: [#LOC].	\$6,059		
3365-0038	Center mounted ladder tunnel. Ladder rack to hold: [#LOC]	\$6,059		
3365-0039	Center mounted ladder tunnel. Ladder rack to hold: [#LOC]	\$6,059		
3365-0040	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (6) bottles- (2) wide/(3)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$594		
3365-0041	Hard suction storage box. Located in the officer side hose bed. Includes drop down door (wired to door ajar) w/push-button latch(es), hose bed style top and nylatron flooring (no divider). Box to hold [#LOC] tube(s).	\$1,862		
3365-0043	Triple Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$1,302		
3365-0046	The driver side full length tunnel to store (2) 6" x 10' hardsuction hoses. Each to be stored individually and accessed by a vertically hinged diamond plate door with a push-button latch. Door to wired to the door ajar indicator in the cab.	\$666		
3365-0047	The driver side half length tunnel to store (3) backboards. Each to be stored individually with stop bracket 75" back from opening, composite material on floor and accessed by a vertically hinged door at rear with a push-button latch. Door to wired to the door ajar indicator in the cab.	\$715		
3365-0048	Hard Suction Storage Box. Stored below officer side "T" of tank. Includes hinged door with push-button latch.	\$325		

Item #	Description	Extension	+1/-1	Total
3365-0049	Brand of ladders capable of being carried on unit to be Alco-Lite.	\$0		
3365-0050	Brand of ladders capable of being carried on unit to be Duo-Safety.	\$0		
3365-0051	Portable Tank Storage Box. Located in the officer side hosebed. Includes drop down door (wired to door ajar) w/push-button latches, hosebed style top and nylatron flooring (no divider). Box to hold [#LOC] gallon portable tank.	\$1,862		
3365-0052	Over the hosebed ladder rack. Includes framing (with a sanded finish) and mounting points. Ladder storage box to be center mounted with diamond plate front box.	\$2,333		
3365-0053	Tunnel Hosebed Driver Ladders/Pike Poles	\$2,723		
3365-0054	Officer side ladder storage tunnel. Includes area for a vertically stored 24' 2-section', 14' roof and 10' attic with feet and storage box. Lower area raised for rear intake.	\$1,354		
3365-0056	Ladder storage thru tank for (2) 6" x 10' hardsuction hoses, (2) pike poles and (1) 10' attic ladder. Provide retaining straps to hold the hardsuctions stationary when stored. Reduces selected water tank capacity by approximately 250 gallons.	\$3,706		
3365-0057	The driver side full length tunnel to store (3) 6" x 10' hardsuction hoses. Each to be stored individually and accessed by a vertically hinged access door with a push-button latch. Door to be wired to the door ajar indicator in the cab.	\$999		
3365-0058	Recessed pike pole storage compartment located [#LOC]. Compartment sized to store (3) pike poles.	\$792		
3365-0059	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (4) bottles- (2) wide/(2)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$399		
3365-0061	Hard Suction Storage Racks. Driver side hose bed side with adjustable tracks. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$1,007		
3365-0062	Hard Suction Storage Box. Stored below driver side "T" of tank. Includes DP hinged door with push-button latch.	\$847		
3365-0063	Hard Suction Storage Box. Stored below officer side "T" of tank. Includes DP hinged door with push-button latch.	\$847		
3365-0065	(4) Hard Suction Storage Racks. Driver side hosebed side with adjustable tracks. Includes spring hold downs and scuff plates behind spring mounts (as applicable)	\$1,595		
3365-0066	The driver side half length tunnel to store (1) stokes basket and (2) backboards. Each to be stored individually and accessed by a vertically hinged diamond plate door with a push-button latch. Door to be wired to the door ajar indicator in the cab.	\$715		
3365-0067	8' and 10' pike pole located in ladder tunnel.	\$0		
3365-0068	10' attic ladder located in ladder tunnel.	\$0		
3365-0069	Officer side hosebed storage box to store a 24' two section and 14' roof (nested). Access thru brushed stainless steel drop down door. Door to be secured with D-ring latch. Upper area of storage to be for storage of LDH hose. Ladders will extend into pump module storage pan. Provide box/ ladder stop in pump module pan.	\$3,032		
3365-0070	Recessed folding ladder and pike pole storage compartment located below officer side "T" of the tank. Compartment sized to store a 10' ladder with feet and (2) pike poles.	\$1,538		
3365-0071	Ladder storage thru tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet and (2) pike poles, (1) 10' with d-handle and (1) 6' with d-handle. Reduces selected water tank capacity by approximately 250 gallons.	\$3,631		
3365-0072	Door aluminum smooth plate with d-ring latch for thru the tank ladder tunnel. Location: B1 compartment.	\$1,338		
3365-0073	(4) 6' pike pole storage tubes in the rear transverse compartment ceiling mounted. Locate for compartment L3 access with pike pole hooks stored in the down position. (1) pike pole caution tags to be provided, one each side mounted inside the compartment at the offset.	\$1,233		
3365-0074	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (6) bottles- (3) wide/(2)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$594		
3365-0075	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: [#LOC]. Includes vertical hinged rear diamond plate door(s) with push-button latch.	\$2,342		

Item #	Description	Extension	+1/-1	Total
3365-0076	Center mounted ladder tunnel for HP100 and HPS100 Platforms. Note: 1" aerial raise required with 30' and larger 3-section ladder in tunnel. Rack to hold: [#LOC].	\$6,059		
3365-0077	(2) pike pole storage tubes. Locate outboard side of rack with pike pole hooks stored in the up position	\$515		
3365-0078	(3) pike pole storage tubes. Locate outboard side of rack with pike pole hooks stored in the up position	\$772		
3365-0079	2-arm ladder rack on officer side. The ladder rack includes amber lights on each end to visually indicate when the rack is in motion. Restricts the top folding step (if optioned) from closing completely. Includes mounting bracket (if required, matching rear compartment face or compartment wrap finish) for components mounted on rear compartment face.	\$13,443		
3365-0080	2-Arm Ladder Rack to have a sanded finish.	\$0		
3365-0081	2-Arm Ladder Rack to be painted job color.	\$3,466		
3365-0082	Hydraulic Power Supply for E-ONE 2-Arm Ladder Rack. Location: [#LOC].	\$0		
3365-0083	Zico pike pole mounting brackets (PR). Locate [#LOC].	\$196		
3365-0084	Vertical ladder brackets (3) with adjustable tracks. Locate on officer's side of body to hold PEL-28, PRL-14, and CJL-14 ladders.	\$1,181		
3365-0085	Zico pike pole mounting brackets with straps (PR). Locate [#LOC].	\$215		
3365-0086	Pike pole(s) capable of being stored are to be the following length: [#LOC].	\$0		
3365-0087	The length of ladders capable of being stored shall be the following: [#LOC].	\$0		
3365-0088	Double hard suction hose storage tray. Locate on inboard side of overhead ladder rack. Includes (2) securing straps per tray.	\$960		
3365-0089	Hardsuction Storage Box. Located in the driver side hosebed. Includes vertically hinged door (wired to door ajar) w/push-button latch and composite flooring. Box to hold (1) tubes.	\$936		
3365-0090	Officer side half length vertical storage tunnel. For use with low hosebed. Tunnel to hold: (2) backboards, (1) AEL 12' 2-section ladder, (1) 4' D-handled pike pole, (1) 8' pike pole and (1) 6' pike pole. Includes vertically hinged rear diamond plate door with push-button latch. Pike poles to be located down low in tunnel with backboards and ladder located above.	\$1,761		
3365-0091	Recessed folding ladder storage compartment located officer side just below hosebed. Compartment sized to store a 10' ladder with feet.	\$782		
3365-0092	(2) pike pole storage tubes. Locate in driver side roof top compartment with pike pole hooks stored in the up position	\$515		
3365-0093	Hard Suction Storage Box to be capable of storing one (1) 6" x 10' hard suction hose. Includes a rear smooth plate access door with push button latch. Door to be wired to door ajar indicator in cab. Located just below hosebed to [#LOC].	\$647		
3365-0094	Storage tunnel access (contents to be noted). Includes vertically hinged door (to match material of pump access door) with push-button latch(s) and wired to door ajar indicator. Door to [#LOC] of the body/water tank.	\$360		
3365-0095	Rear mount beside tank storage tunnel contents. Includes brackets capable of securing (1) two section, (1) roof, (1) 10' attic with feet and (2) pike pole tubes.	\$2,989		
3365-0096	Zico Hydraulic Drop Down Ladder Rack. Includes diamond plate spacer brackets with ladder rack controller located on the officer side pump panel.	\$7,580		
3365-0097	12' Hard suction hose storage tray. Locate on inboard side of overhead ladder rack. Includes (2) securing straps.	\$601		
3365-0098	12' Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable)	\$656		
3365-0099	SCBA/Fire Extinguisher storage rack. Locate in R1 mounted to lower ceiling below compartment offset. To hold (4) bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts. Each storage slot to be 11" wide x 11" high.	\$2,059		
3365-0100	Hard Suction Storage Rack. Officer side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable). Rack to hold 5' hard suction.	\$301		

Item #	Description	Extension	+1/-1	Total
3365-0101	Officer side vertical storage tunnel. For use with low hosebed. Lower section of tunnel to hold: 2-Section 24', 14' roof, 10' attic and (2) pike poles. Upper section of tunnel to hold: 2-Section AEL-10 attic ladder and (1) 300' of 1.75" DJ hose. Upper section includes ladder stop 90" back from opening and bolt-in divider between ladder and hose storages. Includes vertically hinged rear diamond plate door(s) with push-button latch(es). The diamond compartment top of tunnel to be hinged for access to dry lay of hose.	\$3,725		
3365-0102	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (4) bottles- (4)wide/(1)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$399		
3365-0103	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (6) bottles- (6)wide/(1)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$594		
3365-0104	Double hard suction hose storage tray. Locate (1) each side on inboard side of overhead ladder rack(s). Includes (2) securing straps per tray. For use with 13' hard suction hoses.	\$2,632		
3365-0106	Pike pole pin. Pin to prevent pike poles form vibrating out of stored position.	\$172		
3365-0107	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (12) bottles- (4) wide/(3)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$1,186		
3365-0108	10' folding ladder with feet. Locate in officer side roof top compartment.	\$782		
3365-0109	(4) pike pole storage tubes. Locate inboard side of rack with pike pole hooks stored in the up position	\$1,025		
3365-0110	Recessed pike pole storage compartment located below officer side "T" of the tank. Compartment sized to store (3) pike poles.	\$792		
3365-0111	Hard suction hose storage tray. Locate on [#LOC]. Includes (2) securing straps. For use with 13' hard suction hoses.	\$1,155		
3365-0112	Over the hosebed ladder rack. Includes framing (with a sanded finish) and mounting points. Ladder storage box to be adjustable side to side with diamond plate front box. The ladder storage rack to have locking points of driver side outboard, center and officer side outboard. The framework of the ladder rack to be 9.5" high.	\$3,607		
3365-0113	Pike Pole Mounting Tube locate in catwalk on walkway wall on Officer's side.	\$259		
3365-0114	Recessed pike pole storage compartment located [#LOC]. Compartment sized to store (3) pike poles. Pike pole box to be 7" deep.	\$1,442		
3365-0115	Ladder storage thru tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet and (3) pike poles. Reduces selected water tank capacity by approximately 250 gallons.	\$3,377		
3365-0116	Ladder tunnel to extend to rear of body (over pump/plumbing). Extension to be aluminum and bolt-on for removal for pump maintenance.	\$975		
3365-0117	Storage rack (4) 8" x 64" aluminum tubes. Locate ceiling mtd in L1/R1 transverse compartment centered side to side offset to front.	\$1,308		
3365-0118	(3) pike pole storage tubes. Locate [#LOC].	\$565		
3365-0119	Horizontal ladder brackets right side of body in recessed storage area above half side compartments. Brackets to hold from top to bottom: [#LOC].	\$2,483		
3365-0120	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (12) bottles- (6) wide/(2)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$1,186		
3365-0121	Hosebed storage box for (1) scoop stretcher, (3)backboards and (4) pike poles. Scoop stretcher located in lower area of storage with stop located 67" back, backboards located in middle area with stop 74" back, and pike poles located in upper area for (2) 6' and (2) 8' pike poles. Includes vertically hinged door (wired to door ajar) with push-button latches. Located on officer side of hosebed.	\$1,862		
3365-0122	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 24', 14' roof, 10' attic and (2) pike poles. Upper storage area to have hinged diamond plate top for storage of misc. items. Includes vertically hinged rear diamond plate door(s) with D-ring latch.	\$3,617		
3365-0123	Brand of ladders capable of being carried on unit to be Alaco.	\$0		

Item #	Description	Extension	+1/-1	Total
3365-0124	Recessed pike pole storage compartment located below officer side compartment top. Compartment sized to store (2) pike poles. Recessed box to be 10" high for Boston Roof Hooks.	\$1,202		
3365-0125	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 24', 14' roof, 10' attic, (6) pike poles and (2) 6" x 10' hardsuction hoses (individually vertically stacked). (2) pike poles will be in ladder tunnel and (2) in each hard suction storage. Includes vertically hinged rear diamond plate door(s) with push-button latch.	\$3,320		
3365-0126	Pike pole tube(s) on overhead ladder rack to be mounted flush with rear of body.	\$381		
3365-0127	Storage box in ladder tunnel for tripod 10 wide x 10 high x 106 long.	\$1,176		
3365-0128	Pike pole storage tube (1) One. Locate [#LOC].	\$190		
3365-0129	Officer side half length vertical storage tunnel. For use with low hosebed. Tunnel to hold: (2) backboards, (1) 4' D-handled pike pole, (1) 8' pike pole and (1) 6' pike pole. Make box for 4' D-handle pike pole 56" long. Includes vertically hinged rear diamond plate door with push-button latch. Pike poles to be located down low in tunnel with backboards located above.	\$1,761		
3365-0131	Stokes basket storage rack approx 9"H x 25"W x 86"L with open ends. Includes nylon strap on each end to retain stokes. Also includes (6) pile pole tubes equally spaced below stokes rack. Position retaining slots so they alternate facing the left and right sides (first pole left, second pole right. etc). Locate ceiling mtd in L2/R2 transverse.	\$1,208		
3365-0132	Fire extinguisher storage rack to hold (3) extinguishers in a single horz row. Bottom and sides to include ribbed rubber inserts. Each opening to have a vertically mounted strap. Locate floor mtd in [#LOC].	\$779		
3365-0133	Hold down brackets to secure a (2) 2-section extension ladders and (1) roof ladder.	\$0		
3365-0134	Double Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs with scuff plates (as applicable). For use with 11' hard suction hoses.	\$1,542		
3365-0135	Stop bracket set for Zico HLAS ladder rack. Optional bracket for additional ladder rack stability in the up position.	\$254		
3365-0136	P-Rubber in flex joint(s) between the ladder tunnel sections of the pump module and/or body modules.	\$0		
3365-0137	Pike pole. Locate (1) pike pole on officer side compartment top with pike pole hook stored in the up position. Mount with tulip clip(s) for use with D-handle pike pole.	\$111		
3365-0138	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (9) bottles- (3) wide/(3)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$892		
3365-0140	Stokes Basket Storage Box. Located in the officer side hosebed. Includes Nylon black strap, hosebed style top and nylatron flooring (no divider). Box to hold (1) Junkin JSA-200 stokes basket. Includes stop located 86" back from opening. Vinyl hosebed cover to extend down over this storage.	\$2,454		
3365-0141	Nylon black strap with clip release for use with storage tunnel thru the tank.	\$0		
3365-0142	Officer side hosebed storage box to store a (1) 26' 3-section, (1) 12' roof, (1) 10' attic ladder and (3) pike poles. Includes vertically hinged rear diamond plate door with push-button latches.	\$3,323		
3365-0143	Hard Suction Storage Rack. Locate: [#LOC]. Includes (1) spring hold down and scuff plates behind spring mount (as applicable). Includes diamond plate box with air deflector to hold end of hose in place.	\$876		
3365-0144	Horizontal ladder brackets left side of body in recessed storage area above half side compartments. Brackets to hold from top to bottom: [#LOC].	\$2,483		
3365-0145	Nylon scuff pads for vert uprights of rear ladder rack. Approx 1/16 thick self-stick material located on each side of extension ladders.	\$130		
3365-0146	Pike pole storage tube aluminum 16' with capped end. Locate in ladder tunnel.	\$259		
3365-0147	Backboard and Little Giant storage rack. Backboard sleeve approx 4"H x 20"W x 70"L with open ends located in trans compt over pump ceiling mtd offset to frt. Little Giant sleeve for a Model 17 approx 7"H x 25.5" W x 56" L open on left side only and located below backboard sleeve.	\$1,311		

Item #	Description	Extension	+1/-1	Total
3365-0148	Backboard Storage Box. Located in the driver side hosebed. Includes drop down door (wired to door ajar) w/push-button latch, hosebed style top and composite flooring. Box to hold (1) backboard. Includes stop bracket approximately 74" back from opening. Includes short hosebed divider located on top of storage area.	\$2,114		
3365-0149	Storage tunnel capable of holding: [#LOC].	\$0		
3365-0150	Manually operated drop down rack on officer body. Secures portable folding tank with capacity of main tank on body	\$0		
3365-0152	Diamond plate portable folding tank cover. For use with 2000 tank and Zico drop down rack.	\$813		
3365-0153	Diamond plate portable folding tank cover. For use with 2500 tank and Zico drop down rack.	\$813		
3365-0154	(2) Zico quic-mount brackets (1 brackets supports 2 poles) with rubber pull-over hold-downs. Locate in driver side compartment top storage outboard. Position for use with (2) 6' pike poles.	\$222		
3365-0157	Diamond plate portable folding tank cover. For use with 3000 tank and Zico drop down rack.	\$813		
3365-0158	Diamond plate portable folding tank cover. For use with 3500 tank and Zico drop down rack.	\$813		
3365-0159	Diamond plate portable folding tank cover. For use with 4000 tank and Zico drop down rack.	\$813		
3365-0160	Manually operated drop down rack on driver body. Secures portable folding tank with capacity of main tank on body	\$952		
3365-0162	Hard suction racks (one each side) with job color painted box ends (rearward of body only). Racks to be positioned on compartment top so forward coupling end rest flush with end of forward compartment top. Each rack to have (1) spring hold down located as far forward as possible (no hold down at rear). Racks to include extension so rear coupling rest on the rack in the stowed position. Rearward box to be smooth plate and designed to fit around the rack extension. Size box to be 10"x 10"x 10".	\$2,291		
3365-0163	Hard Suction Storage Box Vert. Located in the [#LOC] hose bed. Includes vertical hinged door (wired to door ajar) w/push-button latches and nylatron flooring. Box to hold (2) 10' hard suction hoses vertical stacked.	\$1,862		
3365-0164	Backboard Storage Box. Located in the officer side hosebed. Includes drop down door (wired to door ajar) w/push-button latch, hosebed style top and composite flooring. Box to hold (1) backboard. Includes stop bracket approximately 74" back from opening. Includes 45 degree angle plate at rear of the backboard storage.	\$2,114		
3365-0165	Double hard suction storage rack. One (1) rack located above the other. Officer side compartment top. Includes spring hold downs with scuff plates (as applicable).	\$869		
3365-0166	Rear Mount storage tunnel contents. Includes brackets for storing: [#LOC].	\$1,739		
3365-0167	Dual ladder tunnel for HP75 / HP78 SideStacker with tall R1 compartment. Ladder rack to hold: [#LOC].	\$6,059		
3365-0168	Pike pole tube secondary retaining pin(s) with cable. Locate on end of pike pole tube(s).	\$0		
3365-0169	Triple hardsuction storage with NFPA compliant restraints. Locate driver side of tank with fixed mounted brackets. Trays to formed diamond plate (diamonds out) and sized to hold 6" x 15' hardsuction hose.	\$1,689		
3365-0170	Dual hardsuction storage with NFPA compliant restraints. Locate (1) driver side of tank (above PFT rack) with fixed mounted brackets and (1) officer side of tank (above PFT rack) with fixed mounted brackets. Trays to formed diamond plate (diamonds out) and sized to hold 6" x 15' hardsuction hose.	\$0		
3365-0171	The overhead ladder rack is to be positioned to provide a max overall height of 9'-8".	\$0		
3365-0172	Storage tunnel. Contents to be noted. Access to contents to be pump/ladder tunnel access door. Tunnel to be on [#LOC] of the body/water tank.	\$0		
3365-0173	Hard Suction Storage Box. Stored below officer side just below the hosebed. Includes hinged door with push-button latch.	\$696		
3365-0174	Hold down brackets to secure a (3) section extension, (2) section extension and roof ladder. Requires additional ladder bracket height due to 6 sections of ladders.	\$752		
3365-0175	Backboard Storage Box. Located in the officer side hose bed. Includes vertical hinged door (wired to door ajar) w/push-button latch, hose bed style top if applicable to hose bed depth or smoothplate aluminum if no hose shall be stored above and composite flooring. Box to hold (2) backboards.	\$2,114		

Item #	Description	Extension	+1/-1	Total
3365-0176	Hosebed Storage Box. Located in the officer side hosebed. Includes drop down door (wired to door ajar) w/push-button latch(es), hosebed style top and nylatron flooring (no divider). Box to hold (1) stokes basket and (3) backboards. Includes stop bracket approximately 88" back from opening. Stokes basket 86" long x 24" wide x 8" high, backboards will stow inside stokes basket.	\$2,114		
3365-0177	Hold down brackets to secure a (3) section extension ladder.	\$223		
3365-0178	Storage box for (1) 8' Dry Wall pike pole. Located in officer side roof top compartment.	\$354		
3365-0179	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 24' 2-section and 14' roof, plus (2) pike poles and a folding ladder. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,342		
3365-0180	Backboard storage box located in the driver side of hosebed 9.75" off hosebed side wall. Storage to be 22" wide x 5" high. Includes drop down door (wired to door ajar) w/push-button latch, hosebed style top and composite flooring. Box to hold (2) backboards. Includes stop bracket approximately 74" back from opening. Includes 45 degree angle plate at rear of the backboard storage.	\$2,114		
3365-0181	Stop bracket to be located approximately 50" back in upper section of driver side of storage tunnel above the hard suction hoses.	\$148		
3365-0182	Pike Pole Mounting Tube locate in catwalk on walkway wall on Driver's side.	\$259		
3365-0183	Hard suction storage rack. Locate [#LOC]. Includes NFPA retaining strap(s).	\$308		
3365-0184	Zico hydraulic drop down portable tank rack. Rack located to [#LOC] of body. Rack sized for [#COL] gallon aluminum frame portable tank. The control switching to be located on the side pump panel with the rack being in full view of the operator during operations.	\$6,330		
3365-0185	Zico overhead ladder rack. Includes electrical relay with cover in compartment adjacent to the storage rack. Locate rack to [#LOC] of body. The control switching to be located at the pump module area with the rack being in full view of the operator during operations.	\$7,594		
3365-0186	Zico overhead portable tank rack. Includes electrical relay with cover in compartment adjacent to the storage rack. Locate rack to [#LOC] of body. Rack sized for [#COL] gallon aluminum frame portable tank.	\$7,594		
3365-0187	Zico drop down rack to have diamond plate cover between outboard rack assemblies.	\$738		
3365-0188	Zico drop down rack to have smooth plate cover between outboard rack assemblies. Cover to be painted job color	\$900		
3365-0189	Manual drop-down portable tank storage rack. Includes forward and rearward securing clamps with manual releases. Locate rack to [#LOC] of body. Rack sized for steel framed [#COL] portable tank.	\$2,159		
3365-0190	Manual drop down rack to have diamond plate cover over the forward, rearward, upper and outboard sides. Includes hand rails along the outboard front and rear and (1) on each end mounted on the upper area.	\$711		
3365-0191	Manual drop down rack to have smooth plate cover over the forward, rearward, upper and outboard sides. Includes handrails along the outboard front and rear and (1) on each end mounted on the upper area. Cover to be painted job color.	\$1,040		
3365-0192	Internal aluminum frame portable tank storage with vertically hinged smooth plate door painted job color (wired to door ajar) with D-ring latch. Access door to be located to the rear of the [#LOC] body. Included is a composite material floor overlay and a tank stop for use with a [#COL] aluminum frame portable storage tank.	\$862		
3365-0193	Portable storage tank thru water tank. To be capable of storing a [#COL] aluminum frame portable storage tank. Storage thru tank will reduce overall gallon capacity of water tank.	\$2,553		
3365-0194	Double hard suction storage rack. Locate [#LOC]. Includes NFPA retaining strap(s).	\$651		
3365-0195	Hard suction hose storage tray. Locate on inboard side of [#LOC] overhead storage rack. Includes (2) NFPA retaining straps.	\$484		



Item #	Description	Extension	+1/-1	Total
3365-0196	Ladder storage in hosebed for the following: (1) 2-section extension, (1) roof ladder, (1) attic and (2) pike poles. Extension and roof ladders stored nested. Includes (1) hosebed divider with squared off upper rear, vertically hinged (to swing into hosebed area) door with latch (wired to door ajar indicator) and composite material overlay on hosebed flooring. Upper area open and main hosebed cover to be used to cover top area of ladder storage area. Storage located to [#LOC] of hosebed.	\$1,302		
3365-0197	Portable storage tank in hosebed for the following: [#COL] gallon aluminum frame tank. Includes (1) hosebed divider with squared off upper rear, vertically hinged (to swing into hosebed area) door with latch (wired to door ajar indicator) and composite material overlay on hosebed flooring. Upper area open and main hosebed cover to be used to cover top area of storage area. Storage located to [#LOC] of hosebed.	\$1,302		
3365-0198	Storage box for (1) 10' length of hard suction hose. Includes vertically hinged door with latch (wired to door ajar indicator). Reduces selected water tank capacity by approximately 100 gallons on Tankers. Locate to [#LOC] below "T" of water tank.	\$734		
3365-0199	Zico electric drop-down ladder rack. Rack located to [#LOC] of body. The control switching to be located on the side pump panel with the rack being in full view of the operator during operations.	\$6,330		
3365-0200	Pike pole tube secondary retaining pin(s) with cable. Locate on end of pike pole tube(s).	\$0		
3365-0201	Manual operated drop down rack on driver. To secure a 2500 portable folding tank IPO capacity of main tank on body. Includes rearward mounted tank stop (2500 gallon portable tank to stored offset forward in rack).	\$1,327		
3365-0202	Hard Suction Storage Rack. Driver side in adjustable track above ladders. Includes spring hold downs and scuff plates.	\$458		
3365-0203	Zico electric drop-down hard suction rack. Rack located to [#LOC] of body. The control switching to be located on the side pump panel with the rack being in full view of the operator during operations. The rack includes (2) main rack mounted 10' trays.	\$6,330		
3365-0204	Zico electric drop down ladder rack on officer body.	\$5,805		
3365-0205	Driver side hardsuction storage racks for (2) 18' hardsuction hoses. Each rack to be mounted to tank ribs and includes NFPA retaining straps.	\$1,279		
3365-0206	Storage tunnel capable of holding: (1) 2-Section, (1) Roof, (1) Attic, (2) pike poles, (1) backboard storage sleeve between 2-section and roof ladder and (1) 8' block storage with stop above 2-section ladder in Officer Side Storage Tunnel. Includes ladder tunnel door to hinge to officer side of truck.	\$877		
3365-0207	Diamond plate box for storage of (3) 10' hard suction hoses (hoses not included). Box to be mounted off driver side of tank (tank rib mounts) and is to include rear access door with push-button latch. Door to be wired to door ajar indicator.	\$2,272		
3365-0208	Horizontal ladder bracket. Location and type of ladder: in officer side of hosebed storage pan to hold Little Giant model 17.	\$304		
3365-0209	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 24', 14' roof, 10' attic and (2) pike poles. Includes vertically hinged rear diamond plate door with push-button latch. Upper storage area to have an open top and run full length of the body. Upper area to have hosebed style flooring.	\$3,593		
3365-0212	(2) pike pole tubes with retaining pins. Locate driver side mounted to tank ribs. Tubes are for use with up to (2) 10' poles.	\$320		
3365-0213	Manual operated drop down rack (PR) located (1) each side of body. Each capable of securing a 4000 gallon portable folding tank. Includes diamond plate cover along ends, top and outward side with (2) 20" handrails mounted along the forward and rearward ends and (2) 12" handrails mounted along the top towards the ends of the cover.	\$2,879		
3365-0214	Hard suction storage thru tank for (2) 5" x 15' hard suction hoses. Includes vertical hinged door wired to door ajar with push button latch. Reduces selected water tank capacity by approximately 200 gallons.	\$3,303		
3365-0215	Double Hard Suction Storage Rack to store 6"x 6' hard suction hoses. (1) set Driver side compartment top offset forward and (1) set matching on Officer side atop diamond plate hosebed cover. Includes spring hold downs with scuff plates (as applicable).	\$775		

Item #	Description	Extension	+1/-1	Total
3365-0217	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 3-Section 35', 14' roof, 10' attic and (3) pike poles. Pike poles to be stored in upper storage area. Includes vertically hinged rear diamond plate door(s) with push-button latch.	\$2,342		
3365-0218	Recessed D-handle pike pole storage compartment located below officer side compartment top. Compartment sized to store (2) 6' D-handle pike poles.	\$792		
3365-0219	Diamond plate storage compartment located on officer side compartment top. Compartment sized to store (1) 10' ladder with feet and (2) 6' D-handle pike poles.	\$792		
3365-0220	Storage box for (1) 6" x 10' hard suction hose. Includes vertically hinged swing-out door with push-button latch (wired to door ajar). Box to be smooth plate and painted job color. Located [#LOC].	\$631		
3365-0221	Driver side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 24', 14' roof, 10' attic and (2) pike poles. Includes vertically hinged rear diamond plate door(s) with push-button latch.	\$2,342		
3365-0222	Upper hosebed storage area above driver side compartments and officer side ladder/storage tunnel or compartments as applicable. Upper storage areas to have an open top and run length of the hosebed area. Includes hosebed style flooring.	\$2,281		
3365-0223	Hard Suction Storage Rack. Officer side on compartment top. Rack to be 118" in length and be held back 9" from the front of the compartment top. Includes spring hold downs and scuff plates.	\$458		
3365-0224	Double hardsuction storage with NFPA compliant restraints. Locate driver side of tank with fixed mounted brackets. Trays to formed diamond plate (diamonds out) and sized to hold (1) 6" x 16' and (1) 6" x 18' hardsuction hose.	\$1,127		
3365-0225	Hardsuction rack(s) mounted on the compartment top to be mounted with the rearward edge of the rack flush with the rear compartment top.	\$0		
3365-0226	Hosebed ladder storage box with diamond plate top. Located centered in hosebed and to secure from driver to officer: (1) 10' attic w/feet (in a box) w/(2) 10' pike pole tubes mounted on top, (1) PRL-12 & (1) PEL3-24. Ladders to be stored on beam. Included are (2) hosebed dividers with squared ends, diamond plate top and a vertically hinged diamond plate door (hinged to officer side) wired to the door ajar indicator.	\$1,549		
3365-0228	Hosebed ladder tunnel to have diamond plate top cover.	\$0		
3365-0229	Hosebed Storage Box. Located in the officer side hosebed between aluminum hosebed cover center divider and officer side hosebed wall (Approx 34.875" W X 12" interior height). Includes drop down door (wired to door ajar) w/push-button latches, hosebed style top, composite flooring, (1) vertical divider full depth of hosebed held 12" short of rear - located 5" off center divider to hold (3) 10' pike pole tubes. (1) horizontal divider full depth of hosebed and approx 29.625" wide X approx 7.875" off hosebed floor to form upper and lower storage. Lower storage to have a stop at 72". Upper storage to have a vertical divider approx 18" off driver side divider with a stop at 72" for backboard storage. Storage box to be sealed as tight as possible from water and road grime.	\$3,112		
3365-0230	Diamond plate storage area for up to (3) 5" x 10' hardsuction hoses (not included). Includes side facing access with a fixed forward panel, a side rearward swing door with mechanical latching (wired to door ajar) and (2) securing straps located inward front to rear. Storage to be located [#LOC]	\$662		
3365-0231	Diamond plate storage box for storage of a 2500 gallon portable water tank (not included). Includes drop down rear access door with push button latch (wired to door ajar). Box to be located [#LOC]	\$662		
3365-0232	Diamond plate storage box for storage of a 3500 gallon portable water tank (not included). Includes drop down rear access door with push button latch (wired to door ajar). Box to be located [#LOC]	\$694		
3365-0233	Diamond plate storage area for a portable water storage tank (not included). Includes side facing access with a full width drop down door with mechanical latching (wired to door ajar). Storage located to [#LOC] of body. Sized for [#COL] steel frame portable tank.	\$581		
3365-0234	Diamond plate storage area for up to (3) 5" x 10' hardsuction hoses (not included). Includes rear facing access with a full width drop down door with mechanical latching (wired to door ajar). Storage to be located [#LOC]	\$662		

Item #	Description	Extension	+1/-1	Total
3365-0235	Diamond plate box for storage of (4) 16' hard suction hoses (hoses not included). Box to be mounted off driver side of tank (tank rib mounts) and is to include rear access door with push-button latch. Door to be wired to door ajar indicator. Position box to allow loading of lower body storage tray with hose from rear.	\$2,434		
3365-0236	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 24' 2-section and 14' roof, plus (4) pike poles and a folding ladder. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,717		
3365-0237	Hard Suction Storage Rack. Rack to be 138" in length and rear of rack to be flush with rear compartment top. Rack to be located officer side in adjustable track above ladders (if applicable). Includes spring hold downs and scuff plates.	\$458		
3365-0238	Folding ladder and pike pole storage compartment located in driver side of hosebed. Includes drop down door with push button latch. Compartment sized to store a 10' ladder with feet and (2) pike poles.	\$1,028		
3365-0240	Hard Suction storage left side, Ladder storage right side, base, stainless, Wildland	\$4,899		
3365-0241	Hard suction storage on right side, Ladder storage on left side, option, stainless, Wildland	\$5,052		
3365-0242	Horizontal ladder bracket. Location and type of ladder: officer's side compartment top for a PEL3-24.	\$304		
3365-0243	Horizontal ladder storage with forward diamond plate box and and hold-down bracket. Location and type of ladder: officer's side compartment top for a PRL-12.	\$567		
3365-0244	Pre-connect storage box with hinged full length lid. Includes center divider and storage for (2) 1.75" DJ hose (200' each) with black dri-deck flooring and red vinyl end flap with hold-downs.	\$798		
3365-0245	Pike pole tubes in officer side storage tunnel to be modified to hold (1) ARH-60 and (1) ARH-72 pike poles.	\$233		
3365-0246	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 24' 2-section and 14' roof, plus (2) pike poles and a folding ladder. Includes vertically hinged rear 3/16" treadplate door with bent D-ring latch.	\$2,500		
3365-0247	Horizontal ladder bracket installed on officer side of hosebed. Will include aluminum boot and ladder hold down. Ladder Compliment: [#LOC].	\$304		
3365-0248	(2) Pike pole storage tubes to store (2) Fire Hooks Unlimited 16' Boston Rake Hooks. Locate in ladder tunnel recessed forward to allow ladder tunnel door to close.	\$515		
3365-0249	Ladder/Pike pole/Tripod module formed from .188 aluminum tread plate shall be provided and installed on the roadside interior walkway. It shall have a door hinged on the aisle side with a locking D-ring handle and sliding locking pins (Door to be hinged on the aisle side).The counter top created by this assembly shall be lined with black U.H.M.W plastic.	\$6,188		
3365-0250	Two (2) stainless steel hooks shall be provided in the cab behind the seats to be used as coat hooks. NYPD only.	\$177		
3365-0251	Controls for the Ziamatic ladder rack shall be recessed on the officer's side rear body. The control box shall have a hinged door for easy access of ladder rack controls and operation.	\$308		
3365-0252	Ladder storage officer side compartment top. Includes boot at forward compartment top and a hold-down for (1) Duo-Safety 925-A 22' 3-section extension ladder and (1) Duo-Safety 775-A 10' roof ladder.	\$874		
3365-0253	Ladder storage thru tank for (2) 6" x 10' hardsuction hoses. Reduces selected water tank capacity by approximately 150 gallons.	\$1,870		
3365-0254	Hard suction storage box with cargo net cover at rear. Located in B1 compartment to be in-line with thru the tank tunnel.	\$685		
3365-0256	Ladder storage officer side compartment top. Includes boot at forward compartment top and a hold-down for (1) 16' 2-section and (1) 10' roof ladder.	\$874		
3365-0257	Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable). Rack to hold (1) 8 foot tube.	\$439		
3365-0258	Recessed pike pole storage compartment located officer side "T" of the tank. Compartment sized to store (3) pike poles. Center pike pole will be a multi -purpose" hook.	\$792		

Item #	Description	Extension	+1/-1	Total
3365-0259	Recessed pike pole storage compartment located officer side just below the hosebed. Compartment sized to store (2) pike poles.	\$530		
3365-0260	Ladder storage thru tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet, (3) pike poles and (1) backboard. Reduces selected water tank capacity by approximately 300 gallons.	\$3,596		
3365-0261	Hard suction storage box, horizontal side by side. Located in the driver's side hose bed. Includes lift-up ADT door (wired to door ajar) w/bent D-ring latch, hose bed style top and flooring. Box to hold (2) 6" x 10' long tubes.	\$1,862		
3365-0262	Double Hard Suction Storage Rack for 8' hard suction hoses. Driver side compartment top. Includes spring hold downs with scuff plates (as applicable)	\$940		
3365-0263	Ladder storage officer side compartment top. Includes boot at forward compartment top and a hold-down for (1) Duo-Safety 1000-A 12' 2 section extension ladder.	\$304		
3365-0264	Ladder storage box. Located in the officer side hose bed. Includes drop down door (wired to door ajar) w/push-button latch(es), hose bed style top and nylatron flooring (no partition). Box to hold (1) 22' 3-Section Duo-Safety ladder.	\$1,862		
3365-0265	Recessed storage compartment located officer side just below hosebed. Compartment sized to store (1) 10' ladder with feet offset to left and (1) 6' pike pole offset to right, tube to be set back 6" from opening.	\$938		
3365-0266	Ladder stops to be attached with bolts IPO rivets.	\$0		
3365-0267	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: [#LOC]. Includes vertically hinged rear smooth plate door(s) with push-button latch.	\$2,342		
3365-0270	Stainless steel scuff plate mounted full height of tank to protect paint from hard suction handles. Located at each end of hard suction hose.	\$278		
3365-0271	Ladder storage box in driver side of hosebed. Dimensions to be 25" wide x 8" high x length of hosebed. Includes ladder stop 66" back from opening and diamond plate drop down door with push button latches (wired to door ajar indicator) and composite material overlay on hosebed flooring.	\$1,302		
3365-0272	Hard Suction Storage Box. Located in the driver side hosebed. Includes vertical hinged door (wired to door ajar) w/push-button latches and nylatron flooring. Box to hold two (2) 6" X 10' hard suction hoses.	\$1,862		
3365-0273	Horizontal ladder bracket installed on driver side of hosebed. Will include aluminum boot and ladder hold down. Ladder Compliment: [#LOC].	\$304		
3365-0274	Hard Suction Storage Box. Located horizontal in the officer side hosebed. Includes vertical hinged door (wired to door ajar) w/push-button latches and nylatron flooring. Box to hold two (2) 6" X 14' hard suction hoses.	\$1,862		
3365-0275	Hard suction storage rack for (1) 6" X 14' suction hose. Locate [#LOC]. Includes NFPA retaining strap(s).	\$466		
3365-0276	Zico pike pole mounting brackets (PR). Locate on top of Zico drop-down ladder rack. Brackets to be for D-ring pike poles.	\$196		
3365-0277	Horizontal ladder bracket mounted on top of body officer side for CJL-14 combo shall be raised to clear generator.	\$0		
3365-0278	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 24', 14' roof, 10' attic and (2) pike poles. Includes vertically hinged rear diamond plate door(s) with push-button latch. The pike poles and attic ladder to be stored below the 2-section and roof ladders. Ladder tunnel will not extend to top of the body, the area above the ladder tunnel to have hosebed style flooring.	\$3,593		
3365-0279	Hold down brackets to secure a 3-section extension ladder.	\$0		
3365-0280	Hard Suction Storage Box. Located horizontal in the officer side hosebed. Includes vertical hinged dia plate door (wired to door ajar) w/push-button latches and nylatron flooring. The storage area shall be sized to hold two (2) 6" X 10' long hard suction hoses laying side-by-side. Top of storage area above the hard suction hose to be hosebed style flooring.	\$1,862		
3365-0281	Hard Suction Storage Box. Located horizontal in the officer side hosebed. Includes vertical hinged door (wired to door ajar) w/push-button latches and nylatron flooring. Box to hold two (2) 6" X 13' hard suction hoses.	\$1,862		

Item #	Description	Extension	+1/-1	Total
3365-0282	Hard suction storage box. Located in the officer side hose bed. Includes drop down door with finish to match rear of body, latch(s) shall be provided to secure the door in the closed position (wired to door ajar), hose bed style top, nylatron flooring and hosebed divider extending to top of hose bed for inboard side. Box to hold (1)6" x 10' hard suction hose w/rocker lugs. Approximate size of opening 9.5"w x 8"h.	\$1,498		
3365-0283	Divider Long. To run full length of hose bed above ladder tunnel (front to rear).	\$580		
3365-0284	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 28' 2-section and 16' roof, (2) pike poles and a folding ladder, plus two 10' lengths of 6" hard suction hose above ladders together with a skinny backboard. Where ladders extend into the pump enclosure, they shall be enclosed from the elements with aluminum treadplate.	\$2,007		
3365-0285	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 20', 12' roof, 10' attic and (2) pike poles. Includes vertically hinged rear smooth plate door (to accommodate graphics/stripping) with push-button latch. Upper storage area to have an open top and run full length of the body. Upper area to have hosebed style flooring.	\$3,593		
3365-0286	Officer side vertical storage tunnel behind reduced upper depth compartments. Tunnel to hold: 24' 2-section and 14' roof, plus (2) pike poles and a folding ladder. Above ladders is storage area for a sheet rock hook and a pike pole with D-handle, both 4' in length. Stops shall be provided ahead this storage area approximately 60" from the rear opening to prevent these items from sliding forward during transport. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,452		
3365-0287	Smooth plate portable folding tank cover, painted job color. For use with 3000 tank and Zico drop down rack.	\$988		
3365-0289	Hard suction hose storage tray. Locate on inboard side of overhead ladder rack. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$511		
3365-0290	Ladder storage thru tank for (1) 3-section 30' extension, (1) 14' roof, (1) 10' attic with feet and (2) 10' pike poles. Reduces selected water tank capacity by approximately 300 gallons for pumpers and 350 gallons for tankers.	\$3,303		
3365-0291	Double hard suction storage rack (side by side). Driver side compartment top. Includes spring hold downs with scuff plates (as applicable).	\$869		
3365-0292	Hard Suction Storage Box. Located in the driver side hosebed. Includes vertical hinged door (wired to door ajar) w/push-button latches and nylatron flooring. Box to hold one (1) 6" X 12' hard suction hoses.	\$931		
3365-0293	Cover diamond plate for hydraulic ladder rack power supply. Location: [#LOC].	\$238		
3365-0294	There shall be a metal plate mounted to the side of the portable tank rack to assist in the application of the NFPA stripe and/or Lettering.	\$198		
3365-0295	Manual drop down portable tank storage rack. Includes forward and rearward securing clamps with manual releases. Locate rack to [#LOC] of body. Rack sized for an aluminum framed [#COL] portable tank.	\$2,159		
3365-0296	Rubber flaps to enclose ladder tunnel between body sections at boom support (sides, top and bottom). HP95 Mid-mount only.	\$531		
3365-0297	(1) Pike pole storage tube, pike pole hook stored in the up position. (1) Dry wall hook storage using brackets to secure in place rather than tube. Locate inboard side of rack.	\$638		
3365-0298	(5) Pike pole storage tubes. Locate inboard side of rack with pike pole hooks stored in the up position	\$1,468		
3365-0299	Hard suction storage box. Located in the officer side hose bed. Includes a swing open door, vertical hinged on the left hand side (inboard) and wired to door ajar w/push-button latch(es), hose bed style top and nylatron flooring (no divider). Box to hold [#LOC] tubes.	\$1,862		
3365-0300	Storage tunnel capable of holding: dealer supplied and installed 2100 gallon portable tank (husky brand) in [#LOC]	\$0		
3365-0301	The hard suction rack shall be located: [#LOC].	\$0		
3365-0302	Provision to store (4) Fire Department supplied 50' lengths of 2-1/2" high rise hose packs on right side compartment top.	\$1,354		

Item #	Description	Extension	+1/-1	Total
3365-0303	Four (4) pike poles and a folding ladder tucked behind ground ladders on the adjustable ladder tracks	\$1,313		
3365-0304	Hard suction storage within the hosebed. (1) Hard suction tube shall be located on each side of the hosebed center divider. The rear and top hosebed covers shall be used for access.	\$1,862		
3365-0305	Provision to store (4) Fire Department supplied 50' lengths of 2-1/2" high rise hose packs on right side compartment top. (6) PAC ADJUSTAMOUNT brackets to secure hose.	\$1,772		
3365-0306	Backboard storage sleeve with containment strap(s). Located in L1 and R1 compartments just below compartment offset to be approximately 9" high x 27" wide as clearance permits. Locate as far forward as possible.	\$1,403		
3365-0307	Hard suction storage box, horizontal side by side. Located in the officer's side hose bed. Includes lift-up door (wired to door ajar) w/bent D-ring latch, hose bed style top and flooring. Box to hold (2) 6" x 10' long tubes.	\$1,862		
3365-0308	Hard Suction Storage Rack. Officer side in adjustable track below ladders (if applicable). Includes spring hold downs and scuff plates.	\$458		
3365-0309	Hard Suction Storage Box with long handle tool storage trough with stop at 72". Stored at rear panel driver side for two (2) hoses. Includes vertical hinged smooth plate door and bent D-ring latch.	\$797		
3365-0310	Hard suction storage box, smooth plate side wall construction painted job color. Located on the [#LOC]. Includes vertically hinged door(s) (wired to door ajar) w/D-Ring latch(s). Box to hold (3) tubes and to extend to the back side of the L2 compartment and to be approximately the same height as L1, L2 compartments.	\$1,862		
3365-0311	Hard suction storage box with (2) pike poles (pr). Stored (1) each side below "T" of tank. Includes hinged door with push-button latch.	\$1,220		
3365-0312	Ladder storage thru tank for AlcoLite ladders (1) 3-section 35' extension, (1) 16' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers.	\$3,596		
3365-0313	Double hard suction storage rack. One (1) rack located above the other. Officer side in ladder track. Includes spring hold downs with scuff plates (as applicable). Rack shall accommodate 3" hard suction hose.	\$868		
3365-0314	**OBS** (Use 3365-0295) Manual drop down portable tank storage rack. Includes forward and rearward securing clamps with manual releases. Locate rack to [#LOC] of body. Rack sized for aluminum framed [#COL] portable tank.	\$2,159		
3365-0315	Zico drop down rack to have smooth plate cover between outboard rack assemblies. Rack and cover to be painted job color, includes painting of the actuator covers.	\$1,799		
3365-0316	Storage box for (1) 15' length of hardsuction hose. Includes vertically hinged door with latch (wired to door ajar indicator). Locate [#LOC] side below "T" of water tank.	\$855		
3365-0318	Hard suction storage rack for (1) 6" x 12' suction hose. Locate: [#LOC]. Includes NFPA retaining strap(s).	\$466		
3365-0319	Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$439		
3365-0320	Storage box on officer side compartment top with hinged full length side hinged down with butterfly latches (wired to door ajar). Storage to accomodate 250' of 2.5" DJ hose with nozzle for hi-rise pac with black dri-deck flooring.	\$1,202		
3365-0321	Horizontal ladder bracket, Includes .187" smooth aluminum boot painted black durabak with ladder hold down. Location and type of ladder: [#LOC].	\$363		
3365-0322	Recessed New York hook and pike pole storage compartment located officer side just below the "T" of the tank to include a smooth plate door with thumb latch(s). Compartment sized to store (2) Fire Hooks Unlimited New York Hook Model RH-6 and RH-8 and (2) pike poles.	\$1,028		
3365-0323	Double hard suction storage rack. Two (2) 2.5" or 3" x 10' hard suction hoses. One (1) next the other horizontally mounted. Includes spring hold downs with scuff plates (as applicable). Locate: Driver side compartment top.	\$869		
3365-0324	Hard suction storage boxes welded one each side to upper body hose bed side sheets, to be painted as applicable. Includes vertically hinged brushed stainless steel rear access doors and aluminum hose trays with forward travel limit stops. Requires minimum 88" high pumper body.	\$3,065		

Item #	Description	Extension	+1/-1	Total
3365-0325	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 35' 3-section and 14' roof, (2) pike poles and a folding ladder. Where ladders extend into the pump enclosure, they shall be enclosed from the elements with aluminum treadplate. Includes vertically hinged rear smooth aluminum door with bent D-ring latch.	\$2,342		
3365-0326	Recessed pike pole storage compartment located below officer side "T" of the tank. Compartment sized to store (2) pike poles.	\$792		
3365-0327	Ladder brackets. Locate on welded brackets on the driver side of the Water master tank.	\$622		
3365-0328	Officer side vertical storage tunnels. For use with low hose bed. aLower tunnel to hold [#LOC]. The upper tunnel to be full length of hose bed with an open top. Includes vertically hinged rear .1875" smooth plate doors with D-ring latch on each door accessible at the rear of body	\$2,491		
3365-0329	Ladder storage thru tank for (1) 2-section 24' extension, (1) 16' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers.	\$3,303		
3365-0331	Recessed folding ladder and pike pole storage compartment located right rear of body up high. Compartment sized to store a 10' ladder with feet and (2) 12' pike poles.	\$1,191		
3365-0332	Recessed pike pole storage compartment located left rear of body up high. Compartment sized to store (4) 10' pike poles.	\$1,056		
3365-0333	Backboard storage for use with low hose bed stroage tunnel only. Storage for (1) backboard vertically in officer side storage tunnel. Includes stop bracket at the front.	\$430		
3365-0334	Ladder Storage Box. Located in the officer side hosebed. The top shall be enclosed using the hosebed cover, the rear access shall be included in the vinyl rear flap as part of the hose bed cover (hinged door not included), The hosebed cover and rear flap shall be sold separately. Box to hold (1) Alcolite PEL 24' 3-section, (1) Alcolite PRL 12' roof, (1) Alcolite FL 10' attic ladder, (2) backboards and (2) pike poles.	\$3,208		
3365-0335	Miscellaneous storage in hosebed above the ladder tunnel. Upper area open and main hosebed cover to be used to cover top area of the storage area. There is to be a bolted end plate at the rear of the storage area, horizontal adjustable tracks 60" from the rear mounted forward with a divider.	\$425		
3365-0336	Horizontal ladder storage with forward diamond plate box and and hold-down bracket. Location and type of ladder: [#LOC].	\$567		
3365-0337	Two (2) pike poles and a folding ladder tucked behind ground ladders on the adjustable ladder tracks on the officer's side outside of the hose bed.	\$1,313		
3365-0338	Hard Suction Storage Box. Located in the [#LOC] hose bed. Includes vertical hinged door (wired to door ajar) w/push-button latches (without nylatron flooring as preferred by customer). Box to hold (2) 10' hard suction hoses.	\$1,862		
3365-0339	Hard Suction Storage Box. Located in the [#LOC] hose bed. Includes vertical hinged smooth plate door (wired to door ajar) w/D-Ring latch(s) and Nylatron flooring. Box to hold (2) 10' hard suction hoses.	\$1,943		
3365-0340	Dual hard suction hose storage with stops located (above ladders) in the officer side ladder storage tunnel. Includes a common taller rear access door (wired to door ajar) w/bent D-ring deadbolt type latch.	\$1,315		
3365-0341	Ladder brackets. Locate on welded brackets on the driver side of the Water Master tank. Brackets shall be mounted so the bottom edge of stored ladder(s) are approximately 18" above the hose bed storage floor.	\$622		
3365-0342	Dual hard suction hose storage with stops located in the officer side upper header. Includes a lift-up rear access door (wired to door ajar) w/bent D-ring latch.	\$2,114		
3365-0343	Hard suction hose storage tray. Locate on top of Zico drop-down portable tank rack.	\$966		
3365-0344	Hard suction storage box. Located in the officer side hose bed. Includes a swing open diamond plate door, vertically hinged on the right hand side (outboard) and wired to door ajar w/push-button latch(es), hose bed style top and nylatron flooring (no divider). Box to hold [#LOC] tubes.	\$1,862		

Item #	Description	Extension	+1/-1	Total
3365-0345	Officer side horizontal storage tunnel between top of tank and below hose bed floor. Tunnel to hold: up to a 24' 2-section and 14' roof, up to (3) pike poles and a folding ladder. Includes a horizontally hinged lift-up rear smooth plate door with bent D-ring latch and a gas tube hold-open.	\$2,500		
3365-0346	Storage box for (1) 12' length of hard suction hose. Includes vertically hinged door with latch (wired to door ajar indicator). Locate to [#LOC] below "T" of water tank.	\$734		
3365-0347	Recessed folding ladder storage compartment located driver side just below hosebed. Compartment sized to store a 10' ladder with feet.	\$782		
3365-0348	Ladder storage box in driver side of hosebed. Dimensions to be 25" wide x 8" high x length of hosebed. Includes ladder stop 66" back from opening and diamond plate drop down door with a D-ring latch (wired to door ajar indicator) and composite material overlay on hosebed flooring.	\$1,302		
3365-0349	Stop bracket to be located approximately 80" back in the lower area of the driver side storage tunnel.	\$148		
3365-0350	Hard suction storage box (pr). Stored (1) each side below "T" of tank. Storage boxes shall be lined with plastic liner and include hinged door with push-button latch. Inside compartment and tube tunnel to be enlarged in depth to fit strainers to be pre-connected as stored.	\$1,414		
3365-0351	Box type enclosure shall be provided for Little Giant "Classic" Model 17 ladder. Box shall be mounted rearward on bi-directional tray. The box shall be approximately 58" long X 28" high X 8.63" wide. The box ends (left and right) shall be left open, Straps shall be provided on each end to secure the ladder in place. WOP aerial body only.	\$853		
3365-0352	Portable Tank Storage Box. Located in the officer side hosebed. Includes vertically hinged door (wired to door ajar) w/push-button latches (hinge to the exterior and latch to the interior), hosebed style top and nylatron flooring (no divider). Box to hold [#LOC] gallon aluminum framed Fol-da-tank portable tank.	\$1,862		
3365-0353	Double hard suction hose storage tray. Locate inboard side of overhead ladder rack(s) (1) stacked above the other. Includes (2) securing straps per tray. For use with 10' hard suction hoses.	\$2,632		
3365-0354	Ladder storage thru tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet. Ladders shall be stored vertically or on their side (ILO horizontal/flat). (1) 10' Folding ladder and (2) pike poles stacked over and under each other adjacent ladder storage. Tunnel shall be approx centered in rear body. Reduces selected water tank capacity by approximately 300 gallons.	\$3,661		
3365-0355	Hard suction Storage Box located in the drivers side roof top compartment. The storage to be boxed off inside roof top compartment. Includes vertical hinged smooth plate door (wired to door ajar) w/push-button latch. Storage to hold [#LOC] 6" x 10' hard suction hoses.	\$2,391		
3365-0356	Ladder storage thru tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet and (2) pike poles. Provide retaining straps to hold contents stationary. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers.	\$3,392		
3365-0357	Hard suction storage thru the tank for up to (3) 6" x 10' hard suction hoses. Tunnel located driver side of water tank stacked vertical. Wetside Tanker Only.	\$4,533		
3365-0358	Portable tank storage thru the tank to hold: (1) 2100 gallon portable tank. Tunnel located officer side of water tank vertically. Wetside Tanker Only.	\$4,150		
3365-0359	Storage tunnel capable of holding: (2) 6" x 10' hard suction hoses (individually vertically stacked) in Driver Side Storage Tunnel. Tradition Only.	\$1,104		
3365-0360	Driver side vertical storage tunnel behind reduced upper depth left side compartments. Tunnel to hold: up to (3) 10' lengths of 6" hard suction hose. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,452		
3365-0361	Zico hydraulic drop down portable tank rack. Rack located to [#LOC] of body. Rack sized for [#COL] gallon aluminum frame portable tank. The control switching to be located on the side rear compartment face (same side as the rack) with the rack being in full view of the operator during operations.	\$6,501		
3365-0362	Storage tunnels at the rear to be outboard of access ladder and/or handrail.	\$0		



Item #	Description	Extension	+1/-1	Total
3365-0363	Hard suction storage rack. Locate:[#LOC]. Includes NFPA retaining strap(s). For use with 15' hard suction hose.	\$600		
3365-0364	Ladder storage box. Located in the officer side hose bed. Includes vertical hinged door (wired to door ajar) w/push-button latch(es), hose bed style top and nylatron flooring (no partition). Box to hold (1) 20' 2-Section and (1) 12' roof.	\$1,862		
3365-0365	Officer side vertical storage tunnel. For use with low hosebed, fully enclosed and extended to pump area with drain holes forward in tunnel flooring. Tunnel to hold: 2-Section 24', 14' roof, 10' attic and (2) pike poles. Includes vertically hinged rear smooth plate door(s) with push-button latch. The pike poles and attic ladder to be stored below the 2-section and roof ladders. Ladder tunnel will not extend to top of the body, the area above the ladder tunnel to have hosebed style flooring.	\$3,941		
3365-0366	Double Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs with scuff plates (as applicable). For use with 14' hard suction hoses.	\$1,542		
3365-0367	Zico hydraulic drop down portable tank rack. Rack located to [#LOC] of body. Rack sized for [#COL] gallon aluminum frame portable tank. The control switching to be located on the side pump panel with the rack being in full view of the operator during operations.	\$6,330		
3365-0368	Zico hydraulic drop down portable tank rack. Rack located to [#LOC] of body. Rack sized for [#COL] gallon aluminum frame portable tank. The control switching to be located on the side rear compartment face (same side as the rack) with the rack being in full view of the operator during operations.	\$6,330		
3365-0369	Zico hydraulic drop down rack on officer body. Secures portable folding tank with capacity of main tank on body	\$7,003		
3365-0370	Zico hydraulic drop down rack on driver body. Secures portable folding tank with capacity of main tank on body	\$7,142		
3365-0372	Attic ladder storage to be dealer installed.	\$0		
3365-0373	(2) D-handle pike pole storage tubes 10' on length. Locate outboard side of ladder rack with pike pole hooks stored in the up position.	\$592		
3365-0374	SCBA/Fire Extinguisher storage rack. Locate in R1 mounted to lower ceiling below compartment offset. To hold (6) bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts. Each storage slot to be 9.25" wide x 11" high.	\$3,089		
3365-0375	Hard suction storage box. Located in the driver side hose bed. Includes a swing open diamond plate door, vertical hinged on the right hand side (inboard) and wired to door ajar w/"D"-ring latch(es), hose bed style top and nylatron flooring (no divider). Box to hold [#LOC] tubes.	\$1,862		
3365-0376	Ladder/Pike pole/Tripod module formed from .188 aluminum tread plate shall be provided and installed on the roadside interior walkway. It shall have a door hinged on the aisle side with a NON-Locking D-ring handle and sliding locking pins (Door to be hinged on the aisle side).The counter top created by this assembly shall be lined with black U.H.M.W plastic. Designed to store Werner D7124-2LV ladder.	\$6,331		
3365-0377	Fire extinguisher storage rack to hold (3) extinguishers in a single horz row. The rack shall be raised 3" on the open end to allow the extinguishers to slide back into the box at an angle. Bottom and sides to include ribbed rubber inserts. Each opening to have a vertically mounted strap. The rearward opening shall be 15" wide, the middle and forward opening to be 10" wide. The opening shall be 18" high. The top shall be flat and have a 2" lip up for storing items as a permanent shelf. Locate floor mtd in [#LOC].	\$779		
3365-0378	Ladder Storage Box. Located in the officer side hosebed. The top shall be enclosed using hosebed style top. Includes drop down door (wired to door ajar) W/ D-ring latch. Box to hold (1) Alcolite FEL 24' 2-section, (1) Alcolite FRL 14' roof, (1) Alcolite FL 10' attic ladder and (5) 10' pike poles (NY hooks).	\$3,208		
3365-0379	Fire extinguisher storage rack to hold (3) extinguishers in a single horz row. Bottom and sides to include ribbed rubber inserts. Each opening to have a vertically mounted strap. The top shall have a 1" lip up for storing items.Locate floor mtd in [#LOC].	\$779		
3365-0380	Zico pike pole mounting brackets (PR). Locate outboard on top of Zico drop-down ladder rack.	\$196		

Item #	Description	Extension	+1/-1	Total
3365-0381	Hosebed Storage Box. Located in the officer side hosebed. Includes drop down door (wired to door ajar) w/push-button latches, hose bed style top and nylatron flooring (no divider). Box to hold (2) 6" x 10' hard suction hoses, (2) up to 10' in length pike poles.	\$2,139		
3365-0382	Hose bed storage compartment for Low Hosebed body. Contents stored as follows from left to right: (1) Model 17 Little Giant ladder extended, (2) pike poles (6' with drywall hook, 10' with dry wall hook) above the Little Giant ladder, (1) 10' folding ladder above the Little Giant ladder, (2) 6" x 10" hard suction hoses.	\$2,853		
3365-0383	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 24' 2-section and 14' roof, plus (2) pike poles and a folding ladder. Does not include a door.	\$2,062		
3365-0384	Single hard suction hose storage with stop located (above ladders) in the officer side ladder storage tunnel. Includes a common taller rear access door (wired to door ajar) w/bent D-ring deadbolt type latch.	\$1,315		
3365-0385	Portable tank storage thru the tank to hold: (1) 3000 gallon portable tank. Tunnel located officer side of water tank vertically. Includes vertically hinged door wired to door ajar with push button latch. Wetside Tanker Only.	\$4,150		
3365-0386	Hard suction storage thru the tank for up to (3) 6" x 10' hard suction hoses. Tunnel located driver side of water tank stacked vertical. Includes vertical hinged door wired to door ajar with push button latch. Wetside Tanker Only.	\$4,533		
3365-0387	Hard Suction Hose Rack for 2.5" or 3" Hose located inboard on hydraulic ladder rack (Each)	\$284		
3365-0389	Hard suction hose storage tray. Locate on top of Zico drop-down ladder rack. Mount secure straps further outboard to accommodate longer hard tube or 10' hard suction tube with a Kochek BS60 Barrel strainer pre-attached.	\$966		
3365-0390	Ladder storage box. Located in the driver side hose bed. Includes vertically hinged door (wired to door ajar) w/push-button latch(es), hose bed style top and nylatron flooring (no partition). Box to hold (1) 22' 3-Section, (1) 10' roof and (1) 8' folding ladder	\$1,862		
3365-0391	Portable tank storage compartment recessed into officer's side of water tank for (1) 4000 gallon portable tank. Includes vertically hinged door (wired to door ajar) w/push-button latch accessible from the rear. Will reduce tank size by approximately 250 gallons. Wetside Only.	\$3,650		
3365-0392	Storage Tunnel. A storage tunnel shall be provided, constructed of break formed .125" aluminum sheet, located behind the officer upper compartments. Includes a hinged rear access door (wired to door ajar) with a 2-point bent D-ring latch.	\$2,777		
3365-0393	Hard suction storage for (2) 6" x 10' hard suction hose stacked vertically. Located in a tunnel on the driver side of tank. Includes vertically hinged door (wired to door ajar) w/push-button latch accessible from the rear. Wetside only.	\$4,872		
3365-0394	Storage tunnel capable of holding: (1) Husky 3000 gallon portable tank in Officer side storage tunnel	\$0		
3365-0395	Fire Extinguisher storage rack. Locate in B1 mounted to ceiling and/or compartment walls as applicable to drop down and exit just below the roll up door when opened. To hold (3) bottles- (3) wide/(1) high. Each box to be 11" high x 11" wide. The bottom and sides are to include ribbed rubber inserts. The storage box shall have a drop down door with a latch to secure the cylinders in place during transit.	\$491		
3365-0396	Space in slide pad in bottom channel shall be provided for Alco-Lite brand truss style ladder. Space to allow ladder's side rail to rest on slide pad and not on rung ends. The ladder's weight will be distributed evenly across rail reducing friction by not allowing the rung end to dig into the slide pad when pulled from the tunnel.	\$0		
3365-0397	Officer side vertical storage tunnels. For use with low hose bed. Tunnels to hold: [#LOC]. The upper ladder tunnel shall be full length of hose bed, same width as lower ladder tunnel. The upper ladder tunnel compartment shall be fully enclosed except for an open top/roof which will be open to the elements.	\$2,730		
3365-0398	Hard suction storage box (pr). Stored (1) each side below "T" of tank. Includes hinged door with push-button latch. Tube tunnels to extend through raised rear enhanced extended compartment steps to gain additional capacity for longer length tube storage. Tube tunnels to fit One (1) 6" X 12' Hard suction tube on each side.	\$1,495		

Item #	Description	Extension	+1/-1	Total
3365-0399	Relocate the adjustable ladder brackets in place of standard placement. The ladders (if equipped) are to align with the rear of the tailboard as practicality permits. The hard section racks (if equipped) are centered about the body as practicality permits.	\$0		
3365-0400	Officer side vertical storage tunnels. For use with low hose bed. Tunnels to hold: [#LOC]. The upper tunnel to have enclosed storage for (2) 10' X 6" hard suction hoses (stacked) with (2) pike poles with multipurpose hooks (recessed 5" fwd of door). The upper area above and forward of the fully enclosed hard suction / pike pole storage to be open top/roof which will be open to the elements includes drain hole(s) as required. Includes vertically hinged rear .1875" smooth plate doors with D-ring latch on each door accessible at the rear of body.	\$3,636		
3365-0401	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 24' 2-section and 16' roof, plus a folding ladder. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,163		
3365-0402	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: [#LOC]. Includes vertically hinged rear diamond plate door(s) with push-button latch.	\$2,529		
3365-0403	Zico model HLAS-HS-2KIT, Double hard suction hose storage tray. Locate on inboard side of overhead ladder rack. Includes (2) securing straps per tray.	\$947		
3365-0404	Hosebed storage box. Located in the center of the hosebed. To hold (1) backboard, (1) 10' pike poles, (1) 8' pike pole, (1) 6' NY style pike pole, (1) 6' pike pole and (1) 10' attic ladder with access from a vertically hinged diamond plate door (wired to door ajar) with a push-button latch.	\$2,115		
3365-0405	Hose tray storage with stop located (above ladders) in the officer side ladder storage tunnel. Includes a common taller rear access door (wired to door ajar) w/bent D-ring deadbolt type latch.	\$1,315		
3365-0406	Portable Tank Storage Box. Located in the driver side hosebed. Includes drop down door (wired to door ajar) w/push-button latches, hosebed style top and nylatron flooring (no divider). Box to hold [#LOC] gallon portable tank.	\$1,862		
3365-0407	(2) Pike pole storage tubes with locking end. Locate in the driver side hosebed area to extend into the hose reel area. (1) 6' and (1) 8' pike pole. Pike poles are not included (sold separately).	\$616		
3365-0408	Hard Suction Storage Box. Located in the officer side hosebed. Includes vertical hinged door (wired to door ajar) w/push-button latches and nylatron flooring. Box to hold one (1) 6" X 10' hard suction hose.	\$931		
3365-0409	Ladder storage box. Located in the officer side hose bed. Includes vertically hinged diamond plate door (wired to door ajar) w/push-button latch, open top and nylatron flooring (no partition). Box to hold (1) 20' 2-Section and (1) 12' roof, (1) 10 foot attic ladder with feet. and (2) 10' pike pole tubes.	\$2,241		
3365-0410	Ladder Storage Box. Located in the officer side hosebed. The top shall be enclosed using the hosebed cover, the rear access shall be equipped with an outboard vertical hinged door with thumb latch and moon spring hold open, The hosebed cover and rear flap shall be sold separately. Box to hold (1) Alcolite PEL 24' 3-section, (1) Alcolite PRL 12' roof with separate divider and (1) Model 13 Little Giant	\$3,208		
3365-0411	Driver side ladder storage tunnel. Includes area for a vertically stored 24' 2-section and 14' roof. Includes vertically hinged rear smooth plate door with push-button latch.	\$1,354		
3365-0412	Storage tunnel capable of holding: (2) 6" x 10' hard suction hoses (individually vertically stacked) in Officer Side Storage Tunnel. Includes vertically hinged rear smooth plate door with push-button latch. Tanker Only.	\$1,104		
3365-0413	A module formed from .188" aluminum treadplate shall be provided and installed on the driver side interior walkway. This module shall be 13.75" high x 18.5" wide and the full length of the interior to contain the ladder/pike pole assortment and to become the base of the bench seat assembly. It shall have a rear access door hinged on the aisle side with a single point bent D-ring latch assembly.	\$5,564		
3365-0414	Backboard stop bracket to be located approximately 80" back in officer side of ladder tunnel.	\$273		
3365-0415	Little Giant sleeve for a Classic Model 17 approx 9.25" W x 25.5" H x 56" L for vertical storage in transverse compartment. Includes door to secure the ladder in place with composite flooring. Located just above upper transverse floor centered on forward wall, to be accessible from L1/R1.	\$579		

Item #	Description	Extension	+1/-1	Total
3365-0416	Hosebed ladder storage box with diamond plate top. Located centered in hosebed and to secure from driver to officer: (3) 2.5" x 10' hard suction tubes, (2) 10' pike pole tubes mounted down low, (1) 925-A 22' 3 Sect & (1) 775-A 10' Roof. Ladders to be stored on beam. Included are (2) hosebed dividers with squared ends, diamond plate top and a vertically hinged diamond plate door (hinged to officer side) wired to the door ajar indicator.	\$1,549		
3365-0417	Zico attic ladder mounting brackets (PR). Locate [#LOC].	\$260		
3365-0418	Hard suction storage box welded left side to upper body hose bed side sheet, to be painted as applicable. Includes vertically hinged brushed stainless steel rear access door and aluminum hose tray with forward travel limit stop. Requires minimum 88" high pumper body.	\$1,533		
3365-0420	Dual hard suction hose storage with stops located in the drivers side upper header. Includes a lift-up rear access door (wired to door ajar) w/bent D-ring latch.	\$2,114		
3365-0421	Storage tunnel capable of holding: (2) 6" x 12' hardsuction hoses (individually vertically stacked)in the officer Side Storage Tunnel. Use >3365-0149-ORR	\$0		
3365-0422	Ladder storage through tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet,(2) pike poles, and (2) backboards. Reduces selected water tank capacity by approximately 350 gallons.	\$3,839		
3365-0423	Recessed folding ladder storage compartment located [#LOC]. Compartment sized to store a 10' ladder with feet.	\$655		
3365-0424	Ladder tunnel. Rack to hold (1) 24'-2 section, (1) 14' roof ladder, (1) 12' D-handle pike pole, and (1) 8' D-handle pike pole.	\$3,405		
3365-0425	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: 2-section 24', 14' roof, 10' attic, (2) pike poles, (2) NY Hooks, (1) piercing nozzle, area for fire brooms and area for shovels. Includes vertically hinged rear brushed stainless steel door(s) with push-button latch.	\$2,942		
3365-0426	(3) Hard Suction Storage Racks. Driver side hosebed side with adjustable tracks. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$1,199		
3365-0427	Hard suction storage box. Located on the driver side compartment top. Includes vertical hinged door at the rearward of the apparatus as installed that swings outward (wired to door ajar) w/push-button latch, To be constructed of .125" thick aluminum tread plate with nylatron flooring. Box to hold one (1) 6 inch dia. x 10 foot hard tube.	\$1,608		
3365-0428	Hard suction storage box. Located on the officer side compartment top. Includes vertical hinged door at the rearward of the apparatus as installed that swings outward (wired to door ajar) w/push-button latch, To be constructed of .125" thick aluminum tread plate with nylatron flooring. Box to hold one (1) 6 inch dia. x 10 foot hard tube.	\$1,608		
3365-0429	Hard suction Storage Box located in the driver side roof top compartment. The storage to be boxed off inside roof top compartment. Includes vertical hinged smooth plate door (wired to door ajar) w/push-button latch. Storage to hold (2) 6" X 12' hard suction tubes.	\$2,391		
3365-0430	Extra wide folding ladder/rake pole box and (2) additional pike poles (total of 4) stored outboard of 2-section ladder located in Officer Side Tunnel. Compartment sized to store a 10' ladder with feet with 72" long are for rake pole and (2) additional pike poles.	\$742		
3365-0431	Hard suction storage box. Located in the officer side hose bed. Includes vertically hinged diamond plate door (wired to door ajar) with D Ring latch, hose bed style top and nylatron flooring (no divider). Box to hold 3 tube(s).	\$1,862		
3365-0432	Zico hydraulic drop down rack on driver body. Secures portable folding tank with capacity of main tank on body	\$7,142		
3365-0433	Zico hydraulic drop down rack on officer body. Secures portable folding tank with capacity of main tank on body	\$7,003		
3365-0434	Ladder Storage Box. Located in the officer side hosebed. The top shall be enclosed using the hosebed cover, the rear access shall be equipped with an INBOARD, vertical hinged, door with thumb latch and moon spring hold open, The hosebed cover and rear flap shall be Sold Separately. Rear Flap does not cover rear ladder box door. Box to hold (1) Alcolite PEL 24' 3-section, (1) Alcolite PRL 12' roof with separate divider, (1) Model 13 Little Giant, (1) 6` Firehook model MPH-6 pike pole w/gas shut-off end, and (1) 8` Firehook model MPH-8 pike pole w/gas shut-off end.	\$3,585		
3365-0435	Nylon black strap with clip release for use with Drv/Ofc side storage tunnel.	\$104		

Item #	Description	Extension	+1/-1	Total
3365-0436	Ladder storage box. Located in the officer side hose bed. Includes vertically hinged door (wired to door ajar) w/push-button latch(es) and nylatron flooring (no partition). Box to hold (1) 20' 2-Section and (1) 12' roof.	\$1,862		
3365-0437	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: [#LOC]. Includes vertically hinged rear diamond plate door(s) with D-ring latch.	\$2,401		
3365-0438	Storage tunnel above B1 capable of holding: (1) Ferno Washington Model 71 stokes basket. Install (1) divider 26" off driver side wall full length with nylatron on floor and stop set at 90". Right side remaining area will have a stop set at 72".	\$1,176		
3365-0439	Recessed folding ladder and pike pole storage compartment located right rear of body up high. Compartment sized to store a 10' ladder with feet and (3) 10' pike poles. The pike poles shall be (1) mounted from the top and (2) at the bottom of the box.	\$1,449		
3365-0440	Zico HHS-TM-1 hard suction storage rack. Locate on the Zico Hydraulic Portable Tank System. Includes NFPA retaining strap(s).	\$518		
3365-0441	Zico model HLAS-HS-1KIT, Single hard suction hose storage tray. Locate on inboard side of overhead ladder rack. Includes (2) securing straps.	\$597		
3365-0442	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 24', 14' roof, 10' attic,(2) pike poles, and (1) backboard. Includes vertically hinged rear diamond plate door(s) with push-button latch. Includes upper area of ladder tunnel to have (2) roof top compartments. Includes hinged raised compartment lids with turn latches. Each lid to have (1) bracket mounted light and to be wired to door ajar indicator in cab.	\$4,061		
3365-0443	Hard suction storage rack for (1) 6" X 8' suction hose. Locate [#LOC]. Includes NFPA retaining strap(s).	\$333		
3365-0444	Ladder tunnel. Located high as possible in B1. Tunnel to be a compact design 19.75 in. Tall X full width of B1 X 16 ft- 4 in. deep. Tunnel sized to stow (1) 24' 2-section ladder, (1) 16' roof ladder, (1) 14' combination ladder (1) 10' folding attic ladder. Tunnel option will reduce the compartment area of the lower body.	\$4,434		
3365-0445	Single hard suction hose storage without stop located (above ladders) in the officer side ladder storage tunnel. Includes a common taller rear access door (wired to door ajar) w/bent D-ring deadbolt type latch. Used for extra long suction hose (up to 14').	\$1,262		
3365-0446	Single hard suction hose storage (without stops) located in the drivers side upper header. This allows for longer suction hose. Includes a lift-up rear access door (wired to door ajar) w/bent D-ring latch.	\$1,738		
3365-0447	Recessed folding ladder and pike pole storage compartment located officer side just below "T" of the tank. Compartment sized to store a 10' ladder with feet and (2) pike poles. To have a hinged smoothplate door with a thumb latch hinged to open downward tied to door ajar and park brake per NFPA.	\$1,028		
3365-0448	Driver side vertical storage tunnel behind reduced upper depth left side compartments. Tunnel to hold: 24' 2-section and 14' roof, plus (2) pike poles and a folding ladder. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,452		
3365-0449	Storage in center forward area of hosebed for spare tire. Open top storage with hosebed cover to be enclose area.	\$637		
3365-0450	Triple hard suction storage rack. Officer side in ladder track. Includes NFPA restraining straps. Rack shall accommodate 3" hard suction hose.	\$1,189		
3365-0451	(2) 10' pike pole storage tubes. Locate driver side in adjustable tracks with pike pole hooks stored in the up position. Outboard tube to be fitted for a NY hook.	\$515		
3365-0452	Hard suction storage compartment for (2) 6 inch x 8' hoses. Hoses to be stacked vertical inside compartment. Locate: Officer side high as possible thru rear of body and pass thru side body compartments rear upper corner. Includes vertical hinged rear body access door w/D-ring latch (wired to door ajar). Door material and finish to match rear body.	\$2,310		
3365-0453	Hard suction storage compartment for (2) 6 inch x 8' hoses. Hoses to be stacked vertical inside compartment. Locate: Driver side high as possible thru rear of body and pass thru side body compartments rear upper corner. Includes vertical hinged rear body access door w/D-ring latch (wired to door ajar). Door material and finish to match rear body.	\$2,310		

Item #	Description	Extension	+1/-1	Total
3365-0454	Stokes/backboard storage with stops located in the officers side upper header. Includes a lift-up rear access door (wired to door ajar) w/bent D-ring latch.	\$1,959		
3365-0455	Dual hard suction hose storage (without stops) located in the officer side upper header. This allows for longer suction hoses (maximum length of 12'). Includes a lift-up rear access door (wired to door ajar) w/bent D-ring latch.	\$2,154		
3365-0456	Storage box on officer side compartment top with an open top access and seatbelt style straps with the buckle end mounted to the top of box. Box will be designed per customer specific requirements.	\$2,210		
3365-0457	Four (4) pike poles and a folding ladder tucked behind ground ladders on the adjustable ladder tracks	\$3,103		
3365-0458	Ladder storage driver side compartment top. Includes boot at forward compartment top and a hold-down for (1) 16' 2-section and (1) 10' roof ladder.	\$874		
3365-0459	Box storage rack. Locate in [#LOC]. (2) wide/(2) high. Each compartment to be 8" wide x 10" high. Box to be angled upward in the compartment. No ribbed rubber.	\$399		
3365-0460	Box storage rack. Locate in [#LOC]. (1) wide/(2) high. Each compartment to be 12" wide x 10" high. Box to be angled upward in the compartment. No ribbed rubber.	\$344		
3365-0461	Ladder storage box. Located in the officer side hose bed. Includes vertically hinged door (wired to door ajar) w/push-button latch(es), hose bed style above the ladder storage and nylatron flooring (no partition). Box to hold (1) 24' 2-Section, (1) 14' roof, (1) 10' attic and (2) pike poles.	\$3,045		
3365-0462	Pike pole storage tubes with locking end bolt in. Qty (2). One (1) tube oriented to and as close as possible to driver side of door opening and one (1) tube oriented to and as close as possible to officer side of door opening. Pike poles not includes (sold separately). Finish is sanded aluminum. Locate L2/R2 up high to rear wall of compartment.	\$616		
3365-0463	Broom / Shovel storage tubes bolt in. (1) of each, Qty (2) for tools with straight handles. One (1) tube oriented as close as possible to driver side of door opening and one (1) tube oriented as close as possible to officer side of door opening. Broom and Shovel not included (sold separately). Finish is sanded aluminum. Locate: L2/R2 up high on forward wall of compartment. If (2) pair are required locate center of upper tube set 8 inches below door opening and the second pair 13 inches above extended floor mounted tray.	\$616		
3365-0464	Nylon black strap with clip release for use with storage tunnel thru the tank. Strap shall secure the first rungs closest to the compartment door for easy access to the release clip.	\$0		
3365-0465	Officer side vertical storage tunnels. For use with low hose bed. Lower Tunnel to hold: 2-section 24', 14' roof, 10' attic and (3) pike poles, (1) standard, (2) with multipurpose hooks (recessed 5" fwd of door). The upper tunnel to have enclosed storage for (1) 10' X 6" hard suction hose with (1) pike pole with multipurpose hook (recessed 5" fwd of door). The area below the hard suction storage for a removable hose tray (not included) for customers "high raise packs" with a stop set at 72" from access opening. Includes vertically hinged rear .188" smooth plate doors with D-ring latch on each door accessible at the rear of body.	\$3,636		
3365-0466	One (1) pike pole and one (1) multipurpose hook and a folding ladder tucked behind ground ladders on the adjustable ladder tracks on the officer's side outside of the hose bed.	\$1,313		
3365-0467	Hard suction storage in hosebed for the following: (3) 6" x 10' hard suction hoses. Includes (2) hosebed divider with squared off upper rear, vertically hinged (to swing outboard hosebed area) door with latch (wired to door ajar indicator) and composite material overlay on hosebed flooring. Upper area open and main hosebed cover to be used to cover top area of storage area. Storage located in the center of the hosebed.	\$1,882		
3365-0468	Internal ladder tunnel storage with vertically hinged smooth plate door (wired to door ajar). Access door to be located to the rear of the officer's side body. Storage tunnel capable of holding: (2) 12' Roof, (1) 10' Attic, (1) 6' roof hook pole, (1) 8' pike pole and (1) 10' pike pole.	\$3,177		
3365-0469	Ladder storage through tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet, (2) pike poles and (2) 10' X 6" hard suction hoses. Reduces selected water tank capacity by approximately 450 gallons for pumpers.	\$6,414		

Item #	Description	Extension	+1/-1	Total
3365-0470	Hard suction Storage Box located in the officer side roof top compartment. The storage to be boxed off inside roof top compartment. Includes vertical hinged smooth plate door painted job color as applicable (wired to door ajar) w/D-ring latch. Storage to hold (2) 6" X 10' hard suction tubes horizontal side by side..	\$2,391		
3365-0471	Upper hosebed storage area above ladder or storage tunnel on officer side body. Upper storage area to have an open top and run length of the hosebed area. Includes hosebed style flooring and matching rear vinyl or cargo net cover of same style/color as main hosebed.	\$1,141		
3365-0472	Recessed folding ladder and pike pole storage compartment located right rear of body up high. Compartment sized to store a 10' ladder with feet and (3) up to 12' in length pike poles.	\$1,569		
3365-0473	Upper hosebed storage area above driver side compartments. Upper storage area to have an open top and run length of the available hosebed area as optioned. Includes hosebed style flooring.	\$1,142		
3365-0474	Officer side vertical storage tunnel. For use with low hosebed, fully enclosed and extended to pump area with drain holes forward in tunnel flooring. Tunnel to hold: 2-Section 24', 14' roof, 10' attic and (2) D-Handle pike poles. Includes vertically hinged rear smooth plate door(s) with push-button latch. The attic ladder to be stored below the 2-section and roof ladders. The D-Handle pike poles to be located on the hose bed wall outboard of ground ladders. Ladder tunnel will not extend to top of the body, the area above the ladder tunnel to have hosebed style flooring.	\$3,941		
3365-0475	Hard suction storage box, vertical, over/under. Located in the officer's side hose bed. Includes a swing open door, vertical hinged on left side (wired to door ajar) w/trigger latch, hose bed style top and flooring. Box to hold (2) 6" x 10' long tubes.	\$1,862		
3365-0476	Ladder Storage Box. Located in the officer side hosebed. The top shall be enclosed using hosebed style top. Includes vert hinged door (wired to door ajar) w/ thumb latch(s). Box to hold (1) one 24' 2-section, (1) one 14' roof, (1) one 10' folding attic ladder, (4) four pike poles, and (2) two 6" x 10' hard suction hose above ladders.	\$3,567		
3365-0477	Hard suction storage box, vertical, over/under. Located in the driver's side hose bed. Includes a swing open door, vertical hinged on right side (wired to door ajar) w/trigger latch, hose bed style top and flooring. Box to hold (2) 6" x 10' long tubes (not included).	\$1,862		
3365-0478	Hard suction storage box with strainer storing capacity. Located in the driver side hose bed. Includes a swing open diamond plate door, vertically hinged on the right hand side (inboard) and wired to door ajar w/thumb latch(es), diamond plate top and nylatron flooring (no divider). Box to hold [#LOC] tubes with strainer.	\$1,862		
3365-0479	Hardsuction Storage in hosebed for the following: (2) 6" x 10' Hoses. Includes (1) hosebed divider with squared off upper rear, vertically hinged (to swing into hosebed area) door with latch (wired to door ajar indicator) and composite material overlay on hosebed flooring. Upper area open and main hosebed cover to be used to cover top area of hardsuction storage area. Storage located to officer of hosebed.	\$1,302		
3365-0480	Hard suction storage in hosebed for the following: (2) 6" x 10' hard suction hoses. Includes (1) hosebed divider with squared off upper rear, vertically hinged (to swing outboard hosebed area) door with latch (wired to door ajar indicator) and composite material overlay on hosebed flooring. Upper area open and main hosebed cover to be used to cover top area of storage area. Storage located to officer side of hosebed.	\$1,302		
3365-0481	Zico hydraulic drop down portable tank rack. Rack located to officer of body. Rack sized to be a portable tank 169" long. The control switching to be located officer side rear compartment face with the rack being in full view of the operator during operations.	\$6,913		
3365-0482	The driver side Storage Box to store (2) backboards. Each to be accessed by a vertically hinged diamond plate door with a push-button latch. Door to wired to the door ajar indicator in the cab.	\$599		
3365-0483	Officer side vertical storage tunnel. For use with low hosebed. Tunnel to hold: 2-Section 24', 14' roof, 10' folding attic, (2) pike poles, and (1) backboard. Includes vertically hinged rear smooth plate door (to accommodate graphics/stripping) with push-button latch. Upper storage area to have an open top and run full length of the body. Upper area to have hosebed style flooring.	\$3,593		

Item #	Description	Extension	+1/-1	Total
3365-0484	Recessed folding ladder and pike pole storage compartment located left rear of body up high. Compartment sized to store a 10' ladder with feet and (2) 12' pike poles.	\$1,191		
3365-0486	Adjustable tracks (pair). Locate tracks to hosebed side plate assembly ipo of the outboard side 3x3. For use with ladder and/or hard suction rack(s).	\$0		
3365-0487	A bolt on aluminum fabricated sign plate mounted to the exterior vertical surface of the hydraulic ladder lift structure. This shall provide a mounting surface for lights along with an area for graphics. Sign plate shall be painted job color to match the ladder lift.	\$889		
3365-0488	Ladder rack installed on rear body (facing rearward) so ladders may be accessed from ground level (opposite top deck access ladder).	\$158		
3365-0489	Trash Hook storage compartment located driver side just below hosebed. Compartment sized to store a 10' Trash Hook with D-Handle with smooth plate vertically hinged door and D-Ring latch.	\$782		
3365-0490	Hard suction storage box welded left side to upper body hose bed side sheet, to be painted as applicable. Includes vertically hinged smooth aluminum rear access door and aluminum hose tray with forward travel limit stop. Requires minimum 88" high pumper body.	\$1,533		
3365-0491	Hard suction storage box welded right side to upper body hose bed side sheet, to be painted as applicable. Includes vertically hinged smooth aluminum rear access door and aluminum hose tray with forward travel limit stop. Requires minimum 88" high pumper body.	\$1,533		
3365-0492	Storage box on officer side compartment top with 2 half length side hinged down access doors with 2 butterfly latches per door (wired to door ajar). Box to be approximately 149" long x 12" high x 12" deep without center divider. Storage is for 2.5" DJ hose with nozzle for hi-rise pack remaining extra space for tool storage. With black dri-deck flooring.	\$1,584		
3365-0493	(2) 10' pike pole storage tubes. Locate inboard bottom side of ladder rack on old style adjustable track with pike pole hooks stored in the down position.	\$702		
3365-0494	Zico electric drop down hardsuction rack. Rack located to driver of body. The control switching to be located on the side pump panel with the rack being in full view of the operator during operations. The rack includes (2) main rack mounted 12' trays.	\$7,284		
3365-0495	Storage tunnel capable of holding: (1) Husky brand steel frame 2100 gallon folding tank. Tunnel to be 35" tall by standard width and full length of the available body. Forward end of tunnel to be capped with a removable plate to seal tunnel from debris and a 10.5" wide (minimum or as applicable to tank model) U channel top and bottom centered in tunnel with Nylon pads to be supplied on the bottom. Door to be plate aluminum matching ladder tunnel with push button latch tied to door ajar. Tank storage to be Driver Side Storage Tunnel.	\$1,841		
3365-0496	Ladder tunnel. Tunnel to be a compact design and approximately 25 in. Tall X 32 in. Wide X approx 12 ft 3 in. deep at top. Tunnel sized to stow (1) 20' 2-section ladder at top driver side, (6) 12' pike poles at top officer side, (1) Stokes basket center, (1) Little Giant Model 17 at bottom. Tunnel option will reduce transverse compartment area of the lower body. Locate: B1 high as possible.	\$4,277		
3365-0497	Portable tank storage thru the tank to hold: (1) 2100 gallon portable tank. Tunnel located driver side of water tank vertically. Tunnel to be 11" wide x 32" high. Includes a D-Ring style latch on access door. Wetside Tanker Only.	\$4,029		
3365-0498	Storage Tunnel to be completely enclosed to prevent road grime and dust from entering into the storage tunnel. Drain holes shall be provided as applicable for water drainage.	\$539		
3365-0499	Portable tank storage thru the tank to hold: (1) 2100 gallon portable tank. Tunnel located officer side of water tank vertically. Tunnel to be 11" wide x 32" high. Includes a D-Ring style latch on access door. Wetside Tanker Only.	\$4,150		
3365-0500	The tunnel to be used with the dealer supplied equipment shall be approx. 29" high x 13" wide x length of the body. Dealer to confirm that the equipment will fit within these dimensions.	\$0		
3365-0501	Dual hard suction hose storage with stops located in the officer side upper header. Designed to hold (1) 11' and (1) 7' hoses (not included).	\$2,114		



Item #	Description	Extension	+1/-1	Total
3365-0502	Four (4) pike poles and a folding ladder located under stokes basket module on floor of upper left side body compartment.	\$1,313		
3365-0503	Recessed pike pole storage compartment located [#LOC]. Compartment sized to store (2) pike poles.	\$530		
3365-0504	Three (3) pike poles and a folding ladder tucked behind ground ladders on the adjustable ladder tracks	\$3,103		
3365-0505	Hard Suction Storage Box. Located horizontal in the drivers side hosebed. Includes vertical hinged door (wired to door ajar) with D-Ring style latches and nylatron flooring. Box to hold two (2) 6" X 10' hard suction hose.	\$1,862		
3365-0506	Hard suction storage box. Located in the officer side hose bed. Includes a swing open door, vertical hinged on the right hand side (outboard) and wired to door ajar w/push-button latch(es), hose bed style top and nylatron flooring (no divider). Box to hold two (2) tubes.	\$1,862		
3365-0507	Horizontal stokes basket bracket installed on driver side of hosebed cover for Washington Ferno model 71 stokes basket. Will include aluminum boot and stokes hold down fasteners.	\$591		
3365-0508	Ladder storage thru tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet,(2) 10' pike poles and (1) Combo step-extension (Duo Safety 300-A) ladder. Ladders shall be stored horizontally. Ladder storage is approximately 270 gallons.	\$3,886		
3365-0509	Double hard suction storage rack (side by side) for 6" x 6' hard suction hoses. Driver side compartment top. Includes spring hold downs with scuff plates (as applicable).	\$716		
3365-0510	(2) aluminum pike pole storage tubes. (2) 48" pike pole tubes to be Located just below, rearward, and across lower B1 compartment top and to extend into L4 and R3 compartments for dealer supplied and installed trash hooks. Dealer is to supply and install required retaining devise for hooks.	\$377		
3365-0511	2-Arm Ladder Rack rear painted formed arm cover panel for mounting lights at the rear of the apparatus on officer side shall have the top and lower trailing corners of the panel rounded with 1 in. radius or as applicable per lighting optioned.	\$0		
3365-0512	Hard suction storage box. Located in the driver side hose bed. Includes a swing open diamond plate door, vertical hinged on the right hand side (inboard) and wired to door ajar w/push button latch(es), and nylatron flooring. Box to hold one (1) 6" X 10' tube.	\$1,321		
3365-0513	Hard suction storage box. Located in the officer side hose bed. Includes a swing open diamond plate door, vertical hinged on the left hand side (inboard) and wired to door ajar w/push button latch(es), and nylatron flooring. Box to hold one (1) 6" X 10' tube.	\$1,321		
3365-0514	Fire extinguisher storage rack to hold (3) extinguishers in a single horz row. Each storage area to be 11" wide x 11" high x 25" deep with a trough in the bottom (same as used in E-ONE wheelwell bottle storage. Bottom and sides of the trough to include ribbed rubber inserts. Each opening to have a vertically mounted strap. Bolt to the bottom of the adjustable shelf in R1 forward end.	\$779		
3365-0515	Full width horizontal storage tunnel between top of tank and below hose bed floor. Tunnel to hold: (3) 10' lengths of 6" hard suction hose, side by side on the right side. Includes horizontally hinged drop down rear smooth plate door with bent D-ring latch, and bolt-on SS partition protection for water tank fill tower(s).	\$3,294		
3365-0516	Controls for the Ziamatic ladder rack shall be located inside the officer side battery compartment door.	\$308		
3365-0517	Recessed pike pole storage compartment located on the officer side between the upper and lower compartments. Compartment sized to store (1) 6' NY Roof Hook and (1) 6' Drywall Hook. The box to be 5" deep.	\$530		
3365-0518	Fire Extinguisher storage rack. Locate in R2 offset forward. To hold (4) bottles- (2) wide/(2)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts. Each storage slot to be 11" wide x 10" high.	\$1,039		
3365-0519	Upper hosebed storage area above driver side compartments. Upper storage area to have an open top and run length of the available hosebed area as optioned. Includes slotted flooring for storage of 17' Little Giant Ladder with divider set 8.5", leaving 4.25" outboard for customer supplied and installed backboards. Dealer to supply stops for backboards.	\$1,579		

Item #	Description	Extension	+1/-1	Total
3365-0520	Storage tunnel capable of holding: (2) 6" x 10' hard suction hoses (individually vertically stacked) in Drivers Side Storage Tunnel. Includes vertically hinged rear smooth plate door with push-button latch. Tanker Only.	\$1,104		
3365-0521	Officer side ladder storage tunnel. Includes area for a vertically stored 35' 3-section', 16' roof and 10' folding ladders plus storage for two (2) standard pike poles.	\$1,914		
3365-0522	Ladder storage box in driver side of hosebed. Dimensions to be 25" wide x 9" high x length of hosebed. Includes ladder stop 66" back from opening and diamond plate drop down door 8" high (1" open space between top of door and top of box) with a D-ring latch (wired to door ajar indicator) and composite material overlay on hosebed flooring.	\$1,465		
3365-0523	Recessed folding ladder and pike pole storage compartment located right rear of body up high. Compartment sized to store a 10' ladder with feet, (3) 10' pike poles, and (1) 8" "D" handle trash hook.	\$2,246		
3365-0524	Hard suction storage box. Located in the driver side hose bed. No door. Box to hold one (1) 6" X 10' tube below and a slotted smooth plate floor for hose storage above.	\$931		
3365-0525	Recessed folding ladder and pike pole storage compartment located right rear of body. Compartment sized to store a 10' ladder with feet and (3) pike poles. The pike poles shall be (1) 6', (1)8', and (1) 10'. Content labels to be located on access door.	\$1,449		
3365-0526	Storage box located in the officer side ladder tunnel above the attic ladder storage box. To be constructed of .125" aluminum smooth plate x 5" wide x 6" high x 82" long similar to the attic ladder box. Closed end at front.	\$372		
3365-0527	Zico hydraulic drop down portable tank rack. Rack located to officers side on compartment top of body. Rack sized for 2500 gallon aluminum frame portable tank. The control switching to be located on the right rear switch panel with the rack being in full view of the operator during operations.	\$6,330		
3365-0528	Zico drop down rack to have smooth plate cover between outboard rack assemblies. Cover to be painted job color	\$900		
3365-0529	Storage box for (1) 10' length of hard suction hose. Includes rear mounted vertically hinged door with latch (wired to door ajar indicator). Locate to driver's side compartment top. To be large enough to hold customer supplied low level strainer attached to the hose and folding ladder.	\$1,419		
3365-0530	Folding ladder storage located drivers side hard suction compartment. Sized to store a 10' ladder with feet.	\$782		
3365-0531	(2) aluminum pike pole storage tubes. Locate officer's side hard suction compartment. Sized for 10' pike poles.	\$377		
3365-0532	Storage box for (1) 10' length of hard suction hose. Includes rear mounted vertically hinged door with latch (wired to door ajar indicator). Locate to officer's side compartment top. To be large enough to hold customer supplied low level strainer attached to the hose and two pike poles.	\$1,419		
3365-0533	Zico hydraulic drop down portable tank rack. Rack located to driver's side on compartment top of body. Rack sized for 2500 gallon aluminum frame portable tank. The control switching to be located on the left rear switch panel with the rack being in full view of the operator during operations.	\$6,087		
3365-0534	Ladder assist roller system shall be provided for the Duo-Safety 45' 1525-A "Bangor" style ladder in the ladder tunnel. Includes sealed bearing rollers at the opening of the ladder tunnel. Purpose is to relieve a significant portion of the weight of the ladder at the opening to reduce the pulling force required to remove the ladder from the storage compartment.	\$676		
3365-0535	Hard suction storage box. Located in the driver side hose bed. Includes a swing open smooth plate door painted job color, vertical hinged on the right hand side (inboard) and wired to door ajar w/"D"-ring latch(es), hose bed style top and nylatron flooring (no divider). Box to hold [#LOC] tubes.	\$1,862		
3365-0536	Hard suction storage box. Located in the officer side hose bed. Includes a swing open diamond plate door, vertically hinged on the right hand side (outboard) and wired to door ajar w/"D" ring latch(es), hose bed style top and nylatron flooring (no divider). Box to hold [#LOC] tubes.	\$1,862		
3365-0537	Internal aluminum frame portable tank storage with vertically hinged diamond plate door (wired to door ajar) with a D-ring latch. Access door to be located to the rear of the Driver's side of body. Included is a composite material floor overlay and a tank stop for use with a 2100 gallon aluminum frame portable storage tank.	\$862		

Item #	Description	Extension	+1/-1	Total
3365-0538	Ladder storage in hosebed for the following: (1) 20' 2-section extension and (1) 12' roof ladders, (1) 10' folding attic, (2) standard 10' pike pole storage tubes and (2) two 4" hard suction hose with small style coupling (10' LENGTH UNLESS NOTED OTHERWISE IN RELEASED ORDER). Extension and roof ladders stored nested above other items in storage box. Includes (1) hosebed divider style side support with squared off upper rear, vertically hinged (to swing into hosebed area) door with latch (wired to door ajar indicator) and composite material overlay on hosebed flooring and below ground ladders. Upper area open and main hosebed cover to be used to cover top area of ladder storage area. Storage located to officer's side of hosebed.	\$1,477		
3365-0539	Hard suction storage rack. Locate on the Officer's side adjustable ladder tracks (above ladder brackets if applicable). Includes spring hold downs with scuff plates (as applicable). For use with 15' hard suction hose.	\$600		
3365-0540	Ladder tunnel. Tunnel to be a compact design configured to stow (1) CJL-14, (1) Little Giant 1A-17, (1) 36 in. long closet hook with D-handle, (1) 48 in. long trash hook with D-handle. Tunnel option will reduce the compartment area of the lower body. Locate: B1 high as possible.	\$3,085		
3365-0541	Tunnel, ladder. An aluminum diamond plate storage tunnel shall be provided to stow (1) FL-10. The tunnel shall have a smooth aluminum hinged access door with a sanded finish. Locate: Body roof top walk way against driver side boxes and flush with rear of body.	\$814		
3365-0542	Center mounted ladder tunnel. Ladder rack to hold: PEL3-35, PEL-20, PRL-14, PRL-12 and FL-10.	\$6,059		
3365-0543	Hard suction storage box. Located in the driver side hose bed. Includes a swing open door, vertical hinged on the right hand side (inboard) and wired to door ajar w/push-button latch(es), hose bed style top and nylatron flooring (no divider). Box to hold [#LOC] tubes.	\$1,862		
3365-0544	Hosebed Storage Box. Located in the officer side hosebed. Includes drop down door (wired to door ajar) w/push-button latch(es), hosebed style top and nylatron flooring (no divider). Box to hold (1) stokes basket. Includes stop bracket approximately 88" back from opening. Stokes basket 86" long x 24" wide x 8" high.	\$2,114		
3365-0545	Double hard suction hose storage tray. Locate inboard side of overhead ladder rack(s) (1) stacked above the other. Includes (2) securing straps per tray. For use with 10' hard suction hoses.	\$1,937		
3365-0546	2-Arm Ladder Rack to be painted Sikkens FLNA 4145 Black.	\$3,466		
3365-0547	(2) pairs of pike pole mounting brackets. Locate inboard side of rack for use with customer/dealer supplied pike poles. Brackets to be located so they retain both a standard pike and a D-handle model. Brackets to be P.A.C. TOOLOK.	\$413		
3365-0548	Backboard storage located in upper storage compartment under hose bed to the left of the supplied center divider. A vertical partition is to be located across the front of storage 84 inches deep x available height at door opening approx. 10 inches x available width of 20 inches to center divider. Space to be utilized for storage of backboards. Remaining area to the right of the center supplied divider to have a vertical partition located across the front of storage 100 inches deep and to contain a storage box for a 8' "D"-handle trash hook along with two (2) pike pole tubes for two (2) 8' pike poles with NY hooks.	\$1,482		
3365-0549	One (1) pike pole and two (2) multipurpose hooks and a folding ladder tucked behind ground ladders on the adjustable ladder tracks on the officer's side outside of the hose bed.	\$1,313		
3365-0550	Backboard Storage Box. Located in the officer side hose bed. Includes vertically hinged door (wired to door ajar) w/push-button latch. Box to hold (1) backboard.	\$827		
3365-0551	Triple Hard Suction Storage Rack for 10' hard suction hoses. Driver upper body side. For use with custom style hose hold downs.	\$915		
3365-0552	2-Arm Ladder Rack to be painted Sikkens FLNA 9550 Dark Grey Metallic.	\$3,690		
3365-0553	Hard suction hose storage tray. Locate on top of Zico drop-down ladder rack. Mount secure straps further outboard to accommodate longer hard suction hose up to 13' in length.	\$966		

Item #	Description	Extension	+1/-1	Total
3365-0554	Pre-connect removable horizontal U formed divider to be mounted to adjustable aluminum angles attached to Driver side hose bed wall and first and second full length divider in hose bed. Divider(s) to be fabricated from formed .25in thick smooth plate aluminum with DA finish with drainage slots to allow for water shed. Sides of formed divider shall be formed with a bend upwards 2in. to increase rigidity of the divider for hose weight. Each formed divider to be equipped with a Pin (s) with lanyard through side mounting angles to prevent movement of divider in transit. Divider trays when emptied of stored hose shall have a hand hold relief cut in each divider formed pan for ease of removal once unloaded. Side angles shall be located on the divider (s) and side wall of hose bed as applicable to position the divider approximately 21 in. above the hose bed level. This to allow for 2 vertical stacked hose storage areas to accommodate hose lays below at bed level and additional above	\$2,217		
3365-0555	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: 2-Section 24ft, 14ft roof, 10ft attic, (1) back board and (4) pike poles. Includes vertical hinged rear smooth plate door matching rear body finish with push-button latch. Upper storage area to have an open top and run full length of the body. Upper area to have hose bed style flooring.	\$3,705		
3365-0556	Center mounted ladder tunnel. Ladder rack to hold: PEL-35, PEL-28, PEL-24, PRL-16, PRL-14 and FL-10 attic ladder.	\$6,059		
3365-0557	Storage box for (1) 15' length of hardsuction hose. Includes vertically hinged door with latch (wired to door ajar indicator). Locate [#LOC] side below "T" of water tank.	\$855		
3365-0558	Recessed folding ladder storage assembly located behind the lift up stair case. Assembly constructed of smooth aluminum plate and sized to store a 12' ladder with feet. Requires notching of all transverse compartment walls at center ceiling level. Ladder not included.	\$655		
3365-0559	Zico pike pole mounting brackets (PR). Locate inside forward transverse area in E-MAX module forward of stokes basket storage. May limit/omit back board storage at this location. To store short 6ft poles in upper module transverse. ZICO parts PPMB-AA and PPMB-BB. These are the brackets only and will not include any tubes or pike poles.	\$196		
3365-0560	Storage box located [#LOC]. Content of the storage to be vertically stacked and include a vertically hinged door w/D-Ring style latch (thumb latch if space is restricted). The box is to be the full length of the available hose bed and include stop(s) as needed for storage content.	\$1,862		
3365-0561	Pike pole tubes. Provide (2) tubes to accommodate Fire Hooks Unlimited New York Hook Model RH-6 pike pole storage. Locate: Pump module upper transverse area on driver side.	\$804		
3365-0562	Pike pole tubes. Provide (2) tubes to accommodate Fire Hooks Unlimited New York Hook Model RH-6 pike pole storage. Locate: Pump module upper transverse area on officer side.	\$804		
3365-0563	A module formed from .188" aluminum treadplate shall be provided and installed on the driver side interior walkway. This module shall be as high and wide as necessary to contain the ladder assortment and to become the base of the bench seat assembly. It shall have a rear access door hinged on the aisle side with bent D-ring handle and sliding locking pins.	\$7,130		
3365-0564	Hard Suction Storage Rack Double side by side 2.5" or 3.0" hard tubes. Drivers side in adjustable track above ladders and or other track mounted options (if applicable). Includes NFPA retaining strap(s). To hold (2) 2.5" or 3.0" x 10' long hard tubes on a side by side double tray.	\$869		
3365-0565	Hard suction storage box, smooth plate side wall construction painted job color. Located on the [#LOC]. Includes vertically hinged door(s) (wired to door ajar) w/D-Ring latch(s). Compartments are to extend to the back side of the L2 compartment and to be approximately the same height as L1, L2 compartments. Lower two (2) box compartments to have stops to accommodate 10' suction hose. Third compartment to have stops to accommodate 10' pike pole with D style handles. Uppermost compartment to have stops to accommodate 6' pike poles with D style handles.	\$1,862		
3365-0566	Ladder storage officer side compartment top. Includes boot at forward compartment top and a hold-down for (1) 24' 3-section and (1) 12' roof ladder.	\$874		
3365-0567	Content of storage box located officer side hosebed to be designed to hold the following: [#LOC]	\$0		

Item #	Description	Extension	+1/-1	Total
3365-0568	The storage box located [#LOC] to have hosebed style top.	\$199		
3365-0569	Content of storage box located officer side hosebed to hold the following equipment:: [#LOC]	\$0		
3365-0570	Ladder storage tunnel through the tank located to the [#LOC] of the water tank stacked vertical. Wetside Tanker Only.	\$5,093		
3365-0571	Ladder storage through tank for (1) 2-section 28' extension, (1) 16' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 300 gallons for pumpers and 350 gallons for tankers.	\$3,303		
3365-0572	Officer side Combination tunnel upper compartment Contents: (2) 6" x 10' hard suction hoses (not included) stored vertical. Includes necessary plate work and bolt in removable floors between tubes as stored with end stops to prevent the tube from sliding forward into body during transit. Includes Nylatron or similar flooring material to ease deployment of hoses.	\$1,139		
3365-0573	Recessed folding ladder and pike pole storage compartment located at rear of apparatus officer side under "T" of tank. Compartment sized to store a 10' ladder with feet and (3) pike poles positioned with tubes on center for double side headed pike poles, NY style or similar.	\$1,085		
3365-0574	Center mounted ladder tunnel. Ladder rack to hold: (1)PEL-24 24' 2-sect. extension ladder	\$2,084		
3365-0575	Portable storage tank in hosebed for the following: 2100 gallon aluminum frame tank. Includes (2) hosebed divider with squared off upper rear, vertically hinged (to swing into hosebed area) door with latch (wired to door ajar indicator) and composite material overlay on hosebed flooring. Upper area open and main hosebed cover to be used to cover top area of storage area. Storage located 5" from the officer side hosebed side.	\$1,882		
3365-0576	Driver side combination tunnel upper compartment Contents: (2) 6" x 10' hard suction hoses (not included) stored vertical and (2) Closet Hooks with D-Handles above the hard suction. Includes necessary plate work and bolt in removable floors between content as stored with end stops to prevent the content from sliding forward into body during transit. Includes Nylatron or similar flooring material to ease deployment of hoses and closet hooks.	\$1,139		
3365-0577	Left hosebed horizontal tunnel. For use with low hose bed. Tunnel to hold: 24' 2-Section, 14' roof ladder and 10' attic. Includes horizontal top hinged rear diamond plate door(s) with bent D-ring latch. Open storage space on left side for additional long handle tool storage.	\$2,342		
3365-0578	Ladder storage thru tank for (1) 2-section, (1) 14' roof, (1) 10' attic with feet and (2) pike poles. Includes horizontally hinged lift up door with Bent D-Ring latch (wired to door ajar indicator). Reduces selected water tank capacity by approximately 250 gallons.	\$3,392		
3365-0579	Hard suction storage rack for (1) 6" x 11' suction hose. Locate: [#LOC]. Includes NFPA retaining strap(s).	\$387		
3365-0580	Driver side vertical storage tunnel behind reduced upper depth left side compartments. Tunnel to hold: up to (2) 10' lengths of 6" hard suction hose. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,150		
3365-0581	Officer side vertical storage tunnel behind right side upper compartments. Tunnel to hold: up to a 24' 2-section and 14' roof, up to (3) pike poles and a folding ladder. Includes a vertically hinged rear smooth plate door with bent D-ring latch and a gas tube hold-open.	\$2,500		
3365-0582	Smooth plate portable folding tank cover. Cover to be painted job color. For use with 4000 tank and Zico drop down rack.	\$1,243		
3365-0583	Zico hydraulic drop down rack on driver body. Secures an oversized portable folding tank with 4000 gallon capacity on 3500 gallon apparatus. Tank not included.	\$7,003		
3365-0584	Zico hydraulic drop down rack on officer body. Secures an oversized portable folding tank with 4000 gallon capacity on 3500 gallon apparatus. Tank not included.	\$7,003		
3365-0585	Ladder storage through tank for (1) 2-section 28' extension, (1) 16' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers or large water tank pumper applications.	\$3,303		

Item #	Description	Extension	+1/-1	Total
3365-0586	Hard Suction Storage Box Drivers side. Located in the driver's side of the hose bed. Includes a vertically hinged (to swing into hosebed area) door with thumb latch (wired to door ajar indicator) and composite material overlay. Box to hold (1)one 6" x 15' long hard suction hose (outboard), and (1)one 4" x 10' long hose (inboard). The closed end of box shall be built to help deflect the main hose load inboard around the shorter hard suction hose length. The hard suction storage area to be open top style with the main hose bed cover used to cover both the hard suction box and main hose bed area.	\$1,837		
3365-0587	Hard Suction Storage Box Officers side. Located in the officer's side of the hose bed. Includes a vertically hinged (to swing into hosebed area) door with thumb latch (wired to door ajar indicator) and composite material overlay. Box to hold (1)one 6" x 15' long hard suction hose (outboard), and (1)one 4" x 10' long hose (inboard). The closed end of box shall be built to help deflect the main hose load inboard around the shorter hard suction hose length. The hard suction storage area to be open top style with the main hose bed cover used to cover both the hard suction box and main hose bed area.	\$1,837		
3365-0588	The storage box located [#LOC] to have a fully enclosed top.	\$199		
3365-0589	Double hard suction storage rack. Two (2) racks side by side mounted to adjustable bracket. Driver side in ladder track. Includes securing strap to keep in place. Rack shall accommodate 4" hard suction hose.	\$1,041		
3365-0590	Storage box recessed into rear body officer side above side compartment ceiling for hard suction hose. Includes vertical hinged door (matching rear body) with D-ring latch (wired to door ajar indicator) and hose stops as applicable.	\$734		
3365-0591	Storage box recessed into rear body driver side above side compartment ceiling for hard suction hose. Includes vertical hinged door (matching rear body) with D-ring latch (wired to door ajar indicator) and hose stops as applicable.	\$734		
3365-0592	Hard suction storage compartment for (1) 6 inch x 8' hose. Hoses to be recessed in rear of body in upper area of inside compartment. Locate: Driver side high as possible thru rear of body and pass thru side body compartments rear upper corner. Includes vertical hinged rear body access door w/D-Ring latch (wired to door ajar). Door material and finish to match rear body.	\$1,540		
3365-0593	Recessed pike pole storage compartment located officer side under hose bed above water tank. Compartment sized to store up to (6) up to 8ft. length pike poles. With a horizontal hinged drop down door tied to door ajar in cab with a drop stop and push button latch.	\$918		
3365-0594	Ladder storage officer side compartment top. Includes boot at forward compartment top and a hold-down for (1) Duo-Safety 925-A 22' 3-section extension ladder.	\$874		
3365-0595	Ladder storage driver side compartment top. Includes boot at forward compartment top and a hold-down for (1) Duo-Safety 1000-A 14' 2 section extension ladder and (1) 1000-A 10' 2 section extension ladder nested.	\$874		
3365-0596	Hosebed Storage Box. Located in the officer side hosebed. Includes vertical hinged to swing outboard smooth plate rear door (wired to door ajar) w/D-Ring latch, Box to be fabricated from .188 embossed tread plate at the top and the top access doors and smooth plate on the sides where mounted against the hosebed or where hose will store against box. Storage box shall feature support structure as applicable to allow for the box to be walk on with up to 300# capacity. Box to hold (1) stokes basket in the upper storage area above a divider and (2) backboards in the lower area below the divider both storage areas to be 63in. deep and boxed at the forward ends to provide stops. Forward area ahead of stokes and back board storage to have a top side lift up coffin lid with gas shock(s) and D-Ring latch(s) as applicable (wired to door ajar) so that the remaining space in the forward area of the hosebed can be used for storage. Box to be bolt in and removable to service water tank if required.	\$3,336		
3365-0598	Double hard suction storage rack (side by side) for 6" x 10' hard suction hoses. Hard suction storage rack located officer side compartment top. Includes spring hold downs with scuff plates (as applicable).	\$716		

Item #	Description	Extension	+1/-1	Total
3365-0599	Officer side Combination tunnel upper compartment Contents: (1) 6" x 10' hard suction hose (not included) stored in upper tunnel. Includes necessary plate work and bolt in removable floor between tube and lower tunnel as stored with end stops to prevent the tube from sliding forward into body during transit. Includes Nylatron or similar flooring material to ease deployment of hose.	\$650		
3365-0600	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: [#LOC]. Includes vertical hinged rear diamond plate door(s) with bent D-Ring latch.	\$2,342		
3365-0601	Hard Suction Storage Box Horz. Located in the [#LOC] hose bed. Includes vertical hinged aluminum smooth plate DA finish door (wired to door ajar) w/D-ring style latch and nylatron flooring. Top of box to feature hose bed slat flooring to accommodate storage of additional hose above the box as applicable per hose bed available depth. Box to hold (2) 10' hard suction hoses horizontal positioned side by side.	\$1,959		
3365-0602	Hard Suction Storage Rack. Driver side raised above the compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable). Rack to include brackets on hose bed side to raise the hard tube above compartment top to clear optional scene lights or similar equipment mounted on compartment top.	\$502		
3365-0603	Storage box for (1) Fresno ladder model 14-701. Aluminum with job color painted finish, located behind the ground ladders on the officer's outside of the body. Box will be open at the rear and include nylon strap(s) to secure the ladder during transit.	\$1,655		
3365-0604	Storage tunnel to be completely enclosed to prevent road grime, dust, water or snow from entering into the storage tunnel.	\$809		
3365-0605	Hosebed storage box. Includes hinged raised compartment lid with turn latches and grab handle(s) wired to door ajar indicator in cab. Includes LED light that shall illuminate when the lid is in the open position.	\$1,058		
3365-0606	Internal ladder tunnel storage with vertically hinged smooth plate door (wired to door ajar). Access door to be located to the rear of the officer's side body. Storage tunnel capable of holding: (1) 2-Section, (1) Roof, (1) Attic, (2) pike poles.	\$3,177		
3365-0607	Hard Suction Storage Box Vert. Located in the hosebed as specified in hose load table between lays of hose. Includes vertical hinged diamond plate door (wired to door ajar) w/push-button latch and nylon flooring. Box to hold two (2) 6in x 10ft. hard suction hoses and two (2) 3in. X 10ft. hard suction hoses vertical stacked. Both sides of the storage box shall be hosebed dividers full available height and length as applicable per location.	\$2,796		
3365-0608	Bolt-in storage sleeve. Located in center of ladder rack to be approximately 5" wide x 19" high by as deep as waterway riser pipe will allow. Note sleeve to remain open at rear.	\$784		
3365-0609	Hard suction storage boxes welded one each side to upper body hose bed side sheets, to be painted as applicable. Includes vertically hinged brushed stainless steel rear access doors and aluminum hose trays without forward travel limit stops to allow storage for longer hose. Maximum hose length is 11'-6". Requires minimum 88" high body.	\$3,065		
3365-0610	Hard suction storage rack for (1) 6" X 16' suction hose. Locate [#LOC]. Includes NFPA retaining strap(s).	\$600		
3365-0611	The ground ladders shall be nested in the ladder storage area.	\$0		
3365-0612	The ladder storage shall be designed so that the ground ladders shall be not be nested and can be individually removed.	\$563		
3365-0613	Hosebed Storage Box. Located in the officer side hosebed. Includes drop down door (wired to door ajar) w/push-button latch(es), hosebed style top and nylatron flooring (no divider). Box to hold (1) stokes basket and (3) backboards. Includes stop bracket approximately 88" back from opening. Stokes basket 86" long x 24" wide x 8" high, backboards will stow inside stokes basket.	\$2,114		
3365-0614	Horizontal ladder bracket. Location and type of ladder: over R1 for Little Giant model 17. Mounted similar to previous unit, see photo in electronic file.	\$304		

Item #	Description	Extension	+1/-1	Total
3365-0615	Pre-connect storage horizontal divider to be attached to hose bed side wall hinged to outboard side on each outer lay in hose bed. Divider to be fabricated from .25in thick smooth plate aluminum with drainage slots to allow for water shed w/staked stainless steel hinge to allow for loading in the lower lay when the divider is in the open position. Divider inboard of divided hose bed storage to have an angle mounted for the hinged divider to rest upon when in loaded position. This to allow for 2 vertical stacked hose storage areas to accommodate (2)double stack 2.5in. DJ lays on each side of hose bed to fit 200ft of hose in each lay upper and lower. Upper lay to be pre connected and the lower lay to be a dry lay for additional hose if need arises on scene. Main hose bed vertical dividers added separately to order. Locate one divider in the driver side first lay area and the other in the officer side last lay area of the hose bed.	\$515		
3365-0616	(1) pike pole storage tube. Locate inboard side of ladder rack with pike pole hook stored in the up position or as applicable to hook.	\$314		
3365-0617	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: [#LOC]. Includes vertically hinged rear smooth plate door(s) with D-Ring latch.	\$2,342		
3365-0618	Storage box for (2) two 12' length of hard suction hose. Includes vertically hinged door with latch (wired to door ajar indicator). Locate to drivers side below "T" of tank.	\$1,478		
3365-0619	Four (4) pike poles and a folding ladder tucked behind ground ladders on the adjustable ladder tracks. The bottom two (2) are standard pike poles and the upper two (2) are roof hook pike poles. The rear end of the pike poles to be 2" short of the end of the body side.	\$1,313		
3365-0620	Backboard Storage Box adjustable and mounted horizontally located in the hose bed. Includes horizontally hinged drop down door (wired to door ajar) w/push-button latches. Box to hold (1) backboard. The storage box opening shall be 3" high x 20" wide and a stop at 76" deep. The box to be full length of the hosebed.	\$827		
3365-0621	Hard suction hose storage tray. Locate on top of Zico drop-down ladder rack. Mount secure straps further outboard to accommodate longer hard suction hose up to 15' in length.	\$966		
3365-0622	Triple hard suction storage rack. Driver side in ladder track. Includes NFPA restraining straps. Rack shall accommodate 2.5" (or) 3" hard suction hose.	\$1,189		
3365-0623	Thru tank for (1) 5in. x 8ft. jet dump discharge hose with elbow and 2 ft. drop pipe. For use with Jet Dump and Folding drop tank. Reduces selected water tank capacity by 40 gallons. To include a storage bracket to accommodate horizontal positioning of the elbow pipe above jet dump and tank fills in B1. Bracket to be attached to compartment wall and shall be .25 in. thick and have a rounded notch in the top side for the dump pipe to rest in with a strap with nylon buckle attached to rear wall above and below pipe as stowed to secure the pipe for transit.	\$2,665		
3365-0624	Hosebed storage box with composite material overlay on the flooring and applicable stop(s) to prevent equipment from sliding in too far.	\$1,351		
3365-0625	Contents stored in the [#LOC] shall be secured with a door. The door shall be wired through the door ajar indicator located in the cab. The door shall be [#COL].	\$361		
3365-0626	The [#LOC] door(s) shall have [#COL] latch(es).	\$1,862		
3365-0627	The storage box shall have hosebed style top.	\$537		
3365-0628	Hosebed storage box shall be capable of storing [#LOC]	\$1,862		
3365-0629	Storage box located [#LOC] with composite material overlay on the flooring and applicable stop(s) to prevent equipment from sliding in too far.	\$1,862		
3365-0630	Storage box located [#LOC] with composite material overlay on the flooring and applicable stop(s) to prevent equipment from sliding in too far.	\$1,862		
3365-0631	Storage box located [#LOC] with composite material overlay on the flooring and applicable stop(s) to prevent equipment from sliding in too far.	\$1,862		



Item #	Description	Extension	+1/-1	Total
3365-0632	The driver side of the upper rear body panel area shall have a storage area for one (1) standard backboard stored vertically. Board to be industry standard backboard size of 72" long x 17" wide x 3" high. This area shall also retain a folding 6 foot 'A' frame ladder, 24" wide x 7" high. Both ladder and back boards are customer supplied. Includes a rear facing smooth aluminum vertically hinged access door with stainless steel bent D-ring latch.	\$2,201		
3365-0633	Hard suction storage racks. Located in the drivers and officer's side hose outer beds. Forward section of hose to be under the upper water tank cover. Nylon buckle strap assemblies installed at the rear openings. Each to hold (1) 6" x 10' long tube.	\$1,638		
3365-0634	Recessed pike pole storage compartment located right rear of body up high at hose bed level under roof top compartments. Compartment sized to store (4) 10' pike poles. Not available if reels are optioned in roof top compartments with cord or hoses deployed in compartments below.	\$1,098		
3365-0635	Hard suction storage box, horizontal side by side. Located in the driver's side hose bed. Includes drop down smooth plate door (wired to door ajar) w/bent D-ring latch, hose bed style top and flooring. Box to hold (2) 6" x 10' long tubes.	\$1,862		
3365-0636	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: [#LOC]. Includes vertical hinged rear smooth plate door(s) with stainless steel bent D-ring latch.	\$2,342		
3365-0637	Two (2) multipurpose hooks and a folding ladder tucked behind ground ladders on the adjustable ladder tracks on the officer's side outside of the hose bed.	\$1,313		
3365-0638	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: 24' 2-section and 14' roof, plus (2) pike poles and a folding ladder and STD backboard. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,482		
3365-0639	Hold down brackets to secure a 2-section extension, roof ladder and a combo ladder.	\$0		
3365-0640	Recessed folding ladder and pike pole storage compartment located right rear of body up high. Compartment sized to store a 10' ladder with feet and (3) up to 12' in length pike poles.	\$1,569		
3365-0641	A bolt on aluminum fabricated sign plate approx 19.75" X 187 mounted to the exterior vertical surface of the hydraulic ladder rack. This shall provide a mounting surface for lights along with an area for graphics. Sign plate shall be painted job color.	\$1,136		
3365-0642	Ladder tunnel. Located at frame height in B1 offset to the officer side. Ladders stored on-beam. Includes chain retention assembly.	\$3,547		
3365-0643	One (1) multipurpose hook and a folding ladder above ground ladders on the adjustable ladder tracks on the officer's side outside of the hose bed. The aluminum tube for the hook will be welded to the mounting bracket in lieu of a clamp.	\$1,048		
3365-0644	Dual hold down brackets to secure a 2-section extension and roof ladder. Includes an additional full height Unistrut channel.	\$289		
3365-0645	A pair of PAC TRAC positive locking brackets for a D handle pike pole. Locate outboard side of rack	\$362		
3365-0646	Hosebed ladder storage box with diamond plate top. Located officer's side in hosebed: To include (1) 10' attic w/feet (in a box) w/(2) 10' pike pole tubes mounted over top, (1) PRL-14 & (1) PEL-24. Ladders to be stored on beam. Included are (2) hosebed dividers with squared ends, diamond plate top and a vertically hinged diamond plate door (hinged to driver's side) wired to the door ajar indicator.	\$1,549		
3365-0647	(4) aluminum pike pole storage tubes. (4) 48" pike pole tubes to be located just below full depth compartment ceiling of L3/B1/R2 , rearward, and horizontally mounted (2) each side offset from the other (2), for dealer supplied and installed trash hooks. End of each tube to be 6" in from inside door opening. Dealer is to supply and install required retaining devise for hooks.	\$753		
3365-0648	Hard suction storage thru tank for (4) 6" x 10' hard suction hoses. Includes a smooth plate horizontal drop down hinged door wired to door ajar with push button latch. Reduces selected water tank capacity by approximately 250 gallons.	\$3,072		

Item #	Description	Extension	+1/-1	Total
3365-0649	Storage box w/center divider for (2) two equal lengths of 6" hard suction hose(s), length of hose shall vary w/overall length of box. Each end of the box shall include a vertically hinged swing-out door with push-button latch (wired to the door ajar). The box and doors shall be smooth aluminum plate and painted job color. The storage box shall be located on driver side compartment top and be as long as the compartment top surface shall permit.	\$1,263		
3365-0650	Storage box on driver side compartment top with an open top access and seatbelt style straps with the buckle end mounted to the top of box. Box will be designed per customer specific requirements.	\$2,210		
3365-0651	Fire extinguisher storage rack to hold (2) extinguishers in a single horz row. Each storage area to be 11" wide x 11" high x 25" deep with a trough in the bottom (same as used in E-ONE wheelwell bottle storage. Bottom and sides of the trough to include ribbed rubber inserts. Each opening to have a vertically mounted strap. Rack to be mounted to the compartment top below off set in R1 off set forward.	\$519		
3365-0652	(2) D-handle pike pole storage tubes 8' on length. Locate inboard side of ladder rack with pike pole hooks stored in the up position.	\$592		
3365-0653	Pike pole storage compartment located in driver side of hosebed. Includes drop down door with push button latch. Compartment sized to store (2) pike poles.	\$530		
3365-0654	Dual hard suction hose storage with stops located in the drivers side hose bed. Includes a lift-up rear access door (wired to door ajar) w/bent D-ring latch.	\$2,114		
3365-0655	Ladder tunnel. Tunnel sized to properly stow (1) CJL-14 combination ladder & (1) FL-10 roof ladder. Located: B2.	\$2,502		
3365-0656	Hard suction hose storage tray. Locate on top of Zico drop-down hard suction hose rack for additional tube capacity.	\$966		
3365-0657	SCBA/Fire Extinguisher storage. Locate in [#LOC]. To hold (6) bottles floor mounted. There shall be a permanent shelf located 8" off of floor. Space below shall be have 6 equally spaced openings.	\$825		
3365-0658	Hard Suction Storage Rack. Officer side compartment top. Includes spring hold downs and scuff plates behind spring mounts (as applicable). Rack to hold (1) 8 foot tube.	\$439		
3365-0659	Little Giant sleeve for a Classic Model 17 approx 9.25" W x 25.5" H x 56" L for vertical storage in transverse compartment. Includes (2) nylon black straps with clip release to secure the ladder in place with composite flooring. Located just above upper transverse floor centered on forward wall, to be accessible from L2/R2.	\$579		
3365-0660	Zico hydraulic drop down rack on officer body. Secures an oversized portable folding tank with 3500 gallon capacity on 3000 gallon apparatus. Tank not included.	\$7,003		
3365-0661	Zico pike pole mounting brackets (PR). Locate inside transverse area in E-MAX module beneath the stokes basket storage. May limit/omit storage at this location. ZICO parts PPMB-AA and PPMB-BB. These are the brackets only and will not include any tubes or pike poles.	\$196		
3365-0662	Storage for (1) 8' Dry Wall pike pole. Located in rear storage area.	\$354		
3365-0663	Pike pole holder to be sized to accommodate 6ft fiberglass I- beam w/ D-handle.	\$0		
3365-0664	Storage box recessed into rear body driver side above side compartment ceiling for miscellaneous storage. Includes vertical hinged door (matching rear body) with D-ring latch (wired to door ajar indicator) and stops as applicable.	\$734		
3365-0665	Storage box recessed into rear body officer side above side compartment ceiling for miscellaneous storage. Includes vertical hinged door (matching rear body) with D-ring latch (wired to door ajar indicator) and stops as applicable.	\$734		
3365-0666	Fire extinguisher storage rack to hold (3) extinguishers in a single horizontal row. Each storage area to be 11" wide x 11" high x 25" deep with a trough in the bottom (same as used in E-ONE wheelwell bottle storage. Bottom and sides of the trough to include ribbed rubber inserts. Each opening to have a vertically mounted strap. Loc: R1	\$779		
3365-0667	SCBA/Fire Extinguisher storage rack. Locate in [#LOC]. To hold (6) bottles- (1)wide/(6)high. Bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts.	\$594		
3365-0668	Ladder storage thru tank for (1) 3-section 24' extension, (1) 12' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 300 gallons.	\$3,596		

Item #	Description	Extension	+1/-1	Total
3365-0669	Pike pole storage box. Located in the officer side of the hose bed (full length). Includes vertically hinged door (wired to door ajar) w/push-button latch. Box to hold: (3) 10' pike poles(NY hooks).	\$1,312		
3365-0670	Recessed folding ladder and pike pole storage compartment located at rear of apparatus driver side under "T" of tank. Compartment sized to store a 10' ladder with feet and (3) pike poles.	\$1,085		
3365-0671	Storage box removable, bolt-in, located in the [#LOC] hose bed. Includes smooth plate sanded sides and interior and (2) two diamond plate lids per box with raised water lip lids(wired to door ajar) w/D-ring latches and applicable lighting and hold open shocks. Box to feature an adjustable divider in the forward area of the box to hold 3-4 5 gallon foam buckets per box in place during transit. Remaining area rearward of foam pail storage to be open storage.	\$3,232		
3365-0672	Zico LAS-XT electric drop-down ladder rack. Rack located to officer side of body. The control switching to be located on the side pump panel with the rack being in full view of the operator during operations.	\$6,748		
3365-0673	Enclosed folding ladder storage compartment rear of body on driver side below hose bed with horizontally top hinged door and push-button latch.	\$799		
3365-0674	(2) pike pole tubes inside folding ladder storage compartment, driver side.	\$515		
3365-0675	Ladder tunnel. Tunnel sized to properly stow (1) FL-10 roof ladder. Located: B2.	\$540		
3365-0676	Stop bracket (fixed) to be located just aft of Tank Fill Tower.	\$148		
3365-0677	Storage for Little Giant ladder as indicated on sales drawing. Includes: poly flooring, retaining strap with composit buckle at open end to secure ladder in place. Design shall accommodate transverse access when located in transverse compartments and include securing straps at each end. Finish is sanded aluminum. Locate in [#LOC].	\$816		
3365-0678	(4) pike pole storage tubes. Located top of the rear transverse area of L4/R4. Tubes to be attached to tracks for adjustability front to rear of B1. Tubes will have no slots.	\$565		
3365-0679	Portable tank storage compartment recessed into center of water tank for (1) 2100 gallon portable tank. Forward portion to include stop for portable tank. Includes lift up smooth plate door with Bent-D ring latch located above the B1 compartment. Reduces water capacity by approximately 120 gallons. Porta-tank not included.	\$3,650		
3365-0680	SCBA/Fire Extinguisher storage rack. To hold (4) bottles to be stored angled upward in the compartment. The bottom and sides are to include ribbed rubber inserts. Each storage slot to be 11" wide x 11" high. Locate: R3	\$2,059		
3365-0681	Tunnel, ladder. An aluminum diamond plate storage tunnel shall be provided to stow (1) one FL-(specify) folding ladder as specified on customer approval drawing. The tunnel shall have a smooth aluminum hinged access door with a sanded finish. Locate in [#LOC] compartment.	\$814		
3365-0682	Tube for pike pole with multipurpose head shall be provided. Locate in [#LOC].	\$299		
3365-0683	Hard suction storage box welded left side to upper body hose bed side sheet for dual vertically stacked 10' hose. Painted as applicable. Includes vertically hinged smooth aluminum rear access door and aluminum hose trays with forward travel limit stops. Requires minimum 93" high pumper body.	\$2,511		
3365-0684	Vertical ladder brackets (2) with adjustable tracks. Locate on officer's side of body above R7 to hold Little Giant Model 17 ladder.	\$973		
3365-0685	Storage Box. Located in the officer side hosebed. Includes vertically hinged door (wired to door ajar) w/push-button latch and open top. Box area to be 26" wide x 18" high x length of hosebed.	\$936		
3365-0686	Overhead Zico storage rack door modification: The gas shock shall be mounted in such a way that it would be capable of being removed from the outside of the apparatus with the door in up or down position.	\$242		
3365-0687	Ladder storage thru tank for (1) 2-section 24' extension, (1) 14' roof, and (1) 10' attic with feet. Provide retaining straps to hold contents stationary. Reduces selected water tank capacity by approximately 250 gallons for pumpers and 300 gallons for tankers.	\$3,392		
3365-0688	Storage box located [#LOC]. Content of the storage to be horizontal and include a horizontal hinged door w/D-Ring style latch (thumb latch if space is restricted). The box is to be the full length of the available hose bed and include stop(s) as needed for storage content.	\$1,862		

Item #	Description	Extension	+1/-1	Total
3365-0689	Content of storage box located center hosebed to be designed to hold the following: [#LOC]	\$0		
3365-0690	Officer side vertical storage tunnel. For use with low hose bed. Tunnel to hold: (1) 2-section 20' ladder and (2) backboards. Includes vertical hinged rear boxed out smooth plate door(s) with push-button latch. Includes upper hose bed style flooring.	\$2,342		
3365-0691	Ladder storage through tank for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet and (6) pike poles. Reduces selected water tank capacity by approximately 300 gallons for pumpers and 350 gallons for tankers.	\$3,303		
3365-0692	Ladder tunnel. Tunnel sized to properly stow (1) PEL 3-35, (1) PEL 2-28, (1) PRL-16 & (1) CJL-14. Tunnel will reduce transverse usable space in body compartments. Located: B1.	\$3,949		
3365-0693	Ladder tunnel. Tunnel sized to properly stow (1) FL-12 attic ladder with feet. Located: B1.	\$598		
3365-0694	Rack, SCBA/Fire Extinguisher vertical storage rack. A vertical storage rack to hold (4) four bottles stored angled upward in the compartment. openings are to include ribbed rubber inserts. Each storage slot from the bottom to be 11" wide x 11" high with the top opening size to be the remainder of to over all height. Locate: R2 per customer approval drawing.	\$2,059		
3365-0695	A pair of PAC TRAC positive locking brackets for a D handle pike pole. Locate inboard side of rack	\$362		
3365-0696	A bolt on aluminum fabricated sign plate approx 25" X 205.50" mounted to the exterior vertical surface of the hydraulic ladder rack. This shall provide a mounting surface for lights along with an area for graphics. Sign plate shall be painted job color.	\$1,136		
3365-0697	Enclosed folding ladder storage compartment rear of body on the officer side below hose bed with horizontally top hinged door and push-button latch.	\$799		
3365-0698	Upper hosebed storage area above driver side compartments as applicable. Upper storage area to have an open top and run length of the hosebed area. Includes hosebed style flooring.	\$1,141		
3365-0699	Hard Suction Storage Rack. Driver side on top of Zico drop down rack. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$458		
3365-0700	Double Hard Suction Storage Rack for 15' hard suction hoses. Driver side compartment top. Includes spring hold downs with scuff plates (as applicable)	\$1,304		
3365-0701	Hard Suction storage driver side compartment top. Includes diamond plate boot at forward compartment top for hard suction hose end .	\$304		
3365-0702	Controls for the Ziamatic ladder rack shall be located inside the officer side rear body compartment.	\$308		
3365-0703	Ladder storage through tank, Vertical oriented, ladders on edge, for (1) 2-section 24' extension, (1) 14' roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 300 gallons. Requires addition body mods.	\$3,846		
3365-0704	Dual hard suction hose storage with stops located in the officer side upper roof top storage compartment in a (1) wide x (2) high configuration. Includes an outboard hinged rear access door (wired to door ajar) with D-ring latch. Bottom storage area sized hold a 10' long hose with preconnected barrel strainer.	\$2,422		
3365-0705	Storage box located [#LOC]. Content of the storage to be vertically stacked. The box is to be the full length of the available hose bed and include stop(s) as needed for storage content.	\$1,862		
3365-0706	Zico brackets for (2) 10' Boston rakes on the drop down ladder rack, officer side. Includes retaining pins/straps as applicable.	\$515		
3365-0707	Center mounted ladder tunnel. Ladder rack to hold: (2)PEL-35, PEL-28, PEL-24, PRL-20 and FL-10 (with rubber block feet).	\$6,059		
3365-0708	Ladder storage through tank for (1) 2-section 24' extension, (1) 14'/28' folding roof, (1) 10' attic with feet and (2) pike poles. Reduces selected water tank capacity by approximately 340 gallons for pumpers and 390 gallons for tankers.	\$3,303		
3365-0709	Officer side vertical storage tunnel behind reduced upper depth right side compartments. Tunnel to hold: (1) 2-section ladder and (1) roof ladder, plus (2) pike poles and a folding ladder. Includes vertically hinged rear smooth plate door with bent D-ring latch.	\$2,342		

Item #	Description	Extension	+1/-1	Total
3365-0710	Driver side vertical storage tunnel. For use with tanker. Tunnel to hold: 3-Section 35', 14' roof and 10' attic.	\$2,342		
3365-0711	Recessed pike pole storage compartment located on the officer side between the upper and lower compartments. Compartment sized to store (2) 10' multi/all purpose - NY Roof Hook (s). The box to be 5" deep.	\$530		
3365-0712	Miscellaneous hose bed storage horizontal partition assembly. Located in the main hose bed offset to officers side to rear of tank fill towers. No door. Storage area to be used for miscellaneous storage. Requires minimum of two (2) hose bed dividers.	\$931		
3365-0713	Double Hard Suction Storage Rack. Driver side compartment top. Includes spring hold downs with scuff plates (as applicable). For use with 12' hard suction hoses.	\$1,542		
3365-0714	Hard suction storage rack located on the officer side catwalk. Includes spring hold downs and scuff plates behind spring mounts (as applicable).	\$439		
3365-0715	(2) aluminum pike pole storage tubes. Locate officers side compartment top. Storage for (1) 6' and (1) 10' long, standard head pike pole.	\$377		
3365-0716	Enclosed horizontal storage tunnel between top of tank and below hose bed floor. Tunnel to hold: (1) 2-section ladder, (1) roof ladder, (2) pike poles and a folding ladder with shoes (offset to the officer side). Partition installed next to the ladder/pike storage with a back wall installed at a depth of 84" to provide a separate area for storage of long tools. Tunnel includes a single horizontally hinged lift-up rear smooth plate door with bent D-ring latch and a gas tube hold-open.	\$2,719		
3365-0717	Dual hard suction hose storage with stops located in the officer side upper header, stored vertically. Includes an outboard vertically hinged rear access door (wired to door ajar) with a push-button trigger latch.	\$2,422		
3365-0718	Partition for storage tunnel. Includes divider to separate forward and rearward area of storage tunnel. Includes trim pieces to deflect elements from entering the storage tunnel at each end of the aluminum hosebed cover spanning on top of the tunnel if equipped.	\$391		
3365-0719	Hard Suction Storage Box. Located horizontal in the officer's side hosebed. Includes vertical hinged door (wired to door ajar) with D-Ring style latches and nylatron flooring. Box to hold two (2) 6" x 10' hard suction hose, (1) 10' Folding Ladder, (2) 10' pike pole storage tubes.	\$2,405		
3365-0720	Storage box located [#LOC]. Content of the storage to be vertically stacked and include a vertically hinged door w/ thumb latch style latch. The box is to be the full length of the available hose bed and include stop(s) as needed for storage content.	\$1,862		
3365-0721	Recessed folding ladder and pike pole storage compartment located right rear of body. Compartment sized to store a 10' ladder with feet and (2) pike poles.	\$1,191		
3365-0722	Storage tunnel capable of holding: Center compartment above water tank. three (3) 4" x 10' hard suction tubes with storz fittings to the right of divider, to the left of divider, one (1) 10' attic ladder with feet next to tank fill tube, three (3) pike pole tubes to fit 10' pike poles upper left and one (1) back board storage sleeve lower left with stop and secure strap behind fill tower.	\$2,043		
3365-5000	The control switching to be relocated from the pump panel to the officer side rear compartment face with the rack being in full view of the operator during operations.	\$0		
3370-0022	Aluminum Adjustable Shelf installed in Compartment [#LOC]	\$489		
3370-0029	Adjustable shelf. For compartments with upper shallow depth. Location: [#LOC].	\$272		
3370-0034	Shelf adj full transverse. Locate in [#LOC].	\$761		
3370-0163	Fixed shelf [#LOC] compartment.	\$272		
3370-0196	Adjustable shelf for non-transverse compartment. Location: [#LOC].	\$435		
3380-0013	Rollout tray floor mounted located in [#LOC].	\$776		
3380-0014	Roll-out generator tray. Includes tray interlock. Locate [#LOC].	\$919		
3380-0015	Fixed back wall mounted toolboard. Toolboard to be spaced off wall a half inch. Location(s): [#LOC].	\$255		

Item #	Description	Extension	+1/-1	Total
3380-0017	Floor mounted slide master roll-out/tilt down tray. Single depth. Mount on [#LOC] floor.	\$1,294		
3380-0018	Adjustable roll-out toolboard. Includes upper and lower adjustable track with 250 lbs. slides and gas shock actuated. Toolboard sized to compartment height and depth as applicable. Location(s): [#LOC].	\$951		
3380-0019	Running board suction tray. Includes removable slats in bottom of tray. Location(s): [#LOC]	\$605		
3380-0021	Hard suction hose storage tray. Locate on inboard side of overhead ladder rack. Includes (2) securing straps.	\$484		
3380-0022	Floor mounted roll-out tray. Includes 500lbs. tray capacity. Location: [#LOC].	\$1,007		
3380-0023	Adjustable mounted roll-out/tilt-down tray. Location(s): [#LOC]. For use in single depth or rescue style compartments.	\$1,636		
3380-0024	Adjustable mounted roll-out tray. Includes 250 lbs tray capacity. Location(s): [#LOC]	\$1,110		
3380-0025	Adjustable mounted roll-out tray. Includes 500 lbs tray capacity. Location(s): [#LOC]	\$1,348		
3380-0027	Floor mounted SlideMaster with tray. Model SM3-SP. Single depth. Mount on [#LOC] floor.	\$1,037		
3380-0028	Adjustable mounted Slide Master with tray. Model SM3-SP. Single depth. Location(s): [#LOC]	\$1,374		
3380-0029	Floor mounted Bi-Directional Slide Master with tray. Model SM2-D-SP. Mounted on [#LOC].	\$1,786		
3380-0030	Adjustable mounted bi-directional Slide Master with tray. Model SM2-D-SP. Mounted in transverse area of [#LOC].	\$2,121		
3380-0032	Rollout Tray to be Adjustable Located in [#LOC].	\$1,036		
3380-0033	Hard suction hose storage tray. Locate on top of Zico drop-down ladder rack.	\$966		
3380-0035	Rollout tray specifically used for installation of Extraction Tools in [#LOC].	\$1,882		
3380-0036	Fixed wall mounted peg tool board. Tool board to be spaced off wall a half inch. Location(s): [#LOC].	\$306		
3380-0037	Compartment L1 to have the following: (1) floor mounted toolbox sized to maximize width and depth. Box to have (4) pull-out trays. Each with 250lbs. slides	\$2,477		
3380-0038	Floor mounted roll-out tray with Jonathan Slides. Includes 400lbs. tray capacity. Mount on [#LOC] floor.	\$1,762		
3380-0039	Adjustable mounted roll-out tray with Jonathan Slides. Includes 400 lbs tray capacity. Location(s): [#LOC]	\$2,100		
3380-0040	Vertical hinged swing-out tool board. Location: [#LOC]. Hinge along forward compartment wall and position centered between door and back wall. Includes butterfly latch to secure in the closed position that is accessible from the ground.	\$1,787		
3380-0041	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on back wall of compartment. Locate: [#LOC].	\$923		
3380-0043	Toolbox with slide out trays L1 offset forward. To include (4) individual trays mounted on slides. Reference photos and drawings in engineering file. Each tray to lock in and lock out. Include a 3/16" permanent shelf located directly above top of toolbox. Includes cover plate between tool box and forward compartment wall.	\$3,271		
3380-0044	Toolbox with slide out trays L3 offset forward (forward of partition). To include (7) individual trays mounted on slides. Reference photos and drawings in engineering file. Each tray to lock in and lock out. Include a 3/16" permanent shelf located directly above top of toolbox. Includes cover plate between tool box and forward compartment wall.	\$5,433		
3380-0045	Floor mounted Slide Master with tray. Model SM3-SP. 1/2 depth transverse or full depth on non transverse. Mount on [#LOC] floor.	\$1,351		
3380-0046	Adjustable mounted Slide Master with tray. Model SM3-SP. 1/2 depth in transverse compartments or full depth in upper B1. Mounted in transverse area or extended area of [#LOC].	\$1,713		
3380-0047	Floor mounted Slide Master with tray. Model SM3-SP. 2/3rds deep. Mount on [#LOC] floor.	\$1,514		
3380-0048	Adjustable mounted Slide Master with tray. Model SM3-SP. 2/3rds deep. Mounted in transverse area of [#LOC].	\$1,879		
3380-0049	Running board suction tray (floating style). Includes tapered 3" front corner and removable slats in bottom of tray. Location(s): [#LOC].	\$786		
3380-0050	Floor mounted double stacked tray with 500# slides in B1.	\$1,247		
3380-0051	PAC TRAC panels on permanent shelf/floor of compartment. Locate: [#LOC].	\$311		
3380-0052	Rollout tool boards (PR). To hold Memphis F.D aerial compliment of Holmatro tools (Bracketry to be dealer installed). Locate against front and rear wall of R1.	\$4,302		

Item #	Description	Extension	+1/-1	Total
3380-0053	Rollout Tray Floor mount Full Height 500# Mounted Located in [#LOC]	\$988		
3380-0054	Dividers to be equal height of the side walls and installed on adjustable track on floor and rear wall of tray, dividers shall be installed in the [#LOC] rollout tray.	\$88		
3380-0055	Floor mounted roll-out/tilt down tray with aluminum frame. Mount on [#LOC] floor.	\$1,261		
3380-0056	Adjustable mounted roll-out/tilt down tray with aluminum frame. Location(s): [#LOC]. For use in single depth or rescue style compartments.	\$1,596		
3380-0057	Adjustable mounted preconnect storage roll-out tray. Includes extended sides and front for storage of preconnected hose and 500 lbs slide capacity. Location(s): [#LOC]	\$1,682		
3380-0058	Floor mounted preconnect storage roll-out tray. Includes extended sides and front for storage of preconnected hose and 500 lbs slide capacity. Location(s): [#LOC]	\$1,343		
3380-0059	Running board suction tray. Outboard (front) wall of tray and rubrail hinged at the bottom with quick release latches for drop down door. Includes tapered 3" front corner and removable slats in bottom of tray. Location(s): [#LOC]	\$978		
3380-0060	Adjustable tool board with 500 lbs slides. Includes upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,307		
3380-0061	Compartment underbody. Includes drop down front door with D-ring latches. Locate [#LOC].	\$1,767		
3380-0062	Adjustable peg tool board. Includes upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,142		
3380-0063	Ready Respond Storage cabinet. Includes (5) drawers with gray fronts. No side trim required. Locate floor mounted in [#LOC].	\$4,680		
3380-0064	Floor mounted roll-out tray. Includes 250lbs. tray capacity. Mount on B1 floor. Front and rear lips of tray to be 9.5".	\$2,157		
3380-0065	Vertical hinged swing-out toolboard. Location: [#LOC]. Hinge along forward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground.	\$1,787		
3380-0066	Roll-out trays to be built to current specifications with the addition of .25"H X 3"L slots to be cut 12" center all four sides.	\$365		
3380-0067	Poly box(s) to be located [#LOC]. Box(s) depth (front to rear) to be sized for placement on floor/shelf or tray as applicable to compartment options. Box sized [#COL]	\$379		
3380-0068	Floor mounted equally sized roll-out trays (PR). Includes 250lbs. tray capacity. Mount on [#LOC] floor.	\$1,540		
3380-0069	Adjustable tool board - notched. Includes upper and lower adjustable track and is gas shock actuated. Tool board sized to compartment height and depth as applicable. Upper end to be notched around compartment offset to provide maximum height. Location(s): [#LOC]	\$1,089		
3380-0071	Tool board on dual direction 1000 lb. SlideMaster. Includes lock-in/lock-out. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$2,559		
3380-0072	Running board suction tray. Includes removable slats in bottom of tray. Tray to be as long as possible. Location(s): [#LOC].	\$1,208		
3380-0073	Slidemaster frame powder coated silver. Location(s): [#LOC]	\$139		
3380-0074	Tool board HD adjustable. Includes upper and lower adjustable track and is gas shock actuated, return style re-enforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC]	\$1,016		
3380-0075	Running board suction tray (floating style). Includes tapered 3" front corner and removable slats in bottom of tray. Tray to be as long as possible. Location(s): [#LOC].	\$1,178		
3380-0076	Tray, floor mounted roll-out with gas spring. 500 lbs. capacity. Location: [#LOC].	\$773		
3380-0077	Tray, adjustable roll-out with 500 lbs. capacity and a gas shock. Location(s): [#LOC].	\$1,110		
3380-0078	Compartment underbody with slide-out tray. Includes drop-down front door with push-button latch(es). [#LOC].	\$2,187		

Item #	Description	Extension	+1/-1	Total
3380-0079	Adjustable heavy duty tool board with 500 lbs. capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,016		
3380-0080	Adjustable heavy duty tool pegboard with 500 lbs. capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,207		
3380-0081	Roll-out generator tray. Includes tray interlock. Locate [#LOC].	\$919		
3380-0082	Slidemaster frame powder coated black (EA). Location: [#LOC].	\$139		
3380-0084	Poly toolboards to be half inch thick. Toolboards to be spaced off wall a half inch. Location(s): L2 back wall and B1 upper side and back walls.	\$972		
3380-0085	Slide Master Tray in transverse. A slide master tray to be mounted in the transverse module. Tray to extended 70% either side. Top tray to hold four (4) removable speedlay trays (lower tray on slide master to have higher lips on sides and lower on sides for easier removal of trays). Each tray to have the following capacity: (1) 200' of 1.75", (1) 200' of 1.75", (1) 200' of 2.5" and last tray to hold 100' of 1.75", 100' of 1.75" and 100' of 2.5".	\$3,694		
3380-0087	Adjustable toolboard with 500 lb. slides for use with deep compartments. Includes upper and lower adjustable track with lock in/lock out latch. Toolboard sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,307		
3380-0088	Allow 3 inches between door and trays/shelves in B1 so hoses will not be pinched.	\$0		
3380-0089	Poly tray liners. Locate in the B1 floor mount, B1 adjustable mounted and R3 floor mounted trays. Liner to have hand holes.	\$591		
3380-0090	Aluminum tool box(es) to be 8" wide x 10" high x 25" deep. Location: L1 compartment floor.	\$245		
3380-0091	Floor mounted preconnect roll-out tray. Includes 500lbs. tray capacity with (3) 5" tall sides and rear (front to be 2" with area for hand-hold cut-out on each end). To hold up to 150' of 1.75" DJ and placed on top of black dri-deck. Tray to have rotary latching IPO shock(s). Location : [#LOC].	\$1,138		
3380-0092	Tailboard suction tray designed per customer requirements. Includes removable slats in bottom of tray.	\$605		
3380-0093	Floor mounted roll-out/tilt down tray. Mount on [#LOC] floor. For use on half transverse trays.	\$1,294		
3380-0094	Floor mounted roll-out/tilt down tray. Mount on [#LOC] floor. For use on two thirds transverse trays or in the B1above the frame rails.	\$1,294		
3380-0095	Adjustable mounted roll-out/tilt down tray. Location(s): [#LOC]. For use on 1/2 depth transverse trays or upper deep B1 compartment.	\$1,636		
3380-0096	Adjustable mounted roll-out/tilt down tray. Location(s): [#LOC]. For use on 2/3 deep transverse trays or B1above the frame rails.	\$1,636		
3380-0097	Adjustable partition in running board suction tray. Partition to be adjustable from front to back and use old style adjustable track.	\$256		
3380-0098	Floor mounted Slide Master with tray. Model SMEX w/ 120% extension. 1/2 depth transverse or full depth on non transverse. Mount on [#LOC] floor.	\$1,908		
3380-0099	Vertical hinged swing-out toolboard. Location: [#LOC]. Hinge along rearward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground and a positive hold open device in the open position.	\$1,787		
3380-0100	SlideMaster slideout tray w/hose tray approx 8.625 wide x 124 long x 16 deep to hold 200' of 5" LDH. Includes handrail at rear top corner of tray and slotted holes in floor for hose ventaltion. Floor mounted at rear of body in ladder tunnel on officer side.	\$1,795		
3380-0101	Adjustable tool board with 500 lbs slides. Includes upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): R4 rearward of Partition.	\$1,307		
3380-0102	Battery slide-out tray. Locate in [#LOC]. There will be a cover over the top of the batteries.	\$1,251		



Item #	Description	Extension	+1/-1	Total
3380-0103	Running board suction tray (floating style). Includes tapered 3" front corner and Turtle Tile brand [#COL] floor matting in bottom of tray. Location(s): [#LOC]	\$786		
3380-0104	Roll-out tray. Mount on driver side forward body compartment floor.	\$652		
3380-0105	Roll-out tray. Mount on driver side rearward body compartment floor.	\$717		
3380-0106	Roll-out tray. Mount on rear body compartment floor.	\$652		
3380-0107	Roll-out tray. Mount on officer side forward body compartment floor.	\$652		
3380-0108	Roll-out tray. Mount on officer side rearward body compartment floor.	\$717		
3380-0109	Roll-out generator tray. Includes tray interlock for full tray extension generator operations. Locate in rearward driver side body compartment with connector/wiring.	\$0		
3380-0110	Roll-out tray. Mount on driver side forward body compartment floor.	\$677		
3380-0111	Roll-out tilt-down tray. Mount on driver side wheel well body compartment floor.	\$905		
3380-0112	Roll-out tray. Mount on driver side rearward body compartment floor.	\$728		
3380-0113	Roll-out tray. Mount on rear body compartment floor.	\$677		
3380-0114	Roll-out tray. Mount on officer side forward body compartment floor.	\$677		
3380-0115	Roll-out tray. Mount on officer side rearward body compartment floor.	\$728		
3380-0116	Adjustable roll-out tray. Mount in driver side forward body compartment.	\$986		
3380-0117	Adjustable roll-out tray. Mount in driver side rearward body compartment.	\$1,068		
3380-0118	Adjustable roll-out tray. Mount in officer side forward body compartment.	\$986		
3380-0119	Adjustable roll-out tray. Mount in officer side rearward body compartment.	\$1,068		
3380-0120	Adjustable roll-out tray. Mount in rear body compartment.	\$986		
3380-0121	Adjustable roll-out toolboard. Mount in driver side forward body compartment.	\$416		
3380-0122	Adjustable roll-out toolboard. Mount in driver side rearward body compartment.	\$416		
3380-0123	Roll-out tray. Mount on officer side forward body compartment floor. For use with DEF tank.	\$677		
3380-0124	Floor mounted roll-out tray with 500lbs capacity. Mount on L1 and R1 floor.	\$773		
3380-0125	Running board suction tray. Outboard (front) wall of tray and rubrail hinged at the bottom with quick release latches for drop down door. Includes removable slats in bottom of tray. Location(s): [#LOC]	\$978		
3380-0126	Floor mounted bi-directional Slide Master with speed lay. Model SM2-D-SP. Mounted on [#LOC] transverse floor. Speed Lay will hold 200 feet of 1.75" DJ hose.	\$1,786		
3380-0127	Floor mounted Slide Master with tray. Model SM3-SP. Single depth. Mount on rearward R2 floor. The tray shall be approx 39" wide.	\$1,037		
3380-0128	Adjustable tool board. Includes upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): R2 approx 14" off the front wall.	\$951		
3380-0129	Left side running board SS hose tray with Duradek flooring.	\$627		
3380-0130	Right side running board SS hose tray with Duradek flooring.	\$627		
3380-0133	On Scene Solutions floor mounted roll-out/tilt down tray mount on [#LOC] floor. This tray shall not exceed 30" in depth.	\$1,756		
3380-0134	On Scene Solutions adjustable mounted roll-out/tilt down tray mount in the [#LOC] compartment. This tray shall not exceed 30" in depth.	\$2,085		
3380-0135	Roll-out tray. Mount on driver side forward body compartment floor.	\$773		
3380-0136	Roll-out tray. Mount on officer side forward body compartment floor.	\$773		
3380-0137	Adjustable roll-out tray. Mount in driver side forward body compartment.	\$1,110		
3380-0138	Adjustable roll-out tray. Mount in officer side forward body compartment.	\$1,110		

Item #	Description	Extension	+1/-1	Total
3380-0139	Vertical hinged swing-out toolboard. Location: R2. Hinge along forward compartment wall and position centered between door and back wall. The hinge to be full height of toolboard (as applicable). Includes D-Ring latch to secure in the closed position that is accessible from the ground.	\$1,876		
3380-0140	Generator roll-out tray. Includes tray interlock. For use with Harrison compartment mounted generator. Locate in compartment [#LOC].	\$623		
3380-0141	Roll-out generator tray for use with Harrison generator. Includes tray interlock for full tray extension generator operations. Locate in rearward officer's side body compartment with connector/wiring.	\$0		
3380-0142	PAC TRAC panels vertical stacked on compartment walls with tool mounting grooves orientated horizontal (includes installation on vertical hinged compt door, if applicable). Locate: [#LOC].	\$2,979		
3380-0143	Compartment underbody with slide-out tray. Includes front door with D-ring latch(es). Door will be attached to the tray. Locate [#LOC].	\$2,523		
3380-0144	Floor mounted roll-out/tilt down tray. Mount on shelf above crosslay in L1. For use on half transverse trays.	\$1,294		
3380-0145	Suction tray ilIncludes removable slats in bottom of tray. Tray to be 25" long. Location: in front of the pump panel in L2 forward.	\$1,208		
3380-0146	Vertical hinged swing-out toolboard. Location: [#LOC]. Hinge along rearward compartment wall and position centered between door and back wall. Includes latch to secure in the closed position that is accessible from the ground.	\$1,787		
3380-0147	Poly toolboards to be half inch thick. Toolboards to be spaced off wall a half inch. Location(s): B1 side and back walls. Includes cut-out for compartment light(s). Toolboards to be approx (2) 30" high x 24" wide and (1) 30" high x 43" wide.	\$1,064		
3380-0148	Poly toolboards to be half inch thick. Toolboards to be spaced off wall a half inch. Location(s): L1 back wall, notch around generator gauge panel. Toolboard to be approx 37" high x 32" wide.	\$356		
3380-0149	Respond Ready toolbox located in the L1 compartment. Toolbox includes (4) drawers with 500 lb. lock-out slides and (4) dividers per drawer. Drawer heights to be (1) 3", (1) 4", (1) 8" and (1) 10" drawer. Includes standard top shelf, gray powder coated front panels and galvanized components. Dimensions of overall toolbox 26" W x 27.5" H x 22.7" D.	\$3,404		
3380-0150	Fixed back wall mounted toolboard with swirled finish. Toolboard to be spaced off wall a half inch. Location(s): [#LOC].	\$419		
3380-0151	Suction tray ilIncludes removable slats in bottom of tray. Tray to be compartment width minus 3". Locate on the floor of [#LOC].	\$1,208		
3380-0152	Vertical hinged swing-out toolboard, adjustable in and out. Location: L2. Hinge along rearward compartment wall and position centered between door and back wall. Includes latch to secure in the closed position that is accessible from the ground.	\$1,787		
3380-0153	Fixed back wall mounted toolboards, compartment above rear wheels on the left and right side. Toolboards to be spaced off back walls. Wildland	\$621		
3380-0154	Brass tray, egg crate dividers, 500 lb., Wildland	\$1,291		
3380-0155	Running board suction tray. Includes Turtle Tile brand black floor matting in bottom of tray. Location(s): [#LOC].	\$605		
3380-0156	A pull-out work surface shall be located just below the offset in R3.	\$919		
3380-0157	Floor mounted Slide Master with tray. Model SM3-SP. 1/2 depth transverse or full depth on non transverse. Mount on [#LOC] forward floor. Tray should be approx 38" wide.	\$1,351		
3380-0158	Floor mounted roll-out tray. Includes OnScene Solutions slide 81900 series. 500 lbs. tray capacity. Location: [#LOC].	\$2,279		
3380-0159	Adjustable tool board with 500 lbs slides. Includes upper and lower adjustable track, .75" x .75" aluminum angle welded to front edge and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,016		
3380-0160	Two (2) pairs of Poly box(s) (1) to be 10" x 10", black, mounted on 3/16" aluminum module. (1) shipped loose.	\$379		
3380-0161	There shall be stainless steel floor mounted and adjustable mounted SlideMaster Model # SM3-SP with roll-out trays provided. The capacity rating shall be 1000 pounds distributed load and 500 pounds end load at full extension.	\$2,254		

Item #	Description	Extension	+1/-1	Total
3380-0162	Vertical hinged swing-out pegboard toolboard. Location: [#LOC]. Hinge along rearward compartment wall and position centered front to rear. Includes latch to secure in the closed position and gas shock to secure in the open position that is accessible from the ground.	\$1,937		
3380-0163	Floor mounted slidemaster roll-out tray to hold 6 SCBA donning stations. Donning stations will be Zico spring clip brackets. Mount on L2 floor forward of SCBA bottle storage rack.	\$4,079		
3380-0164	Floor mounted Slide Master with tray. Model SM3-SP. 2/3rds deep. Mount on R1 extended floor forward of partition.	\$1,514		
3380-0165	Adjustable mounted Slide Master with tray. Model SM3-SP. 2/3rds deep. Mounted in transverse area of R1 ahead of the divider.	\$1,879		
3380-0166	Horizontal storage box with (4) equally spaced openings stacked vertically, each area to be approx. 9" wide x 7" high x 47" deep. Locate: rearward wall of L2	\$865		
3380-0167	Vertical hinged heavy duty swing-out toolboard. Location: [#LOC]. Hinge along forward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,876		
3380-0168	Floor mounted roll-out tray with 500 lbs. capacity. Locate in R1 offset forward. Tray to be half the width of compartment.	\$773		
3380-0169	Adjustable roll-out tray with 500 lbs. capacity. Tray to have 6" lips. Location(s): [#LOC].	\$1,429		
3380-0170	Roll-out generator tray. Includes tray interlock for full tray extension generator operations. Locate in rearward driver side body compartment.	\$901		
3380-0171	Floor mounted bi-directional Slide Master with tray. Model SM2-D-SP. Rear wall of tray to extend up as high as possible to make a toolboard. Includes return style reinforcing bends on vertical sides and horizontal top edges of toolboard. Mounted on floor of L1/R1 transverse.	\$2,285		
3380-0172	Tailboard suction tray. Includes removable slats in bottom of tray. Requires rear compartment to be roll-up door.	\$605		
3380-0173	Vertical hinged heavy duty swing-out pegboard toolboard. Location: [#LOC]. Hinge along forward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,983		
3380-0175	Floating style left side running board SS hose tray with Duradek flooring.	\$750		
3380-0176	Floating style right side running board SS hose tray with Duradek flooring.	\$750		
3380-0177	Prepare upper back walls of compartment L3 and L4 with studs for dealer to provide plywood (or whatever material) toolboard panels. Studs are to be threaded stainless steel.	\$340		
3380-0178	Vertical hinged swing-out toolboard. Location: R1, full height. Hinge along rearward compartment wall and position 5" in from door pan. Includes dual single point D-Ring latches to secure in the closed position that is accessible from the ground.	\$1,787		
3380-0179	Vertical hinged heavy duty swing-out aluminum tool board(s) shall be provided for compartment(s) [#LOC]. The tool board shall be constructed of 1/4" (.25") smooth aluminum plate, peg board style, and be sized in height and length as applicable. The tool board shall be position centered between door and back wall and hinged along rearward wall mounted. The hinge shall be made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom that will permit the board to swing out of the compartment for easier access to tools and/or equipment. The tool board shall latch to a 3" x 3" extrusion, with a Tri-Mark latch to secure the toolboard in the closed position.	\$2,421		
3380-0181	Vertical hinged swing-out toolboard. Located in [#LOC] 12" from door. Hinge along rearward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground and a positive hold open device in the open position.	\$1,787		
3380-0182	Floor mounted slidemaster roll-out tray to hold (3) SCBA donning stations. Donning stations will be Zico spring clip brackets. Location [#LOC].	\$2,040		

Item #	Description	Extension	+1/-1	Total
3380-0183	Floor mounted Slide Master with tray. Model SM3-SP. Single depth. Mount on [#LOC] floor align with transverse shelf edge and offset rearward as much as practical. The tray shall be approx 36" wide x 70" deep.	\$1,514		
3380-0185	Aluminum long handle tool tray with hand hold cutouts. 96" L x 9" W x 6" D. Installed in ladder storage module	\$297		
3380-0186	Aluminum long handle tool tray with hand hold cutouts. 96" L x 9" W x 6" D. Ship Loose.	\$297		
3380-0187	Dual toolboards vertical hinged heavy duty swing-out toolboards. Location: [#LOC]. The inboard toolboard shall be hinged along rearward compartment wall and positioned 8" off inboard/back wall of the compartment. The outboard toolboard shall be hinged along forward compartment wall and positioned 8" outboard of other (inboard) tool board. Includes (1) D-Ring latch per toolboard to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$4,122		
3380-0189	Running board suction tray with a diamond plate door hinged on the inboard side with quick release flush latch(s) and a lanyard type holding device. Includes removable slats in bottom of tray. Location(s): [#LOC].	\$1,283		
3380-0190	Vertical hinged swing-out tool board. Location: [#LOC]. Hinge along forward compartment wall and position halfway in from door opening. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$1,787		
3380-0191	Vertical hinged heavy duty swing-out toolboard. Location: [#LOC]. Hinge along rearward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,876		
3380-0192	Roll-out generator tray for use with Harrison generator. Includes tray interlock for full tray extension generator operations. Locate in rearward driver's side body compartment with connector/wiring.	\$0		
3380-0193	Poly toolboards to be half inch thick. Toolboards to be spaced off interior/backwall a half inch. Location(s):[#LOC].	\$972		
3380-0194	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on each side of Swing-out Toolboard. Locate:[#LOC]	\$1,844		
3380-0195	Poly boxes (4) to be located [#LOC]. Box depth (front to rear) to be sized for placement on floor/shelf or tray as applicable to compartment options. All (4) boxes shall be 10" in height and equal width to fill the placement area designated.	\$1,511		
3380-0196	Vertical hinged heavy duty swing-out pegboard toolboard. Location: [#LOC]. Hinge along rearward compartment wall and includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,965		
3380-0197	Floor mounted roll-out/tilt down tray with aluminum frame. Mount on [#LOC] floor. Tray(s) to have 2" high sides all around IPO standard.	\$1,261		
3380-0198	Adjustable mounted roll-out/tilt down tray with aluminum frame. Location(s): [#LOC]. Tray(s) to have 2" high sides all around IPO standard. For use in single depth or rescue style compartments.	\$1,596		
3380-0199	Floor mounted bi-directional Slide Master with tray. Model SM2-D-SP. Includes fixed toolboard centered in tray lengthwise extending up as high as possible. Toolboard to be fabricated from 1.5" square aluminum tubing for frame and centered inside of frame shall be .250" smooth plate with bracing on each end for rigidity when tools are mounted. Tray/toolboard mounted on L1/R1 transverse floor.	\$2,765		
3380-0200	Running board suction tray (floating style). Includes tapered 3" front corner and removable slats in bottom of tray. Location(s): [#LOC]. Trays to be smooth plate painted black durabak.	\$995		
3380-0201	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on each side of swing-out tool board. Locate: [#LOC].	\$1,844		
3380-0203	Adjustable peg tool board. Includes upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,103		
3380-0204	Floor mounted Slide Master with tray. Model SM3-LP (low profile). Single depth. Mount on [#LOC] floor.	\$1,106		

Item #	Description	Extension	+1/-1	Total
3380-0205	Fixed wall mounted peg toolboard(s). Toolboards to be spaced off wall a half inch. Location(s):[#LOC].	\$306		
3380-0206	Adjustable peg tool board. Includes upper and lower adjustable track with lock in/lock out latch. Slides for use with deep compartments. Toolboard sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,390		
3380-0208	Floor mounted rollout tray/toolboard, with gas spring and 500 lbs. capacity. The vertical toolboard will be mounted on adjustable mount(s) on the floor of the roll out tray. Includes return style reinforcing bends on vertical front and rear edges of tool board. Tool board sized to compartment height and depth as applicable. Location: [#LOC].	\$1,533		
3380-0209	Vertical hinged swing-out tool board. Location: L1 Hinge along rearward compartment wall and position halfway in from door opening. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$1,255		
3380-0210	Pac Trac panels vertically stacked on forward wall of transverse storage box located in L1/R1.	\$1,687		
3380-0211	Officer side running board suction tray shall have 1/2" drain holes IPOS.	\$32		
3380-0212	Floor mounted rollout tray/toolboard, with gas spring and 500 lbs. capacity. The vertical peg board tool board will be mounted on adjustable mount(s) on the floor of the roll out tray. Includes return style reinforcing bends on vertical front and rear edges of tool board. Tool board sized to compartment height and depth as applicable. Location: [#LOC].	\$1,653		
3380-0213	Sliding Rope Storage Assembly with 30" extension, lock in/out and 85 lb rating.	\$506		
3380-0214	Adjustable toolboard with SlideMaster SM3-MP 600 lb. slides for use with deep compartments. Includes upper and lower adjustable track with lock in/lock out latch. Toolboard sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,346		
3380-0215	Adjustable mounted Slide Master with tray. Model SM3-HD 1000LB full depth in upper B1. Mounted in extended area of [#LOC].	\$2,162		
3380-0216	Floor mounted Slide Master with tray. Model SM3-HD 1000LB full depth in upper B1. Mounted in extended area of [#LOC].	\$2,066		
3380-0217	Respond Ready toolbox located in the R1 compartment. Toolbox includes (6) drawers with 500lb lock-out slides and (4) dividers per drawer. Drawer heights to be (1) 7" at the bottom & (5) 5" above. Includes standard top shelf, Color: Black powder coated front panels and galvanized components. Dimensions of overall toolbox 34.5"H x 50"W x 22.7"D.	\$5,779		
3380-0218	One (1) pair of Poly box(s) to be 10" x 10", black, mounted on floor of compartment L2.	\$368		
3380-0219	Slide Master bi-directional with tray and toolboard. Mounted in L1/R1 in a raised position within the compartment (just above the frame rail). SlideMaster model SM2-D-SP mounted rearward of the backboard storage container. The tray shall include a toolboard as tall as possible running full length side to side. The toolboard shall be framed with an angle to provide rigidity.	\$2,485		
3380-0220	Floor mounted roll-out/tilt down and adjustable mounted roll-out/tilt down trays with aluminum frame. Trays to have 2" high sides all around IPO standard. Mount in [#LOC] compartment.	\$2,856		
3380-0221	Running board suction tray. Tray to be 8" deep. Includes removable slats in bottom of tray. Location(s): [#LOC]	\$689		
3380-0222	Floor mounted roll-out inverted tray with 500 lbs. capacity. Location: [#LOC].	\$773		
3380-0223	Tool board HD adjustable. Includes return style re-enforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track, 250LB slides and manual lock in/out latches at top. Tool board sized to compartment height and depth as applicable. Location(s): L3	\$926		
3380-0224	Floor mounted roll-out tray, with gas spring. 500 lbs. capacity. Tray shall be made of 1/4" smooth aluminum. Location: [#LOC].	\$1,024		
3380-0225	Floor mounted Slide Master with tray. Model SMEX w/ 120% extension. 2/3rds deep. Includes fixed toolboard centered in tray lengthwise extending up as high as possible. Toolboard to be fabricated from 1.5" square aluminum tubing for frame and centered inside of frame shall be .250" smooth plate with bracing on each end for rigidity when tools are mounted. Tray/toolboard mounted on [#LOC] floor.	\$2,765		

Item #	Description	Extension	+1/-1	Total
3380-0226	Poly toolboards to be half inch thick. Toolboards to be spaced off wall a half inch. Location(s): B1 side and back walls. Includes cut-out for compartment light(s). Toolboards to be approx (2) 30" high x 24" wide and (1) 30" high x 36" wide.	\$1,064		
3380-0227	Fixed back wall mounted peg toolboard(s) with holes located on 7/8" centers. Toolboard(s) shall not be notched around compartment vents.	\$0		
3380-0228	Vertical hinged swing-out Pegboard tool board. Location: L2. Hinge along rearward compartment wall and position halfway in from door opening. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$1,936		
3380-0229	Adjustable toolboard partition. With unistrut track mounted to inside of rollout tray on floor for toolboard to adjust side to side. Toolboard to be fabricated from 1.5" square aluminum tubing for frame and centered inside of frame shall be .250" smooth plate with bracing on each end for rigidity when tools are mounted. Locate in [#LOC] floor mounted roll-out tray.	\$600		
3380-0230	Compartment underbody. Includes drop down front door with push-button latches. Locate: Span below R1 and R2.	\$1,654		
3380-0231	Floor mounted Slide Master with tray. Model SM3-SP. 2/3rds deep. Mount on R1 extended floor. To be approx 72 inches deep and wide as possible.	\$1,514		
3380-0232	Tray for tool board. There will be a total of (4) trays welded to both side of the toolboard's. Location: L1(1) tray on each side of toolboard as low as possible. The trays will be fabricated of 3/16" aluminum and approx 6" tall x 6" deep x 24" long. Finish shall be sanded aluminum.	\$1,002		
3380-0233	Adjustable roll-out tray with 500 lbs. capacity. Tray to have raised forward lip with hole(s) to accommodate mounting of captive rollers for optioned reels in compartment. Tray at full extension shall position rollers outward to provide additional protection from hoses chafing or damaging painted surfaces: [#LOC].	\$1,508		
3380-0234	Weld a heavy duty gusseted vertical divider 40 inches tall centered in tray: 1/4 inch thick aluminum and full depth of tray. Option to accommodate mounting of hydraulic tools. Location: R4 in floor mounted tray aft of partition.	\$766		
3380-0235	Weld a heavy duty gusseted vertical divider 40 inches tall centered in tray: 1/4 inch thick aluminum and full depth of tray. Option to accommodate mounting of hydraulic tools. Location: L4 in floor mounted tray aft of partition.	\$766		
3380-0236	Vertical hinged heavy duty swing-out toolboard with storage trough(s). Location: [#LOC]. Hinge along forward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground. The Toolboard shall include a 5" x 5" Trough, enclosed on each end and running full length along the botom edge of the board, both inside and outside (for as long as available space allows when fully opened), used for small containers storage. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$2,050		
3380-0237	Compartment underbody 30" wide. Includes drop down front door with push-button latches. The storage compartment shall hold approximately 50' of 3" DJ hose. Locate [#LOC].	\$1,421		
3380-0238	Pac Trac Vertical hinged swing-out toolboard PM-1000, adjustable in and out. Location: [#LOC]. Hinge along forward compartment wall. Includes latch to secure in the closed position that is accessible from the ground.	\$1,845		
3380-0239	Adjustable roll-out tray with 500 lbs. capacity and a gas shock. PAC tool panel mounted on floor of tray. Location(s): L1	\$1,485		
3380-0240	Floor mounted stainless steel roll-out tray. Includes OnScene Solutions slide 81900 series. 500 lbs. tray capacity. Location: [#LOC].	\$2,310		
3380-0241	Adjustable stainless steel roll-out toolboard. Includes upper and lower adjustable track with 250 lbs. slides and gas shock actuated. Toolboard sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,126		
3380-0242	Tool board brackets to include PAC 1004, fabricated boxes and stainless hooks.	\$430		
3380-0243	Adjustable roll-out tray. Includes 500lbs. tray capacity. Location: L3 compartment. The tray to be maximum of 20" deep x standard compartment width size. Use 20" long slides due to the enhanced extended compartmentation.	\$1,110		
3380-0244	Fixed aluminum toolboard. Toolboard to be spaced off tank with mounting blocks. Locate above pump module mounted to tank, as large as possible. Includes tank mounting blocks.	\$722		

Item #	Description	Extension	+1/-1	Total
3380-0245	SlideMaster slideout tray (aluminum slide 2 rail) with aluminum tray. Size approx 43" wide x 98" deep. Tray to be notched to accommodate water tank fill tower. Tray design includes hose tray to accommodate vertically stacking 100' of 1-3/4" hose located on officer side of body between water tank fill tower and rear body and slotted holes in floor for hose ventaltion. Finish is sanded aluminum. Locate: In hose bed.	\$3,590		
3380-0246	Running board suction tray. Includes removable slats in bottom of tray. Tray inside dimensions to be 35" long from front to back x 10" from rub rail inward to pump panel x 9.5" total depth inside. Tray shall be equipped with a removable slat which will reduce the listed depth dimension. The outboard edge of the tray shall have no folded lip and shall bolt through rub rail to allow for max width. Location(s): [#LOC]	\$661		
3380-0247	Floor mounted roll-out tray, 48" wide sized for portable pump. Includes 500lbs tray capacity. Location: R1 offset forward.	\$1,007		
3380-0248	Vertical hinged swing-out tool board, adjustable in and out. Location: [#LOC]. Hinge along forward compartment wall. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$1,846		
3380-0249	Compartment underbody. Includes drop down front door with push-button latches. To hold approximately 25' of 5" LDH hose in each underbody compartment. Locate below L1/R1.	\$1,421		
3380-0250	Floor mounted Slide Master with tray. Notched. Model SM3-SP. 2/3rds deep. Notch rear forward corner to accommodate vertical exhaust to maximize utility. Finish to be sanded aluminum unless otherwise specified. Locate: L1 extended floor.	\$1,718		
3380-0251	Left side running board SS hose tray with Duradek flooring. Well to store 50' of 4" hose.	\$627		
3380-0252	Right side running board SS hose tray with Duradek flooring. Well to store 50' of 4" hose.	\$627		
3380-0253	Adjustable aluminum peg toolboard with SlideMaster SM3-MP 600 lb. slides for use with deep compartments. Includes upper and lower adjustable track with lock in/lock out latch. Toolboard sized to compartment height and depth as applicable. Location(s): R1	\$1,485		
3380-0254	Floating style right side running board SS hose tray with Duradek flooring. Well to be 34"L x 9"W x 11"D and offset rearward.	\$775		
3380-0255	Floating style left side running board SS hose tray with Duradek flooring. Well to be 34"L x 9"W x 11"D and offset rearward.	\$775		
3380-0256	Compartment with provision for 2 SCBA Bottle storage. Includes drop-down door with D-ring latch. Compartment to be located [#LOC].	\$728		
3380-0257	L4 shall contain (1) permanent divider cented in the compartment. Forward of divider shall include (1) floor mounted tray and (1) adjustable tray. Rearward of the divider shall include (2) adjustable heavy duty roll-out toolboards.	\$5,342		
3380-0258	R4 shall contain (1) permanent divider cented in the compartment. Forward of divider shall include (1) floor mounted tray and (1) adjustable tray. Rearward of the divider shall include (2) adjustable heavy duty roll-out toolboards.	\$5,342		
3380-0259	R1 shall have (1) vertical partition 24" off forward wall with (1) adjustable shelf rearward of the partition.	\$1,812		
3380-0260	Vertical hinged swing-out tool boards. Location: [#LOC]. (1) Hinged along forward compartment wall and (1) Hinged along rear compartment wall. They shall be positioned centered between door and back wall. Includes d-ring to secure in the closed position that is accessible from the ground.	\$3,572		
3380-0261	Roll-out generator tray. Includes tray interlock. Locate R3. 23 x 18 x 3 spaced from forward wall 8 inches.	\$919		
3380-0262	Vertical hinged heavy duty swing-out toolboard. Location: L2. Hinge along forward compartment wall and position so that face of toolboard will be 6" into compartment from back of closed door. Includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2	\$1,876		
3380-0263	Floor mounted SlideMaster with tray and a vertical tool board centered in tray to accommodate horizontal mounting (4) tri-pod lights (2) to each side "Make and Model Pioneer 110V with dual light heads. SlidMaster Model SM3-HD. Mount on top of 5 inch tall channel to accommodate storage of cribbing below. Finish is sanded aluminum. Locate: B1 on top of extended floor.	\$3,333		

Item #	Description	Extension	+1/-1	Total
3380-0264	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward and rearward side walls of compartment L2.	\$621		
3380-0265	Tray, floor mounted roll-out with gas spring. 500 lbs. capacity. The front and rear lips shall be 1.5" high. Location: [#LOC].	\$773		
3380-0266	Vertical hinged swing-out Pegboard tool board. Location: R2. Hinge along forward compartment wall and position halfway in from door opening. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$1,936		
3380-0267	Compartment underbody 66" wide with slide-out tray. Includes front door with D-ring latch(es). Door will be attached to the tray. Locate centerd below L1/L2.	\$2,523		
3380-0268	Tray / toolboard combination, floor mounted roll-out with gas spring. 500 lbs. capacity. The tray portion to be rearward. L1 rearward of CAFS unit.	\$1,752		
3380-0269	Tray, floor mounted Slide Master with tray to accommodate Ferno model 71 basket with RIT equipment. Model SM3-HD. Locate: B1 extended floor.	\$2,285		
3380-0270	Adjustable mounted Slide Master with tray. Model SM3-SP. Full depth B1 above extended floor.	\$2,285		
3380-0271	The L1 Compartment shall include (1) extra unistrut track at the upper tool board mounting area. This shall provide for a total of (3).	\$174		
3380-0272	Floor mounted low profile roll-out tray. Includes 250lbs capacity slides and a manual lock. Location: Right rear panel hydrant compartment.	\$522		
3380-0273	Fixed back wall mounted toolboard. Toolboard to be spaced off wall a half inch. Location(s): L1 lower on forward, rearward and back walls. Note toolboard fixed to back wall will be removable due to jack access.	\$255		
3380-0274	Vertical hinged heavy duty swing-out toolboard. Location: [#LOC]. Hinge along forward compartment wall and position centered between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground and a ball type nylon catch with a ball socket rod to hold device in the open position. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,918		
3380-0275	Vertical hinged heavy duty swing-out toolboard. Location: [#LOC]. Hinge along forward compartment wall and position 8 in. in from door opening between door and back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground and a ball type nylon catch with a ball socket rod to hold device in the open position. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,918		
3380-0276	Storage system for compartment L1. Includes vertical partition 29" from left side wall with (2) adjustable HD tool boards ahead of partition and (2) adjustable shelves rearward of partition in lower section. HP75 / HP78 SideStacker.	\$3,069		
3380-0277	Running board suction tray extra capacity, drivers side. Includes removable slats in bottom of tray. Tray to be as long as possible, and 5" deeper than standard tray depth for extra hose capacity. Location shall be on drivers side pump panel running board. (Note): ground clearance below tray will be reduced to approximately 9" over level ground.	\$1,432		
3380-0278	Running board suction tray. Includes removable slats in bottom of tray. Tray to be as long and as deep as possible to hold 50' of 5.00" LDH hose with Storz couplings. Location(s): officer side runningboard.	\$866		
3380-0279	Floor mounted SlideMaster tray with aluminum frame. Model M3. Single depth. Mount on [#LOC] floor.	\$1,377		
3380-0280	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on each side of Swing-out Toolboard. Locate: L2.	\$923		
3380-0281	Stainless steel underbody compartment with 500 lb. capacity Jonathan brand ball bearing slide drawer on the driver's and officer's side of the body forward of the rear wheels. The door face shall be constructed of brushed stainless steel and a locking bent D-ring style dead bolt latching mechanism shall be installed. Interior tray height to be 6" high while the width and depth shall fit the available area.	\$6,405		
3380-0282	All floor mounted and adjustable tray(s) to have 4" high sides all around IPO standard.	\$465		



Item #	Description	Extension	+1/-1	Total
3380-0283	Tool board. A heavy duty 1/4" thick aluminum, gusseted vertical tool board approx 48" tall x tray length shall be provided to accommodate stowing (4) Res Q Jacks: (2) RJ3 Lift Stands and (2) RJ3 Stabilization and Lifting Struts. The tool board shall be welded inside a floor tray (Tray not included and selected seperatly) and stow jacks vertically next to each other. Jacks to be held in place with straps for fast access. Finish shall be sanded aluminum unless otherwise specified. Locate: R4.	\$2,190		
3380-0284	Floor mounted Slide Master tray with 10 inch tall sides. Model SM3-SP. 1/2 depth transverse or full depth on non transverse. Includes a 10 inch tall welded divider located on center line with tray. Mount on [#LOC] floor.	\$1,911		
3380-0285	Floor mounted Bi-Directional Slide Master tray with 8 inch tall sides. Includes a 8 inch tall welded divider located on center line with tray. Model SM2-D-SP. Mounted on [#LOC].	\$2,457		
3380-0286	Tool Board. Weld a heavy duty gusseted vertical tool board / divider as tall as height allows centered inside tray. Material to be 1/4 inch thick aluminum and full depth of tray. Locate: [#LOC].	\$766		
3380-0287	Tray for tool board. There will be a tray bolted to bottom of toolboard. The tray will be fabricated of smooth aluminum. Tray size to be 4 inches tall x 16 inches wide x depth of toolboard. Tray shall include a gusset for added support at each end. Finish shall be sanded aluminum. Locate: L1 low as possible on forward surface.	\$291		
3380-0288	Adjustable mounted Slide Master with tray. Model SM3-SP. 30 inch depth. Tray shall be 30 inches deep front to rear. Locate: B1 upper area over frame rail and as close to compartment back wall as possible. Tray when at 100% extension shall partially extend outside of compartment approx 8 inches.	\$1,713		
3380-0289	Fixed back wall mounted peg toolboard. Toolboard to be spaced off wall an inch. Location(s): [#LOC].	\$306		
3380-0290	Notch, body compartment tray. Notch rear aft corner of floor mounted tray to accommodate minimum cleareance around B1 forward bulkhead to maximize tray utility. Location: L3	\$142		
3380-0291	Notch, body compartment tray. Notch forward rear corner of tray to accommodate minimum cleareance around compartment forward bulkhead to maximize tray utility. Location: R3	\$142		
3380-0292	Tray, floor mounted roll-out with gas spring. 500 lbs. capacity. For use with half transverse tray. Tray travel will be limited to 26 inches of extension. Location: [#LOC].	\$773		
3380-0293	Floor mounted bi-directional Slide Master with tray. Aluminum Model M2D. Mounted on [#LOC].	\$2,132		
3380-0294	Crosby Style compartment underbody with slide-out tray. Includes front door with D-ring latch(es). Door will be attached to the tray. Locate [#LOC].	\$2,523		
3380-0295	Adjustable mounted bi-directional Slide Master toolboard. Mounted in transverse area of L2/R2.	\$2,559		
3380-0296	Tray, floor mounted roll-out with mechanical rotary latch system. 500 lbs. capacity. Location: [#LOC].	\$773		
3380-0297	SlideMaster slide out tray w/hose tray approx 10.875 wide x 124 long x 16 deep to hold 400' of 2.5" DJ. Includes handrail at rear top corner of tray and slotted holes in floor for hose ventilation. Floor mounted at rear of body in ladder tunnel on driver side.	\$1,795		
3380-0298	There shall be a smooth plate aluminum cover over the top of the batteries and the side(s). The cover shall act as a shelf to allow storage of equipment on top of the batteries while also acting as a divider to seperate the equipment stored along side the batteries.	\$464		
3380-0299	Divider. A welded heavy duty gusseted vertical divider 40 inches tall centered in tray: 1/4 inch thick aluminum and full depth of tray. (1) Gusset to be located to the back side of tray only. Option to accommodate mounting of hydraulic tools. Location: R4 floor mounted tray.	\$766		
3380-0300	Tray, SlideMaster Mount on top of angle welded to compartment side wall to accommodate cribbing storage below. Locate: B1.	\$2,212		
3380-0301	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward wall of L1/R1 transverse compartment.	\$1,845		

Item #	Description	Extension	+1/-1	Total
3380-0302	Adjustable heavy duty tool board with 500 lb capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Upper end to be notched around compartment offset to provide maximum height. Relocate upper slide as applicable for maximum extension of toolboard. Location(s): [#LOC].	\$1,089		
3380-0303	All rollout trays to be as wide as possible.	\$0		
3380-0304	Tray, floor mounted roll-out with gas spring. 500 lbs. capacity. Location: L1 Tray to include a center vertical mounted peg board divider to extend 26in. above the top of the tray lip into open area above in compartment. Peg board will be centered in tray and positioned to utilize peg board storage on the forward and rearward sides of the board as mounted. Peg board to be utilized for fitting and tool storage.	\$997		
3380-0305	Adjustable aluminum peg toolboard or use with transverse compartments. Includes lower adjustable tracks providing minimum 6" side to side adjustability . Toolboard sized to compartment height and depth as applicable. Includes gusseted supports on both ends. Location(s): L2/R2 transverse area, offset forward.	\$1,212		
3380-0306	Fixed wall mounted peg toolboard. Toolboard to be spaced off wall a half inch on forward, rearward and back wall from floor to ceiling (as practical). Location(s): [#LOC].	\$1,223		
3380-0307	SlideMaster generator roll-out tray with interlock. Model SM3-SP. Single depth. Mount on [#LOC] floor.	\$1,205		
3380-0308	Tray divider, vertical divider minimum 16" tall x tray depth x 1/4 inch thick alum pegboard. The divider will be adjustable as located within the tray in L2.	\$511		
3380-0309	Floating style right side running board SS hose tray with Duradek flooring. Well to be 46"L x 8.5"W x 11"D to retain (2) 50' doughnut rolls of 4" LDH hose.	\$775		
3380-0310	Fixed upper transverse wall mounted peg toolboard. Toolboard to be spaced off wall a half inch. Includes cutouts in toolboard for adjustable shelf tracking for shelving to be as wide as possible. Toolboard to align with top of transverse shelf and extend out to door opening and as high as practical. Location(s): L1/R1 forward wall.	\$1,222		
3380-0311	Fixed upper transverse wall mounted peg toolboard. Toolboard to be spaced off wall a half inch. Includes cutouts in toolboard for adjustable shelf tracking for shelving to be as wide as possible. Toolboard to align with top of transverse shelf and extend out to door opening and as high as practical. Location(s): L1/R1 rearward wall.	\$1,222		
3380-0312	Fixed wall mounted peg toolboard. Toolboard to be spaced off wall a half inch on forward, rearward and back wall from floor to ceiling as practical. Location(s): [#LOC].	\$917		
3380-0313	Divider. Provide a bolt in heavy duty vertical divider with gussets at each end. Divider to be 1/4 inch thick aluminum 27 inches tall x 32 inches deep & upper corners of divider to have a 4 inch radius. Option to accommodate mounting of (4) four universal air pack brackets, (2) each side of divider. Location: R3, centered in floor mounted tray.	\$766		
3380-0314	Vertical hinged heavy duty swing-out toolboard. Location: R2. Hinge along forward compartment wall and position centered between door and back wall. Includes Tri-Mark latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,967		
3380-0315	Floating style right side running board SS hose tray with Duradek flooring. Well to be 50"L x 8.5"W x 8"D and includes (2) divided areas offset rearward for 2.5 gal water can extinguisher storage.	\$857		
3380-0316	Vertical hinged severe duty swing-out tool board. Location:[#LOC] Hinge along rearward compartment wall and position centered between door and back wall. Includes positive lock to secure in both closed and open position that is accessible from the ground. Heavy duty pivots for 400lb weight capacity on tool board. Tool board is to be Peg board style with 1in. on center pattern for the peg board holes.	\$4,319		
3380-0317	Tray, adjustable roll-out with 500 lbs. capacity and a gas shock. There shall be 3" clearance between the back of the tray and all mounting hardware to the back wall of compartment. Location(s): L3.	\$1,110		
3380-0318	Floor mounted Slide Master with flat plate. Model SM3-MP (Mid profile) with 300 Lb capacity. For use with deep compartments. Located upper pump module compartment.	\$1,346		
3380-0319	Floor mounted SlideMaster tray with aluminum frame. Model AM3 with 600lb capacity. Mount on [#LOC] floor.	\$1,499		

Item #	Description	Extension	+1/-1	Total
3380-0320	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on each side of (1) roll-out tool board. Tool board not included & requires a tool board selection. Locate in compt [#LOC].	\$1,844		
3380-0321	L1 shall contain (1) permanent divider 12" off of forward wall. Forward of divider shall include (1) permanent shelf 25" off of extended floor. Rearward of the divider shall include (1) floor mounted slidemaster roll-out tray on extended floor.	\$1,722		
3380-0322	Floor mounted roll-out tray. Includes 500lbs. tray capacity. No lip on tray. Location: L3.	\$1,007		
3380-0323	Tool peg board, bolt in, inverted V shape. A bolt in tool peg board in the shape the letter V inverted shall be provided. The tool board shall be sized to best accommodate a 10 in. tall x 10 in. wide tripod sleeve in the middle and provide a stop at 90 in. deep. The tool board shall be sized in height and depth as applicable. Material is 1/4 inch smooth aluminum peg board. Finish is sanded aluminum. Locate:centered in B1 tray.	\$1,922		
3380-0324	Floor mounted Slide Master with tray. Model SM3-HD. Locate: B1 extended floor. Option to provide up to 108" extension of B1 at extended floor level.	\$2,469		
3380-0325	Roll-out generator style tray (no interlock). 18 inches wide. Locate: R4, on floor aft of partition.	\$1,049		
3380-0326	Fixed back wall mounted plywood (Grade A Birch) tool boards. Includes (3) coats of varnish. Toolboards to be spaced off wall a half inch. Location: (1) L3 upper, (1) R1 upper, (1) R2 & (1) R3 upper.	\$1,267		
3380-0327	Adjustable mounted Hansen roll-out/tilt-down tray. Location(s): R2. For use in single depth or rescue style compartments.	\$1,636		
3380-0328	Adjustable heavy duty two sided peg board roll-out aluminum tool board with hidden gas shock . Includes return style re-enforcing bends on vertical front and rear edges of tool board with boxed in design, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC]	\$1,207		
3380-0329	Adjustable heavy duty two sided tool board with 500 lbs. capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board and boxed in design, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Location(s): [#LOC].	\$1,016		
3380-0330	Fixed back wall mounted plywood (Grade A Birch) toolboard. Includes (3) coats of varnish. Toolboard to be spaced off wall a half inch. Location: (1) L2	\$552		
3380-0331	Floor mounted Slide Master with tray. Model SM3-SP. 1/2 depth transverse or full depth on non transverse. Tray side walls to be 6 inches tall. Design includes (4) four 2 inch diameter holes equally spaced each side wall of tray for hold down strap attachment. Mount on [#LOC] floor.	\$1,623		
3380-0332	Floor mounted Slide Master with tray. Model SM3-SP. Tray to be 33 in wide x 33 in deep. Locate: B1 floor	\$1,351		
3380-0333	Running board suction tray (floating style). Includes tapered 3" front corner and removable slats in bottom of tray. Tray to be as long as possible. Also tray to be wider than standard to accommodate three lays of 1.75" DJ hose. Requires 2" wider running board. Location(s): [#LOC].	\$1,078		
3380-0334	Vertical hinged heavy duty swing-out toolboard. Location: [#LOC]. Hinge along forward compartment wall and position close at door opening just inside envelope to clear door. Customer to utilize the back wall of the compartment and the back wall of the swing out tool board only. Includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2in. stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,876		
3380-0335	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on back side of Swing-out Tool board. Locate:[#LOC].	\$922		
3380-0336	Vertical hinged swing-out peg tool board as large as practical for size of compartment. Location: R4. Hinge along rearward compartment wall. Adjustable depth with upper and lower stainless Unistrut channels. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$2,588		
3380-0337	Tool Board, PAC brand double sided adjustable slide out tool board on slide p/n VSO-24. Locate (1) in compt. [#LOC].	\$2,043		
3380-0338	Adjustable mounted Hansen roll-out/tilt-down tray. Location(s): R1. For use in single depth or rescue style compartments.	\$1,636		

Item #	Description	Extension	+1/-1	Total
3380-0339	Running board suction tray with extra capacity (see drawing for details). Includes removable slats in bottom of tray. Location(s): [#LOC]	\$726		
3380-0340	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on rearward wall of compartment. Locate: [#LOC].	\$923		
3380-0341	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward, rearward and back walls of compartment R1 upper and lower.	\$1,132		
3380-0342	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward, rearward and back walls of compartment L1 upper only.	\$587		
3380-0343	Floor mounted roll-out tray with back wall as high as possible. There shall be a toolboard 36" from rear wall of tray. Includes 500lb tray capacity. Location: R1 floor.	\$1,520		
3380-0344	Compartment underbody with slide-out tray. Includes drop-down front door with Tri-Mark latch(es). [#LOC].	\$2,523		
3380-0345	Running board suction tray. Includes removable slats in bottom of tray. Tray to be as long as possible. Also tray to be wider than standard to accommodate three lays of 1.75" DJ hose. Requires 2" wider running board. Location(s): [#LOC].	\$1,382		
3380-0347	Vertical hinged swing-out tool board, adjustable in and out. Location: [#LOC]. Hinge along rearward compartment wall. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$1,846		
3380-0348	Vertical hinged heavy duty swing-out toolboard. Location: L2. Hinge along forward compartment wall and position 14" off back wall. Includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,876		
3380-0349	Floor mounted Slide Master with tray. Model SM3-SP. Floor mounted at rear of body in ladder tunnel on driver side.	\$1,514		
3380-0350	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward, rearward and back walls of compartment L5 upper and lower.	\$1,132		
3380-0351	Toolboard, adjustable with 500 lb. slides for use with deep compartments. Includes upper and lower adjustable track with lock in/lock out latch. Toolboard sized to compartment height and depth to be 2/3 of transverse compartment. Location: R1	\$1,307		
3380-0352	Toolboard, adjustable with 500 lb. slides for use with deep compartments. Includes upper and lower adjustable track with lock in/lock out latch. Toolboard sized to compartment height and depth to be 2/3 of transverse compartment. Location: L3	\$1,307		
3380-0353	Tray, tool board. There shall be a tray bolted to bottom edge of tool board. The tray will be fabricated of smooth aluminum. Tray size to be 2 inches tall x 10 inches wide x depth of tool board. Tray shall include a gusset at each end for added support as required. Finish shall be sanded aluminum. Locate: L3 low as possible on tool board per customer drawing.	\$291		
3380-0354	Tray, roll-out, adjustable, 500lb capacity. Provide a 1/2 depth adjustable tray with lock in/lock out latch. Note: Tray slide range is limited to 36 inches. Locate: L2.	\$1,494		
3380-0355	Tray, roll-out, adjustable, 500lb capacity. Provide a full depth adjustable tray with lock in/lock out latch. Note: Tray slide range is limited to 36 inches. Locate: B1.	\$1,494		
3380-0356	Tray, adjustable roll-out with 500 lbs. capacity and a gas shock. Tray to be 8" high on all (4) sides. Location(s): L1.	\$1,110		
3380-0357	Fixed aluminum tool mounting panel for use with customer/dealer installed hydraulic rescue tools. Panel to be 30" high x full depth of tray. Includes formed side flanges and gusseted supports on both ends. Location: On left side of floor tray in the B1 compartment.	\$931		
3380-0358	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward and rearward side walls of compartment R2.	\$621		
3380-0359	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward and rearward side walls of compartment L1.	\$621		

Item #	Description	Extension	+1/-1	Total
3380-0360	Tray modification to the slide-out tray in R3 compartment. The side of tray that is at R3 opening, to hinge down and lock with a pin on each end, in the upright position.	\$231		
3380-0361	Adjustable heavy duty tool pegboard with 500 lbs. capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Upper end to be notched around compartment offset to provide maximum height. Relocate upper slide as applicable for maximum extension of toolboard. Location(s): [#LOC].	\$1,280		
3380-0362	Adjustable mounted Hansen roll-out/tilt-down tray. Location(s): [#LOC] For use in single depth or rescue style compartments.	\$1,636		
3380-0363	Left side running board SS hose tray with Duradek flooring. Well to store minimum 25' of 5" hose.	\$627		
3380-0364	Adjustable roll-out tray with 500 lbs. capacity. Tray to have 4" lips. Location(s): [#LOC].	\$1,429		
3380-0365	Tray, roll-out, adjustable, 500lb capacity. Provide a 1/2 depth adjustable tray with lock in/lock out latch. Note: Tray slide range is limited to 36 inches. Locate: [#LOC].	\$1,494		
3380-0366	Vertical hinged swing-out Pegboard tool board, adjustable in and out. Location: R3. Hinge along rearward compartment wall. Includes single point D-ring latch to secure in the closed position that is accessible from the ground.	\$1,936		
3380-0367	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward, rearward and back wall as high as practical. Location(s): R2 lower.	\$2,615		
3380-0368	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on standard rescue forward, rearward and back wall as high as practical. Location(s): L5 lower.	\$1,682		
3380-0369	Pac Trac panels vertically stacked on each side of rollout tool board in compt (3)-L2 and (1)-R2.	\$7,021		
3380-0370	PAC TRAC panels on bottom of roll out tray. Locate: Floor mounted tray in L3.	\$408		
3380-0371	Divider, tray. Weld a heavy duty gusseted vertical divider 40 inches tall and full depth of tray. Material: 1/4 inch thick aluminum with sanded finish. Option to accommodate mounting of (2) two Rescue 42 struts tools. Location: L4 floor mounted tray offset to front.	\$766		
3380-0372	Divider, tray. Weld a heavy duty gusseted vertical divider 40 inches tall and full depth of tray. Material: 1/4 inch thick aluminum with sanded finish. Option to accommodate mounting of (2) two Rescue 42 struts tools. Location: R4 floor mounted tray offset to front.	\$766		
3380-0373	Toolboard storage box: Installed on the lower side of the toolboard (opposite side of gas shock if equipped). Approximately 6"x6"xAvailable depth of the toolboard. Location: [#LOC]	\$291		
3380-0374	Vertical hinged swing-out tool board, adjustable in and out. Location: [#LOC]. Hinge along forward compartment wall. Includes single point D-ring latch to secure in the closed position that is accessible from the ground. To be full height of the compartment.	\$3,585		
3380-0375	Fixed aluminum toolboard mounted to Poly Tank. Toolboard to be spaced off tank with mounting blocks (tank mounting blocks included). Board to be located above pump module and L1 mounted to tank. Additional slide-out Platform step(s) required due to increase height of toolboard to assist in access. Final board dimensions shall be approved at departmental pre-con meeting. Wetside Tanker only.	\$830		
3380-0376	Fixed aluminum toolboard mounted to Poly Tank. Toolboard to be spaced off tank with mounting blocks (tank mounting blocks included). Board to be located above rear speedlays mounted to tank. Additional slide-out Platform step(s) required due to increase height of toolboard to assist in access. Wetside Tanker only.	\$830		
3380-0377	Adjustable heavy duty two sided tool board rated at 500 lbs. capacity with dual side pockets. Includes return style reinforcing bends on vertical front and rear edges of tool board and boxed in design, upper and lower adjustable track and gas shock actuated. Shall be equipped with (2) pockets, (1) one mounted to bottom on forward facing surface approx. 10" x 10" by as long as tool board will allow and (1) one mounted to bottom rearward facing surface approx. 5" x 10" by as long as tool board will allow. Tool board sized to compartment height and depth as applicable. Location: L5 compartment.	\$1,448		

Item #	Description	Extension	+1/-1	Total
3380-0378	GEARGRID SingleSwingOut Tool Grid. Location:[#LOC]. Includes swingout out tool grid hinged along the forward compartment wall and stationary grid along the back wall. Color: Gray	\$2,943		
3380-0379	Floor mounted Bi-Directional Slide Master with tray. Model SM2-D-SP. Mounted inside cab medical cabinet. The tray shall be made as wide as possible. Options like rear wall cab heaters, etc will reduce the width of the tray.	\$2,132		
3380-0380	Vertical hinged swing-out toolboard, adjustable in and out. Location: L2. Hinge along forward compartment wall. Includes latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,787		
3380-0381	Tool board(s) to have a hand hold cutout on each outboard edge.	\$293		
3380-0382	Floor mounted Slide Master with tray. Model SM3-SP. 1/2 depth tray sized to accommodate (24) ZICO plastic SCBA storage tubes stacked 4 tall x 6 deep. Tray lip facing forward in body to be notch to access SCBA bottles stowed in ZICO rack on floor of tray. Locate: L2.	\$1,440		
3380-0383	Tray, floor mounted roll-out with gas spring and "Hansen" slides. 500 lbs. capacity. Location: [#LOC].	\$1,249		
3380-0385	Adjustable mounted roll-out tray with gas spring and "Hansen" slides. 500 lbs tray capacity. Location(s): [#LOC]	\$1,824		
3380-0386	Pac Trac Dual Vertical hinged swing-out toolboards PM-1000, adjustable in and out. Location: [#LOC]. Hinge (1) forward and (1) rearward compartment walls. Includes latch to secure in the closed position that is accessible from the ground.	\$3,691		
3380-0387	Tray, tool board. There shall be three (3) trays equal size bolted to bottom edge of toolboards. The tray will be fabricated of smooth aluminum. Tray size to be 3 inches tall x 7 inches wide x depth of toolboard. Finish shall be sanded aluminum. Locate: L2 low as possible on tool board per customer drawing.	\$874		
3380-0388	Roll-out generator tray low profile with locking slides. Includes tray interlock. Locate [#LOC].	\$1,129		
3380-0389	Divider for roll out tray. Provide a three (3) sided vertical divider insert 20 inches tall X full depth of tray. Includes (1) additional divider between the sides located 8 inches from forward side divider wall. Upper outer corners to have a 4 inch radius. Finish to be sanded aluminum unless other wise specified. Locate: R1 welded inside floor mounted tray.	\$405		
3380-0390	Right side running board SS hose tray with Duradek flooring. Well to store minimum 25' of 5" hose.	\$627		
3380-0391	Running board suction tray (floating style). Includes tapered 3" front and rear corner(s) and removable slats in bottom of tray: [#LOC].	\$840		
3380-0392	Four (4) poly boxes to be 10" x 10" x 22", black, mounted on floor of compartment R1.	\$737		
3380-0393	Adjustable heavy duty two sided tool board with 500 lbs. capacity. Includes return style reinforcing bends on vertical front and rear edges of tool board and boxed in design, upper and lower adjustable track and gas shock actuated. Tool board sized to compartment height and depth as applicable. Upper end to be notched around compartment offset to provide maximum height. Location(s): [#LOC].	\$1,145		
3380-0394	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on one (1) side, of one (1) roll-out tool board. Tool board not included & requires a tool board selection. Locate in compt [#LOC]. Reference sales drawing for tool board location if more than one toolboard in compartment.	\$923		
3380-0395	Vertical hinged heavy duty swing-out toolboard. Location: [#LOC]. Hinge along forward compartment wall and adjustable in and out. Includes D-Ring latch to secure in the closed position that is accessible from the ground. Hinge made from 1/2" stainless steel rod and stainless steel plate with flanged bearing top and bottom.	\$1,976		
3380-0396	Running board suction tray. Includes removable slats in bottom of tray. Tray to be approx. 16" wide x 10" deep to hold a roll of 25' of 4.00" LDH hose with couplings. Location(s): officer side runningboard.	\$866		
3380-0397	PAC TRAC panels vertical stacked with tool mounting grooves orientated horizontal on forward wall of compartment. Locate: [#LOC].	\$923		
3380-0399	Floor mounted Bi-Directional Slide Master with tray. Model SM2-D-SP. Mounted on transverse floor of L4/B1/R4. Tray to have 4" sides.	\$1,786		

Item #	Description	Extension	+1/-1	Total
3380-0400	Floor mounted roll-out/tilt down tray with aluminum frame and locking handle offset 3" to right from center. Note locking handle offset from center for striker pin clearance allowing tray to mount directly to floor with no or minimal spacers. Applies only to compartments w/lift-up doors. Mount on [#LOC] floor.	\$1,261		
3380-0401	Tray, floor mounted roll-out with gas spring. 500 lbs. capacity. Location: L1, tray to be 22" wide x 15" deep ID and offset forward.	\$773		
3390-0385	Compartment R2 to have the following storage package: (1) vertical partition 12" off forward wall and the following located forward of the partition: (2) adjustable shelves. Rearward of partition: (1) 18" wide floor mounted roll-out tray with 48" high tool board centered on the floor of the tray.	\$2,646		
3390-0454	Bolt-in partition wall. Locate in [#LOC] 12" off forward wall.	\$256		
3390-0503	An adjustable partition wall(s) will be locate in [#LOC]. This will include both top and bottom adjustable tracks.	\$756		
3390-0509	Bolt-in vertical peg board style partition wall. Locate in [#LOC].	\$256		
3390-0512	Partition, transverse. A transverse bolt-in vertical partition wall shall be provided. Locate in [#LOC].	\$589		
4000-0038	Bleeder valves as required.	\$0		
4005-0007	Hale Centrifugal Booster PTO Pump - 2 Stage	\$19,322		
4005-0008	Hale AP 500 PTO single stage Pump	\$19,520		
4005-0009	Hale RSD (1250 GPM) single stage MGA gear box driven pump. For use with rear mount pump body.	\$31,970		
4005-0010	Hale RSD (1250 GPM) single stage, PTO driven pump. For use with rear mount pump body and mid-ship engine applications.	\$31,970		
4005-0011	Hale 8FG Pump 3000/3500 GPM single stage	\$51,790		
4005-0012	Hale 8FGR 1500-2000 GPM Pump single stage	\$49,510		
4005-0013	Hale QFLO 750-1250 GPM pump, single stage.	\$26,873		
4005-0014	Hale QMID 1250 GPM single stage Pump	\$36,218		
4005-0015	Hale QMAX 1000-1250 GPM single stage Pump	\$32,321		
4005-0016	Hale QMAX 1000-2250 GPM single stage pump.	\$32,321		
4005-0017	Hale QTWO 1000-1250 GPM two stage Pump	\$40,824		
4005-0018	Hale QTWO 1500-2000 GPM two stage pump.	\$41,914		
4005-0019	Waterous CS 750-1250 single stage pump.	\$28,214		
4005-0020	Waterous CM 750-1250 two stage Pump	\$32,406		
4005-0021	Waterous CSU 1500-2250 GPM single stage pump.	\$32,004		
4005-0022	Waterous CMU 1500-2250 GPM two stage pump.	\$48,572		
4005-0023	Waterous S100 2000 GPM Pump for RLP	\$43,347		
4005-0024	Hale RSD (1500 GPM) single stage RGA gear box driven pump. For use with rear mount pump body.	\$34,696		
4005-0025	Hale RME 1500gpm Pump for Rear Mount SEV	\$25,220		
4005-0030	Rating 1250 GPM	\$0		
4005-0031	Rating 1500 GPM.	\$0		
4005-0032	Rating 1750 GPM	\$0		
4005-0033	Rating 2000 GPM	\$0		
4005-0034	Rating 2250 GPM	\$0		
4005-0035	Rating 1000 GPM	\$0		
4005-0036	Extended Hale Pump 1 Year Warranty in addition to the standard 2 year warranty.	\$843		
4005-0037	Extended Hale Pump 2 Year Warranty in addition to the standard 2 year warranty.	\$1,620		
4005-0038	Extended Hale Pump 3 Year Warranty in addition to the standard 2 year warranty.	\$2,397		
4005-0039	Extended Waterous Pump 3 Year Warranty in addition to the standard 2 year warranty.	\$2,038		
4005-0040	Pump Portable 500 GPM Hale w/4" Tank-to-pump. Location [#LOC]	\$25,884		

Item #	Description	Extension	+1/-1	Total
4005-0041	Test pump with 6" steamers and switch to 4.5" steamers after test.	\$204		
4005-0042	Hale QFLO 1250 GPM Pump. For use with special Tradition pump module and plumbing package.	\$0		
4005-0043	Rating 750 GPM	\$0		
4005-0044	Rating 3000 GPM Industrial	\$3,171		
4005-0045	Rating 3500 GPM Industrial	\$3,171		
4005-0046	Hale QSMG 1000-2000 GPM Pump single stage Bronze (Dealer only)	\$50,696		
4005-0049	Class 1 Pump/Pump Module Package. Includes the following: LED panel lights, (1) DSDM Pump, (1) Class 1 Captain Pressure Governor, (1) Enfo IV, (1) Class 1 Intelli-tank water and foam level gauge, (1) 2.1A Foam Logix - plumbed to speedlay preconnects and front jump. (1) 2" tank fill, (1) 3" tank to pump, (1) driver and (1) officer 2.5" aux. intake, (1) driver side 2.5" and (1) 3" discharge w/integral droops, (1) officer side 3" discharge w/integral droop, officer side lower intake port for 5" front intake application w/MIV-E (E-ONE to do piping from Class 1 MIV-E to front of cab), (1) 2.5" driver side front hosebed discharge, (2) 1.5" speedlay preconnects, (1) 3" deck gun (pipe offset to driver side due to access door in pan) and (1) 1.5" front bumper discharge (swivel located on bumper to driver side). All discharge/intakes to be electric valves and controlled from inside rear of cab.	\$91,547		
4005-0050	c	\$0		
4005-0051	Rating 1500 IGPM	\$0		
4005-0052	Hale QMAX 1500-2250 GPM single stage pump with K Gear Box	\$33,569		
4005-0053	Hale QMAX-21L 1500 pump. Tradition.	\$28,763		
4005-0054	Hale Qflo-23L 1250 pump. Tradition.	\$22,466		
4005-0055	Waterous CS Single Stage Pump.	\$27,440		
4005-0056	Waterous CSU Single Stage Pump.	\$33,556		
4005-0057	Hale DSD Pump 750/1500 GPM single stage	\$36,519		
4005-0058	RATING 5000 LPM	\$0		
4005-0059	Hale Qflo-19L 1250 pump. Tradition.	\$22,466		
4005-0060	Hale HPX300 BD26 Hale Portable Pump mounted in pan. W/Remote controls in Cab. Hook up to Chassis Fuel System.	\$23,593		
4005-0061	Hale AP 500 MGA T-Case Driven single stage Pump.	\$24,517		
4005-0062	Waterous S100D (1500 GPM) single stage pump. For use with rear mount pump body.	\$45,285		
4005-0063	Hale QFLO Plus 750-1250 GPM Pump single stage	\$49,708		
4005-0064	PM80 Vacuum Pump. Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (3) inlets/outlets with switching.	\$0		
4005-0065	PM100 Vacuum Pump (for use with AP or MBP pumps only). Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (3) inlets/outlets with switching.	\$3,220		
4005-0066	AP50 pump without steamers. Includes:	\$0		
4005-0067	AP50 pump with steamers. Includes:	\$0		
4005-0068	MBP747 pump with steamers. Includes:	\$0		
4005-0069	MBP1000 pump with steamers. Includes:	\$0		
4005-0070	DSD1250 pump with steamers. Includes:	\$0		
4005-0071	CET portable pump. Locate: Includes:	\$0		
4005-0072	PTO for use with PM80 vacuum pump and EVS3000 transmission.	\$0		
4005-0073	PTO for use with PM100 vacuum pump and EVS3000 transmission.	\$0		
4005-0074	PTO for use with PM100 vacuum pump and EVS4000 transmission.	\$0		
4005-0075	PTO for use with AP50 pump and EVS3000 transmission.	\$0		
4005-0076	PTO for use with AP50 pump and EVS4000 transmission.	\$0		
4005-0077	PTO for use with MBP pump and EVS3000 transmission.	\$0		



Item #	Description	Extension	+1/-1	Total
4005-0078	PTO for use with MBP pump and EVS4000 transmission.	\$0		
4005-0079	Hale DSD Pump 750/1500 GPM single stage	\$31,978		
4005-0080	Hale Centrifugal CBP Booster Pump - 1/Stage w/T-CASE	\$21,730		
4005-0081	Hale RSD single stage, PTO driven pump. For use with rear mount pump body and mid-ship engine applications.	\$24,089		
4005-0082	Hale DSD single stage pump.	\$31,175		
4005-0083	Rating 1500 GPM. Includes rams horn intake adaptors (1) each side	\$1,462		
4005-0084	PM100 Vacuum Pump (for use with DSD pump only). Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (3) inlets/outlets with switching.	\$3,220		
4005-0085	Hale QMAX-21L 1750 pump. Tradition.	\$28,763		
4005-0086	Hale RSD/RGA single stage pump. For use with rear mount pump body.	\$34,731		
4005-0087	Waterous S100D/TC20 single stage pump. For use with rear mount pump body.	\$33,101		
4005-0088	Hydraulically driven PM 100 vacuum pump and APH50 water pump. Hydraulic motor driven by PTO on driver side of EVS 4000 series transmission. 40 gallon hydraulic reservoir. Vacuum pump system includes primary and secondary shut-offs, 4 water level gauges ? 3 body and 1 cab and the (3) inlets/outlets with switching.	\$3,220		
4005-0089	RATING 6000 LPM	\$0		
4005-0090	Hale Pump Pro-Tech Extended 3 Year Warranty in addition to the standard 2 year warranty. Hale to supply 3 years additional warranty with no charge.	\$0		
4005-0091	RATING 7000 LPM	\$0		
4005-0092	RATING 8000 LPM	\$0		
4005-0093	RATING 4000 LPM	\$0		
4005-0094	RATING 3000 LPM	\$0		
4005-0095	Waterous CM1250 two stage pump. Includes flame-plated impeller hubs. Tradition.	\$32,444		
4005-0096	Waterous CMU 1500-2250 GPM two stage Pump	\$36,272		
4005-0097	PM100 Vacuum Pump (for use with DSD pump only). Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (2) inlets/outlets officer's, driver side and (1) 10" rear dump only with switching.	\$8,138		
4005-0098	Waterous Pump TPP-5 Extended Warranty.	\$2,038		
4005-0099	Hale Pump Pro-Tech Extended 3 Year Warranty in addition to the standard 2 year warranty.	\$2,305		
4005-0100	Hale AP50 PTO driven pump. Includes driver side 5" intake with cap (shipped loose). Capacity of 500GPM/1892LPM	\$14,993		
4005-0101	Hale MBP PTO driven pump. Includes driver side 6" intake with cap (shipped loose). Capacity of 750GPM/2839LPM.	\$20,123		
4005-0102	Hale MBP PTO driven pump. Includes driver side 6" intake with cap (shipped loose). Capacity of 1000GPM/3785LPM.	\$20,123		
4005-0103	Rating 500 GPM.	\$0		
4005-0104	Hale QFLO pump.	\$0		
4005-0105	Hale QMAX pump.	\$5,359		
4005-0106	Pump gear box to be 23L. For use with 1250 gpm QFLO pump.	\$0		
4005-0107	Pump gear box to be 21L. For use with 1500 gpm QMAX pump.	\$5,359		
4005-0108	Pump gear box to be 23X. For use with 1250 gpm QFLO pump.	\$0		
4005-0109	Pump gear box to be 21X. For use with 1500 gpm QMAX pump.	\$5,359		
4005-0110	Pump gear box to be 23L. For use with 1250 gpm Hale QFLO pump. Includes officer side lower port with MIV-E valve for use with an auxiliary large intake.	\$0		
4005-0111	Pump gear box to be 21L. For use with 1500 gpm Hale QMAX pump. Includes officer side lower port with MIV-E valve for use with an auxiliary large intake.	\$5,359		
4005-0112	Pump gear box to be 23X. For use with 1250 gpm Hale QFLO pump. Includes officer side lower port for use with an auxiliary large intake.	\$0		

Item #	Description	Extension	+1/-1	Total
4005-0113	Pump gear box to be 21X. For use with 1500 gpm Hale QMAX pump. Includes officer side lower port for use with an auxiliary large intake.	\$5,359		
4005-0114	Pump gear box to be 23L. For use with 5000 lpm QFLO Plus pump.	\$0		
4005-0115	Pump gear box to be 21L. For use with 6000 lpm QMAX pump.	\$0		
4005-0116	Pump gear box to be 23X. For use with 5000 lpm QFLO Plus pump.	\$0		
4005-0117	Pump gear box to be 21X. For use with 6000 lpm QMAX pump.	\$0		
4005-0118	Pump gear box to be 23L. For use with 5000 lpm Hale QFLO Plus pump. Includes officer side lower port with MIV-E valve for use with an auxiliary large intake.	\$0		
4005-0119	Pump gear box to be 21L. For use with 6000 lpm Hale QMAX pump. Includes officer side lower port with MIV-E valve for use with an auxiliary large intake.	\$0		
4005-0120	Pump gear box to be 23X. For use with 5000 lpm Hale QFLO Plus pump. Includes officer side lower port for use with an auxiliary large intake.	\$0		
4005-0121	Pump gear box to be 21X. For use with 6000 lpm Hale QMAX pump. Includes officer side lower port for use with an auxiliary large intake.	\$0		
4005-0122	Waterous CSU 1500-2250 GPM single stage Pump. Shall include the Endurance CSC20 Waterous, C20 transmission.	\$44,793		
4005-0123	Hale QMAX 2000 pump. Special Tradition. Includes 4" set-up for officer side #1 port.	\$28,763		
4005-0124	Driveline components for use with an EVS3000 transmission and a DSD pump application.	\$0		
4005-0125	Driveline components for use with an EVS4000 transmission and a DSD pump application.	\$0		
4005-0126	Rating 1250 IGPM	\$0		
4005-0127	Hale QMAX-21L 1500 pump. Tradition.	\$28,763		
4005-0128	Rating 2500 GPM Certification	\$3,567		
4005-0129	Hale 8FG single stage pump. For use with Industrial products.	\$44,890		
4005-0130	Hale QFLO-PLUS 750-1250 GPM Pump single stage	\$26,595		
4005-0131	E-ONE 1250-1500 GPM pump, single stage.	\$40,943		
4005-0132	Hale AP 500 RGA T-Case Driven single stage Pump.	\$24,517		
4005-0133	Hale RSD single stage PTO driven pump. For use with rear mount applications only.	\$24,999		
4005-0134	Hale CBP 250GPM PTO pump. Plumbed for use with all discharges of the foam manifold and suction side to water tank. For use as pump and roll application with controls located in the cab. Includes pre-set discharge pressure relief valve at 125psi and (2) check valves to prevent pressurizing pumps when not engaged.	\$10,701		
4005-0135	Hale Qflo-23X 1250 pump. Tradition.	\$22,466		
4005-0136	Hale MBP PTO driven pump. Includes driver side 5" intake with cap (shipped loose). Capacity of 750GPM/2839LPM. For use with Wetside Tanker only.	\$17,322		
4005-0137	Darley 1000 to 1500 single stage, PTO driven pump.	\$25,450		
4005-0138	Hale QMAX 1000-2250 GPM single stage pump.	\$42,287		
4005-0139	PTO pump, Darley JMP, 500 GPM, 2-stage, high pressure, option, Wildland	\$29,373		
4005-0140	PTO pump, Hale Qpak, 1000 GPM, base, Wildland	\$40,709		
4005-0141	Hale Auxiliary Portable Pump, HPX100-KBD24, base, Wildland	\$29,877		
4005-0142	Auxiliary Portable Pump, Darley 1-1/2 AGE 26BSD, Option, Wildland	\$26,931		
4005-0143	Hale DSD Pump 750/1500 GPM single stage	\$26,336		
4005-0144	Hale AP PTO driven pump. Includes driver side 5" intake with cap (shipped loose). Capacity of 500GPM/1892LPM. For use with Wetside Tanker only.	\$15,300		
4005-0145	Hale MBP PTO driven pump. Includes driver side 6" intake with cap (shipped loose). Capacity of 1000GPM/4000LPM. For use with Wetside Tanker only.	\$18,052		

Item #	Description	Extension	+1/-1	Total
4005-0146	Hale MBP PTO driven pump for use with under tank mounting. Includes driver side 5" intake with cap (shipped loose). Capacity of 750GPM/2839LPM. For use with Wetside Tanker only.	\$17,322		
4005-0147	E-ONE 1250-1500GPM PTO pump, single stage.	\$40,949		
4005-0148	Hale QMAX-21X 1500 pump. Tradition.	\$28,763		
4005-0149	Rating 3000 GPM Industrial	\$0		
4005-0150	Hale MG Pump 500/1000 GPM single stage	\$25,463		
4005-0151	Install existing pump. Pump model # and serial # must be supplied: _____.	\$1,580		
4005-0152	Hale MG Pump 500/1000 GPM single stage	\$21,545		
4005-0153	PM100 Vacuum Pump (for use with APH or MBP pumps only). Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (3) inlets/outlets with switching.	\$3,219		
4005-0154	Hale QMAX-XS 1250-2250 GPM single stage pump.	\$33,440		
4005-0155	Hale RME/RGA 3000gpm Pump for Rear Mount with (3) 6" Inlets.	\$45,865		
4005-0156	Pump gear box to be 19L. For use with 1250 gpm QFLO pump.	\$0		
4005-0157	Waterous CL PTO driven pump. Includes driver side 5" intake with cap (shipped loose). Capacity of 500GPM/1892LPM. For use with Wetside Tanker only.	\$16,061		
4005-0158	Waterous CS Single Stage Pump.	\$3,914		
4005-0159	RATING 3000 GPM	\$0		
4005-0160	Darley 1.5 AGH single stage hydraulically driven centrifugal pump.	\$11,758		
4005-0161	PM80 Vacuum Pump. Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (3) inlets/outlets with switching.	\$829		
4005-0162	PM100 Vacuum Pump (for use with AP or MBP pumps only). Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (3) inlets/outlets with switching.	\$4,045		
4005-0163	PM100 Vacuum Pump (for use with DSD pump only). Includes primary and secondary shut offs, (4) water level gauges- (3) body and (1) cab and the (3) inlets/outlets with switching.	\$4,045		
4005-0164	Rating 1750 Imperial Gallons Per Minute.	\$0		
4005-0165	Waterous CPK2 250GPM PTO pump.	\$11,461		
4005-0166	Waterous Centrifugal CP-2 250gpm Booster Pump - 1/Stage w/T-CASE.	\$16,631		
4005-0167	Pump gear box to be 21L. For use with 1500 gpm QMAX pump.	\$5,359		
4005-0169	Hale QMAX-XS R 1250-2250 GPM single stage pump. (R GEAR BOX)	\$34,166		
4005-0170	Hale QMAX-21L 1250 pump. Tradition.	\$28,763		
4005-0171	Waterous CXVK 750-1250 single stage PTO Pump.	\$28,102		
4005-0172	Waterous CS 750-1250 single stage pump. (With gear box to front IPOS)	\$32,215		
4005-0174	(ROCHESTER FD ONLY) Waterous CXVPA 750-1250 single stage Pump	\$25,157		
4005-0175	Rating 1050 Imperial Gallons Per Minute.	\$0		
4005-0176	Hale CBP 250GPM PTO HYD pump. For use as pump and roll application with controls located in the cab or via rear pump governor.	\$24,073		
4005-0177	Hale APH 500gpm HYD driven pump. Includes driver side 5" intake with cap (shipped loose). Capacity of 500GPM/1892LPM. For use with Wetside Tanker only.	\$26,483		
4005-0178	Waterous S100 2000 GPM Pump with R gearbox.	\$51,722		
4005-0179	Waterous CLV 500gpm HYD driven pump. Includes driver side 5" intake with cap (shipped loose). Capacity of 500GPM/1892LPM. For use with Wetside Tanker only.	\$26,483		
4005-0180	E-ONE 1250-1500 GPM pump, single stage for use with Hush chassis.	\$39,953		
4005-0181	Waterous CXVPA 750-1250 single stage Pump	\$30,977		
4005-0182	Waterous CXVK 1250 GPM single stage pump with 150CFM CAFS	\$75,395		

Item #	Description	Extension	+1/-1	Total
4005-0183	Waterous CPK 300GPM PTO pump. For use as pump and roll application with controls located in the cab. Includes pre-set discharge pressure relief valve at 125psi and (2) check valves to prevent pressurizing pumps when not engaged.	\$12,067		
4005-0184	Waterous CXS-C20C 1250-1500 GPM single stage pump for eMax configurations.	\$42,395		
4005-0185	Hale CBP 250 GPM PTO pump.	\$11,896		
4005-0186	Hale 8FG pump 2000 GPM for Bronto RLP.	\$43,347		
4005-0187	Hale APMG50 Pump 500GPM single stage.	\$18,723		
4005-0188	Pump shall have a 1750 GPM rating from pump manufacture, but 3rd party testing will be 1500 gpm.	\$0		
4005-0189	Darley PSF 1000-1500 GPM pump, single stage, centrifugal, front mounted pump.	\$33,361		
4005-0190	Darley 1.5 AGH single stage hydraulically driven centrifugal pump.	\$14,051		
4005-0191	Pump shall have a 2000 GPM rating from pump manufacture, but 3rd party testing will be 1750 gpm.	\$0		
4005-0192	Pump shall have a 1250 GPM rating from pump manufacture, but testing will be 750 gpm.	\$0		
4005-0193	Pump shall have a 500 GPM rating from pump manufacture, but testing will be 250 gpm.	\$0		
4005-0194	Pump shall have a 1250 GPM rating from pump manufacture, but 3rd party testing will be 1000 gpm.	\$0		
4005-0195	Hale QFLO 750-1250 GPM pump, single stage. Requires primer option.	\$23,457		
4005-0196	Hale QMAX 1000-2250 GPM single stage pump. Requires primer option.	\$28,905		
4005-0197	Hale QTWO 1500-2000 GPM two stage pump. Requires primer option.	\$38,498		
4005-0198	Hale 8FGR 1500-2000 GPM Pump single stage. Requires dual primer option.	\$44,010		
4005-0199	Hale 8FG single stage pump. For use with Industrial products. Requires dual primer option.	\$39,390		
4005-0200	Waterous CS 750-1250 single stage pump. Requires primer option.	\$24,743		
4005-0201	Waterous CSU 1500-2250 GPM single stage pump. Requires primer option.	\$28,533		
4005-0202	Waterous CMU 1500-2250 GPM two stage pump. Requires primer option.	\$45,101		
4005-0203	Waterous S100 2000 GPM Pump with R gearbox. Requires primer option.	\$48,251		
4005-0204	E-ONE 1250-1500 GPM pump, single stage. Requires primer option.	\$37,643		
4005-0205	E-ONE 1250-1500GPM PTO pump, single stage. Requires primer option.	\$37,648		
4005-0206	E-ONE 1250-1500 GPM pump, single stage for use with HS chassis. Requires primer option.	\$36,653		
4005-0207	Hale 8FG pump 1500-2000 GPM for Bronto RLP. Requires primer option.	\$39,932		
4005-0208	Hale AP50 PTO driven pump. Includes driver side 5" intake with cap (shipped loose). Capacity of 500GPM/1892LPM. Requires primer option.	\$12,498		
4005-0209	Hale MBP PTO driven pump. Includes driver side 6" intake with cap (shipped loose). Capacity of 750GPM/2839LPM. Requires primer option.	\$17,628		
4005-0210	Hale MBP PTO driven pump. Includes driver side 6" intake with cap (shipped loose). Capacity of 1000GPM/3785LPM. Requires primer option.	\$17,628		
4005-0211	Hale RSD/RGA single stage pump. For use with rear mount pump body. Requires primer option.	\$31,316		
4005-0212	Waterous S100D/TC20 single stage pump. For use with rear mount pump body. Requires primer option.	\$29,630		
4005-0213	Hale RSD single stage PTO driven pump. For use with rear mount applications only. Requires primer option.	\$22,503		
4005-0214	Waterous CXVK 1250 GPM single stage pump with 150CFM CAFS. Requires primer option.	\$72,845		
4005-0215	Waterous CXS-C20C 1250-1500 GPM single stage pump for eMAX configurations. Requires primer option.	\$38,924		
4005-0216	Hale MG Pump 500/1000 GPM single stage. Requires primer option.	\$19,050		
4005-0217	Hale DSD Pump 750/1500 GPM single stage. Requires primer option.	\$23,841		
4005-0218	Hale AP PTO driven pump. Includes driver side 5" intake with cap. Capacity of 500GPM/1892LPM. Requires primer option. For use with Wetside Tanker only.	\$12,805		
4005-0219	Hale MBP PTO driven pump. Includes driver side 5" intake with cap. Capacity of 750GPM/2839LPM. Requires primer option. For use with Wetside Tanker only.	\$14,827		

Item #	Description	Extension	+1/-1	Total
4005-0220	Hale MBP PTO driven pump. Includes driver side 6" intake with cap. Capacity of 1000GPM/4000LPM. Requires primer option. For use with Wetside Tanker only.	\$15,557		
4010-0016	530 Gallon "T" Water Tank. Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 530 US gallons / 441 Imperial gallons / 2006 Liters.	\$6,570		
4010-0030	300 gallon "T" water tank.	\$5,862		
4010-0031	400 gallon "T" water tank.	\$7,543		
4010-0032	450 gallon "T" water tank.	\$7,891		
4010-0033	500 gallon "T" water tank.	\$8,235		
4010-0035	530 Gallon "R" Water Tank Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$6,014		
4010-0047	280 gallon "T" water tank. Includes sleeve for ladder tunnel.	\$7,284		
4010-0048	250 gallon "T" water tank. Includes sleeve for ladder tunnel.	\$7,284		
4010-0049	490 gallon "T" water tank. Includes sleeve for ladder tunnel.	\$9,658		
4010-0050	480 gallon "T" water tank. Includes sleeve for ladder tunnel.	\$9,658		
4010-0051	475 gallon "T" water tank. Includes sleeve for ladder tunnel.	\$9,658		
4010-0052	450 gallon "T" water tank. Includes sleeve for ladder tunnel.	\$9,658		
4010-0053	430 gallon "T" water tank. Includes sleeve for ladder tunnel.	\$9,658		
4010-0054	Tank Water L 530 Gallon. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$9,018		
4010-0055	530 Gallon "T" Water Tank. Includes lower upper "T" for lower hosebed height. Note: Any foam cell(s) optioned will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$8,210		
4010-0057	530 Gallon "L" shaped Water Tank. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$9,688		
4010-0059	530 Gallon "T" Water Tank. Includes raised lower "T" and rear tank overhang for shallow upper area rear compartment. Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$8,210		
4010-0060	530 Gallon "T" Water Tank. Includes raised lower "T" and rear tank overhang for deep upper area rear compartment. Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$8,703		
4010-0061	530 Gallon "T" Water Tank. Includes lowered "T" and rear tank overhang for shallow upper area rear compartment. Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$6,570		
4010-0062	530 Gallon "T" Water Tank. Includes lowered "T" and rear tank overhang for deep upper area rear compartment. Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$6,962		
4010-0065	680 Gallon "T" Water Tank. Note: Any foam cell(s) and/or storage options thru the tank will reduce the overall water capacity. Tank capacity is 680 US gallon / 566 Imperial gallons / 2574 Liters.	\$7,274		
4010-0068	510 Gallon "T" Water Tank. Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 510 US gallon / 424 Imperial gallons / 1930 Liters.	\$6,570		
4010-0073	530 Imperial Gallon "R" water tank. Note: Any foam cell(s) and/or storage options through the tank will reduce the overall water capacity.	\$6,919		
4010-0074	530 Gallon "T" Water Tank. Note: Any foam cell(s) will reduce the overall water capacity. Fill towers to be located side by side and offset rearward due to hosebed storage pan partition. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$8,110		
4010-0080	300 Gallon R Poly Water Tank	\$5,862		

Item #	Description	Extension	+1/-1	Total
4010-0082	300 Gallon "R" Water Tank. Tank capacity is 300 US gallons.	\$5,275		
4010-0083	Fill tower locations. Water and Foam "A" fill towers to be located driver side of hosebed and Foam "B" fill tower to be located to officer side of hosebed.	\$341		
4010-0090	530 Gallon "R" Water Tank Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters. For use with rear mounted pumps only.	\$5,316		
4010-0093	Fill tower locations. Water fill tower to be located driver side of hosebed and foam fill towers to be located inboard of water tower.	\$341		
4010-0099	Fill tower(s) to be located offset to officer side of water tank.	\$0		
4010-0117	Fill tower locations. Water fill tower to be located driver side of hosebed and foam fill tower to be located to officer side of hosebed.	\$341		
4010-0122	500 Gallon R Water Tank Note: Any foam cell(s) will reduce the overall water capacity. Locate rear of L1/R1 center of the truck. This will delete the transverse area in L2/R2 and L3/R3.	\$7,517		
4010-0126	560 Gallon "T" Water Tank. Note: Any foam cell(s) will reduce the overall water capacity.	\$8,928		
4010-0127	280 gallon "T" water tank.	\$5,862		
4010-0138	400 Gallon "R" Water Tank Note: Any foam cell(s) will reduce the overall water capacity. Tank capacity is 400 US gallon / 333 Imperial gallons / 1514 Liters.	\$4,578		
4010-0141	530 Gallon "T" Water Tank (no "T" section to officer side of tank). Note: Any foam cell(s) and/or storage options thru the tank will reduce the overall water capacity. Tank capacity is 530 US gallons / 441 Imperial gallons / 2006 Liters.	\$7,274		
4010-0145	650 Gallon "R" Water Tank. Note: Any foam cell(s) and/or storage options thru the tank will reduce the overall water capacity. Tank capacity is 650 US gallons / 541 Imperial gallons / 2460 Liters.	\$5,984		
4010-0146	580 Gallon "R" water tank. Foam cells reduce the base amount of water.	\$6,581		
4010-0159	Fill tower locations. The water and foam fill towers shall be relocated so they are centered left to right about the apparatus after the tanks have been loaded.	\$341		
4010-0160	500 gallon "T" water tank.	\$8,235		
4010-0174	530 Gallon "T" Water Tank. UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$6,570		
4010-0175	530 Gallon "R" Water Tank UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$6,014		
4010-0183	530 Gallon "L" shaped Water Tank. UPF Poly III color fill towers. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity.	\$9,688		
4010-0186	530 Gallon "R" Water Tank Note: Any foam cell(s) will reduce the overall water capacity. UPF Poly III color fill towers. For use with rear mounted pumps only.	\$5,316		
4010-0195	300 gallon "T" water tank. UPF Poly III blue fill tower.	\$5,862		
4010-0196	400 gallon "T" water tank. UPF Poly III blue fill tower.	\$7,543		
4010-0197	450 gallon "T" water tank. UPF Poly III blue fill tower. Note: Any foam cell(s) will reduce the overall water capacity.	\$7,891		
4010-0198	500 gallon "T" water tank. UPF Poly III blue fill tower.	\$8,235		
4010-0199	280 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$7,284		
4010-0200	250 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$7,284		
4010-0201	490 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$9,658		
4010-0202	480 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$9,658		
4010-0203	475 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$9,658		
4010-0204	450 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$9,658		
4010-0205	430 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$9,658		
4010-0213	530 Gallon "L" shaped Water Tank UPF Poly III color fill towers. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity. Tank capacity is 530 US gallon / 441 Imperial gallons / 2006 Liters.	\$9,688		

Item #	Description	Extension	+1/-1	Total
4010-0217	550 Gallon "R" Water Tank UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$6,435		
4010-0223	Fill tower(s) to be located offset to driver side of water tank.	\$0		
4010-0228	560 gallon "T" water tank. UPF Poly III blue fill tower. Note: Any foam cell(s) will reduce the overall water capacity.	\$8,928		
4010-0231	500 Gallon "R" Water Tank UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$6,014		
4010-0237	590 Gallon "R" Water Tank. UPF Poly III color fill towers. Note: Any foam cell(s) and/or storage options through the tank will reduce the overall water capacity.	\$6,042		
4010-0241	Fill tower(s) to be located offset to driver side of water tank. Maintain a minimum 18.00" spacing from side of hose bed to nearest surface on the fill neck to accommodate customer supplied storage system to be added.	\$0		
4010-0244	1200 Gallon "T" Foam Tank. UPF Poly III for [#LOC]. UPF Poly III [#COL] fill tower. Tank capacity is 1200 US gallons / 999 Imperial gallons / 4542 Liters.	\$11,407		
4010-0246	Fill tower locations. Water fill tower to be located driver side of hosebed, the Foam "A" centered and Foam "B" fill tower to be located to officer side of hosebed.	\$341		
4010-0248	560 Gallon "T" Water Tank. UPF Poly III color fill towers. Note: Any foam cell(s) and/or storage options through the tank will reduce the overall water capacity.	\$5,515		
4010-0251	600 US Gallon "R" Water Tank. UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$6,807		
4010-0253	300 gallon "R" water tank. UPF Poly III blue fill tower.	\$5,597		
4010-0256	500 Gallon R Water Tank Note: Any foam cell(s) will reduce the overall water capacity. Locate center of the truck between L4/R4 and L5/R5. This option will partially protrude into the L3/R3 compartment and delete the transverse area in L4/R4 and L5/R5.	\$7,517		
4010-0258	Fill tower locations. The water and foam fill towers shall be relocated so they are centered left to right about the apparatus after the tank has been loaded. Fill towers are to be no more than 4" above top of body sides.	\$341		
4010-0260	Fill tower locations. The water and foam fill towers shall be re-located in the center of the hose bed pan.	\$341		
4010-0263	250 Gallon "R" Water Tank UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity. Locate centered between the L1/R1 compartment.	\$6,897		
4010-0269	270 Gallon "R" Water Tank UPF Poly III color fill towers. Tank capacity is 270 US gallons. Note: Any foam cell(s) will reduce the overall water capacity.	\$5,275		
4010-0270	500 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel.	\$9,658		
4010-0271	530 Gallon half "T" Water Tank (no "T" section to drivers side of tank). UPF Poly III color fill towers. Note: Any foam cell(s) and/or storage options through the tank will reduce the overall water capacity.	\$6,570		
4010-0280	560 Gallon "L" shaped Water Tank. UPF Poly III color fill towers. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity.	\$10,236		
4010-0281	475 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for ladder tunnel. Note: Any foam cell(s) will reduce the overall water capacity.	\$8,065		
4010-0283	630 Gallon "R" Water Tank. UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$7,130		
4010-0287	Fill tower locations. Water fill tower to be located officer side of hosebed, Foam "B" fill tower to be inboard of the Class "A", and Foam "A" fill tower to be located to driver side of hosebed.	\$341		
4010-0288	600 Gallon "L" shape Water Tank. UPF Poly III color fill towers. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity.	\$9,688		
4010-0291	300 gallon "T" water tank. UPF Poly III blue fill tower. Includes 4" diameter sleeve for rear discharge. Note: Any foam cell(s) will reduce the overall water capacity.	\$6,574		
4010-0295	270 gallon "T" water tank. UPF Poly III blue fill tower.	\$5,278		
4010-0296	530 Gallon "T" Water Tank (no "T" section to officer side of tank). UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$7,195		

Item #	Description	Extension	+1/-1	Total
4010-0299	600 Gallon "T" Water Tank (no "T" section to officer side of tank). UPF Poly III color fill towers. Note: Any foam cell(s) and/or storage options thru the tank will reduce the overall water capacity. Tank capacity is 600 US gallons / 499 Imperial gallons / 2271 Liters.	\$8,064		
4010-0301	500 Gallon "L" shaped Water Tank. UPF Poly III color fill towers. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity.	\$10,006		
4010-0303	530 Gallon "T" Water Tank (no "T" section to driver side of tank). UPF Poly III color fill towers. Note: Any foam cell(s) will reduce the overall water capacity.	\$7,195		
4010-0304	Fill tower locations. Water fill tower to be located officer side of hosebed, Foam "A" fill tower to be inboard of the Water fill tower.	\$0		
4010-0305	Fill tower locations. Water and Foam "A" fill towers to be located driver side of hosebed and Foam "B" fill tower to be located center of the hosebed.	\$341		
4010-0313	500 gallon "T" water tank. UPF Poly III blue fill tower. Includes sleeve for 6" waterway pipe.	\$9,658		
4010-0314	Fill tower(s) to be located centered in the forward area of water tank.	\$0		
4010-0316	Fill tower to be located offset to driver side of water tank, in the forward corner of the hose bed.	\$0		
4010-0317	Fill tower to be located offset to officer side of water tank, in the forward corner of the hose bed. Wetside Tanker.	\$0		
4010-0320	Fill tower locations. The water and foam fill towers shall be re-located in the hose bed pan off set to officer side.	\$0		
4010-0322	590 Gallon "L" shaped Water Tank. UPF Poly III color fill towers. Includes lowered rear section for lower hose bed height. Note: Any foam cell(s) optioned will reduce the overall water capacity.	\$10,340		
4010-0323	Fill tower locations. Water fill tower to be located officer side of hosebed, Foam "B" fill tower to be inboard of the Water fill tower.	\$0		
4010-0324	Fill tower(s) to be located offset to officer side of water tank in the hose bed pan.	\$0		
4010-0327	Fill tower(s) to be located offset to officer side of water tank. Top of towers not to exceed the top of the body side sheets.	\$0		
4010-0328	Fill tower for water to be black ipo standard.	\$0		
4010-0329	280 gallon "T" water tank. UPF Poly III blue fill tower.	\$5,862		
4015-0002	Mechanical speed counter for Hale pumps.	\$367		
4015-0007	Pump cooler, 1/4" valve with 3/8" tubing.	\$193		
4015-0008	Zinc anodes for Hale pump (PR), (1) discharge side and (1) intake side.	\$371		
4015-0012	Pump shift override, side panel mounted.	\$853		
4015-0013	Fire Research ThrottleXcel engine throttle. Includes engine gauges.	\$1,822		
4015-0014	Thermal Relief Valve - Hale TRV120.	\$953		
4015-0015	Valve relief system, Hale TPM.	\$4,262		
4015-0016	Thermal relief valve, Hale TRVL-120.	\$1,727		
4015-0018	Valve Inlet MIV-E - Hale. Location: [#LOC].	\$3,945		
4015-0019	Valve inlet MIV-M, Hale. Location: [#LOC].	\$3,384		
4015-0020	Valve Monarch Manual - Waterous. Location: [#LOC].	\$5,791		
4015-0021	Valve Monarch Air Actuated - Waterous. Location: [#LOC]	\$6,283		
4015-0022	Mechanical pump seal - Hale.	\$872		
4015-0026	Electronic speed counter for Waterous pumps.	\$363		
4015-0027	Pump Shift Override Under L1 Compartment.	\$853		
4015-0029	Hale pressure relief valve.	\$1,495		
4015-0030	Waterous pressure relief valve.	\$1,670		
4015-0031	Valve Relief System - Dual TPM Required for pump rating 2250 GPM and above.	\$5,044		
4015-0032	Hale 2-stage manual transfer valve.	\$0		



Item #	Description	Extension	+1/-1	Total
4015-0033	Hale 2-Stage Power Operated Transfer Valve.	\$1,979		
4015-0034	Waterous 2-stage manual transfer valve.	\$0		
4015-0035	Waterous 2-Stage electronic transfer valve.	\$1,671		
4015-0036	6" Additional Intake for 2250 GPM Pump.	\$2,282		
4015-0037	Engine throttle, vernier.	\$416		
4015-0038	Pump seal packing for Hale pump.	\$0		
4015-0039	Pump seal mechanical for Waterous pump.	\$820		
4015-0040	Pump seal packing for Waterous pump.	\$0		
4015-0041	Valve Monarch Electric - Waterous. Location: [#LOC].	\$6,430		
4015-0042	Waterous Overheat Protection Manager.	\$1,229		
4015-0043	Anodes for Hale CAFSPRO Pump (Pair), (1) Discharge side and (2) Intake Side.	\$556		
4015-0044	Anodes for Waterous pump - (Pair) (1) discharge side and (1) intake side.	\$450		
4015-0045	Throttle Selection Switch on Pump Operator's Panel for Back-Up of Relief and Throttle System.	\$631		
4015-0046	Hale pump shift override.	\$1,360		
4015-0047	Additional Hale Primer Valve. Located: [#LOC].	\$699		
4015-0048	Pump Shift Override - driver's side under running board forward of running board tray if applicable.	\$853		
4015-0049	Extend Fire Pump Grease Zerks to Operator's Panel	\$491		
4015-0050	Relocate Primer to the Outside of the Frame Rail on Driver's Side	\$109		
4015-0051	Two 4.5" Steamers for Hale Qflo Pump	\$870		
4015-0052	Steamers to be Flush. Location: [#LOC].	\$0		
4015-0053	Steamers to be Flush + 1". Location: [#LOC].	\$0		
4015-0054	Additional Waterous Primer. Located: [#LOC].	\$1,566		
4015-0055	6" Additional Intake for Industrial	\$2,461		
4015-0056	Air operated master pump drain (upgrade).	\$254		
4015-0057	Special controls and regulator requirements for Seattle. Install RV-1 (Pressure Regulating Valve) going to pump shift to allow a max of 60 PSI on pump.	\$476		
4015-0058	Engine shut-down switch on pump panel. Includes covered access.	\$387		
4015-0059	Steamers to be Flush + 3 Location [#LOC]	\$0		
4015-0060	Valve Inlet MIV-E Hale to have 1/4" Hale Air Bleeder valve to be located at top of valve and 3/4" Bleeder/Drain valve to be located at bottom of valve and no separate steamer port drain - tie into master drain valve.	\$0		
4015-0061	Ross 19 WR-D with trigger type handle, chromed, shall be provided with controls operated from the right hand pump panel. Finish in chrome plate. Testing for intake pressures shall be done at the factory so that a label can be applied to the adjustment providing accurate settings in 25 pound increments from 75 to 275 pounds of intake pressure.	\$2,993		
4015-0062	Primer indicator light shall be provided on the pump operator's panel, color to be red.	\$134		
4015-0063	TPM Relief Valve outlet to be extended to the side of truck under runningboard or compartment.	\$329		
4015-0064	Hale Auto Fill/Thief Inlet 2.5" Tank Fill "AutoFill" Automatic Tank Fill Valve Location: [#LOC].	\$5,023		
4015-0065	Schedule 40 stainless steel piping.	\$1,389		
4015-0066	Trident Pump Primer W/3 Barrel Push Button Control. (In addition to standard.)	\$1,242		
4015-0067	Steamers to be Flush + 2 Location [#LOC]	\$0		
4015-0068	6" intake valve Akron electric with relief. Location: [#LOC].	\$4,188		
4015-0069	MIV's, Pressure Relief and Atmospheric Relief (intake relief) to be plumbed to top of heat pan.	\$178		
4015-0070	WATEROUS OIL PRIMER	\$84		
4015-0071	Valve Relief Thermal - Hale TRVL-120 W/Audible Alarm	\$1,742		
4015-0072	6" Intake Valve Elkhart Electric UBEC1 Control with Relief. Location: [#LOC]	\$4,188		

Item #	Description	Extension	+1/-1	Total
4015-0073	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location below running board on driver side or L1 compartment.	\$0		
4015-0074	Manual remote operated master pump drain. The master drain control shall be clearly marked and placed in accessible location on driver side pump panel.	\$373		
4015-0075	Pump Seal Mechanical - Hale. For use with Tradition Hale pumps.	\$2,704		
4015-0076	Pump primer motor mounted to forward area of pump.	\$0		
4015-0077	Pump shift override location on officer side panel in place of standard.	\$180		
4015-0078	Master pump drain with manual control. Locate control on main rear pump panel area.	\$0		
4015-0079	Valve Inlet MIV-E - Hale. Manual Override will be behind the Pump Panel. " Tradition" [#LOC]	\$3,945		
4015-0080	6" Cap Vented "IPOS"	\$21		
4015-0081	Hale Semi-Automatic Priming push-button control.	\$581		
4015-0082	Electric Over Air Actuation Pump Cooler Valve	\$505		
4015-0083	Electric Over Air Actuation Engine Cooler Valve	\$325		
4015-0084	Pump Air Blow Out with 1/4" Snubber Valve.	\$290		
4015-0085	Auto Tank to Pump Operation. When Switched to Automatic Mode, The Tank Valve will Close When Suction Pressure Reaches 15 PSI & Opens When Suction Pressure Drops Below 15 PSI.	\$2,134		
4015-0086	Pump Cooler 1/4 Turn 3/8" Valve	\$304		
4015-0087	Engine Cooler 1/4 Turn 3/8" Valve	\$304		
4015-0088	Portable/Qmax Pump Shall be with Manifold and check valves for Front Bumper Turret and Ground Sweep. To be use dearing Pump&Roll operation.	\$1,042		
4015-0089	Extend exhaust pipe from dunnage pan mounted portable pump in line with main exhaust system using stainless steel flexible pipe.	\$138		
4015-0090	Akron Test Port for Master Gauges	\$111		
4015-0091	Pump cooler with .75" 1/4 turn valve.	\$344		
4015-0092	Hale Fill Steamer Thief intake adapter to be Flush + 2 Location [#LOC]	\$1,844		
4015-0093	The optional pump to be NFPA or ULC (as applicable) compliant. Includes primer, pump shift and indicators, (1) 2.5" driver side aux. intake with swing handle and test ports.	\$0		
4015-0094	Engine cooler. For use with International 4400 chassis.	\$0		
4015-0095	Engine cooler. For use with International 7400 chassis.	\$0		
4015-0096	Engine cooler. For use with International 7600 chassis.	\$3,034		
4015-0097	Heated intake strips (4). Located (1) on each 6" tank intake and (1) 2.5" rear tank fill.	\$1,956		
4015-0098	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location on pump panel.	\$0		
4015-0099	Zinc Anodes for Hale Pump and tank - (Pair) (1) pump and (1) tank.	\$741		
4015-0100	Portable Pump Shall be for Front Bumper Turret and/or Ground Sweep . To be use for Pump&Roll operation only.	\$0		
4015-0101	Pump cooler, 1/4" valve with 3/8" tubing.	\$0		
4015-0102	Powder Coating Plumbing Components. Include all Stainless Steel Piping, and Vic's applicable. With the exception of the smaller threaded components and Bronto supplied parts.	\$13,835		
4015-0103	Fuel cooler to have .375 tubing for a max of 20 GPM water flow.	\$100		
4015-0104	Engine Cooler: E-One part number 629430; plumb with 1" control valve on pump panel and 1" ID low pressure hydraulic hose cooler. Install .375 ID restriction orifice in line to limit flow to between 45 and 50 GPM at 150PSI.	\$4,144		
4015-0105	All Stainless Steel piping is to be constructed of 316L stainless steel.	\$2,006		
4015-0106	All flanges on plumbing larger that 2" shall have welded flanges where possible. Threaded connections are acceptable for 2" and smaller plumbing.	\$1,374		

Item #	Description	Extension	+1/-1	Total
4015-0107	Plated or Stainless Steel fastners on all plumbing and the plumbing system.	\$1,249		
4015-0108	Valve Relief Thermal - Hale TRVL-120	\$1,031		
4015-0109	Galvanized Victaulic Coupling. All Victaulic couplings shall galvanized.	\$252		
4015-0110	Valve Monarch Manual with Akron Intake Relief- Waterous. Location: [#LOC]	\$3,521		
4015-0111	Ferrell Compression Fittings for all Plastic Tubing in the Pump module plumbing.	\$772		
4015-0112	PTO/Midship Pump Shall have Manifold and check valves for Front Bumper Turret and Hose Reel. To be use dearing Pump&Roll operation.	\$1,042		
4015-0113	Auto Discharge Pressure Relief Valve Preset at 125psi for Pump&Roll.	\$2,937		
4015-0114	Pump gear box to be 23L.	\$0		
4015-0115	Pump gear box to be 21L.	\$0		
4015-0116	Manifold for use with a side mount pump module.	\$0		
4015-0117	Manifold for use with a side mount pump module with foam.	\$0		
4015-0118	Manifold for use with a top mount pump module.	\$0		
4015-0119	Manifold for use with a top mount pump module with foam.	\$0		
4015-0120	Pump gear box to be 23XL.	\$0		
4015-0121	Pump gear box to be 21XL.	\$0		
4015-0122	Pump gear box to be 19L.For use with export engine application.	\$0		
4015-0123	Manifold for use with a side mount or top mount pump modules.	\$0		
4015-0124	Manifold for use with a side mount or top mount pump modules with foam.	\$0		
4015-0125	Red Switch Cover on Master Drain Switch.	\$16		
4015-0126	Hale PTO/MIDSHIP 250GPM to 1000gpm Pump Pressure Relief Valve	\$2,642		
4015-0127	Fire Research Infinity vernier type engine throttle.	\$799		
4015-0128	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location rearward below running board on officer side or R1 compartment..	\$0		
4015-0129	Waterous Overheat Protection Manager with audible alarm.	\$1,155		
4015-0130	Additional Trident Primer Valve, Located: [#LOC]. Requires aux air tank if connected to front or rear intake.	\$419		
4015-0131	Hale Anode Pro Kit (3) Anodes with Flange. One on each suction tube and one anode on the discharge located as close to the center of the pump as possible.	\$1,303		
4015-0133	Anode for Darley pump - (1) intake side.	\$485		
4015-0134	Class 1 Engine Twister throttle, vernier	\$1,010		
4015-0135	Mechanical speed counter for pumps.	\$447		
4015-0136	Mechanical Darley pump seal.	\$1,220		
4015-0137	Valve Monarch Manual with Indicator lights - Waterous. Location: [#LOC].	\$6,048		
4015-0138	6" Inlet Valve Manual Gear Operated with Relief. Location: [#LOC].	\$3,415		
4015-0139	Darley Pump Overheat Thermal relief valve shall be provided with a light located on pump operator's panel.	\$868		
4015-0140	Manifold for use with a side mount or top mount pump modules with foam. Includes manifold updates for driver side rear 3" discharge application.	\$0		
4015-0141	Delete Thermal relief valve	\$0		
4015-0142	Pump&Roll kit. To include Digital Master pressure gauge. Mini tank level, Tank to pump control, Switches in cab, and Preset discharge pressure relief valve.	\$3,415		
4015-0143	Pump&Roll kit WM. To include Digital Master pressure gauge, Switches, and Preset discharge pressure relief valve controls in cab. Locate in cab center console.	\$2,922		
4015-0144	Manual remote operated master pump drain. The master drain control shall be clearly marked and placed in accessible location below running board on driver side or L1 compartment.	\$373		

Item #	Description	Extension	+1/-1	Total
4015-0145	Engine cooler plumbing. For use with Navistar 7400 chassis. Wildland	\$408		
4015-0146	Four (4) 6.0" diameter suction inlet ports with 6" NST male threads and removable screens shall be provided, on left side.	\$2,461		
4015-0147	Three (3) 6.0" diameter suction inlet ports with 6" NST male threads and removable screens shall be provided, on left side.	\$0		
4015-0148	Three (3) 6.0" diameter suction inlet ports with 6" NST male threads and removable screens shall be provided, two (2) left side, and one (1) right side..	\$0		
4015-0149	Four (4) 6.0" diameter suction inlet ports with 6" NST male threads and removable screens shall be provided, two (2) left side, and two (2) right side..	\$2,461		
4015-0150	Darley pump shift override.	\$853		
4015-0151	Indicator Light for valve position on the vacuum pump.	\$1,789		
4015-0152	Hale pump shift override. Pump shift to be recess behind pump operator pump panel with door.	\$1,653		
4015-0153	Thermal relief valve, Hale TRV atmosphere line shall be plumb back to water tank.	\$0		
4015-0154	Addition Anodes for Darley pump. Intake.	\$485		
4015-0155	Manual remote operated master pump/pump transmission cooler drain. The master drain control shall be clearly marked and placed in accessible location under driver side pump panel or L1 compartment.	\$373		
4015-0156	Pump Inlet (3) 6" Suctions Inlet located on the driver's side. Suction inlets adapter to be 316L stainlee steel and terminate in NST threads.	\$727		
4015-0157	Waterous 2-Stage Electric Transfer Valve Manual Override locate drive side pump panel.	\$314		
4015-0158	Manual operated Dual master pump drain. The master drains shall be clearly marked one for water pump, and one for foam pump and placed in accessible location rearward below running board on driver side or L1 compartment.	\$0		
4015-0159	Valve Inlet MIV-E - Hale. Location: [#LOC].	\$3,945		
4015-0160	Pump Shift Override Under R1 Compartment	\$853		
4015-0161	Addition Heated intake strips (1). Located (1) on addition 2.5" direct tank fill.	\$491		
4015-0162	Engine cooler. For use with Freightliner M2 chassis.	\$0		
4015-0163	Customer supply existing midship pump shall be reused on new chassis.	\$7,561		
4015-0164	Factory Pump Test.	\$542		
4015-0165	Pump seal mechanical for Waterous pump.	\$0		
4015-0166	Pump cooler, automatic with 3/8" tubing. Include a check valve that is install between the pump discharge and tank that will automatically close when drafting.	\$166		
4015-0167	Pump&Roll pump automatic cooler to cool the pump for periods of pumping when water is not being discharge	\$138		
4015-0168	Engine cooler. For use with International 4400, 7400 and 7500 chassis.	\$508		
4015-0169	Engine cooler. For use with International 7600 chassis.	\$408		
4015-0170	5" Additional Intake. Location: [#LOC].	\$2,461		
4015-0171	6" caps for both side and front intakes to be Class 1 venting style IPO standard.	\$0		
4015-0172	Primer indicator light shall be provided on the pump operator's panel, color to be red. The indicator light shall be upgraded to a LED indicator light IPOS.	\$202		
4015-0173	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location forward below running board on driver side or L1 compartment.	\$0		
4015-0174	Manual operated water/foam master pump drain. The master drains shall be clearly marked, one for water pump shall be located driver side under L3 or L4 compartment, and one for foam pump shall be under R3 compartment	\$0		
4015-0175	Additional control and air bleeder for the MIV-E to provide controls at: [#LOC].	\$636		
4015-0176	6" caps for intake to be Class 1.	\$0		
4015-0177	Additional Anode for Darley pump. Location: Discharge side of pump.	\$485		

Item #	Description	Extension	+1/-1	Total
4015-0178	Anodes for Waterous pump - (Three) (1) discharge side, (1) intake side and (1) inside of tank.	\$678		
4015-0179	Waterous Monarch Electric valve manual override control located on pump panel same side as Waterous intake valve is.	\$450		
4015-0180	6" Intake Akron Electric Valve and 9323 Controller with relief. Location: [#LOC].	\$4,188		
4015-0181	Pump cooler with .75" 1/4 lift lever turn valve.	\$344		
4015-0182	Engine cooler with .75" 1/4 lift lever turn valve.	\$344		
4015-0183	Test Port 1/4" Drain Valve.	\$92		
4015-0184	Pump overheat discharge line outlet shall discharge water away from pump operator.	\$0		
4015-0185	Master gauges to have flush out connection.	\$193		
4015-0186	Trident Pump Primer W/3 Barrel Push Button Control. (In place of standard primer.) Requires a 15.6 CFM or larger air compressor.	\$240		
4015-0187	Anodes Pro System for Hale pump (QTY3), (1) discharge side and (2) intake side with one on each side of intake.	\$722		
4015-0188	Red Switch Cover on rear dump valve switches.	\$16		
4015-0189	Darley Fluid Primer IPOS.	\$160		
4015-0190	Remove pump from donor chassis and rebuild Hale QFlow 1250.	\$11,763		
4015-0191	Valve Monarch Electric - Waterous. Location:Front Intake with Elkhart Relief valve.	\$5,630		
4015-0192	Intake adapter 6" FNST x 6" MNST for pump intake.	\$362		
4015-0193	Hale 3" Auto Fill w/Thief Inlet. Locate: [#LOC].	\$7,316		
4015-0194	Discharge manifold to be Class1 IPOS. For Dumfries Triangle VFD Only.	\$2,987		
4015-0195	All Discharge, and Intake valves shall be Hale Stainless Steel IPOS. For Dumfries Triangle VFD Only.	\$0		
4015-0196	Hale Pump Shift Override - driver's side under runningboard forward of runningboard tray.	\$1,360		
4015-0197	Pump cooler with .50" 1/4 turn valve. Include a .50" check valve to prevent back flow of water into the pump if the valve is left open.	\$344		
4015-0198	Front Mounted Pump Gear Box IPOS	\$777		
4015-0199	Pump&Roll kit. To include Digital Master pressure gauge. Mini tank level, Tank to pump control, Switches in cab, and Preset hydraulic flow control valve.	\$3,415		
4015-0200	Hale 6" Suctions stainlees steel 12 bolt flange x 6" NH Thread adapter. (IPOS) For pump inlets.	\$105		
4015-0201	Engine cooler, automatic with no valve.	\$0		
4015-0202	Electric Over Air Actuation Pump Cooler 1" Valve.	\$505		
4015-0203	Thermal relief valve, discharge water outlet drain to dump straight out rear of slideout platform at operator position.	\$0		
4015-0204	Trident Manually operated master pump drain. The master drain shall be clearly marked and placed in accessible location on pump panel.	\$188		
4015-0205	Throttle Increase/Decrease switch in cab to operate water pump.	\$679		
4015-0206	Manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location rearward of driver side step.	\$0		
4015-0207	Thermal relief valve, Hale TRVL-120. (1) light at pump operator panel, and (1 )light in cab.	\$1,727		
4015-0208	All stainless steel piping, flexible hose, tubing, brass valves, quarter-turn bleeders, and couplings that transfer water or foam that are not contained within a heated compartment must be covered with a foam insulation sheath or sleeve. Where insulation sheathing is not practical, foam insulation tape will be applied to provide sufficient insulation protection.	\$1,012		
4015-0209	Hale Fluid Primer IPOS.	\$160		
4015-0210	Pump cooler with Innovative Control 1/4 turn valve with "T" handle and label.	\$186		
4015-0211	Anodes for Waterous pump - (2) at intake side.	\$450		
4015-0212	Trident Automatic Pump Primer.(In place of standard primer.)	\$1,004		

Item #	Description	Extension	+1/-1	Total
4015-0213	PTO pump discharge outlet shall be plumb to the main pump foam manifold with check valves and suction side to water tank. For use as pump and roll application with controls located in the cab.	\$0		
4015-0214	Additional Darley Primer Valve. Located: [#LOC].	\$1,136		
4015-0215	5" Intake Akron Hand Wheel Valve with relief. Location: drive side pump panel	\$4,824		
4015-0216	Front mount PTO for fire pump operation	\$874		
4015-0217	Mechanical speed counter for Darley pumps.	\$344		
4015-0218	Darley Oilless primer	\$1,689		
4015-0219	Darley pressure relief valve.	\$2,201		
4015-0220	Pump&Roll kit with interlocks. To include Digital Master pressure gauge, Mini tank level, Tank to pump control, Switches in cab, and Preset discharge pressure relief valve.	\$3,638		
4015-0221	Additional 9323 electric controller for 6" intake electric valve. Location officer side pump panel. Include 1/4" air bleeder.	\$1,516		
4015-0222	Waterous "H Manifold" shall be located on the left, and right side pump.	\$2,115		
4015-0223	Auto Pump Pressure Preset at 125psi.	\$0		
4015-0224	Hale Pump Shift Override - driver's side under runningboard forward of runningboard tray. Pump shift to be flush with runningboard when is in gear.	\$1,360		
4015-0225	Zinc anodes for Hale pump (3), (2) discharge side and (1) intake side.	\$309		
4015-0226	Heated strips (2). Located (1) on each 2.5" rear tank fill.	\$807		
4015-0228	Engine cooler. External engine cooler mounted in engine compartment. IPOS internal cooler in radiator.	\$0		
4015-0229	Hale Pump Primer.	\$0		
4015-0230	Pump gear box to be XL.	\$0		
4015-0231	Qmax Pump gear box to be "R" IPOS.	\$947		
4015-0232	Thermal relief valve lines to be extended below frame rails and secured with metal clamps.	\$0		
4015-0233	Throttle Selection Switch on Pump Operator's Panel to be recess with cover.	\$649		
4015-0234	Control for engine cooler. Includes Innovative Controls 1/4 turn valve with "T" handle and label. Requires engine cooler option.	\$408		
4015-0235	Pump Shift Override - driver's side under running board rearward of running board tray if applicable. (Rod linkage in place of cable.)	\$1,360		
4015-0236	Pump 6" inlet strainer to be mount out board for easy access.	\$0		
4015-0237	Trident Automatic Pump Primer w/gauge. IPOS	\$1,250		
4015-0238	Hale electric primer (oil-less).	\$2,495		
4015-0239	Waterous electric primer (oil-less).	\$2,551		
4015-0240	Darley electric primer (oil-less).	\$2,379		
4015-0241	Trident primer W/2 barrel push button control. For use with up to 1000 GPM pumps.	\$1,755		
4015-0242	Trident primer W/3 barrel push button control. For use with 1250 GPM and larger pumps. Requires 15.6 CFM or large engine air compressor.	\$2,095		
4015-0243	Hale electric primer - dual (oil-less).	\$4,580		
4015-0244	Engine throttle, vernier, digital gauge, and interlocked switch in cab for jet dump operation.	\$1,580		
4015-0246	Heated intake strips (4). Located on CAFS Super 70 tank	\$1,956		
4015-0247	Pump 6" inlet adapter model #82301, and 72572-A shall be use on both side with recess box to allow room for a TFT piston valve to fit behind the roll up door.	\$1,358		
4015-0248	Pump Air Blow Out with Innovative Controls 1/4" valve w/1/4 turn handle.	\$290		
4015-0249	Pump cooler Innovative Controls 3/4" include lift lever with ergonomic grip.	\$344		

Item #	Description	Extension	+1/-1	Total
4015-0250	Waterous manual operated master pump drain. The master drain shall be clearly marked and placed in accessible location on pump panel.	\$0		
4015-0251	Zinc anodes for Hale pump (3), (1) discharge side and (2) in intake manifold side.	\$309		
4015-0252	Hale Anode Pro Kit (3) Anodes with Flange. One on each suction tube and one anode on the discharge located as close to the center of the pump as possible. Display monitor location: Pump panel.	\$1,303		
4015-0253	Hale Anode Pro Kit (3) Anodes with Flange. One on each suction tube and one anode on the discharge located as close to the center of the pump as possible. Display monitor location: Pump panel.	\$1,303		
4015-0254	Flame Plated Impeller Hubs Waterous pump.	\$813		
4015-0255	Pump 6" inlet both side shall be recess to allow room for a Akron 7983 piston valve to fit and not extend out pass the running boards.	\$1,358		
4015-0256	Trident Automatic Pump Primer w/gauge. For use with 1250 GPM and larger pumps. Requires 15.6 CFM or large engine air compressor.	\$2,704		
4015-0257	Waterous 6" Jamesbury Electric Inlet Valve. Location: [#LOC]	\$6,078		
4015-0258	5" Steamers for Hale Pump IPOS 6".	\$0		
4015-0259	Control for engine cooler. Includes Class1 1/4 turn 3/8" valve with "T" handle and label. Requires engine cooler option	\$408		
4015-0260	Hale MIV-E to have hand wheel in place of knob.	\$82		
4020-0001	Additional tank sump.	\$367		
4020-0002	Dump Valve Mounting Plate	\$677		
4020-0003	Jet Dump	\$677		
4020-0004	Newton dump mounting plate.	\$644		
4020-0005	Fill Tower(s) to extend 6" above body.	\$443		
4020-0006	Direct 1.0" Water Tank Fill with Akron Valve Terminate with .75 Hose Bib. Location: driver side pump panel	\$924		
4020-0007	1.5" Tank Drain Akron Manual Valve with pull cable control at left pump panel. Valve shall be located at the tank sump and extend plumbing below frame rail.	\$972		
4020-0008	Water Overflow Pipe to be cut down an additional 3".	\$177		
4020-0009	Water fill tower to have a butterfly latch.	\$213		
4020-0010	Fill Tower Lids to be hinged as follows: Water Fill Tower to be hinged to front and Foam Fill Tower to be hinged to rear. Add black rubber gasket material to foam fill tower to ensure proper seal.	\$490		
4020-0011	Notch officer side water tank (overall tank capacity will be reduced for application). Notch to allow 2.5" rear discharge to be routed down low to rear of unit. Discharge to be positioned towards lower area of ladder tunnel access door (height only).	\$1,775		
4020-0012	Vision Mark tags for water and foam fill towers ipos tags.	\$88		
4020-0013	Sight Level Water Gauge form into front of water tank, as a part of the tank.	\$234		
4020-0014	Water tank fill tower to be 6" wide x 17" long. Required on HP100/CR100/92RM with 2.5" tank fill.	\$127		
4020-0015	Rear tank dump. Includes painted steel assembly with manually actuated valve on driver side of dump assembly. Includes integral manual extension chute.	\$2,620		
4020-0016	Rear tank dump. Includes stainless steel assembly with manual actuated valve on driver side of dump assembly. Includes integral manual extension chute.	\$3,185		
4020-0017	Rear tank dump. Includes stainless steel assembly with electrical actuated valve and integral manual extension chute.	\$4,114		
4020-0018	Rear tank dump. Includes painted steel assembly with manual actuated valve on top of dump assembly. For use with slip on extension and chute.	\$1,578		
4020-0019	Rear tank dump. Includes stainless steel assembly with manually actuated valve on top of dump assembly. For use with slip on extension and chute.	\$1,901		

Item #	Description	Extension	+1/-1	Total
4020-0020	Rear tank dump. Includes stainless steel assembly with electrically actuated valve. For use with slip on extension and chute.	\$2,823		
4020-0021	Rear tank dump. Includes painted steel assembly with manually actuated valve on top of dump assembly. Includes integral swivel chute with manual telescopic extension.	\$3,914		
4020-0022	Rear tank dump. Includes stainless steel assembly with manually actuated valve on top of dump assembly. Includes integral swivel chute with manual extension.	\$5,665		
4020-0023	Rear tank dump. Includes mild finish steel assembly with manually actuated valve on driver side of dump assembly. Includes integral electric extension chute.	\$4,003		
4020-0024	Rear tank dump. Includes stainless finish steel assembly with electrically actuated valve. Includes integral manual extension chute.	\$4,409		
4020-0025	Rear tank dump. Includes stainless steel assembly with electric actuated valve and integral electrical extension chute.	\$5,668		
4020-0026	Dump valve/extension switching location. For use with electric single or triple dump and/or electric extension applications. Switch(s) location: [#LOC].	\$0		
4020-0027	Slip-on stainless steel dump extension and chute. Includes beavertail mounted removable support arm bracket and tailboard mounted storage tray (directly below dump) with retaining straps.	\$1,965		
4020-0028	Slip-on mild finish dump extension and chute. Includes (1) beavertail mounted removable support arm bracket and tailboard mounted storage tray (directly below dump) with retaining straps.	\$1,517		
4020-0029	Driver and officer side tank dumps. Includes stainless steel assembly with electrically actuated valve and integral electrical extension chute.	\$9,769		
4020-0030	Driver and officer side tank dumps. Includes painted steel assembly with electrically actuated valve and integral electrical extension chute.	\$7,154		
4020-0031	Fill Tower(s) to be 24" tall due to the ROM hosebed cover and to be located 27" off front of the tank due to drum of ROM hosebed cover.	\$341		
4020-0032	Dealer supplied dump extension, chute, and items for storage in or on the body. To be provided by E-ONE will be (1) support arm bracket and (2) mount points on trailing end of beavertails (support arm bracket to be shipped loose).	\$285		
4020-0033	2.5" Officer Rear Tank Inlet. Includes Water Level Gauge.	\$1,044		
4020-0034	Rear tank dump. Includes painted steel assembly with manually actuated valve on driver side of dump assembly and integral manual extension chute.	\$3,121		
4020-0035	Rear tank dump. Includes painted steel assembly with manually actuated valve on driver side and manual slip-on chute. Includes painted steel slip-on elbow and extension with support bracket (all shipped loose).	\$3,811		
4020-0036	Tank Plug installed in rear tank inlet hole.	\$0		
4020-0037	Three (3) anodes located in main body water tank.	\$945		
4020-0038	Rear tank dump. Includes mild finish steel assembly with manually actuated valve on top of dump assembly. Includes integral manual extension chute.	\$2,620		
4020-0039	Rear tank dump. Includes painted steel assembly with electric actuated valve and integral electric extension chute.	\$4,174		
4020-0040	Additional tank sump for use with dual side tank dump applications.	\$0		
4020-0041	Additional Dump valve/extension switching location in Cab accessible to driver.	\$443		
4020-0042	Water tank notched at forward top face (overall tank capacity will be reduced). Notch along forward top face of tank for storage pan clearance.	\$668		
4020-0043	Slip-on mild finish dump extension and chute. Includes (1) rear body mounted removable support arm bracket and tailboard mounted storage tray (lower step directly below dump) with retaining straps.	\$1,558		
4020-0044	Slip-on stainless steel dump extension and chute. Includes body mounted removable support arm bracket and tailboard mounted storage tray (opposite side of NFPA upper access step/ladder) with retaining straps.	\$2,015		



Item #	Description	Extension	+1/-1	Total
4020-0045	Notch officer side water tank (overall tank capacity will be reduced for application). Notch to allow for a 2.5" hosebed discharge to be routed into the hosebed on officer side.	\$478		
4020-0046	Notch driver/officer side water tank (overall tank capacity will be reduced for application). Notch to allow for hosebed discharge(s) to be routed into the hosebed.	\$478		
4020-0047	Sight tube gauge, plastic tubing and brass valves installed on left front face of body. Wildland	\$272		
4020-0048	Recessed SCBA storage compartment located officer side of tank offset forward of fold-a-tank rack. Storage compartment shall be equipped with aluminum smooth plate double doors painted job color with drip rail. Interior will include tracking on side and rear walls for mounting of equipment.	\$792		
4020-0049	Water Fill Tower to be the following color: Blue.	\$0		
4020-0051	Speedlay provision in tank. Located at front of tank to accomodate (2) hose trays. Includes provision for plumbing to be located on driver side above trays. Trays to hold 200' of 1.75" DJ. Wetside only.	\$1,946		
4020-0052	Hosebed partition "L" shape. Locate at rear of hosebed, centered side to side, extend 106" forward and taper at 90 degrees to driver hosebed side wall. Partition to be poly and integral to the tank. See photos on file.	\$764		
4020-0053	Tank sump box (1) each side of tank for newton dump mounting. Wetside Tanker Only.	\$735		
4020-0054	Rear tank dump. Includes painted steel assembly with electric actuated valve on top of dump assembly. Includes integral swivel chute with manual extension.	\$5,712		
4020-0055	Switch guard half moon. Locate on electrical Newton dump and Newton dump ext chute switches.	\$34		
4020-0056	Tank sleeve for rear or hosebed (low hosebed applications) discharge.	\$314		
4020-0057	Newton Dump valve handle shall be relocated, to permit it to be actuated from the right hand side (as mounted) in place of its standard location.	\$0		
4020-0058	Recessed SCBA storage compartment located driver side of tank offset forward. Recess will include tracking on side and rear walls for mounting of equipment. Does not include door. Wetside Only.	\$627		
4020-0059	Rear tank dump. Includes painted steel assembly with electrically actuated valve. For use with slip on extension and chute.	\$2,219		
4020-0060	Tank sump box (1) each side centered above rear wheels for newton dump mounting. Wetside Tanker Only.	\$735		
4020-0061	Recessed SCBA storage compartment located officer side of tank offset forward. Recess will include tracking on side and rear walls for mounting of equipment. Does not include door. Wetside Only.	\$627		
4020-0062	Water tank fill tower to be approximately 8" tall IPOS.	\$203		
4020-0063	Tank sump dump box (1) each side for newton dump mounting.	\$366		
4020-0064	Tank sump dump box (1) at rear for newton dump mounting.	\$366		
4020-0065	Notch driver side water tank (overall tank capacity will be reduced for application). Notch to allow for a 2.5" hosebed discharge to be routed into the hosebed on driver side.	\$478		
4020-0066	Notch driver side water tank (overall tank capacity will be reduced for application). Notch to allow a booster reel to be mounted in hosebed storage pan.	\$478		
4020-0067	Water Tank Notch for ladder storage above tank for (1) stokes basket.	\$668		
4020-0068	The Newton mounting plate shall be fitted with a stainless steel plate to cap the tank until the dealer supplied dump has been installed.	\$314		
4020-0069	Notch driver side water tank (overall tank capacity will be reduced for application). Notch to allow for (2) 1.5" hosebed discharges to be routed into the hosebed on driver side.	\$478		
4020-0070	Vertical "A" style sleeve thru tank for 50' boom support.	\$791		
4020-0071	Tank sleeve for hosebed discharge(s). Wetside Tanker.	\$866		
4020-0072	Water Tank Notch for HOT SHOT hosebed storage pan.	\$253		
4020-0073	Water tank floor to be 1" thick material ipos 1/2" thick material.	\$537		

Item #	Description	Extension	+1/-1	Total
4020-0074	Water tank notched at forward top face. Notch along forward top face of tank for cylinders of the electric hosebed cover clearance.	\$428		
4020-0075	6" overflow pipe IPO 4" over flow pipe.	\$661		
4020-0076	Jet Dump 2" IPO 1.5".	\$713		
4020-0077	The water tank is etched to provide a cut-out guide for future installation of a Newton quick dump. The tank includes a 14" x 14' fill tower for extra venting. A removable rear body panel is provided for access to the tank dump area.	\$564		
4020-0078	Notch forward lower face of water tank. Notch along forward lower face of tank to accommodate 20 in. raised floor.	\$1,542		
4020-0079	Water tank notched at forward face lower corner (overall tank capacity will be reduced). Notch along forward lower face of tank for speedlay clearance.	\$668		
4020-0080	Wire raceway/conduit at rear of tank, internal. Electrical wiring at rear of tank shall be run inside the tank in place of standard.	\$988		
4020-0081	There shall be no exposed wiring conduits on the exterior of the tank. All the wiring shall be run through inside the tank.	\$1,192		
4020-0082	Rear tank dump. Includes stainless steel assembly with manually actuated valve on driver side of dump assembly. For use with slip on extension and chute.	\$2,248		
4020-0083	Notch, water tank notched on side face. Notch along officer side face of tank to accommodate ladder storage thru B1.	\$428		
4020-0084	4" Water Tank Overflow piping to be extended below chassis frame rails and piped so as not to discharge over rear springs, axle, or fuel tank.	\$428		
4020-0085	Center fill tower location	\$135		
4020-0086	Dump valve, SS with 18" extension. Electric actuation for open/close and extension.	\$6,206		
4020-0087	Dump valve/extension switching location. For use with electric single or triple dump and/or electric extension applications. Switch(s) location: (2) driver (driver side and rear) and (1) officer side outboard side of beavertails/body.	\$0		
4020-0088	Water tank notched at rear lower face (overall tank capacity will not be reduced). Notch along rear lower face of tank to accommodate ladder tunnel clearance from aft body compartment.	\$668		
4020-0089	Water tank notch. Add vertical channel shaped notch on forward face (overall tank capacity will be reduced). Notch on forward face of tank sized to accommodate speedlay plumbing clearance.	\$668		
4020-0090	Water tank notched at rear (overall tank capacity will be affected). Notch tank at rear as necessary to accommodate clearance for plumbing.	\$668		
4020-0091	Water tank notched at top driver side (overall tank capacity will be reduced). Notch along driver side top of tank for 2.5" rear discharge clearance.	\$668		
4020-0092	Gauge panel provision in tank. Located at front of tank to accomodate gauges,display units and other plumbing options. Includes painted lift up door with hold open device. Wetside only.	\$943		
4020-0093	Driver side shall have four (4) upper storage compartments recessed within the Wetside tank. Dimensions to be approximately 47" wide x 34" high x 12" deep each. For misc. equipment, long handle tools, etc. Wetside Tanker Only.	\$4,282		
4020-0094	Driver side shall have three (3) upper compartments recessed within the Wetside tank. Dimensions to be 47" wide x 34" high x 12" deep each.	\$3,257		
4020-0095	SCBA storage compartment located officer side of tank offset forward. Storage area to blister out the tank side to edge of body so that doors for storage compartment will be flush with lower compartment doors. Compartment to recess into the tank up to a depth of 18" from the edge of the blister. Recess will include tracking on side and rear walls for mounting of equipment. Does not include door. Wetside Only.	\$1,142		
4020-0096	Top surface of tank to have storage partitions created from same material as the Poly Tank side wall per customer design for storage of rolled hoses and/or equipment. Refer to the sales drawing for desired customer layout.	\$980		
4020-0097	Sight Glass for water level included as part of the tank located per the sales drawing. Includes clean out access directly above the sight glass for periodical maintenance.	\$234		

Item #	Description	Extension	+1/-1	Total
4020-0098	Water tank notched for rear suction piping clearance.	\$1,600		
4020-0099	Tank sleeve for rear discharge(s).	\$314		
4020-0100	Vertical tunnel thru officer side of water tank behind R1 for light mast in hose bed storage pan. (overall tank capacity will be reduced for application approx. 51 gal on a 1280 tank). Water loss may vary with tank configuration, size or position of mast as applicable. Tunnel to allow for vertical light tower mast to retract and stow thru tank. Shall include necessary modifications and mounting provisions attached to the water tank mainframe and to the hose bed storage pan to support the light mast for safe operation. Compartment R1 shall feature a removable access panel in the rear wall of the compartment to access the service port at the base of the water tank at the bottom end of the light mast for the air connection. The forward open area of the mainframe where the tower retracts shall have additional front to back cross tubes as needed to allow for the wider spread in main frame extrusions for tower mast.	\$1,498		
4020-0101	Water tank notch at rear lower face (overall tank capacity will not be reduced). Notch along rear lower face of tank to accommodate clearance from aft body compartment.	\$668		
4020-0102	1.5" Tank Drain Elkhart Manual Valve with pull cable control at left pump panel. Valve shall be located at the tank sump and extend plumbing below frame rail.	\$972		
4020-0103	Water tank notch. Add a notch at the bottom corner of the water tank. Notch on aft lower face of tank sized to accommodate speedlay plumbing clearance. (overall tank capacity will be reduced)	\$668		
4020-0104	Water tank notch. Add vertical channel shaped notch on forward face. Notch on forward face of tank sized to accommodate componet clearance. (overall tank capacity will be reduced).	\$668		
4020-0105	Notch driver side water tank (overall tank capacity will be reduced for application). Notch to allow for ladder tunnel from rear.	\$1,775		
4020-0106	Tank sleeve for rear 5" or 6" suction. The sleeve will be 8" ID.	\$308		
4020-0107	Switch guard half moon. Locate on electrical Newton dump and Newton dump ext chute switches. Location Cab.	\$34		
4020-0108	Tank notch in water tank for rear suction piping.	\$980		
4100-0000	10 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity.	\$1,112		
4100-0006	40 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 40 US gallon / 33 Imperial gallons / 151 Liters.	\$1,412		
4100-0007	15 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 15 US gallon / 12 Imperial gallons / 56 Liters.	\$1,155		
4100-0008	20 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 20 US gallon / 16 Imperial gallons / 75 Liters.	\$1,197		
4100-0009	30 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 30 US gallon / 25 Imperial gallons / 113 Liters.	\$1,295		
4100-0011	300 gallon "T" foam tank.	\$5,862		
4100-0012	280 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 280 US gallon / 233 Imperial gallons / 1059 Liters.	\$4,872		
4100-0013	50 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 50 US gallon / 41 Imperial gallons / 189 Liters.	\$1,514		
4100-0014	150 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 150 US gallon / 124 Imperial gallons / 567 Liters.	\$3,905		
4100-0015	25 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 25 US gallon / 20 Imperial gallons / 94 Liters.	\$1,245		
4100-0016	100 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity.	\$2,813		
4100-0017	10 gallon external foam tank. Locate in storage pan. Tower to be next to water fill tower.	\$1,765		

Item #	Description	Extension	+1/-1	Total
4100-0018	80 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 80 US gallon / 66 Imperial gallons / 302 Liters.	\$2,252		
4100-0020	60 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 60 US gallon / 50 Imperial gallons / 227 Liters.	\$1,815		
4100-0021	30 imperial gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity.	\$1,412		
4100-0022	180 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 180 US gallon / 149 Imperial gallons / 681 Liters.	\$4,559		
4100-0023	300 gallon integral foam tank for class [#LOC] foam. Foam tank capacity will reduce the water tank capacity. Tank capacity is 300 US gallon / 249 Imperial gallons / 1135 Liters.	\$4,613		
4100-0024	70 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 70 US gallon / 58 Imperial gallons.	\$1,970		
4100-0025	600 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 600 US gallons / 499 Imperial gallons / 2271 Liters.	\$10,439		
4100-0026	1030 gallon foam tank for [#LOC]. Tank capacity is 1030 US gallons / 857 Imperial gallons / 3898 Liters.	\$9,056		
4100-0027	1280 gallon foam tank for [#LOC]. Tank capacity is 1280 US gallons / 1065 Imperial gallons / 4845 Liters.	\$11,575		
4100-0029	500 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 500 US gallons / 416 Imperial gallons / 1892 Liters.	\$8,701		
4100-0031	250 gallon integral foam tank for [#LOC]. Foam tank capacity will reduce the water tank capacity. Tank capacity is 250 US gallon / 208 Imperial gallons / 946 Liters.	\$4,351		
4100-0032	790 gallon foam tank for class B foam. Tank capacity is 790 US gallons / 657 Imperial gallons / 2990 Liters.	\$6,948		
4100-0033	30 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$1,295		
4100-0034	10 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$1,112		
4100-0035	20 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$1,197		
4100-0036	40 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$1,412		
4100-0037	50 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$1,514		
4100-0038	100 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$2,813		
4100-0039	1030 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower.	\$9,056		
4100-0040	1280 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower.	\$11,575		
4100-0047	1030 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower.	\$9,056		
4100-0048	30 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower.	\$11,575		
4100-0049	1500 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower.	\$12,359		
4100-0050	1000 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower.	\$9,056		
4100-0051	750 gallon integral foam tank for class B foam. Tank capacity is 750 US gallons.	\$13,049		
4100-0052	500 Gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. The fill tower shall include a an expansion dome. Foam tank capacity will reduce the water tank capacity. Tank capacity is 500 US gallons / 416 Imperial gallons / 1892 Liters.	\$8,701		
4100-0053	30 Gallon external foam tank for [#LOC]. UPF Poly III [#COL]. Locate in storage pan.	\$3,869		

Item #	Description	Extension	+1/-1	Total
4100-0054	500 gallon "T" foam tank for class B foam. UPF Poly III Yellow fill tower. Foam tank capacity will reduce the water tank capacity. Tank capacity is 500 US gallons / 416 Imperial gallons / 1892 Liters.	\$8,701		
4100-0055	250 Gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. The fill tower shall include an expansion dome. Foam tank capacity will reduce the water tank capacity. Tank capacity is 250 US gallons / 208 Imperial gallons / 946 Liters.	\$4,414		
4100-0056	180 Gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. The fill tower shall include an expansion dome. Foam tank capacity will reduce the water tank capacity. Tank capacity is 180 US gallons / 149 Imperial gallons / 681 Liters	\$4,559		
4100-0057	20 gallon external foam tank for [#LOC] locate: Officer side front of body. UPF Poly III [#COL] fill tower. A diamond plate cover will be provided around the foam tank.	\$3,437		
4100-0058	25 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$1,286		
4100-0059	230 Gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. The fill tower shall include an expansion dome. Foam tank capacity will reduce the water tank capacity. Tank capacity is 230 US gallons / 191 Imperial gallons / 870 Liters.	\$4,872		
4100-0060	2030 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Note: Any storage options thru the tank will reduce the overall foam capacity.	\$17,804		
4100-0061	200 gallon integral foam tank for class B foam. Foam tank capacity will reduce the water tank capacity. Tank capacity is 200 US gallon / 166 Imperial gallons / 757 Liters. UPF Poly III Yellow fill tower.	\$3,481		
4100-0063	1530 gallon integral foam tank for Class B foam. UPF Poly III Yellow fill tower. Tank capacity is 1530 US gallons / 1273 Imperial gallons / 5791 Liters.	\$12,739		
4100-0064	30 Gallon external foam tank for [#LOC]. UPF Poly III [#COL] tower to be accessible from driver side. Includes bolt-on .187" diamond plate cover with end panel (if applicable) and cutout in top panel for fill tower. Locate in storage pan over pump offset to driver side.	\$1,940		
4100-0066	2030 gallon foam tank for Class B foam. UPF Poly III Yellow fill tower. Note: Any storage options thru the tank will reduce the overall foam capacity.	\$17,804		
4100-0067	300 Gallon "T" foam tank for Class B foam. UPF Poly III Yellow fill tower. Tank capacity is 300 US gallons / 250 Imperial gallons / 1137 Liters.	\$5,862		
4100-0068	35 imperial gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity. Tank capacity is 42 US gallon / 35 Imperial gallons / 159 Liters.	\$1,412		
4100-0069	265 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity. 265 US gal/220 Imperial gal/1003 liters	\$4,872		
4100-0070	200 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$3,481		
4100-0071	1000 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. The fill tower shall include a an expansion dome. Foam tank capacity will reduce the water tank capacity. Tank capacity is 1000 US gallons / 832 Imperial gallons / 3785 Liters.	\$9,056		
4100-0072	150 gallon integral foam tank for class A foam. UPF Poly III Green fill tower. Foam tank capacity will reduce the water tank capacity.	\$3,791		
4100-0073	20 Gallon external foam tank for [#LOC]. UPF Poly III [#COL]. Locate in storage pan.	\$1,736		
4100-0074	120 gallon integral foam tank for class B foam. Foam tank capacity will reduce the water tank capacity.	\$3,125		
4100-0075	5 gallon integral foam tank for [#LOC]. UPF Poly III [#COL] fill tower. Foam tank capacity will reduce the water tank capacity.	\$1,112		
4110-0002	Foam tank (B) outlet. Includes 1" male adapter and connector (ship loose). Outlet location: [#LOC].	\$1,100		
4110-0003	Stainless steel foam can piercer for bottom of foam fill tower. Requires foam fill to be 16" X 16" wide.	\$1,079		

Item #	Description	Extension	+1/-1	Total
4110-0004	Foam tank shutoff. 1/4 turn shut off on each connection to the foam tank - foam discharge, refill and sending unit. The Valves shall be located at the tank.	\$861		
4110-0005	Direct 1.5" Foam Tank Fill with Akron 1.5" Valve. A 1.5" FNST tank fill connection with rocker lug plug, and a replaceable .25" mesh strainer on the left pump panel.	\$868		
4110-0006	Foam tank outlet. Includes 1" male adaptor and connector (ship loose). Outlet location: [#LOC]	\$1,099		
4110-0007	Foam transfer pump shall automatically shut down when the foam tank is full.	\$510		
4110-0008	Williams Hot Shot II 150 Single 2.5" Foam Tank To Pump Controls.	\$9,332		
4110-0009	TTP 4" WILLIAMS FOAM SINGLE	\$11,479		
4110-0010	Foam Fill Towers to be the following colors: Foam "A" to be Yellow (if applicable) and Foam "B" to be Green (if applicable).	\$0		
4110-0011	1.5" Foam tank drain Akron manual valve.	\$804		
4110-0012	Williams Hot Shot II Single 3" Foam Tank To Pump Controls.	\$9,332		
4110-0013	Foam tank outlet. Includes 1.5" MNST with cap. A 1.5" FNST fitting shall be included in the loose equipment . Outlet location: [#LOC].	\$1,205		
4110-0014	Foam tank (B) outlet. Includes 2" male adapter. Outlet location: [#LOC].	\$1,591		
4110-0015	Foam tank outlet. Includes 1" Female adaptor and connector (ship loose). Outlet location: [#LOC].	\$1,099		
4110-0016	There shall be one color coded tag reading: "FOAM TANK CLASS B" this tag shall be mechanically mounted to the foam tank dome and shall be colored white.	\$16		
4110-0017	Direct 1.5" Foam Tank Fill with Akron 1.5" Valve. A 1.5" FNST tank fill connection with rocker lug plug, with a replaceable strainer on left side pump panel.	\$868		
4110-0018	Foam tank (B) outlet. Includes 1" male camlock adaptor and connector (ship loose). Outlet location: driver side pump panel.	\$1,099		
4110-0019	All foam service valves to be stainless steel IPOS. No PVC valves to be used.	\$558		
4110-0020	Foam tank outlet. Includes 1" male camlock adaptor and connector (ship loose). Outlet location: (1)driver and (1) officer side pump panel.	\$1,099		
4410-0004	Plumbing Package "A" RLP. Includes intake and discharge manifolds, 6" intake valves, 2.5" left intake, 2.5" left discharge w/ integral droop, 2.5" right discharge w/ integral droop, 4" right discharge w/ integral droop, 4" waterway discharge, (2) 1.5" crosslays, 2.5" crosslay, 1.5" tank fill w/ 2" valve and 3" tank to pump.	\$60,967		
4410-0012	Plumbing Package "B" RLP. Includes intake and discharge manifolds, 6" intake valves, 2.5" left intake, 2.5" left discharge w/ integral droop, 4" right discharge w/ integral droop, 4" waterway discharge, (2) 1.5" crosslays, 2.5" crosslay, 1.5" tank fill w/ 2" valve and 3" tank to pump.	\$57,224		
4410-0013	Plumbing Package "A" RLP. Includes intake and discharge manifolds, 6" intake valves, 2.5" left intake, 2.5" left discharge w/ integral droop, 2.5" right discharge w/ integral droop, 4" right discharge, 4" waterway discharge, (2) 1.5" crosslays, 2.5" crosslay, 1.5" tank fill w/ 2" valve and 3" tank to pump.	\$60,967		
4410-0014	Plumbing kit with Hale AP50 (without officer side steamer) pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges.	\$26,332		
4410-0015	Plumbing Kit with Hale DSD pump (1250GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (2) 2.5" Officer Side Discharges with droops and caps and (2) 1.5" Crosslay Discharges.	\$24,509		
4410-0016	Plumbing kit with Hale AP50 (with officer side steamer) pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$28,206		
4410-0017	Plumbing Kit for use with a Hale DSD NFPA pump (1250GPM). Includes (1) FRC In-Control display, (1) 2.5" Driver Side Discharge with droop and cap, (2) 2.5" Officer Side Discharges with droops and caps and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$41,758		

Item #	Description	Extension	+1/-1	Total
4410-0018	Plumbing Kit with Hale MBP500 pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges.	\$33,108		
4410-0019	Plumbing Kit with Hale MBP500 NFPA pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$34,981		
4410-0020	Plumbing Kit with Hale MBP1000 pump (1000GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges.	\$33,108		
4410-0021	Plumbing Kit with Hale MBP1000 NFPA pump (1000GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$34,981		
4410-0022	Plumbing kit with Hale APH50 (with officer side steamer) hydraulic driven pump. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$6,106		
4410-0023	Plumbing kit with Hale AP (with officer side steamer) pump rated for 2000 LPM. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current ULC.	\$28,206		
4410-0024	Plumbing Kit with Hale MBP pump with rating of 2000 LPM. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current ULC.	\$34,981		
4410-0025	Plumbing Kit with Hale MBP pump rated at 3000 LPM. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current ULC.	\$34,981		
4410-0026	Plumbing Kit for use with a Hale DSD (5000LPM) ULC pump. Includes (1) FRC In-Control display, (1) 2.5" Driver Side Discharge with droop and cap, (2) 2.5" Officer Side Discharges with droops and caps and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$41,758		
4410-0027	No water pump required. Water Master only.	\$0		
4410-0028	Plumbing Kit for use with a Hale Pump and Side Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (7) 2.5" Pressure Gauges, (1) 2" Tank Fill, (1) 3" tank to pump, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharger, (1) 2.5" Driver Side Rear Discharge (droop shipped loose), (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$0		
4410-0029	Plumbing Kit for use with a Hale Pump and Top Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (6) 2.5" Pressure Gauges, (1) 2" Tank Fill, (1) 3" tank to pump, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharger, (1) 2.5" Driver Side Rear Discharge (droop shipped loose), (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$0		
4410-0030	Plumbing Kit for use with a Hale Pump and Side Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (6) 2.5" Pressure Gauges,, (1) 2" Tank Fill, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharges, (1) 2.5" Driver Side Rear Discharge (droop shipped loose), (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$0		
4410-0031	Plumbing Kit for use with a Hale Pump and Top Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (6) 2.5" Pressure Gauges, (1) 2" Tank Fill, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharges, (1) 2.5" Driver Side Rear Discharge (droop shipped loose), (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$0		

Item #	Description	Extension	+1/-1	Total
4410-0032	Plumbing Kit for use with a Hale Pump and Side Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (6) 2.5" Pressure Gauges, (1) 2" Tank Fill, (1) 3" tank to pump, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharger, (1) 2.5" Driver Side Rear Discharge (droop shipped loose) locate below hosebed, (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$0		
4410-0033	Plumbing Kit for use with a Hale Pump and Top Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (6) 2.5" Pressure Gauges, (1) 2" Tank Fill, (1) 3" tank to pump, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharger, (1) 2.5" Driver Side Rear Discharge (droop shipped loose) locate below hosebed, (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$0		
4410-0034	Plumbing Kit for use with a Hale DSD NFPA pump (750GPM). Includes (1) FRC In-Control display, (1) 2.5" Driver Side Discharge with droop and cap, (2) 2.5" Officer Side Discharges with droops and caps and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$41,758		
4410-0035	Plumbing kit with Hale AP50 (with officer side steamer) pump (500GPM). Includes (1) 2.5" Driver Side Discharge with cap (NO DROOP), (1) 2.5" Officer Side Discharge with cap (NO DROOP) and (1) 1.5" Crosslay Discharge (forward) and (1) 2.5" discharge (rearward) and a Hale TRVL-120 thremal relief valve. Pre-connect storage to be extra capacity (24" deep) with (1) lay of 1.75" DJ at 200' and (2) lays of 2.5" DJ at 200'. Pump intake to have 5" FNPT by 5" NST and a 6" Storz adaptor with cap by 5" FNST threads (ship loose). The discharges are to be labeled and color coded in compliance with current NFPA. All discharges to have quater turn bleeder valves.	\$33,212		
4410-0036	Plumbing Package "C" RLP. Includes intake and discharge manifolds. The 2.5" left discharge w/ integral droop, 2.5" right discharge w/ integral droop, 4" right discharge w/ integral droop, 4" waterway discharge, (2) 1.5" front bumper crosslays, (1) 2.5" crosslay, shall be 9315 electric controllers. The 6" intake valves, 2.5" left intake, 1.5" tank fill w/ 2" valve and 3" tank to pump Shall be 9313 Electric controllers.	\$78,451		
4410-0037	Plumbing Kit for use with a Hale DSD NFPA pump (1250GPM). Includes (1) FRC In-Control display, (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharges with droop and cap, and (1) 4" Officer discharge with 3" valve and 4" Storz droops adapter and caps and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$46,380		
4410-0039	Plumbing kit with C.E.T. Pump. Includes (2) 1.5" Crosslay Discharges.	\$15,902		
4410-0040	Plumbing Kit for use with a Hale DSD (5000LPM) ULC pump. Includes (1) FRC In-Control display, (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharges with droop and cap, and (1) 4" Officer discharge with 3" valve and 4" Storz droops adapter and caps and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$46,380		
4410-0041	Skid Unit. See Quote in truck folder for details.	\$25,345		
4410-0042	Plumbing Kit for use with a Hale Pump and Top Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (7) 2.5" Pressure Gauges, (1) 2" Tank Fill, (1) 3" tank to pump, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharger, (1) 3" with 3" valve Driver Side Rear Discharge (droop shipped loose) locate below hosebed, (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$974		
4410-0043	Plumbing Kit for use with a Hale Pump and Side Mount Pump Module. To include the Pressure Governor, (1) 2" Tank Fill, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharges, (1) 2.5" Driver Side Rear Discharge (droop shipped loose), (2) 1.5" Preconnect Discharges, No Deck Gun Discharge and (2) 6" Intake Caps (Shipped Loose).	\$0		
4410-0044	Plumbing Kit for use with a Hale DSD NFPA pump (1250GPM). Includes (1) FRC In-Control display, (2) 2.5" Driver Side Discharge with droop and cap, (1) 3" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$46,689		
4410-0045	A skid unit (tank and pump) will be located in the utility bed of the truck. See Long spec for specifications.	\$41,272		



Item #	Description	Extension	+1/-1	Total
4410-0046	Plumbing Kit for use with a Hale DSD NFPA pump (1250GPM). Includes (1) FRC In-Control display, (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap, (1) 3" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$46,689		
4410-0047	Plumbing kit with Hale APH (with officer side steamer)hydraulic driven pump. Pump rated for 2000 LPM. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current ULC.	\$35,673		
4410-0048	Plumbing Kit for use with a Hale Pump and Top Mount Pump Module. To include the Master Intake and Discharge Gauges, Pressure Governor, (6) 2.5" Pressure Gauges, (1) 2" Tank Fill, (1) 2.5" Driver Side Auxiliary Intake, (2) 2.5" Driver Side Discharges, (1) 3" Officer Side Discharge (3" to 2.5" adapter shipped loose), (2) 1.5" Preconnect Discharges, (1) 3" Deck Gun and (2) 6" Intake Caps (Shipped Loose).	\$0		
4410-0049	Northern Sunrise County Skid Unit. See truck folder for skid quote, details and photos.	\$31,310		
4410-0050	Plumbing kit with Hale AP50 pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges.	\$26,709		
4410-0051	Plumbing Kit with Hale MBP500 pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges.	\$33,485		
4410-0052	Plumbing Kit with Hale MBP1000 pump (1000GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges.	\$33,485		
4410-0053	Plumbing kit with Hale AP50 (with officer side steamer) pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$28,584		
4410-0054	Plumbing Kit with Hale MBP500 NFPA pump (500GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$35,358		
4410-0055	Plumbing Kit with Hale MBP1000 NFPA pump (1000GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$35,358		
4410-0056	Plumbing Kit for use with a Hale DSD NFPA pump (1250GPM). Includes (1) FRC In-Control display, (1) 2.5" Driver Side Discharge with droop and cap, (2) 2.5" Officer Side Discharges with droops and caps and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$42,135		
4410-0057	Plumbing Kit with Hale AP pump rated at 2000 LPM. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current ULC.	\$28,584		
4410-0058	Plumbing Kit with Hale MBP pump rated at 3000 LPM. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current ULC.	\$35,358		
4410-0059	Plumbing Kit for use with a Hale DSD NFPA pump (1250GPM). Includes (1)CLASS 1 TPG Plus display, (1) 2.5" Driver Side Discharge with droop and cap, (2) 2.5" Officer Side Discharges with droops and caps and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$41,758		
4410-0060	Plumbing Kit with Hale MBP1000 NFPA pump (750GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$35,358		
4410-0061	Skid unit, removed from donor unit (customer supplied) and installed in new unit.	\$30,527		

Item #	Description	Extension	+1/-1	Total
4410-0062	Plumbing Kit with Hale MBP1000 NFPA pump (1000GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 4" Officer Side Discharge w/4" Akron electric valve and 4" Storz elbow and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$41,178		
4410-0063	Plumbing kit with Hale APH (with officer side steamer)hydraulic driven pump. Pump rated for 500 GPM. Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 2.5" Officer Side Discharge with droop and cap and (2) 1.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$35,673		
4410-0064	Plumbing Kit with Hale MBP1000 NFPA pump (1000GPM). Includes (1) 2.5" Driver Side Discharge with droop and cap, (1) 3" Officer Side Discharge with droop and cap and (2) 2.5" Crosslay Discharges. The discharges are to be labeled and color coded in compliance with current NFPA.	\$36,478		
4410-0065	Foam tank outlet. Includes 1" MNST adaptor with cap. Outlet location: [#LOC].	\$1,099		
4415-0008	1.5" front bumper discharge Akron manual valve.	\$1,809		
4415-0009	1.5" Front Bumper Discharge Hale Manual Valve	\$1,930		
4415-0010	1.5" Front Bumper Discharge Akron Electric Valve	\$3,733		
4415-0011	2.5" Front Bumper Discharge Akron Electric Valve	\$3,914		
4415-0012	1.5" Crosslay with Akron manual valve. Location: [#LOC].	\$1,127		
4415-0014	2.5" Left Pump Panel Discharge Akron Manual Valve. Location: [#LOC].	\$1,174		
4415-0015	2.5" Left Panel Discharge Hale Manual Valve. Location: [#LOC]	\$1,526		
4415-0016	2.5" Right Pump Panel Discharge Akron Manual Valve. Location: [#LOC].	\$1,303		
4415-0017	2.5" Right Pump Panel Discharge Hale Manual Valve. Location: [#LOC]	\$1,655		
4415-0018	2.5" left front hose bed discharge Akron manual valve.	\$1,696		
4415-0019	2.5" Left Front Hosebed Discharge Hale Manual Valve	\$1,982		
4415-0020	2.5" right front hose bed discharge Akron manual valve.	\$1,696		
4415-0021	2.5" Right Front Hosebed Discharge Hale Manual Valve	\$1,982		
4415-0022	2.5" Left Rear Discharge Akron Manual Valve. Location: [#LOC].	\$1,371		
4415-0023	2.5" Left Rear Discharge Hale Manual Valve Location: [#LOC]	\$1,655		
4415-0024	2" Left Rear Hosebed Discharge Akron Manual Valve	\$3,472		
4415-0025	2.5" Left Rear Discharge Akron Electric Valve	\$1,767		
4415-0027	2.5" Left Rear Hosebed Discharge Akron Electric Valve	\$4,979		
4415-0028	2.5" Right Rear Discharge Akron Manual Valve. Location: [#LOC].	\$1,371		
4415-0029	2.5" Right Rear Discharge Hale Manual Valve Location: [#LOC]	\$1,655		
4415-0030	2.5" Right Rear Rearmount Discharge Akron Manual Valve	\$1,767		
4415-0031	2.5" Right Rear Hosebed Rearmount Discharge Akron Electric Valve	\$4,979		
4415-0032	Discharge 2.5" additional. Location: [#LOC].	\$1,664		
4415-0033	3" Left Pump Panel Top mount Discharge Akron Manual Valve (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$2,007		
4415-0034	3" Right Pump Panel Discharge Akron Manual Valve (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$1,884		
4415-0035	3" Right Pump Panel Discharge Hale Manual Valve Location: [#LOC]	\$2,310		
4415-0036	3" Left Front Hose Bed Discharge Akron Manual Valve.	\$2,461		
4415-0037	3" Right Front Hose Bed Discharge Akron Manual Valve.	\$2,461		
4415-0038	3" Left Rear Discharge Akron Manual Valve. Location: [#LOC].	\$2,118		
4415-0039	3" Right Rear Discharge Akron Manual Valve. Location: [#LOC].	\$2,118		
4415-0041	3" Deck Gun Discharge, Akron manual valve.	\$1,924		
4415-0042	4" Deck Gun Discharge with 6" Hydraulic activated valve	\$8,892		

Item #	Description	Extension	+1/-1	Total
4415-0043	4" Deck Gun Discharge 6" Electric Elkhart Valve w/ Ratio Controller	\$11,950		
4415-0049	4" Pump Panel Discharge Hale Electric Valve Location: [#LOC]	\$6,643		
4415-0050	4" Pump Panel Discharge Akron Electric Valve (Waterous pumps noted location to be forward lower port). [#LOC]	\$5,383		
4415-0051	4" Waterway Discharge with 3" Akron Manual Valve.	\$2,611		
4415-0052	4" Waterway Discharge with 4" Akron Electric Valve	\$5,384		
4415-0053	4" Waterway Discharge with 3" Akron Electric Valve	\$4,501		
4415-0054	4" Right Pump Panel Discharge with 3" Akron Manual Valve (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$2,217		
4415-0055	4" Left Rear Discharge Akron Electric Valve	\$5,703		
4415-0056	4" Rear Discharge with Akron Electric Valve. Rear Mount application. Locate to [#LOC] of rear steamer.	\$5,383		
4415-0057	5" Right Pump Panel Discharge with 3" Akron Manual Valve. Location: [#LOC].	\$3,073		
4415-0058	2.5" Crosslay Akron Manual Valve. Location: [#LOC].	\$1,358		
4415-0061	2" Crosslay with Akron Electric Valve for Rear Mount	\$2,042		
4415-0063	1.5" Double Speedlay with Hale Manual Valve for ERV	\$2,647		
4415-0064	1.5" Double Speedlay with Akron Manual Valve for ERV	\$2,647		
4415-0065	1.5" Double Speedlay with Akron Manual Valves.	\$2,207		
4415-0066	1.5" Triple Speedlay with Akron manual valve.	\$3,463		
4415-0067	1.5" left front hose bed preconnect Akron manual valve.	\$1,174		
4415-0068	1.5" right front hose bed preconnect Akron manual valve.	\$1,174		
4415-0071	1.5" Left Rear Discharge Akron Manual Valve. Location: [#LOC].	\$1,238		
4415-0072	1.5" Right Rear Discharge Akron Manual Valve. Location: [#LOC].	\$1,238		
4415-0073	Triple Speedlay (2) 1.5" and (1) 2.5" with Akron Manual Valve.	\$4,943		
4415-0074	1.5" Rear Driver Side Preconnect Akron Manual Valve for Rear Mount	\$2,190		
4415-0075	2.5" Rear Driver's Side Preconnect Akron Manual Valve for Rear Mount	\$2,428		
4415-0076	Discharge Package (4) 2.5" Akron Manual Valves for Rear Mount	\$7,530		
4415-0077	Discharge Package (3) 2.5" with Akron Manual Valves and (1) 3" with Akron Manual Valve. For use with rear mounted pump.	\$8,139		
4415-0078	3" Deck Gun Discharge Akron Electric Valve Body Front for Rear Mount	\$8,770		
4415-0079	3" Deck Gun Discharge Akron Manual Valve Body Rear for Rear Mount	\$4,797		
4415-0085	1.5" Crosslay w/2" Akron Electric Valve Location: [#LOC]	\$3,282		
4415-0086	2.5" Crosslay w/Akron Electric Valve. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC].	\$3,773		
4415-0088	1.5" Crosslay w/2" Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$6,141		
4415-0089	2.5" Crosslay w/Akron Electric Valve & Navigator 9305. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$7,136		
4415-0091	1.5" Crosslay w/2" Electric over Hydraulic Actuated Akron Valve	\$3,036		
4415-0092	2.5" Crosslay w/Electric over Hydraulic Actuated Akron Valve. To be located rearward of 1.5" crosslay(s) if applicable.	\$3,289		
4415-0093	Double 1.5" Speedlay w/2" Akron Electric Valves	\$6,578		
4415-0094	Triple 1.5" Speedlay w/2" Akron Electric Valves	\$10,015		
4415-0095	Triple (2) 1.5" & (1) 2.5" Speedlay w/(2) 2" & (1) 2.5" Akron Electric Valves	\$12,069		
4415-0096	Double 1.5" Speedlay w/2" Akron Electric Valves & Navigator 9305	\$12,193		
4415-0097	Triple 1.5" Speedlay w/2" Akron Electric Valves & Navigator 9305	\$18,467		
4415-0098	Triple (2) 1.5" & (1) 2.5" Speedlays w/(2) 2" & (1) 2.5" Akron Electric Valves & Navigator 9305	\$20,958		
4415-0099	3" Deck Gun Discharge Akron Electric Valve	\$4,423		
4415-0100	3" Deck Gun Discharge Akron Electric Valve & Navigator 9305	\$7,875		

Item #	Description	Extension	+1/-1	Total
4415-0101	3" Deck Gun Discharge w/Electric over Hydraulic Actuated Akron Valve	\$3,858		
4415-0102	1.5" Front Bumper Discharge Akron Electric Valve & Navigator 9305	\$6,853		
4415-0103	1.5" Front Bumper Discharge w/Electric over Hydraulic Actuated Akron Valve	\$3,747		
4415-0104	2.5" Front Bumper Discharge Akron Electric Valve & Navigator 9315	\$7,956		
4415-0105	2.5" Front Bumper Discharge w/Electric over Hydraulic Actuated Akron Valve	\$4,016		
4415-0106	1.5" Left Front Hosebed w/2" Akron Electric Valve	\$3,357		
4415-0107	2.5" Left Front Hosebed Akron Electric Valve	\$4,117		
4415-0108	3" Left Front Hosebed Akron Electric Valve	\$4,966		
4415-0109	1.5" Left Front Hosebed w/2" Akron Electric Valve & Navigator 9305	\$6,216		
4415-0110	2.5" Left Front Hosebed Akron Electric Valve & Navigator 9305	\$7,570		
4415-0111	3" Left Front Hosebed Akron Electric Valve & Navigator 9305	\$8,415		
4415-0112	1.5" Left Front Hosebed w/2" Electric over Hydraulic Actuated Akron Valve	\$3,110		
4415-0113	2.5" Left Front Hosebed w/Electric over Hydraulic Actuated Akron Valve	\$3,587		
4415-0114	3" Left Front Hosebed w/Electric over Hydraulic Actuated Akron Valve	\$4,400		
4415-0115	1.5" Right Front Hosebed w/2" Akron Electric Valve	\$3,357		
4415-0116	2.5" Right Front Hosebed Akron Electric Valve	\$4,117		
4415-0117	3" Right Front Hosebed Akron Electric Valve	\$4,966		
4415-0118	1.5" Right Front Hosebed w/2" Akron Electric Valve & Navigator 9305	\$6,216		
4415-0119	2.5" Right Front Hosebed Akron Electric Valve & Navigator 9305	\$7,570		
4415-0120	3" Right Front Hosebed Akron Electric Valve & Navigator 9305	\$8,415		
4415-0121	1.5" Right Front Hosebed w/2" Electric over Hydraulic Actuated Akron Valve	\$3,110		
4415-0122	2.5" Right Front Hosebed w/Electric over Hydraulic Actuated Akron Valve	\$3,587		
4415-0123	3" Right Front Hosebed w/Electric over Hydraulic Actuated Akron Valve	\$4,400		
4415-0124	2.5" Left Pump Panel Discharge Akron Electric Valve. Location: [#LOC]	\$3,594		
4415-0125	2.5" Left Pump Panel Discharge Akron Electric Valve & Navigator 9305. Location: [#LOC]	\$7,049		
4415-0126	2.5" Left Pump Panel Discharge w/Electric over Hydraulic Actuated Akron Valve Location: [#LOC]	\$3,110		
4415-0127	2.5" Right Pump Panel Discharge Akron Electric Valve Location: [#LOC]	\$3,594		
4415-0128	3" Right Pump Panel Discharge Akron Electric Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,390		
4415-0129	4" Right Pump Panel Discharge w/3" Akron Electric Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,722		
4415-0130	5" Right Pump Panel Discharge w/3" Akron Electric Valve Location: [#LOC]	\$5,576		
4415-0131	2.5" Right Pump Panel Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$7,049		
4415-0132	3" Right Pump Panel Discharge Akron Electric Valve & Navigator 9305 (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$7,833		
4415-0133	4" Pump Panel Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$9,505		
4415-0134	4" Right Pump Panel Discharge w/3" Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$8,166		
4415-0135	5" Right Pump Panel Discharge w/3" Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$9,022		
4415-0136	2.5" Right Pump Panel Discharge w/Electric over Hydraulic Actuated Akron Valve Location: [#LOC]	\$3,240		
4415-0137	3" Right Pump Panel Discharge w/Electric over Hydraulic Actuated Akron Valve Location: [#LOC]	\$3,820		
4415-0138	4" Right Pump Panel Discharge w/3" Electric over Hydraulic Actuated Akron Valve Location: [#LOC]	\$4,154		
4415-0139	5" Right Pump Panel Discharge w/3" Electric over Hydraulic Actuated Akron Valve Location: [#LOC]	\$5,009		
4415-0140	1.5" Left Rear Discharge Akron Electric Valve Location: [#LOC]	\$3,422		
4415-0141	2.5" Left Rear Discharge Akron Electric Valve Location: [#LOC]	\$3,793		

Item #	Description	Extension	+1/-1	Total
4415-0142	3" Left Rear Discharge Akron Electric Valve Location: [#LOC]	\$4,622		
4415-0143	1.5" Left Rear Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$6,283		
4415-0144	2.5" Left Rear Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$7,245		
4415-0145	3" Left Rear Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$8,069		
4415-0146	1.5" Left Rear Discharge w/Electric over Hydraulic Actuated Akron Valve	\$3,177		
4415-0147	2.5" Left Rear Discharge w/Electric over Hydraulic Actuated Akron Valve	\$3,307		
4415-0148	3" Left Rear Discharge w/Electric over Hydraulic Actuated Akron Valve	\$4,056		
4415-0149	1.5" Right Rear Discharge Akron Electric Valve Location: [#LOC]	\$3,422		
4415-0150	2.5" Right Rear Discharge Akron Electric Valve Location: [#LOC]	\$3,793		
4415-0151	3" Right Rear Discharge Akron Electric Valve Location: [#LOC]	\$4,622		
4415-0152	1.5" Right Rear Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$6,283		
4415-0153	2.5" Right Rear Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$7,245		
4415-0154	3" Right Rear Discharge Akron Electric Valve & Navigator 9305 Location: [#LOC]	\$8,069		
4415-0155	1.5" Right Rear Discharge w/Electric over Hydraulic Actuated Akron Valve	\$3,177		
4415-0156	2.5" Right Rear Discharge w/Electric over Hydraulic Actuated Akron Valve	\$3,307		
4415-0157	3" Right Rear Discharge w/Electric over Hydraulic Actuated Akron Valve	\$4,056		
4415-0158	3" Left Panel Discharge Top Mount Akron Manual Valve w/30 Degree Droop. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$2,373		
4415-0159	3" Left Panel Discharge Top Mount Akron Electric Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,511		
4415-0160	3" Left Panel Discharge Top Mount Akron Electric Valve w/30 Degree Chrome Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,880		
4415-0161	2.5" Left Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: [#LOC].	\$1,474		
4415-0162	2.5" Left Panel Discharge Akron Electric Valve w/30 Degree Chrome Droop. Location: [#LOC].	\$3,896		
4415-0163	2.5" Left Panel Discharge Akron Electric Valve & Navigator 9305 w/30 Degree Droop Location: [#LOC]	\$7,350		
4415-0164	2.5" Right Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. Location: [#LOC].	\$1,474		
4415-0165	3" Right Panel Discharge Akron Manual Valve w/30 Degree Chrome Droop. (Waterous pumps noted if location is forward of steamer use lower discharge port.) Location: [#LOC].	\$2,252		
4415-0166	2.5" Right Panel Discharge Akron Electric Valve w/30 Degree Chrome Droop Location: [#LOC]	\$3,896		
4415-0167	3" Right Panel Discharge Akron Electric Valve w/30 Degree Chrome Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,756		
4415-0168	2.5" Right Panel Discharge Akron Electric Valve & Navigator 9305 w/30 Degree Droop Location: [#LOC]	\$7,350		
4415-0169	3" Right Panel Discharge Akron Electric Valve & Navigator 9305 w/30 Degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$8,202		
4415-0171	3" Auxillary Waterway Discharge Akron Manual Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$1,403		
4415-0172	2.5" Auxillary Waterway Discharge Akron Manual Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$1,320		
4415-0176	Brass Swivel in Tray [#LOC] for Front Bumper Discharge.	\$0		
4415-0178	Polished Stainless Steel Swivel Located on Top of Bumper [#LOC] for Front Bumper Discharge.	\$0		
4415-0179	2.5" Auxiliary Deck Gun Discharge Akron Valve for use with CAFS System.Plumbed from foam manifold and "Y" into Deck Gun pipe downstream from main Deck Gun discharge valve.	\$2,283		
4415-0180	2.5" Auxillary Waterway Discharge Hale Manual Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$1,613		

Item #	Description	Extension	+1/-1	Total
4415-0181	3" Auxillary waterway discharge Hale Manual Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$1,644		
4415-0184	3" Deck Gun Discharge Hale Manual Valve	\$2,158		
4415-0185	3" Left Panel Discharge w/Akron Electric Valve & 9305 Navigator for Top Mount Module (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$7,959		
4415-0186	3" Left Panel Discharge w/Akron Electric Valve & 9305 Navigator for Top Mount Module (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$8,327		
4415-0187	1.5" Crosslay with Hale Manual Valve Location: [#LOC]	\$2,169		
4415-0189	2.5" Crosslay with Hale Manual Valve Location: [#LOC]	\$2,924		
4415-0190	Double 1.5" Speedlay with Hale Manual Valve	\$2,718		
4415-0191	Triple 1.5" Speedlay with Hale Manual Valve	\$4,229		
4415-0192	4" Waterway Discharge with 3" Hale Manual Valve	\$3,044		
4415-0193	Triple Speedlay (2) 1.5" and (1) 2.5" with Hale Manual Valves	\$6,047		
4415-0194	2.5" Front bumper discharge Akron manual valve.	\$2,079		
4415-0195	4" Right Pump Panel Discharge with 3" Hale Manual Valve Location: [#LOC]	\$2,645		
4415-0196	5" Right Pump Panel Discharge with 3" Hale Manual Valve Location: [#LOC]	\$3,505		
4415-0197	2.5" Left Panel Discharge Hale Manual Valve with Droop. Location: [#LOC]	\$1,826		
4415-0198	2.5" Right Pump Panel Discharge Hale Manual Valve with droop. Location: [#LOC]	\$1,953		
4415-0199	3" Right Pump Panel Discharge Hale Manual Valve with Droop Location: [#LOC]	\$2,670		
4415-0200	1.5" Left Panel Discharge Akron Valve	\$1,174		
4415-0201	1.5" Right Panel Discharge Akron Valve.	\$1,174		
4415-0202	The pre-connect shall have a flow rating of 95 gpm.	\$0		
4415-0203	The pre-connect shall have a flow rating of 125 gpm.	\$0		
4415-0204	1.5" Crosslay with Hale Electric Valve Location: [#LOC]	\$3,909		
4415-0205	2.5" Crosslay with Hale Electric Valve Location: [#LOC]	\$4,821		
4415-0206	Double 1.5" Speedlay with Hale Electric Valve	\$6,199		
4415-0207	Triple 1.5" Speedlay with Hale Electric Valve	\$9,448		
4415-0208	Triple Speedlay (2) 1.5" and (1) 2.5" with Hale Electric Valves	\$11,422		
4415-0209	3" Deck Gun Discharge Hale Electric Valve	\$4,762		
4415-0210	2.5" Auxilliary Deck Gun Discharge Hale Valve for use with CAFS System	\$4,886		
4415-0211	2.5" Front Bumper Discharge Hale Manual Valve	\$2,142		
4415-0212	1.5" Front Bumper Discharge Hale Electric Valve	\$3,671		
4415-0213	2.5" Front Bumper Discharge Hale Electric Valve	\$4,038		
4415-0214	1.5" Left Front Hosebed Discharge Hale Manual Valve	\$1,341		
4415-0215	3" Left Front Hosebed Discharge Hale Manual Valve	\$2,698		
4415-0216	1.5" Left Front Hosebed Discharge Hale Electric Valve	\$3,081		
4415-0217	2.5" Left Front Hosebed Discharge Hale Electric Valve	\$3,878		
4415-0218	3" Left Front Hosebed Discharge Hale Electric Valve	\$5,301		
4415-0219	1.5" Right Front Hosebed Discharge Hale Manual Valve	\$1,341		
4415-0220	3" Right Front Hosebed Discharge Hale Manual Valve	\$2,698		
4415-0221	1.5" Right Front Hosebed Discharge Hale Electric Valve	\$3,081		
4415-0222	2.5" Right Front Hosebed Discharge Hale Electric Valve	\$3,878		
4415-0223	3" Right Front Hosebed Discharge Hale Electric Valve	\$5,301		
4415-0224	1.5" Left Panel Discharge Hale Valve	\$1,293		

Item #	Description	Extension	+1/-1	Total
4415-0225	3" Left Pump Panel Top mount Discharge Hale Manual Valve Location: [#LOC]	\$2,244		
4415-0226	3" Left Pump Panel Top mount Discharge with 30 deg Droop Hale Manual Valve Location: [#LOC]	\$2,602		
4415-0227	2.5" Left Panel Discharge Hale Electric Valve. Location: [#LOC]	\$3,421		
4415-0228	2.5" Left Panel Discharge Hale Electric Valve with Droop. Location: [#LOC]	\$3,719		
4415-0229	3" Left Pump Panel Top mount Discharge Hale Electric Valve Location: [#LOC]	\$4,847		
4415-0230	3" Left Pump Panel Top mount Discharge with 30 deg Droop Hale Electric Valve Location: [#LOC]	\$5,206		
4415-0231	1.5" Right Panel Discharge Hale Valve	\$1,293		
4415-0232	2.5" Right Pump Panel Discharge Hale Electric Valve. Location: [#LOC]	\$3,551		
4415-0233	2.5" Right Pump Panel Discharge Hale Electric Valve with droop. Location: [#LOC]	\$3,849		
4415-0234	3" Right Pump Panel Discharge Hale Electric Valve Location: [#LOC]	\$4,915		
4415-0235	3" Right Pump Panel Discharge Hale Electric Valve with Droop Location: [#LOC]	\$5,275		
4415-0236	4" Right Pump Panel Discharge with 3" Hale Electric Valve Location: [#LOC]	\$5,248		
4415-0237	5" Right Pump Panel Discharge with 3" Hale Electric Valve Location: [#LOC]	\$6,106		
4415-0238	1.5" Left Rear Discharge Hale Manual Valve Location: [#LOC]	\$1,361		
4415-0239	3" Left Rear Discharge Hale Manual Valve Location: [#LOC]	\$2,354		
4415-0240	1.5" Left Rear Discharge Hale Electric Valve Location: [#LOC]	\$3,102		
4415-0241	2.5" Left Rear Discharge Hale Electric Valve Location: [#LOC]	\$3,551		
4415-0242	3" Left Rear Discharge Hale Electric Valve Location: [#LOC]	\$4,958		
4415-0243	1.5" Right Rear Discharge Hale Manual Valve Location: [#LOC]	\$1,361		
4415-0244	3" Right Rear Discharge Hale Manual Valve Location: [#LOC]	\$2,354		
4415-0245	1.5" Right Rear Discharge Hale Electric Valve Location: [#LOC]	\$3,102		
4415-0246	2.5" Right Rear Discharge Hale Electric Valve Location: [#LOC]	\$3,551		
4415-0247	3" Right Rear Discharge Hale Electric Valve Location: [#LOC]	\$4,958		
4415-0248	1.5" Crosslay Elkhart Manual Valve Location: [#LOC].	\$1,190		
4415-0249	2.5" Crosslay Elkhart Manual Valve. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$1,529		
4415-0250	1.5" Crosslay w/2" Elkhart Electric Valve Location: [#LOC]	\$2,632		
4415-0251	2.5" Crosslay w/Elkhart Electric Valve. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$3,214		
4415-0252	1.5" Double Speedlay with Elkhart Manual Valves	\$2,391		
4415-0253	SPDLY TRPL 1.5" ELKHART VLV	\$3,738		
4415-0254	Triple Speedlay (2) 1.5" and (1) 2.5" with Elkhart Manual Valves	\$5,638		
4415-0255	Double 1.5" Speedlay w/2" Elkhart Electric Valves	\$5,269		
4415-0256	Triple 1.5" Speedlay w/2" Elkhart Electric Valves	\$8,054		
4415-0257	Triple (2) 1.5" & (1) 2.5" Speedlay w/(2) 2" & (1) 2.5" Elkhart Electric Valves	\$10,198		
4415-0258	4" Waterway Discharge with 3" Hale Electric Valve	\$5,216		
4415-0259	4" Waterway Discharge with 4" Hale Electric Valve	\$6,597		
4415-0260	4" Waterway Discharge with 3" Elkhart Manual Valve	\$2,867		
4415-0261	4" Waterway Discharge with 3" Elkhart Electric Valve	\$4,523		
4415-0262	4" Waterway Discharge with 4" Elkhart Unibody Electric Valve	\$6,828		
4415-0263	3" Auxillary Waterway Discharge Elkhart Manual Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$1,654		
4415-0264	2.5" Auxillary Waterway Discharge Elkhart Manual Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$1,495		
4415-0265	3" Deck Gun Discharge Elkhart Manual Valve w/RC-10 Controller.	\$2,176		
4415-0266	3" Deck Gun Discharge Elkhart Electric Valve	\$3,830		

Item #	Description	Extension	+1/-1	Total
4415-0267	2.5" Auxiliary Deck Gun Discharge Elkhart Valve for use with CAFS System	\$2,457		
4415-0268	1.5" Front Bumper Discharge Elkhart Manual Valve	\$1,902		
4415-0269	2.5" Front Bumper Discharge Elkhart Manual Valve	\$2,254		
4415-0270	1.5" Front Bumper Discharge Elkhart Electric Valve	\$3,341		
4415-0271	2.5" Front Bumper Discharge Elkhart Unibody Electric Valve	\$3,937		
4415-0272	1.5" Left Front Hosebed Preconnect Elkhart Manual Valve	\$1,265		
4415-0273	2.5" Left Front Hosebed Discharge Elkhart Manual Valve	\$1,869		
4415-0274	3" Left Front Hosebed Discharge Elkhart Manual Valve	\$2,717		
4415-0275	1.5" Left Front Hosebed w/2" Elkhart Electric Valve	\$2,705		
4415-0276	2.5" Left Front Hosebed Elkhart Electric Valve	\$3,551		
4415-0277	3" Left Front Hosebed Elkhart Electric Valve	\$4,370		
4415-0278	1.5" Right Front Hosebed Preconnect Elkhart Manual Valve	\$1,265		
4415-0279	2.5" Right Front Hosebed Discharge Elkhart Manual Valve	\$1,869		
4415-0280	3" Right Front Hosebed Discharge Elkhart Manual Valve	\$2,717		
4415-0281	1.5" Right Front Hosebed w/2" Elkhart Electric Valve	\$2,705		
4415-0282	2.5" Right Front Hosebed Elkhart Electric Valve	\$3,551		
4415-0283	3" Right Front Hosebed Elkhart Electric Valve	\$4,370		
4415-0284	1.5" Left Panel Discharge Elkhart Valve	\$1,265		
4415-0285	4" Pump Panel Discharge Elkhart Electric Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC].	\$5,615		
4415-0286	5" Pump Panel Discharge with 4" Akron Electric Valve Location: [#LOC]	\$6,136		
4415-0287	5" Pump Panel Discharge with 4" Hale Electric Valve Location: [#LOC]	\$7,350		
4415-0288	5" Pump Panel Discharge with 4" Elkhart Electric Valve Location: [#LOC]	\$6,368		
4415-0289	2.5" Left Pump Panel Discharge Elkhart Manual Valve. Location: [#LOC]	\$1,348		
4415-0290	2.5" Left Panel Discharge Elkhart Manual Valve w/45 Degree Droop. Location: [#LOC].	\$1,649		
4415-0291	3" Left Pump Panel Top mount Discharge Elkhart Manual Valve Location: [#LOC]	\$2,262		
4415-0292	2.5" Left Pump Panel Discharge Elkhart Electric Valve. Location: [#LOC]	\$3,032		
4415-0293	2.5" Left Panel Discharge Elkhart Electric Valve w/45 Degree Droop Location: [#LOC]	\$3,332		
4415-0294	3" Left Panel Discharge Top Mount Elkhart Electric Valve Location: [#LOC]	\$3,916		
4415-0295	4" Left Pump Panel Discharge with 3" Akron Manual Valve Top Mount Controlled. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$2,217		
4415-0296	4" Left Pump Panel Discharge with 3" Hale Manual Valve Top Mount Controlled Location: [#LOC]	\$2,644		
4415-0297	4" Left Pump Panel Discharge with 3" Elkhart Manual Valve Top Mount Controlled (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$2,469		
4415-0298	1.5" Right Panel Discharge Elkhart Valve	\$1,265		
4415-0299	2.5" Right Pump Panel Discharge Elkhart Manual Valve. Location: [#LOC].	\$1,474		
4415-0300	2.5" Right Panel Discharge Elkhart Manual Valve w/45 Degree Droop. Location: [#LOC].	\$1,649		
4415-0301	3" Right Pump Panel Discharge Elkhart Manual Valve Location: [#LOC]	\$2,139		
4415-0302	4" Right Pump Panel Discharge with 3" Elkhart Manual Valve w/RC-10 Control w/lights. Location: [#LOC].	\$2,469		
4415-0303	5" Right Pump Panel Discharge with 3" Elkhart Unibody Manual Valve Location: [#LOC]	\$3,327		
4415-0304	2.5" Right Pump Panel Discharge Elkhart Electric Valve Location: [#LOC]	\$3,159		
4415-0305	2.5" Right Panel Discharge Elkhart Electric Valve w/45 Degree Droop Location: [#LOC]	\$3,332		
4415-0306	3" Right Pump Panel Discharge Elkhart Electric Valve Location: [#LOC]	\$3,794		



Item #	Description	Extension	+1/-1	Total
4415-0307	4" Right Pump Panel Discharge w/3" Elkhart Electric Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,126		
4415-0308	5" Right Pump Panel Discharge w/3" Elkhart Electric Valve Location: [#LOC]	\$4,981		
4415-0309	1.5" Left Rear Discharge Elkhart Manual Valve Location: [#LOC]	\$1,329		
4415-0310	2.5" Left Rear Discharge Elkhart Manual Valve. Location: [#LOC].	\$1,545		
4415-0311	3" Left Rear Discharge Elkhart Manual Valve Location: [#LOC]	\$2,371		
4415-0312	1.5" Left Rear Discharge Elkhart Electric Valve Location: [#LOC]	\$2,770		
4415-0313	2.5" Left Rear Discharge Elkhart Electric Valve Location: [#LOC]	\$3,227		
4415-0314	3" Left Rear Discharge Elkhart Electric Valve Location: [#LOC]	\$4,026		
4415-0315	1.5" Right Rear Discharge Elkhart Manual Valve Location: [#LOC]	\$1,329		
4415-0316	2.5" Right Rear Discharge Elkhart Manual Valve. Location: [#LOC].	\$1,545		
4415-0317	3" Right Rear Discharge Elkhart Manual Valve Location: [#LOC]	\$2,371		
4415-0318	1.5" Right Rear Discharge Elkhart Electric Valve Location: [#LOC]	\$2,770		
4415-0319	2.5" Right Rear Discharge Elkhart Electric Valve Location: [#LOC]	\$3,227		
4415-0320	3" Right Rear Dicharge Elkhart Electric Valve Location: [#LOC]	\$4,026		
4415-0322	Second Left Front Hosebed Discharge 1.5" w/2" Akron Manual Valve	\$1,174		
4415-0323	Second left front hose bed discharge 2.5" Akron manual valve.	\$1,696		
4415-0324	Second Left Front Hosebed Discharge 2.5" Hale Manual Valve	\$1,982		
4415-0325	Second Left Front Hose Bed Discharge 3" Akron Manual Valve.	\$2,461		
4415-0326	Second Left Front Hosebed 1.5" w/2" Akron Electric Valve	\$3,357		
4415-0327	Second Left Front Hosebed 2.5" Akron Electric Valve	\$4,117		
4415-0328	Second Left Front Hosebed 3" Akron Electric Valve	\$4,966		
4415-0329	Second Left Front Hosebed 1.5" w/2" Akron Electric Valve & Navigator 9305	\$6,216		
4415-0330	Second Left Front Hosebed 2.5" Akron Electric Valve & Navigator 9305	\$7,570		
4415-0331	Second Left Front Hosebed 3" Akron Electric Valve & Navigator 9305	\$8,415		
4415-0332	Second Left Front Hosebed 1.5" w/2" Electric over Hydraulic Actuated Akron Valve	\$3,110		
4415-0333	Second Left Front Hosebed w/2.5" Electric over Hydraulic Actuated Akron Valve	\$3,587		
4415-0334	Second Left Front Hosebed w/3" Electric over Hydraulic Actuated Akron Valve	\$4,400		
4415-0335	Second Left Front Hosebed Discharge 1.5" Hale Manual Valve	\$1,341		
4415-0336	Second Left Front Hosebed Discharge 3" Hale Manual Valve	\$2,698		
4415-0337	Second Left Front Hosebed Discharge 1.5" Hale Electric Valve	\$3,081		
4415-0338	Second Left Front Hosebed Discharge 2.5" Hale Electric Valve	\$3,878		
4415-0339	Second Left Front Hosebed Discharge 3" Hale Electricl Valve	\$5,301		
4415-0340	Second Left Front Hosebed Preconnect 1.5" Elkhart Manual Valve	\$1,265		
4415-0341	Second Left Front Hosebed Discharge 2.5" Elkhart Manual Valve	\$1,869		
4415-0342	Second Left Front Hosebed Discharge 3" Elkhart Manual Valve	\$2,717		
4415-0343	Second Left Front Hosebed 1.5" w/2" Elkhart Electric Valve	\$2,705		
4415-0344	Second Left Front Hosebed 2.5" Elkhart Electric Valve	\$3,551		
4415-0345	Second Left Front Hosebed 3" Elkhart Electric Valve	\$4,370		
4415-0346	Second Right Front Hose Bed Preconnect 1.5" With 2" Akron Manual Valve.	\$1,174		
4415-0347	Second Right Front Hose Bed Discharge 2.5" Akron Manual Valve.	\$1,696		
4415-0348	Second Right Front Hosebed Discharge 2.5" Hale Manual Valve	\$1,982		
4415-0349	Second Right Front Hosebed Discharge 3" Akron Manual Valve	\$2,461		
4415-0350	Second Right Front Hosebed 1.5" w/2" Akron Electric Valve	\$3,357		

Item #	Description	Extension	+1/-1	Total
4415-0351	Second Right Front Hosebed 2.5" Akron Electric Valve	\$4,117		
4415-0352	Second Right Front Hosebed 3" Akron Electric Valve	\$4,966		
4415-0353	Second Right Front Hosebed 1.5" w/2" Akron Electric Valve & Navigator 9305	\$6,216		
4415-0354	Second Right Front Hosebed 2.5" Akron Electric Valve & Navigator 9305	\$7,570		
4415-0355	Second Right Front Hosebed 3" Akron Electric Valve & Navigator 9305	\$8,415		
4415-0356	Second Right Front Hosebed 1.5" w/2" Electric over Hydraulic Actuated Akron Valve	\$3,110		
4415-0357	Second Right Front Hosebed 2.5" w/Electric over Hydraulic Actuated Akron Valve	\$3,587		
4415-0358	Second Right Front Hosebed 3" w/Electric over Hydraulic Actuated Akron Valve	\$4,400		
4415-0359	Second Right Front Hosebed 1.5" Discharge Hale Manual Valve	\$1,341		
4415-0360	Second Right Front Hosebed Discharge 3" Hale Manual Valve	\$2,698		
4415-0361	Second Right Front Hosebed Discharge 1.5" w/2" Hale Electric Valve	\$3,081		
4415-0362	Second Right Front Hosebed Discharge 2.5" Hale Electric Valve	\$3,878		
4415-0363	Second Right Front Hosebed Discharge 3" Hale Electric Valve	\$5,301		
4415-0364	Second Right Front Hosebed Preconnect 1.5" Elkhart Manual Valve	\$1,265		
4415-0365	Second Right Front Hosebed Discharge 2.5" Elkhart Manual Valve	\$1,869		
4415-0366	Second Right Front Hosebed Discharge 3" Elkhart Unibody Manual Valve and shall terminate with a 3"FNPT X 2.5"MNST adapter.	\$2,717		
4415-0367	Second Right Front Hosebed 1.5" w/2" Elkhart Electric Valve	\$2,705		
4415-0368	Second Right Front Hosebed 2.5" Elkhart Electric Valve	\$3,551		
4415-0369	Second Right Front Hosebed 3" Elkhart Electric Valve	\$4,370		
4415-0370	Second 1.5" Front Bumper Discharge Akron Manual Valve.	\$1,809		
4415-0371	Second 1.5" Front Bumper Discharge Hale Manual Valve	\$1,930		
4415-0372	Second 1.5" Front Bumper Discharge Akron Electric Valve	\$3,733		
4415-0373	Second 2.5" Front Bumper Discharge Akron Electric Valve	\$3,914		
4415-0374	Second 1.5" Front Bumper Discharge Akron Electric Valve & Navigator 9305	\$6,853		
4415-0375	Second 1.5" Front Bumper Discharge w/Electric over Hydraulic Actuated Akron Valve	\$3,747		
4415-0376	Second 2.5" Front Bumper Discharge Akron Electric Valve & Navigator 9305	\$7,956		
4415-0377	Second 2.5" Front Bumper Discharge w/Electric over Hydraulic Actuated Akron Valve	\$4,016		
4415-0378	Second 2.5" Front Bumper Discharge Akron Manual Valve	\$2,079		
4415-0379	Second 2.5" Front Bumper Discharge Hale Manual Valve	\$2,142		
4415-0380	Second 1.5" Front Bumper Discharge Hale Electric Valve	\$3,671		
4415-0381	Second 2.5" Front Bumper Discharge Hale Electric Valve	\$4,038		
4415-0382	Second 1.5" Front Bumper Discharge Elkhart Manual Valve	\$1,902		
4415-0383	Second 2.5" Front Bumper Discharge Elkhart Manual Valve	\$2,254		
4415-0384	Second 1.5" Front Bumper Discharge Elkhart Electric Valve	\$3,341		
4415-0385	Second 2.5" Front Bumper Discharge Elkhart Electric Valve	\$3,937		
4415-0386	4" Right Rear Discharge 4" Akron Electric Valve.	\$5,987		
4415-0387	4" Left Rear Discharge Hale Electric Valve	\$6,885		
4415-0388	4" Left Rear Discharge Elkhart Electric Valve	\$5,931		
4415-0389	4" Right Rear Discharge Hale Electric Valve	\$7,164		
4415-0390	4" Right Rear Discharge Elkhart Electric Valve	\$6,215		
4415-0391	4" Deck Gun Discharge Akron Electric Valve.	\$6,389		
4415-0392	4" Deck Gun Discharge Hale Electric Valve	\$7,566		
4415-0393	4" Deck Gun Discharge Elkhart Electric Valve	\$6,616		

Item #	Description	Extension	+1/-1	Total
4415-0394	2.5" Left Rear Hosebed Discharge Above Hosebed Akron Manual Valve	\$0		
4415-0395	Rear discharge(s) located [#LOC]	\$0		
4415-0396	Rear discharges to be located below the rear intermediate step.	\$0		
4415-0397	4" Officer side discharge. Forward of steamer and includes 30 degree droop, 4" Akron full flow valve with 4" driver side hand wheel control.	\$4,429		
4415-0398	An indicator light shall be installed in the cab to show the pre-connect discharge line is fully deployed and pressurized	\$118		
4415-0399	1.5" Crosslay w/2" Akron Valve Handwheel Control Location: [#LOC]	\$2,322		
4415-0400	1.5" Crosslay w/2" Elkhart Valve Handwheel Control Location: [#LOC]	\$2,381		
4415-0401	2.5" Crosslay w/Akron Valve Handwheel Control. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$2,552		
4415-0402	2.5" Crosslay w/Elkhart Unibody Valve Handwheel Control. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$2,608		
4415-0403	3" Deck Gun Discharge Akron Valve Handwheel Control.	\$3,117		
4415-0404	3" Deck Gun Discharge Elkhart Valve Handwheel Control	\$3,177		
4415-0405	1.5" Front Bumper Discharge Akron Valve Handwheel Control	\$3,006		
4415-0406	1.5" Front Bumper Discharge Elkhart Unibody Valve Handwheel Control	\$3,064		
4415-0407	2.5" Front Bumper Discharge Akron Valve Handwheel Control	\$3,274		
4415-0408	2.5" Front Bumper Discharge Elkhart Valve Handwheel Control	\$3,333		
4415-0409	1.5" Left Front Hosebed Preconnect Akron Valve Handwheel Control	\$2,368		
4415-0410	1.5" Left Front Hosebed Preconnect Elkhart Valve Handwheel Control	\$2,428		
4415-0411	2.5" Left Front Hosebed Discharge Akron Valve Handwheel Control	\$2,891		
4415-0412	2.5" Left Front Hosebed Discharge Elkhart Valve Handwheel Control	\$2,947		
4415-0413	3" Left Front Hosebed Discharge Akron Valve Handwheel Control	\$3,658		
4415-0414	3" Left Front Hosebed Discharge Elkhart Valve Handwheel Control	\$3,715		
4415-0415	1.5" Right Front Hosebed Preconnect Akron Valve Handwheel Control	\$2,368		
4415-0416	1.5" Right Front Hosebed Preconnect Elkhart Valve Handwheel Control	\$2,428		
4415-0417	2.5" Right Front Hosebed Discharge Akron Valve Handwheel Control	\$2,891		
4415-0418	2.5" Right Front Hosebed Discharge Elkhart Valve Handwheel Control	\$2,947		
4415-0419	3" Right Front Hosebed Discharge Akron Valve Handwheel Control	\$3,658		
4415-0420	3" Right Front Hosebed Discharge Elkhart Valve Handwheel Control	\$3,715		
4415-0421	4" Pump Panel Discharge Akron Valve Handwheel Control. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$4,502		
4415-0422	4" Pump Panel Discharge Akron Valve Handwheel Control. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$4,502		
4415-0423	5" Right Pump Panel Discharge with 4" Akron Valve Handwheel Control	\$5,258		
4415-0424	5" Right Pump Panel Discharge with 4" Elkhart Valve Handwheel Control	\$5,345		
4415-0425	2.5" Right Pump Panel Discharge Akron Valve Handwheel Control. Location: [#LOC]	\$2,498		
4415-0426	2.5" Right Pump Panel Discharge Elkhart Valve Handwheel Control. Location: [#LOC]	\$2,555		
4415-0427	2.5" Right Panel Discharge Akron Valve Handwheel Control w/30 Degree Droop Location: [#LOC]	\$2,669		
4415-0428	2.5" Right Panel Discharge Elkhart Valve Handwheel Control w/30 Degree Droop Location: [#LOC]	\$2,729		
4415-0429	3" Right Pump Panel Discharge Akron Valve Handwheel Control (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$3,080		
4415-0430	3" Right Pump Panel Discharge Elkhart Unibody Valve Handwheel Control Location: [#LOC]	\$3,137		

Item #	Description	Extension	+1/-1	Total
4415-0431	3" Right Panel Discharge Akron Valve Handwheel Control w/Droop. Location:(Waterous pumps noted location to be forward lower port) [#LOC].	\$3,447		
4415-0432	4" Right Panel Discharge w/3" Akron Valve Handwheel Control. Location: [#LOC].	\$3,412		
4415-0433	4" Right Panel Dischargew/3" Elkhart Unibody Valve Handwheel Control Location: [#LOC]	\$3,470		
4415-0434	5" Right Pump Panel Discharge with 3" Akron Valve Handwheel Control Location: [#LOC]	\$4,268		
4415-0435	5" Right Pump Panel Discharge with 3" Elkhart Valve Handwheel Control Location: [#LOC]	\$4,325		
4415-0436	1.5" Left Rear Discharge Akron Valve Handwheel Control Location: [#LOC]	\$2,433		
4415-0437	1.5" Left Rear Discharge Elkhart Valve Handwheel Control Location: [#LOC]	\$2,490		
4415-0438	2.5" Left Rear Discharge Akron Valve Handwheel Control Location: [#LOC]	\$2,567		
4415-0439	2.5" Left Rear Discharge Elkhart Unibody Valve Handwheel Control Location: [#LOC]	\$2,623		
4415-0440	3" Left Rear Discharge Akron Valve Handwheel Control Location: [#LOC]	\$3,315		
4415-0441	3" Left Rear Discharge Elkhart Unibody Valve Handwheel Control Location: [#LOC]	\$3,371		
4415-0442	4" Left Rear Discharge Akron Valve Handwheel Control	\$4,825		
4415-0443	1.5" Right Rear Discharge Akron Valve Handwheel Control Location: [#LOC]	\$2,433		
4415-0444	1.5" Right Rear Discharge Elkhart Valve Handwheel Control Location: [#LOC]	\$2,490		
4415-0445	2.5" Right Rear Discharge Akron Valve Handwheel Control Location: [#LOC]	\$2,567		
4415-0446	2.5" Right Rear Discharge Elkhart Unibody Valve Handwheel Control Location: [#LOC]	\$2,623		
4415-0447	3" Right Rear Discharge Akron Valve Handwheel Control Location: [#LOC]	\$3,315		
4415-0448	3" Right Rear Discharge Elkhart Valve Handwheel Control Location: [#LOC]	\$3,371		
4415-0449	4" Right Rear Discharge Akron Valve Handwheel Control	\$5,107		
4415-0451	4" Waterway Discharge with 3" Akron Valve Handwheel Control.	\$3,806		
4415-0452	4" Waterway Discharge with 3" Elkhart Valve Handwheel Control	\$3,864		
4415-0453	4" Waterway Discharge Akron Valve Handwheel Control	\$4,503		
4415-0454	4" Pump Panel Discharge Akron Valve Handwheel Control. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$4,594		
4415-0455	Second 1.5" Front Bumper Discharge Akron Valve Handwheel Control	\$3,006		
4415-0456	Second 1.5" Front Bumper Discharge Elkhart Valve Handwheel Control	\$3,064		
4415-0457	Second 2.5" Front Bumper Discharge Akron Valve Handwheel Control	\$3,274		
4415-0458	Second 2.5" Front Bumper Discharge Elkhart Valve Handwheel Control	\$3,333		
4415-0459	Second Left Front Hosebed Discharge 1.5" w/2" Akron Valve Handwheel Control	\$2,368		
4415-0460	Second Left Front Hosebed Discharge 1.5" w/2" Elkhart Valve Handwheel Control	\$2,428		
4415-0461	Second Left Front Hosebed Discharge 2.5" Akron Valve Handwheel Control	\$2,891		
4415-0462	Left Front Hosebed Discharge 2.5" Elkhart Unibody Valve Handwheel Control	\$2,947		
4415-0463	Second Left Front Hosebed Discharge 3" Akron Valve Handwheel Control	\$3,658		
4415-0464	Second Left Front Hosebed Discharge 3" Elkhart Valve Handwheel Control	\$3,715		
4415-0465	Second Right Front Hosebed Preconnect 1.5" Akron Valve Handwheel Control	\$2,368		
4415-0466	Second Right Front Hosebed Preconnect 1.5" Elkhart Valve Handwheel Control	\$2,428		
4415-0467	Second Right Front Hosebed Discharge 2.5" Akron Valve Handwheel Control	\$2,891		
4415-0468	Second Right Front Hosebed Discharge 2.5" Elkhart Valve Handwheel Control	\$2,947		
4415-0469	Second Right Front Hosebed Discharge 3" Akron Valve Handwheel Control	\$3,658		
4415-0470	Second Right Front Hosebed Discharge 3" Elkhart Valve Handwheel Control	\$3,715		
4415-0471	1.5" Left Discharge Akron Valve in Running Board Hose Tray, [#LOC].	\$1,174		
4415-0472	1.5" Left Discharge Hale Valve in Runningboard Hose Tray, [#LOC].	\$1,293		
4415-0473	1.5" Left Discharge Elkhart Valve in Runningboard Hose Tray, [#LOC].	\$1,265		

Item #	Description	Extension	+1/-1	Total
4415-0474	1.5" Right Discharge Akron Valve in Runningboard Hose Tray, [#LOC].	\$1,174		
4415-0475	1.5" Right Discharge Hale Valve in Runningboard Hose Tray, [#LOC].	\$1,293		
4415-0476	1.5" Right Discharge Elkhart Valve in Runningboard Hose Tray, [#LOC].	\$1,265		
4415-0477	4" Left Rear Discharge Elkhart Valve Handwheel Control	\$4,913		
4415-0478	4" Right Rear Discharge Elkhart Valve Handwheel Control	\$5,197		
4415-0479	All flexiable hose lines (up to 1.5") for plumbing are to have reuseable screw together fittings.	\$0		
4415-0480	Special Class 1 Plumbing Package with all plumbing gauges. Includes following discharges: (2) 2.5" DRV, (2) 2.5" OFC, (1) 3" DG, (1) 2.5" DRV RR, (1) 2.5" OFC RR, (2) 1.5" PC, (1) 1.5" JL and (2) 2.5" AUX INTAKES - (1) each side	\$0		
4415-0484	2.5" Quad Speedlay with Akron Manual Valves.	\$5,416		
4415-0485	4" Pump Panel Discharge Akron Valve Handwheel Control for officer's side panel	\$3,009		
4415-0486	Third Left Front Hosebed Discharge 2.5" Akron Manual Valve.	\$1,696		
4415-0487	2.5" Discharge Package Montreal. Includes (8) discharges- (4) each side with droop.	\$16,259		
4415-0488	4" officer rear discharge with 3" valve. Includes 4" FNPT x 4" MNST chrome adaptor with cap (ship loose).	\$3,684		
4415-0489	2.5" Auxillary Waterway Discharge Akron Elect Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$3,973		
4415-0491	2.5" Left Panel Discharge Elkhart Manual Unibody Valve w/30 Degree Chrome Droop. Location: [#LOC].	\$1,613		
4415-0492	2.5" Right Panel Discharge Elkhart Manual Unibody Valve w/30 Degree Chrome Droop. Location: [#LOC].	\$1,643		
4415-0493	1.5" Crosslay w/2" Elkhart Unibody Manual Valve. Location: [#LOC].	\$1,190		
4415-0494	1.5" Crosslay w/2" Elkhart Unibody Electric Valve UBEC3 to read flow, and pressure. Location: [#LOC]	\$5,780		
4415-0495	2.5" Right Panel Discharge Elkhart Hand Wheel Control Unibody Valve w/30 Degree Chrome Droop Location: [#LOC]	\$2,642		
4415-0496	3" Deck Gun Discharge Elkhart Unibody Valve Handwheel Control	\$3,066		
4415-0497	4" Pump Discharge Elkhart Electric UBEC3 Valve to read flow, and pressure. Location: [#LOC]	\$7,543		
4415-0498	1.5" Right Rear Discharge Elkhart Electric UBEC3 Valve to read flow, and pressure. Location: [#LOC]	\$5,608		
4415-0499	2.5" Right Rear Discharge Elkhart Electric UBEC3 Valve to read flow, and pressure. Location: [#LOC]	\$6,515		
4415-0500	1.5" Front Bumper Crosslay Elkhart Electric UBEC3 Valve to read flow, and pressure.	\$5,946		
4415-0502	1.5" Front Bumper Discharge Akron Manual Valve without Blowout	\$1,809		
4415-0504	2.5" Right Panel Discharge Elkhart Manual Unibody Valve Location: [#LOC]	\$1,505		
4415-0505	2.5" Left Panel Discharge Elkhart Manual Unibody Valve Location: [#LOC]	\$1,473		
4415-0506	2.5" Right Panel Discharge Elkhart Hand Wheel Control Unibody Valve Location: [#LOC]	\$2,506		
4415-0507	4" Officer side discharge. Foward of steamer. Includes 30 degree droop. Hand Wheel Control on operator panel.	\$5,286		
4415-0508	1.5" preconnect discharge with Akron Electric Valve. For use on rear mounted pumps only. Locate [#LOC].	\$3,733		
4415-0509	2.5" Auxillary Waterway Discharge Akron Hand Wheel Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$2,754		
4415-0510	1.5"/2.5" Double Speedlay with Akron Manual Valves (1) 1.5" speedlay, and (1) 2.5 speedlay.	\$2,693		
4415-0511	1.5" Right Panel Discharge Akron Valve Hand Wheel Control	\$2,606		
4415-0512	2.5" preconnect discharge with Akron Electric Valve. For use on rear mounted pumps only. Locate [#LOC].	\$4,979		
4415-0513	Brass Swivel Located on Top of Bumper [#LOC] for Front Bumper Discharge.	\$0		
4415-0514	4" Officer side discharge. Foward of steamer and includes 30 degree droop, 4" Elkhart Elect Control full flow valve.	\$5,816		
4415-0515	Front jumpline swivel to be recess so WYE valve will clear rise lid and tray.	\$192		
4415-0516	4" Right Panel Discharge w/ 3" Akron Valve Handwheel Control w/Droop Location: [#LOC]	\$3,788		
4415-0517	4" Right Pump Panel Discharge with 3" Akron Manual Valve w/Droop. Location: [#LOC].	\$2,584		
4415-0518	4" Right Panel Discharge w/ 3" Akron Valve Electric w/Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$5,089		
4415-0519	4" Right Pump Panel Discharge w/3" Akron Electric Valve & Navigator 9305 with 30 Degree Droop Location: [#LOC]	\$8,534		

Item #	Description	Extension	+1/-1	Total
4415-0520	4" Right Pump Panel Discharge with 3" Hale Manual Valve with 30 Degree Droop Location: [#LOC]	\$3,012		
4415-0521	4" Right Pump Panel Discharge with 3" Hale Electric Valve with 30 Degree Droop Location: [#LOC]	\$5,615		
4415-0522	4" Pump Panel Discharge Akron Electric Valve Location: RS With control at LHS only.	\$5,383		
4415-0523	5" Right Panel Discharge w/4" Elkhart Electric UBEC3 Valve to read flow, and pressure. Location: [#LOC]	\$7,876		
4415-0524	3" Deck Gun Discharge Elkhart Unibody Manual Valve.	\$2,168		
4415-0525	1.5" Front Bumper Discharge Elkhart Unibody Manual Valve.	\$1,902		
4415-0526	Triple Speedlay (2) 1.5" and (1) 2.5" with Elkhart Unibody Manual Valves	\$5,638		
4415-0527	1.5" Crosslay w/2" Elkhart Electric Unibody UBEC1 Valve Location: [#LOC]	\$3,282		
4415-0528	2.5" Left Pump Panel Discharge Elkhart Unibody Electric Valve. Location: [#LOC]	\$3,594		
4415-0529	3" Right Pump Panel Discharge Elkhart Unibody Electric Valve Location: [#LOC]	\$4,390		
4415-0530	4" Pump Panel Discharge Elkhart UBEC1 Electric Valve (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$5,383		
4415-0531	4" Pump Panel Discharge Akron Electric Valve with 30 Degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$5,732		
4415-0532	4" Waterway Discharge with 4" Elkhart Unibody Electric Valve	\$5,384		
4415-0533	2.5" Single Discharge Location:Officer's Side Pump Panel.	\$1,664		
4415-0534	2.5" Single Discharge Location:Officer's Side Pump Panel.	\$3,747		
4415-0535	1.5" Front Bumper Discharge Akron Manual Valve. For use with Spartan Chassis	\$1,230		
4415-0536	5" Right Pump Panel Discharge with 4" Akron Valve Handwheel Control. Location: [#LOC].	\$4,524		
4415-0537	2.5" Crosslay Elkhart Unibody Manual Valve. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$1,598		
4415-0538	1.5" Double Speedlay with Elkhart Unibody Manual Valves	\$2,265		
4415-0539	1.5" Triple Speedlay with Elkhart Unibody Manual Valves	\$3,517		
4415-0540	Triple Speedlay (2) 1.5" and (1) 2.5" with Elkhart Unibody Manual Valves	\$5,062		
4415-0541	3" Deck Gun Discharge Elkhart Unibody Manual Valve.	\$2,044		
4415-0542	Second 1.5" Front Bumper Discharge Elkhart Unibody Manual Valve	\$1,902		
4415-0543	3" Right Pump Panel Discharge Akron Manual Swing Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$2,168		
4415-0544	3" Left Pump Panel Discharge Akron Manual Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$1,967		
4415-0545	5" Pump Panel Discharge with 4" Elkhart UBEC1 Electric Valve Location: [#LOC]	\$6,368		
4415-0546	4" Waterway Discharge with 3" Elkhart Unibody Valve Handwheel Control	\$3,864		
4415-0547	2.5" Front Bumper Discharge Elkhart Unibody Manual Valve	\$2,254		
4415-0548	3" Auxillary Waterway Discharge Elkhart Unibody Manual Valve. Plumbed from foam manifold and "Y" into w/way pipe downstream from main w/way discharge valve.	\$1,390		
4415-0549	1.5" Front Bumper Discharge Elkhart Electric UBEC1 Valve	\$3,841		
4415-0550	2.5" Double Speedlay with Akron Manual Valves	\$2,710		
4415-0551	2.5" Right Front Hosebed Discharge Akron Manual Valve. Locate offset 11.5" from officer side hosebed side.	\$1,696		
4415-0552	1.5" Front Bumper Crosslay Discharge Akron Manual Valve.	\$2,541		
4415-0553	2.5" Left Front Hosebed Discharge Akron Manual Valve located outlet shall be located 13.625" from inside hosebed wall.	\$1,696		
4415-0554	1.5" Triple Speedlay with Akron Valve Hand Wheel Control.	\$7,615		
4415-0555	3" Deck Gun Discharge Akron Manual Valve with no Plumbing from the valve to deck gun channel Dealer to install Extend-A-Gun and Plumbing from the valve to the channel..	\$1,786		
4415-0556	4" Waterway Discharge with 4" Akron Electric Valve & Navigator 9305 Control	\$9,009		

Item #	Description	Extension	+1/-1	Total
4415-0557	2.5" Left Rear Discharge Elkhart Unibody Manual Valve Location: [#LOC].	\$1,545		
4415-0558	2.5" Right Rear Discharge Elkhart Unibody Manual Valve Location: [#LOC].	\$1,545		
4415-0559	5" Right Pump Panel Discharge with 4" Elkhart Unibody Valve Handwheel Control Location: [#LOC]	\$4,820		
4415-0561	2.5" Left Panel Discharge Akron Electric Valve w/30 Degree Droop Location: [#LOC]	\$3,896		
4415-0562	3" Right Pump Panel Discharge Akron Electric Valve w/30degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,592		
4415-0563	2.5" Right Panel Discharge Akron Electric Valve w/30 Degree Droop Location: [#LOC]	\$3,896		
4415-0564	3" Right Pump Panel Discharge Elkhart Electric Valve w/30degree Droop Location: [#LOC]	\$4,592		
4415-0565	4" Waterway Discharge with 5" Elkhart Electric Valve	\$6,961		
4415-0566	1.5" crosslay w/2" Akron electric valve. Location: [#LOC].	\$3,282		
4415-0567	2.5" Crosslay w/Akron Electric Valve. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC].	\$3,773		
4415-0568	3" deck gun discharge Akron electric valve.	\$4,423		
4415-0569	4" deck gun discharge Akron electric valve.	\$6,389		
4415-0570	1.5" Front Bumper Discharge Akron Electric Valve.	\$3,733		
4415-0571	Second 1.5" Front Bumper Discharge Akron Electric Valve	\$3,733		
4415-0572	2.5" Front Bumper Discharge Akron Electric Valve	\$3,914		
4415-0573	Second 2.5" Front Bumper Discharge Akron Electric Valve	\$3,914		
4415-0574	2.5" Left Pump Panel Discharge Akron Electric Valve. Location: [#LOC].	\$3,594		
4415-0575	2.5" Left Panel Discharge Akron Electric Valve w/30 Degree Droop. Location: [#LOC].	\$3,594		
4415-0576	4" Pump Panel Discharge Akron Electric Valve. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$5,383		
4415-0577	5" Pump Panel Discharge with 4" Akron Electric Valve. Location: [#LOC].	\$6,136		
4415-0578	1.5" Left Rear Discharge Akron Electric Valve Location: [#LOC]	\$3,422		
4415-0579	2.5" Left Rear Discharge Akron Electric Valve. Location: [#LOC].	\$3,793		
4415-0580	3" Left Rear Discharge Akron Electric Valve. Location: [#LOC].	\$4,622		
4415-0581	4" Left Rear Discharge Akron Electric Valve.	\$5,703		
4415-0582	1.5" Right Rear Discharge Akron Electric Valve Location: [#LOC]	\$3,422		
4415-0583	2.5" Right Rear Discharge Akron Electric Valve. Location: [#LOC].	\$3,793		
4415-0584	3" Right Rear Dicharge Akron Electric Valve Location: [#LOC]	\$4,622		
4415-0585	4" Right Rear Discharge Akron Electric Valve.	\$5,987		
4415-0586	2.5" Right Pump Panel Discharge Akron Electric Valve. Location: [#LOC].	\$3,594		
4415-0587	3" Right Pump Panel Discharge Akron Electric Valve. Location: [#LOC].	\$4,390		
4415-0588	4" Right Pump Panel Discharge w/3" Akron Electric Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,722		
4415-0589	5" Right Pump Panel Discharge w/3" Akron Electric Valve. Location: [#LOC].	\$5,576		
4415-0590	2.5" Right Panel Discharge Akron Electric Valve w/30 Degree Droop. Location: [#LOC].	\$3,896		
4415-0591	3" Right Panel Discharge Akron Electric Valve w/30 Degree Droop (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$4,756		
4415-0592	4" Right Panel Discharge w/3" Akron valve electric w/droop (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$5,089		
4415-0593	3" Right Pump Panel Discharge Akron Electric Valve w/30degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,592		
4415-0594	2.5" Right Panel Discharge Akron Electric Valve w/30 Degree Droop Location: [#LOC]	\$3,896		
4415-0595	1.5" Left Front Hosebed w/2" Akron Electric Valve	\$3,357		

Item #	Description	Extension	+1/-1	Total
4415-0596	2.5" Left Front Hose Bed Akron Electric Valve.	\$4,117		
4415-0597	3" Left Front Hose Bed Akron Electric Valve.	\$4,966		
4415-0598	Second Left Front Hosebed 1.5" w/2" Akron Electric Valve	\$3,357		
4415-0599	Second Left Front Hosebed 2.5" Akron Electric Valve	\$4,117		
4415-0600	Second Left Front Hosebed 3" Akron Electric Valve	\$4,966		
4415-0601	1.5" Crosslay w/2" Akron Electric Valve Location: [#LOC]	\$3,282		
4415-0602	1.5" Right Front Hosebed w/2" Akron Electric Valve	\$3,357		
4415-0603	2.5" Right Front Hose Bed Akron Electric Valve.	\$4,117		
4415-0604	3" Right Front Hose Bed Akron Electric Valve.	\$4,966		
4415-0605	Second Right Front Hosebed 1.5" w/2" Akron Electric Valve	\$3,357		
4415-0606	Second Right Front Hosebed 2.5" Akron Electric Valve	\$4,117		
4415-0607	Second Right Front Hosebed 3" Akron Electric Valve	\$4,966		
4415-0608	Double 1.5" Speedlay w/2" Akron Electric Valves.	\$6,578		
4415-0609	Triple 1.5" Speedlay w/2" Akron Electric Valves	\$10,015		
4415-0610	Triple (2) 1.5" & (1) 2.5" Speedlay w/(2) 2" & (1) 2.5" Akron Electric Valves	\$12,069		
4415-0611	Triple (2) 1.5" & (1) 2.5" Speedlay w/(2) 2" & (1) 2.5" Akron Electric Valves	\$12,069		
4415-0612	4" waterway discharge with 3" Akron electric valve.	\$4,501		
4415-0613	4" waterway discharge with 4" Akron electric valve.	\$5,384		
4415-0614	3" Left Panel Discharge Top Mount Akron Electric Valve Location: [#LOC]	\$4,511		
4415-0615	3" Left Panel Discharge Top Mount Akron Electric Valve w/30 Degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,880		
4415-0616	Third Right Front Hosebed Discharge 2.5" Akron Manual Valve.	\$1,696		
4415-0617	2.5" Left Panel Discharge Akron Manual 3" Valve w/30 Degree Droop. Location: [#LOC].	\$1,884		
4415-0618	2.5" Auxillary Deck Gun Discharge Manual Valve. Plumbed from foam manifold and "Y" into Deck Gun pipe downstream from main Deck Gun discharge valve.	\$1,320		
4415-0619	4" Right Pump Panel Discharge with 3" Akron Manual Valve. The 4" NST threads shall be a integral part of the valve. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$2,217		
4415-0620	3" Right Rear Discharge Elkhart Unibody Manual Valve Location: [#LOC]	\$2,371		
4415-0621	3" Left Front Hosebed Discharge Elkhart Unibody Manual Valve	\$2,717		
4415-0622	3" Right Front Hosebed Discharge Elkhart Unibody Manual Valve	\$2,717		
4415-0623	3" Left Rear Discharge Elkhart Unibody Manual Valve Location: [#LOC]	\$2,371		
4415-0624	4" Rear Discharge w/3" Akron Valve Handwheel Control for Rear Mount. The 4" NST Adapter shall be a integral part of the valve.	\$4,048		
4415-0625	3" Deck Gun Discharge Akron Valve Handwheel Control for Rear Mount located at rear.	\$4,350		
4415-0626	Triple Speedlay (forward to rearward or bottom to top) (2) 1.5" and (1) 2.5" with Akron Manual Valve. Speedlays are side by side and located inside transverse compartment.	\$2,482		
4415-0627	3" Deck Gun Discharge Elkhart Electric Unibody Valvw with UBEC3 controller to read flow, and pressure.	\$6,773		
4415-0628	5" Pump Panel Discharge Elkhart Electric UBEC3 Valve to read flow, and pressure. Location; [#LOC]	\$7,098		
4415-0629	2.5" Right Rear Discharge Elkhart Unibody Manual Valve Location: [#LOC]	\$1,545		
4415-0630	4" Left Pump Panel Discharge w/3" Akron Electric Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,722		
4415-0631	4" Rear Discharge w/4" Akron Valve Handwheel Control for Rear Mount. The 4" NST 30 degree Adapter shall be a integral part of the valve.	\$4,758		
4415-0632	1.5" Left Front Hose Bed Preconnect Elkhart Unibody Manual Valve.	\$1,265		



Item #	Description	Extension	+1/-1	Total
4415-0633	1.5" Right Front Hosebed Preconnect Elkhart Unibody Manual Valve	\$1,265		
4415-0634	Second Left Front Hosebed Discharge 2.5" Elkhart Unibody Manual Valve	\$1,869		
4415-0635	Second Right Front Hosebed Discharge 2.5" Elkhart Unibody Manual Valve	\$1,869		
4415-0636	4" Right Pump Panel Discharge with 3" Elkhart Unibody Manual Valve. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$2,469		
4415-0637	Second Left Front Hosebed Discharge 3" w/ 3" Elkhart Unibody Manual Valve and shall terminate with a 3"FNPT X 2.5"MNST adapter.	\$2,717		
4415-0638	Second Right Front Hosebed Discharge 2.5" w/3" Elkhart Unibody Manual Valve and shall terminate with a 3"FNPT X 2.5"MNST adapter.	\$2,717		
4415-0639	2.5" Left Rear Rearmount Discharge Akron Manual Valve	\$1,767		
4415-0640	1.5" Crosslay with Akron Manual Valve for Rear Mount	\$1,255		
4415-0641	Discharge Package (3) 2.5" with Akron Manual Valves and (1) " with Akron Electric Valve. For use with rear mounted pump.	\$0		
4415-0642	2.5" rear preconnect with crosslay style swivel. For use with rear mount pump application. Includes Akron manual valve with controller located on pump operator panel. Locate: [#LOC].	\$2,363		
4415-0643	1.5" Rear Right Side Preconnect Akron Manual Valve for Rear Mount	\$2,190		
4415-0644	2.5" Rear Officer's Side Preconnect Akron Manual Valve for Rear Mount	\$2,428		
4415-0645	1.5" rear preconnect with crosslay style swivel. For use with rear mount pump application. Includes Akron manual valve with controller located on pump operator panel. Locate: [#LOC].	\$2,108		
4415-0646	1.5" speedlay preconnect with swivel. For use with rear mount pump application. Includes Akron manual valve with controller located on pump operator panel. Locate [#LOC]	\$2,520		
4415-0647	Discharge Package (3) 2.5" with Akron Manual Valves and (1) 4" with Akron Electric Valve. For use with rear mounted pump.	\$11,347		
4415-0648	2.5" speedlay preconnect with swivel. For use with rear mount pump application. Includes Akron manual valve with controller located on pump operator panel. Locate [#LOC]	\$2,788		
4415-0649	Deck gun plumbing to be located [#LOC].	\$0		
4415-0650	Triple speedlay with (2) 1.5" in upper area, and (1) 2.5" in lower storage area. All with Akron manual valves.	\$3,999		
4415-0651	4" Waterway Discharge with 4" Akron Electric Valve with Digital Flow Meter.	\$6,459		
4415-0652	1.5" Preconnect with manual Akron Valve. Position lower rear wall offset rearward and approximately 7" off floor to bottom of line. Position swivel to rotate vertically. Locate [#LOC]	\$1,809		
4415-0653	1.5" double pre-connect. Includes Akron manual 2" valves with controls located in body compartment on pump operator panel.	\$2,229		
4415-0654	2.5" Discharge with droop. Located at discharge #1 driver side and includes Akron electric valve with controller located on pump operators panel.	\$2,878		
4415-0655	2.5" Discharge with droop. Located at discharge #2 driver side and includes Akron electric valve with controller located on pump operators panel.	\$2,878		
4415-0656	3" Discharge with droop. Located at discharge #1 officer side and includes Akron electric valve with controller located on pump operators panel.	\$3,694		
4415-0657	3" Deck gun. Includes Akron manual valve with controller located in body compartment on pump operators panel	\$2,447		
4415-0658	2.5" Driver rear discharge with cap and NFFPA retainer. Includes Akron manual valve with controller located in body compartment on pump operator panel.	\$1,942		
4415-0659	2.5" Left Pump Panel Discharge Elkhart Unibody Electric Valve with Droop. Location: [#LOC]	\$3,742		
4415-0660	2.5" Right Panel Discharge Elkhart Unibody Electric Valve w/Droop Location: [#LOC]	\$3,741		

Item #	Description	Extension	+1/-1	Total
4415-0661	4" Right Pump Panel Discharge w/3" Elkhart Electric Unibody Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,238		
4415-0662	3" Deck Gun Discharge Elkhart Electric Unibody Valve	\$4,423		
4415-0663	Front jumpline hose kit. For use with (2) DR cab and SM pump module.	\$0		
4415-0664	Front bumper 1.5" pre-connect with manual valve. Locate pre-connect in front bumper tray down low on rear wall. Includes air-blow out and bleeder valve.	\$5,002		
4415-0665	1.5" Front Bumper Discharge Akron Electric Valve & Navigator 9315	\$6,853		
4415-0666	Triple (2) 1.5" & (1) 2.5" Speedlays w/(2) 2" & (1) 2.5" Akron Electric Valves & Navigator 9315	\$20,958		
4415-0667	2.5" Left Panel Dishcarge Akron Electric Valve & Navigator 9315 w/30 Degree Droop Location: [#LOC]	\$6,612		
4415-0668	2.5" Right Panel Discharge Akron Electric Valve & Navigator 9315 w/30 Degree Droop Location: [#LOC]	\$6,612		
4415-0669	2.5" Left Rear Discharge Akron Electric Valve & Navigator 9315 Location: [#LOC]	\$7,245		
4415-0670	3" Right Panel Discharge Akron Electric Valve & Navigator 9315 w/30 Degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$7,703		
4415-0671	1.5" double speedlays with Akron manual valves. Each outlet connection shall terminate externally (no swivels) on the side of the module just below the speedlay.	\$2,207		
4415-0672	1.5" Triple Speedlay with Akron Manual Valve. Each outlet connection shall terminate externally (no swivels) on the side of the module just below the speedlay.	\$3,463		
4415-0673	Triple Speedlay (2) 1.5" and (1) 2.5" with Akron Manual Valve. Each outlet connection shall terminate externally (no swivels) on the side of the module just below the speedlay.	\$4,943		
4415-0674	1.5" Double Speedlay with Elkhart Manual Valves. Each outlet connection shall terminate externally (no swivels) on the side of the module just below the speedlay.	\$2,391		
4415-0675	1.5" Triple Speedlay Elkhart Manual Valves. Each outlet connection shall terminate externally (no swivels) on the side of the module just below the speedlay.	\$3,738		
4415-0676	Triple Speedlay (2) 1.5" and (1) 2.5" with Elkhart Manual Valves. Each outlet connection shall terminate externally (no swivels) on the side of the module just below the speedlay.	\$5,638		
4415-0677	1.5" Front Bumper Discharge Akron Electric Valve. For use with rear mount pump. Includes air blow-out with control on pump operator panel.	\$2,847		
4415-0678	1.5" front bumper discharge with Akron manual valve. For use with rear mount pump. Includes air blow-out with control on pump operator panel.	\$1,742		
4415-0679	1.5" front bumper discharge with Elkhart unibody manual valve. For use with rear mount pump. Includes air blow-out with control on pump operator panel.	\$1,663		
4415-0680	1.5" front bumper discharge with Elkhart unibody electric valve. For use with rear mount pump. Includes air blow-out with control on pump operator panel.	\$2,847		
4415-0681	2.5" front bumper discharge with Akron manual valve. For use with rear mount pump. Includes air blow-out with control on pump operator panel.	\$2,058		
4415-0682	2.5" front bumper discharge with Elkhart unibody manual valve. For use with rear mount pump. Includes air blow-out with control on pump operator panel.	\$2,058		
4415-0683	2.5" Front Bumper Discharge Akron Electric Valve. For use with rear mount pump. Includes air blow-out with control on pump operator panel.	\$3,388		
4415-0684	2.5" front bumper discharge with Elkhart unibody electric valve. For use with rear mount pump.	\$3,388		
4415-0685	Triple Speedlay (2) 1.5" and (1) 2.5" with Elkhart Unibody Manual Valves Rear Mount.	\$5,114		
4415-0686	Triple Speedlay (2) 1.5" and (1) 2.5" with Akron Manual Valve Rear Mount.	\$5,048		
4415-0687	2.5" rear panel discharge with Akron manual valve. For use with rear mount pump. Location [#LOC].	\$1,442		
4415-0688	2.5" rear panel discharge with Elkhart unibody manual valve. For use with rear mount pump. Location [#LOC].	\$1,442		

Item #	Description	Extension	+1/-1	Total
4415-0689	3" rear panel discharge with Akron manual valve. For use with rear mount pump. Location [#LOC].	\$1,739		
4415-0690	3" rear panel discharge with Elkhart unibody manual valve. For use with rear mount pump. Location [#LOC].	\$1,739		
4415-0691	3" Rear panel discharge with Elkhart unibody electric valve. For use with rear mount pump. Location [#LOC].	\$3,668		
4415-0692	3" rear panel discharge with Akron electric valve. For use with rear mount pump. Location [#LOC].	\$3,668		
4415-0693	4" rear panel discharge with 3" Elkhart unibody manual valve. For use with rear mount pump. Location [#LOC].	\$1,762		
4415-0694	4" rear panel discharge with 3" Akron manual valve. For use with rear mount pump. Location [#LOC].	\$1,762		
4415-0695	4" rear panel discharge with 3" Elkhart unibody electric valve. For use with rear mount pump. Location [#LOC].	\$3,218		
4415-0696	4" rear panel discharge with 3" Akron electric valve. For use with rear mount pump. Location [#LOC].	\$3,218		
4415-0697	4" rear panel discharge with 4" Akron electric valve. For use with rear mount pump. Location [#LOC].	\$4,335		
4415-0698	4" rear panel discharge with 4" Elkhart unibody electric valve. For use with rear mount pump. Location [#LOC].	\$4,335		
4415-0699	5" rear panel discharge with 4" Akron electric valve. For use with rear mount pump. Location [#LOC].	\$6,136		
4415-0700	5" rear panel discharge with 4" Elkhart unibody electric valve. For use with rear mount pump. Location [#LOC].	\$6,136		
4415-0701	2.5" Rear Mount Pump Panel Discharge Akron Electric Valve. Location: [#LOC]	\$4,117		
4415-0702	2.5" Rear Mount Pump Panel Discharge Elkhart Unibody Electric Valve. Location: [#LOC]	\$4,117		
4415-0703	1.5" preconnect discharge with Elkhart unibody manual valve. Includes swivel style connection. Location [#LOC]	\$1,332		
4415-0704	2.5" preconnect discharge with Elkhart unibody manual valve. Includes swivel style connection. Location [#LOC]	\$1,591		
4415-0705	2.5" preconnect discharge with Akron electric valve. Includes swivel style connection. Location [#LOC].	\$3,032		
4415-0706	2.5" preconnect discharge with Elkhart unibody electric valve. Includes swivel style connection. Location [#LOC]	\$3,032		
4415-0707	1.5" preconnect discharge with Akron electric valve. Includes swivel style connection. Location [#LOC].	\$2,952		
4415-0708	1.5" preconnect discharge with Elkhart unibody electric valve. Includes swivel style connection. Location [#LOC].	\$3,580		
4415-0709	3" Deck gun discharge with Akron manual valve. For use with rear mount pump and for forward body area. Location [#LOC].	\$2,626		
4415-0710	3" Deck gun discharge with Akron electric valve. For use with rear mount pump and for forward body area. Location [#LOC].	\$4,060		
4415-0711	3" Deck gun discharge with Elkhart unibody manual valve. For use with rear mount pump and for forward body area. Location [#LOC].	\$2,626		
4415-0712	3" Deck gun discharge with Elkhart unibody electric valve. For use with rear mount pump and for forward body area. Location [#LOC].	\$4,060		
4415-0713	3" Deck gun discharge with Akron manual valve. For use with rear mount pump and for rearward body/pump module area. Location [#LOC].	\$1,570		
4415-0714	3" Deck gun discharge with Akron electric valve. For use with rear mount pump and for rearward body/pump module area. Location [#LOC].	\$3,349		
4415-0715	3" Deck gun discharge with Elkhart unibody manual valve. For use with rear mount pump and for rearward body/pump module area. Location [#LOC].	\$1,570		
4415-0716	3" Deck gun discharge with Elkhart unibody electric valve. For use with rear mount pump and for rearward body/pump module area. Location [#LOC].	\$3,349		
4415-0717	1.5" front bumper discharge line. Includes air actuated Akron valve with switching located in cab on console. Discharge line to terminate just below driver side of bumper with male NPT threads (line is for use with dealer installed bumper turret. Dealer responsible for plumbing application and any additional length of line or connectors). Secure line as required and cap. Includes cab mounted pressure gauge and side panel bleeder and blow-out.	\$2,094		
4415-0718	1.5" Single Speedlay with Akron Manual Valves.	\$1,197		
4415-0719	3" Deck Gun Discharge Akron Electric Valve & Navigator 9315	\$7,875		
4415-0720	4" Right Pump Panel Discharge w/3" Akron Electric Valve & Navigator 9315 (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$8,166		

Item #	Description	Extension	+1/-1	Total
4415-0721	Quad Speedlay (3) 1.5" / (1) 2.5" with Akron Manual Valves. Located inside transverse compartment.	\$3,674		
4415-0722	3" Deck Gun Discharge Akron Electric Valve with a 9315 valve controller with pressure reading only. [#LOC]	\$4,924		
4415-0723	4" Discharge Akron Electric Valve & Navigator 9315 (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$9,505		
4415-0724	4" Rear Mount Discharge w/3" Akron 9315 Electric Valve to read Flow and Pressure with 30 degree droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$8,166		
4415-0725	4" Rear Mount Discharge w/3" Akron 9315 Electric Valve to read Pressure (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,660		
4415-0726	1.5" Front Bumper Discharge Akron Electric Valve & Navigator 9315 with Pressue Reading only.	\$4,181		
4415-0727	1.5" Crosslay w/2" Akron Electric Valve & Navigator 9315 to Read Pressure only Location: [#LOC]	\$3,891		
4415-0728	2.5" Rear Mount Discharge Akron Electric Valve & Navigator 9315 to Read Pressure only. Location: [#LOC]	\$4,081		
4415-0729	2.5" Rear Mount preconnect with crosslay style swivel. For use with rear mount pump application. Includes Akron Electric valve with 9315 controller to Read Pressure only located on pump operator panel. Locate [#LOC]	\$4,423		
4415-0730	2.5" Left Rear Discharge UBEC3 Electric Valve to read flow, and pressure. Location: [#LOC]	\$6,515		
4415-0731	2.5" Left Pump Panel Discharge UBEC3 Electric Valve with 30 degree droop to read flow, and pressure. Location: [#LOC]	\$6,478		
4415-0732	2.5" Right Pump Panel Discharge UBEC3 Electric Valve with 30 degree droop to read flow, and pressure. Location: [#LOC]	\$6,478		
4415-0733	4.5" Right Pump Panel Discharge with 3" Akron Manual Valve w/Droop Location: right side discharge 1 [#LOC]	\$2,810		
4415-0734	Chrome Plated Brass Swivel Located on Top of Bumper [#LOC] for Front Bumper Discharge	\$0		
4415-0735	3" Left Hosebed Akron Electric Valve located Driver side rear below hosebed.	\$4,966		
4415-0736	3" Right Hosebed Akron Electric Valve located Officer side rear below hosebed.	\$4,966		
4415-0737	2.5" Discharge with droop. Located at discharge #2 officer side and includes Akron electric valve with controller located on pump operators panel.	\$2,878		
4415-0738	2.5" upper preconnect. Includes Akron manual valve with controller located in body compartment on pump operator panel.	\$1,942		
4415-0739	3" Right Pump Panel Discharge Elkhart Electric Valve w/30degree Droop to Terminate with 2.5" MNST w/cap Location: [#LOC]	\$4,592		
4415-0740	2.5" preconnect discharge with Akron manual valve. With swivel style connection. Location: [#LOC].	\$1,591		
4415-0741	1.5" preconnect discharge with Akron manual valve. With swivel style connection. Location: [#LOC].	\$1,332		
4415-0742	2.5" rear panel discharge with Akron electric valve. For use with rear mount pump. Location [#LOC].	\$3,449		
4415-0743	2.5" rear panel discharge with Elkhart unibody electric valve. For use with rear mount pump. Location [#LOC].	\$3,449		
4415-0744	2.5" Crosslay w/2.5" Akron Electric Valve & Navigator 9315 to Read Pressure only Location: [#LOC]	\$4,508		
4415-0745	2.5" Left Panel Discharge Akron Electric 9315 Navigator Valve w/30 Degree Droop to Read Pressure only Location: [#LOC]	\$4,477		
4415-0746	2.5" Right Panel Discharge Akron Electric 9315 Navigator Valve w/30 Degree Droop to Read Pressure only Location: [#LOC]	\$4,477		
4415-0747	4" Pump Panel Discharge Akron Electric Navigator 9315 Valve (Read Pressure only) Location: [#LOC]	\$5,895		
4415-0748	4" Waterway Discharge with 4" Akron Electric Navigator 9315 Valve (Read Pressure only)	\$5,856		
4415-0749	4" rear panel discharge with 4" Akron manual valve with handwheel. For use with rear mount pump. Location [#LOC].	\$3,687		
4415-0750	Preconnect shall be set to handle 200' x 1.75" at 95 GPM	\$0		
4415-0751	2.5" Crosslay Elkhart UBEC3 Electric Valve to read flow, and pressure.. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$6,330		
4415-0752	4" Waterway Discharge with 4" Elkhart UBEC3 Valve to read flow, and pressure.	\$8,436		
4415-0753	Second Left Front Hosebed Preconnect 1.5" Elkhart Unibody Manual Valve	\$1,265		
4415-0754	Left Front Hose Bed Discharge 2.5" Elkhart Unibody Manual Valve.	\$1,869		

Item #	Description	Extension	+1/-1	Total
4415-0755	Right Front Hosebed Discharge 2.5" Elkhart Unibody Manual Valve	\$1,869		
4415-0756	Second 1.5" Right Front Hosebed Preconnect Elkhart Unibody Manual Valve	\$1,265		
4415-0757	1.5" Front Bumper Discharge Elkhart Electric UBEC3 Valve to read flow, and pressure.	\$6,225		
4415-0758	Left Front Hosebed Discharge 2.5" Elkhart Unibody UBEC3 Valve to read flow, and pressure.	\$6,432		
4415-0759	Right Front Hosebed Discharge 2.5" Elkhart Unibody UBEC3 Valve to read flow, and pressure.	\$6,432		
4415-0760	2.5" Front Bumper Discharge Akron Manual Valve without Blowout.	\$2,079		
4415-0761	4" Officer panel discharge w/ 3" Akron electric valve. Location: [#LOC]	\$4,236		
4415-0762	4" Pump Panel Discharge Akron Electric Valve with 30 Degree Droop. Location: [#LOC].	\$5,732		
4415-0763	3" Discharge with 4" connection (no droop). Located at discharge #1 officer side and includes Akron electric valve with controller located on pump operators panel.	\$4,240		
4415-0764	3" Discharge with 4" connection (no droop). Located at discharge #1 driver side and includes Akron electric valve with controller located on pump operators panel.	\$4,240		
4415-0765	2.5" Discharge with droop. Located at discharge #2 officer side and includes Akron electric valve with controller located on pump operators panel.	\$2,878		
4415-0766	1.5" double pre-connect. Includes Akron electric 2" valves with controls located in body compartment on pump operator panel.	\$5,200		
4415-0767	2.5" Right Panel Discharge Akron Manual 3" Valve w/30 Degree Droop Location: [#LOC]	\$1,884		
4415-0768	2.5" Crosslay w/Akron Electric Valve & Navigator 9315. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$7,136		
4415-0769	Double 1.5" Speedlay w/2" Akron Electric Valves & Navigator 9315	\$12,193		
4415-0770	2.5" Right Front Hosebed Akron Electric Valve & Navigator 9315	\$7,570		
4415-0771	4" Deck Gun Discharge Akron Electric Valve & Navigator 9315	\$7,982		
4415-0772	4" Deck Gun Discharge Elkhart Electric Unibody Valve	\$6,616		
4415-0773	2.5" Right Pump Panel Discharge w/3" Elkhart Electric Unibody Valve and 30degree Droop [#LOC]	\$4,592		
4415-0774	3" Right Front Hosebed Elkhart Electric Unibody Valve	\$4,370		
4415-0775	3" Left Front Hosebed Elkhart Electric Unibody Valve	\$4,370		
4415-0776	2.5" Left Pump Panel Discharge w/3" Elkhart Electric Unibody Valve and 30degree Droop [#LOC]	\$4,592		
4415-0777	2.5" Left Panel Discharge 3" Akron Electric 9315 Navigator Valve w/30 Degree Droop to Read Pressure and Flow Location: [#LOC]	\$6,649		
4415-0778	2.5" Crosslay w/Akron 3" Electric Valve & Navigator 9315 include 3" plumbing. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$7,383		
4415-0779	2.5" Left Rear Discharge with Akron Navigator 9315 3" Electric Valve and 3" Piping Location: [#LOC]	\$8,415		
4415-0780	2.5" Right Front Hosebed Include Akron 3" Electric Valve & 9315 NavigatorControler w/3" Plumbing.	\$8,415		
4415-0781	3" Right Pump Panel Discharge UBEC3 Electric Valve with 30 degree droop to read flow, and pressure. Location: [#LOC]	\$7,703		
4415-0782	2.5" Left Front Hosebed Include Akron 3" Electric Valve & 9315 NavigatorControler w/3" Plumbing. To terminate at the left front of the hosebed.	\$8,415		
4415-0783	Double 2.5" Speedlay w/Akron Navigator 9315 3" Electric Valve Controller. Include 3" piping and to terminate with a 2.5" brass swivel.	\$14,766		
4415-0784	1.5" Rear Panel Discharge manual Akron Valve. Locate [#LOC]	\$1,809		
4415-0785	SPECIAL rear plumbing routing. The driver side rear discharge after the valve assembly is to be routed over to the officer side and to the rear. The officer side rear discharge after the valve assembly is to be routed over to the driver side and to the rear. This is to be done to provide FOAM to the driver side rear and the officer side rear is to be NO FOAM. Valve control handles to remain in standard locations on the pump control panel.	\$1,218		
4415-0786	Brass swivel in tray [#LOC] for front bumper discharge.	\$0		

Item #	Description	Extension	+1/-1	Total
4415-0788	3" officer side discharge (forward of steamer) with NFPA droop with cap. Includes 2.5" pressure gauge on pump operator panel.	\$538		
4415-0790	1.5" front bumper discharge. Locate discharge in bumper hose storage tray (outboard side wall) down low. Includes 2.5" pressure gauge on pump operator panel.	\$5,002		
4415-0791	Front jumpline hose kit. For use with (2) DR cab and SM pump module.	\$0		
4415-0792	Front jumpline hose kit. For use with (2) DR cab and TM pump module.	\$0		
4415-0793	Front jumpline hose kit. For use with (4) DR cab and SM pump module.	\$0		
4415-0794	Front jumpline hose kit. For use with (4) DR cab and TM pump module.	\$0		
4415-0795	2.5" officer side discharge (forward of steamer) with NFPA droop with cap. For use with Side Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$0		
4415-0796	2.5" officer side discharge (forward of steamer) with NFPA droop with cap. For use with Top Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$0		
4415-0797	3" officer side discharge (forward of steamer) with NFPA droop with cap. For use with Side Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$538		
4415-0798	3" officer side discharge (forward of steamer) with NFPA droop with cap. For use with Top Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$538		
4415-0799	1.5" front bumper discharge. Locate discharge in bumper hose storage tray down low. For use with Side Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$5,002		
4415-0800	1.5" front bumper discharge. Locate discharge in bumper hose storage tray (outboard side wall) down low. For use with Top Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$5,002		
4415-0801	Front bumper discharge - 1.5" manual control. For use with a side mount pump module with crosslays. Locate discharge in hose storage tray down low. Custom ES.	\$1,406		
4415-0802	Front bumper discharge - 1.5" manual control. For use with a top mount pump module with crosslays. Locate discharge in hose storage tray down low. Custom ES.	\$1,476		
4415-0803	Front bumper discharge - 1.5" manual control. For use with a top mount pump module with speedlays. Locate discharge in hose storage tray down low. Custom ES.	\$1,476		
4415-0804	No auxiliary front bumper preconnect.	\$0		
4415-0805	5" Left Pump Panel Discharge W/4" Akron Electric Navigator 9315 valve and controller. Include valve position display pressure and flow meter. [#LOC]	\$9,596		
4415-0806	5" Right Pump Panel Discharge W/4" Akron Electric Navigator 9315 valve and controller. Include valve position display pressure and flow meter. [#LOC]	\$9,596		
4415-0807	Dual Ground Sweep Nozzles 50 GPM. Locate at front (1) left and (1) right sides control at operator panel.	\$1,833		
4415-0808	2.5" Left Rear Discharge w/3" Akron Manual Valve. Include 3" plumbing to terminate with 2.5" threads. Location: [#LOC]	\$2,118		
4415-0809	4" Pump Panel Discharge w/4" Akron Electric Valve Location: right side discharge 1	\$5,383		
4415-0810	1.5" Crosslay w/2.5" Akron Manual Valve and plumbing Location: [#LOC]	\$1,374		
4415-0811	Akron 2.5" foam system discharge with swing handle. For use with Williams Advent or Hot Shot foam systems. Locate to [#LOC].	\$1,298		
4415-0812	Elkhart Unibody 2.5" foam system discharge with swing handle. For use with Williams Advent or Hot Shot foam systems. Locate to [#LOC].	\$1,298		
4415-0813	Deck Gun plumbing to terminate approx 6" above dunnage pan floor.	\$0		
4415-0814	5" Right Rear Discharge 5" Akron Electric Valve.	\$8,150		
4415-0815	5" Left Rear Discharge 5" Akron Electric Valve.	\$8,150		
4415-0816	5" Right Rear Discharge 5" Elkhart Electric Valve.	\$8,150		
4415-0817	5" Left Rear Discharge 5" Elkhart Electric Valve.	\$8,150		

Item #	Description	Extension	+1/-1	Total
4415-0818	2.5" preconnect discharge with Akron manual valve. Location: [#LOC].	\$1,591		
4415-0819	5" Left Side Discharge 5" Akron Electric Valve. Locate: [#LOC]	\$6,188		
4415-0820	5" Right Side Discharge 5" Akron Electric Valve. Locate: [#LOC].	\$6,188		
4415-0821	3" Left Panel Discharge Akron Electric Valve w/30 Degree Droop Location: [#LOC]	\$4,435		
4415-0822	3" Left Panel Discharge Elkhart Electric Valve w/45 Degree Droop Location: [#LOC]	\$4,457		
4415-0823	3" Left Panel Discharge Akron Electric Valve. Location: [#LOC]	\$4,207		
4415-0824	3" Left Panel Discharge Akron Manual Valve w/30 Degree Droop. Location: [#LOC]	\$1,967		
4415-0825	3" Left Panel Discharge Elkhart Manual Valve w/45 Degree Droop. Location: [#LOC]	\$2,197		
4415-0826	3" Left Panel Discharge Elkhart Unibody Manual Valve. Location: [#LOC]	\$1,992		
4415-0827	3" Left Panel Discharge Elkhart Electric Valve. Location: [#LOC]	\$4,248		
4415-0828	3" Right Pump Panel Discharge Akron Manual Valve.(Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$1,967		
4415-0829	3" Right Pump Panel Discharge Akron Electric Valve.(Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,207		
4415-0830	3" Right Pump Panel Discharge Elkhart Unibody Manual Valve. Location: [#LOC]	\$1,992		
4415-0831	3" Right Pump Panel Discharge Elkhart Electric Unibody Valve with 30 degre droop elbow. Location: [#LOC]	\$4,248		
4415-0832	Akron 1.5" dry chemical system discharge with electric/air actuated. Locate to [#LOC].	\$0		
4415-0833	Elkhart 1.5" dry chemical discharge with swing handle. Locate to [#LOC].	\$0		
4415-0834	4" Deck Gun Discharge Outlet with 6" Electric Elkhart Valve and plumbing. Require 4" Monitor	\$7,026		
4415-0835	4" Deck Gun Discharge Outlet with 6" Electric Akron Valve and plumbing. Requires 4" Monitor.	\$7,026		
4415-0836	6" Deck Gun Discharge Outlet with 6" Electric Akron Valve and plumbing. Requires 6" Monitor.	\$7,419		
4415-0837	6" Deck Gun Discharge Outlet with 6" Electric Elkhart Valve and plumbing. Require 6" Monitor.	\$7,419		
4415-0838	8" Deck Gun Discharge Outlet with 8" Electric Akron Valve and plumbing. Require 8" Monitor.	\$9,684		
4415-0839	2.5" officer side discharge (rearward of steamer) with NFPA droop with cap. For use with Side Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$1,646		
4415-0840	8" Deck Gun Discharge Outlet with 8" Electric Elkhart Valve and plumbing. Require 8" Monitor.	\$9,684		
4415-0841	5" Left Side Discharge 5" Elkhart Electric Valve. Locate: [#LOC]	\$6,188		
4415-0842	5" Right Side Discharge 5" Elkhart Electric Valve. Locate: [#LOC]	\$6,188		
4415-0843	4" Right Rear Discharge 5" Elkhart Electric Valve.	\$5,176		
4415-0844	4" Left Rear Discharge 5" Elkhart Electric Valve.	\$5,176		
4415-0845	4" Left Rear Discharge 5" Akron Electric Valve.	\$5,176		
4415-0846	4" Right Rear Discharge 5" Akron Electric Valve.	\$5,176		
4415-0847	Akron 635 Swivel with turning vane Located on Top of Bumper officer's side of center tray for Front Bumper Discharge	\$197		
4415-0848	4" Left Pump Panel Discharge with 3" Elkhart Unibody Manual Valve (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$2,469		
4415-0849	5" Pump Panel Discharge 4" Akron Electric Valve & Navigator 9315 (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$9,048		
4415-0850	1.5" Double Speedlay w/2" Elkhart Unibody Electric Valve UBEC3 to read flow, and pressure..	\$11,560		
4415-0851	2.5" officer side discharge (rearward of steamer) with NFPA droop with cap. For use with Top Mount Pump Module.	\$1,592		
4415-0852	6" Right Side Discharge 6" Elkhart Electric Valve with Unibody controller. Locate: [#LOC]	\$6,998		
4415-0853	6" Left Side Discharge 6" Elkhart Electric Valve with Unibody controller. Locate: [#LOC]	\$6,998		
4415-0854	3" Left Rear Discharge Elkhart Electric Unibody Valve Location: [#LOC]	\$3,982		
4415-0855	3" Right Rear Discharge Elkhart Electric Unibody Valve Location: [#LOC]	\$3,982		
4415-0856	3" Right Side Discharge Elkhart Electric Unibody Valve. Location: [#LOC]	\$3,982		

Item #	Description	Extension	+1/-1	Total
4415-0857	2" preconnect discharge with Akron 2" manual valve. For use with rear mount pump and includes swivel style connection. Location: [#LOC].	\$1,630		
4415-0858	Triple speedlay with (1) 1.5" and (1) 2.5" in lower storage area and (1) 1.5" in upper storage area. All with Akron manual valves.	\$4,005		
4415-0859	Triple speedlay with (1) 1.5" and (1) 2.5" in lower storage area and (1) 1.5" in upper storage area. All with Elkhart Unibody manual valves.	\$4,132		
4415-0860	Plumbing package, Akron, base, Wildland	\$10,979		
4415-0861	Preconnect valve, Akron, 2", option, Wildland	\$1,616		
4415-0863	Discharge, Left rear, 2" Akron, control at valve, base, Wildland	\$1,210		
4415-0864	Discharge, Left rear, 2.5" Akron, control at valve, option, Wildland	\$1,315		
4415-0865	Discharge, Right rear, 2" Akron, control at valve, option, Wildland	\$1,210		
4415-0866	Discharge, Right rear, 2.5" Akron, control at valve, option, Wildland	\$1,313		
4415-0867	Direct tank fill, Right rear, 2" Akron, control at valve, base, Wildland	\$784		
4415-0868	Preconnect valves, Akron, 1.5", base, Wildland	\$1,616		
4415-0869	Preconnect crosslay valve, Akron, 2", option, Wildland	\$2,414		
4415-0870	Right front bumper discharge valve, Akron, 2", option, Wildland	\$856		
4415-0871	Front bumper discharge valve, Akron, 2", electric, option, Wildland	\$1,501		
4415-0872	Pair of 1.5" preconnect discharges with Akron manual valves. For use with Wetside tank with upper tank/hosebed pre-connect storage. All exposed piping along forward area of tank to be painted black. Plumbing to terminate with 1.5" MNST threads to the driver side of the tank/hosebed.	\$2,653		
4415-0873	Provide a 1.5" port connection (with removable cap) on the main manifold for use with a dealer installed ground spray system. Dealer will make all required connections and controller applications.	\$200		
4415-0874	1.75" Front Bumper Crosslay Discharge with 2" Akron Manual Valve. Include 2" plumbing from pump compartment to back of cab. From back of cab to crosslay swivel will be 2" plumbing.	\$2,728		
4415-0875	Pair of 1.5" preconnect discharges with Akron manual valves. For use with narrow Wetside tank with driver side compartment top pre-connect storage. Plumbing to terminate with 1.5" MNST threads.	\$2,569		
4415-0876	4" Deck Gun Discharge W/ 4" TFT Model AKM111113 Manual gear activated valve. A 6" stainless steel pipe from the rear of the truck to the front center of the body shall be provided. The inlet to the deck gun piping shall have a 5" storz w/cap also to be off set to the driver side rear, and shall terminate with a 4" flange approx: 4-6" below the top of the body. A TFT Monsoon 1500 GPM manual monitor with a Williams 1.5 Hydro Foam manual nozzle shall be supplied.	\$11,225		
4415-0877	2.5" Crosslay Elkhart UBEC1 Electric Valve. To be located rearward of 1.5" crosslay(s) if applicable. Location: [#LOC]	\$3,214		
4415-0878	2.5" Right Panel Discharge Elkhart Unibody Electric Valve. Location: [#LOC]	\$3,615		
4415-0879	2.5" officer side discharge (rearward of steamer) with NFPA droop with cap. For use with Side Mount Pump Module.	\$0		
4415-0880	2.5" Left Panel Discharge with Elkhart Unibody Manual 3" Valve and 30 Degree Droop Location: [#LOC]	\$1,884		
4415-0881	2.5" Right Panel Discharge Elkhart Unibody Manual 3" Valve w/30 Degree Droop Location: [#LOC]	\$1,884		
4415-0882	2.5" preconnect discharge with Akron 3" manual valve and 3" plumbing reduce to a 2.5" at the swivel. For use on rear mount pump. Includes swivel style connection. Location: driver side under hosebed (outboard).	\$2,216		
4415-0883	6" Right Side Discharge 6" Akron Electric Valve. Locate: [#LOC].	\$6,998		
4415-0884	6" Left Side Discharge 6" Akron Electric Valve. Locate: [#LOC]	\$6,998		
4415-0885	Brass Swivel in Tray Located on rear wall of tray, in upper center of back wall.	\$0		
4415-0886	3" Right Pump Panel Discharge Elkhart Manual Unibody Valve with 30 degre droop elbow. Location: [#LOC]	\$2,117		
4415-0887	Triple speedlay with (1) 1.5" and (1) 2.5" in lower storage area and (1) 1.5" in upper storage area. All with Akron electric valves.	\$10,198		
4415-0888	2.5" Left Pump Panel Discharge UBEC3 Electric Valve to read flow, and pressure. Location: [#LOC]	\$5,887		



Item #	Description	Extension	+1/-1	Total
4415-0889	2.5" Front Bumper Discharge Elkhart Electric UBEC3 Valve to read flow, and pressure.	\$6,471		
4415-0890	Right Rear Deck Gun/5" Rear Discharge with 6" elect. valve. Locate at rear of body with a 5" pipe "T" and 4" elec. shutoff valve for 4" Deck Gun discharge.	\$16,420		
4415-0891	Left Rear Deck Gun/5" Rear Discharge with 6" elect. valve. Locate at rear of body with a 5" pipe "T" and 4" elec. shutoff valve for 4" Deck Gun discharge.	\$16,420		
4415-0892	3" Front Bumper Discharge Akron Manual Valve. Location; 3" front bumper discharge piped through the center of the center front bumper tray and to come out thru the front bumper. Piping to have a cover plate in tray.	\$4,282		
4415-0893	Front bumper 1.5" pre-connect with manual valve and pressure gauge. Locate pre-connect in front bumper tray down low on rear wall.	\$2,345		
4415-0894	2.5" officer forward hosebed/body tray pre-connect. Includes connection to 2.5" valve assembly, pressure gauge and bleeder. Pre-connect to be positioned rearward of the forward Zico rack mount of the officer side hosebed/body tray. Hosebed/Body tray to include black dri-dek flooring for NFPA and a red vinyl hosebed cover (secure along the sides with awning strips and twist locks along the inboard side. The area inboard of the forward and rearward Zico rack mounts to have a bolt-in wall to square off the hose storage area.	\$3,612		
4415-0895	Hose bib discharge 3/4" with valve. Location Officer's side pump panel.	\$355		
4415-0896	1.5" Left Preconnect Akron Manual Valve. Preconnect will be run to front of hose box on top of driver's side compartments.	\$1,174		
4415-0897	2.5" Right Rear Discharge Elkhart Electric Unibody Valve Location: [#LOC]	\$3,225		
4415-0898	2.5" Left Rear Discharge Elkhart Unibody Electric Valve Location: [#LOC]	\$3,594		
4415-0899	4" Waterway Discharge with 3" Elkhart Unibody Manual Valve	\$2,867		
4415-0900	5" Right Side Discharge 5" Akron Hydraulic activated Valve. Location: [#LOC]	\$6,188		
4415-0901	3" Discharge Akron Electric Valve will be "T" into front intake to allow the front intake to use as a discharge/intake. Include gauge and bleeder.	\$4,622		
4415-0903	1.5" Front Bumper Crosslay Discharge Akron Manual Valve	\$2,661		
4415-0904	2" front bumper discharge Elkhart Electric valve. Include Elkhart electric valve, plumbing, and harness from the valve to joystick control located in cab console. Discharge to terminate and capped off just below the center of the bumper for dealer supplied and installed joystick, and bumper turret.	\$2,789		
4415-0905	Akron 1.5" foam system discharge with swing handle. For use with Williams Advent or Hot Shot foam systems. Locate to [#LOC].	\$1,055		
4415-0906	6" Deck Gun Discharge Outlet with 6" HYD Akron Valve and plumbing. Require 6" Monitor.	\$7,419		
4415-0907	1.5" front bumper discharge plumbing from back of cab to front bumper.	\$648		
4415-0908	2.5" Rear Mount Discharge Akron Electric Valve & Navigator 9315 to Read Pressure only w/30 Degree Droop. Location: [#LOC]	\$4,220		
4415-0909	4" Waterway Discharge with 4" Akron Electric Valve & Navigator 9315 Control. (Waterway valve override must be accessible through right side pump panel from standing on the ground).	\$9,009		
4415-0910	2.5" hose bed discharge Akron manual valve [#LOC].	\$1,696		
4415-0911	Double 1.5" Speedlay w/2" Akron Electric Valves & Navigator 9315 to read Pressure only.	\$7,777		
4415-0912	Second Left Front Hosebed 3" Elkhart Unibody manual Valve	\$2,716		
4415-0915	6" Waterway Discharge with 6" Akron Electric Valve.	\$7,005		
4415-0916	4" Deck Gun Discharge Akron Valve Handwheel Control.	\$5,286		
4415-0917	2.5" Right Rear Discharge Akron Manual Valve includes gauge and bleeder. Location: [#LOC].	\$1,528		
4415-0918	1.5" Front Bumper Crosslay Discharge Elkhart Unibody Manual Valve	\$2,541		
4415-0919	Deck gun monitor 3" Gemini manual hand wheel model 34700011 and nozzle 2.5" NH Excel model 51471000.	\$4,011		
4415-0920	Left Front Hosebed Discharge 2.5" Elkhart Unibody UBEC1 Valve.	\$3,550		

Item #	Description	Extension	+1/-1	Total
4415-0921	Right Front Hosebed Discharge 2.5" Elkhart Unibody UBEC1 Valve.	\$3,550		
4415-0922	Location of the preconnect(s) mounted in the speedlay shall be as close to the outer edges of the floor as practicality permits.	\$0		
4415-0923	4" Right Pump Panel Discharge with 3" Akron Manual Valve. Include a 4"FNST swivel x 4"MNST 30 degree droop adapter, and cap. Location: [#LOC].	\$2,584		
4415-0924	2.5" Single Speedlay with Akron manual valve located at lower storage area offset to rear.	\$1,516		
4415-0925	All Discharge/Intake caps, and plug to be Kochek brand and Powder coated. Color; White.	\$688		
4415-0926	1.5"/2.5" Double Speedlay with Akron Manual Valves, upper 1.75" speedlay and lower 2.5" speedlay.	\$2,693		
4415-0927	2.5" Deck Gun Discharge, Akron manual valve. Locate outlet above L1, compartment. Piping to be routed up thru L1, compartment top offset forward. Include pressure gauge and bleeder.	\$1,888		
4415-0928	2.5" Deck Gun Discharge, Akron Electric valve with dual control (1) control operator panel and (1) control officer side panel . Locate deck gun outlet above R1, compartment. Piping to be routed up thru R1, compartment top offset forward. Include pressure gauge and bleeder.	\$3,847		
4415-0929	2.5" Right Front Hosebed Akron Electric Valve & Pro Navigator 9325 controller with pressure read out.	\$4,940		
4415-0930	2.5" Left Front Hosebed Akron Electric Valve & Pro Navigator 9325 controller with pressure read out.	\$4,940		
4415-0931	2.5" Front Bumper Discharge Akron Electric Valve & Navigator Pro Controller 9325 with pressure read out.	\$4,744		
4415-0932	Double 1.5" Speedlay w/2" Akron Electric Valves & Navigator Pro 9325 with Pressure read out.	\$8,269		
4415-0933	2.5" Right Panel Discharge Akron Electric Valve & Navigator Pro 9325 controller w/30 Degree Droop to Read Pressure. Location: [#LOC]	\$4,726		
4415-0934	2.5" Left Panel Discharge Akron Electric Valve & Navigator Pro 9325 controller w/30 Degree Droop to Read Pressure. Location: [#LOC]	\$4,431		
4415-0935	4" Right Pump Panel Discharge w/3" Akron Electric Valve & Navigator Pro 9325 with Pressure read out. (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$5,889		
4415-0936	4" Pump Panel Discharge Akron Electric Valve & Navigator 9325 to read flow, and pressure w/30 degree droop. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$6,803		
4415-0937	3" Deck Gun Discharge Akron Electric Valve & Navigator read flow, and pressure with 9325 controller.	\$6,067		
4415-0938	2.5" Left Pump Panel Discharge Akron Manual Valve. The discharge shall extend out beyond the pump panel w/Chrome plated finish. Location: [#LOC].	\$1,324		
4415-0939	2.5" Right Pump Panel Discharge Akron Manual Valve. The discharge shall extend out beyond the pump panel w/Chrome plated finish. Location: [#LOC].	\$1,324		
4415-0940	3" Right Pump Panel Discharge Akron Manual Valve. The discharge shall extend out beyond the pump panel w/Chrome plated finish. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$2,034		
4415-0941	4" Right Pump Panel Storz Discharge with 3" Akron Manual Valve. Include 3" FNST X 4" Storz 30 degree elbow adapter with cap. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$2,823		
4415-0942	Left Rear Discharge 2.5" Elkhart Unibody electric valve with UICS-2 CAFS Controller.	\$5,034		
4415-0943	3" Deck Gun Discharge Akron Electric Valve & Navigator with 9323 controller.	\$4,447		
4415-0944	3" Right Panel Discharge Akron Electric Valve & Navigator 9325 w/30 Degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$6,027		
4415-0945	1.5" Front Bumper Discharge Elkhart Electric Valve with UICS-2 CAFS Controller.	\$5,324		
4415-0946	1.5" Crosslay w/2" Elkhart Electric Unibody Valve with UICS-2 CAFS Controller. Location: [#LOC].	\$4,765		
4415-0947	2.5" Right Panel Discharge Elkhart Unibody Electric Valve w/Droop, and include UICS-2 CAFS Controller. Location: [#LOC].	\$5,223		
4415-0948	Preconnect extension (Each). The front hosebed preconnect to be extended to the rear of the hosebed area. Includes smooth plate cover. Location: [#LOC].	\$544		

Item #	Description	Extension	+1/-1	Total
4415-0951	The pre-connect shall have a flow rating of 150 gpm.	\$0		
4415-0952	4" Deck Gun Discharge Outlet with 6" Electric Akron Valve and plumbing. Require 4" Monitor. Locate right rear.	\$8,220		
4415-0953	Polished stainless steel swivel in tray [#LOC] for front bumper discharge.	\$0		
4415-0954	1.5" Front Bumper Discharge Akron Electric Valve & Navigator 9325 controller to read flow, and pressure..	\$6,580		
4415-0955	3" Deck Gun Discharge Akron Electric Valve with 9325 Navigator Controller to read flow, and pressure.	\$6,744		
4415-0956	4" Right Rear Discharge Akron Electric Valve with 9325 Navigator controller to read flow, and pressure. [#LOC].	\$8,920		
4415-0957	Speedlay plumbing in lower opening to have 1.5" forward and 2.5" rearward.	\$0		
4415-0958	Speedlay plumbing to have 2.5" forward and 1.5" rearward.	\$0		
4415-0959	3" Deck Gun Discharge Akron Electric Valve with 9325 Navigator Controller(to read pressure only).	\$4,601		
4415-0960	Right Rear Deck Gun/5" Rear Discharge with 5" elect. valve, 5" ratio controller. Locate at rear of body with a 5" pipe "T" and 3" elec. shutoff valve for 3" Deck Gun discharge.	\$16,420		
4415-0962	6" Left discharge 6" Elkhart electric valve with Unibody controller. Location: [#LOC].	\$8,191		
4415-0963	One (1) pre-connect 1.5" adaptation to Storz. The pre-connect extension hose shall include an adapter to Storz and the pre-connect nozzle (sold separately in loose equipment) shall be supplied with a Storz adapter.	\$223		
4415-0964	Triple speedlay with (2) 1.5" in lower storage area and (1) 2.5" in upper storage area. All with Akron manual valves.	\$4,005		
4415-0965	Left Front Hosebed Discharge 3" Akron Manual Valve and shall terminate with a 3"FNPT X 2.5"MNST adapter.	\$2,479		
4415-0966	Right Front Hosebed Discharge 3" Akron Manual Valve and shall terminate with a 3"FNPT X 2.5"MNST adapter.	\$2,479		
4415-0967	1.5" Crosslay w/2.5" Akron Manual Valve and plumbing. Include 2.5" FNST X 1.5" MNST adapter. Location: [#LOC].	\$1,374		
4415-0968	2.5" front bumper discharge. Locate discharge in bumper hose storage tray (outboard side wall) down low. For use with Top Mount Pump Module. Includes 2.5" pressure gauge, and bleeder on panel.	\$6,076		
4415-0969	2.5" left front hose bed discharge Akron manual valve. Locate discharge(s) approximately 26" up from hosebed floor.	\$2,034		
4415-0970	5" Right Pump Panel Discharge with 3" Akron Manual Valve w/Droop. Include a 3"FNST swivel x 5"Storz adapter, and a 5"Storz x 4" Storz with cap. Location: [#LOC].	\$2,954		
4415-0971	Pre-connect shall be set to handle 200' x 1.50" hose @95 GPM.	\$0		
4415-0972	4" Right Pump Panel Storz Discharge with 4" Akron Electric Valve. Include 4" FNST X 4" Storz 30 degree elbow adapter with cap. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$5,583		
4415-0973	5" Right Pump Panel Storz Discharge with 3" Akron Manual Valve. Include 3" FNST X 5" Storz 30 degree elbow adapter with cap. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$2,954		
4415-0974	5" Left Rear Discharge 5" Akron Hand Wheel Control Valve.	\$6,956		
4415-0975	2.5" Front Bumper Crosslay Discharge Akron Electric Valve.	\$3,914		
4415-0976	3" Auxillary CAFS Deck Gun Discharge Electric Unibody Valve. Plumbed from foam manifold and "Y" into Deck Gun pipe downstream from main Deck Gun discharge valve.	\$4,423		
4415-0977	2.5" Front Bumper Crosslay Discharge Akron Manual Valve.	\$2,906		
4415-0978	4" Waterway Discharge with 4" Akron Electric Valve & Navigator 9325 Control to read flow, and pressure.	\$6,173		
4415-0979	Deck Gun piping to extend up 12" above top of pump module.	\$0		
4415-0980	6" Right Rear Discharge 6" Akron Electric Valve with 9323 controller. Locate: right rear discharge.	\$7,117		
4415-0981	6" Left Rear Discharge 6" Akron Electric Valve with 9323 controller. Locate: left rear discharge.	\$7,117		
4415-0982	6" Pump Panel Discharge 6" Akron Electric Valve with 9323 controller. Locate: [#LOC].	\$6,998		
4415-0983	2.5" Right Pump Panel Discharge Akron Electric Valve with 9323 controller. Location: [#LOC].	\$3,594		
4415-0984	2.5" Left Pump Panel Discharge Akron Electric Valve with 9323 controller. Location: [#LOC].	\$3,594		
4415-0985	1.5" crosslay w/2" Akron electric valve and 9323 controller. Location: [#LOC].	\$3,282		
4415-0986	4" Right Pump Panel Discharge w/4" Akron Electric Valve with 9323 controller. (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$5,497		
4415-0987	3" Right Front Hosebed Elkhart Electric Unibody Valve. Termnate with a 3"FNPT X 2.5" MNST.	\$4,370		

Item #	Description	Extension	+1/-1	Total
4415-0988	3" Left Front Hosebed Elkhart Electric Unibody Valve. Terminate with a 3"FNPT X 2.5" MNST.	\$4,370		
4415-0989	Left Front Hosebed Discharge 3" w/ 3" Elkhart Unibody Manual Valve and shall terminate with a 3"FNPT X 2.5"MNST adapter.	\$2,717		
4415-0990	Triple speedlay with (1) 1.5" and (1) 2.5" in lower storage area and (1) 1.5" in upper storage area. All with Elkhart Unibody electric valves.	\$10,198		
4415-0991	4" Pump Panel Discharge Akron Electric Valve & Navigator 9325 to read flow, and pressure. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$6,570		
4415-0992	4" Pump Panel Discharge Akron Electric Valve & Navigator 9325 (Waterous pumps noted location to be forward lower port). Location:Left Side Discharge 1.	\$9,523		
4415-0993	3" Left Rear Discharge Akron Electric Valve with 9323 controller. Location: [#LOC].	\$4,622		
4415-0994	4" waterway discharge with 4" Akron electric valve with 9323 controller.	\$5,384		
4415-0995	Brass Swivel in Tray for Front Bumper Discharge. Locate in center tray offset to driver side of tray.	\$0		
4415-0996	1.5" Front Bumper Discharge Akron Electric Valve with 9323 controller.	\$3,733		
4415-0998	4" Left Pump Panel Discharge w/3" Akron Electric Valve with 9323 controller (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,722		
4415-0999	4" Right Pump Panel Discharge w/3" Akron Electric Valve, and 9323 controller. (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,722		
4415-1000	Double 1.5" Speedlay w/2" Elkhart Electric Unibody Valve with UICS-2 CAFS Controllers.	\$8,234		
4415-1001	4" Right Panel Discharge w/30 Degree Droop. Include 4" Akron Electric Valve w/9323 Controller. (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$5,740		
4415-1002	2.5" Crosslay Elkhart Unibody Manual Valve. Location: crosslay 1 & 2.	\$1,358		
4415-1003	1.5" Front Bumper Crosslay Discharge Elkhart Unibody Valve with hand wheel control.	\$3,432		
4415-1004	1.5" Double Speedlay with Elkhart Unibody Valves with hand wheel controls.	\$5,052		
4415-1005	2.5" Left Panel Discharge Elkhart Hand Wheel Control UnibodyValve w/30 Degree Droop Location: [#LOC]	\$2,641		
4415-1006	1.5" Preconnect Discharge Akron Electric Valve with 9323 controller. Locate [#LOC].	\$3,733		
4415-1007	5" Left Side Discharge 5" Akron Electric Valve w/9323 controller. Locate: [#LOC]	\$6,188		
4415-1008	5" Right Side Discharge 5" Akron Electric Valve with 9323 controller. Locate: [#LOC].	\$6,188		
4415-1009	8" Deck Gun Discharge Outlet with 8" Electric Akron Valve with 9323 controller. Require 8" Monitor.	\$9,683		
4415-1010	3" Right Panel Discharge Akron Electric Valve and 9323 Controller w/30 Degree Droop. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$4,636		
4415-1011	3" Right Pump Panel Discharge Akron Electric Valve. Location: [#LOC].	\$4,389		
4415-1012	3" Right Front Hosebed Akron Electric Valve with 9323 controller.	\$4,965		
4415-1013	Both Polished Stainless Steel Swivel Located to be minimum of 16 inches forward of cab to allow storage of short suction hose across front bumper.	\$0		
4415-1014	4" Waterway Discharge with 3" Elkhart Unibody Electric Valve	\$4,522		
4415-1015	3" Right Pump Panel Discharge Akron Electric Valve with 9323 controller. Location: [#LOC].	\$4,389		
4415-1016	4" waterway discharge with 3" Akron electric valve, and 9323 controller.	\$4,500		
4415-1017	2.5" Front Bumper Discharge Akron Electric Valve with 9323 controller.	\$3,914		
4415-1018	2.5" Left Front Hose Bed Akron Electric Valve with 9323 controller.	\$4,117		
4415-1019	2.5" Right Front Hose Bed Akron Electric Valve with 9323 controller.	\$4,117		
4415-1020	Double 1.5" Speedlay w/2" Akron Electric Valves with 9323 controllers.	\$6,578		
4415-1021	2.5" Left Pump Panel Discharge Akron Electric Valve with 9323 controller and 30 degree droop. Location: [#LOC].	\$4,011		
4415-1022	2.5" Right Pump Panel Discharge Akron Electric Valve with 9323 controller and 30 degree droop. Location: [#LOC].	\$4,011		
4415-1023	4" Deck Gun Discharge Outlet with 6" Electric Akron Valve and plumbing. Requires 4" Monitor.	\$7,026		

Item #	Description	Extension	+1/-1	Total
4415-1024	4" Right Pump Panel Discharge w/3" Akron Electric Valve, and 9323 controller include 30 degree droop. (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$5,088		
4415-1025	5" Right Pump Panel Discharge w/3" Akron Electric Valve. Location: [#LOC].	\$5,576		
4415-1026	5" Pump Panel Discharge with 4" Akron Electric Valve with 9323 controller. Location: [#LOC].	\$6,136		
4415-1027	2.5" Front Bumper Discharge Akron Manual Valve and chrome adapter. Location: Through the bumper on Officer side front bumper.	\$2,187		
4415-1028	5" Left Rear Discharge 5" Akron Electric Valve with 9323 controller.	\$8,150		
4415-1029	5" Right Rear Discharge Akron Electric 5" Valves with 9323 controller.	\$8,150		
4415-1030	6" Deck Gun Discharge 6" Electric Akron Valve with 9323 controller, and plumbing. Requires 6" Monitor.	\$7,419		
4415-1031	4" Deck Gun Discharge 6" Electric Akron Valve with 9323 controller and plumbing. Requires 4" Monitor.	\$7,026		
4415-1032	3" Left Panel Discharge Top Mount Akron Electric Valve with 9323 controller. Location: [#LOC]	\$4,511		
4415-1033	3" Left Panel Discharge Top Mount Akron Electric Valve w/9323 controller, and 30 Degree Droop (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$4,880		
4415-1034	Triple Speedlay (1) 2.5" and (2) 1.5" with Akron Manual Valve. 2.5" in top location in bed number 1.	\$4,752		
4415-1035	1.5" Rear Driver Side Preconnect Akron gear operator valve hand wheel control for Rear Mount.	\$2,368		
4415-1036	2.5" Right Pump Panel Discharge Akron Manual Valve to be used with Wetside - under tank design only. Location: [#LOC].	\$2,606		
4415-1038	2.5" Right Pump Panel Discharge Akron Electric Valve to be used on Wetside with under tank design only. Location: [#LOC].	\$4,937		
4415-1039	Double Speedlay (2) 1.5" and Crosslay (1) 2.5" with Akron Manual Valve.	\$4,943		
4415-1040	1.5" Crosslay w/2.5" Elkart Unibody Manual Valve and plumbing Location: [#LOC]	\$1,374		
4415-1041	4" Pump Panel Discharge w/3" Akron Electric Valve & Navigator 9325 to read flow, and pressure. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$6,143		
4415-1042	2.5" Single Speedlay with Akron manual valve outlet to terminate below speedlay tray.	\$1,382		
4415-1043	3" Deck Gun Discharge Elkhart Electric Unibody valve UBEC2 to pressure.	\$5,233		
4415-1044	3" Right Pump Panel Discharge UBEC2 Electric Valve with 30 degree droop to read pressure. Location: [#LOC]	\$5,127		
4415-1045	Preconnect extension (Each). The front hosebed preconnect to be extended to the rear of the hosebed area. Includes smooth plate cover. Location: second officer side hose bed preconnect is to terminate approx 10" from back edge of hosebed.	\$469		
4415-1046	6" Right Rear Discharge 6" Akron Electric Valve with 9323 controller. Locate: right rear discharge.	\$7,117		
4415-1047	6" Left Rear Discharge 6" Akron Electric Valve with 9323 controller. Locate: left rear discharge.	\$7,117		
4415-1048	3" Rear panel discharge with Akron electric valve and 9323 controller. For use with rear mount pump. Location [#LOC].	\$3,668		
4415-1049	Discharge Package (4) 2.5" Darley Manual Valves for front Mount	\$7,530		
4415-1050	3" Akron Electric Valve for front mount pump	\$4,966		
4415-1051	1.5" hose reel discharge with Akron electric valve.	\$2,952		
4415-1052	1.5" Preconnect Discharge Akron Electric Valve with 9325 controller with pressure reading only. Locate (1) L1, and (1) R1.	\$4,198		
4415-1053	Deck gun piping to be positioned in dunnage pan center front to rear and low in pan, but no less than 4" from floor	\$0		
4415-1054	2.5" Front Bumper Discharge Akron Manual Valve. Locate 2.5" discharge under front bumper on officer side center under officer side.	\$2,079		
4415-1055	2.5" Crosslay w/2.5" Elkhart Electric Unibody Valve with UICS-2 CAFS Controller with pressure reading. Location: [#LOC].	\$5,010		
4415-1056	1.5" crosslay with Akron manual valve and no swivel. For use with discharges that locate below the hose beds. Location: [#LOC].	\$1,127		

Item #	Description	Extension	+1/-1	Total
4415-1057	4" Left Rear Discharge 4" Elkhart Electric Unibody Valve.	\$5,176		
4415-1059	Quad Speedlay (2) 1.5" / (2) 2.5" with Akron Manual Valves.	\$4,915		
4415-1060	2.5" Front Bumper Discharge Elkhart Electric Valve with UICS-2 CAFS Controller with pressure reading.	\$5,442		
4415-1061	4" deck gun discharge Akron electric valve w/9323 controller.	\$6,389		
4415-1062	2.5" rear panel discharge with Akron manual valve with droop. For use with rear mount pump. Location rear pump panel. Location [#LOC].	\$1,666		
4415-1063	2.5" Right Pump Panel Discharge Akron Manual Valve w/droop to be used with Wetside - under tank design only. Location: [#LOC].	\$2,924		
4415-1064	8" Deck Gun Discharge Akron Electric Valve with a Navigator 9325 controller. Include pressure sensor for pressure reading out only. Require 8" Monitor.	\$10,357		
4415-1065	5" Right Side Discharge Akron Electric Valves with a Navigator 9325 controller. Include pressure sensor for pressure read out only. Location: [#LOC]	\$6,861		
4415-1066	5" Left Side Discharge Akron Electric Valves with a Navigator 9325 controller. Include pressure sensor for pressure read out only. Location: [#LOC]	\$6,861		
4415-1067	5" Left Rear Discharge 5" Akron Electric Valve with a Navigator 9325 controller. Include pressure sensor for pressure read out only	\$8,373		
4415-1068	1.5" Crosslay w/2" Akron Electric Valves with a Navigator 9325 controller. Include presure sensor for pressure read out only. Location: [#LOC].	\$4,135		
4415-1069	4" Deck Gun Discharge 6" Electric Akron Valve with a Navigator 9325 controller. Include pressure sensor for pressure read out only. Location: right rear. Require 4" Monitor.	\$8,463		
4415-1070	2.5" Crosslay w/2.5" Akron Electric Valves with a Navigator 9325 controller. Include presure sensor for pressure read out only. Location: [#LOC].	\$4,522		
4415-1071	1.5" Front Bumper Crosslay Discharge Akron Electric Valve with a Navigator 9325 controller. Include pressure sensor for pressure read out only.	\$4,181		
4415-1072	4" Pump Panel Discharge Akron Electric with a Navigator 9325 controller. Include presure sensor for pressure read out only. (Waterous pumps noted location to be forward lower port). Location: [#LOC].	\$6,317		
4415-1073	4" Deck Gun Discharge 6" Electric Akron Valve with a Navigator 9325 controller. Include pressure sensor for pressure read out only. Location: pump module. Require 4" Monitor.	\$7,539		
4415-1074	4" Waterway Discharge with 5" Akron Electric Valve with 9325 controller. Include pressure sensor for pressure read out only. Location: pump module.	\$7,321		
4415-1075	1.5" Front Bumper Crosslay Discharge Akron Manual Valve.	\$2,541		
4415-1076	2.5" Right Pump Panel Discharge Akron Electric Valve to be used on Wetside with under tank design only. Location: [#LOC].	\$4,937		
4415-1077	2.5" Center Rear Discharge Akron Manual Valve. To terminate at rear of ladder tunnel opening centered.	\$1,879		
4415-1078	2.5" Right Pump Panel Discharge Waterous Manual Hand Wheel Valve. Locate discharge 2.	\$3,792		
4415-1079	2.5" Left Pump Panel Discharge Waterous Manual Hand Wheel Valve. Locate discharge 1, and 2.	\$3,680		
4415-1080	2.5" Left Front Hosebed Discharge Waterous Manual Hand Wheel Valve. Location: left front hosebed.	\$3,963		
4415-1081	2.5" Right Rear Discharge Waterous Manual Hand Wheel Valve. Location: right rear	\$3,963		
4415-1082	1.5" Crosslay w/2.5" Waterous Valve Handwheel Control.	\$3,799		
4415-1083	2.5" Right Pump Panel Discharge Akron Electric Valve w/droop to be used on Wetside with under tank design only. Location: [#LOC].	\$5,254		
4415-1084	1.5" front bumper discharge Akron manual valve with chrome adapter through bumper. Location: Driver Side.	\$1,921		
4415-1085	4.5" Right Pump Panel Discharge with 3" Akron Manual Valve Location: [#LOC]	\$2,593		
4415-1086	4" Front Discharge w/4" Elect 9323 Akron Valve and Plumbed Through Front Bumper.	\$7,708		

Item #	Description	Extension	+1/-1	Total
4415-1087	4" Left Pump Panel Discharge w/4" Akron Electric Valve with 9323 controller. (Waterous pumps noted location to be forward lower port) Location: [#LOC]	\$5,497		
4415-1088	3" Left Rear Deck Gun Discharge Akron manuall Valve. Location: Driver side rear.	\$2,600		
4415-1089	2.5" Single Speedlay with Akron manual valve.	\$1,516		
4415-1090	4" Discharge with 4" Akron Electric valve. The discharge plumbing will be wye into the 5" rear intake plumbing. Where the rear intake can be utilized as a Intake or Discharge.	\$5,245		
4415-1091	2.5" Deck Gun Discharge, Akron manual valve.	\$1,888		
4415-1092	2.5" Single Speedlay with Elkhart valve hand wheel control located at lower storage area offset to rear.	\$2,820		
4415-1093	2.5" Front Bumper Discharge Akron Manual Valve and chrome adapter. Location: Through the bumper inboard of frame rails.	\$2,187		
4415-1094	3" Right Rear Discharge UBEC3 Electric Valve to read flow, and pressure. Location: Right rear.	\$7,703		
4415-1095	Triple Speedlay (2) 1.5" and (1) 2.5" with Akron valves hand wheel control.	\$8,213		
4415-1096	2.5" Crosslay Akron Manual Valve. For use with discharges that locate below the hose beds. Location: [#LOC].	\$1,358		
4415-1097	4" Right Side Discharge outlet no valve. Include 4" plumbing, terminate with 4"FNPT X 5" storz adapter with locking cap. (FOR PUMP TESTING ONLY).	\$1,630		
4415-1098	5" Pump Panel Discharge with 4" Akron Electric Valve with 9323 controller. Include a 4"NST X 5" Storz elbow with cap. Location: discharge 3	\$6,136		
4415-1099	4" Left Pump Panel Discharge w/4" Akron Electric Valve with 9323 controller. (Waterous pumps noted location to be forward lower port). [#LOC].	\$5,497		
4415-1100	1.5" Crosslay w/2" Akron Electric Valve with 9325 controller to Read Flow, and Pressure. Location: [#LOC]	\$4,305		
4415-1101	2.5" Front Bumper Discharge Akron Electric Valve with 9325 controllerto Read Flow, and Pressure.	\$6,869		
4415-1102	2.5" Right Panel Discharge Akron Electric Valve & Navigator Pro 9325 controller w/30 Degree Droop to Read Flow, and Pressure. Location: [#LOC]	\$5,624		
4415-1103	2.5" Left Panel Discharge Akron Electric Valve & Navigator Pro 9325 controller w/30 Degree Droop to Read Flow, and Pressure. Location: [#LOC]	\$5,624		
4415-1104	3" Front Bumper Discharge Akron Manual Valve. Location; Officer side with a fix 90 degree elbow on top of bumper..	\$4,120		
4415-1105	2.5" Right Pump Panel Foam Discharge Akron Electric Valve with 9323 controller. Location; Right side pump panel.	\$3,594		
4415-1106	1.5" Double Speedlay with Akron Valves with hand wheel controls.	\$5,052		
4415-1107	3" Right Rear Discharge UBEC3 Electric Valve to read flow, and pressure. To terminate 2.5" NST. Location: [#LOC].	\$7,703		
4415-1108	2.5" Single Speedlay with Akron manual valve located at lower storage area offset to front.	\$1,516		
4415-1109	Preconnect extension (Each). The front hosebed preconnect to extend to the front of the hosebed divider area.	\$0		
4415-1110	5" Right Pump Panel Discharge with 3" Akron Manual Valve. Include a 4"FNST swivel x 5" Storz 30 degree droop adapter, and cap. Location: [#LOC].	\$2,803		
4415-1111	Front bumper 1.5" pre-connect with manual valve and pressure gauge.	\$2,345		
4415-1112	3.5" Right Panel Discharge with 3" Akron Electric Valve with 9323 controller. Location: Right side pump panel.	\$4,557		
4415-1113	Speedlay plumbing in lower two opening to have 1.5", and upper forward opening to have 2.5", rearward upper opening 1.5".	\$0		
4415-1115	Triple speedlay with (2) 1.5" in upper storage areas and (1) 2.5" in lower storage area. All with Akron manual valves.	\$4,005		
4415-1116	2.5" Right Pump Panel Discharge Waterous Manual Valve. Location: [#LOC]	\$1,662		
4415-1117	2.5" Left Rear Discharge Waterous Manual Valve. Location: [#LOC]	\$1,995		
4415-1118	2.5" Left Pump Panel Discharge Waterous Manual Valve. Location: [#LOC]	\$1,607		
4415-1119	4.5" Right Pump Panel Discharge with 4" Akron Valve Handwheel Control. Location: [#LOC].	\$5,258		
4415-1120	5" Right Pump Panel Discharge with 5" Akron Valve Handwheel Control	\$5,910		
4415-1121	2.5" Crosslay Akron Manual w/3" Akron Valve, 3" plumbing to the 2.5" swivel. Location: [#LOC].	\$2,119		

Item #	Description	Extension	+1/-1	Total
4415-1122	4" Waterway Discharge Akron Valve with Trident Handwheel Control.	\$4,503		
4415-1123	4" Pump Panel Discharge Akron Valve with Trident Handwheel Control. (Waterous pumps noted location to be forward lower port.) Location: [#LOC].	\$4,502		
4417-0025	Valve, quarter turn bleeder installed on [#LOC].	\$148		
4417-0026	Automatic drain valve. For: [#LOC].	\$93		
4417-0030	Monitor Akron 3578 Electric 2000.	\$11,447		
4417-0031	Monitor Akron 3570 Manual 2000	\$4,198		
4417-0032	Monitor Scorpion wireless RF radio 2000 GPM	\$12,846		
4417-0042	An Akron tether remote control kit with a 30' cable shall be provided for an Akron monitor. Plug for the remote control to be located: [#LOC].	\$1,293		
4417-0054	Preconnect extension (Each). The front hosebed preconnect to be extended to the rear of the hosebed area. Includes smooth plate cover. Location: [#LOC]	\$469		
4417-0055	"Superior" style cable controls for top mount.	\$231		
4417-0058	Quarter turn bleeder drain valve plumbed to: [#LOC].	\$0		
4417-0061	All 2.5" discharge(s) to have a 2.5" Swivel FNST X 2.5 male New York Corp threads elbow adapter with cap.	\$230		
4417-0062	Class 1 Cable Style Controls for Top Mount Discharges and Intakes.	\$154		
4417-0063	Class 1 air operated drains (upgrade) for all discharges and intakes. Includes switch on pump panel for each valve.	\$145		
4417-0067	Monitor 4" TFT Monsoon Manual with TFT Master Stream 2000 gpm manual Nozzle.	\$7,487		
4417-0070	Push-Pull "T" handle controls.	\$0		
4417-0075	Monitor 4" TFT Monsoon Electric with TFT Master Stream 2000 gpm electric Nozzle. Include panel mount and hand held Remote.	\$16,907		
4417-0077	Adapter 3"FNST x 3.5" MNST with Cap.	\$276		
4417-0079	9304 Akron Navitgator electric valve control. Location: All electric discharge valves IPOS.	\$696		
4417-0080	All 1.5" Threads to be IPT threads	\$82		
4417-0081	Vented caps and plugs for all discharges/intakes.	\$677		
4417-0088	Bleeder drain valve plumbed to: [#LOC].	\$135		
4417-0089	Lift lever quarter turn bleeder valve. Plumbed for use with: [#LOC].	\$0		
4417-0090	Additional control for deck gun electric valve locate adjacent to the discharge outlet.	\$2,006		
4417-0095	Monitor and Reel kit. Includes (1) Akron FireFox remote control monitor. Located above pump area with joystick controller at cab console and (1) Booster Reel with a capacity for 200' of 1" (not included). Includes aluminum plate enclosure with easily accessible rewind switch, rollers and air blow-out. Locate officer side lower pump area. For use with AP or MBP pumps.	\$13,833		
4417-0096	Monitor and Reel kit. Includes (1) Akron FireFox remote control monitor. Located above pump area with joystick controller at cab console and (1) Booster Reel with a capacity for 200' of 1" (not included). Includes aluminum plate enclosure with easily accessible rewind switch, rollers and air blow-out. Locate officer side lower pump area. For use with DSD pump.	\$13,833		
4417-0097	Innovative Controls Push/Pull Valve Control Handles IPOS.	\$59		
4417-0098	Monitor in stowed position to be flush with top of hosebed cover.	\$0		
4417-0101	Automatic drain valve. For: [#LOC].	\$0		
4417-0106	Deck gun piping to be positioned [#LOC].	\$0		
4417-0112	Willams Hydro Chem 1 X 3 Ranger 3 Monitor Manual	\$31,078		
4417-0113	Willams Hydro Foam 1 X 3 Ranger 3 Monitor Manual	\$34,194		
4417-0115	Monitor 4" TFT Monsoon Electric with hand held Remote. Require Nozzle	\$14,606		
4417-0120	Adapter Chrome Reducer 2.5"FNST x 1.5"MNST w/Cap. [#LOC].	\$111		



Item #	Description	Extension	+1/-1	Total
4417-0121	Air blow-out for: Front Bumper Discharge. (NOT REQUIRE)	\$0		
4417-0123	Monitor hand held remote control, in aluminium box to be located: [#LOC].	\$0		
4417-0132	All Plumbing Valves Working Pressure to be at 250 psi.	\$0		
4417-0135	Addition Automatic drain valve. For: front bumper discharge. Location under front bumper at lowest point.	\$93		
4417-0139	Dealer to install a second pre-connect. Locate 200' of 1 3/4" double jacketed hose on the top of the pump module. The pre-connect shall be fitted to the 4" right hand side discharge using a dealer supplied adapter.	\$0		
4417-0140	Crosslay 1 valve control to be electric 9313 controller.	\$2,145		
4417-0150	Manual override access hole to be supplied in officer's side pump panel to access the override on the 4" discharge. Wrench required for manual override shall be located in vicinity of access panel.	\$98		
4417-0151	Location only. The front bumper 1.5" discharge shall be located down low centered on rear wall of front bumper tray.	\$0		
4417-0152	All discharges 3" and below, and 2.5" intakes shall have Akron 8900 series valves with Fusion CF Composite ball.	\$241		
4417-0154	Additional electric controller for discharge electric valve locate adjacent to the outlet. Locate.[#LOC].	\$2,006		
4417-0156	Triple speedlay plumbing location (1) 1.5" and (1) 2.5" in lower storage area with 2.5" forward of the 1.5", and (1) 1.5" in upper storage area.	\$0		
4417-0159	Monitor Scorpion 8294-02 Monitor w/2000 GPM Nozzle, and ST-195 stacked tips (tips shipped loose).	\$10,580		
4417-0161	Air blow-out for: Front Bumper Discharge.	\$0		
4417-0163	Additional control for deck gun valve handwheel control locate adjacent to discharge outlet. Hand wheel to be extended to top of pan.	\$1,666		
4417-0166	Monitor 3" TFT Monsoon Electric with TFT Master Stream 1500 gpm electric Nozzle. Include panel mount and hand held Remote.	\$13,250		
4417-0169	Master gauges, discharge gauges and bleeder lines to have (NO LOOPS) to trap water.	\$0		
4417-0174	CAFS Compressor "auto on".	\$158		
4417-0175	Innovative Controls push/pull valve controls with locking T handles.	\$0		
4417-0176	Innovative Controls 3/4" bleeder/drain valve include lift lever with ergonomic grip.	\$0		
4417-0177	Innovative Controls 3/4" bleeder/drain valve include 1/4 turn T-handle.	\$0		
4417-0181	Triple Speedlay Plumbing shall be (2) 1.5" plumbed to driver side and (1) 2.5" plumbed to officer side.	\$0		
4417-0183	Monitor Scorpion 8294-02 Monitor w/2000gpm Nozzle.	\$10,342		
4417-0185	Innovative Controls discharge and intake bezels with integral color code and verbiage for side mount pump panel	\$563		
4417-0186	Innovative Controls discharge and intake bezels with color code and verbiage for top mount pump panel	\$362		
4417-0187	Monitor Apollo Akron 3426 w/ Akron Nozzle 5160	\$2,729		
4417-0192	Innovative Controls discharge and intake bezels with integral color code and verbiage for rear mount pump panel	\$386		
4417-0203	Innovative Controls discharge and intake bezels with integral color code and verbiage for AP50 pump.	\$140		
4417-0204	Trident Hand Wheel Control.(In place of standard push/pull rod.): Location [#LOC].	\$1,170		
4417-0206	Innovative Controls 3/4" Bleeder drain valve plumbed to: direct/inlet tank fill.	\$135		
4417-0209	Monitor Akron 3480 Electric StreamMaster II with 5178 2000gpm electric nozzle.	\$14,309		
4417-0214	Monitor Akron 3480 Electric StreamMaster II 2000gpm with 5178 nozzle. Include a panel mount control with stow, and hand held wireless remote control.	\$14,650		
4417-0216	"Superior" style cable controls for side mount.	\$296		
4417-0217	Innovative Controls 3/4" bleeder/drain valves located on bleeder panel inside L1 compartment	\$0		
4417-0224	Additional control for deck gun valve push/pull control locate adjacent to discharge outlet	\$905		
4417-0226	A sensor shall be located at the monitor that signals the door ajar light in the cab to indicate that the monitor is raised.	\$280		
4417-0231	5" Officer side discharge shall be short enough to accommodate a 5" storz elbow adapter while still allowing room for roll up door.	\$0		

Item #	Description	Extension	+1/-1	Total
4417-0232	CAFS Discharge electric valve controls shall be through the CAFS One Step display screen located at the pump panel operator. (IPOS manual control)	\$0		
4417-0233	Monitor Akron 3483 Manual with 5160 nozzle.	\$7,154		
4417-0234	Innovative Controls 3/4" bleeder/drain valve include 1/4 turn T-handle. Preconnect drain controls (X-Lay 1 & 2) located on the driver side of the pump enclosure. Remaining drains located where applicable.	\$0		
4417-0238	Trident 6" Hand Wheel Control.(In place of standard push/pull rod.): Location [#LOC].	\$1,388		
4417-0242	Trident 3/4" bleeder/drain valve include 1/4 turn rectangular chrome plated brass handle.	\$27		
4417-0243	Monitor Akron 3482 Electric with a 5177 1250gpm nozzle. Include panel mount control.	\$10,958		
4420-0003	Winch system manual propellant bottle lift.	\$3,300		
4420-0053	Driver and officer side tank dumps. Electric actuated dump valve includes 18" electric telescopic extension and switch. Stainless steel valve and extension.	\$6,206		
4430-0008	Advent 30 Foam System for a Single Foam Tank	\$23,258		
4430-0009	Advent 60 Foam System for a Single Foam Tank	\$27,648		
4430-0010	Advent 120 Foam System A and B Type	\$35,461		
4430-0011	1600 Rockwood Around The Pump Foam System	\$4,884		
4430-0013	Williams 1500 Around-The-Pump foam system.	\$8,288		
4430-0014	Hale 2.1A FoamLogix foam system.	\$8,232		
4430-0015	Hale 3.3 FoamLogix foam system.	\$17,488		
4430-0016	5.0 Hale FoamLogix Foam System.	\$19,716		
4430-0017	400 Rockwood around the pump foam system.	\$3,679		
4430-0018	1600 Hypro/FoamPro foam system.	\$9,549		
4430-0019	2001 Hypro/FoamPro foam system.	\$15,509		
4430-0020	2002 Hypro/FoamPro foam system.	\$19,768		
4430-0021	Around The Pump Multi-Metering Foam System	\$8,242		
4430-0022	Hot Shot II 150 Foam System.	\$59,597		
4430-0023	Hot Shot II 300 Foam System	\$63,415		
4430-0024	Hot Shot I 150 Foam System	\$48,258		
4430-0025	Hot Shot I 300 Foam System	\$74,935		
4430-0031	Eclipse Compressed Air Foam System 1000 GPM Manifold w/2002 FoamPro.	\$92,266		
4430-0032	CAFSPRO with 2.1 Foam Logix Compressed Air Foam System with 750gpm Manifold	\$55,023		
4430-0039	Eclipse Compressed Air Foam System 500 GPM Manifold w/2001 FoamPro	\$86,037		
4430-0041	WATP 500 A/B Foam System Include 1.5" Foam pick up.	\$11,334		
4430-0042	Advent 12 Foam System for a Single Foam Tank	\$23,016		
4430-0043	Advent 12 Dual Foam System for Dual Foam Tanks	\$25,269		
4430-0045	95 GPM Akron Foam Eductor. Location: [#LOC].	\$2,528		
4430-0046	125 GPM Elkhart Foam Eductor Location: [#LOC]	\$3,152		
4430-0047	125 GPM Akron foam eductor. Location: [#LOC].	\$2,887		
4430-0048	95 GPM Elkhart Foam Eductor Location: [#LOC]	\$2,876		
4430-0050	Dealer installed foam system.	\$0		
4430-0051	Advent 30 Dual Foam System for Dual Foam Tanks	\$28,599		
4430-0052	CAFSPRO with 3.3 Foam Logix Compressed Air Foam System with 750gpm Manifold	\$69,441		
4430-0053	CAFSPRO with 5.0 Foam Logix Compressed Air Foam System with 750gpm Manifold	\$70,621		
4430-0054	Foam system, an around the pump multi-metering, proportioning 3 percent.	\$7,925		
4430-0055	Foam system, an around the pump multi-metering, proportioning 6 percent.	\$7,925		

Item #	Description	Extension	+1/-1	Total
4430-0056	125 GPM Elkhart Foam Eductor w/air actuated foam valve Location: [#LOC]	\$3,804		
4430-0057	125 GPM Akron Foam Eductor w/air actuated foam valve. Location: [#LOC].	\$3,385		
4430-0058	Hot Shift Clutch - Required with CAFS system	\$3,446		
4430-0059	Eclipse Compressed Air Foam System 500 GPM Manifold w/2002 FoamPro.	\$90,297		
4430-0060	CAFSPRO 5.0 FoamLogix Compressed Air Foam System with 1000 GPM manifold.	\$72,537		
4430-0061	FoamPro 3012 foam system, hydraulics PTO driven.	\$26,302		
4430-0062	Advent 120 Foam System single	\$32,496		
4430-0063	FoamPro 3040D Foam System with elect/hyd drive.	\$45,537		
4430-0064	Locate Foam Pro unit in walkway compartment on officers side. Make cut-out in rearward side of compartment so foam pump will protrude into pump compartment. Includes small access door in pump panel for acces to calibration valve.	\$0		
4430-0066	Foam Tank To Pump 1" Air/Act for Dealer install foam system.	\$964		
4430-0070	125 GPM Akron Simple Apparatus Foam System	\$1,837		
4430-0071	1500V Williams A/B Around The Pump foam system. Include A/B tanks control.	\$10,196		
4430-0072	Foam System to be located in pump module area and provide foam capability for up to (6) discharges. The (6) discharges with foam capability (applicable only as optioned) are: (2) crosslays or speedlays (as applicable), (1) front bumper jump line, (2) booster reels and (1) officer side rear body discharge or additional crosslay.	\$0		
4430-0075	2.0 Feecon Around The Pump Foam System	\$5,109		
4430-0076	Eclipse Waterous Compressed Air Foam System 1000 GPM Manifold.	\$72,503		
4430-0077	Waterous Advantus 6.0 Foam System	\$22,188		
4430-0078	Classic 140 Compressed Air Foam System. Shall include (5) Discharge outlets (1) 2.5" Left Hosebed Preconnect Discharge, (2) 1.5" Crosslay outlets, and (2) booster reels.	\$48,166		
4430-0079	The foam system performance shall be tested and certified in compliance with the applicable NFPA 1901 requirements.	\$333		
4430-0080	The balanced pressure foam system performance shall be tested and certified in compliance with 2009 NFPA 1901.	\$662		
4430-0081	1500 Williams Around The Pump Foam System Up Graded to 2000gpm at 3%	\$3,233		
4430-0085	Classic 140 Compressed Air Foam System.	\$27,355		
4430-0086	1.0 Feecon Around The Pump Foam System Preset at 3% Class B Foam. (For Pump&Roll with PortablePump)	\$4,568		
4430-0087	Advent 60 Foam System for a dual Foam Tank.	\$33,716		
4430-0088	Willams Foam System around the pump Multi-Metering Valve - 1%, 3% and 6%.	\$22,525		
4430-0089	The main pump manifold to have water loop for dealer installed foam system (Class A Foam System) to noted preconnects/discharges	\$856		
4430-0090	Hot Shot II 160-348 High Pressure Foam System.	\$67,907		
4430-0091	FoamPro 1600 Foam System. Provides foam for (2) 1.5" Double Crosslay, and Booster Reel. Include FoamPro Remote start control in cab center console. Locate foam system in the L1 compartment on the shelf.	\$16,068		
4430-0092	Hot Shot II 160-348 High Pressure foam pump test of 140 gpm at 250 psi.	\$0		
4430-0093	Venom 5.0 Hypro/Foam Pro Foam System.	\$20,269		
4430-0094	Advent 12 Elecrict (230) Dual Foam System for Dual Foam Tanks	\$28,745		
4430-0095	Foam System to be located in pump module area and provide foam capability for up to (6) discharges. The (6) discharges with foam capability (applicable only as optioned) are: (2) crosslays or speedlays (as applicable), (1) front bumper jump line, (2) booster reels and (1) driver side rear body discharge or additional crosslay.	\$0		
4430-0096	Hale 2.1A Foam System. Provides foam for up to (4) discharges: 1.5" Double Crosslay or Speedlay (as applicable), and the following discharges if optioned: 1.5" Frt Bumper and Booster Reel.	\$5,908		
4430-0097	Dealer installed foam system. Final manifold/discharge configuration to be defined by foam system application installed at/by dealer.	\$1,506		

Item #	Description	Extension	+1/-1	Total
4430-0098	Hale 2.1A Foam System. Provides foam for up to (4) discharges: 1.5" Double Crosslay or Speedlay (as applicable), and the following discharges if optioned: 1.5" Frt Bumper and Booster Reel.	\$6,027		
4430-0099	Hale 2.1A Foam System. Provides foam for up to (4) discharges: 1.5" Double Crosslay or Speedlay (as applicable), and the following discharges if optioned: 1.5" Frt Bumper and Booster Reel.	\$6,027		
4430-0100	Foam ready system. Final manifold/discharge configuration to be defined by foam system application installed at/by dealer.	\$1,506		
4430-0102	The foam system performance shall be tested in compliance with 2003 NFPA 1901.	\$0		
4430-0103	Advent 120 Foam System. For use with dual foam cell applications.	\$39,590		
4430-0104	Advent 120 Foam System. For use with single foam cell application.	\$35,945		
4430-0105	Advent 160 Foam System. For use with dual foam cell applications.	\$43,293		
4430-0106	Advent 160 Foam System. For use with single foam cell application.	\$37,609		
4430-0107	WATP 500 B Foam System. Includes 1.5" Foam pick-up.	\$9,534		
4430-0108	FRC MFA200 Class A around the pump foam system.	\$3,026		
4430-0109	Waterous Advantus 3.0 foam system.	\$16,134		
4430-0110	Hot Shot II 300/372 HD Foam System. Relief Valve set pressure at 275 psi. Edwards pump HDF 300-372 with Muncie PTO CS10-A1006Hot Shot II 300 Foam System. The foam pump shall flow 250gpm at 250 psi. Include (2) 3" intake one left, and one right side.	\$67,951		
4430-0111	Ultra high pressure system with 150' hose reel,high pressure hose with nozzle. Plumb to water and foam tank. The system range will be 19-21 gpm @ 1400psi with a 20hp Honda engine. The system shall be located in R3 compartment with the reel in L3 compartment.	\$41,662		
4430-0112	125 GPM Akron Foam Eductor w/manual panel mount 1/4 turn foam valves (1) for A tank, and (1) for B tank. Location: [#LOC]	\$3,743		
4430-0113	The foam system shall be factory tested at, minimum, maximum, and midrange.	\$333		
4430-0114	Eclipse Compressed Air Foam System 3" Manifold w/Advantus 6.0 Foam system.	\$85,281		
4430-0115	125 GPM Akron foam eductor system with air actuation for both foam eductor and foam supply valve. Location: [#LOC].	\$4,249		
4430-0116	FoamPro 3040 Foam System hyd drive. (FoamPro Low Flow 130gpm at 3%)	\$45,115		
4430-0117	1500V Williams A/B Around The Pump Foam System with Single Tank and Aux Pickup to be use for Class A or Class B foam inlet.	\$10,831		
4430-0118	FoamPro AccuMax 3040 Foam System hyd drive with Multi-Piont Injection, and low flow option.	\$45,115		
4430-0119	FoamPro AccuMax 3040 Foam System hyd drive with Multi-Piont Injection, and low flow option.	\$45,563		
4430-0120	1500V Williams Manual A/B Around The Pump foam system with pickup. Include manual A/B tanks control with manual .75 flush valve.	\$10,257		
4430-0121	Ultra high pressure system with 150' hose reel,high pressure hose with nozzle. Plumb to water and foam tank. The system shall be located in R3 compartment with the reel in L3 compartment.	\$49,008		
4430-0122	1601 Hypro/FoamPro foam system.	\$8,743		
4430-0123	FoamPro AccuMax 3060 Foam System hyd drive with Multi-Piont Injection, Manual Override, and low flow option. Includes "Auto-Start" system.	\$69,797		
4430-0124	Pneumax 140-SP Silver Compressed Air Foam System to be used on Ford F550 chassis and driven off the Hale DSD Pump. Requires special DSD pump with PTO Bore and SAE "B" hydraulic drive splined.	\$28,323		
4430-0125	Hot Shot II 300 Foam System. With a Fire Lion FP4 bonze pump.	\$63,415		
4430-0126	Foam System to be located in pump module area and provide foam capability for up to (6) discharges. The (6) discharges with foam capability (applicable only as optioned) are: (2) crosslays or speedlays (as applicable), (1) front bumper jump line, (2) booster reels and (1) driver side forward hosebed preconnect.	\$0		
4430-0127	95 GPM Akron Foam Eductor Air Actuated. Location: [#LOC]	\$3,343		

Item #	Description	Extension	+1/-1	Total
4430-0128	Hale SmartCAFS 5.0 FoamLogix Compressed Air Foam System with 1000 GPM manifold.	\$71,977		
4430-0129	PyroBlitz Models B2000M-P PTO Ultra high pressure system with 150' hose reel, high pressure hose with PyroBlitz nozzle. Plumb to water and foam tank. Location; [#LOC]	\$51,152		
4430-0130	Waterous 200-P PTO Platinum Compressed Air Foam System	\$32,156		
4430-0131	Waterous 140-P PTO Platinum Compressed Air Foam System	\$31,358		
4430-0132	Waterous 80-P PTO Platinum Compressed Air Foam System	\$23,949		
4430-0133	Darley 150 ODIN Compressed Air Foam System.	\$23,356		
4430-0134	FoamPro 2002ELECT/3060HYD Foam System. FoamPro 2002 system for Class A low flow, and 3060 system for high flow Class B foam. (HILLSBOROUGH COUNTY)	\$56,721		
4430-0135	125 GPM Akron Foam Eductor w/manual panel mount 1/4 turn foam valves. Include push/pull, or lever for foam eductor Location: [#LOC]	\$3,510		
4430-0136	Darley 150-PTO Compressed Air Foam System	\$29,690		
4430-0137	95 GPM Akron Foam Eductor Air Actuated. Plumb to both 1.5" preconnects.	\$3,343		
4430-0138	2001 Hypro/FoamPro foam system with remote foam control installed in the cab in addition to operators panel. Wildland	\$17,255		
4430-0139	95 GPM Akron Foam Eductor w/air actuated foam valve. Location: [#LOC].	\$3,343		
4430-0140	Williams 1500 Around-The-Pump foam system. Include air actuated aux foam inlet valve IPOS control at operator panel.	\$8,567		
4430-0141	Pyrolance Model B 200 M-G gasoline engine driven ultra high pressure system with 150' length of 3/4" hose, with ultra high pressure pistol grip fog nozzle. Include plumbing to water and foam tank.	\$43,587		
4430-0142	Advent 30 Foam System for a Single Foam Tank	\$36,443		
4430-0143	Pyrolance Model B2000M-P PTO Ultra high pressure system with 150' hose reel, high pressure hose with PyroBlitz nozzle. Plumb to water and foam tank. Location: Pump in L1 and hose reel in L3.	\$52,688		
4430-0144	1.5 Feecon Around The Pump Foam System	\$9,442		
4430-0145	FRC TurboFoam TFC400 foam system. Include FRC A/B Electric Selector.	\$23,375		
4430-0146	60 Gal. Horizontal Component SUPER CAFS. System to have a electrically operated activation valve that is activated by a switch with a red guarded cover in the driver lower dash panel. System to be plumbed to a 1.5" discharge located in the Officer side bumper tray. Location; Foam tank in L2 and R2 compressed bottle under ladder in open storage area. All valves and discharges on the drivers side of the unit accessible in L1 fill to located on driver side of unit. To include 1520 Akron Saberjet 1.5" nozzle with pistol grip.	\$38,680		
4430-0147	Waterous One Step Compressed Air Foam System with Advantus 3.0 foam system.	\$100,881		
4430-0148	FoamPro Turbo Ultra High Pressure foam system with a Dual-Action spray gun. Include booster reel model E1520-17-18 with 100' of 5/8" high pressure hose. Location L1.	\$9,110		
4430-0149	125 GPM Akron foam eductor system with air actuation foam eductor. Location: [#LOC].	\$4,125		
4432-0002	Akron 5070 Manual 2000 GPM Nozzle	\$2,044		
4432-0003	Elkhart SM2000 Electric Nozzle	\$2,642		
4432-0009	Hot Shot Ratio Controller 2" Discharge. Plumbed to: [#LOC].	\$2,435		
4432-0010	Hot Shot Ratio Controller 2.5" Discharge. Plumbed to: [#LOC].	\$2,506		
4432-0011	Hot Shot Ratio Controller 3" Discharge. Plumbed to: [#LOC].	\$2,586		
4432-0012	Advent Ratio Controller 2" Discharge. Plumbed to: [#LOC]	\$1,993		
4432-0013	Advent Ratio Controller 2.5" Discharge. Plumbed to: [#LOC]	\$1,996		
4432-0014	Advent Ratio Controller 3" Discharge. Plumbed to: [#LOC]	\$2,027		
4432-0015	Advent Ratio Controller 4" Discharge. Plumbed to: [#LOC]	\$2,245		
4432-0016	Advent Ratio Controller 5" Discharge. Plumbed to: [#LOC]	\$4,093		

Item #	Description	Extension	+1/-1	Total
4432-0017	Advent Ratio Controller 6" Discharge. Plumbed to: [#LOC]	\$4,200		
4432-0018	Advent Ratio Controller 8" Discharge. Plumbed to: [#LOC]	\$8,144		
4432-0019	Foam Pro Remote Start Switch	\$809		
4432-0020	Eclipse 1.5"/3.0" Compressed Air Foam System Discharge Kit. Location: [#LOC].	\$26		
4432-0021	Darley ODIN Remote Start Switch	\$4,769		
4432-0022	1.5" Compressed Air Foam System Discharge Kit Location: [#LOC]	\$389		
4432-0023	2.0" Compressed Air Foam System Discharge Kit. Location: [#LOC].	\$392		
4432-0024	2.5" Compressed Air Foam System Discharge Kit. Location: [#LOC].	\$396		
4432-0025	3.0" Compressed Air Foam System Discharge Kit Location: [#LOC]	\$442		
4432-0026	3" Deck Gun Discharge Eclipse Compressed Air Foam System	\$4,323		
4432-0027	3" Deck Gun Compressed Air Foam System	\$4,696		
4432-0029	5" Discharge Right Pump Panel Hot Shot System	\$6,986		
4432-0030	6" Discharge Right Pump Panel Hot Shot System	\$7,303		
4432-0031	6" Discharge Right Pump Panel Hot Shot Electric	\$8,856		
4432-0032	4" Discharge Rear Hot Shot Electric	\$6,632		
4432-0033	4" Discharge Rear Hot Shot Hydraulic	\$6,760		
4432-0034	5" Discharge Rear Hot Shot Hydraulic	\$10,328		
4432-0035	5" Discharge Rear Hot Shot Electric	\$7,346		
4432-0036	A/B Hypro/FoamPro manual foam selector.	\$2,608		
4432-0037	A/B Class 1 manual foam selector.	\$3,766		
4432-0038	Monitor/Nozzle Combination Hydro Foam/Ranger3 Radio Remote Controlled. Paint Monitor color: [#COL]	\$77,339		
4432-0039	Monitor/Noz 1x4 Hydro Foam 3-6%. Paint Monitor: [#COL]	\$95,056		
4432-0040	Monitor/Nozzle Combination Hydro Chem Ranger3. Paint Monitor:[#COL]	\$76,820		
4432-0045	Hot Shift Clutch	\$3,548		
4432-0051	15 GPM 24 VDC foam transfer pump, mounted in vehicle body and switch operated from driver's side pump panel.	\$2,838		
4432-0052	Remote foam tank fill, FoamPro's "Power Fill".	\$682		
4432-0053	Foam system plumbed to [#LOC].	\$0		
4432-0054	Akron Quick Disconnect Foam Pickup Tube on Driver's Side Pump Panel for Eductor. Located on: [#LOC].	\$548		
4432-0055	Elkhart Quick Disconnect Foam Pickup Tube on Driver's Side Pump Panel for Eductor Located on: [#LOC]	\$778		
4432-0056	Hale EZ-Fill foam system for a single foam tank. Includes clear hose wand (shipped loose). Controller and connection port located [#LOC].	\$3,205		
4432-0057	Hale EZ-Fill foam system for dual foam tank. Includes clear hose wand (ship loose). Controller and connection port located [#LOC].	\$3,616		
4432-0058	Akron quick-disconnect foam pickup tube on officer's side pump panel for eductor. Located on: [#LOC].	\$548		
4432-0059	Elkhart Quick Disconnect Foam Pickup Tube on Officer's Side Pump Panel for Eductor Located on: [#LOC]	\$778		
4432-0060	Label for ATP foam systems.	\$40		
4432-0061	FoamPro foam system refill. Includes clear hose wand (ship loose). Controller and connection port located [#LOC].	\$3,622		
4432-0063	Hale FoamLogix air actuated A/B selector.	\$4,261		
4432-0064	Hypro FoamPro electric actuated A/B selector.	\$3,999		
4432-0065	3" Deck Gun CAFSPRO Compressed Air Foam System.	\$7,489		
4432-0066	Additional 3/4" Foam Tank Valve for 95 Eductor and Dual Foam Cells	\$528		
4432-0067	CAFS System Plumbed to [#LOC].	\$0		
4432-0069	Monitor/Noz 1x4 Hydro Foam 1-3%. Paint Monitor: [#COL]	\$95,056		
4432-0070	Hot Shot Ratio Controller 4" Discharge. Plumbed to: [#LOC].	\$3,450		

Item #	Description	Extension	+1/-1	Total
4432-0071	Foam Pickup 2" on Driver's Side Pump Panel for 3040D Foam System with Pickup Tube.(Montreal only)	\$1,268		
4432-0072	Foam Tank Fill 1.5" Air Act for a 3040D Foam System.(Montreal only)	\$731		
4432-0073	Foam Fill Connection Provide a 1.5" FNST tank fill connection for each tank with rocker lug plug, and a replaceable .25" mesh strainer on the left pump panel within easy reach of the ground, Install a check valve to prevent foam loss during hose connection, also install a 1/4" turn drain valve plumbed from inboard side of check valve so line can be drained.	\$769		
4432-0074	.375 Foam Manifold Drain	\$154		
4432-0075	FoamPro Advanced Digital Controller "auto start".	\$158		
4432-0076	Foam Pickup 2" on Officer's Side Pump Panel for 3040D Foam System with Pickup Tube.(Montreal only)	\$1,268		
4432-0077	Foam Pickup 10 feet with 1.0 PVC Clear Spiraflex Hose IPOS	\$276		
4432-0078	Foam tank drain plumbed to side panel with valve and 3/4" male garden hose connection. To allow filling of remote foam unit and pails from tank.	\$990		
4432-0079	A/B Class 1 Manual Foam Selector	\$3,766		
4432-0080	Special CAFS/FOAM Manifold for (4) preconnects, Deck Gun, and 3" Right Rear discharge.	\$6,924		
4432-0081	Special FOAM 5" Manifold for All Discharge Outlets To Have Foam.	\$0		
4432-0082	Foam Pickup 2" on Side Pump Panel. With Manual valve and Pickup Tube.	\$922		
4432-0083	Deck Gun Foam Tank To Pump Connection Provide a Manual 1.5" Valve Locate Next to Deck gun outlet.	\$924		
4432-0084	FoamPro Calibration to be in Liters Per Minutes IPO Gallon Per Minutes	\$0		
4432-0085	CAFS to be provided on the following preconnects: Preconnect #1 and Preconnect #2.	\$927		
4432-0086	CAFS to be provided on the following additional preconnect: Preconnect #3 or Officer side rear/hosebed discharge	\$465		
4432-0087	CAFS to be provided on the following additional discharge: Front jumpline.	\$465		
4432-0088	5" Discharge Right Side Electric Valve W/Ratio Controler for Hot Shot II System. Location: [#LOC]	\$7,298		
4432-0089	CAFS Manual Air Valve to be .3/4" Valve in place of standard.	\$160		
4432-0090	CAFS/Foam System Operation Label "Operate only (2) 1 3/4" Discharges or (1) 2 1/2" at a time"	\$211		
4432-0091	Special design 5" foam/water manifold with check valves.	\$4,408		
4432-0092	FoamPro Remote Start/Stop in cab.MultiFlo Interface, and Dual Injection control located on operator panel.	\$8,139		
4432-0093	Hot Shot Ratio Controller 5". Plumbed to: [#LOC].	\$3,517		
4432-0094	Waterous Electric Actuated A/B Selector.	\$3,826		
4432-0095	Foam ready Manifold for a Hale Foam Logix or a Foam Pro system- plumbed to front jumpline , 3 speedlays and right rear discharge.W/3" plumbing	\$2,260		
4432-0096	Hale Foam Logix Remote Start Switch	\$852		
4432-0097	.75" Foam Manifold Drain with 1/4 turn valve.	\$528		
4432-0098	Eclipse Waterous TC20 T-Case W/Compressed Air Foam System. For a S1OOD Waterous pump.	\$61,094		
4432-0099	Foam System Plumbed to [#LOC].	\$347		
4432-0100	2.0" Compressed Air Foam System Discharge Kit with Electric actuated 1/2" valve. Location: [#LOC].	\$430		
4432-0101	2.5" Compressed Air Foam System Discharge Kit with Electric actuated 3/4" valve. Location: [#LOC].	\$435		
4432-0102	Foam Transfer 12 Volt Pump, mounted in vehicle body to unload foam or tranfer to another truck and switch operated from Driver's side pump panel.	\$2,478		
4432-0103	Foam system to only be connected with the "A" foam cell. Dealership to work "B" foam cell application once unit is shipped to dealership. No foam level gauge provided for "B" tank.	\$494		
4432-0104	Hale Manual Single Foam Flush System.	\$1,333		
4432-0105	A/B Foam Selector locate Driver side walk way recess in box on diamond plate panel at front of module.	\$201		
4432-0106	15 GPM 12 volt Foam Transfer Pump, mounted in vehicle body and switch operated from Officer's side pump panel.	\$2,483		
4432-0107	5" Discharge Right Side Electric Valve W/Ratio Controler for Hot Shot II System. Include Adjustable metering valve Location: [#LOC]	\$7,298		

Item #	Description	Extension	+1/-1	Total
4432-0108	Hot Shot Ratio Controller 5" Discharge with adjustable metering valve. Plumbed to: [#LOC]	\$3,517		
4432-0109	Hot Shot Ratio Controller 3" Discharge with adjustable metering valve. Plumbed to: [#LOC]	\$2,586		
4432-0110	Hot Shot Ratio Controller 2" Discharge with adjustable metering valve. Plumbed to: [#LOC]	\$2,435		
4432-0111	Install Foam Percentage Rivets in metering valves Percentage Plate.	\$1,001		
4432-0112	5" Discharge Right Side Electric Valve W/Ratio Controller for Hot Shot II System. Include metering valve Location: [#LOC]	\$7,298		
4432-0113	Foam Intake Test Port Locate on the intake side of pump between the strainer and the pump, bulkhead fitting is to be on operator pump panel.	\$111		
4432-0114	Foam testing. The foam system shall be calibrated for 1 X 3 Thunderstrom foam AR-AFFF concentrate. The foam proportioning system shall provide .25%, .5%, 1%, and 3% foam solutions within the allowable concentration ranges required in NFPA #1901. Each percentage shall be tested at a high and low flow and a revit shall be install at mid point..	\$2,375		
4432-0115	Foam ready manifold for a Hale FoamLogix or a FoamPro system with 3" plumbing feeding the manifold so the dealer can install the Hale or FoamPro manifold.	\$1,006		
4432-0116	Manual operated foam master drain. The foam master drain shall be clearly marked and placed in accessible location on the left jack leg cover.	\$0		
4432-0117	1.5" FNST Hydro- Foam Aux Foam pickup. The 1.5" FNST foam inlet fitting shall be located on officer side pump panel with a electric over air control valve. And be control at the operator panel.	\$1,599		
4432-0118	Foam Strainer Pump Panel Mount with 1" connection ports and 2.5" NST cap. (IPOS strainer for foam system.)	\$1,225		
4432-0119	Foam Strainer Pump Panel Mount with 1" connection ports and 2.5" NST cap. (For Foam Refill)	\$1,225		
4432-0120	Special 5" FOAM Manifold for all discharge outlets to plumb to foam.	\$3,749		
4432-0121	Foam Tank Supply/Flush 1" valves will be electric control operated through the V-MUX system. The flush valve to be located as close to foam tank supply valve as possible. A manual flush drain .75" valve will be located under the officer's side running board.	\$1,199		
4432-0122	A 1.50" x 10' reinforced concentrate hose and stinger shall be provided with NST threads to connect to the foam inlet as (shipped loose) for auxiliary foam operations.	\$325		
4432-0123	Eclipse 1.5"/3.0" Compressed Air Foam System Discharge Kit Location: [#LOC]	\$621		
4432-0124	FoamPro Control head shall be mounted on a 6.625 X 5.375 Escutcheon Plate for access at the TM Control panel..	\$0		
4432-0125	6" Ratio Controller for Hot Shot II System. Include metering valve. Location: [#LOC].	\$4,519		
4432-0126	8" Ratio Controller for Hot Shot II System. Include metering valve. Location: [#LOC]	\$8,890		
4432-0127	Williams 8" Ratio Controller for Deck Gun. Include 1% or 3% proportioning valves	\$8,890		
4432-0128	Williams 8" Ratio Controller for Deck Gun. Include 3% or 6% proportioning valves.	\$8,890		
4432-0129	Hot Shot Ratio Controller 5" Discharge. Plumbed to: [#LOC].	\$4,660		
4432-0131	Foam Proportioning system shall be tested at 1% & 3% concentrate.	\$0		
4432-0132	Foam Proportioning system shall be tested at 3% & 6% concentrate.	\$0		
4432-0133	Foam Ready Manifold for dealer installed Hale FoamLogix or FoamPro system with 3" plumbing feeding the foam manifold.	\$0		
4432-0134	Eclipse 1.5"/3.0" Compressed Air Foam System Discharge Kit. Location: [#LOC].	\$347		
4432-0135	CAFS Audible w/light Low Air Alarm shall be tied into the CAFS air system. If it drop below 90PSI the alarm aviate.	\$413		
4432-0137	Hot Shot Ratio Controller 6" Discharge with adjustable metering valve. Plumbed to: [#LOC]	\$4,873		
4432-0138	Hot Shot Ratio Controller 2.5" Discharge with adjustable metering valve. Plumbed to: [#LOC]	\$3,506		
4432-0139	FT-550 Foam Refill System, Wildland	\$1,996		
4432-0141	Foam System Plumbed to all 2" & smaller and RS 2.5". Wildland	\$0		
4432-0142	CAFS Foam System Plumbing package, Wildland	\$0		
4432-0143	FoamPro Percentage Default to be Perset at .4%	\$0		



Item #	Description	Extension	+1/-1	Total
4432-0144	Foam ready Manifold for a Hale Foam Logix or a Foam Pro system- plumbed to Crosslay #1, Driver side 2.5" discharge, Hose reel, and (1) 2.5" outlet for dealer install bumper monitor. W/3" plumbing	\$2,500		
4432-0145	Special CAFS/FOAM Manifold for (2) speedlays, left, and right front hosebed to have CAFS.	\$263		
4432-0146	Monitor/Noz 1x4 Hydro Foam 1-3%. Paint Monitor: [#COL]	\$85,558		
4432-0147	Eco-Logic foam test system integrated into the standard plumbing to allow foam testing without the use of foam.	\$10,108		
4432-0149	Williams 2X5 Ambassador Hydro Chem Radio Remote Controlled Monitor. (To be Painted Body Color)	\$85,558		
4432-0150	Foam testing. The foam system shall be test at 1%,3%, and 6%.	\$1,526		
4432-0151	FoamPro aux foam fill kit. Include check valve, level sensor, placard and camlok connection.	\$847		
4432-0152	1.5" Foam Tank to pump Electric/Air Actuated. With a guard switch cover adjacent to the foam control display.	\$1,177		
4432-0153	CAFS system water drain shall be extended out to pump panel.	\$268		
4432-0154	Hot Shot Ratio Controller 2" Discharge. With metering valve for A&B Foam system Plumbed to: [#LOC].	\$2,543		
4432-0155	Hot Shot Ratio Controller 2.5" Discharge. With metering valve for A&B Foam system Plumbed to: [#LOC].	\$2,618		
4432-0156	Hot Shot Ratio Controller 5" Discharge. Include metering valve for A&B Foam system Plumbed to: [#LOC]	\$4,827		
4432-0157	Hot Shot Ratio Controller 6" Discharge. Includes metering valve for A&B Foam system. Plumbed to: [#LOC].	\$4,683		
4432-0158	Williams Hot Shot II 160 Dual 2.5" Foam Tank To Pump Controls A/B Selector.	\$9,461		
4432-0159	CAFs system drains shall be extended to the officer's side pump panel area.	\$403		
4432-0160	3" Compressed Air Foam System Discharge Kit with Electric actuated 3/4" valve. Location: [#LOC]	\$502		
4432-0161	1.5" Compressed Air Foam System Discharge Kit with Electric actuated 1/2" valve. Location: [#LOC]	\$429		
4432-0162	6" High Flow Ratio Controller for Hot Shot II System. Includes metering valve. Location: [#LOC].	\$4,518		
4432-0163	1.5" Foam Tank to pump Air Actuated. With a guard switch cover adjacent to the foam control display.	\$1,176		
4432-0164	Waterous Electric Actuated A/B Selector. A to be plumb to the foam tank, and B to be plumb to the left pump panel for an aux foam pick-up.	\$3,826		
4432-0165	Special design foam/water manifold to allow dealer supplied foam system to be plumbed to crosslay 1, crosslay 2 and rear discharge so they are foam ready.	\$4,408		
4432-0166	Special design 4" foam manifold with check valve to prevent foam from back flowing into the water pump. Include 4" Check valve with 4" plumbing, and drain.	\$1,932		
4432-0167	FoamPro 1/2" Line Controller plumbed to [#LOC].	\$8,259		
4432-0168	Auto on power-up mode, which automatically come on with pump in gear.	\$158		
4432-0169	Advent Ratio Controller 2" Discharge. Special Orifice size .10, .250, .500, 1.0, and 3.0% Plumbed to: [#LOC]	\$1,993		
4432-0170	Advent Ratio Controller 3" Discharge. Special Orifice size .10, .250, .500, 1.0, and 3.0% Plumbed to: [#LOC]	\$1,996		
4432-0171	Advent Ratio Controller 3" Discharge. Special Orifice size .10, .250, .500, 1.0, and 3.0% Plumbed to: [#LOC]	\$2,027		
4432-0172	Advent Ratio Controller 4" Discharge. Special Orifice size .10, .250, .500, 1.0, and 3.0% Plumbed to: [#LOC]	\$2,245		
4432-0173	An Elkhart quick-connect foam outlet with pick-up tube assembly permits foam from on-board tank supply or to a 5 gal. pails/buckets. For portable eductor. Install one on each side pump panel.	\$2,096		
4432-0174	Foam system pump with cover to Located [#LOC].	\$0		
4432-0175	Two hose bed and (3) crosslays will have a "T" with manual valve to terminate with NST male thread and cap inside module for foam testing.	\$9,852		
4432-0176	A Elkhart quick-connect foam outlet with pick-up tube assembly permits foam from on-board tank supply or to a 5 gal. pails/buckets. For portable eductor. Location: [#LOC].	\$1,051		
4432-0177	FoamPro 3/4" Line Controller plumbed to [#LOC].	\$8,259		
4432-0178	Foam tank fill 1" electric line controllert for a foam system.	\$990		
4432-0179	A Elkhart quick-connect, foam outlet with pick-up tube assembly permits foam from on-board tank supply or to a 5 gal. pails/buckets. For portable eductor. Location: [#LOC].	\$903		
4432-0180	Foam Flush with 1/4" valve. Locate inside driver side upper pump access door, rearward.	\$528		

Item #	Description	Extension	+1/-1	Total
4432-0181	Hinged aluminum treadplate switch guard for foam system air control Location on driver side lower pump panel.	\$135		
4432-0182	Extended warranty for Waterous CAFS compressor - 4 Years in addition to the standard 1 year warranty (parts only).	\$2,994		
4432-0183	Hinged stainless steel switch guard cover for foam system air control switch Location on pump operator panel.	\$135		
4432-0184	Waterous Overboard pickup electric actuated selector. A to be plumb to the A foam tank, and B to be plumb to the left pump panel for an aux foam pick-up.	\$3,826		
4432-0185	Foam Flush System.	\$127		
4432-0186	Addition Foam Flush System. A 3/4" valve with garden hose bib connection mounted in pump compartment (1) for 2002 and (1) for 3060 system. They will be plumb to the foam supply line for flushing of the system. A check valve prevents water from entering the foam tank when the system is being flushed.	\$487		
4432-0187	Addition Foam Flush System. A 3/4" valve with garden hose bib connection mounted in pump compartment (1) for 2002 and (1) for 3060 system. They will be plumb to the foam supply line for flushing of the system. A check valve prevents water from entering the foam tank when the system is not being flushed.	\$487		
4432-0188	Aux 2" foam system intake with swing handle. Locate to be driver side pump panel.	\$1,277		
4432-0189	CAFS Compressor "Auto On".	\$158		
4432-0190	.75" Foam Manifold Drain with lift lever 1/4 turn valve.	\$361		
4432-0191	FoamPro off-board pickup. Includes clear hose wand (ship loose). Controller on operator panel and connection port located [#LOC].	\$3,825		
4432-0192	Foam system maintenance valves between the foam tank fill, and tank to pump valve. Valves to be wire tied open.	\$1,398		
4432-0193	Foam ready Manifold for a Hale Foam Logix or a Foam Pro system- plumbed to front jumpline , bottom 1.75" speedlay and officer side 2.5" discharge. W/3" plumbing.	\$2,260		
4432-0194	Foam tank B plumb to foam outlet, Foam tank A plumb to FoamPro1600 system.	\$0		
4432-0195	Class B foam cell shall only be plumbed to foam outlet.	\$0		
4432-0196	A CAFS Compressor RPM interlock indicator light, and label shall be on the pump operator panel. Indicator light will come on when engine RPM is to high to engage CAFS PTO.	\$88		
4432-0197	CAFS Foam System Plumbing package, Wildland	\$0		
4432-0198	Dual discharge port "Y" together plumb to 4" foam loop feeding the foam manifold to prevent friction loss and to keep pump head pressure to a minimum.	\$168		
4432-0199	Foam Metering valve shutoff. Each metering to have a electric/air foam shutoff valve control at pump operator panel in cab. A toggles switch with guarded cover and green indicator light for each valve.	\$4,519		
4432-0200	Foam concentrate supply line. Fittings and hoses from the foam tank to the inlet of the foam pump must be supplied. Use 1-1/2" (38 mm)minimum inside diameter or larger clear suction hose.	\$0		
4432-0201	Foam pump transfer breaker to be labeled with an embossed metallic tag fastened in place with stainless steel hardware.	\$0		
4432-0202	Aluminum smooth plate bracket to be mounted in front of foam transfer pump to protect from road debris.	\$0		
4432-0203	Foam tank B or foam pickup plumb to foam eductor, Foam tank A plumb to FoamPro, or FoamLogix system.	\$0		
4432-0204	Tank to pump, Auto fill system, and pressure reading will be control in Hale SmartCAFS UltraView display.	\$0		
4432-0205	Foam tank drain, and service valve to be remote mounted behind driver side pump access door.	\$0		
4432-0206	ECO-Logic test port connection for use with cart style system.	\$0		
4432-0207	Hale EZ-Fill foam system for a single foam tank with dual pickup (1) left, and (1) right pump panel. Includes clear hose wand (shipped loose). Controller to be located on left pump panel.	\$3,694		
4432-0208	Foam tank B outlet valve shall have rubber hood latch as a secondary lock.	\$217		
4432-0209	CAFS Discharge Addition activated switch with a red guarded cover Location: Officer side front bumper adjacent to discharge.	\$185		
4432-0210	Extend CAFS refill to driver side in coffin compartment.	\$326		

Item #	Description	Extension	+1/-1	Total
4432-0211	All foam service/drain valves to be brass, or stainless steel IPOS. No PVC valves to be used.	\$558		
4432-0212	Foam tank outlet 1.5" plumbed to pan. Include 1.5" valve manual control with cam-lock fitting and cap located in the pan off set to officer side rearward. (Dealer supply HYDRO foam nozzle.	\$1,229		
4432-0213	300 GPM PTO Edwards foam transfer pump, mounted in pump compartment module and control from pump operator panel.	\$26,169		
4435-0001	Class 1 Intelli-Tank water tank level gauge. On pump panel.	\$564		
4435-0002	Class 1 Intelli-Tank foam tank level gauge. On pump panel.	\$582		
4435-0003	Class 1 Intelli-Tank/Whelen 500 LED water tank level gauge package. Location of Whelen 500 tank level lights: [#LOC].	\$4,558		
4435-0004	Sight Tube Water Tank Level Gauge. Located driver's side front of body.	\$580		
4435-0005	Innovative Controls 5 Water Tank Level Gauge	\$530		
4435-0006	Innovated Contols 5 Foam Tank Level Gauge	\$827		
4435-0007	Class 1 Water Bar graph style Tank Level Gauge.	\$886		
4435-0008	Class 1 foam Bar graph style Tank Level Gauge.	\$1,174		
4435-0009	Fire Research TankVision model WL2600 Class A foam tank level gauge.	\$1,090		
4435-0010	Fire Research TankVision model WL2000 water tank level gauge.	\$949		
4435-0011	Fire Research TankVision model WL2700 B foam tank level gauge.	\$1,089		
4435-0012	Pump overheat indicator.	\$419		
4435-0013	4.5" Class 1 compound pressure gauge (30-0-600 PSI).	\$223		
4435-0014	Dual Read 4.5" Pressure Gauge (30-0-600 psi/100-0-4000 KPA).	\$334		
4435-0015	2.5" Class 1 compound pressure gauge (30-0-600). Discharge(s): [#LOC].	\$161		
4435-0016	Dual Read 2.5" Pressure Gauge (30-0-600 psi/100-0-4000 KPA). Discharge: [#LOC].	\$226		
4435-0018	Dual Read 3.5" Pressure Gauge (30-0-600 psi/100-0-4000 KPA). Discharge: [#LOC]	\$306		
4435-0019	3.5" Class 1 compound pressure gauge (30-0-600). Discharge: [#LOC].	\$192		
4435-0020	MC Products gauge heater line controls and strips for 4 gauges.	\$857		
4435-0021	Gauge heater strips, additional (EA).	\$164		
4435-0022	6" NoShok pressure gauge (30-0-600).	\$778		
4435-0023	4" NoShok master pressure gauges (30-0-600).	\$238		
4435-0024	6" Class 1 compound pressure gauge (30-0-600).	\$766		
4435-0025	Flowminder Super System. Discharge: [#LOC].	\$3,165		
4435-0026	Flowminder System. Discharge: [#LOC].	\$2,046		
4435-0027	Flow Meter Value System. Discharge: [#LOC].	\$1,879		
4435-0028	Gauges, secondary agent, propellant pressure 2.5", vessel pressure 2.5" shall be installed on [#LOC].	\$842		
4435-0029	Agent 2.5" Pressure Gauge located on the dash.	\$427		
4435-0030	Transmission temperature gauge.	\$290		
4435-0031	Pump hourmeter on pump operator's panel.	\$180		
4435-0033	Ammeter gauge on pump operator's panel.	\$329		
4435-0034	Fuel level gauge on pump operator's panel.	\$398		
4435-0035	Enfo III System on Pump Operator's Panel	\$1,200		
4435-0036	Engine gauge package at the pump operator's panel.	\$831		
4435-0037	Engine Gauge Package for Mechanical Engines	\$851		
4435-0038	Class 1 Engine Status Center on Pump Operator's Panel	\$1,969		
4435-0039	Whelen 500LED Tank Level Gauge Package for Rear Mount	\$2,822		
4435-0040	FRC Tachplus engine monitoring display.	\$1,615		
4435-0047	Class 1 Intelli-Tank water tank level gauge, additional. Location: [#LOC].	\$648		

Item #	Description	Extension	+1/-1	Total
4435-0049	Class 1 tank level water LED graph gauge, additional. Location: [#LOC].	\$886		
4435-0050	FRC Tank Level Water TankVision Gauge, Additional. Location: [#LOC].	\$603		
4435-0051	Innovated Controls 5 Light Tank Level Water Gauge Additional Location: [#LOC]	\$791		
4435-0052	Class 1 Tank Level Water Mini Gauge Additional. Location: [#LOC].	\$592		
4435-0053	FRC Tank Level Water TankVision model WLA205-A00 Mini Gauge. Location: [#LOC].	\$451		
4435-0054	Innovative Controls 5 Light Tank Level Water Mini Gauge. Location: [#LOC].	\$618		
4435-0055	Class 1 Tank Level Intelli Foam Gauge Additional. Location: [#LOC].	\$648		
4435-0056	Class 1 Tank Level Foam Mini Gauge Additional Location: [#LOC]	\$592		
4435-0057	FRC Tank Level A Foam Tank Vision model WLA265-A00 Mini Gauge, Additional. Location: [#LOC].	\$540		
4435-0058	FRC Tank Level B Foam Tank Vision model WLA205-A00 Mini Gauge Location: [#LOC]	\$540		
4435-0059	Innovated Controls Tank Level Foam Mini Gauge Additional Location: [#LOC]	\$618		
4435-0063	Duplex Master Gauge for CAFS or Industrial Foam Systems.	\$599		
4435-0064	FRC Insight Ultimate model FPA400 combination pressure/flow gauge. Location: [#LOC].	\$2,385		
4435-0065	2.5" NoShok pressure gauge (30-0-600). For: [#LOC].	\$173		
4435-0066	IC5/Whelen 500 Water Tank Level Gauge Package Location of Whelen 500 Tank Level Lights: [#LOC]	\$4,525		
4435-0067	Class 1/Whelen PSTank Water Tank Level Gauge Package. Location of Whelen PSTank Strip-Lights: [#LOC].	\$2,147		
4435-0068	IC5/Whelen PSTank Water Tank Level Gauge Package Location of Whelen PSTank Strip-Lights: [#LOC]	\$2,114		
4435-0069	Class 1 ENFO IV system on pump operator's panel.	\$1,075		
4435-0070	Fire Research TankVision model WL2600 Class A and WL2700 Class B foam tank level gauges.	\$2,171		
4435-0071	FRC Tank Vision model WLA205-A00 Tank Level A and B Foam Gauges Location: [#LOC]	\$1,075		
4435-0072	Fire Research Tank Vision Water Tank Level Gauge with Automatic Tank Filling System model ATA400 Location: [#LOC]	\$3,320		
4435-0073	No foam level gauge(s) for foam cell(s). Not required per customer specifications.	\$0		
4435-0074	FRC Water Tank Level Gauge with Driver for Spartan Chassis only.	\$1,262		
4435-0075	Ashcroft 6" dry master intake and discharge gauges.	\$665		
4435-0076	Ashcroft 3.5" dry discharge gauges. Provide for each discharge.	\$1,679		
4435-0078	Innovated Controls water/foam tank level display, additional. Location: [#LOC].	\$727		
4435-0081	Audible and visual indicators on driver side pump panel. (1) audible/visual indicator for high engine temp and low oil pressure and (1) audible/visual for high trans temp.	\$330		
4435-0082	Class 1 New Pressure Governor.	\$0		
4435-0083	Innovative Controls 10 LED SL series water tank level gauge. On pump panel.	\$577		
4435-0084	Innovative Controls 10 LED series foam tank level gauge. On pump panel.	\$827		
4435-0085	Innovative Controls 10 LED SL series tank level water gauge, additional. Location: [#LOC].	\$791		
4435-0086	Innovative Controls 10 LED series Tank Level Water Mini Gauge. Location: [#LOC].	\$618		
4435-0087	Innovative Controls IC 10 LED SL series Tank Level Foam Mini Gauge Additional. Location: [#LOC].	\$618		
4435-0088	IC 10 LED SL series/Whelen 500 water tank level gauge package. Location of Whelen 500 tank level lights: [#LOC].	\$4,525		
4435-0089	IC 10 LED SL series/Whelen PSTank water tank level gauge package. Location of Whelen PSTank Strip Lights: [#LOC].	\$2,114		
4435-0090	Additional PSTank Level Strip-Light. Located: [#LOC].	\$515		
4435-0092	2.5" Class 1 compound pressure gauge (30-0-400). Discharge: [#LOC].	\$161		
4435-0093	3.5" Class 1 pressure gauge (30-0-400). Discharge: [#LOC].	\$192		
4435-0094	Class 1 4-1/2" compound pressure gauge (30-0-400 PSI).	\$223		
4435-0098	FRC Audible Water Tank Alarm. Wired to the FRC water tank level gauge and is to sound when tank level reaches a quarter tank.	\$231		
4435-0099	Flow Meter Value System. Discharge: right side discharge 4	\$1,879		
4435-0100	Flow Meter Value System. Discharge: left side discharge 4	\$1,879		

Item #	Description	Extension	+1/-1	Total
4435-0101	2.5" Span Pressure Gauge (30-0-600). Discharge: [#LOC].	\$153		
4435-0102	3.5" Span Pressure Gauge (30-0-600). Discharge: [#LOC].	\$186		
4435-0103	4.5" Span Pressure Gauge (30-0-600 PSI).	\$216		
4435-0104	MC Series 2000 4 Light Water Tank Level Gauge	\$746		
4435-0105	MC Series 2000 4 Light Series Foam Tank Level Gauge	\$938		
4435-0106	Dual Scale 3.5" Pressure Gauge 0-400 PSI / 100-2800 KPA. Replaces Standard	\$371		
4435-0107	Primer motor master disconnect cut-off switch. Locate on pump panel.	\$248		
4435-0108	Digital Pressure Gauge IPO Duplex Gauge	\$953		
4435-0109	2.5" Class 1 Pressure Gauge (30-0-600). IPO Duplex	\$161		
4435-0110	Pump Overheat Gauge Indicator with Audible Alarm	\$536		
4435-0111	MC Series 500 4 LED Series Water Tank Level Gauge	\$885		
4435-0112	Class 1 Pressure 4.5" Gauge (30-0-300 PSI)	\$223		
4435-0113	FRC TankVision/Whelen PSTank water tank level gauge package. Location of Whelen PSTank Strip-Lights: [#LOC].	\$2,849		
4435-0114	Digital CAFS CFM Flow Meter	\$2,419		
4435-0115	2.5" NoShok Pressure Gauge (-30-0-600 PSI/100-0-4000KPA). For: [#LOC].	\$193		
4435-0116	4" NoShock Dual Read Pressure Gauge 30-0-600PSI/100-0-4000KPA	\$251		
4435-0117	FRC Tank Level Foam Tank Vision Gauge Additional Location: [#LOC]	\$685		
4435-0118	4" NoShock Dual Read Pressure Gauge 30-0-400PSI/100-0-2800KPA	\$251		
4435-0119	2.5" NoShok Pressure Gauge (0-400 PSI/-0-2800KPA) For: [#LOC]	\$193		
4435-0120	Duplex Master Gauge (0-400 PSI) for CAFS or Industrial Foam Systems.	\$599		
4435-0121	Whelen PS LED water and foam tank level gauges shall be installed on the exterior of the unit. One pair of water and foam strip lights, four (4) strip lights. Location: [#LOC].	\$1,424		
4435-0122	Fire Research Tank Vision model WL2000 Water Tank Level Gauge w/audible alarm low level buzzer shall be installed. The buzzer shall sound when the tank volume indicator drops to 1/4 tank.	\$1,131		
4435-0123	FRC Insight model FPA410 Ultimate Pressure Gauge LPM/KPA Location: [#LOC]	\$2,385		
4435-0124	6" Class 1 Compound Pressure Gauge (30-0-400 PSI).	\$751		
4435-0125	Class Digital Pressure Gauge Discharge: [#LOC]	\$953		
4435-0126	Digital Master Pressure Gauge	\$910		
4435-0127	3.5" Span Pressure Gauge (0-400). Discharge: [#LOC]	\$196		
4435-0128	Dual Read 2.5" Span Pressure Gauge (0-300 psi/0-2050KPA). Discharge: [#LOC]	\$214		
4435-0129	Dual Read 6.0" Span Pressure Gauge (30-0-400 psi/100-0-2800KPA)	\$437		
4435-0130	FRC Insight model FPA400 Ultimate Master Flow Gauge	\$1,841		
4435-0131	2.5" Class 1 Pressure Gauge (0-300). Discharge: [#LOC]	\$170		
4435-0132	Whelen PS LED Foam and Water Tank level gauges shall be installed officer's side pump panel.	\$714		
4435-0133	FRC/Whelen 500 Water Tank Level Gauge Package Location of Whelen 500 Tank Level Lights: [#LOC]	\$4,483		
4435-0134	FRC Foam Tank Level Gauge "Class B Foam" with Driver for Spartan Chassis only.	\$1,423		
4435-0135	Class 1 Intelli/Whelen PSTank Water Tank Level Gauge Package Location of Whelen PSTank Strip-Lights: [#LOC]	\$2,701		
4435-0136	Whelen PS LED Foam and Water Tank level gauges shall be installed at the control panel for the monitor platform.	\$713		
4435-0138	2.5" Span Pressure Gauge 0-400). Discharge: [#LOC]	\$161		
4435-0139	Span Pressure 4" Gauge (0-400 PSI)	\$223		
4435-0140	Span Master Intake/Pressure 4" 50/50 Gauge (30-0-300)	\$373		
4435-0141	Pump module discharge gauges (4) to be english dominant. For use with AP/MBP pumps.	\$0		
4435-0142	Pump module discharge gauges (5) to be english dominant. For use with DSD pump.	\$0		
4435-0143	Pump module discharge gauges (4) to be metric dominant. For use with AP/MBP pumps.	\$0		

Item #	Description	Extension	+1/-1	Total
4435-0144	Pump module discharge gauges (5) to be metric dominant. For use with DSD pump.	\$0		
4435-0145	Additional discharge gauge(s). Includes english dominant reading.	\$162		
4435-0146	Additional discharge gauge(s). Includes metric dominant reading.	\$165		
4435-0147	Innovative Controls 14 LED SL series Water Tank Level Gauge	\$585		
4435-0148	Innovative Controls 14 LED SL series Foam Tank Level Gauge	\$643		
4435-0149	IC 14 LED SL series/Whelen 500 Water Tank Level Gauge Package Location of Whelen 500 Tank Level Lights: [#LOC]	\$4,561		
4435-0150	Ashcroft 4.5" dry master intake and discharge gauges.	\$542		
4435-0151	4.5" Class 1 Pressure Gauge (30-0-600) Black Face w/White letters.	\$238		
4435-0152	2.5" Class 1 Pressure Gauge (30-0-600). Discharge with Black Face and White Letters: [#LOC]	\$170		
4435-0153	Pump Overheat Gauge Indicator shall be located on center console adjacent to pump controls.	\$419		
4435-0154	Class 1 Flowminder System with digital totalizer readout. Discharge: [#LOC]	\$1,729		
4435-0155	Dual Read 4.5" Span Pressure Gauge (30-0-600 psi/100-0-4000 KPA)	\$334		
4435-0156	Class 1 Intelli-40 Tank Water Tank Level Gauge with Blue LED's.	\$842		
4435-0157	Class 1 Intelli-40 Tank Foam Tank Level Gauge with Red LED's.	\$805		
4435-0158	6" Span Pressure Gauge (30-0-600)	\$772		
4435-0159	Dual Read 2.5" Pressure Gauge (30-0-400 psi/100-0-2800KPA). Discharge: [#LOC]	\$226		
4435-0160	Transmission Temperature Gauge with light and a buzzer alarm for audible warning.	\$415		
4435-0161	Dual Read 4.5" Pressure Gauge (30-0-400 psi/100-0-2800 KPA)	\$334		
4435-0162	IC10/Whelen M6 LED Water Tank Level Gauge Package Location of Whelen M6 LED Tank Level Lights: [#LOC]	\$4,685		
4435-0163	Pump module main and discharge gauges to be english dominant.	\$0		
4435-0164	Pump module main and discharge gauges to be dual read.	\$0		
4435-0165	Water Tank Level Gauge. Locate on the pump operator panel.	\$0		
4435-0166	Foam Level Gauge. Locate on the pump operator panel.	\$0		
4435-0167	Pump module main and discharge gauges to be english dominant.	\$0		
4435-0168	Pump module main and discharge gauges to be metric dominant.	\$0		
4435-0169	Auxiliary discharge gauge to be english dominant.	\$0		
4435-0170	Auxiliary discharge gauge to be metric dominant.	\$0		
4435-0171	Water Tank Level Gauge. Locate on the pump operator panel.	\$0		
4435-0172	Water Tank Level Gauge. Locate on the pump operator's panel. Includes auxiliary sender for rear body mounted auxiliary water tank level gauge.	\$0		
4435-0173	Foam Level Gauge. Locate on the pump operator panel.	\$0		
4435-0174	Sight Tube Water Tank Level Gauge. Located on driver's pump panel.	\$580		
4435-0175	Duplex Master Gauge (0-600 PSI) for CAFS or Industrial Foam Systems.	\$686		
4435-0176	Duplex Master Gauge (0-600 PSI) Noshok for CAFS or Industrial Foam Systems. (IPOS HALE DUPLEX)	\$0		
4435-0177	Innovated Controls 14 LED SL series Tank Level Water Gauge Additional Location: [#LOC]	\$819		
4435-0178	Engine gauge package at the pump operator's panel.	\$956		
4435-0179	Deluxe engine gauge package with fuel, and transmission temp built into the tach gauge display at the pump operator's panel.	\$1,093		
4435-0180	2.5" Pressure Gauge Dual Read (0-400 PSI/-0-2700KPA) . Discharge: [#LOC]. Color: [#COL].	\$283		
4435-0181	4.5" Pressure Gauge (30-0-400 psi/100-0-2758 KPA). Color: [#COL].	\$358		
4435-0182	FRC Insight model FPA412 Ultimate Pressure Gauge LPM/KPA with back lighting Location: [#LOC]	\$2,572		
4435-0183	Sight Tube Water Tank Level Gauge with Indicator. Located inside pump compartment on driver's side as high/low as possible.	\$580		
4435-0184	2.5" NoShok pressure gauge (0-400). For: [#LOC].	\$173		

Item #	Description	Extension	+1/-1	Total
4435-0185	4" NoShok master pressure gauges 30-0-400PSI.	\$291		
4435-0186	Class 1 Tank Level Intelli 40 Water Gauge Additional Location: [#LOC]	\$928		
4435-0187	Class 1 Intelli-40 Tank Water Tank Level Gauge with Red LED's.	\$864		
4435-0188	Class 1 Intelli with (1) Whelen PSTank Water Tank Level Gauge. Location of Whelen PSTank Strip-Lights: Officer side rear of front cab door.	\$1,601		
4435-0189	Class 1/Whelen PSTank water tank level gauge package. Includes ITL-40M on pump operator's panel, mini gauge in cab and (3) Whelen PSTANK lights. Location of Whelen PSTANK lights: (1) driver side up high on tank offset forward of scene light, (1) officer side up high on tank offset forward of scene light and (1) at rear up high.	\$3,032		
4435-0190	IC10 Water with (1) Whelen PSTank Water Tank Level Gauge. Location of Whelen PSTank Strip-Lights: Officer side rear of front cab door.	\$1,601		
4435-0191	Dual Scale 3.5" Pressure Gauge 0-400 PSI / 100-2800KPA.. Discharge: [#LOC].	\$312		
4435-0192	Class 1 2.5" Pressure 0-400 PSI Gauges, Wildland	\$427		
4435-0193	2.5" Class 1 compound pressure gauge (0-400). Discharge: [#LOC].	\$161		
4435-0194	FRC TachPro model TPA600-A00 engine monitoring display. Location: officer's side overhead outboard and L1 adjacent to breaker box.	\$1,453		
4435-0195	Gauges for pre-connect(s) shall be 0-400 PSI IPOS.	\$0		
4435-0196	2.5" Pressure Gauge Dual Read (30-0-600 psi/100-0-4140 KPA). Discharge: [#LOC]. Color: [#COL].	\$227		
4435-0198	3.5" Class 1 pressure gauge (0-400). Discharge: [#LOC].	\$196		
4435-0199	Class 1 Intelli-40M Tank Water Tank Level Gauge.	\$864		
4435-0200	2.5" Class 1 pressure gauge (0-600). Discharge: [#LOC].	\$156		
4435-0201	Digital Master Pressure Gauge Located in cab.	\$910		
4435-0202	4.5" Class 1 Discharge pressure gauge (0-600 PSI).	\$161		
4435-0203	Additional Whelen 500 Tank Level Lights. Located: officer rear.	\$1,028		
4435-0204	Whelen 500 Series LED water tank level gauges - additional. Requires tank level gauge with 500 Series lts. Location of additional lights: driver side rear of body up high.	\$1,366		
4435-0205	3.5" LED Class 1 compound pressure gauge (30-0-400). Discharge: [#LOC]. Color: [#COL].	\$285		
4435-0206	4.5" LED Class 1 compound pressure gauge (30-0-400). Color: [#COL].	\$286		
4435-0207	Class 1/Whelen PSTank water tank level gauge package. Includes ITL-40M on pump operator's panel, and (3) Whelen PSTANK lights. Location of Whelen PSTANK lights: (1) driver side up high on tank offset in front of forward scene light, (1) officer side up high on tank offset in front of forward scene light and (1) at rear up high.	\$2,434		
4435-0208	Class 1 Intelli 40M/Whelen PSTank Water Tank Level Gauge Package Location of Whelen PSTank Strip-Lights: [#LOC]	\$2,057		
4435-0209	2.5" LED Class 1 compound pressure gauge (30-0-400). Discharge: [#LOC]. Color: [#COL].	\$280		
4435-0210	PSTank Level Strip-Light Pair Located: [#LOC] (Chassis only option require sale codes for gauge and driver)	\$1,030		
4435-0211	2.5" NoShok pressure gauge (30-0-600). Non-liquid filled. For: [#LOC].	\$173		
4435-0212	Generator hourmeter on officer side rear compartment.	\$180		
4435-0213	Class 1 3-1/2" compound pressure gauge (30-0-400 PSI). Master intake and discharge gauges.	\$389		
4435-0214	IC10 Water with (1) Whelen PSTank Water Tank Level Gauge. Location of IC10 LED tank level gauge on operator panel. Location of Whelen PSTank Strip-Lights: Officer side rear of body facing rearward.	\$1,601		
4435-0215	Class 1 4-1/2" compound pressure gauge (30-0-400 PSI). Locate Auto Fill Inlet.	\$223		
4435-0216	Class 1 Intelli-Tank water tank level gauge mounted on the rear of the body. Optimize mounting position on rear body using space not allocated by other equipment unless otherwise specified.	\$564		
4435-0217	Duplex 4.5" Dual Read Master Gauge (0-600 psi/0-4000KPA) for CAFS or Industrial Foam Systems.	\$599		
4435-0218	6" LED Backlit compound pressure gauge (30-0-400). Color: [#COL].	\$628		
4435-0219	Water pump digital water temperature gauge.	\$410		

Item #	Description	Extension	+1/-1	Total
4435-0220	Class 1 ITL40M Water Tank Level Gauge with blue back ground Whelen 500 LED lights. Location of gauge: Location of lights: [#LOC].	\$4,558		
4435-0221	Class 1 Intelli-40M Tank Foam Tank Level Gauge with red back ground.	\$864		
4435-0222	Class 1 Intelli-40M Tank Foam Tank Level Gauge with green back ground.	\$864		
4435-0223	Class 1 2.5" LED Backlit compound pressure gauge (30-0-400) package. Provide for each discharge. (SPECIAL COLOR INFO IN FILE)	\$3,074		
4435-0224	3.5" Class 1 pressure gauge (0-400). w/Class 1 Logo. Discharge: [#LOC].	\$191		
4435-0225	Gauge heater strips, shall extend the full length of the gauge line. (Officer side discharge gauge lines will require 2 per line)	\$140		
4435-0226	DEF level gauge on pump operator's panel.	\$398		
4435-0227	Innovative Controls 10 LED series foam tank level gauge. In R2 compartment.	\$827		
4435-0228	Innovative Controls 10 LED SL series water tank level gauge. In R2 Compartment.	\$577		
4435-0229	2.5" LED Class 1 pressure gauge (0-300). Discharge: [#LOC]. Color: [#COL].	\$227		
4435-0230	No foam level gauge(s) for class (B) foam cell(s). Not required per customer specifications.	\$0		
4435-0231	Class 1 Tank Level Intelli 40M Water Gauge Additional Location: [#LOC]	\$862		
4435-0232	4.5" LED Class 1 compound pressure gauge (30-0-300). Color: [#COL].	\$367		
4435-0233	Single Read 2.5" Thuemling Pressure Gauge (0-2800KPA. Location: One (1) for each discharge outlet.	\$1,575		
4435-0234	Single Read 4.5" Thuemling Pressure Gauge (100-0-4000 KPA) (1) master intake and, (1) master discharge gauges.	\$649		
4435-0235	IC 10 LED SL series/Whelen PSTank foam tank level gauge package. Location of Whelen PSTank Strip Lights: each side of module up high.	\$2,364		
4435-0236	Ashcroft 6" dry master intake and discharge gauges. (30-0-300)	\$830		
4435-0237	Ashcroft 3.5" dry discharge gauges. Provide for each discharge. (0-300)	\$1,679		
4435-0238	Addition Vacuum gauge located on driver side pump panel.	\$564		
4435-0239	Class 1 Intelli/Whelen PSTank Water Tank Level Gauge Package Location of Whelen PSTank Strip-Lights: Location of Whelen PSTank Strip-Lights: Locate one (1) each side of pump module up high and one (1) officer side rear.	\$5,126		
4435-0240	Innovative Controls 10 LED SL series tank level foam gauge, additional. Location: [#LOC].	\$827		
4435-0241	Innovative Controls 10 LED series foam tank level gauge with a bright yellow easy to read graphics overlay. On pump panel.	\$826		
4435-0242	Sight Tube Water Tank Level Gauge. Located on driver's side adjacent to pump operator panel.	\$579		
4435-0243	4" Innovative Controls Brass Case Nite-Glo Master Pressure Gauges with Bezel. Intake 30-0-400, and Discharge 0-400.	\$1,016		
4435-0244	2.5" Innovative Controls brass case pressure gauge (0-400) with color code bezel.	\$185		
4435-0245	Class 1 4-1/2" compound pressure gauge (30-0-400 PSI). (Discharge gauge package).	\$223		
4435-0246	2.5" Innovative Controls stainless steel case pressure gauge (0-400) with color code bezel.	\$162		
4435-0247	4" Innovative Controls stainless steel case master pressure gauges with bezel. Intake 30-0-400, and discharge 0-400.	\$460		
4435-0248	2.5" Innovative Controls stainless steel case dual read pressure gauge (0-2750KPA/0-400PSI) with color code bezel.	\$162		
4435-0249	4" Innovative Controls stainless steel case master pressure gauges with bezel. Intake 30-0-400, and discharge 0-400, dual read KPA/PSI.	\$460		
4435-0250	2.5" Innovative Controls brass case pressure gauge (0-400) with color code bezel.	\$185		
4435-0251	Innovative Controls SL Plus series water tank level gauge with E-One logo at the bottom.	\$681		
4435-0252	Innovative Controls SL Plus series foam tank level gauge (foam tank A).	\$681		
4435-0253	Innovative Controls SL Plus series foam tank level gauge (foam tank B).	\$681		
4435-0254	4" Innovative Controls brass case master pressure gauges with bezel. Intake 30-0-400, and discharge 0-400.	\$685		
4435-0255	4" Innovative Controls brass case master pressure gauges with bezel. Intake 30-0-400, and discharge 0-400, dual read KPA/PSI.	\$675		



Item #	Description	Extension	+1/-1	Total
4435-0256	Innovative Controls SL Plus series tank gauge w/SL Plus Monster tank level gauge package. Location of SL Plus Monster Lights: [#LOC].	\$2,830		
4435-0257	Additional Innovative Controls SL Plus series tank level water gauge. Location: [#LOC].	\$699		
4435-0258	Addition 4" Innovative Controls stainless steel case master pressure gauges 0-400. Locate driver side pump panel.	\$266		
4435-0259	Innovative Controls/Whelen PSTank water tank level gauge package. Includes IC10 gauge on pump operator's panel, mini gauge in cab and (3) Whelen PSTank lights. Location of Whelen PSTank lights: (1) driver side up high on tank offset forward of scene light, (1) officer side up high on tank offset forward of scene light and (1) at rear up high.	\$3,022		
4435-0260	Innovative Controls/Whelen PSTank water tank level gauge package. Includes IC10 gauge on pump operator's panel, and (3) Whelen PSTank lights. Location of Whelen PSTank lights: (1) driver side up high on tank offset in front of forward scene light, (1) officer side up high on tank offset in front of forward scene light and (1) at rear up high.	\$2,434		
4435-0261	4" Innovative Controls stainless steel case master pressure gauges with bezel. Intake 30-0-400, and duplex discharge 0-400 for CAFS and Industrial applications.	\$1,554		
4435-0262	2.5" Innovative Controls Nite-Glo brass case pressure gauge (0-400) and color code bezel with blue light gauge illumination.	\$367		
4435-0263	2.5" Innovative Controls Nite-Glo brass case pressure gauge (0-400) and color code bezel with red light gauge illumination.	\$367		
4435-0264	FRC TankVision/FRC Maxvision water tank level gauge package. Location of FRC Maxvision Strip-Lights: each side of cab towards rear	\$2,966		
4435-0265	Master LED Backlit gauges. Master Discharge backlit LED gauge to be red, and master intake backlit LED gauge to be blue.	\$0		
4435-0266	2.5" Innovative Controls Nite-Glo brass case pressure gauge (0-400) and color code bezel with white light gauge illumination.	\$367		
4435-0267	IC SL Plus series tank gauge w/SL Plus Monster tank level gauge package. Control head located in cab console. Location of SL Plus Monster Lights: [#LOC].	\$2,830		
4435-0268	PTO Temperature Gauge with light and a buzzer alarm for audible warning.	\$391		
4435-0269	4" Innovative Controls stainless steel case pressure gauge (0-400). Location: Master discharge pressure gauge.	\$252		
4435-0270	IC SL PLUS series/Whelen PSTank water tank level gauge package. Location of Whelen PSTank Strip Lights: [#LOC].	\$2,741		
4435-0271	2.5" LED Class 1 pressure gauge (0-400). Discharge gauge. Color: [#COL].	\$280		
4435-0272	4" Innovative Controls stainless steel case master pressure gauges with bezel. Intake 30-0-400, and duplex discharge 0-400, dual read KPA/PSI. for CAFS and Industrial applications.	\$1,554		
4435-0273	Class 1 flow meter totalizer button. Location Pump operator panel.	\$0		
4435-0274	2.5" Innovative Controls stainless steel case pressure gauge (0-300) with color code bezel.	\$162		
4435-0275	4" Innovative Controls stainless steel case duplex pressure gauge (0-400) with color code bezel.	\$1,222		
4435-0277	Class 1 ENFO IV system on pump operator's panel. (METRIC UNITS)	\$1,075		
4435-0278	FRC Insight Ultimate model FPA-402 combination pressure/flow gauge w/ back light. Include color code bezel.	\$2,467		
4435-0279	Class 1 3.5" discharge gauges. Provide for each discharge. (0-600)	\$1,924		
4435-0280	6" Class 1 master pressure gauges. Intake 30-0-600, and discharge 0-600.	\$1,532		
4435-0281	Class 1 Intelli, w/driver and (1) Whelen PSTank Water Tank Level Gauge. Location of Whelen PSTank Strip-Lights: Driver side upper body forward of scene light.	\$1,383		
4435-0282	IC 10 LED SL series/Whelen 400 water tank level gauge package. Location of Whelen 400 tank level lights: Each side of upper pump panel.	\$4,167		
4435-0283	2.5" LED Class 1 compound pressure gauge (30-0-400). Color Red	\$280		
4435-0284	Master LED Backlit gauges. Master Discharge backlit LED gauge to be red, and master intake backlit LED gauge to be green.	\$0		

Item #	Description	Extension	+1/-1	Total
4435-0285	Fire Research TankVision Pro model WL300-A00 water tank level gauge.	\$818		
4435-0286	Fire Research TankVision Pro model WL360-A00 Class A foam tank level gauge.	\$927		
4435-0287	Fire Research TankVision Pro model WLA300-B00 water level gauge, Additional. Location: [#LOC].	\$723		
4435-0288	Fire Research TankVision Pro model WLA360-A00 Class A and WLA370-A00 Class B foam tank level gauges.	\$1,852		
4435-0289	Fire Research TankVision Pro model WLA 370-A00 Class B foam tank level gauge.	\$927		
4435-0290	Additional Monster Water Level Light. Located: [#LOC].	\$515		
4435-0291	4" Innovative Controls stainless steel case master pressure gauges with bezel. Intake 30-0-400, and duplex discharge 0-400 for CAFS and Industrial applications. IPOS HALE	\$460		
4435-0292	FRC TankVisionWLA300-B00/Whelen PSTank water tank level gauge package. Location of Whelen PSTank Strip-Lights: [#LOC].	\$2,849		
4435-0293	Class 1 3.5" discharge gauges. Provide for each discharge. (0-300) [#LOC]	\$191		
4435-0294	6" Class 1 Compound Pressure Gauge (30-0-400 PSI).	\$751		
4435-0295	6" NoShok pressure gauge (30-0-400).	\$778		
4435-0296	MC Series 500 5 LED Series Water Tank Level Gauge.	\$829		
4435-0297	2.5" Pressure Gauge Dual Read (30-0-400 psi/100-2800KPA). Discharge: [#LOC]. Color: [#COL].	\$227		
4435-0298	4.5" Pressure Gauge (30-0-400 psi/100-0-2800 KPA). Color: [#COL].	\$286		
4435-0299	Gauge bezels are to be mounted so that the color code is at the top of the gauge bezel.	\$0		
4440-0004	2.5" side suction top mount control handle Akron manual valve. Location: [#LOC].	\$1,694		
4440-0005	2.5" Left Intake Akron Manual Valve.	\$1,277		
4440-0006	2.5" Right intake Akron manual valve.	\$1,277		
4440-0007	2.5" Left Rear Intake Akron Manual Valve. (With rear discharge location to be outside or below).	\$2,059		
4440-0008	2.5" Right Rear Intake Akron Manual Valve.(With rear discharge location to be outside or below).	\$1,496		
4440-0010	3" Left Intake Akron Manual Valve.	\$2,094		
4440-0011	3" Right Intake Akron Manual Valve.	\$2,142		
4440-0012	3" right rear intake Akron manual valve. (With rear discharge location to be outside or below.)	\$2,457		
4440-0014	5" front intake without valve.	\$4,060		
4440-0015	5" Front Intake w/5" Air Actuated Valve and Relief.	\$6,403		
4440-0016	5" right rear intake, no valve.	\$3,099		
4440-0017	5" Right Rear Intake w/5" Air Actuated Valve and Relief.	\$5,157		
4440-0018	2.5" Intake Akron Manual Valve Rear Mount	\$1,088		
4440-0019	4" Rear Intake Akron Electric Valve for Rear Mount	\$4,246		
4440-0020	2.5" Intake Akron Manual Valve for Rear Mount Location: [#LOC]	\$1,591		
4440-0021	3" Intake Akron Manual Valve for Rear Mount Location: [#LOC]	\$2,387		
4440-0025	5" front intake with no valve plumbed through front bumper.	\$4,538		
4440-0026	5" Front Intake w/5" Air Actuated Valve and Relief Plumbed Through Front Bumper.	\$6,883		
4440-0027	2.5" Left Intake Hale Manual Valve	\$1,301		
4440-0028	2.5" Right Intake Hale Manual Valve	\$1,529		
4440-0029	3" Right Intake Hale Manual Valve	\$2,709		
4440-0030	2.5" Side Suction Top Mount Control Handle Hale Manual Valve Location: [#LOC]	\$1,940		
4440-0031	3" Left Intake Hale Manual Valve	\$2,125		
4440-0032	5" Front Intake without Valve for use with Spartan Chassis	\$1,600		
4440-0033	2.5" Left Rear Intake Hale Manual Valve. (With rear disahrge location to be outside or below).	\$2,235		
4440-0034	2.5" Right Rear Intake Hale Manual Valve	\$1,671		
4440-0035	3" Right Rear Intake Hale Manual Valve	\$2,693		

Item #	Description	Extension	+1/-1	Total
4440-0036	2.5" left intake Elkhart manual valve.	\$1,451		
4440-0037	3" Left Intake Elkhart Manual Valve	\$2,347		
4440-0038	2.5" Left Rear Intake Elkhart Manual Valve. (With rear discharge location to be outside or below).	\$2,231		
4440-0039	2.5" Side Suction Top Mount Control Handle Elkhart Manual Valve. Location: [#LOC].	\$1,863		
4440-0040	2.5" Right Intake Elkhart Manual Valve	\$1,451		
4440-0041	3" Right Intake Elkhart Manual Valve	\$2,397		
4440-0042	2.5" Right Rear Intake Elkhart Manual Valve	\$1,665		
4440-0043	3" Right Rear Intake Elkhart Manual Valve. (With rear discharge location to be outside or below).	\$2,710		
4440-0044	5" Left Rear Intake w/5" Air Actuated Valve and Relief. Requires air actuated tank to pump with side mount pump module configuration.	\$5,603		
4440-0045	4" Left Rear Intake Akron Electric Valve w/Intake Relief Valve.	\$6,005		
4440-0046	4" Right Rear Intake Akron Electric Valve w/Intake Relief Valve.	\$6,005		
4440-0047	4" Left Rear Intake Elkhart Electric Valve w/Intake Relief Valve	\$6,464		
4440-0048	5" Right Rear Intake Elkhart Electric Valve w/Intake Relief Valve	\$7,194		
4440-0049	3" Left Rear Intake Akron Manual Valve. (With rear discharge location to be outside or below).	\$2,866		
4440-0050	3" Left Rear Intake Hale Manual Valve. (With rear discharge location to be outside or below).	\$3,093		
4440-0051	3" Left Rear Intake Elkhart Manual Valve. (With rear discharge location to be outside or below).	\$3,112		
4440-0053	4" Left Rear Intake Hale Electric Valve w/Intake Relief Valve	\$7,182		
4440-0054	4" Right Rear Intake Hale Electric Valve w/Intake Relief Valve	\$7,182		
4440-0055	3" Side Suction Top Mount Control Handle Akron Manual Valve. Location: [#LOC].	\$2,435		
4440-0056	3" Side Suction Top Mount Control Handle Hale Manual Valve Location: [#LOC]	\$2,665		
4440-0057	3" Side Suction Top Mount Control Handle Elkhart Manual Valve Location: [#LOC]	\$2,682		
4440-0058	5" Right Rear Intake w/5" Electric Actuated Valve and Relief.	\$7,194		
4440-0059	5" Left Rear Intake w/5" Electric Actuated Valve and Relief.	\$7,194		
4440-0060	5" Rear Intake with no valve. Located below officer side storage tunnel. Includes short handle cap (ship loses).	\$3,810		
4440-0061	5" front intake w/5" Akron electric actuated valve and relief.	\$8,017		
4440-0062	5" Front Intake w/5" Elkhart Electric Actuated Valve and Relief.	\$8,020		
4440-0064	2.5" Left Intake w/3" Akron Manual Valve	\$1,951		
4440-0065	2.5" Left Intake w/3" Hale Manual Valve	\$2,179		
4440-0066	2.5" Left Intake w/3" Elkhart Manual Valve	\$2,197		
4440-0067	2.5" Right Intake w/3" Akron Manual Valve	\$1,951		
4440-0068	2.5" Right Intake w/3" Hale Manual Valve	\$2,179		
4440-0069	2.5" Right Intake w/3" Elkhart Manual Valve	\$2,197		
4440-0070	2.5" Side Suction Top Mount Control Handle w/3" Akron Manual Valve Location: [#LOC]	\$2,367		
4440-0071	2.5" Side Suction Top Mount Control Handle w/3" Hale Manual Valve Location: [#LOC]	\$2,596		
4440-0072	2.5" Side Suction Top Mount Control Handle w/3" Elkhart Manual Valve Location: [#LOC]	\$2,611		
4440-0073	The driver and officer side aux. intakes. Includes 3" valve and 2.5" connection on panel.	\$2,931		
4440-0074	5" Front Intake without Valve Low "S" in Tray	\$3,955		
4440-0075	5" Front Intake w/5" Air Actuated Valve and Relief Low "S" in Bumper Tray.	\$6,298		
4440-0076	4" Front intake w/4" Akron electric valve and relief.	\$7,149		
4440-0077	2.5" Side Intake Operator Control Akron Elec Valve Drivers side.	\$3,392		
4440-0078	2.5" Left Intake Elkhart Unibody TM Control Manual Valve	\$1,581		
4440-0079	3" Side Suction Top Mount Control Handle Elkhart Manual Unibody Valve Location: [#LOC]	\$2,442		

Item #	Description	Extension	+1/-1	Total
4440-0080	Front Intake, Left and Right Pump 6" Inlet and 2.5 Left Direct Tank Fill Shall be "T" together with spring check valves and plumb into the FRC auto tank fill.	\$3,914		
4440-0081	2.5" side suction air control Akron valve Drivers side.	\$1,307		
4440-0082	2.5" Left Intake Akron Manual Valve With Integral 30 Degree Droop	\$1,360		
4440-0083	2.5" Right Intake Akron Manual Valve With Integral 30 Degree Droop	\$1,360		
4440-0084	5" Front Intake w/5" Manual Gear Actuated Valve and Relief	\$7,512		
4440-0085	4" Right Side Intake Akron Electric Valve w/Relief.	\$4,246		
4440-0086	2.5" Side Intake Operator Control Akron Elec Valve Officer side.	\$3,392		
4440-0087	2.5" Intake with Akron electric valve. Controller to be located at pump operator panel. Locate intake [#LOC].	\$3,408		
4440-0088	2.5" Intake with Hale electric valve. Controller to be located at pump operator panel. Locate intake [#LOC].	\$3,408		
4440-0089	5" Front Intake w/5" Electric Actuated Valve and Relief Low "S" in Bumper Tray	\$7,913		
4440-0090	2.5" Side Suction Air Act Akron Valve Locate Rear of Steamer.	\$1,868		
4440-0091	2.5" Side Suction Top Mount Control Handle w/3" Elkhart Unibody Manual Valve Location: [#LOC]	\$2,479		
4440-0092	3" Left Intake Elkhart Unibody Manual Valve	\$2,094		
4440-0093	3" Right Intake Elkhart Unibody Manual Valve	\$2,142		
4440-0094	2.5" Left Intake Elkhart Unibody Manual Valve w/chrome valve face.	\$1,277		
4440-0095	2.5" Right Intake Elkhart Unibody Manual Valve w/chrome valve face.	\$1,277		
4440-0096	5" Front Intake w/4" Hale Electric Actuated Valve and Relief Low "S" in Bumper Tray	\$7,885		
4440-0097	2.5" Right Intake Elkhart Unibody Manual Valve	\$1,277		
4440-0098	5" Front Intake w/5" Akron Electric Actuated Valve and Relief	\$8,017		
4440-0099	2.5" Intake with Akron electric valve. Controller to be located at pump operator panel. Locate intake [#LOC].	\$3,408		
4440-0100	5" Right Rear Intake w/5" Electric Actuated Valve and Relief.	\$7,194		
4440-0101	3.0" Side Intake Operator Control Akron Elec Valve Officer side.	\$3,910		
4440-0102	3" Left Rear Intake Akron Electric Valve w/Intake Relief Valve	\$4,036		
4440-0103	5" Front Intake w/5" Elect. Actuated Valve and Relief Plumbed Through Front Bumper.	\$8,017		
4440-0104	3.0" Side Intake Operator Control Akron Electric Valve Driver side.	\$3,910		
4440-0105	2.5" Intake Akron Manual Valve for Rear Mount Location: [#LOC]	\$1,507		
4440-0106	2.5" Intake Akron Electric Valve for Rear Mount Location: [#LOC]	\$3,644		
4440-0107	2.5" Side Suction Top Mount Control Handle Elkhart Manual Unibody Valve Location: [#LOC]	\$1,676		
4440-0108	5" Front Intake for use with rear mounted pump. Positioned to run under the officer side of the body to the officer side front bumper. Includes a 5" Akron electric valve and relief(s).	\$10,202		
4440-0109	2.5" Aux suction and located driver side pump module. Includes Akron electric valve with controller located at pump operator panel.	\$3,197		
4440-0110	Hale 2.5" intake relief valve.	\$0		
4440-0111	Officer side 5" rear intake (No Valve). Intake to run under officer side of tank and then angle into B1. In B1 the intake needs to angle downward to above floor mounted reel. Support brackets will be provided as required and to engineering requirements. To include any additional primer valves as required.	\$4,973		
4440-0112	2.5" Intake with Elkhart Unibody electric valve. Controller to be located at pump operator panel. Locate intake [#LOC].	\$3,408		
4440-0113	2.5" Intake Elkhart Unibody Manual Valve for Rear Mount Location: [#LOC]	\$1,507		
4440-0114	2.5" Intake Elkhart Unibody Electric Valve for Rear Mount Location: [#LOC]	\$3,644		
4440-0115	2.5" Aux suction and located officer side pump module. Includes Akron electric valve with controller located at pump operator panel.	\$3,197		
4440-0116	2.5" Left Intake w/3" Elkhart Unibody Manual Valve	\$1,897		
4440-0117	2.5" Right Intake w/3" Elkhart Unibody Manual Valve	\$1,897		

Item #	Description	Extension	+1/-1	Total
4440-0118	Auxiliary 2.5" Officer Side Panel Intake. Includes officer side panel controller.	\$1,048		
4440-0119	5" Front Intake with 6" front swivel located on officer side front bumper.	\$11,063		
4440-0121	5" Front Intake with 6" front swivel located on officer side front bumper. 2010 EPA Custom ES.	\$11,063		
4440-0122	5" Front Intake with 6" front swivel located on officer side front bumper. Commercial ES.	\$11,637		
4440-0126	Akron 2.5" foam system intake with swing handle. For use with Williams Advent or Hot Shot 150 foam system. Locate to [#LOC].	\$1,277		
4440-0127	Elkhart 2.5" foam system intake with swing handle. For use with Williams Advent or Hot Shot foam systems. Locate to [#LOC].	\$1,277		
4440-0128	Akron 3" foam system intake with swing handle. For use with Hot Shot 300 foam system. Locate to [#LOC].	\$2,166		
4440-0129	Elkhart 3" foam system intake with swing handle. For use with Hot Shot 300 foam system. Locate to [#LOC].	\$2,166		
4440-0130	2.5" Right Intake w/3" Akron Manual Valve. Location: (REAR OF STREAM)	\$1,951		
4440-0131	2.5" Right Side intake Akron manual valve. Locate valve down low and the handle to be horizontally	\$1,470		
4440-0132	5" Left rear intake, no valve.	\$3,099		
4440-0133	3" Intake with Akron electric valve. Controller to be located at pump operator panel. Locate intake [#LOC].	\$3,910		
4440-0134	3" Intake with Elkhart Unibody electric valve. Controller to be located at pump operator panel. Locate intake [#LOC].	\$3,910		
4440-0135	4" Front Intake w/4" Elect Actuated Akron Valve and Relief Plumbed Thru Front Bumper	\$7,149		
4440-0136	5" Front Intake w/4" Akron Electric Actuated Valve and Relief Rear Mount. From pump to back of cab will be 4" plumbing, and from back of cab to the front of cab will be 5" plumbing.	\$8,517		
4440-0137	2.5" side suction top mount control handle Akron manual valve with chrome plated end. Location: [#LOC].	\$1,750		
4440-0138	2.5" right intake Akron manual valve with chrome plated end.	\$1,332		
4440-0139	2.5" Intake Akron Manual Valve for Rear Mount Location: officer side rear intake with Integral 30 Degree Droop	\$1,575		
4440-0140	2.5" right intake Akron manual valve, located rear of steamer IPO standard location.	\$1,277		
4440-0141	5" Front Intake w/5" Air Actuated Valve and Relief. A three position air control switch will be located adjacent to the front suction on top of gravel shield inboard of front suction swivel.	\$6,403		
4440-0142	5" Left Rear Intake w/5" Air Actuated Valve and Relief. Does not include cap.	\$5,433		
4440-0143	2.5" Intake with Akron Electric Valve & Navigator Pro 9323 Controller with 30degree droop. Controller locates on pump operator panel. Locate intake [#LOC].	\$3,322		
4440-0144	5" Right Rear Intake w/5" Manual Hand Wheel Actuated Valve and Relief.	\$7,085		
4440-0145	2.5" Side suction, location: officer side pump panel with control handle Hale manual valve single handle on driver side pump panel. Handle shall actuate both driver and officer side suction. Control handle to be labeled DRIVER AND OFFICER SUCTION PRIMER CONTROL.	\$1,940		
4440-0146	Aux 2.5" foam system intake with swing handle. Locate to be [#LOC].	\$1,277		
4440-0147	2.5" Left Intake Akron Manual Valve With Integral 30 Degree Chrome Droop.	\$1,578		
4440-0148	2.5" Right Intake Akron Manual Valve With Integral 30 Degree Chrome Droop.	\$1,578		
4440-0149	2.5" Side Intake Top Mount Control Handle Akron manual valve. With Integral 30 Degree Chrome Droop. Location: [#LOC].	\$1,994		
4440-0150	2.5" Side Intake Top Mount Control Handle Akron manual valve. With Integral 30 Degree Droop.. Location: [#LOC].	\$1,776		
4440-0151	2.5" Side Suction Top Mount Control Handle Elkhart Manual Unibody Valve W/30 degree Chrome Droop. Location: [#LOC]	\$1,977		
4440-0152	2.5" Left Intake Elkhart Unibody Manual Valve w/30 degree Chrome Droop.	\$1,578		
4440-0153	2.5" Right Intake Elkhart Unibody Manual Valve w/30 degree Chrome Droop.	\$1,578		
4440-0155	2.5" Left Rear Intake Akron Manual Valve. Top Mount control.	\$2,313		
4440-0156	5" Right Rear Intake w/5" Electric Valve with 9323 controller and Relief.	\$7,032		

Item #	Description	Extension	+1/-1	Total
4440-0157	2.5" Intake with Akron electric valve with 9323 controller. Controller to be located at pump operator panel. Locate intake [#LOC].	\$3,408		
4440-0158	4" Right Rear Intake Akron Electric Valve include 9323 controller w/Intake Relief Valve.	\$6,004		
4440-0159	5" front intake w/5" Akron electric actuated valve and relief with 9323 valve controller.	\$8,017		
4440-0160	5" Front Intake w/5" Electric Akron Valve with 9323 controller and Relief Low "S" in Bumper Tray	\$7,913		
4440-0161	6" Intake for front mounted pump w/long handle cap.	\$0		
4440-0162	3" front mount Intake Akron manual Valve.	\$2,094		
4440-0163	5" Front Intake w/5" Elect. Actuated Valve and Relief Plumbed Under Front Bumper. With 6" adapter.	\$8,133		
4440-0164	5" Front Intake w/5" Elect. Akron Valve 9323 controller, and Relief Plumbed Through Front Bumper.	\$8,133		
4440-0165	4" Right Rear Intake w/4" Air Actuated Valve and Relief.	\$4,926		
4440-0166	4" Right Rear Intake w/4" Air Actuated Valve and Relief.	\$5,157		
4440-0167	5" Front intake w/5" hand wheel actuated valve and relief.	\$7,345		
4440-0168	6" Right Rear Intake w/6" Air Actuated Valve and Relief.	\$6,173		
4440-0169	2.5" Intake with 3" Akron electric valve WITH 9323 controller. Controller to be located at pump operator panel. Locate intake valve: Locate intake [#LOC].	\$3,910		
4440-0170	4" Right rear intake, no valve.	\$3,099		
4440-0171	5" Left Rear Intake w/5" Electric Valve with 9323 controller and Relief.	\$7,032		
4440-0172	5" Front Intake w/5" Jamesbury Valve Hand Wheel Actuated, and Relief. "Low S"	\$7,659		
4440-0173	5" right rear intake to terminate at rear panel below ladder tunnel. Piping to transition from B1 into R3 and out rear panel.	\$0		
4440-0174	3" Right Rear Intake Akron Electric Valve. Bleeder located on driver side pump panel.	\$4,036		
4440-0175	4" right rear intake to terminate at rear panel below ladder tunnel. Piping to transition from B1 into R3 and out rear panel.	\$0		
4440-0176	6" right rear intake, no valve. Include 6" chrome adapter with cap.	\$5,056		
4440-0177	4" Right Rear Intake Akron Hand Manual Hand Wheel Valve w/Intake Relief Valve.	\$5,245		
4440-0178	5" Front intake w/5" hand wheel actuated valve and relief through front bumper.	\$7,345		
4445-0004	Front intake swivel 5" polished chrome.	\$2,413		
4445-0005	Front intake swivel 6" polished chrome.	\$2,509		
4445-0006	Intake Adapter 5" FNPT x 4.5" MNST for Front Intake	\$491		
4445-0007	Intake adapter 5" FNPT x 6" MNST for front intake.	\$605		
4445-0008	Intake Relief Valve - Elkhart.	\$724		
4445-0009	Intake relief valve, Akron.	\$531		
4445-0011	Valve Relief Intake - Ross 2.5"	\$2,188		
4445-0013	2.5" Check Valve for [#LOC] intake.	\$458		
4445-0014	3" Check Valve for [#LOC] Intake	\$781		
4445-0015	6" Check Valve for [#LOC] Steamer	\$762		
4445-0016	Intake relief valve, Hale 2.5".	\$730		
4445-0018	Intake relief valve outlet to be extended to the side of the truck under the running board. Includes tag that reads "Intake Pressure Relief Outlet - Do Not Cap".	\$329		
4445-0019	Intake Adapter 5" FNST x 4.5" MNST for Front Intake	\$491		
4445-0020	Intake Adapter 5" FNST x 6" MNST for Front Intake	\$605		
4445-0021	Intake Adapter 5" FNPT x 4.5" MNST for Rear Intake	\$491		
4445-0022	Intake adapter 5" FNPT x 6" MNST for rear intake.	\$605		
4445-0023	Recessed front suction intake swivel in bumper, 3" in tray.	\$1,112		

Item #	Description	Extension	+1/-1	Total
4445-0024	Intake adapter 5" FNPT x 5" MNST for front intake.	\$451		
4445-0025	Intake Adapter 5" FNPT x 5" MNST for Rear Intake.	\$451		
4445-0026	Front Intake Swivel 4" Polished Chrome	\$1,448		
4445-0027	Intake Adapter 4" FNPT x 4" MNST for Rear Intake.	\$434		
4445-0028	Intake bleeder/drain valve to be extended to the side of the truck.	\$67		
4445-0029	Rear Intake Aadapter Flush.	\$0		
4445-0030	Intake Adapter 5" FNST x 4" MNST with LH 4" cap for Front, Rear, or Side Intake.	\$491		
4445-0032	Front Intake Swivel 5" Painted Job Color	\$136		
4445-0035	Front Intake Swivel 6" Painted Job Color	\$2,509		
4445-0037	Auto Tank Fill Valve Plumbing "T" into Right MIV'S/Rear Intake with check valves.	\$756		
4445-0038	Waterous Intake Pressure Relief Valve.	\$1,670		
4445-0039	Intake Adapter 2-1/2"MNST X 3" FNST Swivels with plug.	\$278		
4445-0040	Master Intake Valve Relief Valve Pressure setting to be set at 250psi.	\$0		
4445-0041	Front/Rear Intake Drain Valves to be located inside of the heat pan. Valves to be a 3/4" bleeder valve with 1/4 turn control located under officer side running board.	\$186		
4445-0043	Mechanical Tachometer Counter Connection on the Driver Side Pump Panel.	\$239		
4445-0044	Mechanical Tachometer Counter Connection on the Pump Operator's Panel. For use with side mount application.	\$239		
4445-0045	Mechanical Tachometer Counter Connection on the Pump Operator's Panel. For use with top mount application.	\$239		
4445-0047	Bleeder/Drain .75 Valve Plumbed to each 6" inlet/outlet.	\$204		
4445-0048	Intake pressure relief valve, Task Force Tips.	\$512		
4445-0049	Intake relief valve outlet to be extended to the side of the truck under the front body compartment. Includes tag that reads "Intake Pressure Relief Outlet - Do Not Cap".	\$329		
4445-0050	Intake adapter 5" FNPT x 6" MNST for rear intake.	\$605		
4445-0051	Rear Suction Location: [#LOC]	\$0		
4445-0052	Recessed front suction intake swivel in bumper, 3" in tray using aluminum smooth plate with black Scorpion coating (IPOS diamond plate).	\$1,204		
4445-0053	Front Intake Drains to be orientated so that they are Level with the bottom of the 5" Intake Piping.	\$0		
4445-0054	Intake Adapter 5" FNPT x 4" MNST for Front, Rear, or Side Intake with 4" Cap.	\$491		
4445-0055	Intake adapter 5" FNPT x 5" MNST for front intake.The 5" front intake adapter shall be mounted so the threads approximately 2" from the bumper (Flush+2).	\$451		
4445-0058	5" Check Valve shall be install in front intake to prevent back flow.	\$1,262		
4445-0059	Manual override access door to be on officer's side pump panel to access the override on the front/rear intake electric valve.	\$98		
4445-0060	Front intake bleeder valve to be located adjacent to inlet at front bumper.	\$103		
4445-0061	6" Kocek RL chrome pyrolight cap for front intakes IPOS.	\$173		
4445-0062	2.5" Left Aux Intake shall be as located approximately 6" below main pump inlet offset to rear.	\$408		
4445-0064	5" Front intake Low "S" piping shall be short as possible from cab.	\$0		
4445-0065	Intake adapter 5" FNPT x 6" MNST for pump inlet (IPOS).	\$180		
4445-0066	2.5" Left Aux Intake shall be as located forward of steamer.	\$0		
4445-0067	Manual override access hole to be supplied in rear pump panel to access the override on the 4" tank to pump .Wrench required for manual override shall be located in vicinity of rear access panel.	\$98		
4445-0069	Intake Adapter 5" FNPT x 4.547 PHOENIX 6 TPI with cap for Front, or rear intake.	\$729		
4445-0070	Waterous Intake Pressure Relief Valve controls for pump, and intakes to be located behind officer side pump panel.	\$112		
4445-0071	Front Intake Swivel 5" Painted Job Color	\$2,411		

Item #	Description	Extension	+1/-1	Total
4445-0072	Intake adapter 5" FNPT x 6" MNST for rear intake with rocker lug cap.	\$604		
4445-0073	Intake Relief Valve Pressure setting to be 175psi.	\$0		
4445-0074	2.5" Aux Intake shall be as located approximately 12" away from main pump inlet offset to rear.	\$408		
4445-0075	Manual override knob on officer's side pump panel for front intake electric valve.	\$380		
4445-0076	Front, and rear intakes to have air toggle switches IPOS.	\$0		
4445-0077	All Intake relief valve outlet to be extended down, and terminate with MNST threads.	\$0		
4445-0078	Front Intake piping shall be mounted so the end pipe is approximately 3" from the bumper tray back wall.	\$0		
4445-0079	Intake Adapter 4" FNPT x 5" MNST with cap for Rear Intake	\$491		
4445-0080	Intake pressure relief valve, Trident Air Max with adjustment knob and pressure gauge.	\$1,604		
4445-0081	Anode for Darley pump - (1) Front intake piping.	\$485		
4445-0082	Intake adapter 5" FNPT x 4" MNST for front intake. Front intake adapter shall be mounted so the threads approximately 2" from the bumper (Flush+2).	\$451		
4450-0007	1" Tank Fill Akron Manual Valve	\$464		
4450-0008	1.5" tank fill Akron manual valve.	\$1,056		
4450-0009	1.5" Tank Fill Hale Manual Valve	\$1,223		
4450-0010	2" tank fill Akron manual valve.	\$1,268		
4450-0011	2.5" tank fill Akron manual valve. At pump panel.	\$1,358		
4450-0012	1.5" tank drain Akron manual valve.	\$925		
4450-0013	2.5" Tank Fill/Drain Water Akron Manual Valve. Location: [#LOC].	\$1,711		
4450-0014	Direct 2.5" water tank fill with Akron valve. Location: [#LOC].	\$1,538		
4450-0015	2.5" Tank fill off pump discharge Akron air actuated valve Location: [#LOC].	\$1,463		
4450-0016	4" Tank fill with check valve. Location: [#LOC].	\$2,586		
4450-0017	Tank fill, 4.5" water with check valve Location: [#LOC].	\$3,085		
4450-0018	5" Tank fill water with check valve. Location: [#LOC].	\$3,130		
4450-0019	6" Tank Fill Water with Check Valve Location: [#LOC]	\$3,242		
4450-0020	2.5" rear direct tank fill. Location: [#LOC].	\$1,534		
4450-0021	3" Dual Tank to Pump Akron Manual Valves - Side Panel Controlled	\$1,807		
4450-0022	3" tank to pump Akron manual valve.	\$1,336		
4450-0023	3" Tank to Pump Akron Air Actuated Valve	\$1,871		
4450-0025	4" Tank to Pump Akron Electric Valve for Rear Mount	\$4,858		
4450-0026	5" Rear Jet Dump No Valve. Include 1-1/2" inline valve and high pressure hydraulic hose connected to the 1-1/2" internal tank piping which runs to the rear of the booster tank.	\$2,567		
4450-0027	5" Rear Jet Dump w/5" Manual Butterfly Valve.	\$3,992		
4450-0028	Newton Dump with Manually Operated Valve.	\$2,294		
4450-0029	Newton Dump Extension. For use with a manually operated Newton Dump.	\$1,136		
4450-0030	Newton Directional Chute. Includes chute support bracket and support bolts mounted each side on trailing edge of body/beavertails.	\$1,845		
4450-0031	Electric actuated dump valve includes 18" electric telescopic extension and switch.	\$6,206		
4450-0032	2" Tank Fill Akron Electric Valve	\$3,124		
4450-0033	2.5" Portable Pump Connection SEV	\$2,242		
4450-0034	2.5" Tank Fill "AutoFill" Automatic Tank Fill Valve. Location: [#LOC]. Requires Class 1 tank gauge.	\$8,994		
4450-0035	2.5" Direct Tank Fill Location: [#LOC]	\$1,411		
4450-0037	4" Tank To Pump Akron Air Valve for Rear Mount	\$4,191		
4450-0038	Hale 4" Air Tank to Pump for CAFSPRO Foam System.	\$5,057		



Item #	Description	Extension	+1/-1	Total
4450-0054	2.5" Tank Fill Hale Manual Valve	\$1,786		
4450-0055	Hale 4" Manual Tank-to-pump	\$3,817		
4450-0056	3" Air Tank to Pump for Cafspro Foam System with 4" plumbing.	\$2,617		
4450-0057	3" Tank to Pump Hale Manual Valve	\$1,523		
4450-0058	2.0" Tank Fill Hale Manual Valve	\$1,452		
4450-0059	1.5" Tank Fill Elkhart Manual Valve	\$1,148		
4450-0060	2" Tank Fill Elkhart Manual Valve	\$1,361		
4450-0061	2.5" Tank Fill Elkhart Manual Valve	\$1,529		
4450-0062	3" Tank to Pump Elkhart Manual Valve	\$1,592		
4450-0063	Direct 2.5" Water Tank Fill with Hale Valve. Location: [#LOC]	\$1,714		
4450-0064	Direct 2.5" Water Tank Fill with Elkhart Valve. Location: [#LOC]	\$1,708		
4450-0065	Direct 3" Water Tank Fill. Location: [#LOC].	\$1,801		
4450-0066	Tank-to-pump 4" Akron Air Valve.	\$4,070		
4450-0067	Tank-to-pump 4" Akron electric valve.	\$4,161		
4450-0068	3" Tank to Pump w/3.5" Waterous Valve	\$2,041		
4450-0070	2.5" Tank Fill Hale Electric Valve	\$3,197		
4450-0071	Tank-to-pump 4" Hale Electric Valve	\$5,245		
4450-0072	2.5" Direct Fill Line into the tank, Akron electric valve. Location: [#LOC].	\$3,708		
4450-0073	3" Tank to Pump w/3.5" Waterous Electric Valve	\$3,944		
4450-0074	2" Tank Fill Akron Valve Handwheel Control	\$2,463		
4450-0075	2" Tank Fill Elkhart Valve Handwheel	\$2,522		
4450-0076	2.5" Tank Fill Akron Valve Handwheel Control	\$2,552		
4450-0077	2.5" Tank Fill Elkhart Valve Handwheel Control	\$2,608		
4450-0078	3" Dual Tank to Pump Akron Air Valves.	\$2,973		
4450-0079	2.5" Tank Fill Off Pump Discharge Akron Electric Gated Valve Location: [#LOC]	\$2,741		
4450-0080	3" Tank to Pump Akron Manual Valve two (2) independent Top mount controls	\$1,807		
4450-0081	2" Tank Fill Akron Hyd	\$2,409		
4450-0082	1.5" Tank Drain Hale Manual Valve	\$1,042		
4450-0083	1.5" Tank Drain Elkhart Manual Valve	\$1,016		
4450-0084	Auto Tank Fill Valve Plumbing "T" into Left and Right Fill Theft with check valves.	\$1,651		
4450-0085	3" Tank to Pump Elkhart Unibody Manual Valve	\$1,693		
4450-0086	2" Tank Fill Elkhart Unibody Manual Valve	\$1,364		
4450-0087	2.5" Tank Fill "AutoFill" Automatic Tank Fill Valve. Location: [#LOC].	\$9,057		
4450-0088	2" Tank Fill Elkhart Unibody Electric Valve	\$2,887		
4450-0089	Tank-to-pump 3" Elkhart Electric Valve	\$3,469		
4450-0090	1.5" Direct Tank Fill Elkhart Unibody Manual Valve Left Side Panel	\$1,267		
4450-0091	2.5" Direct Tank Fill "AutoFill" Automatic Tank Fill Valve. Location: [#LOC].	\$5,089		
4450-0092	3" Tank to Pump Akron Valve Hand Wheel Control.	\$2,756		
4450-0093	Tank-to-pump 3" Akron Electric Valve	\$3,885		
4450-0094	Driver side lower pump panel mounted 2.5" direct tank fill.	\$2,436		
4450-0095	2" Tank Fill Hale Electric Valve	\$3,124		
4450-0096	Electric 3" Akron tank to pump. Controller located on pump control panel.	\$3,747		
4450-0097	Electric 3" Hale tank to pump. Controller located on pump control panel.	\$3,747		
4450-0098	2.5" Tank Fill Akron Electric Valve with 9323 controller.	\$3,306		

Item #	Description	Extension	+1/-1	Total
4450-0099	3" Tank to Pump Elkhart Unibody Air Actuated Valve	\$1,883		
4450-0100	Direct Rear 2.5" Water Tank Fill [#LOC] with 2.5" Check Stainless steel Technocheck Valve.	\$1,262		
4450-0101	Newton Dump with electrically actuated valve and manually actuated chute. Electric dump valve control to be located to the driver side rear within reach from the ground.	\$5,616		
4450-0102	Direct 1" Water Tank Fill Plumb to the fill Tower and Terminate with .75 Female Hose Bib. Location: driver side pump panel.	\$594		
4450-0103	Direct Rear 2.5" Water Tank Fill with 2.5" Check Stainless steel Technocheck Valve. Location: [#LOC]	\$1,262		
4450-0104	6" Rear Gravity Dump No Valve	\$2,962		
4450-0105	3" Tank Fill Akron Manual Valve	\$1,786		
4450-0106	6" Rear Jet Dump w/6" Electric/Air Butterfly Valve with Control Switches in Cab and Pump operator panel side Rear.	\$4,242		
4450-0107	Direct 2.5" water tank fill with 3" Elkhart manual valve. Location: [#LOC].	\$1,969		
4450-0108	2" tank fill Akron 9313 electric valve.	\$3,124		
4450-0109	2.5" Tank Fill Direct Akron Electric Valve with 9323 controller at pump operator panel. Location: [#LOC]	\$3,708		
4450-0110	Tank-to-pump 4" Akron electric valve.	\$4,161		
4450-0111	4" Tank to Pump Akron Electric Valve for Rear Mount	\$4,858		
4450-0112	Electric 3" Akron tank to pump. Controller located on pump control panel. Include 9323 controller.	\$3,747		
4450-0113	5" Rear Jet Dump (No valve). For use with a center slam strip rear end.	\$2,317		
4450-0114	3" Tank to Pump Electric Over Air Actuated Valve. (For Pump&Roll Operation)	\$1,983		
4450-0115	Newton Dump with Electric Operated Valve.	\$4,400		
4450-0116	2.5" Tank Fill Elkhart Unibody Manual Valve	\$1,529		
4450-0117	Tank-to-pump 4" Elkhart Unibody Electric Valve	\$4,161		
4450-0118	Direct 2.5" Water Tank Fill with Elkhart Unibody Valve. Location: [#LOC]	\$1,708		
4450-0119	3" tank to pump Akron manual valve w/4" tank connection.	\$1,362		
4450-0120	2.5" Rear Tank Inlet. Includes Water Level Gauge Located in B1 Compartment	\$1,646		
4450-0121	3" Tank to pump Akron air actuated valve w/4" tank connection.	\$1,871		
4450-0122	3" Tank To Pump Akron Electric Actuated Valve w/4" Plumbing. Include 9323 controller.	\$3,839		
4450-0123	Direct 3" Tank Fill Akron Electric Valve with control at pump operator panel valve Location: [#LOC]	\$3,747		
4450-0124	3" Tank To Pump Elkhart Unibody Manual Valve w/4" Plumbing.	\$1,429		
4450-0125	3" Tank To Pump Elkhart Unibody Air Actuated Valve w/4" Plumbing	\$1,977		
4450-0126	Newton Dump with Manually Operated Valve. Model 1060 with 6" Extendable Handle.	\$2,300		
4450-0127	2.5" Tank Fill "AutoFill" Automatic Tank Fill Valve with IntelliTank level gauge located behind officer side pump panel. Location: [#LOC].	\$8,994		
4450-0128	Officer side lower pump panel mounted 2.5" direct tank fill. Not available with rear intake or front intake with auxiliary intake offset to rear.	\$2,436		
4450-0129	3" Tank to Pump. Includes Akron manual valve with controller located in body compartment on pump operator panel	\$1,648		
4450-0130	2" tank fill. Includes Akron manual valve with controller located in body compartment on pump operator panel	\$1,138		
4450-0131	2.5" Tank Fill Elkhart Unibody Electric Valve	\$3,449		
4450-0132	3" Tank To Pump Elkhart Unibody Electric Actuated Valve w/4" Plumbing	\$3,858		
4450-0133	3" Tank To Pump Akron air actuated valve w/4" plumbing from the tank to the valve or check.	\$1,871		
4450-0134	3" Tank To Pump Akron Manual Valve w/ Trident Hand Wheel Control and 4" tank connection.	\$3,356		
4450-0135	4" tank to pump with Akron air actuated valve. For use with rear mount pump.	\$3,227		
4450-0136	4" tank to pump with Elkhart air actuated unibody valve. For use with rear mount pump.	\$3,227		
4450-0137	4" tank to pump with Akron electric valve. For use with rear mount pump.	\$3,693		
4450-0138	4" tank to pump with Elkhart unibody electric valve. For use with rear mount pump.	\$3,693		

Item #	Description	Extension	+1/-1	Total
4450-0139	2" tank fill with Akron manual valve. For use with rear mount pump.	\$1,199		
4450-0140	2" tank fill with Akron electric valve. For use with rear mount pump.	\$2,884		
4450-0141	2" tank fill with Elkhart unibody manual valve. For use with rear mount pump.	\$1,199		
4450-0142	2" tank fill with Elkhart unibody electric valve.	\$2,884		
4450-0143	2" Tank Fill Elkhart Electric Valve	\$2,887		
4450-0144	3" Tank to Pump Elkhart Air Actuated Valve	\$1,883		
4450-0145	Direct 2.5" Tank Fill Elkhart Unibody Electric Valve w/30 degree droop adapter with swivel/plug and control at pump operator panel. Location: driver side rear B1 compartment.	\$3,708		
4450-0146	Tank-to-pump 3" Elkhart Unibody Electric Valve	\$3,469		
4450-0148	4" rear direct tank fill. Includes handwheel control, swivel with droop with cap and retainer. Located to [#LOC] of the rear body.	\$2,920		
4450-0149	2.5" rear direct tank fill. Includes swing handle control, swivel with droop and cap with retainer. Located to [#LOC] of the rear body.	\$1,416		
4450-0150	Manual 3" tank-to-pump for use with QFLO pump on side mount pump module.	\$0		
4450-0151	Manual 3" tank-to-pump for use with QFLO pump on top mount pump module.	\$0		
4450-0152	Manual 3" tank-to-pump for use with QMAX pump on side mount pump module.	\$0		
4450-0153	Manual 3" tank-to-pump for use with QMAX pump on top mount pump module.	\$0		
4450-0154	Manual Valve Overrides for the (3) 6" valves tank inlet/outlet valves in the event of an air pressure failure.	\$1,240		
4450-0155	2.5" Tank Fill Akron Electric/air control Valve.	\$1,944		
4450-0156	3.0" Tank Drain Akron Air Actuated Valve.	\$1,871		
4450-0158	Rear tank dump. Includes stainless finish steel assembly with electrically actuated valve. For use with slip on extension and chute. Includes Slip-on stainless steel dump extension and chute with beavertail mounted removable support arm bracket and tailboard mounted storage tray (officer side) with retaining straps.	\$6,206		
4450-0159	Inlet/Outlet 6" Heated Collar. The heat collar will be install between the valve, and tank flange. They are connected to the coolant system on the truck to circulate anti-freeze. Also a 110 volt heater and thermostat for freeze control when the truck is parker. The 110 volt heater shall be connected to shoreline.	\$2,028		
4450-0160	Bush Pack 1" Fill with 1" Cam-Lock fitting located on pump operator pump panel. Include a 3' length of 1" clear hose.	\$472		
4450-0161	Direct .75" Water Tank Fill Plumbing to Terminate with .75 Female Hose Bib.Location: [#LOC]	\$594		
4450-0162	Direct 2.5" water tank fill with Akron valve. Location: Driver side rear of steamer Top Mount Control.	\$1,701		
4450-0163	Direct 3" water tank fill. Location: Driver side pump panel.	\$1,801		
4450-0164	Direct 2.5" Tank Fill Akron Electric Valve with Dual Control (1) control at the valve and (1) at the pump operator panel. Valve location officer side rear.	\$4,468		
4450-0165	3" rear direct tank fill. Includes swing handle control, swivel with droop and plug with retainer. Located to [#LOC] of the rear body.	\$1,658		
4450-0166	Additional 3" Tank To Pump Akron Manual Valve w/4" plumbing. Shall include internal plumbing to the rear of the tank into the rear sump on officer side.	\$2,458		
4450-0167	Direct tank fill, Right rear panel, 2.5" Akron, control at valve, option, Wildland	\$888		
4450-0168	Direct tank fill, Left side pump panel, 2" Akron, control at valve, option, Wildland	\$888		
4450-0169	4" rear direct tank fill. Includes handwheel control, with 5" Swivel Storz elbow and cap. Located to [#LOC] off rear of body	\$3,443		
4450-0170	Rear tank dump. Includes stainless finish steel assembly with electrically actuated valve. For use with slip on extension and chute. Includes beavertail mounted removable support arm bracket. Slip-on stainless steel dump extension with tailboard mounted storage tray (officer side) with retaining straps and chute mounted in B1 compartment above the dump.	\$6,206		

Item #	Description	Extension	+1/-1	Total
4450-0171	2.5" rear direct tank fill. The 2.5" direct water tank fill connection shall include an inlet strainer, a 2.5" FNST chrome inlet swivel, w/double male nst adapter and a chrome cap with cable. [#LOC] of the rear body.	\$1,416		
4450-0172	4" Direct Tank Inlet/Outlet w/4" Elect Valve. Include 4" plumbing, strainer and terminate with 4"FNST X 5" storz adapter w/cap. Location at left side pump panel.	\$4,858		
4450-0174	2.5" Direct Tank Fill Akron Electric Valve with Dual Control (1) control at the valve and (1) at the pump operator panel. Valve location officer side rear.	\$4,743		
4450-0175	4" rear direct tank fill. Includes electric dual control (1)operator panel (1) at valve, with 4" Swivel Storz elbow and cap. Located to (1) left and (1) right side off the rear body	\$4,411		
4450-0176	3" Tank to Pump Electric Over Air Actuated Valve w/4" Plumbing.. Include (1) control in cab, and (1) control pump operator panel).	\$1,982		
4450-0177	Manual 3" tank-to-pump w/4" plumbing for use with QFLO pump on side mount pump module.	\$0		
4450-0178	Manual 3" tank-to-pump w/4" plumbing for use with QFLO pump on top mount pump module.	\$0		
4450-0179	Manual 3" tank-to-pump w/4" plumbing for use with QMAX pump on side mount pump module.	\$0		
4450-0180	Manual 3" tank-to-pump w/4" plumbing for use with QMAX pump on top mount pump module.	\$0		
4450-0181	Hose bib female direct tank inlet 3/4" with valve. Location Officer side pump panel.	\$354		
4450-0182	Rear tank dump. Includes stainless finish steel assembly with air actuated valve on top of dump assembly. Includes integral swivel chute with manual extension.	\$6,973		
4450-0183	4" rear direct tank fill. Includes handwheel control, with cap and retainer. Valve to be Located on rear tailboard officer side. Include stainless steel plumbing from the top of the tank to tailboard. A 2.5" Direct inlet shall be "T" into the 4" piping up high.	\$4,954		
4450-0184	Hose bib female direct tank inlet 3/4" with valve. Location Driver side pump panel.	\$354		
4450-0185	3" Tank to Pump Electric Over Air Actuated Valve. (For Pump&Roll Operation)	\$1,982		
4450-0186	2.5" Tank Fill "AutoFill" Automatic Tank Fill Valve. Location: [#LOC].	\$9,224		
4450-0187	Rear Suction Location: [#LOC]	\$0		
4450-0188	Rear tank dump. Includes painted steel assembly with manually actuated valve on top of dump assembly. Includes integral 6012 series swivel chute with manual telescopic extension and with locking system.	\$4,343		
4450-0190	Rear tank dump. Includes painted steel assembly with electric actuated valve on top of dump assembly. Includes integral swivel chute with manual telescopic extension and locking system..	\$6,115		
4450-0191	Rear tank dump. Includes painted steel assembly with electric actuated valve and integral manual extension chute.	\$2,956		
4450-0192	Rear tank dump. Includes stainless steel assembly with electrically actuated 1070 dump valve. Includes integral swivel chute with manual extension.	\$7,923		
4450-0193	Driver and officer side tank dumps. Includes stainless steel assembly with electrically actuated valve. For use with flip chute.	\$5,645		
4450-0194	2.5" Left Rear Direct Tank Fill. Includes swing handle control, swivel, and plug with retainer. The valve piping shall be connected to the front face of the tank inside pump compartment with the valve located at the rear of unit.	\$1,599		
4450-0195	Rear tank dump. Includes stainless steel assembly with manually actuated valve on top of dump assembly with quick release pin to allow for folding down handle. Includes integral swivel chute with manual extension.	\$5,664		
4450-0196	Slip-on stainless steel dump extension chute.	\$979		
4450-0197	6" Rear Jet Dump 36" Extension Chute w/6" Female Cam Lock.	\$1,037		
4450-0198	Fill 2.5" water tank Akron checked valve. Location: [#LOC].	\$1,711		
4450-0199	Reverse push/pull handle on 3" tank to pump Akron manual valve. The "in" position will be open and the "out" position will be closed.	\$64		
4450-0200	3" Rear Direct tank fill. Includes Fireman Friend 3" valve with 4" body to terminate with 3" FNST adapter, 30 degree droop and plug. Locate [#LOC]. Wetside only.	\$1,964		

Item #	Description	Extension	+1/-1	Total
4450-0201	4" Rear Direct tank fill. Includes Fireman Friend 4" valve with 5" Storz elbow adapter and cap. Located to [#LOC] of the rear body	\$3,160		
4450-0202	Rear tank dumps. Includes stainless steel assembly with electrically actuated valve with flip chute.	\$4,358		
4450-0203	Rear tank dump. Includes stainless steel assembly with electrically actuated valve. For use with slip on extension and chute.	\$2,823		
4450-0205	Direct 4" Tank Fill Akron Electric Valve with Dual Control (1) control at the valve and (1) at the pump operator panel. Valve location [#LOC].	\$5,219		
4450-0206	4" rear direct tank fill. Includes handwheel control, swivel with droop with cap and retainer. Include 3/4" bleeder. Located to [#LOC] of the rear body.	\$2,884		
4450-0207	2" Tank to Pump Electric Over Air Actuated Valve. (For Pump&Roll Operation)	\$1,407		
4450-0208	Rear Tank Inlet 3". Includes Water Level Gauge Located in B1 Compartment.	\$2,065		
4450-0209	2" tank fill Akron manual valve.	\$1,618		
4450-0210	2" tank fill Akron electric valve & Navigator Pro 9323 Controller.	\$3,045		
4450-0211	2.5" Direct Tank Fill "AutoFill" Automatic Tank Fill Valve. Waterous (Auto Fill) shall be "T" into both side 6" intake, front, and rear 5" intake with a special manifold and check valves.	\$6,283		
4450-0212	Rear tank dump. Includes steel assembly with manually actuated valve on top of dump assembly. Includes integral 6012SW swivel chute with manual telescopic extension and swivel to have seven position lock system.	\$4,343		
4450-0213	Newton dump switch to have a red flip up cover (or bezel).	\$61		
4450-0214	Tank Level Gauge Transducer shall have a 1/4 turn shut off service valve.	\$82		
4450-0215	2" tank fill Akron Electric Valve & Navigator 9325 controller. Controller only, no flow or pressure reading require	\$3,074		
4450-0216	Tank-to-pump 4" Akron electric valve with Navigator 9325 Controller. Controller only, no flow or pressure reading require.	\$4,161		
4450-0217	2.5" Direct foam tank fill Elkhart Unibody manual valve. Plumbing to be reduced to 2" after the valve. Location: [#LOC].	\$1,529		
4450-0218	6" Rear Gravity Dump No Valve terminate with 6" NST and cap.	\$3,082		
4450-0219	Rear tank dump. Includes painted steel assembly with manually actuated valve on top of dump assembly. Includes integral 6012SW swivel chute with manual telescopic extension and swivel to have seven position lock system.	\$4,996		
4450-0220	Dump valve/extension switching location. For use with electric double dump and/or electric extension applications. Switch(s) location: [#LOC].	\$0		
4450-0221	3" Left Rear Direct Tank Fill. Includes swing handle control, swivel, and plug with retainer. The direct tank fill piping shall be connected to the top of the tank and routed down to the valve located at the rear of unit down low.	\$2,196		
4450-0222	3" Right Rear Direct Tank Fill. Includes swing handle control, swivel, and plug with retainer. The direct tank fill piping shall be connected to the top of the tank and routed down to the valve located at the rear of unit down low.	\$2,196		
4450-0223	4" Rear Direct tank fill. Includes Fireman Friend 4" valve with 4" MNST adapter and cap. Located above lowered B1 compartment in upper smooth plate bolt on panel.	\$3,160		
4450-0224	4" tank to pump with Hale Valve air actuated unibody valve.	\$3,567		
4450-0225	5" Check Valve shall be install in front intake to prevent back flow.	\$1,262		
4450-0226	4" Rear Direct tank fill w/4" check valve and piping. Include a 4" MNST adapter and cap. Located officer side rear.	\$2,363		
4450-0227	Direct 2.5" Tank Fill W/2" Electric/Air Valve include 2.5" swivel/plug and control at pump operator panel. Location: Under R1, and R2 compartment between slide out steps.	\$1,554		
4450-0228	Rear tank dump. Includes stainless steel assembly with manually actuated valve on top of dump assembly. Includes integral 6012 swivel chute with manual telescopic extension and with locking system.	\$6,285		
4450-0229	3" Tank Fill Akron Valve Handwheel Control	\$2,686		
4450-0230	3.5" Tank To Pump Akron Manual Valve w/4" Plumbing. Piping from the tank to the valve to be 4".	\$1,666		

Item #	Description	Extension	+1/-1	Total
4450-0231	6" Rear Jet Dump w/6" Electric/Air Butterfly Valve to terminate w/ 6" NST with jet Control at Pump operator panel and 6" dump valve control at left side rear.	\$5,469		
4450-0232	Second 3" Tank To Pump Elkhart Unibody Electric Actuated Valve w/4" Plumbing	\$3,858		
4450-0233	Driver side lower pump panel mounted 2.5" manual direct tank fill. Include check valve.	\$2,436		
4450-0234	3" Tank to Pump. Includes Akron manual valve with controller located in body R1 compartment. Valve to terminate in a 3 inch Storz suction fitting. Locate valve center 9-1/2 inches above floor and 6 inches forward of rear door opening. Storz end should be just behind door when closed.	\$1,648		
4450-0235	Officer side 2.5" direct tank fill locate on lower pump panel.	\$2,436		
4450-0236	2" Tank Fill Elkhart Unibody Valve Handwheel	\$2,521		
4450-0237	3" Tank To Pump Elkhart Unibody Manual Valve w/4" Plumbing. Include manual hand wheel control.	\$2,108		
4450-0238	Tank-to-pump 4" Akron electric valve with Navigator 9323 Controller.	\$4,161		
4450-0239	Direct 2.5" water tank fill with Akron valve. Location: Officer side rear of steamer. Control at pump operator panel.	\$1,701		
4450-0240	5" Rear Jet Dump w/5" Akron Manual Butterfly Valve. Include a 5" Ames female coupler connection.	\$4,411		
4450-0241	4" rear direct tank fill. Includes handwheel control, with 4" Swivel Storz elbow and cap. Located to officer's side off rear of body	\$3,443		
4450-0242	6" Rear Gravity Dump with 6" manual hand wheel control valve to terminate with 6" MNST connection with cap..	\$5,588		
4450-0243	Direct 2.5" Water Tank Fill with Firemen Friend high flow Valve. Location: B1.	\$1,766		
4450-0244	3" Tank To Pump outlet, and 2" Tank Fill inlet shall be cap off at tank for Dealer install portable pump.	\$168		
4450-0245	Tank level gauge located in L1 on stainless steel bracket. For Dealer Install Pump.	\$0		
4450-0246	5" Rear Jet Dump No Valve. Include 1-1/2" inline elect/air valve and high pressure hydraulic hose connected to the 1-1/2" internal tank piping which runs to the rear of the booster tank.	\$3,266		
4450-0248	4" rear direct tank fill. Includes handwheel control, with cap and retainer. Located to the rear body	\$2,920		
4450-0249	4" rear direct tank fill. Includes handwheel control, with cap. Located to [#LOC] of the rear body.	\$2,884		
4450-0250	2.5" Direct Tank Fill "Elkhart AutoFill" UBEC1AT Automatic Tank Fill Valve. Location: off driver side MIV intake valve.	\$5,438		
4450-0251	4" Tank to Pump Akron Valve Hand Wheel Control.	\$4,625		
4450-0252	2.5" tank fill Akron electric valve. At pump panel.	\$3,124		
4450-0253	4" electric tank to pump	\$3,647		
4450-0254	Direct 2.5" Tank Fill W/2.5" Electric/Air Valve. Include 2.5" swivel/plug and control at pump operator panel. Location: Rear center body above B1.	\$1,554		
4450-0255	4" Rear Direct tank fill with bleeder. Includes Fireman Friend 4" valve with 4" Storz elbow adapter and cap. Located to officer of the rear body.	\$3,277		
4450-0256	2.5" Rear Direct tank fill. Includes Fireman Friend 3" valve with 4" body to terminate with 2.5" FNST adapter, 30 degree droop and plug. Location; B1	\$1,964		
4450-0257	1.5" Tank Drain Elkart Manual Valve with pull cable control at left pump panel. Valve shall be located at the tank sump and extend plumbing below frame rail.	\$972		
4450-0258	1.5" Tank Fill/Re-circulation line Akron manual valve.	\$1,056		
4450-0259	1.5" Tank Fill/Re-circulation line Elkhart manual valve.	\$1,056		
4450-0260	2.5" Tank Drain Akron Air Actuated Valve.	\$1,657		
4450-0261	2.5" Tank Fill Waterous 2.5" Valve.	\$1,666		
4450-0262	Direct 2.5" Water Tank Fill with Firemen Friend high flow Valve. Location: [#LOC].	\$1,766		
4450-0263	Rear tank dump. Includes stainless steel assembly with manual actuated valve on top of dump assembly. Includes integral manual extension chute.	\$3,185		
4450-0264	Second 3" tank to pump Akron manual valve w/4" tank connection.	\$1,362		
4450-0265	Tank plumbing, tank to pump, and tank fill lines will be run together above L2/R2 floor. Include a smooth plate cover	\$326		

Item #	Description	Extension	+1/-1	Total
4450-0266	5" Rear Jet Dump w/5" Elect/Air Butterfly Valve. Jet manual valve control at operator pump panel. Air actuated valve control located (1) in cab, and (1) at left rear of body.	\$4,426		
4450-0267	2.5" Direct Fill Line into the tank, Elkhart electric valve. Location: driver side pump panel.	\$3,708		
4450-0268	2.5" rear direct tank fill. The 2.5" direct water tank fill connection shall include an inlet strainer, a 2.5" FNST chrome inlet swivel, w/double male nst adapter and a chrome cap with cable. Valve to be Located down low (1)driver, and (1)officer side rear. Fill to be piped internally to the top of the water tank to reduce head pressure during filling.	\$1,640		
4450-0269	3" Dual Tank to Pump Akron Manual Valves (2) independent controls with 4" tank connection- Side Panel Controlled	\$2,971		
4450-0271	5" Rear Jet Dump w/5" Electric/Air Butterfly Valve to terminate w/5" Ames female coupler connection, with jet Control at Pump operator panel and 5" dump valve control at left side rear.	\$5,469		
4450-0272	2.5" Direct Fill Line into the tank, Elkhart electric valve. Location: driver side pump panel.	\$3,708		
4450-0273	Direct 2.5" Water Tank Fill with Akron manual/Firemen Friend Valve. Location: Officer side rear below ladder tunnel. Include 2.5" stainless steel pipe and/or high pressure flexible hose from the connection to the water tank.	\$3,051		
4450-0274	3.5" rear direct tank fill with 3" Akron manual valve. Includes swing handle control, swivel with droop and plug with retainer. Located to officer's side of the rear body.	\$2,005		
4450-0275	16" Rear tank dump. Includes stainless steel assembly with electrically actuated valve. (NO EXTENSION)	\$2,823		
4450-0276	Dump valve/extension switching location. For use with electric single or triple dump and/or electric extension applications. Switch(s) location: (2) driver (driver side and rear) and (2) officer side outboard side of beavertails/body	\$637		
4450-0277	5" rear direct tank fill. Includes Akron 7982 inlet valve with 5" FNST X 5" STORZ swivel. Located to officer's side off rear of body	\$4,871		
4450-0278	Direct 2.5" water tank discharge outlet shall be a gravity outlet coming directly from the tank with stainless steel plumbing. Location: Officer side pump panel.	\$1,538		
4450-0279	2.5" Tank drain, Akron manual valve with push-pull T-handle control. Locate under driver side running board.	\$1,288		
4450-0280	4" Rear Direct tank fill. Includes Fireman Friend 4" valve with 4" body to terminate with 4" FNST adapter, 30 degree droop and plug. Locate [#LOC].	\$2,421		
4450-0281	2.5" Rear Direct tank fill. Includes Fireman Friend 3" valve with 4" body to terminate with 2.5" FNST adapter, 30 degree droop and plug. Location: [#LOC].	\$1,964		
4450-0282	3" Tank to pump Akron air actuated valve w/4" tank connection. Include a heavy duty three position switch.	\$1,871		
4450-0283	Direct .75" Water Tank Fill Plumb to the fill Tower and Terminate with .75 Female Hose Bib. Location: driver side pump panel.	\$377		
4455-0004	Gasket Material around all Discharges, Intakes and Handle Slots on Pump Panel to hold in heat of Module Plumbing	\$1,124		
4455-0010	Winterization Package. System shall protect the pump, piping, firefighting systems and watertank to 0 degree. While in storage the winterization system shall be powered through shoreline connection.	\$4,749		
4455-0011	Webasto Winterization system shall protect the pump, piping, firefighting systems and watertank. Include sepearate reservoir for coolant. Heaters control in cab.	\$10,015		
4455-0012	Winterization Package. System shall protect the pump, piping, firefighting systems and water tank to 0 degree. While in storage the winterization system shall be powered through winterization shoreline connection.	\$4,749		
4455-0013	Webasto Winterization system shall be wired to cut off when tank level empty light come on.	\$0		
4460-0000	Air outlet w/snubber valve. Location: [#LOC].	\$309		
4460-0001	Air blow-out for: [#LOC].	\$290		
4460-0003	Pump panel tags color coded per NFPA compliance.	\$0		
4460-0004	All tags installed on the exterior of the apparatus shall be mechanically fastened with stainless steel screws. These include but not limited to tags installed on the pump module, body, cab and bumper. Pump panel tags shall be mechanically fastened regardless whether the panel is enclosed behind a door.	\$1,451		
4460-0005	Fire Shop Bezel Chrome - Standard 2.5" Gauge	\$46		

Item #	Description	Extension	+1/-1	Total
4460-0006	Radiator Fill Valve on Pump Panel.	\$341		
4460-0007	Air outlet with snubber valve and 25' hose. Location: [#LOC].	\$347		
4460-0008	Air Outlet Valve to operate off of CAFS System Compressor. Location: [#LOC].	\$426		
4460-0009	Pump panel tags, special color. (Must specify.)	\$365		
4460-0010	Pump panel tags - Special label. (Must specify.)	\$312		
4460-0011	OK To Pump Light - Pump Panel Mounted - Green .75" Light. Located near pressure governor.	\$82		
4460-0012	Panel support. Vertically hinged panels to have support bracing provided along internal side of main panel only	\$0		
4460-0013	Air Outlet Valve. Plumbed from the reservoir tank. Includes quarter turn valve. Location: [#LOC].	\$364		
4460-0014	Check Engine and Stop Engine light mounted on pump panel. Wire lights to pump module mounted alarm	\$313		
4460-0015	Pump panel lights on both sides to operate from switch on driver's pump panel only.	\$0		
4460-0016	All tubing to be enclosed in protective loom behind the pump panel.	\$309		
4460-0017	Class 1 Color Coded Bezel Chrome - 2.5" Gauge.	\$29		
4460-0018	Class 1 color coded bezel, chrome - 3.5" gauge.	\$34		
4460-0019	A throttle and switch will be provided and mounted behind pump operator's panel in a recessed box. The switch will allow the operator to toggle from pressure governor to throttle for emergency. There will be installed a automatic constant pressure relief system that will limit the maximum discharge pressure of the fire pump to 125psi during emergency operation when throttle switch is actuated. A recessed box with a hinged door will be provided and constructed out of stainless steel to house the throttle, throttle select switch.	\$3,275		
4460-0020	Pump shift override label. Locate on pump control panel. Label to provide instruction on use of the pump shift override	\$59		
4460-0021	Diagramatic Vinyl Side Mount Pump Panel Label of the discharges & preconnects specified color coding for handles and gauges.	\$2,219		
4460-0022	Stainless steel plates for all discharges and intakes behind the pump panel access doors, each side. Stainless steel plates to be mounted on the valve with rubber gasket to seal opening.	\$1,294		
4460-0023	Span Color Coded Bezel - 2.5" Gauge	\$12		
4460-0024	Span Color Coded Bezel - 3.5" Gauge	\$12		
4460-0025	Cut-out on officer side pump panel with expended metal. Cut-out to be approx. 14" wide x 6" high to provide sight to cord reel in pump house. Cut-out to be located above cord reel rollers on pump panel.	\$177		
4460-0026	CAFS Air Outlet Valve Recess Driver side Pump Panel with door.	\$430		
4460-0027	Diagramtic vinyl rear mount pump panel labeling of discharges and/or preconnects. Includes rear panel (with hosebed deck gun) and front discharge layouts (two (2) views- No top view).	\$2,219		
4460-0029	All exterior 1x3, and .1/2x1 tags shall be Vision Mark tags.	\$809		
4460-0030	L1 forward body compartment pump panel mount. Includes structural build out for panel mount.	\$1,974		
4460-0031	Attach Escutchion Plates with Thunb Latch on Officer Side.	\$213		
4460-0032	Push/Pull Rod Extrusion at pump panel to be thru bolted with nuts IPOS nut cert.	\$109		
4460-0033	CAFS Air outlet .75 valve with Handle and Quick Disconnect. Location: [#LOC]	\$479		
4460-0034	Cab jack access door. Located on officer side pump panel in upper rearward area. Includes twist and turn latch.	\$297		
4460-0035	Diagramtic Vinyl Overlay Rear Mount Pump Panel. All Foam controls and Foam Discharges Yellow, Intakes Blue, Water Discharges Red, and Pump and Engine Gray.	\$2,219		
4460-0036	Special NFPA color coded "T" handles with color coded tags (IPOS). Use new Fire Shop color coded "T" handles with color coded tags on plumbing push/pull handles. See PM when handles are to be installed.	\$0		
4460-0037	Fire Shopp NPFA Color Coded "T" handles with color coded tags.	\$58		
4460-0038	Diagramtic Vinyl Overlay Pump Operator Panel. All controls and Discharges, and Intakes.	\$2,219		
4460-0039	Innovative Controls Color Coded Bezel Chrome - 2.5" Gauge.	\$124		



Item #	Description	Extension	+1/-1	Total
4460-0040	Discharge Escutcheon Plates NFPA Color Coded to match photos in file with vinyl overlay shall be around each discharge outlet on driver and officer pump panel.	\$585		
4460-0041	Pump panel access doors on the RH and LH pump panels.	\$4,825		
4460-0042	Diagramtic Top Mount Pump Panel Label of the discharges & preconnects specified color coding for handles and gauges..	\$5,623		
4460-0043	Pump panel tags mechanically fastened with screws.	\$479		
4460-0044	Cab jack access door. Located on officer side pump panel in forward area. Includes twist and turn latch.	\$297		
4460-0045	Innovative Controls Tags, all plumbing, and body 1x3 tags shall be Innovative Controls. To include round tag for TM controls if applicable.	\$824		
4460-0046	Innovative Control Noshok 4" Master Gauge Bezel.	\$134		
4460-0047	Upgrade right hand side pump panel. 1.5" foam tank fill shall be upgraded to a gated fill/drain (in place of standard checked valve).	\$249		
4460-0048	Innovative Control 7.75" Dia Pump Intake Color Code Bezel Trim Ring.	\$142		
4460-0049	Innovative Control 4" Dia Pump Intake/Discharge Color Code Bezel Trim Ring.	\$130		
4460-0050	Innovative Controls Foam Discharge Identifying label shall be installed in recessed areas on each foam discharge gauge bezel.	\$11		
4460-0051	Speaker cut out with "E-ONE" stainless steel grille. Located pump operator panel. For dealer install speaker.	\$154		
4460-0052	Pump panel lighting (LHS and RHS) shall be upgraded to LED display lighting IPOS.	\$452		
4460-0053	One (1) tag shall be added to each fill/drain to indicate "OPEN\CLOSE" for each pump panel (LHS and RHS as applicable).	\$83		
4460-0054	One (1) tag shall be added to each inlet to indicate "80 PSI MAX" for each pump panel (LHS and RHS as applicable).	\$83		
4460-0055	Upgrade right hand side pump panel. 2.5" Water tank fill to be upgraded to a gated fill/drain (in place of standard checked valve).	\$220		
4460-0056	Gauges in the pump panel instrument panel shall be 0-400 PSI, 4.5" for both LHS and RHS pump panels.	\$230		
4460-0057	Upgrade 2.5" fill at the pump panel to have a flange mounted 30 degree droop, swivel chrome body (in place of standard flange mounted straight swivel chrome body). Location: [#LOC].	\$196		
4460-0058	Push-pull handles on the pump operator's panel to be oriented vertical. eMAX only.	\$0		
4460-0059	Class 1 color coded bezel gauge trim ring - 2.5" Gauge	\$43		
4460-0060	Color coded trim rings around all inlets and outlets for both driver and officer side. The side discharge outlets shall be color coded and labeled to correspond with the discharge identification tag.	\$1,502		
4460-0061	Air outlet with 3/8" valve 1/4 turn, and 25' hose. Location:driver side	\$408		
4460-0062	Air outlet w/3/8" valve. Location: Officer side pump panel.	\$340		
4460-0063	Innovative Control 5.5" Dia Pump Intake/Discharge Color Code Bezel Trim Ring.	\$131		
4460-0064	A as built plumbing schematics tag on aluminum plate shall be install on rear of cab. Locate center below rear vista window.	\$428		
4460-0066	Diagramtic Vinyl Pump Panel Label of the discharges & preconnects outlets. Location; On forward wall of L1 compartment adjacent to pump operator panel. Specified color coding.	\$2,219		
4460-0067	Officer side pump panel shall include an access door to provide access to the cab tilt switch and manual jack as mounted.	\$226		
4460-0069	Class 1 color coded bezel gauge trim ring - 3.5" gauge.	\$49		
4460-0070	Fire Shop Trim Ring/Collar Chrome w/color code insert - Side Discharge/Intake	\$111		
4460-0071	Pump panel cutout with bolt on stainless steel cover plate for foam level gauge. Cutout to match the brand of water level gauge specified.	\$71		
4460-0072	Area for diagramatic truck symbol on pump panel to be painted black with smooth surface ipo Zolatone.	\$0		

Item #	Description	Extension	+1/-1	Total
4460-0073	Pump Panel Tags 1" x 3" Addition label for each TM Control handles.	\$79		
4460-0074	Air blow-out for:Frnt Jumpline .75" lift lever turn valve IPOS.	\$344		
4460-0075	Water/Foam Capacity label mounted adjacent to level gauges.	\$64		
4460-0076	The Driver's side pump panel instrument panel shall be modified to include verbiage and punching for only those options that are called for per specific order detail affecting the drivers pump panel instrument panel. Options not selected will not be present.	\$86		
4460-0077	Foam tank tag colors on PPNL to match color of fill towers on unit IPO standard RED.	\$29		
4460-0078	Pump panel tags, special color. #1 -Red Crosslay #2 -Yellow 2" tank fill- Black 3" tank to pump- Black 2.5" Left Intake - Black 2.5 Left rear dis -Blue 3" Deck Gun - Grey 2.5 Left Dis - Pink 2.5 Right Dis- Green 4" Right Dis- Purple.	\$365		
4460-0079	Pump Panel Tags 1" x 3", Additional label for tank to pump control handle. The "in" position will be open and the "out" position will be closed.	\$33		
4460-0080	Diagramatic Vinyl Overlay Rear Mount Pump Panel Label of the discharges & preconnects specified color coding for handles and gauges.	\$2,219		
4460-0081	Stainless steel trim plates for all discharges, intakes and pump inlets on hinge side pump panels.	\$117		
4460-0082	Label the water level gauge "TANK".	\$7		
4460-0083	Pump panel NFPA warning tags, special location.	\$53		
4460-0084	6" Gauge panel to be tilt outward at the top.	\$582		
4460-0085	CAFS Air Outlet Valve Recess Driver side Pump Panel with door.	\$430		
4460-0086	Air blow-out with Innovative Control 1/4" valve w/1/4 turn "T" handle and label for: [#LOC].	\$277		
4460-0087	Hose reel blow-out, with Innovative Controls 1/4" valve w/1/4 turn handle.	\$277		
4460-0088	Air outlet with Innovative Control 1/4" valve w/1/4 turn "T" handle and label for: [#LOC].	\$277		
4460-0089	Pump panel tags, special color. Discharge #1 - blue; Discharge #2 - white; Preconnect #1 - red; Preconnect #2 - yellow.	\$291		
4460-0090	All single tags placed directly on the pump panel to be mechanically fastened with screws.	\$479		
4460-0091	Stainless Steel discharge escutcheon plates color coded to match the custom tag colors shall be around each discharge hand wheel and electric valve controller. Plate also includes discharge gauge and foam ratio controller (if equipped). Plates shall also be provided for intake valve controllers. Also includes coloring of the custom auxiliary suction outlet on driver side pump panel.	\$652		
4460-0092	Pump panel tags, special color. (4450-0010- tank fill- black color, 4450-0119-tank to pump- white color, 4415-0012-654 1.5" crosslays- #1 green, #2 blue, 4415-0014-581-2.5" pump panel discharge #1- Lime green, 4415-0014-582-2.5" pump panel discharge #2-Brown, 4415-0016-584- 2.5" right panel discharge-red, 4415-0022-350- 2.5" left rear discharge- Yellow, 4415-0041- deck gun discharge- pink, 4415-0054-583 4" right side pump panel discharge-Purple, and 4415-0058-655- 2.5" crosslay-Orange.)	\$365		
4460-0093	Pump panel tag colors. 4450-0010 tank fill- Black, 4450-0019- tank to pump-Black, 4415-0012-064 crosslay #1 blue, #2 red, 4415-0022-350 2.5" left rear discharge-mustard yellow 4415-0041 deck gun-Grey 4415-0058-655 2.5" crosslay- Green 4415-0161-581- 2.5" left panel discharge #1 Green 4415-0162-182- 2.5" left panel discharge # 2- Blue 4415-0517-583- 4" right panel discharge-yellow with white border.	\$365		
4460-0094	Pump drain tag with chrome bezel installed on vertical edge of the officer side running board below the footman loop that secures the hose well strap.	\$0		
4460-0095	Air outlet with Innovative Control 1/4" valve w/1/4 turn "T" handle w/label and 25' hose. Location: driver side	\$408		
4460-0096	Speaker Grille Located on the pump operator panel.	\$283		
4460-0097	Pump panel tag colors. 4450-0010 tank fill- Platinum, 4450-0019- tank to pump-Black, 4415-0012-654 crosslay #1 orange, #2 red, 4415-0028-351 2.5" right rear discharge-lime green, 4415-0058-655 2.5" crosslay- white, 4415-0161-581- 2.5" left panel discharge #1 Green, 4415-0164-584- 2.5" right panel discharge # 2- Blue 4415-0517-583- 4" right panel discharge-yellow with white border.	\$365		

Item #	Description	Extension	+1/-1	Total
4460-0098	Heat tapes are to be wrapped around the surface to be heated instead of being laid length-wise.	\$0		
4465-0001	** OBS ** Fire Commander pressure governor. Includes engine gauges. Detroit S60 only.	\$5,350		
4465-0003	FRC In-Control pressure governor. Includes engine and master pump gauges.	\$6,337		
4465-0005	Class 1 Captain pressure governor.	\$3,354		
4465-0007	Class1 Command Master pressure governor. Includes pump intake pressure and discharge pressure, throttle, relief, tank level(s), water, oil, volt and tachometer.	\$6,139		
4465-0008	FRC PumpBoss Pressure Governor. Includes engine gauges.	\$3,117		
4465-0009	FRC Pro-S Pressure Governor	\$3,290		
4465-0010	FRC In-Control pressure governor TGA200. Includes engine transmission and master pump gauges.	\$6,406		
4465-0011	Class 1 TPG pressure governor. Includes, water, oil, volt and tachometer.	\$2,585		
4465-0012	Fire Commander II pressure governor. Includes engine gauges, Pump Digital Master Gauges. Detroit engines only.	\$6,130		
4465-0013	FRC In-Control pressure governor. Includes engine and master pump gauges. The discharge pressure display shall show pressures from 0 to 4000 kPa. The intake pressure display shall show pressures from -100 to 4000 kPa.	\$6,337		
4465-0014	FRC In-Control pressure governor. Includes engine and master pump gauges. For use with International MaxxForce engines.	\$0		
4465-0015	FRC In-Control pressure governor TGA300. Includes engine, transmission, and master pump gauges.	\$4,667		
4465-0016	Class1 TPG pressure governor. Includes water, oil, volt and tachometer.	\$0		
4465-0017	FRC PumpBoss pressure governor PBA400. Includes engine monitor gauges.	\$3,117		
4465-0018	FRC InControl pressure governor TGA400. Includes engine, transmission, and master pump gauges.	\$4,667		
4465-0019	Class1 TPG Plus pressure governor. Includes master gauge readings, water, oil, volt and tachometer.	\$0		
4465-0020	Class 1 TPG Plus pressure governor. Includes master intake and discharge gauges, water, oil, volt and tachometer.	\$3,453		
4465-0021	FRC In-Control pressure governor TGA400-A10. Includes engine, transmission, and master pump gauges.	\$4,667		
4465-0022	Class 1 Sun Guard Pressure governor cover. Durable steel construction in black matte finish. Flips up to read controls; lays flat when not in use.	\$263		
4465-0023	FRC In-Control pressure governor. Includes engine and master pump gauges. For use with Freightliner Detroit Diesel engines.	\$0		
4465-0024	The Pressure Governor as mounted on the pump panel shall include a stainless steel shield/visor to shade the display from direct sunlight (the shield/visor shall share the same painted on finish as the pump panel if applicable).	\$175		
4465-0025	Class 1 TPG Plus pressure governor. Includes master intake and discharge gauges, water, oil, volt and tachometer for WaterMaster.	\$0		
4465-0026	FRC In-Control pressure governor TGA300. Includes engine, transmission, and master pump gauges. (WATERMASTER ONLY)	\$0		
4465-0027	FRC In-Control pressure governor TGA400. Includes engine, transmission, and master pump gauges.	\$222		
4465-0028	Class 1 Sentry pressure governor/ Twister throttle. Includes master intake and discharge gauges, water, oil, tran, volt and tachometer.	\$3,317		
4465-0029	Pressure Governor shall be mounted in a diamond plate box located at front of L1 compartment above pump operator panel.	\$168		
4465-0030	FRC PumpBoss pressure governor PBA200. Includes engine monitor gauges.	\$2,686		
4465-0031	FRC Total Control pressure governor TCA100. Includes engine, transmission, and master pump gauges.	\$4,107		
4465-0032	Addition FRC InControl pressure governor TGA400-B00. Includes engine, transmission, and master pump gauges. Location: Officer side pump panel	\$3,062		
4475-0000	Pump certification 750-2250 GPM	\$2,973		
4475-0001	Pump Certification - Industrial	\$3,171		

Item #	Description	Extension	+1/-1	Total
4475-0002	UL Testing - the unit will be third party tested and certified by Underwriters Laboratories Inc. (UL). UL will issue a Certificate of Automotive Fire Apparatus Examination and Test stating the unit's compliance with the required pump sections of NFPA.	\$3,372		
4475-0003	Pump certification 750-2250 GPM. To be performed by UL (Underwriter's Laboratories). Stainless steel product only.	\$2,973		
4475-0004	Pump certification 250-500 GPM	\$2,133		
4475-0005	Pump certification 500 GPM.	\$0		
4475-0006	Pump Certification 2500 GPM	\$3,171		
4475-0007	Factory pump test only, not thrid party.	\$2,133		
4475-0008	Pump Certification 3000 GPM.	\$3,171		
4475-0009	UL Testing - the unit will be third party tested and certified by Underwriters Laboratories Inc. (UL). UL will issue a Certificate of Automotive Fire Apparatus Examination and Test stating the unit's compliance with the required pump sections of NFPA.	\$3,371		
5000-0000	A master jumper disconnect switch provided between the positive side of the batteries and the positive slave receptacle stud. Installed adjacent to the jumper studs.	\$126		
5010-0004	Multiplex data logger.	\$746		
5010-0005	Multiplex electrical system for aerials.	\$6,674		
5010-0010	Multiplex cab/non-multiplex body electrical system for pumper / tanker / rescue.	\$4,016		
5010-0011	Body prep for non-multiplex electrical system. Existing multiplex boxes and covers to remain in rear side compartments.	\$0		
5010-0012	Class 1 multiplex display to be located on the center dash electrical panel offset to driver side.	\$0		
5010-0013	Vehicle data recorder - 2009 / 2016 NFPA compliant. Includes occupant detection with display. Display location: [#LOC].	\$2,957		
5010-0015	Additional CrewGuard display for use with VDR. Location: [#LOC].	\$571		
5010-0017	Multiplex electrical system for Tiller aerial.	\$8,047		
5010-0018	Class 1 multiplex display to be located on the center dash electrical panel offset to officer side.	\$0		
5010-0019	Class 1 multiplex display to be located on the side panel of center dash electrical cover facing outward (driver side).	\$0		
5010-0020	Body and cab electrical system.	\$0		
5010-0021	Body and cab electrical system. Includes multiplex electrical.	\$0		
5010-0023	All wiring must be in looms with no more than 4" exposure at termination ends. All wires will be clamped IPO zip tyes. Do not tie wires to chassis fuel lines. The shunt will be a weather resistant box IPO a plate. Leave wiring loop for door alarm system This is required for correct operation of alarm system.	\$0		
5010-0024	Modem for use with the E-ONE multiplex electrical system.	\$735		
5010-0037	Multi-color touch screen display for multiplexed based electrical system. Location: [#LOC].	\$2,175		
5010-0038	All electrical harnesses, air lines, brake lines and hydraulic lines are to be installed to the frame using metal clamps. Wire ties are not acceptable.	\$0		
5010-0039	V-MUX Electrical system for aerials.	\$6,674		
5010-0042	Load shed sequence to be per electrical requirements with current electical load and NFPA alternator output and testing.	\$0		
5010-0043	Multiplex 24V electrical system for pumper / tanker / rescue.	\$4,016		
5010-0049	Vehicle data recorder - 2009 / 2016 NFPA compliant. Includes occupant detection shown in multiplex display. E-ONE chassis only.	\$2,552		
5010-0050	V-MUX Electrical system for Tiller aerial.	\$8,047		
5010-0051	HVAC Controlled through multiplex display(s).	\$1,342		
5010-0052	Vista IV touch screen display for V-MUX electrical system. Location: [#LOC].	\$2,456		
5010-0054	Locate line Voltage wiring in Carflex moisture resistant reinforced conduit.	\$1,108		

Item #	Description	Extension	+1/-1	Total
5010-0055	Vista IV display for V-MUX electrical system. Location: [#LOC].	\$2,094		
5010-0056	Mounting arm for driver's multiplex display in cab (6").	\$254		
5010-0057	GPS Module for V-MUX electrical system (Garmin). Includes antenna. Requires Vista display.	\$1,888		
5010-0058	All electrical harnesses are to be installed to the frame using metal clamps with bundling of wires using metal ties with coating. Wire ties are not acceptable.	\$0		
5010-0059	VFD Text display for V-MUX electrical system. Location: [#LOC].	\$913		
5010-0062	V-MUX GPS Module shall be controlled by the driver's Vista display.	\$0		
5010-0063	V-MUX GPS Module shall be controlled by the officer's Vista display.	\$0		
5010-0066	V-MUX GPS Module shall be controlled by the officer's Vista display. The Driver's display shall be for view only.	\$0		
5010-0067	GPS Module for V-MUX electrical system (Weldon). Includes antenna. Requires Vista display with touch screen.	\$1,429		
5010-0070	Es-Key Multiplex electrical system for aerials.	\$6,674		
5010-0072	Information Center for Class1 Es-Key electrical system. Location: [#LOC].	\$913		
5010-0073	Vista IV touch screen DIN mount display for V-MUX electrical system recessed in dash. Does not include any tactile switches. Commercial chassis only.	\$2,108		
5010-0075	Vista display to have a customized sticker for legend buttons (Reference info in file for new configuration). May require special programming fee.	\$611		
5010-0076	Vista display to have a non-standard sticker for legend buttons (Reference info in file for existing but non-standard configuration). May require special programming fee.	\$117		
5010-0077	Vista display(s) to display in metric.	\$0		
5010-0078	Link2 Vehicle information system for V-MUX electrical system. Does not include required subscription.	\$1,730		
5010-0079	Vista display translated to French.	\$809		
5010-0082	Vista IV display for V-MUX electrical system. Location: center overhead console. Commercial cab only.	\$2,394		
5010-0083	Vehicle Data Recorder Input connection to be labeled with an embossed metallic tag fastened in place with stainless steel hardware.	\$0		
5010-0085	Vista IV touch screen DIN mount display for V-MUX electrical system. Does not include tactile switches. Commercial chassis only. Location: Inside rear body entry door way on LH bulkhead 5 feet above bottom entry way step off set inboard.	\$2,108		
5010-0086	Weather proof Vista display for V-MUX electrical system. Location: [#LOC].	\$4,254		
5010-0088	7" UltraView display for Es-Key electrical system. Location: [#LOC].	\$4,185		
5050-0000	Vanner Bravo 1800 watt inverter. For use with (2) quartz lights. Includes on/off switch in cab. Inverter to be mounted in a body compartment as close to the chassis batteries as practical (20' max cable length).	\$3,270		
5050-0001	Vanner 2600 watt inverter. For use with quartz lights. Includes on/off switch in cab. Inverter to be mounted in cab below rear wall bench seat.	\$5,049		
5050-0002	Vanner 2600 watt inverter. For use with (2) quartz lights. Includes on/off switch in L1 compartment, next to breaker box. Inverter to be mounted in a L1 up high (20' max cable length).	\$5,049		
5050-0003	Vanner 2600 watt inverter. For use with (2) quartz lights. Includes on/off switch in driver overhead console. Inverter to be mounted in L3 up high forward (20' max cable length).	\$5,049		
5050-0004	Vanner 2600 watt inverter. For use with (2) quartz lights. Includes on/off switch in Gen compartment. Inverter to be mounted in Gen Compartment up high (20' max cable length).	\$5,049		
5050-0005	Fluorescent light (EA). Locate above walkway in walk-in body, evenly spaced.	\$290		
5050-0008	A Trip Lite power strip will be Located one on the back wall of the interior compartment, one each in the upper cabinets over the desk in the body, and one running vertically in L1 rearward. The Trip Lite will be 48" long.	\$752		
5050-0009	Vanner 3600 watt inverter. For use with all 110. Includes on/off switch in L1 compartment, on forward wall. Inverter to be mounted in a L1 up high (20' max cable length).	\$5,837		

Item #	Description	Extension	+1/-1	Total
5050-0010	Auto transfer switch 120 volt near main circuit breaker panel. Includes 8 place breaker box. Allows interior fluorescent lights, chargers and refrigerator to be powered by either shorepower or generator.	\$867		
5050-0011	Interior fluorescent lights are to be wired through transfer switch to operate from shorepower and the generator.	\$0		
5050-0012	One (1) 1/8" DA finish aluminum seven-slot electrical pigtail holder shall be provided and mounted in compartment 1 on secondary door pan.	\$139		
5050-0013	110V/220V wiring on cab and body to be THHN type wire.	\$0		
5050-0015	Vanner 2600 watt inverter, (NFPA rating at 1400 watts). Includes on/off switch in L1 compartment. Inverter to be mounted in a L1, forward wall up high (20' max cable length).	\$5,049		
5050-0016	Vanner 2600 watt inverter, (NFPA rating at 1400 watts). Inverter to be mounted in a L1, on permanent shelf (20' max cable length).	\$5,049		
5050-0017	Body 110 volt outlets shall have a dedicated breaker within the breaker box for no more than every (2) body mounted receptacles (single outlet, duplex, etc. as applicable). This is to provide multiple isolated circuits as required that carry no more than (2) receptacles located throughout the body.	\$604		
5050-0018	Vanner Tru-sine 1000 watt inverter. For use with (4) cab interior receptacles when generator is not running or shoreline is not connected. Includes on/off switch in cab. Inverter to be mounted in a body compartment as close to the chassis batteries as practical (20' max cable length).	\$2,201		
5050-0019	Inverter prewire for dealer/customer supplied and installed 3KW inverter. Includes 12 volt wiring and A/C cabling to breaker box. Prewire to [#LOC].	\$937		
5050-0020	Vanner 3000 watt inverter. For powering aux A/C from battery idle mitigation system. Location: [#LOC]	\$3,230		
5050-0021	Inverter prewire for dealer/customer supplied and installed 5KW inverter. Includes 12 volt wiring and A/C cabling to breaker box. Prewire to [#LOC].	\$1,045		
5100-0000	Foot switch to control air horns located [#LOC].	\$136		
5100-0001	Switch circuit three way. Includes (1) additional switch. An additional switch required for more than two locations. Location: [#LOC].	\$192		
5100-0002	Momentary switch with 6' pendant for cab tilt. Yellow weatherproof push button at end of coiled cord. Location of switch plug-in: [#LOC]	\$428		
5100-0006	Foot switch to control Q2B located [#LOC].	\$136		
5100-0007	Foot switch to control electronic siren located [#LOC].	\$136		
5100-0008	Quartz Light Ajar switch (EA) for pole mounted light.	\$80		
5100-0009	Audible door ajar alarm wired through door ajar light.	\$71		
5100-0010	Additional push button hose reel switch. Location: [#LOC].	\$213		
5100-0011	Switch 12V for 120-240V (EA). Location: [#LOC].	\$491		
5100-0014	Air horns to be interlocked through the master warning switch.	\$115		
5100-0015	Back-up alarm override momentary switch located at the cab dash. The switch will allow for overriding the back-up alarm and reset after transmission is shifted again.	\$67		
5100-0017	Wire rear amber through ignition switch.	\$91		
5100-0018	Primary Warning switch to activate all warning lights and siren controls to be located driver's side overhead console.	\$203		
5100-0019	Additional amber warning light override momentary switch located at the cab warning light switch panel. The switch will allow for overriding the rear additional amber warning lights and reset after ignition is turned off.	\$368		
5100-0020	Switch additional 12 volt/15 amp toggle. Location and function: Under driver side cab dash for master battery override.	\$230		
5100-0021	Opticom switch wired through upper level warning switch.	\$87		
5100-0022	Push-button hose reel switch. Location: [#LOC].	\$213		
5100-0023	Provide a single switch on the cab dash (within reach of the driver and officer) for locking and unlocking of all roll-up doors. The switch is to be red. Label RUD Lock.	\$355		

Item #	Description	Extension	+1/-1	Total
5100-0025	Switch additional 12 volt/15amp for all compartment lighting(8)	\$442		
5100-0026	Switch additional 12 volt/15amp for all lower emergency warning LED Lights switch location shall be within easy access of the operator on the driver's instrument panel.	\$248		
5100-0027	Switch additional 12 volt/15amp for each scene lite location(4)	\$260		
5100-0028	A seperate switch shall be provided in the cab to control the Top Deck Amber lighting	\$248		
5100-0029	Stirrup style hose reel switch. Location: [#LOC].	\$213		
5100-0030	Additional stirrup stlye hose reel switch. Location: [#LOC]	\$213		
5100-0031	The switch for roll-up door electric lock(s) on cab to be located on the [#LOC].	\$0		
5100-0032	The switch for roll-up door electric lock(s) on body to be located [#LOC].	\$0		
5100-0036	Additional programming instructions: [#LOC].	\$142		
5100-0037	Master disconnect switch. Function or location.[#LOC]	\$192		
5100-0038	Hose Reel rewind switch located in rubrail.	\$109		
5100-0039	Foot switch(es) mounted on a 45 degree bracket.	\$93		
5100-0040	Micro switch with 2.75" lever upgrade. Location: (2) hosebed cover, (1) ladder rack.	\$91		
5100-0041	Fire Fighting panel shall have a means to protect each switch function from accidental activation	\$830		
5100-0042	Ramsey control with 3' cord for cab tilt in addition to standard toggle. Red/Black weatherproof push buttons at end of cord. Location of switch plug-in: [#LOC].	\$428		
5100-0044	Rear cab heater switch. Function and location: [#LOC].	\$230		
5100-0045	Thermostatic controls for pump compt heaters. Thermostat set at freezing temp.	\$290		
5100-0046	Cut-off switch for Q2B main power. Switch to be accessible from driver's seat.	\$313		
5100-0047	Switch household 110V w/ weaterproof cover. Location and function: cab mounted next to air compressor for 120V air compressor	\$230		
5100-0048	Magnetic door ajar switches IPO std for all body compt doors.	\$832		
5100-0049	Ramsey control with 8' cord for cab tilt in addition to standard toggle. Red/Black weatherproof push buttons at end of cord. Location of switch plug-in: [#LOC].	\$428		
5100-0050	Push button test switch for tank or foam level gauge, push button wired "hot" to batteries to allow checking tank level in fire station without having to power up truck electrical system. Located on operator pump panel.	\$400		
5100-0051	Lower emergency light override momentary switch located at the cab warning light switch panel. The switch will allow for overriding the lower level emergency lights and reset after ignition is turned off.	\$368		
5100-0052	Household toggle switch for 110V. Switch plate will be a Crouse Hinds TP7256. Switch will be wire to top plug of duplex recept on rear, and be located next to recept. One switch for each top duplex.	\$504		
5100-0053	All cab console switches (as applicable) and the (4) body mount intake switches to be LED smart switches (IPOS).	\$1,751		
5100-0054	Foot switch location IPOS: officer side foot switch(es) 3" from front wall to center of switch.	\$0		
5100-0055	Switch for hydraulic gen to be located on officer side overhead console IPOS.	\$142		
5100-0056	Hose deployment switch in front bumper tray. Includes hinged plate on bottom of bumper tray with switch on floor and indicator light on pump panel. Requires tray without slats. Location: [#LOC].	\$677		
5100-0057	Foot switch location IPOS: officer side foot switch(es) 3" from front wall to center of switch.	\$0		
5100-0058	Master battery disconnect switch. Location: driver seat riser ipo riser door. Includes overlay plate.	\$550		
5100-0059	Back-up alarm / rear back up lights override momentary switch located at the cab dash. The switch will allow for overriding the back-up alarm & back-up lights and reset after transmission is shifted again.	\$67		
5100-0060	Switch for 12V quartz lights to be located on officer side overhead console IPOS.	\$142		
5100-0061	Door ajar alarm override momentary switch located at the cab dash. The switch will allow for overriding the door ajar alarm and reset after transmission is shifted again.	\$230		

Item #	Description	Extension	+1/-1	Total
5100-0062	Switch 12V for 110-240V (EA). E-One supplied and installed relays and Van Mor supplied and installed switches. Locate the relays near breaker box.	\$491		
5100-0063	Ramsey control with 10' cord for cab tilt. Red/Black weatherproof push buttons at end of cord. Location of switch plug-in: next to manual cab tilt pump	\$428		
5100-0064	AM/FM radio to be connected to radio re-broadcast input of siren. Includes momentary sw on driver's sw panel that will disable connection when master power is cycled.	\$368		
5100-0065	Switch pump compt light(s). Includes door switches on pump module access doors to activate light(s). Location: top mount pump panel.	\$389		
5100-0066	Solid state dimmer switch. Location and function: [#LOC].	\$149		
5100-0067	Display switch function and location: (2) front cab dome lights: clear light switched at driver, officer and pump panel; red light switched at driver and officer. (3) Cab dome lights above rear facing seats: clear light switched at driver, officer and pump panel; red light switched at driver, officer and pump panel. (4) Pump panel cab dome lights: clear light switched at driver, officer and pump panel; red light switched at driver, officer and pump panel. Front scene lights at driver, officer and pump panel displays. Driver side scene lights at driver, officer and pump panel displays. Officer side scene lights at driver, officer and pump panel displays. Rear facing scene lights at driver, officer and pump panel displays.	\$639		
5100-0068	Switch button for Q2B siren. Locate on dash control panel area within reach of the [#LOC] position. Label as space permits.	\$217		
5100-0069	Additional panel mounted Go-Light spot control. Location: officer side cab switch panel.	\$227		
5100-0070	Air horn switch in the interior. Switch to be labeled "Evacuation Alert". Location: [#LOC].	\$162		
5100-0071	Display switch function and location: (2) front cab dome lights: clear light switched at driver and officer displays; red light switched at driver and officer displays. (3) Cab dome lights above rear facing seats: clear light switched at driver and officer displays; red light switched at driver and officer displays. Front scene lights at driver and officer displays. Driver side scene lights at driver and officer displays. Officer side scene lights at driver and officer displays. Rear facing scene lights at driver and officer displays.	\$639		
5100-0072	Locate Q2B brake in officer side overhead console IPO standard location of driver side overhead console.	\$65		
5100-0073	Additional programming instructions: wire officer rear quartz light ajar switch through ladder rack controls.	\$142		
5100-0074	Switch button for Q2B siren brake. Locate on dash control panel area within reach of the [#LOC] position. Label as space permits.	\$217		
5100-0075	Jump stud disconnect switch. Location: driver side of body adjacent to connectors. Includes overlay plate.	\$550		
5100-0076	Additional programming instructions: Indicator lights need to be tied into all switch functions.	\$142		
5100-0077	Switch, additional 12 volt/15 amp (PR). Location and function: Center console labeled "Left Nozzle" and "Right Nozzle" for use with dealer installed ground spray system. Dealer to make all fianl connections and functional testing of switching.	\$263		
5100-0079	Foot switch location IPOS: officer side foot switch(es) left to right: Electronic siren, Q2B, Air horns	\$0		
5100-0081	Foot switch location IPOS: driver side foot switch(es) left to right: Q2B, Electronic siren	\$0		
5100-0082	Foot switch location IPOS: driver and officer side foot switch(es) left to right: Q2B, air horns.	\$0		
5100-0083	Door ajar circuit to be upgraded to include access panels and doors.	\$973		
5100-0084	Switch, additional 12 volt/15 amp. Back-up switches for primary switch controller failure. Location and function: Accessible to driver for 1) Master warning (red), 2) #17 program on light bar, all body warning lights, grill mounted Viper lts, and cab side facing 6x4 warning lts, 3) #18 program on light bar, rear beacons, intersecting Vipers and front quad warning lts, 4) #18 program on light bar, wig-wag and Message board with default NYPD program.	\$230		
5100-0085	Master battery disconnect lever switch. Location: driver side dash ipo rocker switch.	\$550		



Item #	Description	Extension	+1/-1	Total
5100-0086	Additional programming instructions: clear warning lights to remain on in blocking mode in accordance with Maryland Code Allowance.	\$142		
5100-0087	Ramsey control plug-in for cab tilt in addition to standard toggle. Does not include tether controller. Location: [#LOC]	\$241		
5100-0088	Linemaster Twin 491-S foot switch to control air horns and Q2B located [#LOC].	\$436		
5100-0089	Foot switch to control electric fire bell located [#LOC].	\$136		
5100-0090	Foot switch to control Scream Eagle siren located [#LOC].	\$136		
5100-0091	Switch 12V for 110-240V (EA). Location: cab switch panel for rear body quartz light(s).	\$491		
5100-0092	Additional push button air reel switch. Location: Right side wheel well for air reel.	\$213		
5100-0093	Master battery disconnect switch. Location: driver seat riser facing outward, behind access door.	\$600		
5100-0094	Ramsey control with 15' cord for cab tilt in addition to standard toggle. Red/Black weatherproof push buttons at end of cord. Location of switch plug-in: [#LOC].	\$428		
5100-0095	Switching controlled through the Multiplex display for 120-240V devices (EA). The 120-240V Multiplex switching utility shall be used for: [#LOC].	\$491		
5100-0096	Switch, alternate location IPOS. Location and function: [#LOC].	\$0		
5100-0097	Additional warning light programming instructions: Rear vertically side mounted red Viper lights behind rear doors and the rear facing red QL97 lights at eye level to be shed in blocking mode.	\$173		
5100-0098	Switch additional rocker lock-out safety style. Location and function: [#LOC].	\$230		
5100-0099	Momentary rocker switch for the Federal Rumbler (secondary siren) located on the driver and officer side overhead panels. The switches will allow for overriding the Federal Signal Rumbler siren and reset after ignition is turned off.	\$368		
5100-0100	Switch additional (2) position shall be installed and properly labeled to enable operator to activate the OEM traffic horn or air horn. The switch shall be located: rear of body driver side approximately 65" above ground level.	\$230		
5100-0101	Switch, additional 12 volt/15 amp. Location and function: driver side pump panel for radio speaker as mounted on or near pump panel.	\$230		
5100-0102	A cab interior audible alarm and hazard light. The light shall be blue in color and 2" diameter, The alarm and hazard light shall be wired to the light tower to provide a clear indicator of when the light tower is raised or not in the bedded position. The light shall be mounted in the vicinity of the door ajar hazard light.	\$171		
5100-0103	Locate Q2B brake on lower dash between touch screens IPOS.	\$65		
5100-0104	Air horn switch at rear body. Switch to be labeled "Air Horn". Location: driver side rear of body approx. eye level (if applicable).	\$162		
5100-0105	Switch momentary. Head lights, running lights, and tail lights (on with ignition) override momentary switch located at the cab dash. The switch will allow for overriding the head lights, running lights, and tail lights (turning them off momentarily) after the ignition has been turned on.	\$230		
5100-0106	Thermostatic control for compartment heater. Thermostat set at 60 degrees Fahrenheit to prevent freezing. Location: [#LOC].	\$148		
5100-0107	Cut-off switch for Q2B main power. Switch to be accessible from officer's seat.	\$313		
5100-0108	Switch circuit three way 12V for 120-240V (EA). Includes (1) additional 12V for 120-240V switch. An additional switch required for more than two locations. Location: [#LOC].	\$491		
5100-0109	Audible alarm to sound when water level is below 1/4 tank remaining.	\$327		
5100-0110	Additional programming instructions: wire upper rear facing M9 warning lights through the brake light circuit in addition to warning lights. Lights will function as steady brake primary and flashing warning secondary.	\$142		
5100-0112	Ramsey control on officer side cab dash with 3' cord to operate Q2B and air horns. Red switch Q2B, Black air horns.	\$403		
5100-0113	Switch push button momentary for Rumbler activation. Location: [#LOC].	\$0		
5100-0114	Foot switch location IPOS: driver side switches located outboard on floor and officer side switches located inboard on floor.	\$0		

Item #	Description	Extension	+1/-1	Total
5100-0115	Monarch control for cab tilt in place of standard toggle.	\$469		
5100-0116	Weldon 4-button V-MUX switch module. Location [#LOC].	\$469		
5100-0117	Switch, additional momentary 12 volt/15 amp. Location and function: [#LOC].	\$230		
5100-0118	Door ajar indicator switch for each SCBA air bottle storage compartment door on body wired to "Door Open" indicator inside cab. Switches as optioned are in addition to standard SCBA bottle retainer straps.	\$64		
5100-0119	Rear cab heater Eaton guarded switch. Function and location: [#LOC].	\$230		
5100-0120	Switch additional guarded toggle. Location and Function: driver side rear of body for rear flood lights	\$230		
5100-0121	Push-button hose reel switch. Location: 28" above tailboard on inside of driver side next to dump valve.	\$0		
5100-0122	Switch circuit three way. Includes (1) additional switch. An additional switch required for more than two locations. Location: driver, officer and rear of body adjacent to dump valves for activation.	\$192		
5100-0123	Switch, additional 12 volt/15 amp. Location and function: center console for driver side scene lights, officer side scene lights and rear scene lights.	\$230		
5100-0124	Switch, additional 12 volt/15 amp. Location and function: center console as a spare.	\$230		
5100-0125	Door ajar indicator switches for all SCBA air bottle storage compartment doors on cab wired to "Door Open" indicator inside cab.	\$64		
5100-0126	Minimum 4" spacing for officer side foot switches.	\$0		
5100-0127	Switch panel three way. Includes (7) additional switches. An additional switch required for more than two locations. Location: L1 adjacent to breaker box for front brow lights, driver 120V cab/body scene lights, officer 120V cab/body scene lights, driver 12V cab/body scene lights, officer cab/body 12V scene lights and rear 12V scene lights.	\$1,337		
5100-0128	Red flip cover for toggle switch. Location: [#LOC].	\$22		
5100-0129	Switch rear door fully open for dump valve power activation.	\$417		
5100-0130	Weatherproof Eaton rocker switches on pump panel ipo toggle switches.	\$264		
5100-0131	Foot switch(es) mounted on a 30 degree bracket.	\$93		
5100-0132	Switch, additional through multiplex display. Function: [#LOC]	\$103		
5100-0133	Switch. Location and function: [#LOC].	\$230		
5100-0134	Switch 12V for 240V 30A Recept. Location: B1 near compartment door frame, 24 inches above the lower compartment floor.	\$506		
5100-0135	Cole Hersee lock out device for master battery switch. Model CLH24505.	\$99		
5100-0136	Locate Q2B brake in officer side switch panel IPO standard location.	\$65		
5100-0137	Foot switch Dayton SS model 6GPA2 to control air horns located driver and officer side.	\$288		
5100-0138	Push-button hose reel switch on 10' tether located in L1 rearward wall.	\$334		
5100-0139	Foot switch Linemaster model 632S to control electric siren located [#LOC]. Includes 25 degree diamond plate bracket.	\$136		
5100-0140	Ramsey control with 3' cord for cab tilt in place of standard toggle. Red/Black weatherproof push buttons at end of cord. Includes receptacle with cover. Location of receptacle: [#LOC].	\$428		
5100-0141	Ramsey control with 6' cord for cab tilt in addition to standard toggle. Red/Black weatherproof push buttons at end of cord. Location of switch plug-in: [#LOC].	\$428		
5100-0142	Switch, door ajar additional. Location: front bumper raised lid.	\$230		
5100-0143	Switch, additional ladder climbing lights in cab accessible to driver. Requires Engineering approval.	\$358		
5100-0144	Magnetic door ajar switch IPO std for [#LOC] body compt door.	\$118		
5100-0145	Additional driver side overhead switches in addition to vista screen operations. See specifications.	\$2,994		
5100-0146	Switch, master activation for Newton Dumps with red cover, located within the cab adjoining to Newton Dump control.	\$192		
5100-0147	Ramsey control with 3' cord for cab tilt in addition to standard toggle. Red/Black weatherproof push buttons at end of cord hardwired adjacent to standard toggle.	\$428		
5100-0148	Switch lever 120V AC shoreline disconnect with weatherproof cover. Location: Adjacent to shoreline receptacle.	\$491		

Item #	Description	Extension	+1/-1	Total
5100-0149	Switch lever 120V shoreline disconnect. Location: Adjacent to shoreline receptacle.	\$491		
5100-0150	Hose Reel rewind switch located in pump module rearward in rubrail. One (1) left ,and one (1) right side.	\$213		
5100-0151	Switch wire through multiplex display in cab for aerial work lights at tip.	\$502		
5100-0152	Locate Q2B brake through multiplex display(s) IPOS.	\$65		
5100-0153	Locate Q2B brake on center lower dash panel IPO standard location.	\$65		
5100-0154	Push-button hose reel switch on 10' tether located in R1 rearward wall.	\$334		
5100-0155	All pump module and rear body doors connected to the door ajar circuit will utilize plunger type manual switches	\$0		
5100-0156	Locate windshield wiper control below transmission shifter IPOS.	\$65		
5110-0003	High impact orange ABS plastic handheld spotlight SL-45 Location: [#LOC].	\$245		
5110-0004	Alternating flasher for headlights.	\$392		
5110-0005	Pre-wire for trailer hitch. Includes stop, left turn, right turn, marker and ground wires. Does not include connector.	\$277		
5110-0007	Audible indicator in cab with rear button. The rear button will be located on the driver's side at the rear behind the hand rail (if applicable).	\$401		
5110-0008	Audible indicator in cab with rear buttons. The rear buttons will be located one each side at the rear, behind the hand rail (if equipped)	\$442		
5110-0009	Clock Digital 12/24 Waterproof mounted in cab officer's overhead dash.	\$728		
5110-0010	Receptacle 12V 175A portable winch. Located at rear near trailer hitch.	\$410		
5110-0011	Vehicle Information Control Center for E-One Multiplexed trucks located on Driver's Side.	\$6,910		
5110-0012	Vehicle Information Control Center for E-One Multiplexed trucks located on Officer's Side.	\$6,910		
5110-0013	Vehicle Information Control Center for E-One Multiplexed trucks located on Driver's Side. Display Only, No computer.	\$2,934		
5110-0014	Vehicle Information Control Center for E-One Multiplexed trucks located on Officer's Side. Display Only, No computer.	\$2,934		
5110-0015	Vehicle Information Control Center for E-One Multiplexed trucks located at center of engine cover mounted on swivel bracket.	\$7,342		
5110-0016	Emi Testing and Certification	\$4,691		
5110-0017	Back-up alarm 97 dB.	\$120		
5110-0018	12 volt 12 gauge constant hot lead (24" long) with ground wire. Location: [#LOC].	\$93		
5110-0019	Audible indicator in cab with rear button. Locate (1) buzzer in tractor cab wired to foot switch on right side of tiller cab. (1) buzzer in tiller cab wired to push button switch in tractor cab center of dash. Includes indicator lights wired to each buzzer. Provide labels that read: 1-STOP, 2-GO, 3-BACKUP in both cabs.	\$1,150		
5110-0020	Starter safety circuit for tillerman cab. Locate on the driver side floor of tillerman cab. Includes service override switch under cab dash within easy reach of driver position.	\$684		
5110-0023	Converter 24 VDC to 12 VDC 25 Amp	\$605		
5110-0024	Back up alarm Grote 107 dB(A).	\$306		
5110-0025	Back up horn system. Includes 12v independent horn (NAPA 730-1047) below officer's side dash, 12v independent horn (NAPA 730-1047) at rear of body and Ramsey control switch with 25' tether at rear of body.	\$959		
5110-0026	12 volt 12 gauge wired through ignition lead (24" long) with ground wire. Location: [#LOC].	\$93		
5110-0027	Powered equipment rack alarm. To activate while rack is in motion.	\$80		
5110-0028	Code3 model 700 flasher for alternating headlights.	\$385		
5110-0030	Flasher alternating for headlights Whelen model UHF2150A.	\$408		
5110-0031	12 volt 12 gauge wired to chassis reverse (24" long) with ground wire. Location: back wall of rear bench seat riser.	\$93		
5110-0032	Clock digital 12/24 waterproof mounted in [#LOC].	\$728		
5110-0033	Battery jumper studs (PR).[#LOC].	\$399		
5110-0034	4 Pin trailer wiring flat connector. Includes matching plug. Requires trailer wiring pre-wire option.	\$109		

Item #	Description	Extension	+1/-1	Total
5110-0035	All 12 Volt electrical components and Multiplex box will be located in lower L1 back wall. The compartment depth will be limited by approximately 6".	\$0		
5110-0036	All 12 Volt electrical components and Multiplex box will be located in R1 back wall. The compartment depth will be limited by approx 6".	\$142		
5110-0037	Additional wiring instructions: [#LOC].	\$424		
5110-0038	Audible indicator in cab with remote switch. The signal button will be accessible from ground level on the driver's side at the rear of vehicle.	\$442		
5110-0039	Clock Digital 12/24 Waterproof mounted in cab officer's switch panel.	\$728		
5110-0040	Indicator light. Color: [#COL]. Location and function: [#LOC].	\$134		
5110-0041	7 pin trailer wiring connector. Requires trailer wiring pre-wire option.	\$145		
5110-0042	Trailer wiring and connector for 2009 NFPA 1901 Type I, Type II or Type III trailer. Includes model 12-907 connector on body. Stop/turn/tail circuits shall be connected, remaining wires to be coiled up for future use. Trailer end 12-906 shipped loose.	\$535		
5110-0043	Back-up alarm Federal Reactor model 210350 self-adjusting.	\$209		
5110-0044	ABS cover for multiplex PDMs' located in the pump module.	\$110		
5110-0045	Radio interface cable-run a 7-conductor 20 gauge wiring (578865) from the pump panel microphone box to the center overhead area, leave a 30" coil of wire at each end.	\$647		
5110-0046	4 Pin trailer wiring heavy duty round connector. Includes matching plug. Requires trailer wiring pre-wire option.	\$121		
5110-0047	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker officer side behind bumper cut-out (includes mounting bracket).	\$0		
5110-0048	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker located center in front bumper (includes mounting bracket).	\$0		
5110-0049	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker officer side behind bumper cut-out (includes mounting bracket).	\$0		
5110-0050	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker located center in front bumper (includes mounting bracket).	\$0		
5110-0051	All 12 Volt electrical components and Multiplex box will be located in L3 back wall. The compartment depth will be limited by approx 6"	\$0		
5110-0052	12V power distribution module. Includes (6) battery hot and (6) switched hot circuits. 100 amps max (IATS). Location: [#LOC].	\$355		
5110-0053	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker officer side behind bumper cut-out (includes mounting bracket).	\$0		
5110-0054	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker officer side behind bumper cut-out (includes mounting bracket).	\$0		
5110-0055	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker located center in front bumper (includes mounting bracket).	\$0		
5110-0056	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker located center in front bumper (includes mounting bracket).	\$0		
5110-0057	7 Pin trailer wiring connector, SAE J5606. Requires trailer wiring pre-wire option. This will include the Male and Female connections.	\$218		
5110-0058	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker with grill driver side front bumper.	\$0		

Item #	Description	Extension	+1/-1	Total
5110-0059	E-One supplied/Van-Mor installed ambulance style exhaust fans. Locate one on rear wall in the robot area up high offset to the driver's side and a vent for fresh air offset to the officer's side, one on the officer side up high above the rearward counter top and a fresh air vent on the driver's side up high above the forward most desk area, and one in the forward bomb suit closet with a vent between the 2 closets.	\$173		
5110-0060	12 volt 4 gauge constant hot lead (24" long) with ground wire. Location: [#LOC].	\$279		
5110-0061	Run RG58U antenna cables. Run each cable from [#LOC].	\$100		
5110-0062	(4) rocker switches with back lighting to be provided IPO the standard toggle switches on body for the (3) main vacuum pump intake/discharge.	\$502		
5110-0063	NFPA cab siren and speaker (FS) package. Includes (1) EQ2B siren with (2) 100 Watt speakers located center in front bumper (includes mounting bracket).	\$0		
5110-0064	Multiplex box with all 12 Volt electrical components to be located in [#LOC] back wall. The compartment depth will be limited by approx 6".	\$0		
5110-0065	Lighted bumper guide (PR). Bores model 848211 located (1) each side of front bumper extension.	\$473		
5110-0066	Switches in cab (2) for controlling (2) TNT DT 4.0 diesel engine hydraulic power units. Switches to be kill/run/start with indicator light. Run wiring into dunnage area with extra length for dealer installation.	\$1,218		
5110-0067	Back up alarm Preco 97 dB(A) warble tone.	\$311		
5110-0068	Handheld flashlight, orange Streamlight Litebox flashlight with vehicle mount system. Location: [#LOC].	\$220		
5110-0069	Back up alarm ECCO model 410 97 dB(A) grommet mount.	\$240		
5110-0070	Vehicle Information Control Center for E-One Multiplexed trucks swivel pedestal mount located at center between driver and officer. Mid engine cabs only.	\$7,342		
5110-0071	CAT 6 receptacle. This will include CAT 6 wire, solid conductors, non-plenum. Locate 1 over desk in cab, 2 over the desk in the body, and 1 at the officer's side front seat in the cab. Each CAT 6 cable will terminate in the rack area with a 36" service loop.	\$138		
5110-0073	12V Outlet on officer side in cab.	\$199		
5110-0074	NFPA cab siren and speaker package. Includes (1) PA300 siren with (1) ES100 speaker in driver side bumper.	\$0		
5110-0075	NFPA cab siren and speaker package. Includes (1) PA300 siren with (1) ES100 speaker in driver side bumper (for use with extended front bumper).	\$0		
5110-0076	NFPA cab siren and speaker package. Includes (1) PA300 siren with (1) ES100 speaker officer side behind bumper cut-out (includes mounting bracket).	\$0		
5110-0077	12V Outlet on officer side in cab. Custom ES.	\$93		
5110-0078	NFPA cab siren and speaker package. Includes (1) PA300 siren with (1) ES100 speaker in driver side bumper.	\$0		
5110-0079	Back up alarm Ecco model SA917 87-112dB.	\$273		
5110-0080	EMI/RFI Testing and Certification	\$6,248		
5110-0081	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (2) speakers located - (1) to driver side and (1) to officer side of front bumper (includes mounting bracket).	\$280		
5110-0082	Receptacle 12V 175A portable winch. There will be a total of four, locate one at each of the receiver.	\$1,633		
5110-0083	Receptacle 12V 175A portable winch. There will be a total of three, locate one at each of the side and rear receivers.	\$1,225		
5110-0084	Door ajar switches for ladder tunnel doors to be located at top of door.	\$0		
5110-0086	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker driver iside of front bumper.	\$0		
5110-0087	Tekonsha model Prodigy 2 trailer brake controls wired to connector. Control located in cab accessible to driver. Requires 9-pin connector.	\$1,019		
5110-0088	Lighted bumper guide (PR) with angled support brackets. Bores model 848211 located (1) each side of front bumper extension.	\$612		
5110-0089	Back-up alarm Ecco model 575 107dB.	\$201		

Item #	Description	Extension	+1/-1	Total
5110-0090	Breaker box grounding cable. 10' 2Ga cable attached to ground side of breaker box. Includes clamp on end of cable for use with aerial ground pad.	\$268		
5110-0091	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker below the center of the bumper (includes mounting bracket).	\$0		
5110-0092	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker located driver side of bumper.	\$0		
5110-0093	Wiring from pump panel mic box to cab (under center seat). Wiring to be shielded 10 conductor cooper. Provide approximately 10' extra within cab coiled and 2' extra coiled at the back of the mic box.	\$227		
5110-0094	Wiring instructions: Dedicated ground wire for 12V distribution module located behind officer seat.	\$151		
5110-0095	(3) rocker switches with back lighting to be provided in cab on center console. Lable switch "Driver Spray Nozzle", "Officer Spray Nozzle" and "Remote Nozzle Light". Switching only being provided. Dealership to make all final connections to switches from dealer installed ground nozzle application.	\$377		
5110-0096	Conduit flexible 1.5" for Camera Mast installation. Run the conduit from the roof area on the driver's side above the rear interior to the breaker box. Conduit should also be run from the same roof area to under the body in order to run air lines for camera mast and to the desk area on the driver's side.	\$685		
5110-0097	West Metro additional electrical instructions: 1) ATC override switch through display(s). 2) generator engage indicator through display(s). 3) Jake brake position indicator through display(s). 4) Dominator to be programmed with chasing pattern; wired on driver side. 5) Program warning lights with NFPA compliant "High Activity" pattern. 6) Seat belt indicator to "flash" occupant. 7) Each cab door warning light wired through corresponding door. 8) Scene lights to be integrated with park brake. 9) Yellow warning light in display to "flash".	\$0		
5110-0098	Receptacle 12V 50A Anderson style two prong plug. Located near receiver in the rear.	\$410		
5110-0099	All 12 Volt electrical components and Multiplex box will be located on L1 ceiling.	\$377		
5110-0100	Antenna rack with conduit for dept antennas. Location: Top front of body	\$940		
5110-0101	Back up alarm Federal Reactor Model 210505 (PR). Includes stainless steel cover for protection.	\$661		
5110-0102	A Hindsight 20/20 Model: HS-300 rear obstacle detection and proximity system will be installed on the truck. This system will include one display (located in the cab), one control box (mounted under or in the body), and two sensors/detectors (mounted on the rear of the truck).	\$2,106		
5110-0103	Fans 8" pair. Location: ceiling mounted in rescue interior. (1) at entrance and (1) forward.	\$428		
5110-0104	(3) 12VDC Anderson Power Products 12 volt connections shall be installed (1) in compartment L1, (1) in compartment L2 and (1) in compartment R2.	\$565		
5110-0105	Transmission Temperature Gauge with light and a buzzer alarm for audible warning. Located adjacent to breaker box.	\$415		
5110-0106	There shall be 2 sets of cables for emergency starting. Cables will come from Junction City Wire Harness Company. One set of cables will have molded plugs each end, second set will have molded plug one end and 800 amp clamp. Each set shall be 16' long. Includes receptacle on driver side of extension in stainless steel box with Cole Hersee type switch driver side lower dash area and indicator light in cab. Subject to department and E-ONE engineering approval at pre-construction.	\$4,849		
5110-0107	Alternating flasher for headlights. Federal Signal model FHL2-SCNYPD.	\$313		
5110-0108	Regen indicator lights with warning tags (PR). (2) Whelen 2" grommet mount lights (model TOA00MAR) (1) located on officer side wheel well forward and (1) on R2 secondary door up high. Includes red tag with white lettering to read "High Exhaust Heat When Flashing". Lights to be wired through park brake.	\$359		
5110-0109	Indicator light, Weldon 9186-2300. Color: [#COL]. Location and function: [#LOC].	\$134		
5110-0110	Receptacle 12V 175A portable winch. Located at front near receiver.	\$410		
5110-0111	All 12 Volt electrical components and Multiplex box will be located in recessed box at rear between frame rails.	\$0		
5110-0112	Back up alarm Preco model 1040.	\$208		

Item #	Description	Extension	+1/-1	Total
5110-0113	Indicator light. Color: Red. Location and function: pump operator panel for foam pump on.	\$134		
5110-0114	Powered equipment rack alarm; Preco 97dB(A) warble tone. To activate while rack is in motion and through park brake.	\$311		
5110-0115	Battery charger, one (1) Hurst tool battery charger shall be mounted in place and be included in the shoreline transfer switch circuit. The Hurst battery charger(s) shall be installed [#LOC].	\$112		
5110-0117	ATIMS vehicle "Brick" system.	\$6,088		
5110-0118	All 12 Volt electrical components and Multiplex box will be located in L1 forward wall. The area will be covered with a removable panel.	\$0		
5110-0119	CAT V cable run. This will include CAT V wire, non-plenum. Run cable from microphone box on pump panel to center overhead in cab.	\$165		
5110-0120	Receptacle 12V 175A portable winch. There will be a total of three, locate one at each of the side and front receivers.	\$1,225		
5110-0121	All 12 Volt electrical components and Multiplex box will be located in L1 forward wall next to breaker box. The area will be covered with an aluminum removable panel.	\$506		
5110-0122	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker located driver side front bumper (includes mounting bracket).	\$0		
5110-0123	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker located driver side front bumper (includes mounting bracket).	\$0		
5110-0124	Audible indicator in cab with rear buttons. The rear buttons will be located [#LOC].	\$442		
5110-0125	Receptacle 12V 175A portable winch. There will be a total of (2), locate one (1) on each side near under body receivers.	\$818		
5110-0126	Mount and supply a 12VDC power supply for a NYPD supplied Thermal imaging camera charger base. This shall be wired battery hot and connected to the PDM behind the officers seat. The base shall be installed behind the officers seat inside the cab, up high per photo supplied by NYPD.	\$167		
5110-0127	12 volt 6 gauge lead wired through ignition (24" long) with ground wire. Location: [#LOC].	\$256		
5110-0128	Mount and supply a 12VDC power supply for a NYPD supplied Thermal imaging camera charger base This shall be wired battery hot and connected to the PDM inside the body. The base shall be installed above the refrigerator per photo supplied by NYPD. Installation shall require the elimination of the existing left side hand light and the light and base shall be shipped loose with the vehicle.	\$167		
5110-0129	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker located center in front bumper (includes mounting bracket).	\$0		
5110-0130	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker located driver side front bumper (includes mounting bracket).	\$0		
5110-0131	Antenna bases, three (3) separate Tessco P/N 90942 (NMO Motorola style - also known as MATM style) shall be mounted on the body roof spaced evenly Front to Rear on center line of body. Cables should exit through forward area of upper L4 Bulk Head.	\$478		
5110-0132	Indicator light. Color: Green. Location and function: driver side overhead for jake brake "on".	\$134		
5110-0133	12 volt 10 gauge constant hot lead (24" long) with ground wire. Location: [#LOC].	\$109		
5110-0134	Wiring instructions: Additional body compartment light drops on the opposing side of the compartment not equipped with strip lights. L1, L2, L3, R1, R2, R3 and B1.	\$86		
5110-0135	Additional wiring overlays to support Whelen 900 series lighting (not OEM installed). Lights shall be installed at a later date. One (1) each side of body on forward upper body corners.	\$215		
5110-0137	Additional wiring instructions: All wiring on/at rear tailboard to be raised to not interfere with ground height to rear of unit.	\$424		
5110-0138	Regen indicator light with warning tag . Whelen 500 series TIR6 amber light located in rubrail above exhaust end. Includes warning tag to read "High Exhaust Heat When Flashing". Light to be wired through indicator in cab and park brake.	\$359		

Item #	Description	Extension	+1/-1	Total
5110-0139	12 volt 14 gauge wired through ignition lead (36" long) with ground wire. Location: [#LOC].	\$111		
5110-0140	12 volt 10 gauge wired through ignition lead terminated in a junction box with ground wire. Location: [#LOC]	\$111		
5110-0141	TBD	\$180		
5110-0142	All 12 Volt electrical components and Multiplex box will be located in L1 forward wall and in compartments L4 & R4 in the rearward wall. The area will be covered with a removable panel.	\$0		
5110-0143	Handheld flashlight, orange Streamlight HID Litebox flashlight with vehicle mount system. Location: [#LOC].	\$1,569		
5110-0144	Hopkins 7 pin trailer wiring connector model 48495-7 RV blade. Requires trailer wiring pre-wire option.	\$149		
5110-0145	Pre-Wiring for trailer hitch should include a hot 12vdc and back-up light wire at the connector and a wire from the connector to the cab for future electric brake unit in cab. In the cab there should be a wire labeled for brake lights to connect to future electric brake unit. Connector sold separately.	\$277		
5110-0146	Cole-Hersee trailer tail light converter model 48000. Trailer connector sold separately.	\$363		
5110-0147	NFPA cab siren and speaker (FS) package. Includes (1) PA300 siren with (1) ES100 speaker located center in front bumper (includes mounting bracket).	\$0		
5110-0148	CAT V cable run. This will include CAT V wire, non-plenum. Run cable from center dash to overhead cabinet in command area.	\$165		
5110-0149	Generator power shall be supplied to the command desk area. One (1) 12/3 cable shall supply 20 amps with 10' of wire coiled at the command desk area. The wires shall be clearly marked to identify them as 110V/20A generator power.	\$402		
5110-0150	Shoreline power shall be supplied to the command desk area. One (1) 12/3 cable shall supply 20 amps with 10' of wire coiled at the command desk area. The wires shall be clearly marked to identify them as 110V/20A shoreline power.	\$402		
5110-0152	Emergency Start System Cole Hersee switch guard.	\$0		
5110-0153	12V power distribution module. Includes (6) battery hot and (6) switched hot circuits. 100 amps max (IATS). Includes circuit breakers ipo fuses. Location: [#LOC].	\$355		
5110-0154	Dow Corning 738 white electrical sealant. Apply to all exposed electrical connections.	\$383		
5110-0155	Customer supplied handheld spotlight SL-45 shall be mounted in place. Location: [#LOC].	\$200		
5110-0156	Indicator lights, Weldon 9186-2300. Location and function: (1) red and (1) green located at the front and rear interior rescue body. Lights to be wired through park brake. Red; park brake dis-engaged, green; park brake engaged.	\$582		
5110-0157	NFPA cab siren and speaker (WHLN) package. Includes (1) siren with (1) speaker located below oem bumper offset to driver side for Freightliner 114SD chassis (includes mounting bracket) if applicable for non-extended bumper or for extended bumper speaker shall be installed thru bumper.	\$0		
5110-0158	12 volt 12 gauge lead (24" long) with ground wire wired to battery saver. Location: [#LOC].	\$93		
5110-0159	Rescue body entry door lock - electric wired through cab doors. Includes additional body interior mounted switch, barrel style key lock on exterior of door and manual interior lock on door.	\$580		
5110-0160	Pollak 7 pin trailer wiring connector model 12-709. Requires trailer wiring pre-wire option.	\$215		
5110-0161	Blue Sea 12V power distribution module model 5025 (2) and (1) 5026 wired through battery hot. Location: (1) 5025 in center cab dash, (1) 5026 in forward floor of radio cabinet and (1) 5025 behind officer seat.	\$1,336		
5110-0162	Wiring instructions: Dedicated ground wire for 12V distribution module located at driver and officer 3x3 post.	\$151		
5110-0163	A dual USB charging port wired to battery hot. Location: [#LOC].	\$79		
5110-0164	Mount customer supplied antenna. Locate: on module roof and route cable to inside of radio cabinet located in forward corner on driver side.	\$286		
5110-0165	Ambulance style exhaust fan. Locate on driver side wall in REHAB module area up high above bench seat and add a vent for fresh air on the officer's side up high above bench seat.	\$268		
5110-0166	Blue Sea 12V power distribution module model 5025 (2) and (1) 5026 wired through ignition hot. Location: (1) 5025 in center cab dash, (1) 5026 in forward floor of radio cabinet and (1) 5025 behind officer seat.	\$1,336		



Item #	Description	Extension	+1/-1	Total
5110-0167	Megellan vehicle mount weather station with Weather Master software. Display located on the center dash with telescopic pole on the driver side back of cab.	\$13,730		
5110-0168	Relocate ladder climbing light to side of diamond plate light shield. Westside only.	\$199		
5110-0169	Aluminum smooth plate cover for foam controller shall be located on back of controller.	\$234		
5110-0171	Lighted bumper guide (PR). Bores model 848211 located (1) each side of front bumper extension, lens color shall be amber.	\$669		
5110-0172	Dump Valve / Zico Rack Controls - 3 switch panels	\$560		
5110-0173	LINE-X package for miscellaneous parts mounted on the body: Includes aerial style or similar brackets used for beacon lights, camera shield, license plate bracket, traffic advisor box (non-recessed only), fabricated shield over traffic advisor, fabricated light boxes and other brackets used for mounting scene and warning lights, stirrup style switch as applicable.	\$292		
5110-0174	Back up alarm Hella model A1399 SA-BBS-97.	\$339		
5110-0175	Refrigerator Electric DE-788 AC/DC 12/120 Volt. Dual voltage refrigerator for marine and truck applications, wired to 12V battery system and shoreline. Norcold, DE-788 Marine, 3.1 cuft. Color: Black. Refrigerator to be located in [#LOC].	\$1,378		
5110-0177	Receptacle (pair) 12V 175A portable winch. There will be a total of (2), locate one (1) on each side near wheel well side body receivers.	\$818		
5110-0178	Locate back-up alarm up high between frame rails.	\$0		
5110-0179	Durabak package for miscellaneous parts mounted on the body: Includes aerial style or similar brackets used for beacon lights, camera shield, license plate bracket, traffic advisor box (non-recessed only), fabricated shield over traffic advisor, fabricated light boxes and other brackets used for mounting scene and warning lights, stirrup style switch as applicable.	\$292		
5110-0180	Collision Avoidance Systems model CAS-4HW rear obstacle detection and proximity system. Includes 4 sensors at rear of vehicle and speaker in cab.	\$2,159		
5110-0181	A 12 place 12 volt DC power distribution module will be installed in the body interior electronics compartment. The module will have six (6) circuits wired directly to the battery and will be protected with a 30 amp circuit breaker for overload protection. The module will also have six (6) circuits controlled by the multiplex systems, via a 30 amp relay, and will be protected with a 30 amp circuit breaker for overload protection. The module will also include 12 positions for grounds.	\$448		
5110-0182	Antenna base Tessco P/N 90942 (NMO Motorola Style - also called MATM style) on body roof. Location: body roof raceway.	\$108		
5110-0183	Install customer supplied WIFI antenna kit. (Pair) Dual LTE 802.11n GPS Multiband. Option includes: Installation of two (2) Dual LTE 802.11n GPS Multiband antennas (cables provided by the customer). Locate: Antennas to be on forward body module roof. One (1) located driver side forward corner and one (1) one the passenger side rear corner. Route supplied cables to inside of electronic cabinet located in forward corner on officer side of module.	\$572		
5110-0184	Receptacle Waytek model 11014 dual USB / 12V power. Location: [#LOC].	\$147		
5110-0185	12 volt 12 gauge constant hot lead (24" long) with ground wire and circuit breaker. Location: [#LOC].	\$155		
5110-0186	12 volt 12 gauge wire through master power hot lead (24" long) with ground wire and circuit breaker. Location: One (1) each side behind left and right pump panel. (FOR CUSTOMER SUPPLY TFT INTAKE VALVE.)	\$155		
5110-0187	Pre-wire for customer supplied electric fire bell. Includes push button activation switch on center cab dash offset to officer side.	\$389		
5110-0188	Handheld flashlight, orange Streamlight Knucklehead Haz-LO LED flashlight with charger. Location: [#LOC].	\$413		
5110-0189	Refrigerator Electric AC/DC 12/120 Volt. Dual voltage refrigerator for marine and truck applications, wired to 12V battery system and shoreline. Norcold model NR740BB, 1.7 cuft. Color: Black. Refrigerator to be located in [#LOC].	\$1,378		

Item #	Description	Extension	+1/-1	Total
5110-0190	Audible indicator in cab with rear interior button. Locate (1) buzzer in the cab wired to push button accessible to the driver. (1) buzzer in the interior of the rescue body wired to push button switch accessible to a seated position in the body. Includes indicator lights wired to each buzzer. Provide labels that read: 1-STOP, 2-GO, 3-BACKUP in both locations.	\$893		
5110-0191	12V power distribution module. Includes (12) battery hot circuits. 100 amps max (IATS). Location: [#LOC].	\$355		
5110-0192	12V power distribution module. Includes (12) switched hot circuits. 100 amps max (IATS). Location: [#LOC].	\$355		
5110-0193	Guard for reel push button rewind switch. Qty each. Material: Aluminum. Finish: Sanded.	\$125		
5110-0194	Indicator light, Whelen M4 with chrome flange. Color: green. Location and function: (1) each side up high on pump module wired through pump engage.	\$885		
5110-0195	Refrigerator Electric NR751 AC/DC 12/120 Volt. Dual voltage refrigerator for marine and truck applications, wired to battery system and shoreline receptacle. Norcold, NR751 Marine, 2.7cuft. Color: Black. Refrigerator to be located in [#LOC].	\$1,378		
5130-0000	Cord reel 150 feet of 12/3 black cord installed on the [#LOC] with an electric rewind.	\$2,104		
5130-0001	Cord reel electric with 200' of 10/3 black cable. Locate [#LOC].	\$2,484		
5130-0002	Cord reel electric with 200' of 10/3 yellow cable. Location(s): [#LOC].	\$2,805		
5130-0003	Cord reel electric with 200' of 10/4 black cable. Location: [#LOC].	\$2,797		
5130-0004	Cord reel electric with 200' of 10/4 yellow cable. Location [#LOC].	\$3,628		
5130-0005	Ground reel with 20' of cable and 3' rod to be used for grounding unit while using the generator.	\$477		
5130-0006	Rollers for cord reel mounted on reel. Locate: [#LOC].	\$405		
5130-0012	Junction box Circle-D with four (4) 3-wire NEMA L5-15 110 volt 15 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$856		
5130-0013	Junction box Circle-D with four (4) 3-wire NEMA L5-20 110 volt 20 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$856		
5130-0014	Circle D wall/floor mounting box. Mount at final or ship loose (customer preference). For use with reel located in or on [#LOC].	\$168		
5130-0015	Junction box Circle-D with two (2) 15 amp straight blade and two (2) 20 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0016	Junction box Circle-D with all twist lock, 2-120V and 2-240V outlets. Located on cord for reel in [#LOC].	\$1,060		
5130-0017	Junction box Woodhead with four (4) NEMA L5-15 110 Volt 15 Amp twist lock receptacles. Located on cord for reel in [#LOC].	\$1,702		
5130-0018	Junction box, Daniel Woodhead, with four (4) NEMA L5-20 110 volt 20 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$1,361		
5130-0019	Cord reel electric with 150' of 12/3 yellow cable. Locate [#LOC].	\$2,181		
5130-0022	Rollers for cord reel mounted through panel. Location(s): [#LOC].	\$405		
5130-0024	Electric cord reel rewind switch. Switch located [#LOC].	\$136		
5130-0028	Rollers, captive for cord reel mounted on reel.	\$405		
5130-0029	Pre-wire from breaker box to roof top compartments of L2 and R3 for dealer installed cord reel (10/3). Provide 3' pig tail in forward area of compartments. Include pre-wire for wall mounted rewind switch (dealer installed). Provide enough wire from roof top compartment to below body in case customer goes with foot switch application.	\$969		
5130-0030	Junction box Circle-D with one (1) straight blade and three (3) twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0031	Cord reel electric/manual back-up with 200' of 10/3 black cable. Crank handle mounted next to reel. Locate [#LOC]	\$2,984		
5130-0032	Cord reel electric with 150' of 10/4 yellow cable. Location [#LOC]	\$3,628		
5130-0033	Junction box Circle D with four (4) 3-wire NEMA 5-15 110 volt 15 amp straight blade receptacles. Located on cord for reel in [#LOC].	\$856		

Item #	Description	Extension	+1/-1	Total
5130-0034	Cord reel Akron electric with 200' of 10/3 yellow cable. Location(s): [#LOC].	\$2,678		
5130-0035	Junction box Circle-D with (3) L5-15 and (1) L5-20 110Volt twist lock receptacles. Located on cord for reel in [#LOC].	\$856		
5130-0036	Diamond plate cord reel cover over reel. Use rollers provided with reel on cover IPO E-One supplied if applicable. Location: [#LOC]	\$709		
5130-0037	Cord reel Akron electric with 200' of 10/4 yellow cable. Location(s): [#LOC]	\$3,504		
5130-0038	Junction box Circle-D with (2) L5-20 twist lock and (2) 5-20 110Volt straight blade duplex receptacles. Located on cord for reel in [#LOC].	\$856		
5130-0039	Bracket for rollers. A support bracket for rollers shall be provided up high at compt opening for reel in [#LOC].	\$308		
5130-0040	Hannay PWM (Pulse Width Modulator) control for reel. Mounted next to switch for cord reel in [#LOC].	\$763		
5130-0041	Cord reel rollers bracket mounted on top of [#LOC].	\$405		
5130-0042	Junction box Circle-D with four (4) 3-wire Nema 5-20 110Volt 20 Amp duplex receptacles. Located on cord for reel in [#LOC].	\$949		
5130-0043	Cord reel Akron electric with rear mounted motor. Includes 200' of 10/3 yellow cable. Location(s): [#LOC].	\$3,051		
5130-0044	Junction box Akron with (2) 5-20 125v 20 Amp duplex recepts and (2) L5-20 125v 20 Amp twist lock recepts. Located on cord for reel in [#LOC].	\$675		
5130-0045	Akron model EJB-VMT-TP mounting box. Locate box for use with reel in or on [#LOC].	\$329		
5130-0046	Junction box Circle-D with one (1) 5-20 straight blade and three (3) L5-20 twist lock receptacles. Box wired as 240v with individual circuit breakers on box. Located on cord for reel in [#LOC].	\$1,081		
5130-0047	Cord reel rollers mounted thru panel. Location: Centered next to generator door panel.	\$575		
5130-0048	Junction box Circle-D with (2) NEMA 5-20 120V GFCI duplex and (2) NEMA L6-20 220V twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0049	Cord reel electric for 200' of 10/3 cable. Cable not included. Location(s): [#LOC]	\$2,509		
5130-0050	Mounting bracket for Circle D junction boxes. Shall be mounted in close proximity to the applicable cord reel	\$346		
5130-0051	Junction box Circle-D with (2) 5-15 straight blade and (2) L5-15 twist lock receptacles. Box to have individual circuit breakers on box. Located on cord for reel in [#LOC].	\$1,081		
5130-0053	Electric Cord Reel Levelwind. Device to help evenly wrap cable on reel, for use with straight line pulls only	\$4,089		
5130-0054	Cord reel electric with 200' of 8/3 black cable. Locate [#LOC]	\$4,256		
5130-0055	Rollers for cord reel, mounted on support bracket. Location(s): [#LOC]	\$405		
5130-0056	Junction box Woodhead with (3) NEMA L5-15 110 Volt 15 Amp twist lock receptacles and (1) NEMA 5-20 110 Volt 20 Amp household receptacle. Located on cord for reel in [#LOC].	\$1,702		
5130-0057	Mounting box for Woodhead junction box. Mount at final or ship loose (customer preference). For use with reel located in or on [#LOC]	\$308		
5130-0058	Junction box Akron with four (4) 3-wire NEMA L5-20 110 volt 20 amp twist lock receptacles. Located [#LOC].	\$675		
5130-0059	Junction box Circle-D with four (4) FirePower FP11 110Volt 20 Amp receptacles. Located on cord for reel in [#LOC].	\$1,395		
5130-0060	Locate junction box mount on top shelf in L3 just below reel rollers.	\$0		
5130-0061	Cord reel electric with 250' of 10/3 black cable. Locate [#LOC].	\$2,931		
5130-0062	Junction box Circle-D with (2) 5-20 straight blade and (2) twist lock receptacles; (1) L5-20 and (1) L5-15. Located on cord for reel in [#LOC].	\$1,081		
5130-0063	Cord reel electric with 200' of 12/3 black cable. Locate [#LOC].	\$2,931		
5130-0064	Electric reel with 200' 10/3 black. Ceiling mounted in driver side rearward body compartment in upper area offset rearward. Includes reel mounted rollers and rewind switch. For use with dealer/E-ONE installed generator only.	\$2,049		
5130-0065	Electric reel with 200' 10/3 black. Ceiling mounted in driver side rearward body compartment in lower area offset rearward. Includes reel mounted rollers and rewind switch. For use with dealer/E-ONE installed generator only.	\$2,049		

Item #	Description	Extension	+1/-1	Total
5130-0066	Electric reel with 200' 10/3 black. Ceiling mounted in officer side rearward body compartment in lower area offset rearward. Includes reel mounted rollers and rewind switch. For use with dealer/E-ONE installed generator only.	\$2,049		
5130-0067	Junction box Akron with (4) 5-20-GFCI 125v 20 Amp duplex recepts. Includes 12" pigtail with L14-20 connector and rubber feet. Located on cord for reel in [#LOC].	\$675		
5130-0068	Cord reel electric with 200' of 10/3 yellow cable. Location(s): [#LOC].	\$2,805		
5130-0069	Cord reel electric with 250' of 10/3 yellow cable. Locate [#LOC].	\$3,332		
5130-0071	Locate cord reel(s) as close to compartment opening(s) as practical.	\$0		
5130-0072	A swing out roller assembly. Roller shall be a Hannay Reels, 4 way roller 2.5" opening mounted on a swing out bracket attached up high on the rearward wall of L3 and R4.	\$405		
5130-0073	Cord reel electric low profile with 200' of 10/3 yellow cable. Location(s): [#LOC].	\$3,555		
5130-0075	Cord reel Akron electric 200' of 10/3 yellow cable with rollers and cord stop. Location(s): [#LOC].	\$2,145		
5130-0076	Cord reel Akron electric 200' of 10/3 black cable with rollers and cord stop. Location(s): [#LOC].	\$1,988		
5130-0077	Junction box Akron with (1) GFCI 5-20 125v 20 amp receptacle that provides GFCI protection for a second 5-20 receptacle and two (2) L5-20 125v 20 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$736		
5130-0078	Bracket wall mount for Akron junction boxes. Shall be mounted in close proximity to the applicable cord reel.	\$259		
5130-0079	Cord reel electric with 150' of 10/3 yellow cable. Location(s): [#LOC].	\$2,575		
5130-0080	Junction box Circle-D with four (4) 3-wire NEMA L5-20 110 volt 20 amp GFCI twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0081	Cord reel electric model ECR 1620-17-18 with 200' of 10/4 yellow cable. Location [#LOC].	\$3,628		
5130-0083	Slideout roller assembly for reel located in [#LOC].	\$1,127		
5130-0084	Junction box Circle-D with one (1) 15 amp straight blade and three (3) 15 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0085	Hannay nylon rollers on hinges of 1st open doors.	\$340		
5130-0086	Hannay PWM (Pulse Width Modulator) control for reel. Mounted next to switch for hydraulic reel in L2.	\$763		
5130-0088	Junction box Woodhead with two (2) NEMA L5-20 110V 20A twist lock and two (2) NEMA 5-20 110V 20A duplex receptacles. Located on cord for reel in [#LOC].	\$1,545		
5130-0089	Swing out roller assembly for cable reel. Roller is Hannay Reels w/ 2.5" opening. Location: [#LOC]	\$405		
5130-0090	Junction box Akron with (4) 5-15 120v 15 Amp duplex recepts. Located on cord for reel in [#LOC].	\$675		
5130-0091	Bracket for reel rollers. bracket shall be mounted: [#LOC].	\$308		
5130-0093	Cord reel electric. Chrome / stainless with 200' of 10/3 yellow cable. Location(s): [#LOC].	\$2,993		
5130-0094	Cord reel electric with 200' of 10/3 black cable model ELFCR1622-14-16. Locate [#LOC].	\$2,484		
5130-0095	Cord reel Akron electric low profile with 200' of 10/3 black cable with rollers and cord stop. Location(s): [#LOC].	\$3,206		
5130-0096	Cord reel electric model ECR 1624-14-15 with 200' of 10/4 yellow cable. Location [#LOC].	\$3,628		
5130-0098	Cord reel Akron electric low profile with 200' of 10/3 yellow cable with rollers and cord stop. Location(s): [#LOC].	\$3,538		
5130-0099	Cord reel electric with 200' of 10/3 black cable. Reel to include strap (Comet) brake to provide drag pressure to reel axle. Locate [#LOC].	\$2,575		
5130-0100	Cord reel electric with 200' of 10/4 yellow cable. Reel to include strap (Comet) brake to provide drag pressure to reel axle. Location [#LOC].	\$3,718		
5130-0101	Cord reel electric with 150' of 10/4 yellow cable. Reel to include strap (Comet) brake to provide drag pressure to reel axle. Location [#LOC]	\$3,718		
5130-0102	Junction box Circle-D with four (4) 3-wire 120Volt 20 Amp Hubbel model HBL7310B twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0103	Junction box Circle-D with four (4) 3-wire NEMA L5-20 110 volt 20 amp GFCI twist lock receptacles with 220V feed. Located on cord for reel in [#LOC].	\$1,081		

Item #	Description	Extension	+1/-1	Total
5130-0104	Cord reel electric with 150' of 10/4 black cable. Location: [#LOC].	\$2,288		
5130-0105	Cord reel electric CMW 6020 with 200' of 10/3 yellow cord. Location: [#LOC].	\$6,788		
5130-0106	Cord reel Akron electric low profile with 200' of 10/3 black cable with rollers and cord stop. Painted Red. Location(s): [#LOC].	\$3,206		
5130-0107	Cord reel electric with 200' of 12/3 yellow cable. Locate [#LOC].	\$3,010		
5130-0108	Cord reel electric with 150' of 10/4 yellow cable. Reel has 3 conductor cover IPO 4 (for narrower reel). Location: [#LOC].	\$3,628		
5130-0109	Junction box Circle D with four (4) 3-wire 20 amp receptacles, two (2) twist lock NEMA L 5-20 and two (2) straight blade NEMA 5-20 receptacles. Located on cord for reel in [#LOC].	\$923		
5130-0110	Junction box Akron with (1) 5-20 125v 20 Amp duplex recept and (3) L5-20 125v 20 Amp twist lock recepts. Box wired for 240 and split into 120V at outlets. Located on cord for reel in [#LOC].	\$675		
5130-0111	Stirrup style cord reel rewind switch. Location: [#LOC].	\$213		
5130-0112	Junction box Akron with (3) NEMA L5-20 GFCI twistlock and (1) NEMA L6-20 220V twist lock receptacle. Located on cord for reel in [#LOC].	\$790		
5130-0113	Locate cord reel(s) approx. 10" back from compartment opening(s).	\$0		
5130-0114	Rollers, hydraulic/air reel rollers mounted through panel. Location(s): [#LOC].	\$405		
5130-0115	Junction box Akron with (2) NEMA L5-15 GFCI twistlock and (2) NEMA L14-20 120V/240V twist lock receptacle. Located on cord for reel in [#LOC].	\$790		
5130-0116	Optional Comet (friction) brake for Hannay cord reel (EA).	\$85		
5130-0117	Junction box, Daniel Woodhead, with four (4) NEMA L5-20 110 volt 20 amp twist lock receptacles. Includes 1' pigtail, strain relief and NEMA L5-20 male plug connector. Box to be shipped loose.	\$1,485		
5130-0118	Cord reel electric with 150' of 8/4 yellow cable. Location(s): [#LOC].	\$4,225		
5130-0119	Junction box Circle-D with (4) NEMA L14-30 220V twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0120	Cord reel electric painted black from manufacturer with 200' of 10/3 black cable. Locate [#LOC].	\$2,484		
5130-0121	Junction box Akron with four (4) 3-wire NEMA L5-15 110 volt 15 amp twist lock receptacles. Located [#LOC].	\$675		
5130-0123	Smooth plate cord reel cover with black Durabak finish over reel. Use rollers provided with reel on cover IPO E-One supplied if applicable. Location: [#LOC]	\$851		
5130-0124	Junction box Circle-D with (3) L5-20 twist lock and (1) 5-20 110V straight blade duplex receptacles. Located on cord for reel in [#LOC].	\$856		
5130-0125	Cord reel Hannay electric low profile with 200' of 10/3 black cable. Locate [#LOC].	\$3,206		
5130-0126	Junction box Circle-D with (1) L5-20 twist lock and (3) 5-15 110Volt straight blade duplex receptacles. Located on cord for reel in [#LOC].	\$856		
5130-0127	Cord reel electric with 175' of 10/3 yellow cable. Location [#LOC].	\$3,628		
5130-0128	Roller swing out assembly. A 4 way roller guide for hose / cord with 2.5" opening mounted on a swing out and lock style bracket shall be provided. Location: [#LOC]	\$405		
5130-0131	Cord reel electric Hannay model 1614-17-18 with 150' of 10/3 black cable. Location(s): [#LOC].	\$2,267		
5130-0132	Cord reel electric Hannay model 1614-17-18 with 150' of 10/3 yellow cable. Location(s): [#LOC].	\$2,360		
5130-0133	Cord reel electric Hannay model 1615-17-18 with 150' of 10/3 black cable. Location(s): [#LOC].	\$2,465		
5130-0134	Cord reel Akron electric low profile with 200' of 10/4 yellow cable with rollers and cord stop. Location(s): [#LOC].	\$4,369		
5130-0135	Junction box Akron with (2) 5-15 125v 15 Amp duplex recepts (1) L5-15 125v 15 Amp twist lock recept and (1) L5-20 125v 20 Amp twist lock recept. Junction box to be powder coated [#COL]. Located on cord for reel [#LOC].	\$675		
5130-0136	Roller slide out assembly for use with reel rollers. Includes slides with 100 percent extension & a gas spring to secure in the open or closed positon. located in [#LOC].	\$1,110		
5130-0137	Cord reel electric low profile with 200' of 10/3 black cable; Hannay model ELFCR1636-10-11-6. Locate [#LOC].	\$2,648		
5130-0138	Cord reel electric CMW 6015 with 150' of 12/3 black cord. Location: [#LOC].	\$5,159		

Item #	Description	Extension	+1/-1	Total
5130-0139	Junction box Circle-D with two (2) 15 amp twist lock receptacles and two (2) 20 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0140	Cord reel electric low profile with 200' of 10/3 yellow cable; Hannay model ELFCR1636-10-11-6. Locate [#LOC].	\$2,981		
5130-0141	Junction box Circle-D with two (2) 15 amp straight blade and two (2) 15 amp twist lock receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0142	Air reel rewind switch. Switch located [#LOC].	\$136		
5130-0143	Junction box Woodhead with (1) NEMA 5-15 110V GFCI duplex receptacle, (2) NEMA L5-20 110V GFCI twist lock receptacles and (1) NEMA L6-20 220V twist lock receptacle. Located on cord for reel in [#LOC].	\$1,919		
5130-0144	Junction box Circle-D with (2) 3-wire NEMA L5-15 110V 15A twist lock receptacles and (2) 3-wire NEMA 5-20 110V 20A household receptacles. Location: For use with reel located in or on L3 offset rearward.	\$856		
5130-0145	Junction box Circle-D with (2) 3-wire NEMA L5-15 110V 15A twist lock receptacles and (2) 3-wire NEMA 5-20 110V 20A household receptacles. Location: For use with reel located in or on R3 offset rearward.	\$856		
5130-0146	Junction box Circle-D with two (2) 15 amp duplex receptacles and two (2) 20 amp duplex receptacles. Located on cord for reel in [#LOC].	\$1,081		
5130-0147	Cord reel electric low profile with 200' of 10/4 black cable; Hannay model ELFCR1636-10-11-6. Locate [#LOC].	\$3,479		
5130-0148	Cord reel electric low profile with 200' of 10/4 yellow cable; Hannay model ELFCR1636-10-11-6. Locate [#LOC].	\$3,811		
5130-0149	Bracket wall mount for Akron junction boxes shall be shipped loose.	\$259		
5130-0150	Junction box Woodhead with (2) NEMA L5-20 110 Volt 20 Amp twist lock receptacles and (2) NEMA 5-20 110 Volt 20 Amp household receptacle. Located on cord for reel in [#LOC].	\$1,702		
5130-0151	Cord reel low profile electric with 200' of 10/4 yellow cable. Location: [#LOC].	\$3,823		
5130-0152	Junction box Akron with (2) 5-15 125v 15 Amp duplex recepts and (2) L5-15 125v 15 Amp twist lock recepts. Located on cord for reel in [#LOC].	\$675		
5130-0153	Slide out and hinged roller assemblies for electric cord reels. Roller shall be Hannay Reels, 4 way roller 2.5" opening mounted on a slide out bracket attached up high on the front side wall of compartments L2 and R2.	\$371		
5130-0154	Cord reel electric (ECR 1613-19-20) with 150' of 10/3 yellow cable. Location(s): [#LOC].	\$2,736		
5130-0155	Cord reel Akron electric low profile with 100' of 10/3 yellow cable with rollers and cord stop. Location(s): [#LOC].	\$3,012		
5130-0156	Cord reel electric model ECR 1624-14-15 with 200' of 10/4 black cable. Location [#LOC].	\$2,797		
5150-0003	Weldon auxiliary turn signal model 9186-8560 (PR). Location: [#LOC]	\$240		
5150-0006	Whelen 600 series LED horizontal mount tail lights. Includes LED stop/tail, arrow turn and halogen back-up lights with horizontal Cast 3 housing and weatherproof connectors.	\$1,556		
5150-0007	Whelen 600 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and halogen back-up lights with vertical Cast 3 housing and weatherproof connectors.	\$1,520		
5150-0008	Whelen 600 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and halogen back-up lights with vertical Cast 4 housing and weatherproof connectors.	\$1,859		
5150-0013	Whelen 600 series horizontal mount taillights. Includes incandescent stop/tail, arrow turn and halogen backup light. Available on G067 and L193 only. With weatherproof connectors.	\$734		
5150-0015	Whelen 600 series vertical mount taillights. Includes incandescent stop/tail, arrow turn and halogen backup lights with vertical Cast 4 housing and weatherproof connectors.	\$847		
5150-0017	License plate light LED with chrome housing located at the rear of the body.	\$159		
5150-0018	Marker lights additional amber LED Trucklite Model 21 (PR). Location: [#LOC]	\$203		
5150-0019	Marker lights additional red LED Trucklite Model 21 (PR). Location: [#LOC]	\$203		
5150-0020	Weldon model 1010 LED / incandescent tail lights. Includes red LED stop/tail/turn and clear incandescent back-up.	\$439		
5150-0022	Marker light LED body package. Commercial pumper bodies only.	\$927		

Item #	Description	Extension	+1/-1	Total
5150-0023	Weldon Model 1010 LED / incandescent tail lights. Includes red LED stop/tail, amber LED turn and clear incandescent back-up.	\$638		
5150-0024	Marker light LED body package. Commercial rescue bodies only.	\$1,291		
5150-0025	Marker light LED body/cab package. E-One custom cab and pumper or tanker body only.	\$1,555		
5150-0026	Marker light LED body/cab package. E-ONE custom cab with aerial ladder, Mid-Mount platform or Bronto bodies only.	\$1,658		
5150-0027	Marker light LED body/cab package. E-One custom cab and rescue bodies only.	\$1,921		
5150-0028	Marker light LED body/cab package. E-ONE custom cab with rear mount aerial platform bodies only. Includes (3) marker lights on front of platform.	\$1,956		
5150-0032	Bracket license plate at rear of body.	\$47		
5150-0035	Trucklite LED taillights. Includes 4" red LED stop/tail, amber LED turn and clear incandescent backup.	\$773		
5150-0036	Truck-Lite LED tail lights. Includes 4" red LED stop/tail, amber LED turn and clear LED back-up.	\$981		
5150-0037	Zico backing light (PR) with white painted housing model #ZQL-RV-H7614. Location: [#LOC].	\$461		
5150-0039	Marker lights Britax amber/red rubber housed mounted on the rear body corners angled down.	\$346		
5150-0042	Federal Signal LED tail lights. Includes 4" diameter red LED stop/tail, amber turn and LED clear back-up.	\$667		
5150-0050	Zico backing lights (PR) with polished stainless steel housing model ZQL-SS-H7614. Location: [#LOC].	\$711		
5150-0052	Code 3 65STK4 vertical mount tail lights. Includes red LED stop/tail, amber LED turn and white LED back-up lights.	\$2,369		
5150-0053	Code 3 65PKG vertical mount tail lights. Includes red LED stop/tail, amber arrow LED turn and white LED back-up lights.	\$1,929		
5150-0055	Whelen 600 series LED horizontal mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with horizontal Cast 3 housing and weatherproof connectors.	\$2,460		
5150-0056	Whelen 600 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical Cast 3 housing and weatherproof connectors.	\$2,427		
5150-0057	Whelen 600 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical Cast 4 housing and weatherproof connectors.	\$2,766		
5150-0058	Federal Signal QuadraFlare LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical Cast 4 housing and weatherproof connectors.	\$1,517		
5150-0059	Federal Signal QuadraFlare LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical Cast 3 housing and weatherproof connectors.	\$1,325		
5150-0060	Federal Signal QuadraFlare LED vertical mount tail lights. Includes LED stop/tail, turn and back-up lights with vertical Cast 3 housing and weatherproof connectors.	\$1,449		
5150-0061	Federal Signal QuadraFlare LED horizontal mount taillights. Includes LED stop/tail, turn and backup lights with horizontal Cast 3 housing and weatherproof connectors.	\$1,325		
5150-0062	Federal Signal QuadraFlare LED horizontal mount taillights. Includes LED stop/tail, arrow turn and backup lights with horizontal Cast 3 housing and weatherproof connectors.	\$1,542		
5150-0063	Double chrome trim ring for Weldon 1010 tail lights (PR).	\$321		
5150-0064	Whelen PSR00XRR series LED red third brake light. Light mounted above recessed traffic advisor.	\$387		
5150-0065	Marker light LED body/cab package. E-ONE custom cab with tiller aerial ladder body only.	\$1,764		
5150-0066	Marker light LED body/cab package. E-One custom cab and pumper or tanker body only. Model 10 front marker lights mounted on top of cab.	\$1,833		
5150-0067	Code 3 45BZR light (single). Locate surface mounted below rear traffic advisor. Wire light to activate with rear brake lights.	\$543		
5150-0068	Marker lights Britax LED amber/red rubber housed mounted on the rear body corners angled down.	\$472		
5150-0069	Federal Signal QuadraFlare LED vertical mount taillights. Includes LED stop/tail, arrow turn and backup lights with weatherproof connectors.	\$1,542		
5150-0071	Light Whelen model PSR00XRR LED (EA) red 3rd brake light. Location: [#LOC].	\$228		

Item #	Description	Extension	+1/-1	Total
5150-0072	Marker light LED body/cab package. E-One custom cab and pumper or tanker body only. Includes: Trucklite Model 10 front marker lights mounted on top of cab, Trucklite rear upper body and Whelen lower cab/body marker lights.	\$2,379		
5150-0073	Marker lights additional red LED Whelen Model 50R00MRR (PR). Location: [#LOC]	\$293		
5150-0074	Marker lights additional amber LED Whelen Model 50A00MAR (PR). Location: [#LOC]	\$293		
5150-0075	Whelen 600 series LED vertical mount taillights. Includes LED stop/tail, arrow turn and backup lights with individual chrome flanges and weatherproof connectors.	\$3,279		
5150-0076	Whelen 700 LED auxiliary chevron turn signal (PR) with 15 degree castings. Location: [#LOC]	\$857		
5150-0077	Whelen 900 series LED tail lights. Includes LED stop/tail, arrow turn and back-up lights with weatherproof connectors.	\$5,913		
5150-0078	Truck-Lite model #35720 guards for front LED clearance lights on cab.	\$109		
5150-0079	Spring mounted plate for rear DOT lighting. Locate centered below rear of body.	\$431		
5150-0080	Weldon auxiliary turn signal model 9186-8580 LED (PR). Location: [#LOC].	\$327		
5150-0081	Light Whelen 500 model 5SR00XRR red LED 3rd brake light (ea). Location: [#LOC].	\$256		
5150-0082	Whelen 600 series LED vertical mount taillights. Includes LED stop/tail, arrow turn in vertical Cast 3 housing with 900 series halogen backup lights down low and weatherproof connectors.	\$2,020		
5150-0083	Rear vertical mounted tail lights and rear lower level warning lights to be mounted on rear of enhanced extended compartmentation.	\$0		
5150-0085	Marker light Weldon LED body package. Commercial pumper bodies only.	\$812		
5150-0086	Marker light LED body/cab package. E-ONE custom cab with aerial ladder, Mid-Mount platform or Bronto bodies only. Outer cab roof lights to be Weldon model 5060.	\$1,658		
5150-0088	DOT STT/BU lighting. Includes red LED stop/tail/turn and clear incandescent back-up lights. Lights mounted horizontally on the rear of the body	\$0		
5150-0089	Vehicle data recorder - 2009 / 2016 NFPA compliant. Includes occupant detection with display. Display location on cab dash near the transmission shifter.	\$0		
5150-0090	Cast Product License plate holder with LED light located at the rear of the body.	\$156		
5150-0091	Whelen M6 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical 4 light housing and weatherproof connectors.	\$1,925		
5150-0092	Additional amber reflectors (PR) located below lower front cab corner marker/turn lights ahead of drip rail.	\$0		
5150-0093	Marker light LED body/cab package. E-One custom cab and stainless steel body only.	\$1,555		
5150-0094	Taillights Weldon 1010 STT/BU. Includes red stop/tail/turn and clear back-up lights.	\$0		
5150-0095	Body and cab electrical system.	\$0		
5150-0096	Body and pump module incandescent DOT marker light package. Includes separate midship side marker and turn lighting.	\$0		
5150-0097	Taillights Federal Signal DOT STT/BU. Includes 4" LED red stop/tail/turn and 4" LED clear back-up lights.	\$0		
5150-0098	Truck-Lite auxiliary turn signal model 60117Y LED (PR) with model 60719 stainless steel cover. Location: [#LOC].	\$313		
5150-0099	LED marker light cab and body package. E-ONE custom cab and SS body vehicles.	\$1,555		
5150-0100	Marker light LED body package. Commercial chassis with SS pumper body vehicles.	\$927		
5150-0101	Whelen M9 series LED taillights. Includes LED stop/tail, arrow turn and backup lights with weatherproof connectors.	\$4,038		
5150-0102	Whelen M6 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with vertical 3 light housing and weatherproof connectors.	\$1,768		
5150-0104	Pair of dual headlights (Hi/Low) with bezel. Locate on extended front bumper as far outboard as possible (recess mounted to protect lights). Lights are IPO commercial chassis bumper mounted lighting.	\$582		
5150-0105	License plate light LED with chrome housing located at the left hand side of the rear body / engine cover	\$135		
5150-0106	License plate mount, chrome housing located at the left hand side of the front of cab.	\$42		
5150-0108	Marker light LED body package. Commercial light rescue or wildland bodies only.	\$1,291		



Item #	Description	Extension	+1/-1	Total
5150-0111	Weldon Model 7" 1010 red LED stop/tail, amber LED turn and clear LED (9186-5586) back-up.	\$950		
5150-0112	Marker light package .75" Dia LED TecNiq. Commercial pumper and tanker bodies.	\$513		
5150-0113	License plate light LED with chrome housing, chrome license plate mounting frame located on the rear body / engine cover.	\$149		
5150-0114	(2) Federal Signal Viper EXT (VPX802-R NYPD) RED LED Auxiliary brake lights mounted high up on the outer surface of the rear entry doors.	\$284		
5150-0115	Provide special rear NYPD turn signal requirements.	\$0		
5150-0116	Marker lights Britax LED amber/red rubber housed (PR). Location: on cab above wheels and on body above forward and rearward recessed warning light housings.	\$346		
5150-0117	Federal Signal QuadraFlare LED vertical mount taillights models QL64Z4V-LEFT-NY and QL64Z4V-RIGHT-NY. Includes LED (2) stop/tail, (1) arrow turn and (1) backup lights with vertical Cast 4 housing and weatherproof connectors on each side.	\$2,135		
5150-0118	Marker light LED body/cab package. E-One custom cab and SS rescue bodies only. NYPD	\$1,921		
5150-0119	Truck-Lite auxiliary turn signal model 60115Y LED (PR) with grommet mounting. Location: [#LOC].	\$313		
5150-0120	Whelen 600 LED auxiliary arrow turn signal (PR) with 15 degree castings. Location: [#LOC].	\$781		
5150-0121	Trucklite model MDL60 chrome bezels for front cab corner marker/turn lights.	\$64		
5150-0122	Marker lights additional red LED Trucklite Model 15 (PR). Location: [#LOC].	\$121		
5150-0123	Marker lights additional amber LED Trucklite Model 15 (PR). Location: [#LOC].	\$121		
5150-0124	The amber LED marker light on each side front of body just in front of rear wheels shall be upgraded to an amber Trucklite LED clearance/auxiliary turn light IPOS (clearance only no turn).	\$212		
5150-0125	Marker light TeqNiq .75" LED body package. Commercial light rescue or initial attack vehicle bodies.	\$735		
5150-0126	Marker light LED cab package. E-One custom cab only.	\$892		
5150-0127	Whelen M6 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn lights with vertical 3 light housing (PR) with M9LZC Super LED scene lights (PR), with chrome flanges and weatherproof connectors.	\$3,018		
5150-0128	Marker light TeqNiq LED body package. Commercial mini pumper bodies only.	\$735		
5150-0129	Whelen M6 series LED horizontal mount tail lights. Includes LED stop/tail, arrow turn and back-up lights individually mounted with weatherproof connectors.	\$1,768		
5150-0130	License plate light LED with chrome housing located at the rear of the body driver side down low.	\$159		
5150-0131	LED marker light cab and body package. E-ONE custom cab and SS rescue body vehicles.	\$1,563		
5150-0132	Marker light LED body package. Commercial chassis with SS rescue body vehicles.	\$941		
5150-0133	License plate light LED with chrome housing located at the rear of the body below B1 entry door.	\$159		
5150-0134	License plate light incandescent with chrome housing located at the rear of the body.	\$159		
5150-0135	License plate mount, chrome housing located at the right hand side of the front of cab/bumper.	\$42		
5150-0136	License plate light LED with chrome housing located at the right hand side of the rear body / engine cover	\$135		
5150-0137	Location - the rear license plate and light to be located: [#LOC].	\$0		
5150-0138	DOT STT/BU lighting. Includes red LED stop/tail/turn and clear LED back-up lights. Lights mounted horizontally on the rear of the body	\$455		
5150-0139	Whelen M6 LED auxiliary arrow turn signal (PR) with 15 degree E-1 fabricated housing. Paint housing same color to be mounted to. Location: Rear wheel well off set rearward	\$926		
5150-0140	Whelen M6 LED auxiliary arrow turn signal (PR) with 15 degree E-1 fabricated housing. Paint housing same color to be mounted to. Location: Centered over cab wheel well	\$926		
5150-0141	Marker lights Britax LED amber/red rubber housed (PR). Location: on cab above wheels rear of front doors down low and on body above forward and rearward recessed warning light housings.	\$346		
5150-0142	License plate light with chrome housing located at the right hand side of the rear body / engine cover	\$135		

Item #	Description	Extension	+1/-1	Total
5150-0144	Marker light LED body package. Commercial with SS pumper bodies only.	\$491		
5150-0145	Marker light LED body/cab package. E-One custom cab and SS pumper body.	\$1,555		
5150-0146	Taillights Federal Signal DOT STT/BU. Includes 4" LED red stop/tail/turn and 4" LED clear back-up lights.	\$327		
5150-0147	Whelen 600 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and halogen back-up lights with individual chrome flanges and weatherproof connectors.	\$2,373		
5150-0148	Bracket license plate at rear of body. Fabricated from .125" smooth plate aluminum painted job color.	\$57		
5150-0149	License plate light incandescent with chrome housing located at the rear of the body below tailboard/body	\$65		
5150-0150	Weldon LED vertical mount tail lights. Includes LED stop, tail, turn and halogen back-up lights with vertical 4 housing and weatherproof connectors.	\$2,228		
5150-0151	Marker light package cab / body LED. Body lights to be .75" Dia TecNiq for custom pumpers and tankers.	\$903		
5150-0152	Federal Signal QuadraFlare LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights with individual chrome bezels and weatherproof connectors.	\$1,258		
5150-0153	Instructions: License plate and light to be located on B4 compartment door at rear of body.	\$0		
5150-0154	License plate light EON LED located at the rear of the body.	\$133		
5150-0155	Whelen 600 series LED vertical mount taillights. Includes LED stop/tail, arrow turn and backup lights with individual black flanges and weatherproof connectors.	\$2,653		
5150-0156	Marker lights Britax model L428 LED amber/red rubber housed (PR). Location: [#LOC].	\$472		
5150-0157	Marker lights Britax LED amber/red rubber housed (PR). Location: on cab above wheels rear of front doors down low, on body above forward recessed warning light housings and on body behind rear side doors same height as cab lights.	\$346		
5150-0158	Whelen M6 series LED vertical mount tail lights with clear lenses. Includes LED stop/tail, arrow turn and back-up lights with vertical 4 light housing and weatherproof connectors.	\$1,925		
5150-0159	License plate light EON LED located on front bumper.	\$133		
5150-0160	Marker lights Britax LED amber/red rubber housed mounted on the rear body corners angled up.	\$472		
5150-0161	Weldon auxiliary turn signal and marker light model 9186-8580 LED (PR). Location: [#LOC].	\$327		
5150-0162	Weldon LED vertical mount tail lights. Includes LED stop, tail, turn and back-up lights with vertical 4 housing and weatherproof connectors.	\$2,707		
5150-0163	Whelen M6 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights individually mounted with weatherproof connectors.	\$1,768		
5150-0164	Whelen M6AC LED auxiliary turn signal (PR) with 15 degree E-1 fabricated housing and clear lens. Paint housing same color to be mounted to. Location: Centered over cab wheel well	\$926		
5150-0165	Marker light LED body/cab package TecNiq. E-ONE custom cab with rear mount aerial platform bodies only. Includes (3) marker lights on front of platform.	\$1,956		
5150-0166	Light Whelen M6 red LED 3rd brake light (ea). Location: [#LOC]	\$322		
5150-0167	Weldon clearance light model 9186-8580 LED (PR). Low intensity only wired as steady on with marker light circuit. Location: (1) each side in body wheel well offset forward.	\$327		
5150-0168	Whelen M6 series LED vertical mount tail lights. Includes LED stop/tail, arrow turn and back-up lights individually mounted with black bezels and weatherproof connectors.	\$1,768		
5150-0169	License plate light LED with black housing located at the rear of the body.	\$159		
5150-0170	Optronics 4" GloLight LED taillights. Includes red LED stop/tail, amber turn and clear back-up.	\$618		
5150-0171	Marker light package cab / body LED. Body lights to be .75" Dia TecNiq/ Trucklite for custom pumpers and tankers.	\$1,338		
5150-0172	Marker light package cab / body LED. Body lights to be .75" Dia TecNiq for custom cab and rescue body.	\$903		
5150-0173	Whelen M6 series LED vertical mount tail lights with clear lenses. Includes LED stop/tail, arrow turn and back-up lights with vertical 3 light housing and weatherproof connectors.	\$1,768		
5150-0174	Marker light package (9) .75" Dia LED TecNiq. Wetside Tanker.	\$283		

Item #	Description	Extension	+1/-1	Total
5200-0000	Breaker box 8 place single phase. Includes main breaker. Note: Main breaker occupies 2 places leaving 6 available. Locate [#LOC].	\$995		
5200-0001	Breaker box 12 place single phase. Includes main breaker. Note: If gen is 6KW or less, main will occupy 2 places leaving 10 available. Locate [#LOC].	\$1,040		
5200-0002	Breaker Box 20 Place Single Phase. Includes main breaker. Locate [#LOC].	\$1,060		
5200-0003	Breaker box 2 place single phase (70A 110/220V). Location [#LOC].	\$443		
5200-0006	Breaker box 30 place three phase. Includes main breaker. Only for generator sizes 30 thru 60 KW. Location: [#LOC].	\$2,483		
5200-0007	Breaker box 30 place single phase. Includes main breaker. Maximum generator size 48 KW. Location: [#LOC].	\$1,641		
5200-0008	Breaker box 16 place single phase. Includes main breaker. Locate [#LOC].	\$1,044		
5200-0009	Breaker box 8 place single phase; no main breaker. For use with multiple options wired through shoreline power with 30A or larger inlet recept. Locate adjacent to main breaker box.	\$776		
5200-0010	Locate breaker box for auto transfer switch above main breaker box.	\$0		
5200-0011	Locate breaker box [#LOC].	\$0		
5200-0012	Breaker box location. Breaker box will be mounted by VanMor. Locate: rear of the entry door in the interior.	\$0		
5200-0013	Breaker Box 20 Place Single Phase. Includes main breaker. Locate inside forward body module, centered on rear wall, up high. Digital readout panel to be located next to breaker box.	\$1,060		
5250-0003	Generator Onan 6KW diesel. Requires fuel pick up option in chassis and 3rd party testing. Generator location: [#LOC].	\$17,823		
5250-0004	Generator Onan 10KW diesel. Requires fuel pick up option in chassis and 3rd party testing. Generator location: [#LOC].	\$22,753		
5250-0005	Generator Onan 6KW hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$15,244		
5250-0006	Generator Onan 8KW hydraulic. Includes generator control/PTO engage switch and a gauge panel located adjacent to circuit breaker box. Generator location: [#LOC].	\$17,157		
5250-0007	Generator Onan 10KW hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$17,815		
5250-0008	Generator Harrison 15KW MPC hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$29,534		
5250-0009	Generator Harrison 20KW MPC hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$31,908		
5250-0010	Generator Winco 20KW single phase PTO driven for electronically controlled engine with automatic transmission.	\$9,524		
5250-0012	Generator Onan 15KW hydraulic. Includes generator control/PTO engage switch and a gauge panel located adjacent to circuit breaker box. Note: Generator is not compatible with an Amkus electric hyd tool power unit. Generator location: [#LOC].	\$25,730		
5250-0017	Generator Honda EM5000SXK with 4.5KW continuous output. Generator location: [#LOC].	\$7,216		
5250-0026	Generator Smart Power 10KW hydraulic model ER110. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$20,322		
5250-0027	Generator Onan 25KW PTO. Single phase 120/240v. Includes PTO, driveshaft, main breaker, gauge panel, fast idle and frequency control for engine.	\$10,549		
5250-0028	Generator Onan 35KW PTO. Single phase 120/240v. Includes PTO, driveshaft, main breaker, gauge panel, fast idle and frequency control for engine.	\$12,618		
5250-0030	Generator Siemens Kubota 7.8KW 24 Volt installed in Generator Compartment.	\$13,456		
5250-0031	Generator Siemens Kubota 7.8 KW 24 Volt installed on Top Deck	\$14,077		
5250-0032	Generator Siemens Kubota 10 KW 24 Volt installed in R-4 Compartment	\$16,859		
5250-0033	Generator Siemens Kubota 10KW 24 Volt installed on Top Deck	\$17,626		
5250-0035	Onan 40kW PTO driven 3-phase generator.	\$13,772		

Item #	Description	Extension	+1/-1	Total
5250-0036	Generator Smart Power 6KW hydraulic model HR-6 (with top mount cooler). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$16,185		
5250-0037	Generator Smart Power 8KW hydraulic model HR-8 (with top mount cooler). Includes generator control/PTO engagement switch and a gauge panel located adjacent to the circuit breaker box. Generator location: [#LOC].	\$18,495		
5250-0038	Generator Smart Power 10KW hydraulic model HR-110 (with top mount cooler). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$20,322		
5250-0039	Generator Harrison 10KW MCR hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$19,229		
5250-0040	Generator Harrison 6KW MCR hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$14,978		
5250-0042	Generator Westerbeke 5KW diesel (model#5.0 BCDB). Requires fuel pick up option in chassis and 3rd party testing. Generator location: [#LOC].	\$18,429		
5250-0043	Dealer installed generator. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0044	Generator Smart Power 5.5KW hydraulic model HR-6 (with top mount cooler). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC]	\$20,695		
5250-0045	Generator Harrison 30KW MPC hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$39,108		
5250-0046	Generator PTO switch to be a locking rocker type.	\$0		
5250-0047	Generator Smart Power 15KW hydraulic model HR-15 (with top mount cooler). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$27,033		
5250-0048	Raven generator 5KW underhood 120V	\$13,136		
5250-0050	Generator Smart Power 20KW hydraulic model HR-20 (with top mount cooler). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$29,722		
5250-0051	Locate generator gauge panel on pump operators panel ipo next to breaker box.	\$142		
5250-0052	Lima Mac, 60KW, 120/208 VAC, 3 phase Generator w/ T-Case.	\$27,200		
5250-0053	Generator Harrison 8KW hydraulic plumbed through aerial system. Bronto HDT only. When gen is engaged, the Bronto will run off (1) hyd pump, reducing it's speed by 50%. Includes generator control switch and gauge panel located adjacent to breaker box. Generator location: Driver side of dunnage pan over pump.	\$20,418		
5250-0054	Generator Onan 7.5KW diesel. Requires fuel pick up option in chassis and 3rd party testing. Generator location: [#LOC].	\$15,973		
5250-0055	Generator Smart Power 8KW hydraulic model ER8. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC]	\$21,900		
5250-0056	PTO engage switch to be wired as follows: switch in the down position (PTO off) and switch in the up position (PTO engage).	\$136		
5250-0059	Generator Onan 15KW PTO. Single phase 120/240v. Includes PTO, driveshaft, main breaker, gauge panel, fast idle and frequency control for engine.	\$9,816		
5250-0060	Dealer installed Onan 6KW diesel generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0061	Dealer installed Onan 6KW hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0062	Dealer installed Onan 8KW hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0063	Dealer installed Onan 10KW hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		

Item #	Description	Extension	+1/-1	Total
5250-0064	Dealer installed Onan 15KW hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0065	Dealer installed Onan 20KW hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0066	Dealer installed Smart Power 10KW hydraulic model ER110 generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0067	Dealer installed Smart Power 10KW hydraulic model HR110 generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0068	Dealer installed Smart Power 6KW hydraulic model HR-6 (with top mount cooler) generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0069	Dealer installed Smart Power 8KW hydraulic model HR-8 (with top mount cooler) generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0070	Dealer installed Smart Power 15KW hydraulic model HR-15 (with top mount cooler) generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0071	Dealer installed Smart Power 20KW hydraulic model HR-20 (with top mount cooler) generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0072	Dealer installed Harrison 6KW MCR hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0073	Dealer installed Harrison 10KW MCR hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0074	Dealer installed Harrison 30KW MPC hydraulic generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0075	Guarded generator PTO engage toggle switch. Located driver side cab switch panel. For use on Typhoon X and CIIX cabs only.	\$230		
5250-0076	Guarded PTO engage rocker switch. Located driver side cab switch panel. For use on Quest, CIIX LTH aerial and commercial cabs.	\$230		
5250-0077	Generator Harrison 8KW MCR hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$19,019		
5250-0078	Generator Smart Power 10KW hydraulic Liberator model Li15 (with top mount cooler and XRT hyd tool pump). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$31,409		
5250-0080	Dealer installed 5KW gas generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0082	Dealer installed Westerbeke 10KW diesel generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0083	Generator Package. Includes 5kw portable gas generator, (2) 20AMP TL receptacles. One each side on rear compartment face, (2) 500W quartz lights with internal pole on the pump module and (6) place breaker box with master breaker forward wall L1.	\$8,917		
5250-0084	Generator Package. Includes (2) 20AMP TL receptacles. One each side on rear compartment face, (2) 500W quartz lights with internal pole on the pump module and (6) place breaker box (master breaker to be installed by dealer with size of generator to be determined by dealer) forward wall L1.	\$4,682		
5250-0085	Connector plug for use with 5kw gas portable generator. Lower rear area of driver side rearward compartment.	\$0		
5250-0086	Wiring from breaker box to lower rear area of driver side rearward compartment. Dealer to provide connector compatible with dealer installed generator.	\$0		

Item #	Description	Extension	+1/-1	Total
5250-0087	Generator Package. Includes 5kw portable gas generator located in the officer side hosebed storage pan, (2) 20AMP TL receptacles, one each side on rear compartment face, (2) 500W quartz lights with internal pole on the pump module and (6) place breaker box with master breaker forward wall L1.	\$9,099		
5250-0088	Dealer Installed Generator Package. Includes (2) 20AMP TL receptacles, one each side on rear compartment face, (2) 500W quartz lights with internal pole on the pump module and (6) place breaker box (master breaker to be installed by dealer with size of generator to be determined by dealer) forward wall L1.	\$4,813		
5250-0089	Generator Package. Includes 8kw hydraulic generator located in the officer side hosebed storage pan, (2) 20AMP TL receptacles, one each side on rear compartment face, (2) 500W quartz lights with internal pole on the pump module and (6) place breaker box with master breaker forward wall L1. Includes generator control / PTO engage switch mounted within the cab, a gauge panel shall accompany the generator package.	\$17,569		
5250-0090	Dealer Installed Generator Package. Includes (2) 20AMP TL receptacles, one each side on rear compartment face, (2) 500W quartz lights with internal pole on the pump module and (6) place breaker box (master breaker and PTO to be installed by dealer with size of generator to be determined by dealer) forward wall L1.	\$4,907		
5250-0091	Generator Package. Includes (2) 20AMP TL receptacles. One each side on rear compartment face, (2) 1500W quartz lights with internal pole on the pump module and (6) place breaker box (master breaker to be installed by dealer with size of generator to be determined by dealer) forward wall L1.	\$5,252		
5250-0092	Generator Honda EM5000SXK with 4.5KW continuous output. NFPA rated at 3.3KW. Generator location: [#LOC].	\$6,538		
5250-0093	Generator Smart Power 20KW hydraulic model HR-20 (with top mount cooler). Includes generator control / PTO engage switch and a gauge panel located on pump panel. Generator location: [#LOC]	\$29,722		
5250-0097	Connector plug for use with 5.5KW Harrison gas generator. Driver side lower rear compartment offset forward.	\$0		
5250-0098	Connector plug for use with 5.5KW Harrison gas generator. Officer side lower rear compartment offset forward.	\$0		
5250-0099	Wiring from breaker box to lower rear area of officer side rearward compartment. Dealer to provide connector compatible with dealer installed generator.	\$0		
5250-0101	Wiring from breaker box to officer side hosebed storage pan. Dealer to provide connector compatible with dealer installed generator. Allow for two feet of extra looped line in pan.	\$0		
5250-0102	Connector plug for use with 5.5KW Harrison gas generator. Officer side hosebed storage pan.	\$0		
5250-0103	Connector plug for use with 5kw gas portable generator. Officer side hosebed storage pan.	\$0		
5250-0104	Wiring from breaker box to officer side hosebed storage pan. Dealer to provide connector compatible with dealer installed generator.	\$0		
5250-0105	Exhaust deflector for use with dunnage pan mounted Harrison gas generator and TM module application.	\$0		
5250-0106	Westerbeke 10KW BTDAR diesel single phase generator and XRT Hydraulic tool system with 3 tool capability. 10,500 PSI system. Includes selector valve for each reel, hyd res / filter and remote cooler. Requires fuel pick up option in chassis and 3rd party testing. Locate in dunnage pan offset to officer side. Route (4) lead lines to B1 compt.	\$54,606		
5250-0108	A Power Tech PTS-30 (30kw) diesel generator will be located in the pan over L1/R1. Locate the generator controls next to the breaker box.	\$21,685		
5250-0109	Generator Onan 20KW PTO. Single phase 120/240v. Includes PTO, driveshaft, main breaker, gauge panel, fast idle and frequency control for engine.	\$10,185		
5250-0110	Generator Package. Includes 8kw hydraulic generator located in the officer side hosebed storage pan, (2) 20AMP TL receptacles, one each side on rear compartment face, (2) magna fire quartz lights 900W/240V model KR-939-I with internal pole on the pump module and (6) place breaker box with master breaker forward wall L1. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box.	\$18,229		
5250-0111	Westerbeke 10KW BTDAR diesel single phase generator and XRT Hydraulic tool system with 2 tool capability. 10,500 PSI system. Includes selector valve for each reel, hyd res / filter. Requires fuel pick up option in chassis and 3rd party testing. Locate in [#LOC]. Route (4) lead lines to B1 compt.	\$54,606		

Item #	Description	Extension	+1/-1	Total
5250-0112	Generator Harrison 8KW hydraulic MCR model. Includes generator control to start generator. Start switch shall be located on the instrument panel within easy reach of the operator. A gauge panel shall accompany the generator package. Generator location: [#LOC].	\$16,810		
5250-0113	Generator Harrison 10 KW hydraulic MCR model. Includes generator control to start generator. Start switch shall be located on the instrument panel within easy reach of the operator. A gauge panel shall accompany the generator package. Generator loc: [#LOC].	\$17,449		
5250-0114	Generator Harrison 15 KW hydraulic MPC model. Includes generator control to start generator. Start switch shall be located on the instrument panel within easy reach of the operator. A gauge panel shall be located adjacent to breaker box. Generator loc: [#LOC].	\$24,090		
5250-0115	Generator Harrison 15KW MPC hydraulic w/IHT. Includes tool circuit manifold, aux heat exchanger, generator control / PTO engage switch and a gauge panel located adjacent to breaker box. [#LOC]	\$39,639		
5250-0116	Dealer installed Powertech 8KW diesel generator located [#LOC]. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0117	Generator Harrison 8KW MAS hydraulic. Includes generator control/PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$19,019		
5250-0118	Generator Harrison 8KW LPG hydraulic. Includes generator control switch to engage the PTO and start the generator and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$18,664		
5250-0119	Generator Harrison 8KW MCR hydraulic w/IHT. Includes tool system manifold, aux heat exchanger, generator control / PTO switch, tool sytem / PTO switch, (both switches accessible by driver) and a generator gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$31,616		
5250-0120	Generator Harrison 10KW LPG hydraulic w/IHT. Includes tool system manifold, aux heat exchanger, generator control / PTO switch, tool sytem / PTO switch, (both switches accessible by driver) and a generator gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$31,842		
5250-0121	Generator Honda EM6500SX with 5.5KW continuous output. Generator location:[#LOC].	\$8,460		
5250-0123	Generator Honda EM4000 with 3.5KW continuous output. NFPA rated at 3.3KW. Generator location: [#LOC].	\$6,538		
5250-0124	Generator Smart Power 6KW hydraulic model LR-6 Light Rescue Series (FORD 250, 350, 450, 550 Chassis). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location:[#LOC].	\$17,123		
5250-0125	Generator Harrison 10KW LPG hydraulic. Includes generator control/PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$19,229		
5250-0127	Wiring from breaker box to tray mounted generator. Dealer to provide connector compatable with dealer installed generator. Allow for two feet of extra looped line in compartment L1.	\$0		
5250-0128	Generator Smart Power 15KW hydraulic Liberator model Li20 (with top mount cooler and XRT hyd tool pump). Includes generator control switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$36,658		
5250-0129	Generator Harrison 8KW MDS hydraulic. Includes generator control/PTO engage switch, gauge panel located adjacent to breaker box and 80cc hyd pump (requires driver side port on EVS3000 trans). Generator location: [#LOC].	\$23,743		
5250-0130	Generator Harrison 6KW MDS hydraulic w/IHT for continuous accessory. Includes aux hyd system manifold, integral aux heat exchanger, generator control / PTO switch, aux system / PTO switch, (both switches accessible by driver) and a generator gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$29,861		
5250-0131	Generator toggle switch (IPOS keyed switch). Located: [#LOC].	\$230		
5250-0132	Generator Harrison 8KW MDS hydraulic w/IHT for continuous accessory. Includes aux hyd system manifold, integral aux heat exchanger, generator control / PTO switch, aux system / PTO switch (both switches accessible by driver), and a generator gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$32,123		

Item #	Description	Extension	+1/-1	Total
5250-0133	Generator Harrison 10KW MDS hydraulic w/IHT for continuous accessory. Includes aux hyd system manifold, integral aux heat exchanger, generator control / PTO switch, aux system / PTO switch (both switches accessible by driver), and a generator gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$33,390		
5250-0134	Generator Harrison 6KW LPG hydraulic with remote mounted reservoir. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$19,647		
5250-0135	Generator Harrison 10KW MCR hydraulic w/IHT for continuous accessory. Includes aux hyd system manifold, aux heat exchanger, generator control / PTO switch, aux system / PTO switch, (both switches accessible by driver) and a generator gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$30,209		
5250-0136	Generator Harrison modular component 15KW MCS hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$33,360		
5250-0137	Generator Harrison 10KW LPG hydraulic with remote reservoir. Includes generator control/PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$19,229		
5250-0138	Generator Smart Power 20KW hydraulic Liberator model Li25 (with top mount cooler and XRT hyd tool pump). Includes generator control switch, guarded PTO switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$44,731		
5250-0139	Dealer installed Westerbeke 8W diesel generator located dunnage pan offset to officer side. Option includes space only. Dealer responsible for NFPA required 3rd party generator testing.	\$352		
5250-0140	Generator (FOR US AIR FORCE ONLY) Onan 10KW diesel. Requires fuel pick up option in chassis and 3rd party testing. Generator location:[#LOC].	\$16,845		
5250-0141	Generator Smart Power 6KW hydraulic model ER6. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$16,185		
5250-0142	Generator Harrison 6KW LPG hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$16,113		
5250-0143	Generator Onan 8KW hydraulic 50 Hz. Includes generator control/PTO engage switch and a gauge panel located adjacent to circuit breaker box. Generator location: [#LOC].	\$17,815		
5250-0144	Generator Harrison 12KW MCR hydraulic. Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$20,265		
5250-0145	Generator Harrison 6KW LPG hydraulic w/IHT. Includes tool system manifold, aux heat exchanger, generator control / PTO switch, tool sytem / PTO switch, (both switches accessible by driver) and a generator gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$26,002		
5250-0146	Generator PTO engage programmed through multiplex display. For use on Typhoon X and CIIX cabs only.	\$230		
5250-0147	Generator Smart Power 10KW hydraulic Liberator model Li10 (with top mount cooler and compatible with an XRT pump). Includes generator control / PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$28,692		
5250-0148	Dealer installed 8KW gas located in L3. No space provided; dealer to advise compartment size to customer. Dealer responsible for NFPA required 3rd party generator testing.	\$0		
5250-0149	Harrison diesel APU/Generator model# 10K160. APU location: [#LOC]. Seperate fuel pick-up option is required with this option.	\$29,271		
5250-0150	Generator Onan 12KW Quiet Diesel de-rated to 8KW for NFPA compliancy. Requires fuel pick up option in chassis and 3rd party testing. Generator location: To be installed by VanMor.	\$19,679		
5250-0151	Generator Harrison 6KW MAS hydraulic. Includes generator control/PTO engage switch and a gauge panel located adjacent to breaker box. Generator location: [#LOC].	\$14,978		
5250-0152	Generator Harrison 10KW MAS hydraulic. Includes generator control/PTO engage switch and a gauge panel located adjacent to breaker box. Location: [#LOC]	\$19,229		



Item #	Description	Extension	+1/-1	Total
5250-0153	Generator Onan 30KW PTO. Single phase 120/240v. Includes PTO, driveshaft, main breaker, gauge panel, fast idle and frequency control for engine.	\$11,813		
5255-0000	3rd party generator testing without pump.	\$799		
5255-0001	3rd party generator test with pump.	\$107		
5255-0002	UL 3rd party generator testing without pump.	\$824		
5260-0000	Generator air deflector for Onan hydraulic. When generator is compartment mounted or mounted in a pan on an aerial body, engineering is to specify updraft or downdraft.	\$521		
5260-0001	Remote start for diesel generator. Location: [#LOC].	\$491		
5260-0002	Remote control starting kit for Honda EM3800SX, EM4000, EM5000SX and EM6500SX generators. Locate [#LOC].	\$848		
5260-0004	Generator prewire for dealer supplied and installed 5 KW portable generator. Includes 12 volt wiring and cable between breaker box. Prewire to [#LOC].	\$318		
5260-0006	Compartment door(s) of compartment mounted generator to have interlock.	\$239		
5260-0007	Block heater for diesel powered generator (Power Tech).	\$475		
5260-0008	Generator prewire for dealer supplied and installed 6.5KW portable generator. Includes 12volt wiring and cable between breaker box. Prewire to [#LOC].	\$390		
5260-0009	Generator oil drain valve with tube extending below driver side pump panel.	\$249		
5260-0010	Remote start switches for Honda EM3800SX portable generator. Honda remote start kit with E-ONE supplied switches on pump panel. This option may void factory generator warranty from Honda.	\$1,191		
5260-0011	Extend exhaust pipe from dunnage pan mounted portable generator into pump compartment using stainless steel flexible pipe.	\$112		
5260-0012	Generator wire routing. Route wiring through rear side of dunnage pan approximately 4" from floor.	\$0		
5260-0013	Locate generator gauge panel to the outboard side of the breaker box.	\$142		
5260-0014	Oil drain valve with tube extending below officer side pump panel.	\$249		
5260-0015	Generator prewire for dealer supplied and installed 2.5 KW portable generator. Includes 12volt wiring and cable between breaker box with #66W47 posi-lock Woodhead recpt. Prewire to R1 forward wall up high.	\$527		
5260-0016	Extend exhaust pipe from dunnage pan mounted portable generator in line with main exhaust system using stainless steel flexible pipe.	\$112		
5260-0017	Compartment door(s) of compartment mounted compressor to have interlock.	\$239		
5260-0018	Diamond plate generator shield (3) sided. Forward, rearward and outboard sides w/2" space between generator and shield. Outboard side to have slots for hot air exhaust.	\$765		
5260-0019	The exhaust of the gas generator to be routed downward and to the exit to below the unit to the officer side of the unit.	\$316		
5260-0020	Compartment door(s) of compartment mounted electric dump valve to have interlock.	\$239		
5260-0021	Oil drain valve with tube extending below driver side pump panel.	\$249		
5260-0022	Compartment door(s) of L2 and R3 compartments to have interlock due to the B1 mounted generator. Required in addition to standard generator compartment door interlock.	\$0		
5260-0023	Generator platform to raise the generator up 8" in the storage pan. Generator raised due to heat from generator exhaust.	\$472		
5260-0024	Locate generator gauge panel on the pump operators panel in lieu of standard location adjacent to breaker box	\$142		
5260-0025	Generator prewire for dealer supplied and installed 3.5 KW portable generator (Honda or other with equivalent dimensions). Includes 12 volt wiring and A/C cabling to breaker box. Prewire to [#LOC].	\$318		
5260-0026	(4) terminal strips for quick dis-connection of generator.	\$0		
5260-0027	Locate generator gauge panel above breaker box on a formed bracket. See photos on file with sales.	\$142		
5260-0028	Locate generator gauge package on L1 forward wall outboard midway.	\$0		

Item #	Description	Extension	+1/-1	Total
5260-0029	There shall be a 7 gauge stainless steel cover surrounding the generator. Cover shall be easily removable for generator servicing and have an expanded metal insert for ventilation.	\$1,318		
5260-0030	Generator governor FRC FROG with two gauge panels. Locate one gauge panel next to breaker box and the second one in the cab.	\$8,290		
5260-0031	The hydraulic generator (Harrison MCR model) shall be upgraded to a thru pump to accommodate other options sharing the same PTO pad.	\$901		
5260-0032	Bolt-on diamond plate cover on top of generator. See photos on file.	\$309		
5260-0033	Diamond plate guard to protect the generator's wiring and harnesses in the dunnage pan. The guard will go full height of the dunnage pan, forward to rear, separating the generator and breaker box from the other side (driver's side) of the dunnage pan.	\$396		
5260-0034	Vertical exhaust for Harrison MCR and MPC generators 6KW - 20KW.	\$603		
5260-0036	Locate generator gauge package (PTO engage, main breaker, gauge panel, fast idle and frequency control for engine) located: body interior inside L3 entrance door on the left side up high above L2 mounted inboard of the auto transfer switch/breaker box.	\$0		
5260-0037	Generated auxiliary 12V power system wired through diesel generator. System includes (3) Power Max 100A 12V converters to power VMUX electrical system. Generator not included (engine off but ignition must be in "on" position). Requires Engineering review for generator and 12V power requirements.	\$7,550		
5260-0038	Remote control starting kit for Harrison DBR5500 generator. Location: [#LOC].	\$556		
5260-0039	Generator prewire for dealer supplied and installed 5.5KW portable generator. Includes 12volt wiring and cable between breaker box. Prewire to dunnage pan.	\$452		
5260-0040	Generator digital display FRC FROG-D IPOS. Location: [#LOC].	\$1,861		
5260-0041	Idle reduction system powered by a diesel generator. System includes (2) Power Max 100A 12V converters to power the vehicle electrical system. Requires diesel generator. Requires Engineering review for generator and 12V power requirements.	\$4,720		
5260-0042	Compartment door(s) on officer side to be interlocked with ladder rack.	\$239		
5260-0043	Locate generator gauge package on L1 forward wall above breaker box.	\$0		
5260-0044	Locate generator gauge package on L1 forward wall up high.	\$0		
5260-0045	Locate generator gauge package on pump panel in lieu of L1 forward wall above breaker box.	\$0		
5260-0046	Generator prewire for dealer supplied and installed 2KW portable generator. Includes 12 volt wiring and cable between breaker box. Prewire to [#LOC].	\$352		
5260-0047	Aesthetic shield for hydraulic generator on outboard end of dunnage pan. To be 3-sided, open top, and constructed from diamond plate.	\$521		
5260-0048	Hinged diamond plate cover with out access hole on top of generator. Cover is to be hinged so as to tilt forward of the generator. See photos on file.	\$309		
5260-0049	Locate generator gauge package on L4 forward wall in lieu of adjacent to breaker box.	\$0		
5260-0050	Wiring and hydraulic line(s) (if equipped) covers for compartment mounted generator.	\$323		
5260-0051	Support bracing for generator between L1/R1 compartments.	\$2,158		
5260-0052	Generator hydraulic pump to have drive through upgrade for second hydraulic pump. Includes upgrade to 80cc pump for increased torque capacity. Harrison and SmartPower 6-10kw only. Requires engineering review and approval.	\$1,382		
5260-0053	Generator governor FRC FROG. Locate gauge panel on pump panel.	\$4,544		
5260-0054	Generator prewire for dealer supplied and installed 3KW portable generator. Includes 12 volt wiring and cable between breaker box. Prewire to [#LOC].	\$352		
5260-0055	Generator hydraulic pump to have drive through upgrade for second hydraulic pump. Harrison and SmartPower 15-30kw only (with 80cc pump). Requires engineering review and approval.	\$790		

Item #	Description	Extension	+1/-1	Total
5260-0056	APS: Auxiliary 12V Power System. System includes (1) 120A Power Max 12VDC converter to power VMUX electrical system load includes: Scene lights with body interior switch, compartment lights, step lights, ground lights with body interior switch, and 12VDC power distribution module in body interior electrical cabinet. Generator not included (chassis engine off with ignition in "on" position). Scene light and ground light switches to be panel mounted near body entry door. ***Requires Engineering review for generator and 12V power requirements.	\$4,752		
5260-0057	Locate generator gauge panel inside body module on forward bulkhead above work station on driver side	\$142		
5260-0058	IRT. Generated auxiliary 12V power system wired through diesel generators. System includes (3) Power Max 100A 12V converters to power VMUX electrical system. Generators not included (engine off but ignition must be in "on" position). Requires Engineering review for generator and 12V power requirements. Commercial Chassis Command Vehicle only.	\$10,649		
5260-0059	Generator hydraulic pump to have side ports IPOS. Harrison 6-10kw only. Requires engineering review and approval.	\$1,139		
5300-0000	Light bar Code 3 model XL5100 (PR) 22" Long. All red lens. Location: [#LOC]	\$1,449		
5300-0003	Light bar Code 3 model 556A3 56" long with all red lenses. Location: Centered on the front cab roof	\$1,993		
5300-0004	Light bar Code 3 model 718A1 (PR) 18" Long. Red Upper / Clear Lower lens. Location: [#LOC].	\$1,633		
5300-0015	Light bars Federal Signal ADX2201 LED (PR) with red lenses. Location: [#LOC].	\$3,609		
5300-0017	Light bar Federal Signal Jet Stream 48" LED with R/W/R lenses, red diodes and single traffic clearing light. Location: Centered on the front cab roof	\$2,960		
5300-0020	Light bar Federal Signal JetStream JLX54HH 54" LED. Red Solaris reflectors with red domes each side and (2) center clear TCL lights. Location: Centered on the front cab roof.	\$3,293		
5300-0021	Light bar Federal Signal JetSolaris 60" LED. Red Solaris reflectors with clear domes. NFPA compliant. Does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,130		
5300-0022	Light bar Federal Signal 22I (EA). Location: [#LOC].	\$703		
5300-0023	Light bars Federal Signal 22I (PR). Location: [#LOC].	\$1,308		
5300-0024	Light bar Federal Signal Aerodynamic 25RQL-Fast 52" with red/clear lens. Location: Centered on the front cab roof.	\$1,815		
5300-0026	Light bar Federal Signal Aerodynamic ADL5202 52" with red/clear/red lens. Location: Centered on the front cab roof.	\$1,715		
5300-0028	Light bar Federal Signal Aerodynamic ADX5271 52" with 10 red Solaris LED reflectors. Location: Centered on the front cab roof	\$3,477		
5300-0029	Light bar Federal Signal AeroDync ADX7201 72" with 8 red Solaris LED reflectors. Location: Centered on the front cab roof.	\$3,642		
5300-0030	Light bar Federal Signal Aerodynamic AH1LC 72" with red/clear lens. Location: Centered on the front cab roof.	\$2,188		
5300-0031	Light bar Federal Signal Aerodynamic AH2LC 72" with red/clear lens. Location: Centered on the front cab roof	\$2,275		
5300-0044	Light bar Federal Signal Vector VC6001. Location: Centered on the front cab roof	\$2,567		
5300-0047	Light bar Whelen model 9M380NQ66 w/MKEZ7 mounts. Location: Centered on the front cab roof.	\$3,307		
5300-0048	Light bar Whelen Centurion model C300700N 72". Location: Centered on the front cab roof	\$2,020		
5300-0049	Light bar Whelen Edge model 9M380NV 66" with MKEZ7 mounts. Location: Centered on the front cab roof	\$3,784		
5300-0050	Light bar Whelen Edge model 9M387NQ 72" with MKEZ7 mounts without rear facing strobes. N/A on INTL Chassis. Location: Centered on the front cab roof	\$3,480		
5300-0051	Light bar Whelen model 9M387NV 72" all strobe with MKEZ7 mounts. N/A with Vista roof with front facing windows. N/A on INTL Chassis. Location: Centered on the front cab roof	\$3,480		
5300-0052	Light bar Whelen Edge model 9MINNFPA 28 1/4" with MK9 mounts. All strobe light bar. Location: [#LOC]	\$3,524		
5300-0053	Light bar Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. All LED light bar without rear facing LEDs. Location: Centered on the front cab roof.	\$4,482		
5300-0055	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts and clear lenses. Location: Centered on the front cab roof.	\$4,596		

Item #	Description	Extension	+1/-1	Total
5300-0056	Light bar Whelen Freedom model FN72VLED 72" LED with MKEZ7 mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$4,596		
5300-0059	Light bar Whelen model 9MINNFPA 28 1/4" strobe with MKEZ7 mounts (PR). Location: [#LOC]	\$3,524		
5300-0060	Light bar Code 3 model 574NFPA1 74" with all red lenses. Location: Centered on the front cab roof.	\$2,305		
5300-0061	Whelen Mini Edge NFPA 28 1/4" Light Bar. Location: [#LOC]	\$1,720		
5300-0065	Light bar Federal Signal ADX2202 LED (PR) with red lenses. Located side facing only. Not NFPA compliant forward facing. Location: [#LOC].	\$2,238		
5300-0070	Light bar Federal Signal JetStream JLX5401 LED 54". Red Solaris reflectors with red domes. Location: Centered on the front cab roof	\$2,680		
5300-0073	Whelen Lightbar LED Mini Edge Location: [#LOC]	\$1,983		
5300-0074	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with red/clear lenses and low profile MK9 mounts. Location: [#LOC].	\$5,198		
5300-0076	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF 24" with low profile MK9 mounts. Location: [#LOC]. Lense colors: Clear.	\$4,979		
5300-0080	Whelen Strobe 28.50" Red Mini Light Bar installed on [#LOC]	\$1,772		
5300-0081	Light bar, Whelen Freedom Mini LED 28.25", red, installed on [#LOC].	\$2,043		
5300-0082	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF 24" with MKEZ7 mounts. Location: [#LOC]. Lens color: Clear.	\$4,979		
5300-0084	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with red/clear lenses and MKEZ7 mounts. Location: [#LOC].	\$5,198		
5300-0086	Light bar Code 3 MX model 758A1. Upper deck contains (4) rotators (2 ea side) with red lenses and (2) clear oscilasers. Lower deck contains (2) frt red halogen flashers outboard, intersection sweeps and clear lenses. Loc: Centered on the frt cab roof.	\$2,223		
5300-0087	Light bar Code 3 model XL5100 22" Long. All red lens. Location: Centered on the front cab roof.	\$727		
5300-0088	Light bar Whelen Freedom model FN55VLED 55" LED with MKEZ7 mounts. N/A with Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$4,060		
5300-0089	Light bar Code 3 MX model 769A1. Upper deck contains 9 rotators w/ red lenses. Lower deck contains intersection sweeps w/clear lenses. Location: Centered on the front cab roof.	\$2,303		
5300-0091	Light bar Code 3 Excalibur model X58A. Upper deck contains (4) rotators (two ea side) with red lenses and (2) white oscilasers with clear lenses. Lower deck contains (4) takedown lights and two alley lights. Location: Centered on the front cab roof.	\$2,526		
5300-0092	Light bar Whelen Freedom model FN55QLED 55" LED with takedown lights, MKEZ7 mounts and clear lenses. Location: Centered on the front cab roof.	\$4,399		
5300-0093	Light bar Whelen Freedom model FN72VLED 72" LED with Opticom and MKEZ7 mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$7,692		
5300-0094	Light bar Federal Signal 22I (ADL2201Y) with 175 FPM rotators (PR). Location: [#LOC]	\$1,308		
5300-0095	Light bar Code 3 MX model 769 with R/C/C/C/B lenses. Upper deck contains 9 rotators. Lower deck contains intersection sweeps w/clear lenses. Location: Centered on the front cab roof.	\$2,303		
5300-0096	Light bar Code 3 Javelin LED model JX67A. Location: Centered on the front cab roof.	\$7,729		
5300-0099	Light bar Federal Signal JLX21 LED (PR). Located side facing only. Location: [#LOC].	\$2,194		
5300-0100	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses and MKEZ7 mounts. Includes (8) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,108		
5300-0101	Light bar Federal Signal Aerodynamic ADL5202 52" with blue lenses. Location: Centered on the front cab roof.	\$1,715		

Item #	Description	Extension	+1/-1	Total
5300-0102	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RCRCF 24" with MKEZ7 mounts. Location: [#LOC]. Lense colors: Clear.	\$4,941		
5300-0103	Light bar Whelen Freedom model FN66QLED 66" LED with 795H Opticom, takedown lights and MKEZ7 mounts. Location: Centered on the front cab roof.	\$6,342		
5300-0104	Light bar Whelen Freedom model FN66QLED 66" with MK9 mounts. All LED light bar without rear facing LEDs. Location: Centered on the front cab roof.	\$4,482		
5300-0105	Light bar Code 3 model 718A1 (PR) 18" Long. Red upper/clear lower lens driver side and blue upper/clear lower officer side. Location: [#LOC]	\$1,413		
5300-0106	Light bar Code 3 MX model 769 with B/B/C/R/R upper lenses clear lower lenses. Upper deck contains (8) rotators; (4) each side and alley lights. Lower deck contains intersection sweeps, (4) LED warning; (2) blue driver and (2) red officer. Includes pre-wire for opticom in the center of the upper deck. Location: Centered on the front cab roof. Requires 5300-0105.	\$4,132		
5300-0107	Light bar Code 3 MX7400-ALRC-777 58" long. Location: Centered on the front cab roof. Includes (1) steady burn red light for California DOT.	\$5,981		
5300-0108	Light bar Code 3 model MX7100-ALRC-724 (PR) 18" Long. Location: At angle behind main light bar with front corners of bars even with outside edge of main bar.	\$1,451		
5300-0110	Light bar Whelen Freedom model FN72QLED 72" LED with MK8H high mounts. Includes (12) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,453		
5300-0111	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF 24" with MK8H high mounts. Location: [#LOC]. Lens colors: Clear.	\$5,212		
5300-0113	Light bar Whelen Freedom model FL2RRRRF 72" LED with MKEZ7 mounts. Includes (10) red LEDs and (4) blue LEDs. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,131		
5300-0117	Light bar Code 3 model 729A (PR) 29" long. Red upper / clear lower lens. Location: [#LOC]	\$4,139		
5300-0118	Light bar Code 3 MX model 769A with R/W/W/W/R upper lenses and clear lower lenses. Upper deck contains (6) rotators and 3-M Opticom. Lower deck contains intersection sweeps, (6) red LED warning and (4) white LED warning. Location: Centered on the front cab roof.	\$8,571		
5300-0119	Light bar Code 3 model 718A1 (PR) 18" Long. Red Upper / Clear Lower lens. Location: [#LOC]	\$1,126		
5300-0120	Light bar Code 3 model 729A1 (PR) 29" Long. Red Upper / Clear Lower lens. Location: [#LOC]	\$1,768		
5300-0125	Light bar Whelen Freedom model FN82QLED 82" LED with MKEZ7 mounts and clear lenses. Includes (12) red, (2) white LEDs and pre-wire for Opticom. N/A commercial Chassis. Location: Centered on the front cab roof	\$5,935		
5300-0126	Light bar Whelen Freedom model FN72VLED 72" LED with 795H Opticom, (12) red LEDs, (2) clear LEDs and MKEZ7 mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$9,411		
5300-0127	Light bar Code 3 MX model 758A1. Upper deck contains (2) outer sections each to contain (2) regular rotators (red) and a diamond mirror, (2) inner sections each to contain (1) fast rotator (clear) (2) flat mirrors. Lower deck contains (4) Optix LED modules (red) facing forward and (1) pair Corner intersection lights (clear). Loc: Centered on the frt cab roof between the mini-bars.	\$2,889		
5300-0128	Federal ADX7250 LED Light bar 72". Includes (12) Solaris 6-LED red reflectors, (4) Solaris 9-LED red reflectors, and (12) Solaris 6-LED white reflectors. Includes (2) flashers, (1) for red LEDs and (1) for white LEDs.	\$5,697		
5300-0129	Light bar Federal Signal ADX2205 LED (PR). Location: [#LOC]	\$6,214		
5300-0130	Light bar Whelen Freedom model FN82VLED 82" LED with 3M Opticom and MKEZ7 mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof	\$7,345		
5300-0131	Light bar Whelen model FFX2068 19" LED. Location: Centered front of cab below windshield	\$1,971		
5300-0134	Whelen LED 28.25" Light Bar Ultra Freedom Mini red/amber/blue (PR) installed on [#LOC]	\$4,413		
5300-0135	Whelen LED 28.25" Light Bar Ultra Freedom Mini red/amber/blue installed on [#LOC]	\$2,209		

Item #	Description	Extension	+1/-1	Total
5300-0136	Light bar Federal Signal 22I (PR) red/blue lenses. Location: [#LOC]	\$1,308		
5300-0137	Light bar Whelen Freedom model FN72VLED 72" LED with Opticom and MKEZ7 mounts. Includes (10) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,718		
5300-0138	Light bar package, Federal Signal Escape LED (5) bar package. Includes: (1) 40" LED front bar w/ Opticom, (2) diagonal 26" LED bars and (2) 28" side LED bars.	\$13,667		
5300-0140	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts and clear lenses. Includes (10) red LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,460		
5300-0141	Light bar Code 3 model 574A1 74" with all red lenses. Location: Centered on the front cab roof.	\$2,602		
5300-0142	Light bar Federal Signal JetStream 60" LED. Red/White Solaris reflectors with clear domes. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,315		
5300-0144	Light bar Whelen Edge model 9M387NQ 72" with MKEZ7 mounts, pre-wire for Opticom and without rear facing strobes. N/A on INTL Chassis. Location: Centered on the front cab roof	\$3,803		
5300-0145	Federal ADX7204 LED Lightbar 72". Includes (12) Solaris 9-LED red reflectors and Opticom. Location: Centered on the front cab roof.	\$6,902		
5300-0146	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (6) red LED, (2) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof. Lens color: Clear.	\$5,108		
5300-0148	Light bar Whelen model 9MMEDFFD 28 1/4" strobe with MK9 mounts (PR). Lense colors to be RRRCR (front to rear). Location: [#LOC]	\$3,229		
5300-0151	Light bar Whelen Freedom model FN66VLED 66" with MKEZ7 mounts. All LED light bar. Location: Centered on the front cab roof	\$4,482		
5300-0152	Light bar Whelen Freedom model FN72QLED 72" LED with Opticom and MKEZ7 mounts. Includes (6) red LED, (4) Blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,683		
5300-0154	Light bar Federal Signal JetStream 60" LED. Red Solaris reflectors and red domes with clear center and 3M 792 Opticom. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front cab roof	\$8,014		
5300-0155	Federal ADX5283 LED Lightbar 52" with clear domes. Includes (16) Solaris 6-LED red reflectors, (4) Solaris 6-LED white reflectors, TCL and Opticom. Includes (2) flashers, (1) for red LEDs and (1) for white LEDs.	\$7,418		
5300-0157	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with clear lenses and MKEZ7 mounts. Location: [#LOC].	\$5,198		
5300-0158	Light bar Whelen Freedom model FN72QLED 72" LED with 3M Opticom, clear lenses and MKEZ7 mounts. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,432		
5300-0159	Light bar Federal Signal ADX7202 72" with (6) red, (2) white Solaris LED reflectors and 3M Opticom. Location: Centered on the front cab roof	\$6,279		
5300-0160	Light bar Federal Signal JetSolaris 60" LED. Red Solaris reflectors with center traffic clearing light. NFPA compliant, does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,225		
5300-0161	Light bar Whelen Freedom model FN72VLED 72" LED with Opticom and MKEZ7 mounts. Includes (10) red LED, (2) white LED and (2) green LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$9,668		
5300-0162	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRARF driver and FT8RRARF officer 24" with MKEZ7 mounts. Location: [#LOC]. Lense colors: Clear.	\$4,979		
5300-0163	Light bar Whelen Freedom model FN72VLED 72" LED with offset Opticom and MKEZ7 mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$7,692		
5300-0164	Light bar package, Federal Signal Escape LED (5) bar package. Includes: (1) 40" LED front bar (RRWRR), (2) diagonal 26" LED bars (RWR) and (2) 28" side LED bars (RRR).	\$10,527		
5300-0165	Whelen Mini-Freedom LED side facing front cab light bars (PR) model FT8RRRRF 24" with MKEZ7 mounts. All red LEDs with clear lenses. For use on rear mount platforms with supplemental upper level Zone A warning lights. Locate one each side front cab corners side facing.	\$4,979		

Item #	Description	Extension	+1/-1	Total
5300-0166	Light bar Whelen Freedom model FN60VLED 60" LED with MKEZ7 mounts. N/A on Vista roofs with front facing windows. Location: Centered on the front cab roof	\$5,768		
5300-0167	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF 28.25" with MKEZ7 mounts. Location: [#LOC]. Lense colors: Clear.	\$6,287		
5300-0168	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF 24" with MKEZ7 mounts. Location: [#LOC]. Lens colors: Red.	\$4,979		
5300-0169	Light bar Whelen Freedom model FN72QLED 72" LED with red lenses and MKEZ7 mounts. Includes (8) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,108		
5300-0171	Light bar Federal Signal Aerodynamic ADL5202 52" with driver red and officer blue lenses. Location: Centered on the front cab roof.	\$1,715		
5300-0172	Whelen Mini-Freedom LED side facing front cab light bars (PR) model FT8RRRRF 24" with MKEZ7 mounts. All red LEDs with red lenses. For use on rear mount platforms with supplemental upper level Zone A warning lights. Locate one each side front cab corners side facing.	\$4,979		
5300-0173	Light bar Whelen Freedom model FN72VLED 72" LED with MK8 high mounts. Includes (12) red LED, (2) amber LED and (4) white LED. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$7,451		
5300-0174	Light bar Whelen Freedom model FN82VLED 82" LED with MKEZ7 mounts and red lenses. Includes (1) driver forward facing steady burn to meet California law. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof	\$5,427		
5300-0175	Light bar Whelen Freedom model FN72QLED 72" LED with PE215 pre-emptor and MKEZ7 mounts. Includes (12) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,111		
5300-0176	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts. N/A INTL Chassis. Location: Centered on the front cab roof.	\$4,596		
5300-0179	Light bar Federal Signal JLX21 LED red/blue(PR). Locate blue forward if side facing. Location: [#LOC]	\$2,835		
5300-0180	Light bar Federal Signal Escape LED model ESC 2202-NFPA (PR). Red / white with clear lenses. Location: [#LOC].	\$4,044		
5300-0181	Light bar Federal Signal Escape LED model ESC 2202-NFPA (EA). Red / white with clear lenses. Location: Center front of cab. Requires additional forward facing lightbars.	\$2,025		
5300-0182	Light bar (PR) Federal Signal Escape LED model ESC 2201P-NFPA (driver side) and ESC 2201D-NFPA (officer side). Red / white with clear lenses. Side facing only - not for use at front cab corners. Location: [#LOC].	\$3,835		
5300-0184	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RCCRF 28.25" with R/C/C/R lenses and MKEZ7 mounts. Location: [#LOC]	\$4,941		
5300-0185	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses, MKEZ7 mounts and pre-wire for 3M opticom. Includes (8) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$5,200		
5300-0186	Light bar Whelen Freedom model FN72QLED 72" LED with pre-wire for 3M Opticom and MKEZ7 mounts. N/A INTL Chassis. Location: Centered on the front cab roof	\$4,899		
5300-0187	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses and MKH8 high mounts. Includes (8) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$5,159		
5300-0188	Light bar Whelen Freedom model FN72VLED 72" LED with Opticom and MK8 high mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$7,745		
5300-0189	Light bar Federal Signal ADX2201 LED with red lenses. Location: Centered on the front cab roof. Requires additional corner lightbars for NFPA compliance.	\$1,807		
5300-0190	Light bar Whelen Freedom model FN72QLED 72" LED with Opticom and MK8 high mounts. Includes (6) red LED, (4) Blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,734		
5300-0191	Install customer purchased E-ONE overstock lightbar. P/N: 681939. Includes disable of rear corner facing LED lights.	\$393		

Item #	Description	Extension	+1/-1	Total
5300-0192	Light bar Code 3 Model XP9588NFPA1 88" LED. All red with clear lenses. Not available on commercial cabs. Location: Centered on the front cab roof.	\$5,691		
5300-0193	Code3 model XP9501NFPA1 (PR) red LED with clear domes. Location: [#LOC].	\$2,418		
5300-0195	Light bar Federal Signal JetStream 60" LED. Red driver/Blue officer Solaris reflectors. Location: Centered on the front cab roof	\$2,745		
5300-0196	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with red lenses and MK8 high mounts. Location: [#LOC].	\$5,328		
5300-0197	Light bar Whelen Freedom model FN72QLED 72" LED with GTT Opticom, red lenses and MKH8 high mounts. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,491		
5300-0198	Light bar Federal Signal ADX2215-SMV LED side facing (PR) with driver blue forward/red rearward and officer red forward/blue rearward facing lenses. Location: [#LOC].	\$5,093		
5300-0199	Light bar Whelen Freedom model FL2RRRR 72" LED with Opticom and MKEZ7 mounts. Includes (12) red LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,686		
5300-0200	Light bar Federal Signal AeroDync ADX72RB 72" with (16) red and (16) blue Solaris LED reflectors. Lens and LED colors to be B/B/R/R/R/R/B/B/R/R/R/R/B/B. Location: Centered on the front cab roof.	\$6,398		
5300-0201	Light bar Federal Signal AeroDync ADX22RB LED (PR) 22" with (4) red and (4) blue Solaris LED reflectors. Lens and LED colors to be B/R/R/B. Located side facing only. Not NFPA compliant forward facing. Location: [#LOC].	\$3,888		
5300-0202	Light bar Weldon Aero Maxx II 59" LED. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front cab roof	\$3,567		
5300-0203	Light bar Whelen Freedom model FN72QLED 72" LED with 3M 795H Opticom, (10) red LEDs, (2) clear LEDs and MK8 high mounts. For use with front vista windows. Location: Centered on the front cab roof.	\$8,687		
5300-0204	Federal ADX7262 LED Lightbar 72" with clear lenses. Includes (12) Solaris 6-LED red reflectors, (8) Solaris 6-LED blue reflectors, (4) Solaris 9-LED red reflectors, and a 3M Opticom. Includes (2) flashers, (1) for red LEDs and (1) for blue LEDs.	\$6,942		
5300-0205	Whelen Mini-Freedom LED side facing light bars (PR) model FT8CRRCF 28.25" with CRRC lenses and MKEZ7 mounts. Location: [#LOC].	\$4,941		
5300-0206	Light bar package, Whelen 4500 LED (5) bar package. Includes: (1) 40" LED front bar w/ Opticom, (2) diagonal 24" LED bars and (2) 28" side LED bars.	\$15,405		
5300-0207	Federal ADX7250 LED Lightbar 72". Includes (12) Solaris 6-LED red reflectors, (4) Solaris 9-LED red reflectors, and (10) Solaris 6-LED white reflectors and Opticom. Includes (2) flashers, (1) for red LEDs and (1) for white LEDs.	\$8,626		
5300-0208	Light bar Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. All LED light bar without rear facing LEDs. Location: Centered on the front cab roof	\$0		
5300-0209	Federal ADX7265 LED Lightbar 72". Includes (10) Solaris 6-LED red reflectors, (10) Solaris 6-LED blue reflectors, (4) Solaris 9-LED red reflectors, and a 3M Opticom. Includes (2) flashers, (1) for red LEDs and (1) for blue LEDs.	\$6,942		
5300-0210	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with red/clear lenses and MK8 high mounts. Location: [#LOC].	\$5,328		
5300-0211	Light bar Whelen Freedom model FN60QLED 60" LED with MKEZ7 mounts. Includes (8) red, (2) white and (2) amber modules. Location: Centered on the front cab roof	\$5,878		
5300-0212	Light bar Whelen Freedom model FN72VLED 72" LED with MKEZ7 mounts. Includes (10) red LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,977		
5300-0213	Light bar Code 3 MX model 769NFPA1 with Opticom. Upper deck contains 5 rotators w/ red lenses. Lower deck contains 795H Opticom and intersection sweeps w/clear lenses. Location: Centered on the front cab roof.	\$3,862		
5300-0214	Light bar Whelen Freedom model FN72QLED 72" LED with GTT Opticom, clear lenses and MKH8 high mounts. N/A INTL Chassis. Location: Centered on the front cab roof	\$7,491		
5300-0215	Light bar Whelen Freedom model FL2RRRRF 72" LED with MK8H high mounts. Includes (10) red LEDs and (4) blue LEDs. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,190		



Item #	Description	Extension	+1/-1	Total
5300-0216	Light bar Whelen Freedom 72" LED with (8) red LEDs, (2) white LEDs, side facing LR11 alley lights, 3M Opticom, clear lenses and MKEZ7 mounts. N/A INTL Chassis. Location: Centered on the front cab roof	\$7,817		
5300-0217	Light bar Federal Signal AeroDyonic ADX7205 72" with 12 red Solaris LED reflectors and 2 traffic clearing lts. Location: Centered on the front cab roof.	\$4,209		
5300-0218	Light bar Federal Signal JetStream 60" LED. Red Solaris reflectors with clear domes. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front body roof for light rescues.	\$3,130		
5300-0219	Light bar Whelen Freedom model FL2RRRR 72" LED with MKEZ7 mounts and clear lenses. Includes (12) red LEDs, (2) clear LEDs and GTT Opticom. N/A INTL Chassis and vista cabs. Location: Centered on the front cab roof.	\$7,647		
5300-0220	Light bar Whelen Freedom 82" LED with MKEZ7 mounts and clear lenses. Includes (14) red LEDs and (2) LR11Takedown lights . N/A commercial Chassis. Location: Centered on the front cab roof	\$6,481		
5300-0221	Light bar Federal Signal JetStream 60" LED. Red Solaris reflectors with clear domes. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$3,130		
5300-0222	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. N/A INTL Chassis. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$4,596		
5300-0223	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses and MKEZ7 mounts. Includes (8) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$5,108		
5300-0224	Light bar Federal Signal AeroDyonic ADX7201 72" with 8 red Solaris LED reflectors. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$3,642		
5300-0225	Light bar Federal Signal Aerodynamic ADX5271 52" with 10 red Solaris LED reflectors. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$3,477		
5300-0226	Light bar Federal Signal JetSolaris 60" LED. Red Solaris reflectors with center traffic clearing light. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a bracket in front of the body with 13" upper body.	\$3,225		
5300-0227	Light bar Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. All LED light bar without rear facing LEDs. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$4,482		
5300-0228	Light bar Whelen Freedom model FN55QLED 55" LED with takedown lights and MKEZ7 mounts (if applicable). Location: Centered on the front body, mounted to the roof with no upper body or mounted on a bracket in front of the body with 13" upper body.	\$4,399		
5300-0230	Light bar Code 3 model 574NFPA1 74" with all red lenses. Location: Centered on the front body, mounted to the body roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$2,305		
5300-0231	Light bar Code 3 MX model 769A1. Upper deck contains 9 rotators w/ red lenses. Lower deck contains intersection sweeps w/clear lenses. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a braket in front of the body with 13" upper body.	\$2,303		
5300-0232	Light bar Code 3 Excalibur model X69A. Upper deck contains (8) OPX-6 red LED modules and (1) LEDX modules in the center. Lower deck contains (10) OPX-6 red LED modules with a center mounted N-3 emitter. Lens color: Clear. Location: Centered on the front cab roof.	\$6,790		
5300-0233	Light bar Code 3 Excalibur 36". Upper contains (6) OPX-6 red LED modules. Lower contains (6) OPX-6 red LED modules. Lens color clear. Location: [#LOC].	\$9,296		
5300-0234	Light bar Whelen model 45B38 38" LED. Location: Centered rear body, above directional lightbar.	\$2,289		
5300-0235	Code 3 Excalibur model X58A 58" (forward facing) light bar.	\$0		
5300-0236	Light bar Federal Signal JLX2133C-NFPA LED (PR). Red Solaris reflectors with clear lenses. Location: [#LOC].	\$2,608		

Item #	Description	Extension	+1/-1	Total
5300-0237	Light bar Whelen Freedom model FN66QLED 66" with 3M 9592 Opticom (switched on dash panel) and MKEZ7 mounts. All LED light bar without rear facing LEDs. Driver side red lights and officer side to be blue (standard white center) Location: Centered on the front cab roof.	\$6,639		
5300-0238	Federal Signal JetSolaris light bar model JLX6001C 60" LED with red Solaris reflectors with clear domes. Location: Centered on the front cab roof.	\$0		
5300-0239	Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. All LED (forward facing) light bar.	\$755		
5300-0240	Whelen Justice model JE2NFPA 56" with MKEZ7 mounts. All LED (forward facing) light bar.	\$755		
5300-0241	Federal Signal JetSolaris light bar model JLX6001C 60" LED with clear domes. Custom ES. Location: Centered on the front cab roof.	\$0		
5300-0242	Whelen Freedom light bar model FN66QLED 66" LED with clear domes. Custom ES. Location: Centered on the front cab roof.	\$1,011		
5300-0243	Light bar Whelen Freedom model FN82QLED 82" LED with clear lenses, Opticom and MKEZ7 mounts. Includes (7) red LED and (7) blue LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,529		
5300-0244	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF driver and FT8BBBBF officer 28.25" with MKEZ7 mounts. Location: [#LOC]. Lense colors: Clear.	\$4,979		
5300-0245	Whelen Mini-Freedom LED light bars (PR) model FT8RCRCF 28.25" with clear lenses and MKEZ7 mounts. Location: [#LOC].	\$5,198		
5300-0246	Whelen Mini-Freedom LED light bars (PR) model FT8RCRCF 28.25" with clear lenses and MKEZ7 mounts. Location: [#LOC].	\$5,198		
5300-0247	Light bar Federal Signal ADX2201 LED (PR) red with clear lenses. Location: [#LOC].	\$3,609		
5300-0250	Light bar package, Whelen 4500 red/blue LED (5) bar package. Includes: (1) 40" LED front bar w/ Opticom, (2) diagonal 24" LED bars and (2) 28" side LED bars.	\$15,405		
5300-0251	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses, Opticom and MKEZ7 mounts. Includes (7) red LED, (3) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,939		
5300-0252	Light bar Whelen Freedom model FN72QLED 72" LED red/blue with MKEZ7 mounts and clear lenses. N/A INTL Chassis. Location: Centered on the front cab roof	\$4,596		
5300-0253	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRBBF driver and FT8BBRRF officer 28.25" with MKEZ7 mounts. Location: [#LOC]. Lense colors: Clear.	\$4,979		
5300-0255	Light bar Federal Signal JLX2133-CNFPA LED (PR) with clear lenses. Location: [#LOC].	\$2,608		
5300-0256	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (4) red LED, (4) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$5,108		
5300-0257	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (1) driver forward facing steady burn to meet California law. N/A INTL Chassis. Location: Centered on the front cab roof.	\$4,596		
5300-0259	Light bar Whelen Liberty model SLN2QLED 54" with MK9S mounts. All LED light bar. Location: Centered on the front cab roof	\$3,427		
5300-0260	Light bar Whelen Freedom 66" LED with 3M Opticom, red lenses and MKEZ7 mounts. Includes (10) red LED and (2) LR11 dual alley lights. Location: Centered on the front cab roof.	\$7,254		
5300-0261	Light bar Federal Signal Legend. (2) 24" light bars LED side facing only. Lenses color: clear. Location: [#LOC].	\$4,189		
5300-0263	Light bar Federal Signal Legend 61" LED with alley lights, clear lenses and red diodes. Location: Centered on the front cab roof	\$3,737		
5300-0264	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RCRRF driver and FT8BCBBF officer 24" with MKEZ7 mounts. Location: each side over rear cab doors. Lense colors: Clear.	\$4,941		
5300-0265	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RCRRF driver and FT8BCBBF officer 24" with MKEZ7 mounts. Location: front cab corners. Lense colors: Clear.	\$4,941		

Item #	Description	Extension	+1/-1	Total
5300-0266	Light bar Federal Signal Jet Solaris JLX54LL-00009 54" LED. Location: Centered on the front cab roof.	\$2,149		
5300-0267	Light bar Whelen Justice model JE2NFPA 56" LED with clear lenses and MKEZ7 mounts. N/A on Vista roofs with front facing windows. Includes (4) red corner facing LIN6 LED lights, (6) forward facing CON3 Linear LED lights; (4) red, (2) white. Location: Centered on the front cab roof.	\$2,743		
5300-0269	Light bar Whelen Freedom model FN60VLED 60" LED with clear lenses and MKEZ7 mounts. Includes (6) red, (2) white, (4) blue modules and GTT Opticom. Location: Centered on the front cab roof.	\$7,025		
5300-0270	Light bar Whelen model 45B38 38" LED with Opticom. Location: Centered front of cab below windshield	\$3,358		
5300-0271	Light bar Whelen Freedom model FN72QLED 72" LED red/blue with MK8 high mounts. N/A INTL Chassis. Location: Centered on the front cab roof	\$4,656		
5300-0272	Light bar Federal Signal Legend. One (1) 24" light bar, LED, rear body/engine cover top mounted. Lenses color: clear. LED color: red side facing (left and right), red all corners, red rear facing. Location: [#LOC].	\$1,262		
5300-0273	Light bar Federal Signal Legend. One (1) 24" light bars, LED, cab roof. Lenses color: clear. LED color: red side facing (left and right), red all corners, white front and rear facing. Location: [#LOC].	\$1,540		
5300-0274	Light bar, Whelen Freedom Mini LED 28.25", red, installed on [#LOC].	\$2,455		
5300-0275	Light bar Federal Signal Split Vision VSLR8-NYPD. Two (2) 26.5" 4-pod light bars w/ (2) multi-color pods on each bar. Location: front cab corners	\$6,280		
5300-0276	Light bar Federal Signal JLX2100 LED (PR). Model JLX2100-00113-NYPD driver and JLX2100-00125-NYPD officer. Fixtures to include removable aluminum treadplate guards. Location: each side rear upper body corner.	\$3,281		
5300-0277	Light bar Whelen Freedom model FN72VLED 72" LED with MK8 mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$4,655		
5300-0278	Light bar Whelen 4500 LED red/clear (PR) side facing. Includes: (2) 28" side LED bars. Location: [#LOC].	\$5,775		
5300-0279	Light bar Whelen 4500 LED red/clear (PR). Includes: (2) 24" LED bars. Location: [#LOC].	\$5,516		
5300-0280	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RCRRF driver and FT8RCRRF officer 24" with clear lenses, no rear facing lights and MKEZ7 mounts. Location: [#LOC]	\$5,198		
5300-0281	Light bar, Whelen Freedom Mini LED 28.25", all red except 2 forward looking center clear, installed on [#LOC].	\$3,079		
5300-0282	Light bar Whelen Freedom model FN55QLED 55" with GTT 795H Opticom and MKEZ7 mounts. All LED light bar without rear facing LEDs. Location: Centered on the front of the body.	\$5,804		
5300-0283	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (4) red LED, (4) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$5,108		
5300-0284	Light bar Whelen Freedom model FN82VLED 82" LED with MKEZ7 mounts and clear lenses. Includes (12) red, (4) white LEDs. N/A commercial Chassis. Location: Centered on the front cab roof	\$6,868		
5300-0285	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF 24" with MK8H high mounts. Location: [#LOC]. Lense colors: Red.	\$5,212		
5300-0286	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts. Includes (14) red LED with red lenses. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,460		
5300-0287	Light bar Whelen Freedom model FN82VLED 82" LED with MKEZ7 mounts and clear lenses. Includes (14) red, (4) white LEDs. N/A commercial Chassis. Location: Centered on the front cab roof	\$7,265		
5300-0288	Light bar Federal Signal JetStream 60" LED. Red/Blue Solaris reflectors with clear domes. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front cab roof	\$3,315		
5300-0289	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (5) red LED, (5) blue LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$6,123		
5300-0290	Whelen Mini-Freedom LED light bars (PR) model FT8 28.25" with clear lenses and MKEZ7 mounts. Includes: (4) corner mounted red LED, (2) split red/white forward facing LED flashing in X pattern and (1) end mounted red LED Location: [#LOC].	\$6,344		

Item #	Description	Extension	+1/-1	Total
5300-0291	Whelen Mini-Freedom LED light bars (PR) model FT8 28.25" with clear lenses and MK8H high mounts. Includes: (4) corner mounted red LED, (2) split red/white forward facing LED flashing in X pattern and (1) end mounted red LED Location: [#LOC].	\$6,401		
5300-0292	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts. Includes (8) red LED, (2) split red/white flashing in X pattern and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,765		
5300-0293	Light bar Federal Signal Legend 61" LED with clear lenses and red diodes. Location: Centered on the front cab roof	\$4,509		
5300-0294	Light bar Whelen Freedom model FN72QLED 72" LED with MK8H mounts. Centered on the front cab roof.	\$4,534		
5300-0295	Light bar Whelen Freedom model FN72QLED 72" LED with 3M Opticom, clear lenses and MKH8 mounts. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,432		
5300-0296	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (12) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$6,123		
5300-0297	Light bar Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. All LED light bar without rear facing LEDs. Driver side red LED, officer blue LED. Location: Centered on the front cab roof.	\$4,482		
5300-0298	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Location: Centered on the front cab roof.	\$4,596		
5300-0299	Light bar Whelen 4500 Series 20" LED (model 45B20). Location: Centered front of cab below windshield.	\$2,045		
5300-0300	Light bar Whelen Freedom model FN72QLED 72" LED with 3M Opticom, clear lenses and MKEZ7 mounts. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,432		
5300-0301	Light bar Whelen Freedom model FN72QLED 72" LED with Opticom and MK8 high mounts. Includes (8) red LED and (4) white LED with red/clear lenses. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,213		
5300-0302	Light bar Federal Signal Split Vision VSLR8-NFPA1. Two (2) 26.5" 4-pod light bars w/ (3) red and (1) multi-color pods on each bar with red/clear lenses. Location: [#LOC].	\$4,755		
5300-0303	Light bar Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. Includes (10) red LED with red lenses and (2) white LED with clear lenses. Location: Centered on the front cab roof.	\$5,348		
5300-0304	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts. Includes (5) red LED, (5) blue and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,460		
5300-0305	Light bar Whelen Freedom model FN55QLED 55" LED with driver red/officer blue LEDs, takedown lights and MKEZ7 mounts. Location: Centered on the front cab roof.	\$4,399		
5300-0306	Light bar Federal Signal JetSolaris 60" LED. Red and blue Solaris reflectors with center traffic clearing light. NFPA Compliant, does not require 2 addl side facing bars. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a bracket in front of the body with 13" upper body.	\$3,225		
5300-0307	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses, Opticom and MKEZ7 mounts. Includes (10) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,939		
5300-0308	Whelen Mini-Freedom LED side facing front cab light bars (PR) model FNMINI 24" with MKEZ7 mounts. Red and blue LEDs with clear lenses. For use on rear mount platforms with supplemental upper level Zone A warning lights. Locate one each side front cab corners side facing.	\$4,979		
5300-0309	Whelen Mini-Freedom LED side facing light bars (PR) model FNMINI 24" with red/blue LED and MKEZ7 mounts. Location: [#LOC]. Lens colors: Clear.	\$4,979		
5300-0310	Light bar Whelen Freedom model FN72VLED 72" LED with Opticom and MK8H high mounts. Includes (10) red LED, (2) white LED and (2) blue LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,866		
5300-0311	Light bar Whelen Freedom model FN66QLED 66" with Cast Products Model LB0013-2 mounts. All LED light bar without rear facing LEDs. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a bracket in front of the body with 13" upper body.	\$4,482		
5300-0313	Light bar Federal Signal ADX2205 LED (PR) red/clear. State of Maryland only. Location: [#LOC].	\$6,214		

Item #	Description	Extension	+1/-1	Total
5300-0314	Light bar Federal Signal Legend. (2) 24" light bars LED. Lenses color: clear. (1) Model number LGD24Z-00019 and (1) model number LGD24Z-00020. Location: [#LOC].	\$2,447		
5300-0315	Whelen Mini-Freedom LED side facing light bars (PR) model FT8BRBRF driver and FT8BRBRF officer 28.25" with MKEZ7 mounts. Location: [#LOC]. Lense colors: Clear.	\$4,979		
5300-0317	Light bar Whelen Freedom model FN55QLED 55" with GTT 795H Opticom and MKEZ7 mounts. All LED light bar without rear facing LEDs. Location:[#LOC].	\$5,804		
5300-0318	Light bar risers (PR) for the light bars installed on the top of the cab to insure 360 degree visibility. The riser shall raise the as mounted light bar(s) approximately 4" to prevent interference with the brow lighting (if so equipped) and ensure 360 degree visibility is maintained.	\$227		
5300-0319	Light bar Whelen Freedom model FN60VLED 60" LED with MK8H mounts. N/A on Vista roofs with front facing windows. Location: Centered on the front cab roof	\$5,843		
5300-0320	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (10) red LED, (4) blue. Location: Centered on the front cab roof.	\$5,181		
5300-0321	Light bar(s) location to be [#LOC].	\$0		
5300-0322	Light bar made from (2) PowerArc model M90FK-RC light heads. Each light head houses (12) red LEDs (24 total) with clear lenses and a polished stainless steel flange. Includes oscillating technology. Both light heads when mounted together to make light bar are approximately 20" in length. Location: centered front of cab below windshield.	\$1,957		
5300-0323	Light bar Whelen Freedom model FN60VLED 60" LED with MKEZ7 mounts. N/A on Vista roofs with front facing windows. Location: [#LOC].	\$5,768		
5300-0324	Light bar Whelen Liberty 54" with MKEZ7 mounts. Includes (14) red LED modules, (2) LR11 alley lights and (2) LR11 takedown lights. Location: Centered on the front cab roof.	\$4,913		
5300-0325	Light bar Whelen Freedom model FN72VLED 72" LED with 795H Opticom, (12) red LEDs, (2) clear LEDs and MK8H mounts. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$9,462		
5300-0326	Light bar Whelen Freedom model FN72QLED 72" LED with GTT Opticom, clear lenses and MK8H mounts. Includes (3) red LED, (3) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,489		
5300-0327	Light bar Whelen Freedom model FN82QLED 82" LED with MKEZ7 mounts and clear lenses. Includes (12) red, (2) white LEDs. N/A commercial Chassis. Location: Centered on the front cab roof	\$5,679		
5300-0328	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts. Includes (8) red LED, (2) blue LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,460		
5300-0329	Light bar Whelen Freedom model FN55QLED 55" LED with driver red/officer blue LEDs, takedown lights and MKEZ7 mounts. Location: Centered on the front cab roof.	\$4,399		
5300-0330	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses and MKE7 mounts. Includes (10) red LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,460		
5300-0331	Light bar Federal Signal JetSolaris 60" LED. Clear/white Solaris reflectors with red domes. NFPA compliant. Does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,130		
5300-0332	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (6) red, (4) blue and (4) white Super LED modules. Lens color to be R/R/B/W/B/R/W/W/R/B/W/B/R/R Location: Centered on the front cab roof.	\$6,020		
5300-0333	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RBRP 24" with MKEZ7 mounts. Location: [#LOC]. Lens color: Red/Blue.	\$4,979		
5300-0334	Light bar Whelen Freedom model FN72QLED 72" LED GTT Opticom and clear lenses, MKEZ7 mounts. Includes (8) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$6,561		
5300-0335	Federal ADX7204 LED lightbar 72". Includes (12) Solaris 9-LED red reflectors with clear lenses and Opticom. Location: Centered on the front cab roof.	\$6,902		

Item #	Description	Extension	+1/-1	Total
5300-0336	Federal ADX7204 LED lightbar 72". Includes (12) Solaris 9-LED red reflectors with lens arrangement of R/C/R/C/R/C/C/C/R/C/R/C/R and Opticom (with switch accessible to driver). Location: Centered on the front cab roof.	\$6,902		
5300-0337	Light bar Whelen Freedom model FN72QLED 72" LED with MK8H high mounts. Includes (8) red LED and (6) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,060		
5300-0339	Light bar Federal Signal JetSolaris 72" LED. Red and White Solaris reflectors with clear domes. NFPA compliant. Does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$2,977		
5300-0340	Light bar Whelen Freedom model FN72QLED 72" LED GTT Opticom with MKEZ7 mounts. Includes (4) red LED, (4) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$6,561		
5300-0341	Whelen Justice model JE2NFPA 56" with MKEZ7 mounts. All LED (forward facing) light bar.	\$755		
5300-0343	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses, MKEZ7 mounts and pre-wire for 3M opticom. Includes (3) red LED, (3) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$4,392		
5300-0344	Light bar Whelen Justice model JE0NFPA 62" LED with clear lenses and MKEZ7 mounts. N/A on Vista roofs with front facing windows. Includes (4) red corner facing LIN6 LED lights, (6) forward facing CON3 Linear LED lights; (4) red, (2) white. Location: Centered on the front cab roof.	\$2,882		
5300-0345	Light bar Federal Signal Legend 70" LED with clear lenses and red diodes. Location: Centered on the front cab roof.	\$4,032		
5300-0346	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with clear lenses and MKEZ7 mounts. Includes red/clear/blue driver and blue/clear/red officer. Location: [#LOC].	\$5,198		
5300-0347	Light bars Federal Signal One (1) center 3 pod Vision SLR model VSLR3S-NFPA1 LED light bar on 4" tall channel riser. One (1) Vision SLR model VSLR85-NFPA1 side light bars containing two (2) 4 pod LED light bars. Lenses to be R/R/W/R R/W/R R/W/R/R. Location: "V" centered on the front cab roof with the center pod mounted on 4" tall channel risers to accommodate an Opticom below (not included).	\$7,055		
5300-0348	Light bar Whelen Freedom model FN55VLED 55" LED with GTT model 795H Opticom with FX795 pre-wire Opticom mounting kit and MK8H mounts. N/A with Vista roofs with front facing windows. Location: Centered on the front cab roof	\$6,389		
5300-0349	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses, Opticom and MK8H high mounts. Includes (8) red LED, (2) blue LED, (2) white, (2) LR11 takedown and 795H Opticom. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,810		
5300-0350	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RBRRF 28.25" with clear lenses and MK8H mounts. Location: [#LOC].	\$4,998		
5300-0351	Light bar Whelen Freedom model FN66QLED 66" LED with MK8 high mounts. Includes (13) red LED, (7) blue and (2) white takedown LEDs. Location: centered on the front cab roof.	\$7,855		
5300-0352	Whelen Mini-Freedom LED light bars (PR) red/blue 24" with clear lenses and MKEZ7 mounts. Location: [#LOC].	\$5,198		
5300-0354	Light bar Federal Signal Split Vision VSLR6. Two (2) 21" 3-pod light bars w/ (3) red pods on each bar with red lenses. Location: [#LOC].	\$4,021		
5300-0355	Light bar Federal Signal Split Vision VSLR6. Two (2) 21" 3-pod light bars w/ (2) red pods and (1) multi-color pod on each bar with red/clear lenses. Location: [#LOC].	\$4,021		
5300-0357	Light bar Federal Signal Vision VSLR60S-NFPA1. Includes (7) LED pods; (5) red, (2) multi-color. Location: center cab roof.	\$4,495		
5300-0358	Light bars Federal Signal Vision VSLR. One (1) center 21" 3 pod and two (2) side 26.5" 4 pod LED light bars. Lenses to be R/R/C/R R/C/R R/C/R/R. Location: "V" centered on the front cab roof. If equipped with front vista windows, rear LED to be shut off.	\$6,218		
5300-0359	Light bar Federal Signal Split Vision VSLR6. Two (2) 21" 3-pod light bars w/ (3) blue pods on each bar with blue lenses. Location: [#LOC].	\$4,021		

Item #	Description	Extension	+1/-1	Total
5300-0360	Light bar Federal Signal Split Vision VSLR6. Two (2) 21" 3-pod light bars w/ (2) red pods and (1) multi-color pod on each bar with R/C/R lenses. Pods 2 and 5 to have rear rotators programmed amber to rear, white side and forward. Location: [#LOC].	\$4,399		
5300-0361	Light bar Federal Signal Split Vision VSLR6. Two (2) 21" 3-pod light bars w/ (2) blue pods and (1) multi-color pod on each bar with B/C/B lenses. Pods 2 and 5 to have rear rotators programmed amber to rear, white side and forward. Location: [#LOC].	\$4,399		
5300-0362	Light bars Power Arc model VM2502GLP-1P LED (PR). Colors to be RBR RBR. Includes Golight on each bar. Location: [#LOC].	\$5,906		
5300-0363	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RCCRF 28.25" with R/C/C/R lenses and MK8H mounts. Location: [#LOC].	\$4,998		
5300-0364	Light bar Whelen Freedom model FN72QLED 72" LED with red lenses and MKEZ7 mounts. Includes (10) red LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,108		
5300-0365	Light bars Federal Signal Vision VSLR. One (1) center 21" 3 pod and two (2) side 26.5" 4 pod LED light bars. Lenses to be R/C/R/R C/R/C R/R/C/R. Location: "V" centered on the front cab roof. If equipped with front vista windows, rear LED to be shut off.	\$6,218		
5300-0366	Light bars Federal Signal Vision VSLR. One (1) center 21" 3 pod and two (2) side 26.5" 4 pod LED light bars. Lenses to be R/R/C/R R/R/R R/C/R/R. Location: "V" centered on the front cab roof. If equipped with front vista windows, rear LED to be shut off.	\$6,218		
5300-0367	Light bar Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. (10) red and (2) white LED light bar without rear facing LEDs. Location: Centered on the front body, mounted to the roof with no upper body or mounted on a bracket in front of the body with 13" upper body.	\$5,436		
5300-0368	Light bar Federal Signal JetSolaris 60" LED. Red and blue Solaris reflectors reflectors with center traffic clearing light. NFPA compliant, does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,225		
5300-0369	Light bar Whelen Freedom model FN72QLED 72" LED with MK8H high mounts and red/clear lenses. Includes (12) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,453		
5300-0370	Light bar Federal Signal Split Vision VSLR8S-CFD2. Two (2) 26.5" 4-pod light bars w/driver side (3) red and (1) multi-color pods, officer side (2) red, (1) green and (1) multi-color pods with red/green/clear lenses. Location: [#LOC].	\$4,899		
5300-0371	Light bar Federal Signal Split Vision VSLR8S-CHI. Two (2) 26.5" 4-pod light bars w/driver side (3) red and (1) multi-color pods, officer side (2) red, (1) green and (1) multi-color pods with red and clear lenses. Location: [#LOC].	\$4,899		
5300-0372	Light bar Whelen Freedom 72" LED with 3M Opticom and MKEZ7 mounts. Includes (12) red LED and clear lenses. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,526		
5300-0373	Light bar Code 3 model 2758NFPA1CC LED red with clear lenses. Location: Centered on the front cab roof.	\$3,670		
5300-0374	Light bar Code 3 LED model 2722NFPA1 (PR) 22" Long. All red with clear lens. Location:[#LOC].	\$4,298		
5300-0375	Light bar Federal Signal Split Vision VSLR8-NFPA4. Two (2) 26.5" 4-pod light bars w/ (2) red and (2) multi-color pods on each bar with clear lenses. Location: [#LOC].	\$5,940		
5300-0376	Light bar Federal Signal Split Vision VSLR6-NFPA1. Two (2) 21" 3-pod light bars w/ (2) red and (1) multi-color pods on each bar with clear lenses. Location: [#LOC].	\$4,467		
5300-0377	Federal Signal 88" EMS Escape model ELX8848 light bar. Location: rear of body up high.	\$3,903		
5300-0378	Light bar Federal Signal JetStream 60" LED. Red/White forward and Red/Amber rearward Solaris reflectors. Includes red steady burn for California DOT. Location: Centered on the front cab roof.	\$2,891		
5300-0379	Light bar Whelen Freedom model FN72VLED 72" LED with MKEZ7 mounts. Includes (12) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,977		
5300-0380	Light bar Federal Signal JetSolaris 60" LED. Blue Solaris reflectors with clear domes. NFPA compliant. Does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,130		

Item #	Description	Extension	+1/-1	Total
5300-0381	Light bar Federal Signal ADX2205 LED with clear lenses(PR). Location: [#LOC]	\$6,214		
5300-0382	Light bar Federal Signal Split Vision VSLR8S-CFD2. Two (2) 26.5" 4-pod light bars w/ (3) red with red domes and (1) multi-color pod with clear dome on driver and (2) red with red domes, (1) multi-color with clear dome and (1) green with clear dome. Location: [#LOC].	\$5,201		
5300-0383	Light bar Federal Signal JetStream JLX54HH-00011 with all lenses clear 54" LED. Red Solaris reflectors each side and (2) center TCL lights. Location: Centered on the front cab roof.	\$3,293		
5300-0384	Light bar Code 3 model XL5000 74" with R/R/R/B lenses. Location: Centered on the front cab roof.	\$2,305		
5300-0385	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (8) red LED, (2) white LED and (2) dual LR11 LED take down lights. N/A INTL Chassis. Location: Centered on the front vista cab roof.	\$5,655		
5300-0386	Light bar Code 3 model 21TR 69". Includes: (4) corner mounted red TRS6 LED modules, (2) side facing red TRS3 LED modules and (7) forward facing red LED modules R/R/W/R/W/R/R w/clear lenses. Location: Centered on the front cab roof.	\$2,739		
5300-0387	Whelen Mini-Freedom LED light bars (PR) model FT8RRRRF 28.25" with MK8H high mounts. Location: [#LOC]. Lense colors: Clear.	\$4,998		
5300-0388	Light bar Whelen Freedom model FN72QLED 72" LED with clear lenses and MKEZ7 mounts. Includes (8) red LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,487		
5300-0389	Light bar Whelen Freedom model FN66QLED 66" with MK8H high mounts. All LED light bar without rear facing LEDs. Location: Centered on the front cab roof.	\$4,536		
5300-0390	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts. Includes (8) red LED, (2) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,239		
5300-0391	Light bar Federal Signal Split Vision VSLR8. Two (2) 26.5" 4-pod light bars. Driver w/ (2) red and (2) multi-color pods with clear lenses; officer w/ (3) red and (1) multi-color pods with clear lenses. Location: [#LOC].	\$5,940		
5300-0392	Federal Signal VSLR multi-color pod programming: [#LOC].	\$0		
5300-0393	Light bar Whelen Freedom model FN72VLED 72" LED with MKEZ7 mounts. Includes (10) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,329		
5300-0394	Light bar Whelen Freedom model FN88QLED 88" LED with MKEZ7 mounts and clear lenses. Includes (12) red and (4) white LEDs. N/A commercial Chassis. Location: Centered on the front cab roof	\$7,079		
5300-0395	Whelen Mini-Freedom Rota-Beam LED light bars (PR) 24" with clear lenses and MKEZ7 mounts. Location: [#LOC].	\$6,742		
5300-0396	Light bar Whelen Freedom 72" LED with MK8 high mounts and clear lenses. Includes (5) red Rota-Beam LED, (4) red LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,093		
5300-0397	Light bar Whelen Freedom model FN72QLED 72" LED with MKEZ7 mounts. Includes (10) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,552		
5300-0398	Light bar package, Whelen 4500 LED (4) bar package. Includes: (2) diagonal 24" LED bars and (2) 28" side LED bars over canopy windows.	\$9,518		
5300-0399	Light bar Whelen Freedom model FN72QLED 72" LED with GTT Opticom, clear lenses and MKEZ7 mounts. Includes (6) red LED, (2) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,593		
5300-0400	Light bar Whelen Freedom model FN72QLED 72" LED with GTT Opticom, red lenses and MKEZ7 mounts. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,432		
5300-0401	Light bar Whelen Freedom 72" LED with MKEZ7 mounts and clear lenses. Includes (6) Rota-Beam LED (4-red, 2-white), (2) green LED, (2) red LED, (2) dual LR11 alley lights, (2) LR11 take down lights and GTT 795H Opticom. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,166		
5300-0402	Light bar Whelen Freedom model FN55QLED 55" with GTT 795H Opticom and MK8H mounts. All LED light bar without rear facing LEDs. Location: Centered front cab roof.	\$5,860		



Item #	Description	Extension	+1/-1	Total
5300-0403	Whelen Mini-Freedom Rota-Beam LED light bars (PR) 28.25" with R/C/R lenses, (2) red and (1) white Rota-Beam LED lights and MK8H high mounts. Location: [#LOC].	\$6,489		
5300-0404	Light bar Whelen Freedom 72" LED with MK8 high mounts and red / clear lenses. Includes (6) red Rota-Beam LED, (1) white Rota-Beam LED and (4) red LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,604		
5300-0405	Whelen Mini-Freedom LED light bar package with MKEZ7 mounts. (1) model FT8RCCRF centered on front cab roof, (1) FT8RRRRF each side front cab corner at 30 degree angle. Lense colors: Clear.	\$6,413		
5300-0406	Light bar Whelen Freedom 72" LED with MK8H high mounts and clear lenses. Includes (6) red Rota-Beam LED, (1) white Rota-Beam LED, (2) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,882		
5300-0407	Light bar Whelen Freedom 60" LED with MK8 high mounts and clear lenses. Includes (6) red Rota-Beam LED, (1) white Rota-Beam LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,322		
5300-0408	Light bar Federal Signal Legend 53" LED with clear lenses and red diodes. Location: Centered on the front cab roof	\$3,629		
5300-0409	Light bar Whelen Freedom model FN55QLED 55" LED with MKEZ7 mounts. Location: Centered on the front cab roof.	\$3,811		
5300-0410	Light bar Federal Signal JetSolaris 60" LED. Red Solaris reflectors with red domes. NFPA compliant. Does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,130		
5300-0411	Light bar Whelen Freedom model FN82QLED 82" LED with clear lenses, Opticom and MKEZ7 mounts. Includes (12) red LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,529		
5300-0412	Light bar Federal Signal Legend 70" LED with red/white diodes and clear lenses. Location: Centered on the front cab roof.	\$4,770		
5300-0413	Light bar Federal Signal Navigator model NVG73-EONE 73" with (10) red and (2) white Quadraflare LED lights. Location: Centered on the front cab roof.	\$3,879		
5300-0414	Light bar Federal Signal Legend. (2) 24" light bars LED. Lenses color: clear. (1) Model number LGD24Z-2655171 and (1) model number LGD24Z-2655292. Location: [#LOC].	\$2,447		
5300-0415	Light bar Federal Signal Navigator model NVG73-NFPA3 73" with (2) red SLR rotators, (2) red / white SLR rotators and (4) red Quadraflare LED lights. Location: Centered on the front cab roof.	\$4,325		
5300-0416	Whelen Mini-Freedom Rota-Beam LED light bars (PR) 24" with clear lenses and MK8H high mounts. Location: [#LOC].	\$6,805		
5300-0417	Light bar Whelen Freedom 72" LED with MKEZ7 mounts and clear lenses. Includes (5) red Rota-Beam LED and (2) white Rota-Beam LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,702		
5300-0418	Whelen Ultra Freedom Micro Edge LED (PR) model MCFLED25 clear lens with red LEDs. Location [#LOC]. When used at front cab corners requires additional lighting to meet NFPA.	\$2,287		
5300-0419	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with clear lenses and low profile MK9 mounts. Location: [#LOC].	\$5,198		
5300-0420	Whelen Mini-Freedom LED side facing light bars (PR) model FT8RRRRF 24" with low profile MK9 mounts. Location: [#LOC]. Lense colors: Red.	\$4,979		
5300-0421	Light bar Whelen Freedom 72" LED with MKEZ7 mounts and clear lenses. Includes (8) red Rota-Beam LED and GTT 795H Opticom. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,693		
5300-0422	Light bar Whelen Freedom model FN72VLED 72" LED with 795H Opticom and MKEZ7 mounts. Includes (6) red LED, (4) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,718		
5300-0423	Light bar Whelen Freedom model FN66VLED 66" with dual LR11 alley lights, dual LR11 takedown lights and MKEZ7 mounts. All LED light bar. Location: Centered on the front cab roof	\$4,906		
5300-0424	Light bar Whelen Freedom 72" LED with MKEZ7 mounts and red/clear lenses. Includes (8) red Rota-Beam LED and GTT 795H Opticom. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,693		
5300-0425	Light bar, Whelen Freedom Mini LED 28.25". No vacancies, all positions forward, side and rear shall be filled with red LEDs and clear lens. Location: [#LOC].	\$3,445		

Item #	Description	Extension	+1/-1	Total
5300-0426	Light bar, Whelen Freedom Mini LED 28.25". No vacancies, all positions forward, side and rear shall be filled with blue LEDs and clear lens. Location: [#LOC].	\$3,445		
5300-0427	Light bar Whelen Freedom model FN55VLED 55" LED with PE215 emitter, (4) red driver LED, (4) blue officer LED and MKEZ7 mounts and clear lenses. N/A with Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$4,875		
5300-0428	Light bar Whelen Freedom model FN66QLED 66" with MKEZ7 mounts. Red/blue/clear LED light bar without rear facing LEDs. Location: Centered on the front cab roof.	\$4,482		
5300-0429	Light bar Whelen Freedom model FN72QLED 72" LED red/blue with MKEZ7 mounts and red/clear/blue lenses. N/A INTL Chassis. Location: Centered on the front cab roof	\$4,596		
5300-0430	Light bar Power Arc model LED VM6004-3P 60" long. Lenses color: R/R/R/W/R/R/R Location: center front cab roof.	\$4,067		
5300-0431	Light bar Federal Signal Navigator model NVG25-NFPA3 LED (PR). Includes (3) QL64 red and (2) QL73 red in each bar with clear lenses. Location: [#LOC]	\$4,022		
5300-0432	Light bar Federal Signal Navigator model NVG25 (PR). Includes (3) QL64 red and (2) QL73 red in each bar with red lenses. Location: [#LOC]	\$4,022		
5300-0433	Light bar Federal Signal Navigator model NVG25-0001 (PR). Includes (2) SLR rotators red/white and (1) QL64 red in each bar with clear lenses. Location: [#LOC]	\$3,951		
5300-0435	Light bar Federal Signal LPX61DS-NFPA 61" LED with red and clear lenses. Location: Centered on the front cab roof	\$2,353		
5300-0436	Light bar Federal Signal LPX70DS-NFPA1 70" LED with clear lenses. Location: Centered on the front cab roof	\$2,527		
5300-0437	Light bar Federal Signal Navigator model NVG60-NFPA4 60" with (10) red Quadraflare LED lights. Location: Centered on the front cab roof.	\$3,876		
5300-0438	Light bar Federal Signal Navigator model NVG73-NFPA7 73" with (12) red Quadraflare LED lights. Location: Centered on the front cab roof.	\$4,481		
5300-0439	Light bar Federal Signal Navigator model NVG73-NFPA7 73" with (12) red Quadraflare LED lights. Location: Centered on the front body (mounted to the roof with no upper body or mounted on a bracket in front of the body with 13" upper body).	\$4,481		
5300-0440	Light bar Federal Signal Navigator model NVG60-NFPA1 60" with (2) red SLR rotators, (1) red / white SLR rotators and (2) red Quadraflare LED lights. Location: Centered on the front cab roof.	\$3,337		
5300-0441	Light bar Whelen Freedom model FN88VLED 88" LED with MKEZ7 mounts and clear lenses. Includes (10) red, (6) white LEDs and (2) dual LR11 alley lights. N/A commercial Chassis. Location: Centered on the front cab roof	\$7,383		
5300-0442	Light bar Whelen Freedom model FN72VLED 72" LED with 795H Opticom and MKEZ7 mounts. Includes (8) red LED and (4) blue LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,718		
5300-0443	Light bar Federal Signal Navigator model NVG25-NFPA-D & -P LED (PR). Includes (2) QL64 red, (1) QL64 split red/white and (1) QL73 red in each bar with clear lenses. Location: [#LOC]	\$4,022		
5300-0444	Light bar Federal Signal Navigator model NVG73-FLNDRS 73" with (2) red SLR rotators, (2) red/white SLR rotators, (2) red/white Quadraflare LED and (2) blue Quadraflare LED lights. Location: Centered on the front cab roof.	\$4,923		
5300-0445	Federal JLX7250-NFPA LED Light bar 72". Includes (8) red 6-LED reflectors, (3) white 6-LED reflectors, and (6) red 3-LED reflectors. The lenses shall be clear. No rear lighting.	\$5,121		
5300-0446	Whelen Mini-Freedom LED light bars (4) 24" with clear lenses and MKEZ7 mounts. Includes red/clear/blue driver and blue/clear/red officer. Location: (1) each side front cab corner at 20 degree angle, (1) each side over rear cab doors.	\$13,603		
5300-0447	Light bar Federal Signal LPX 53" LED with red/clear/blue lenses, red diodes outer driver, clear diodes center and blue diodes outer officer. Location: Centered on the front cab roof	\$2,200		
5300-0448	Light bar Whelen Freedom model FN72VLED 72" LED with MK8H high mounts. Includes (11) red LED, (2) white LED and (1) green LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$5,778		

Item #	Description	Extension	+1/-1	Total
5300-0449	Light bar Whelen Freedom model FN72QLED 72" LED with 3M Opticom, clear lenses, (4) red LEDs', (2) blue LEDs', (2) clear LEDs' and MKEZ7 mounts. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,432		
5300-0450	Light bar Whelen Freedom model FN72VLED 72" LED with Opticom and MKEZ7 mounts. Includes (10) red LED, (2) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$7,866		
5300-0451	Light bar Power Arc model LED VM8504GLP-6P 85" long. Lenses color: R/R/B/R/W/W/R/B/R/R. Includes (2) Go-Lights with controls. Location: center front cab roof.	\$7,470		
5300-0452	Whelen International visor lights. Includes (8) LIN3 red Super Led, (2) LIN3 white Super LED and (5) amber LED marker lights.	\$2,267		
5300-0453	Light bar Whelen Freedom model FN72VLED 72" LED with MKEZ7 mounts and clear lenses. Includes (10) red LED, (2) white LED, (2) dual LR11 alley lights and (2) dual LR11 takedown lights. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,017		
5300-0454	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with red/clear lenses driver, blue/clear lenses officer and MK9 low mounts. Location: [#LOC].	\$5,198		
5300-0455	Whelen Mini-Freedom Rota-Beam LED light bars (PR) 24" with clear lenses and MKEZ7 mounts. Location: [#LOC].	\$6,742		
5300-0456	Light bar Whelen Justice 56" LED with clear lenses and MKEZ7 mounts. N/A on Vista roofs with front facing windows. Includes (4) corner facing LIN6 LED lights (red driver, blue officer), (6) forward facing CON3 Linear LED lights; (3) red driver and (3) blue officer. Location: Centered on the front cab roof.	\$2,743		
5300-0457	Light bar Federal Signal JetStream 60" LED. Red/White forward and Red rearward Solaris reflectors. Location: Centered on the front cab roof.	\$2,891		
5300-0458	Whelen International visor lights. Includes (8) LIN3 red Super Led, (2) LIN3 white Super LED and (5) amber LED marker lights.	\$2,267		
5300-0459	Light bar Whelen Freedom model FN72VLED 72" LED with MKEZ7 mounts and PE215 emitter. Includes (8) red LED and (4) blue LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,385		
5300-0460	Tomar Scorpion model 970L-2603-0101 LED all red with rear blank NFPA light bars (PR). Location: [#LOC].	\$4,311		
5300-0461	Light bar Whelen Freedom model FN72QLED 72" LED with MK8 high mounts and red/clear lenses. Includes (10) red LED and (4) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,460		
5300-0462	Light bar Federal Signal Split Vision VSLR6S-CHI3. Two (2) 21" 3-pod light bars w/ (1) red pod, (1) multi-color pod and (1) blue pod on each bar with clear lenses. Location: [#LOC].	\$4,089		
5300-0463	Wire light bars using Deutsch connectors on exterior for maintenance/replacement.	\$201		
5300-0464	Whelen Mini-Freedom LED light bar model FNMINI 28.25" with Opticom, MKEZ7 mounts and clear lenses. Location: center front of cab. Requires additional forward facing lightbars.	\$3,655		
5300-0465	Light bar Whelen Freedom model FN55QLED 55" LED with takedown lights, MKEZ7 mounts and red lenses. Location: Centered on the front cab roof.	\$4,399		
5300-0466	Light bar Whelen Freedom 60" LED with MKEZ7 mounts and clear lenses. Includes (6) red Rota-Beam LED and (2) white Rota-Beam LED. Location: Centered on the front cab roof.	\$6,444		
5300-0467	Whelen Mini-Freedom Rota-Beam LED light bars (PR) 28.25" with clear lenses, (1) red, (1) white and (1) blue Rota-Beam LED lights with MKEZ7 mounts. Location: [#LOC].	\$6,437		
5300-0468	Light bar Whelen Freedom 82" LED with MKEZ7 mounts and clear lenses. Includes (8) Rota-Beam LED (6-red, 2-white), (2) red LED and GTT 795H Opticom. N/A INTL Chassis. Location: Centered on the front cab roof.	\$8,871		
5300-0469	Light bar Federal Signal Navigator model NVG73-NFPA6 73" with (12) red Quadraflare LED lights and clear lenses. Location: Centered on the front cab roof.	\$4,481		
5300-0470	Light bar Whelen Freedom model FN55QLED 55" LED with (6) red LED, (6) white LED and MKEZ7 mounts. Location: Centered on the front cab roof.	\$4,502		

Item #	Description	Extension	+1/-1	Total
5300-0471	Whelen Mini-Freedom LED side facing front cab light bars (PR) model FT8RRCRF 24" with MKEZ7 mounts. (3) red LEDs, (1) white with clear lenses. For use on rear mount platforms with supplemental upper level Zone A warning lights. Locate one each side front cab corners side facing.	\$4,979		
5300-0472	Light bar Whelen Freedom model FN88QLED 88" LED with MKEZ7 mounts and clear lenses. Includes (12) red and (4) white LEDs. N/A commercial Chassis. Includes (1) forward facing red steady burn for California DOT. Location: Centered on the front cab roof	\$7,079		
5300-0473	Whelen F4 Mini-Freedom LED light bars (PR) 21.5" with MKEZ7 mounts. Red and white LEDs with clear lense. Location: [#LOC].	\$5,198		
5300-0474	Light bar Federal Signal Split Vision VSLR6. Two (2) 21" 3-pod light bars w/ (2) red pods and (1) multi-color pod on each bar with red/clear lenses. Location: [#LOC].	\$4,021		
5300-0475	Light bar Whelen Freedom model FN72QLED 72" LED GTT Opticom with MKEZ7 mounts. Includes (4) red LED, (2) blue LED and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof	\$6,244		
5300-0476	Light bar Federal Signal Legend. (2) 24" light bars red LED side facing only. Lenses color: clear. Location: [#LOC].	\$2,844		
5300-0477	Light bar Federal Signal NavigatorI NVG25 LED (PR). Includes (2) QL64 red, (1) QL64 white and (2) QL73 red in each bar with clear lenses. Location: [#LOC]	\$4,084		
5300-0478	Light bar Federal Signal Navigator model NVG87 87" with (8) red and (6) red/white Quadraflare LED lights. Location: Centered on the front cab roof.	\$5,234		
5300-0479	Light bar Whelen Justice 56" LED with clear lenses and MKEZ7 mounts. N/A on Vista roofs with front facing windows. Includes (4) corner facing red LIN6 LED lights, (6) forward facing CON3 Linear LED lights; (2) red, (2) clear and (2) blue. Location: Centered on the front cab roof.	\$2,743		
5300-0480	Light bar Whelen Freedom model FN72VLED 72" LED with MKEZ7 mounts. Includes (10) red LED, (4) blue and (2) white LED. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,288		
5300-0481	Light bar Code 3 model RMX91-ALRC-100. Upper deck contains (9) R-12 LED modules, left and right alley lights. Lower deck contains (2) red R-12 steady burn LED modules, (4) R-12 red LED modules, (4) takedown lights and 795 emitter. Location: Centered on the front cab roof.	\$6,803		
5300-0482	Light bar Federal Signal Legend 70" LED with red/white/blue diodes and clear lenses. Location: Centered on the front cab roof.	\$2,371		
5300-0483	Whelen F4 Mini-Freedom LED side facing front cab light bars (PR) 21.5" with MKEZ7 mounts. Red and white LEDs with clear lense. For use on rear mount platforms with supplemental upper level Zone A warning lights. Locate one each side front cab corners side facing.	\$4,977		
5300-0484	Light bar Federal Signal Split Vision VSLR8S. Two (2) 26.5" 4-pod light bars w/ (2) red, (1) blue and (1) multi-color pods with clear lenses. Location: [#LOC].	\$4,899		
5300-0485	Whelen Mini-Freedom LED light bars (PR) model FNMINI 24" with clear lenses, (1) officer side blue LED and MKEZ7 mounts. Location: [#LOC].	\$5,198		
5300-0486	Light bar Federal Signal JetStream 60" LED. Red Solaris reflectors and 3M 792 Opticom. Red domes each side with clear center. Location: Centered on the front cab roof	\$5,490		
5300-0487	Light bar Whelen Freedom model F4X7 60" LED with clear lenses and MKEZ7 mounts. Includes (10) red LED, (4) white LED and side facing TIR6 alley lights. N/A INTL Chassis. Location: Centered on the front cab roof.	\$6,243		
5300-0488	Whelen Mini-Freedom Rota-Beam LED light bars (PR) 24" with Amber LED with clear lenses and MKEZ7 mounts. Location: [#LOC].	\$6,742		
5300-0489	Light bar Whelen Freedom IV Model F4N7QLED 72" LED with MKEZ7 mounts. (6) Red and (2) white LEDs with clear lense and no rear facing LEDs. Location: Centered on the front cab roof.	\$4,596		
5300-0490	Light bar Whelen Freedom IV 60" LED with MKEZ7 mounts. Red and white LEDs with clear lense and no rear facing LEDs. Location: Centered on the front cab roof.	\$4,482		

Item #	Description	Extension	+1/-1	Total
5300-0491	Whelen F4 Mini-Freedom LED light bars (PR) 21.5" with MKEZ7 mounts. Red and white LEDs, clear lenses and red filters. Location: [#LOC].	\$5,198		
5300-0492	Whelen F4 Mini-Freedom LED side facing light bars (PR) 21.5" with MKEZ7 mounts. Red LEDs with clear lense. Location: [#LOC].	\$4,427		
5300-0493	Light bar Whelen Freedom IV Model F4N7QLED 72" LED with MKEZ7 mounts. (8) Red and (2) white LEDs with clear lense and no rear facing LEDs. Location: Centered on the front cab roof.	\$5,108		
5300-0494	Light bar Whelen Freedom IV Model F4N7QLED 72" LED with MKEZ7 mounts. (6) Red w/ filters and (2) white LEDs with clear lenses and no rear facing LEDs. Location: Centered on the front cab roof.	\$4,730		
5300-0495	GTT 795H Opticom centered in forward facing Whelen Freedom IV light bar.	\$2,214		
5300-0496	Light bar Whelen Freedom model F4N7VLED 72" LED with MKEZ7 mounts. (6) Red and (2) white LEDs with clear lense. N/A INTL Chassis or Vista roofs with front facing windows. Location: Centered on the front cab roof.	\$4,596		
5300-0497	Whelen F4 Mini-Freedom LED light bars (PR) 21.5" with MK9 mounts. Red and white LEDs, clear lenses and red filters. Location: [#LOC].	\$5,198		
5300-0498	Whelen F4 Mini-Freedom LED light bars (PR) 21.5" with MK9 mounts. Red and white LEDs with clear lense. Location: [#LOC].	\$5,198		
5300-0499	Whelen F4 Mini-Freedom LED side facing front cab light bars (PR) 21.5" with MKEZ7 mounts. Red LEDs with clear lenses and red filters. For use on rear mount platforms with supplemental upper level Zone A warning lights. Locate one each side front cab corners side facing.	\$4,979		
5300-0500	Whelen F4 Mini-Freedom LED light bars (PR) 21.5" with MKEZ7 mounts. Red and white driver LEDs; blue and white officer LEDs' with clear lenses and red/blue filters. Location: [#LOC].	\$5,198		
5300-0501	Whelen F4 Mini-Freedom LED side facing light bars (PR) 21.5" with MKEZ7 mounts. Red and blue LEDs with clear lenses. Location: [#LOC].	\$4,427		
5300-0502	Light bar Whelen Freedom IV Model F4N7QLED 72" LED with MKEZ7 mounts. (4) Red, (4) Blue and (2) white LEDs with clear lenses and no rear facing LEDs. Location: Centered on the front cab roof.	\$5,108		
5300-0503	Whelen MK9S short slide bolt bracket mount for front light bar (PR).	\$72		
5300-0504	Whelen MKEZ7 1.5" standard mount for front light bar (PR).	\$57		
5300-0505	Whelen MK8H 5" high mount for front light bar (PR).	\$141		
5300-0506	Light bar LED color: [#COL]	\$0		
5300-0507	Light bar Whelen Freedom IV Model F4X7 72" with 14 LED modules. Location: Centered on the front cab roof.	\$6,318		
5300-0508	Whelen Mini-Freedom IV side facing light bars (PR) 21.5" with 4 LED modules. Location: [#LOC].	\$4,371		
5300-0509	Light bar Whelen Freedom IV Model F4X7 72" with 12 LED modules. Location: Centered on the front cab roof.	\$5,721		
5300-0510	Light bar Whelen Freedom IV Model F4X7 72" with 10 LED modules. Location: Centered on the front cab roof.	\$5,051		
5300-0511	Light bar Whelen Freedom IV Model F4X7 72" with 8 LED modules. Location: Centered on the front cab roof.	\$4,539		
5300-0512	Light bar layout per customer specific requirements.	\$288		
5300-0513	Colored filters for Whelen Freedom IV light bar.	\$89		
5300-0514	Whelen MK9S short slide bolt bracket mount for mini front light bars (4).	\$143		
5300-0515	Whelen MKEZ7 1.5" standard mount for mini front light bars (4).	\$113		
5300-0516	Whelen MK8H 5" high mount for mini front light bars (4).	\$283		
5300-0517	Whelen MK9S short slide bolt bracket mount for mini side facing light bars (4).	\$143		
5300-0518	Whelen MKEZ7 1.5" standard mount for mini side facing light bars (4).	\$113		
5300-0519	Whelen MK8H 5" high mount for mini side facing light bars (4).	\$283		
5300-0520	Light bar Whelen Freedom IV Model F4X0 60" with 12 LED modules. Location: Centered on the front cab roof.	\$5,721		
5300-0521	Light bar Whelen Freedom IV Model F4X0 60" with 10 LED modules. Location: Centered on the front cab roof.	\$5,051		
5300-0522	Light bar Whelen Freedom IV Model F4X0 60" with 8 LED modules. Location: Centered on the front cab roof.	\$4,539		

Item #	Description	Extension	+1/-1	Total
5300-0523	Whelen F4 Mini-Freedom LED side facing front cab light bars (PR) 21.5" . For use on rear mount platforms with supplemental upper level Zone A warning lights. Locate one each side front cab corners side facing.	\$4,865		
5300-0524	Whelen F4 Mini-Freedom LED light bars (PR) 21.5" with 5 LEDs in each bar. Location: [#LOC].	\$5,085		
5300-0525	Whelen TIR6 takedown lights for Freedom IV lightbar (PR).	\$579		
5300-0526	Whelen F4 Mini-Freedom LED light bars (3) 21.5" with 5 LEDs' in each outer bar, 4 LED's in center bar Location: Center front of cab roof and front cab corners at 45 degree angle.	\$7,270		
5300-0527	Light bar Federal Signal Navigator NVG25 LED (PR) side facing. Includes (3) QL64 red/white in each bar with clear lenses. Location: [#LOC]	\$3,340		
5300-0528	Light bar Federal Signal Navigator model NVG73 73" with (10) split red/white Quadraflare LED lights and (2) red Quadraflare LED lights. Location: Centered on the front cab roof.	\$4,559		
5300-0529	Light bar Whelen Freedom IV Model F4X0 55" with 8 LED modules. Location: Centered on the front cab roof.	\$3,823		
5300-0530	Light bar Federal Signal Navigator NVG25 LED side facing (PR). Includes (1) QL73 red, (1) QL64 red/white and (1) red LED rotator in each bar with clear lenses. Location: [#LOC].	\$3,325		
5300-0531	Light bar Federal Signal Navigator NVG25 LED (PR). Includes (2) QL64 red, (2) QL64 red/white and (1) red/white LED rotator in each bar with clear lenses. Location: [#LOC].	\$4,155		
5300-0532	Light bar mounts (PR) to locate lightbar on front of rescue body IPO cab roof. Requires raised upper body.	\$363		
5300-0533	Light bar package, Whelen 4500 LED (3) bar package. Includes: (1) 40" LED front bar w/ Opticom and (2) diagonal 24" LED bars.	\$10,351		
5300-0534	Light bar Federal Signal Navigator model NVG87 87" with (10) red and (4) red/white Quadraflare LED lights. Center red/white LEDs' to flash in an "X" pattern. Location: Centered on the front cab roof.	\$5,234		
5300-0535	Light bar Federal Signal Navigator NVG25 LED (PR). Includes (2) QL64 red, (1) QL64 split red/white and (2) QL73 red in each bar with clear lenses. Location: [#LOC]	\$4,084		
5300-0536	Light bar Whelen Freedom IV Model F4R7 72" with 9 Rotabeam and 4 LED modules. Location: Centered on the front cab roof.	\$8,104		
5300-0537	Light bar Whelen Freedom IV Model F4X1 81" with 14 LED modules. Location: Centered on the front cab roof.	\$6,328		
5300-0538	Steady burn additional red LED module forward facing in officer side of Whelen light bar to meet California DOT.	\$283		
5300-0539	Steady burn additional green LED module forward facing in officer side of Whelen light bar.	\$313		
5300-0540	Light bar Whelen Freedom IV Model F4X0 60" with 14 LED modules. Location: Centered on the front cab roof.	\$6,328		
5300-0541	Whelen TIR6 alley lights for Freedom IV lightbar (PR).	\$579		
5300-0542	Light bar Federal Signal Navigator model NVG18 LED (PR). Includes (2) QL64 split red/white and (1) QL73 red in each bar with clear lenses. Location: [#LOC]	\$3,200		
5300-0543	Light bar Federal Signal Navigator model NVG25-0001 (PR). Includes (2) SLR red/white rotators and (1) red QL64 in each bar with clear lenses. Location: [#LOC]	\$4,138		
5300-0544	Light bar Federal Signal Navigator model NVG25 (PR). Includes (1) QL64 split red/white, (2) red QL64 and (1) QL73 red in each bar with clear lenses. Location: [#LOC]	\$3,521		
5300-0545	Light bar Federal Signal Navigator model NVG60 60" with (2) QL64 split red/white, (2) red QL64, (4) red QL73 and (2) QL43 red/white with clear lenses. Location: Centered on the front cab roof.	\$3,880		
5300-0546	Light bar Federal Signal Navigator model NVG73 73" with (2) QL64 split red/white, (2) red QL64, (4) red QL73 and (2) QL43 red/white with clear lenses. Location: Centered on the front cab roof.	\$3,880		
5300-0547	Light bar Federal Signal Navigator model NVG73-NFPA4 73" with two (2) SLR red/white rotating LEDs and four (4) red SLR rotating LEDs with clear lenses. Location: Centered on the front cab roof.	\$4,212		
5300-0548	2" standard mount for front Federal Navigator light bar (PR).	\$82		
5300-0549	2" standard mount for mini front Federal Navigator light bars (4).	\$165		
5300-0550	2" standard mount for mini side facing Federal Navigator light bars (4).	\$165		

Item #	Description	Extension	+1/-1	Total
5300-0551	4.25" high mount for front Federal Navigator light bar (PR).	\$82		
5300-0552	4.25" high mount for mini front Federal Navigator light bars (4).	\$165		
5300-0553	4.25" high mount for mini side facing Federal Navigator light bars (4).	\$165		
5300-0554	Light bar Whelen Freedom IV Model F4X1 81" with 16 LED modules. Location: Centered on the front cab roof.	\$6,938		
5300-0555	Light bar Whelen Mini-Freedom IV side facing model F4RB 23" with 3 Rotabeams (PR). Location: [#LOC].	\$6,678		
5300-0556	Light bar Whelen Freedom IV Model F4X7 72" with 18 LED modules. Location: Centered on the front cab roof. Requires no forward vista windows or flat roof only.	\$7,353		
5300-0557	Light bar Whelen Freedom IV Model F4X1 81" with 18 LED modules. Location: Centered on the front cab roof.	\$7,545		
5300-0558	GTT 795H Opticom in forward facing Federal Signal Navigator light bar.	\$1,701		
5300-0559	Light bar Whelen Freedom IV Model F4 56" with 6 Rotabeam modules. Location: Centered on the front cab roof.	\$5,583		
5300-0560	Light bar Whelen Freedom IV Model F4R0 60" with 6 Rotabeam and 2 LED modules. Location: Centered on the front cab roof.	\$6,123		
5300-0561	Light bar Whelen Freedom IV Model F4X1 92" with 16 LED modules. Location: Centered on the front cab roof.	\$7,075		
5300-0562	Light bar Federal Signal JetSolaris 60" LED. Red Solaris reflectors with clear domes. Includes LED takedowns and LED alley lights. NFPA compliant. Does not require 2 addl side facing bars. Location: Centered on the front cab roof.	\$3,130		
5300-0563	Light bar Whelen Mini-Freedom IV model F4RB 23" with 2 Rotabeams and 2 LED modules (PR). Location: [#LOC].	\$6,817		
5300-0564	Light bar Power Arc model LED VM8504QE15-6P 90" long. Includes (2) FRC Evolutions LED flood lights. LED color: split R/B, R/B/R/W/W/R/B/R, split R/B with clear lenses. Location: center front cab roof.	\$10,023		
5300-0565	Light bar Whelen Freedom IV Model F4X7 72" with 16 LED modules. Location: Centered on the front cab roof.	\$6,745		
5300-0566	Light bar Whelen Freedom IV Model F4R0 60" with 6 Rotabeam and 8 LED modules. Location: Centered on the front cab roof. Includes rear facing Rotabeam and LED modules.	\$8,142		
5300-0567	Light bar Whelen Freedom IV Model F4R7 72" with 6 Rotabeam and 4 LED modules. Location: Centered on the front cab roof.	\$6,610		
5300-0568	Light bar Code 3 LED model 21TR22 (PR) 22" Long. All red with clear lens. Location: [#LOC]	\$2,483		
5300-0569	Light bar Code 3 model 21TRPL52 LED red/clear with clear lenses. Location: Centered on the front cab roof.	\$1,967		
5300-0570	Light bar Federal Signal Navigator model NVG25 (EA). Requires additional forward facing for NFPA compliancy. Includes (1) QL64 split red/white, (2) red QL64 and (2) QL73 red with clear lenses. Location: Centered on the front cab roof.	\$1,957		
5310-0005	Whelen Traffic Advisor Model TA837A - 43.25" long.	\$1,290		
5310-0006	Whelen Traffic Advisor Model TA870A - 62" long.	\$2,021		
5310-0010	Light bar Federal Signal Signal Master SML430, 19.5" long (PR). Mounted each side rear of body.	\$1,199		
5310-0011	Light bar CODE 3 model AS10S Arrowstik, 47" long. Mounted center rear body.	\$1,491		
5310-0012	Diamond plate shield over rear directional light.	\$371		
5310-0014	Light bar CODE 3 model AS839 Arrowstik, 39" long. Lenses to be amber with red on the ends. Mounted center rear body.	\$1,218		
5310-0015	Light bar CODE 3 model NASL839 LEDX Narrowstik, 40.5" long. Lights heads are amber with red on the ends. Mounted center rear body.	\$2,170		
5310-0017	Whelen Traffic Advisor model TAL65 LED - 36" long.	\$1,599		
5310-0018	Whelen Traffic Advisor Model TAM65 LED - 36" long.	\$2,067		
5310-0019	Light bar Code 3 model NASL847 LED Narrowstik, 47" long. Mounted on rear of body.	\$2,167		
5310-0020	Directional light bar control is to be located in the [#LOC].	\$0		
5310-0021	Light bar CODE 3 model NASL839 LEDX Narrowstik, 40.5 inches long. Mounted center rear body.	\$2,170		
5310-0023	Light bar CODE 3 model NASL630 LEDX Narrowstik, 30.5 inches long.	\$1,946		
5310-0024	Whelen Traffic Advisor Model TA870L LED- 56" long.	\$3,067		
5310-0025	Directional light circuit wiring through upper level warning.	\$91		

Item #	Description	Extension	+1/-1	Total
5310-0026	Remote controlled message board. Located on top of vista roof. Includes control centrally located on cab engine cover. Board has a max 24 character set-up. Message board to face to rear of unit in the raised position	\$33,231		
5310-0027	Whelen Traffic Advisor Model TAM85 LED - 47" long.	\$2,892		
5310-0028	Whelen Traffic Advisor Model TAM83 LED - 31" long.	\$2,118		
5310-0029	Smooth plate shield painted job color over rear directional light.	\$641		
5310-0030	Whelen Traffic Advisor Model TA870L LED- 62" long.	\$4,146		
5310-0031	Whelen Traffic Advisor model TA-4437M LED, split (2) 22.75" long. Locate one each side on rear panel of body.	\$2,421		
5310-0033	Whelen model TAL85 traffic advisor light bar. Surface mounted at rear of tank. Includes (8) LED lights with controller located in cab.	\$1,124		
5310-0034	Whelen Traffic Advisor Model TA870L SPL 48" long (PR) with (6) 700 series Super LED amber modules. Location: (1) each side facing on forward compartment tops. Control located officers side of center overhead.	\$6,645		
5310-0035	Whelen Traffic Advisor Model TAL85 LED - 47" long.	\$2,013		
5310-0036	Light bar Federal Signal Signal Master SMLED6. Directional light bar control is to be located in the center overhead console offset to driver side. Includes recessed box for traffic advisor. For use with Custom Chassis.	\$888		
5310-0037	Light bar Federal Signal Signal Master SMLED6. Directional light bar control is to be located in the officer side of center dash electrical cover. Includes recessed box for traffic advisor. For use with Freightliner Chassis.	\$947		
5310-0038	Light bar Federal Signal Signal Master SMLED6. Directional light bar control is to be located on bail bracket below overhead console. Includes recessed box for traffic advisor. For use with International Chassis.	\$947		
5310-0039	Whelen Traffic Advisor Model TAL65 LED. Directional light bar control is to be located in the center overhead console offset to driver side. Includes recessed box for traffic advisor. For use with Custom Chassis.	\$1,743		
5310-0040	Whelen Traffic Advisor Model TAL65 LED. Directional light bar control is to be located in the center overhead console. Includes recessed box for traffic advisor. For use with Freightliner Chassis.	\$1,824		
5310-0041	Whelen Traffic Advisor Model TAL65 LED. Directional light bar control is to be located on bail bracket below overhead console. Includes recessed box for traffic advisor. For use with International Chassis.	\$1,824		
5310-0042	Whelen Traffic Advisor Model TAZ86 LED - 31" long.	\$2,660		
5310-0043	Whelen Traffic Advisor Model TANF65 LED - 34" long.	\$2,034		
5310-0044	Light bar Federal Signal Signal Master Viper EXT LED 42" with 8 lights.	\$2,116		
5310-0045	Light bar Federal Signal Signal Master Viper EXT LED 31" with 6 lights.	\$1,869		
5310-0046	Whelen Traffic Advisor Model TANF85 LED - 45" long.	\$2,513		
5310-0047	Light bar Federal Signal Signal Master SMLED6. Directional light bar control is to be located in the center overhead console offset to officer side. To be surface mounted with diamond plate shield. For use with Custom Chassis.	\$1,426		
5310-0048	Whelen Message Board model MGM02COB-NYPD. SURFACE MTD. Locate on rear of body up high with stainless steel guard. Pre-programmed to display NYPD default message.	\$3,656		
5310-0049	Whelen Message Board model MGM02COB-NYPD. RECESSED up high on rear of body up high with stainless steel enclosure. Pre-programmed to display NYPD default message.	\$4,748		
5310-0050	Directional light bar is to be located: rear of body below intermediate step.	\$0		
5310-0051	Whelen Traffic Advisor Model TA870L - 72" long LED. Includes TACTLD1 controller.	\$2,166		
5310-0052	Federal Signal Message Board model MSGBD1-NYPD. RECESSED up high on rear of body up high with stainless steel enclosure. Pre-programmed to display NYPD default message.	\$3,412		
5310-0053	Whelen Traffic Advisor model TA-4437M LED, split (2) 22.75" long. Locate one each side on rear upper body extrusion above B2 and B3.	\$2,421		
5310-0054	Light bar Federal Signal Signal Master Plus SMLED-PLS-6.	\$1,577		
5310-0055	Light bar Federal Signal Master Viper EXT LED 31" with 6 lights with clear lenses.	\$1,869		



Item #	Description	Extension	+1/-1	Total
5310-0056	Whelen Traffic Advisor model TAL65 LED - 36" long. Locate surface mounted on driver and officer side of body up high approx. centered.	\$1,599		
5310-0057	Whelen traffic advisor. Includes (8) IONSV3AC amber individual lights on 12" centers and control head. Location: side facing, driver and officer side of body.	\$3,839		
5310-0058	Whelen Traffic Advisor Model TADP8 LED - 30" long. Includes TADCTL1 controller.	\$2,526		
5310-0059	Whelen Traffic Advisor Model TAD8 LED - 30" long. Includes TADCTL1 controller.	\$2,138		
5310-0060	Whelen Traffic Advisor Model TAZ66 LED - 23.25" long.	\$2,137		
5310-0061	Brushed stainless steel shield over rear directional light.	\$427		
5310-0062	Light bar Tomar model LSTICK13W6, 24.5" long with amber light heads.	\$1,504		
5310-0063	Federal Signal Viper EXT Model VPX800-2 LED w/ bezel (PR). Surfaced mounted with clear lens wired through ignition. Location: above rear ladder tunnel door.	\$646		
5310-0064	Whelen Traffic Advisor Model TAM63 LED - 24" long.	\$1,957		
5310-0065	Light bar Tomar model LSTICK13W6, 24.5" long with amber light heads.	\$1,504		
5310-0066	Whelen Traffic Advisor Model TAM8348 LED - 48" long.	\$2,282		
5310-0067	Skid plate shield for directional light bar.	\$479		
5310-0068	Whelen Traffic Advisor Model TAD8RB LED - 30" long. Includes red driver and blue officer warning with TADCTL1 controller.	\$2,138		
5310-0069	Light bar Federal Signal Latitude SignalMaster SL8S-A.	\$1,088		
5310-0070	Whelen Traffic Advisor model TAL65 LED with clear lenses - 36" long.	\$1,599		
5310-0071	Whelen Traffic Advisor model TADF6 LED - 37" long. Warning to be R/R/R/B/B/B.	\$2,999		
5310-0072	Light bar PowerArc model P14PSK LED with 5 lights. Center to be red/yellow. Red to override with application of brakes. Driver and officer upper two amber to override with individual turn signals.	\$3,793		
5310-0073	Light bar Federal Signal Latitude Signal Master 24".	\$1,083		
5350-0000	Camera backup Intec with monochrome monitor.	\$5,341		
5350-0001	Camera back-up Safety Vision LCD model SV-CLCD70BA-625B with audio. For use with up to 2 cameras.	\$2,410		
5350-0004	FireCom intercom jack on the turntable. (N/A with three-way aerial intercom).	\$1,293		
5350-0005	FireCom intercom jacks. (1) turntable jack and (1) tip jack. (N/A with three-way aerial intercom).	\$2,168		
5350-0006	FireCom intercom jacks. (1) turntable jack and (2) tip jacks. N/A with two or three-way aerial intercom.	\$2,683		
5350-0012	Forward Looking Infrared Camera mounted on the Cab with Pan and Tilt capability.	\$15,777		
5350-0013	Forward Looking Infrared Camera Pole mounted	\$16,800		
5350-0014	Remote mount Forward Looking Infrared Camera with Remote Controls	\$16,861		
5350-0015	Forward Looking Infrared Camera mounted on Turret	\$15,476		
5350-0019	Camera Monitor Boland 10.4" installed in the Cab in Clear View of the Driver (Crash Rescue)	\$2,319		
5350-0022	Intec color camera Model CVC460XL.	\$3,058		
5350-0023	Intec black and white camera Model CVC230XL.	\$2,417		
5350-0024	Three (3) Position switch for Auxillary Cameras (Crash Rescue)	\$644		
5350-0025	Back up camera for Vehicle Information Control Center. Video displays automatically when transmission is in reverse.	\$813		
5350-0026	Side facing camera mtd up high on officer side of the cab centrally located (above canopy window if applicable) interlocked with right turn signal. Displays video on vehicle information control center.	\$813		
5350-0027	Side facing camera mtd up high on driver side of the cab centrally located (above canopy window if applicable) interlocked with left turn signal. Displays video on vehicle information control center.	\$813		
5350-0028	Forward facing camera mounted (approximately) center of cab.	\$813		
5350-0031	Digital Video Recorder Single Channel	\$1,278		
5350-0033	Black & White Cameras Installed on Each Side of Vehicle Rear Facing (Crash Rescue)	\$6,656		

Item #	Description	Extension	+1/-1	Total
5350-0034	Camera Heated (Pair) Side View Color CVC460HXL2-C (Crash Rescue)	\$8,564		
5350-0035	Orlaco TIC-25 Color Forward Looking Infrared Camera Cab Mounted with Pan/Tilt, Joystick, 6 meter Cable (Pre-Configured)	\$22,746		
5350-0036	10.4" LCD Orlaco High Resolution Camera Monitor	\$4,685		
5350-0037	7" LCD Orlaco High Resolution Camera Monitor	\$1,875		
5350-0038	Orlaco CCC 102 Color Back Up with 16 meter Cable	\$1,243		
5350-0039	Orlaco CCC115 Color Side View Cameras (PR)	\$3,748		
5350-0040	Three (3) Position switch for Auxillary Cameras (Orlaco)	\$1,370		
5350-0041	Orlaco Color 216X Zoom Camera with Auto Focus	\$8,460		
5350-0042	DVR Dual Channel for the Recording of Two Cameras	\$5,223		
5350-0043	DVR Four Channel for the Recording of up to Four Cameras	\$6,500		
5350-0048	Setcom intercom system with (6) cab jacks and (1) pump panel jack. Custom cabs only. Headsets to be shipped loose.	\$10,564		
5350-0053	Digital Video Recorder shall be capable of recording the [#LOC]	\$0		
5350-0054	Safety Vision officer's side camera. Requires Safety Vision back-up camera option. SV-620 Kit w/ SV-523. Camera to be located on officer's side mirror.	\$1,055		
5350-0055	A back-up camera system with monitor to be installed. Locate the (3) cameras on the rear of the body- (1) on B1 header and (1) each side on brackets mounted below the upper rear warning lights. System is being provided by E-ONE. See Product Management for components prior to production.	\$2,046		
5350-0056	Color Camera Fixed Lens	\$1,056		
5350-0059	Color 26x Zoom Camera Apollo RR-CZ26 installed on Cab	\$1,786		
5350-0060	Diamond plate camera shield.	\$248		
5350-0061	Safety Vision driver's side camera. Requires Safety Vision back-up camera option. SV-620 Kit w/ SV-523. Camera to be located on driver's side mirror.	\$1,055		
5350-0064	Video Intec Sentinel Dual Side by Side Pan and Tilt System includes FLIR and Color Zoom 35x Cameras	\$54,641		
5350-0065	Intec VCV470HXL color camera with heater for back up with 6.4 inch color monitor	\$5,184		
5350-0066	Intec MDVR400-100 Digital video Recorder 4 Channel	\$6,873		
5350-0069	FireCom intercom prewire. Includes a PP20 jack at pump operator's panel and aerial turntable. Wiring to be run to officer's side overhead console.	\$1,641		
5350-0070	Voyager back-up camera. Video displays automatically when transmission is in reverse. Camera only - does not include monitor.	\$820		
5350-0071	Voyager side mtd rear facing camera positioned up high on officer side of the cab centrally located (above canopy window if applicable) interlocked with right turn signal. Camera only - does not include monitor.	\$799		
5350-0072	Voyager side mtd rear facing camera positioned up high on driver side of the cab centrally located (above canopy window if applicable) interlocked with left turn signal. Camera only - does not include monitor.	\$799		
5350-0073	Voyager forward facing camera mounted upper center area of cab.	\$751		
5350-0074	Sigtronics US-45S intercom system with (4) cab jacks, (1) pump panel jack, four headsets / hooks, PTT switches for driver / ppnl. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$5,033		
5350-0075	The overall truck shall be NFPA 414 compliant with the exception of the thermal camera and monitor. Per customer specification the forward looking infrared camera and monitor shall be excluded.	\$0		
5350-0076	David Clark model 3800 intercom system with (5) cab head sets. Headsets to be shipped loose.	\$8,261		
5350-0078	Smooth plate camera shield painted job color.	\$383		
5350-0079	Sigtronics US-45D intercom system with (3) cab jacks, (1) pump panel jack, three headsets / hooks, PTT switches for driver/officer/ppnl. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$4,751		

Item #	Description	Extension	+1/-1	Total
5350-0080	Camera back-up Safety Vision LCD model SV-CLCD70A-625B with split screen capable monitor and audio. For use with up to 4 cameras.	\$2,826		
5350-0081	Backup Camera to be located in recess direction lightbar box offset to officer side.	\$248		
5350-0082	6.8" INTEC high resolution color camera monitor mounted to the top of the dash panel on the LHS.	\$2,872		
5350-0083	See instructions on file with sales for locations of headset plug-ins.	\$116		
5350-0084	David Clark model 3800 intercom system with (6) cab head sets. Headsets to be shipped loose.	\$9,343		
5350-0085	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located up high on officer side of the cab centrally located (above canopy window if applicable) interlocked with right turn signal. Camera only - does not include monitor.	\$1,092		
5350-0086	Safety Vision driver's side camera SV-622LS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located up high on driver side of the cab centrally located (above canopy window if applicable) interlocked with left turn signal. Camera only - does not include monitor.	\$1,092		
5350-0090	FLIR PatrolIR PTZ thermal imager and Boland 10.4" monitor.	\$18,437		
5350-0091	PatrolIR PTZ thermal imager, Boland 10.4" Monitor and a color Day/Night camera with a two camera switcher.	\$18,902		
5350-0092	PatrolIR PTZ thermal imager, Boland 10.4" monitor, color day/night zoom camera, back-up camera with a four camera switcher.	\$19,252		
5350-0093	*** OBS USE 5350-0155 DVR dual channel recorder to record up to two separate cameras, pre-programmed for operation.	\$2,965		
5350-0094	A DVR Four channel recorder, to record up to four separate cameras, pre-programmed for operation.	\$4,866		
5350-0095	PatrolIR PTZ thermal imager, Boland 10.4" monitor and a backup camera with a two camera switcher.	\$19,228		
5350-0098	Monitor Boland 10.4" installed in the cab in clear view of the driver (Safety Vision).	\$2,411		
5350-0099	Safety Vision's side camera (pr), backup camera and monitor.	\$3,137		
5350-0101	Intercom cab jack locations: [#LOC].	\$0		
5350-0103	The back-up camera monitor is to be located on the [#LOC].	\$0		
5350-0104	The FLIR camera shall be mounted on [#LOC].	\$0		
5350-0105	Safety Vision Digital Video Recorder Single Channel	\$1,692		
5350-0106	Camera system. Includes in-cab mounted monitor and officer side and rear body mounted cameras.	\$0		
5350-0107	Intercom base unit to be located [#LOC].	\$0		
5350-0108	PatrolIR PTZ thermal imager, Boland 10.4" monitor, 22x zoom camera, Camera controller, Back-up camera with a four camera switcher.	\$23,248		
5350-0109	Safety Vision DVR with SV-620A camera on front of cab roof offset to driver side of center marker light. Quest cab only. No monitor.	\$3,228		
5350-0110	Camera backup Zone Defense LCD model SYS-323-1-4Q with split screen capable monitor.	\$2,327		
5350-0111	Camera backup Zone Defense LCD model SYS-323-1-4 with monitor and console.	\$1,567		
5350-0112	Sigtronics US-67S intercom system with (6) cab jacks, six headsets / hooks, PTT switches for driver / officer. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$6,566		
5350-0113	Back-up camera monitor to be located on the driver side top of engine cover.	\$0		
5350-0114	Sigtronics US-67D intercom system with (6) cab jacks, six headsets / hooks, PTT switches for driver / officer. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$6,694		
5350-0116	Federal Signal back-up/DVR camera system. Includes front view, rear view camera, side view cameras, split screen monitor and DVR.	\$4,631		
5350-0118	Camera backup Federal Signal LCD model CAMSET70-NTSC-4 with monitor.	\$1,411		

Item #	Description	Extension	+1/-1	Total
5350-0119	A Voyager three camera back-up system shall be provided. It shall include a 5.6 inch LCD monitor model # AOM562HD in the cab. Display shall be located on drivers side of the center dash pedestal mounted. Locate (1) camera model # VCCS150B on the rear of the body on B1 header. The rear camera shall be positioned to provide the best possible view of the rear and rear side of the body during back-up operations. (1) Side facing camera mounted up high on driver side of the cab on front cab corner model # VCMS36LCM and (1) Side facing camera mounted up high on officer side of the cab located on front cab corner model # VCMS36RCM.	\$2,102		
5350-0120	PatrolIR PTZ 9hz export thermal imager and Boland 10.4" monitor.	\$18,439		
5350-0121	Install supplied ICA110-05 Radio as required by Customer. Antenna installed at manufacturers discretion. Programming to be done by Customer. Wire to Master switch to toggle radio on and off with master power.	\$1,042		
5350-0122	Safety vision camera system to include: DVR, fwd color cam, FLIR, Boland monitor, backup cam, seven (7) inch monitor, two (2) side cameras, two (2) camera switcher.	\$30,301		
5350-0123	Sigtronics US-12S intercom system with (7) cab jacks, (1) pump panel jack, seven headsets / hooks, PTT switches for driver / officer / ppnl. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$7,532		
5350-0124	Safety Vision PathFindIR FLIR camera. Located centered below windshield. For use with Safety Vision split screen back-up camera system only. Includes guarded switch on driver side lower dash area.	\$7,246		
5350-0126	Custom radio installation quote for West Metro, Mn. See file for details.	\$14,520		
5350-0127	Flashback 2 digital video system. System includes (2) forward facing cameras and color monitor.	\$15,893		
5350-0128	Camera (3) backup Safety Vision LCD with split screen capable monitor. WaterMaster	\$5,760		
5350-0129	Camera system. Includes dual in-cab mounted monitors and officer side and rear body mounted cameras.	\$1,537		
5350-0130	David Clark model 3800 intercom system with (6) cab head sets and (1) pump panel jack. Custom cabs only. Headsets to be shipped loose.	\$11,713		
5350-0132	David Clark model 3800 intercom system with four (4) cab head sets and one (1) pump panel jack. Radio interfaced to three (3) positions, driver , turret operator and pump panel. Headsets to be shipped loose.	\$12,130		
5350-0134	Voyager back-up camera wire through multiplex display. Video displays automatically when transmission is in reverse.	\$820		
5350-0135	The back-up camera is to be located [#LOC].	\$0		
5350-0136	Sigtronics US-67D intercom system with (5) cab jacks, (1) pump panel jack, (1) driver rear body jack, five headsets / hooks, PTT switches for driver / officer / ppnl / rear body. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$6,234		
5350-0137	Sigtronics US-45S intercom system with (4) cab jacks, four headsets / hooks, PTT switches for driver / officer. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$4,899		
5350-0140	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on officer's side gravel shield offset to the rear.	\$1,055		
5350-0141	Safety Vision driver's side camera SV-622LS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on driver's side gravel shield offset to the rear.	\$1,055		
5350-0142	Safety Vision officer's side camera. Requires Safety Vision back-up camera option. SV-620 Kit w/ SV-523. Camera to be located on officer's side of cab above tank level lights.	\$1,055		
5350-0143	Intercom base control is to be located in the officer side overhead console.	\$0		
5350-0144	Safety Vision officer's side camera. Requires Safety Vision back-up camera option. SV-620 Kit w/ SV-523. Camera to be located on officer's side of cab above scene light.	\$1,055		
5350-0145	Back-up camera monitor to be located on the cab dash. Monitor not to interfere with driver's vision	\$0		
5350-0148	Intercom 2-way Atkinson Dynamics. Include master intercom in cab, hands free intercom in body and microphone for cab module.	\$1,919		
5350-0149	Camera color backup and 7" Color LCD monitor (SV-CLCD-70BA).	\$1,461		

Item #	Description	Extension	+1/-1	Total
5350-0150	Intercom system, David Clark wireless. Four (4) wireless headsets with battery chargers. Interfaced to one (1) customer supplied radio.	\$13,100		
5350-0153	PatrolIR PTZ thermal imager, Boland 10.4" monitor, color day/night zoom camera, camera switcher, back-up camera with separate 7" monitor and DVR.	\$31,953		
5350-0155	A DVR Four channel recorder, to record up to four separate cameras, pre-programmed for operation.	\$2,865		
5350-0156	FRC ACT 2-way aerial intercom.	\$2,390		
5350-0157	FRC ACT 3-way aerial intercom. Speaker and control module to be located to rear of platform on Bronto units.	\$3,641		
5350-0158	Camera back-up Safety Vision LCD model SV-CLCD70B-625B with audio. Located in cab dash on bracket (see photos).	\$2,410		
5350-0168	Safety Vision PatrolIR B PTZ FLIR camera, Boland monitor (10.4"), stainless steel color zoom camera (22X) and a two camera switcher.	\$25,798		
5350-0169	Camera back-up Safety Vision LCD model SV-CLCD-64-810 with lens shutter that opens when the unit is put in reverse.	\$2,493		
5350-0173	Safety Vision driver's side camera SV-622LS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on driver's side above forward tandem of rear axle.	\$1,055		
5350-0174	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on officer's side above forward tandem of rear axle.	\$1,055		
5350-0175	David Clark model 3800 intercom system with (4) cab head sets. Headsets to be shipped loose.	\$7,180		
5350-0176	David Clark model 3800 intercom system with (5) cab head sets and (1) pump panel jack. Custom cabs only. Headsets to be shipped loose.	\$10,688		
5350-0177	FireCom (4) position wireless 5yr extended warranty. Includes 5-day repair time with 2-day shipping.	\$2,083		
5350-0180	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located up high on officer side of the cab centrally located (above canopy window if applicable) interlocked with left turn signal. Camera only - does not include monitor.	\$1,092		
5350-0181	Camera back-up Safety Vision LCD model SV-CLCD70BA-620A with audio. For use with up to 2 cameras. Includes monitor for console mounting.	\$2,588		
5350-0182	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on front cab corner (approx 31" bottom of camera to bottom of cab) interlocked with right turn signal. Camera only - does not include monitor.	\$1,092		
5350-0183	Safety Vision driver's side camera SV-622LS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on front cab corner (approx 31" bottom of camera to bottom of cab) interlocked with left turn signal. Camera only - does not include monitor.	\$1,092		
5350-0186	Back-up camera speaker. For use with V-MUX electrical system. Located in cab accessible to driver.	\$250		
5350-0188	Federal Signal (Sony) back-up camera wire through multiplex display. Video displays automatically when transmission is in reverse.	\$793		
5350-0189	Zone Defense PathFindIR FLIR camera. Located centered below windshield. For use with Safety Zone Defense split screen back-up camera system only. Includes guarded switch on driver side lower dash area.	\$7,246		
5350-0190	Zone Defense side camera. Requires Zone Defense back-up camera option. Camera to be located on driver's and officer's side mirror.	\$556		
5350-0191	Video Sentinel camera system. Includes FLIR and color zoom camera at platform (with pan and tilt) and 8.4" color weatherproof monitor. The monitor shall be located in/and or on: [#LOC].	\$65,016		
5350-0192	Safety Vision back-up camera wired through multiplex display. Video displays automatically when transmission is in reverse. Camera only - does not include monitor.	\$1,055		
5350-0193	Voyager rear facing camera positioned on officer's side front cab corner (approx 31" bottom of camera to bottom of cab) interlocked with right turn signal. Camera only - does not include monitor.	\$799		

Item #	Description	Extension	+1/-1	Total
5350-0194	Voyager rear facing camera positioned on driver's side front cab corner (approx 31" bottom of camera to bottom of cab) interlocked with left turn signal. Camera only - does not include monitor.	\$799		
5350-0196	Sigtronics US-67D intercom system with (5) cab jacks, (1) pump panel jack, five headsets / hooks, PTT switches for driver / officer / ppnl. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$5,868		
5350-0197	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on front fender interlocked with right turn signal. Camera only - does not include monitor.	\$1,092		
5350-0198	Voyager rear facing camera positioned on officer's side front fender interlocked with right turn signal. Camera only - does not include monitor.	\$799		
5350-0199	FireCom intercom kit to include a digital intercom model 5100D, four (4) plug in modules and headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,090		
5350-0200	FireCom intercom kit to include a digital intercom model 5100D, four (4) plug in modules and headset hooks shall be installed within the cab and one (1) exterior pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$3,356		
5350-0201	FireCom intercom kit to include a digital intercom model 5100D, six (6) plug in modules and headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,500		
5350-0202	FireCom intercom kit to include a digital intercom model 5100D, six (6) plug in modules and headset hooks shall be installed within the cab and one (1) exterior pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$3,812		
5350-0203	FireCom intercom kit to include a digital intercom model 5100D, five (5) plug in modules and headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,318		
5350-0204	FireCom intercom kit to include a digital intercom model 5100D, five (5) plug in modules and headset hooks shall be installed within the cab and one (1) exterior pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$3,584		
5350-0208	FireCom intercom kit to include a dual radio digital intercom model 5200D, four (4) plug in modules and headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,623		
5350-0209	FireCom intercom kit to include a dual radio digital intercom model 5200D, four (4) plug in modules and headset hooks shall be installed within the cab and one (1) exterior pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$3,889		
5350-0210	FireCom intercom kit to include a dual radio digital intercom model 5200D, six (6) plug in modules and headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,034		
5350-0211	FireCom intercom kit to include a dual radio digital intercom model 5200D, six (6) plug in modules and headset hooks shall be installed within the cab and one (1) exterior pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$4,347		
5350-0212	FireCom intercom kit to include a dual radio digital intercom model 5200D, five (5) plug in modules and headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,853		
5350-0213	FireCom intercom kit to include a dual radio digital intercom model 5200D, five (5) plug in modules and headset hooks shall be installed within the cab and one (1) exterior pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$4,119		
5350-0219	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on the officer side cab, up high behind front door, below the scene light interlocked with right turn signal. Camera only - does not include monitor.	\$1,092		
5350-0220	Remote head for Firecom intercom. Location: [#LOC].	\$0		
5350-0221	Setcom intercom kit to include a intercom model IM-900 and four (4) plug in modules shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$1,509		

Item #	Description	Extension	+1/-1	Total
5350-0222	Setcom dual radio intercom kit to include a intercom model IM-900 and four (4) plug in modules shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,046		
5350-0223	Setcom intercom kit to include a intercom model IM-900, four (4) plug in modules shall be installed within the cab and (1) pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$1,919		
5350-0224	Setcom dual radio intercom kit to include a intercom model IM-900, four (4) plug in modules shall be installed within the cab and (1) pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$2,456		
5350-0225	Setcom intercom kit to include a intercom model IM-900 and five (5) plug in modules shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$1,869		
5350-0226	Setcom dual radio intercom kit to include a intercom model IM-900 and five (5) plug in modules shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,405		
5350-0227	Setcom intercom kit to include a intercom model IM-900, five (5) plug in modules shall be installed within the cab and (1) pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$2,279		
5350-0228	Setcom dual radio intercom kit to include a intercom model IM-900, five (5) plug in modules shall be installed within the cab and (1) pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$2,814		
5350-0229	Setcom intercom kit to include a intercom model IM-900 and six (6) plug in modules shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$1,869		
5350-0230	Setcom dual radio intercom kit to include a intercom model IM-900 and six (6) plug in modules shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,405		
5350-0231	Setcom intercom kit to include a intercom model IM-900, six (6) plug in modules shall be installed within the cab and (1) pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$2,279		
5350-0232	Setcom dual radio intercom kit to include a intercom model IM-900, six (6) plug in modules shall be installed within the cab and (1) pump panel plug in module. Headsets are not included and ordered separately (misc loose equip).	\$2,814		
5350-0233	Setcom wireless intercom kit to include a intercom model IM-900 and four (4) wireless adapters shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,193		
5350-0234	Setcom wireless dual radio intercom kit to include a intercom model IM-900 and four (4) wireless adapters shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,729		
5350-0235	Setcom wireless intercom kit to include a intercom model IM-900 and five (5) wireless adapters shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,694		
5350-0236	Setcom wireless dual radio intercom kit to include a intercom model IM-900 and five (5) wireless adapters shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,231		
5350-0237	Setcom wireless intercom kit to include a intercom model IM-900 and six (6) wireless adapters shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,840		
5350-0238	Setcom wireless dual radio intercom kit to include a intercom model IM-900 and six (6) wireless adapters shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,377		
5350-0239	David Clark model 3800 intercom system with (4) cab head sets and (1) pump panel jack. Custom cabs only. Headsets to be shipped loose.	\$9,661		
5350-0240	Intercom aerial 3-way. Atkinson Dynamics (Federal). The intercom system shall be installed to provide communications between the turntable control station, the driver side front compartment face (pump panel area) and the aerial tip.	\$3,644		
5350-0241	Zone Defense side camera. Requires Zone Defense back-up camera option. Camera to be located on officer's side mirror.	\$300		
5350-0242	FireCom (8) position, (1) which is wireless. Intercom kit to include a digital quad radio monitor intercom model 5400D, one (1) base transmit unit with radio transmission (for wireless), seven (7) plug in modules and eight (8) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$6,599		

Item #	Description	Extension	+1/-1	Total
5350-0243	FireCom intercom kit to include a digital intercom model 5100D, eight (8) plug in modules and headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,003		
5350-0244	FRC ACT 3-way aerial intercom to provide communications between the turntable control station, the aerial tip and [#LOC].	\$3,641		
5350-0245	FireCom (2) wireless (2) plug in intercom kit to include a digital intercom model 5100D, two (2) base transmit units with radio transmission for forward positions, (2) plug in modules for rear positions and four (4) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,351		
5350-0246	Voyager rear facing camera positioned on officer's side front cab mirror (approx 31" bottom of camera to bottom of cab) interlocked with right turn signal. Camera only - does not include monitor.	\$799		
5350-0247	Remote 5100D head for Firecom intercom. Location: [#LOC].	\$686		
5350-0248	Remote 5200D head for Firecom intercom. Location: [#LOC].	\$777		
5350-0249	Sigtronics US-45S Ultrasound Intercom System with (4) cab jacks, (4) headsets, (2) SE-8RPTT headsets dual speaker, flex boom mic with radio push to talk switch, (2) SE-8 headsets dual speaker, flex boom mic. Includes HLN6961 radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$6,251		
5350-0250	Radio package, XTL 5000, David Clark wireless, Four (4) wireless headsets with battery chargers. Interfaced to one (1) customer supplied radio.	\$26,757		
5350-0251	Camera system Brigade 360. Includes 4 cameras located front, rear, left and right. Requires separate multiplex color display as the monitor. Note: cameras must be located as high as possible with side cameras centrally located. (Requires approval for stainless steel product.)	\$8,473		
5350-0252	** OBS** (replaced by 5350-0331) Brigade Digital Video Recorder model MDR-304 for use with Brigade camera system.	\$2,598		
5350-0253	Voyager officer camera positioned on the officer's side of the speedlay module up high near the E-ONE Logo looking downward. Camera only - does not include monitor	\$799		
5350-0254	Zone Defense back-up camera wired through multiplex display. Video displays automatically when transmission is in reverse. Camera only - does not include monitor.	\$556		
5350-0255	Foot switch driver side Setcom. Trico foot switch to key the microphone includes 16' cable.	\$412		
5350-0256	Install customer supplied communication system. Antenna installed at manufacturers discretion. Programming to be done by customer. Wire to master switch to toggle radio on and off with master power.	\$1,677		
5350-0257	Federal Signal (Sony) driver's side camera. Camera to be located up high on driver side of the cab centrally located (above canopy window if applicable) interlocked with left turn signal. Camera only - does not include monitor.	\$793		
5350-0258	Federal Signal (Sony) officer's side camera. Camera to be located up high on officer side of the cab centrally located (above canopy window if applicable) interlocked with left turn signal. Camera only - does not include monitor.	\$793		
5350-0259	Intercom 2-way Atkinson Dynamics. Include master intercom in cab, hands free intercom in right rear corner of the body and microphone for cab module.	\$1,871		
5350-0260	Zone Defense side camera. Requires Zone Defense back-up camera option. Camera to be located on officer's side of cab ahead of cab door driprail approx. 31" above bottom of cab. Camera programmed to constant display while driving or parked; switch to reverse camera when trans in placed in reverse.	\$556		
5350-0261	David Clark model 3800 intercom system with (8) head sets and (1) pump panel jack. Custom cabs only. Headsets to be shipped loose.	\$13,722		
5350-0262	David Clark model 3800 intercom system with (8) cab head sets. Headsets to be shipped loose.	\$11,508		
5350-0263	Sigtronics US-12S intercom system with (8) cab jacks, (1) pump panel jack, eight headsets / hooks, PTT switches for driver / officer / ppnl. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$8,365		
5350-0264	Safety Vision camera. Requires Safety Vision back-up camera option or multiplex display. SV-625B Kit. Camera to be located driver side compartment top above dump chute, officer side below diamond plate mounting box for scene light above dump chute.	\$2,108		



Item #	Description	Extension	+1/-1	Total
5350-0265	FireCom intercom kit to include a digital intercom model 5100D, six (6) plug in modules and headset hooks shall be installed within the cab and one (1) exterior plug in module in L1 adjacent to breaker box (if equipped). Headsets are not included and ordered separately (misc loose equip).	\$3,812		
5350-0267	FireCom (4) position, (1) which is wireless. Intercom kit to include a digital intercom model 5100D, one (1) base transmit unit with radio transmission (for wireless), (3) plug in modules and (4) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,611		
5350-0268	Install customer supplied new FireCom 5100D (4) cab, (1) pump panel intercom system.	\$813		
5350-0269	Camera system Voyager model AOM713WP 7" waterproof monitor with VCMS10B camera located on officer side pump module up high. Monitor located on pump operator panel.	\$1,442		
5350-0270	Federal Signal (Sony) driver's side camera. Camera to be located on front cab corner (approx 31" bottom of camera to bottom of cab) interlocked with left turn signal. Camera only - does not include monitor.	\$793		
5350-0271	Federal Signal (Sony) officer's side camera. Camera to be located on front cab corner (approx 31" bottom of camera to bottom of cab) interlocked with right turn signal. Camera only - does not include monitor.	\$793		
5350-0272	David Clark model 3800 intercom system with (2) cab head sets and (4) body head sets. Headsets to be shipped loose.	\$9,343		
5350-0273	Voyager crew camera. Located on interior of body front wall up high wired through multiplex display.	\$820		
5350-0274	Intercom 2-way Fire Research model ICA200-A20. Includes master cab station with volume control, push-to-talk and remote open microphone speaker in the body.	\$1,569		
5350-0275	Zone Defense PathFindIR FLIR camera. Located centered below windshield. No monitor included; camera only. Video wired through multiplex display in cab.	\$7,246		
5350-0276	Back-up camera speaker. For use with V-MUX electrical system. Located on driver side overhead console.	\$250		
5350-0277	FireCom (5) position, (1) which is wireless. Intercom kit to include a digital intercom model 5100D, one (1) base transmit unit with radio transmission (for wireless), (4) plug in modules and (5) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,701		
5350-0279	FireCom intercom kit to include a digital intercom model 5100D, six (6) plug in modules and headset hooks shall be installed within the cab and one (1) exterior plug in module at the driver side rear of body. Headsets are not included and ordered separately (misc loose equip).	\$3,812		
5350-0280	FireCom (6) position, (1) which is wireless. Intercom kit to include a digital intercom model 5100D, one (1) base transmit unit with radio transmission (for wireless), (5) plug in modules and (6) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$3,791		
5350-0281	Camera system. Includes in-cab mounted monitor, driver side, officer side and rear body mounted cameras.	\$1,398		
5350-0282	The monitor for the camera system shall be located on the underside of the upper overhead in the center of the cab on the supplied flat radio mounting surface. T-300-400-800 series chassis models.	\$0		
5350-0283	Zone Defense side camera. Requires Zone Defense back-up camera option. Camera to be located on officer's side of cab ahead of cab door driprail approx. 31" above bottom of cab.	\$556		
5350-0284	Zone Defense side camera. Requires Zone Defense back-up camera option. Camera to be located on driver's side of cab ahead of cab door driprail approx. 31" above bottom of cab.	\$556		
5350-0285	FireCom (6) position, (2) which are wireless. Intercom kit to include a digital intercom model 5100D, two (2) base transmit unit with radio transmission (for wireless), (4) plug in modules and (6) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,407		
5350-0286	FireCom (6) position, (2) which are wireless. Intercom kit to include a digital intercom model 5200D, two (2) base transmit unit with radio transmission (for wireless), (4) plug in modules and (6) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$5,286		
5350-0287	Brushed stainless steel camera shield.	\$286		
5350-0288	DVR to be located [#LOC].	\$0		

Item #	Description	Extension	+1/-1	Total
5350-0289	FireCom (5) position, (2) which are wireless. Intercom kit to include a digital intercom model 5100D, two (2) base transmit unit with radio transmission (for wireless), (3) plug in modules and (5) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,390		
5350-0290	Federal Signal back-up camera, flush mounted and wired through multiplex display. Video displays automatically when transmission is in reverse.	\$793		
5350-0291	Sigtronics US-67S intercom system with (6) cab jacks, (1) pump panel jack, six headsets / hooks, PTT switches for driver / officer / ppnl. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$6,702		
5350-0292	Sigtronics US-45D intercom system with (3) cab jacks, (1) pump panel jack, (1) turntable jack, three headsets / hooks, PTT switches for driver/officer/ppnl/turntable. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$4,944		
5350-0293	FireCom intercom kit to include a digital intercom model 5100D, five (5) plug in modules and headset hooks shall be installed within the cab and one (1) exterior plug in module at the driver side rear of body. Headsets are not included and ordered separately (misc loose equip).	\$3,584		
5350-0294	Back-up camera speaker. For use with V-MUX electrical system. Located in cab on side wall near driver seat.	\$250		
5350-0295	Remote 5400D head for Firecom intercom. Location: [#LOC].	\$972		
5350-0296	FireCom (2) wireless (2) plug in intercom kit to include a digital intercom model 5400D, two (2) base transmit units with radio transmission for forward positions, (2) plug in modules for rear positions and four (4) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$5,931		
5350-0298	The back-up camera speaker is to be located on the [#LOC].	\$0		
5350-0299	Safety Vision CF DVR with SV-620A camera on front of cab above grille. No monitor. Camera to record when truck is in operation, both driving and sitting idle.	\$3,228		
5350-0300	David Clark model 3800 dual radio intercom system with (6) cab head sets. Headsets to be shipped loose.	\$9,506		
5350-0301	Pro-Vision VLI wireless camera at tip of aerial connected to AACCS color display.	\$2,284		
5350-0302	Orlaco TIC 320, 12" monitor and an AMOS backup camera with a two camera switcher.	\$18,827		
5350-0303	FireCom intercom kit to include a digital intercom model 5100D, one (1) plug in module and headset hook shall be installed within the cab and one (1) exterior pump panel plug in module. Headset is not included and ordered separately (misc loose equip).	\$2,644		
5350-0304	Orlaco Easy Solid Recorder single channel.	\$2,087		
5350-0305	Back-up camera speaker to be wired to display screen located on driver side overhead.	\$0		
5350-0306	David Clark model 3800 wireless intercom system with (4) cab head sets. Headsets and battery packs to be shipped loose.	\$13,153		
5350-0307	FRC ACT 2-way aerial intercom. Platform mounted intercom located ahead of controls. Bronto only.	\$2,885		
5350-0308	Safety Vision forward camera. Requires Safety Vision back-up camera option. SV-620 Kit w/ SV-523. Camera to be located on front of cab centered below windshield.	\$1,055		
5350-0309	Setcom wireless dual radio intercom kit to include a intercom model IM-900 and three (3) wireless adapters shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$2,729		
5350-0311	Rosco dual vision camera system model DV231. Interior mounted at the front windshield.	\$1,991		
5350-0312	Setcom aerial advantage antenna kit for wireless headsets (EA). Location(s) to be determined by available space on cab roof.	\$320		
5350-0313	Orlaco TIC 320 and 12" monitor.	\$17,816		
5350-0314	Camera at tip of aerial. Pro-Vision VLI wireless with 5" waterproof monitor at turntable console.	\$2,721		
5350-0315	David Clark model 3800 dual intercom system with (6) cab head sets and (2) tiller cab jack. Custom cabs only. Headsets to be shipped loose.	\$12,522		
5350-0316	Voyager cameras (PR) wire through multiplex display. Location: (1) each side above jack legs.	\$1,639		

Item #	Description	Extension	+1/-1	Total
5350-0317	Sigtronics US-67D intercom system with (5) cab jacks, five headsets / hooks, PTT switches for driver / officer. Does not include radio interface cable. Custom cabs only. Headsets to be shipped loose.	\$5,752		
5350-0318	David Clark model 3800 dual intercom system with (6) cab head sets and (1) pump panel jack. Custom cabs only. Headsets to be shipped loose.	\$11,713		
5350-0319	FireCom wireless intercom kit to include a digital intercom model 5100D, one (1) base transmit unit with up to (5) radio/intercom only transmission and up to (5) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,285		
5350-0320	FireCom wireless intercom kit to include a digital dual intercom model 5200D, one (1) base transmit unit with up to (5) radio/intercom only transmission and up to (5) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,795		
5350-0321	FireCom wireless intercom kit to include a digital intercom model 5100D, one (1) base transmit unit with up to (10) radio/intercom only transmission and up to (10) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$6,381		
5350-0322	FireCom wireless intercom kit to include a digital dual intercom model 5200D, one (1) base transmit unit with up to (10) radio/intercom only transmission and up to (10) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$6,890		
5350-0323	Camera system Voyager model AOM713WP 7" waterproof monitor with VCMS10B camera located on officer side body above R1. Monitor located on pump operator panel.	\$1,442		
5350-0324	Safety Vision officer's side camera SV-622RS w/ SV-512 cable. Requires Safety Vision back-up camera option. Camera to be located on the officer side cab, above fenderette interlocked with right turn signal. Camera only - does not include monitor.	\$1,092		
5350-0325	David Clark intercom jacks; (1) pump panel, (1) turntable. Wire to center cab dash. (N/A with three-way aerial intercom).	\$3,643		
5350-0326	David Clark model 3800 intercom system with (4) cab head sets. Driver and officer will be wireless; all others are wired. Headsets to be shipped loose.	\$9,112		
5350-0327	Safety Vision back-up camera wired through multiplex display. Video displays automatically when transmission is in reverse. Camera only - does not include monitor. Locate rear of body, centered above B1.	\$1,055		
5350-0328	Back-up camera speaker. For use with V-MUX electrical system. Located in cab driver side 3x3 up high.	\$250		
5350-0329	Trico installed customer supplied communication system. Antenna installed at manufacturers discretion. Programming to be done by customer.	\$2,570		
5350-0330	Intercom aerial 3-way. Atkinson Dynamics (Federal). The intercom system shall be installed to provide communications between the turntable control station, the driver side back of cab up high at approx crosslay level (if applicable) and the aerial tip. Note not available with rear cab narrow windows or driver side back of cab exterior mounted light pole.	\$3,644		
5350-0331	Brigade Digital Video Recorder model MDR-404-500 for use with Brigade camera system.	\$2,598		
5350-0332	Will-Burt 7-25 Vertical Mast. E-One supplied, Van-Mor installed Will-Burt 7-25 Vertical Mast for Camera. Includes mast, nonrotatable base plate, support brkt, pneumatic kit, air filter, and nycoil. Locate rear of truck on [#LOC]. Controls will be located in the interior of the truck above desk area.	\$10,422		
5350-0333	FireCom (6) position, (2) which are wireless. Intercom kit to include a digital intercom model 5100D, one (1) base transmit unit with up to 5 radio/intercom only transmission, (4) plug in modules and (6) headset hooks shall be installed within the cab. Headsets are not included and ordered separately (misc loose equip).	\$4,956		
5380-0002	Crew compartment lights (4) clear with recessed ABS bezel.	\$1,037		
5380-0003	Crew compartment lights 110V 24" fluorescent (EA).	\$350		
5380-0004	Compartment light incandescent additional (EA). Locate opposite of standard (if applicable) in compartment [#LOC]	\$88		
5380-0005	Compartment light Truck-Lite LED additional (EA). Locate opposite of standard in compartment [#LOC].	\$228		

Item #	Description	Extension	+1/-1	Total
5380-0006	Compartment light incandescent additional (EA). Door(s) mounted. Compartment [#LOC].	\$137		
5380-0007	Compartment light Truck-Lite LED additional (EA). Door(s) mounted. Compartment [#LOC].	\$312		
5380-0008	Compartment light package incandescent for small bodies.	\$588		
5380-0009	Compartment light package incandescent for medium bodies.	\$877		
5380-0010	Compartment light package incandescent for large bodies.	\$1,363		
5380-0011	Compartment light package LED for small bodies.	\$2,092		
5380-0012	Compartment light package Truck-Lite LED for medium bodies.	\$3,498		
5380-0013	Compartment light package Truck-Lite LED for large bodies.	\$5,438		
5380-0017	Compartment light package POK LED for small bodies. Includes one light per compartment (two if transverse).	\$2,693		
5380-0018	Compartment light package POK LED for medium bodies. Includes one light per compartment (two if transverse).	\$4,400		
5380-0019	Compartment light package POK LED for large bodies. Includes one light per compartment (two if transverse).	\$7,003		
5380-0022	Compartment light POK LED additional (EA). Locate [#LOC].	\$389		
5380-0023	Compartment light POK LED additional (EA). Locate [#LOC].	\$666		
5380-0027	Ground light package for cab and body - small.	\$546		
5380-0029	Ground light package for cab and body - large.	\$818		
5380-0030	Ground light package LED - small.	\$1,781		
5380-0032	Ground light package LED - large.	\$2,666		
5380-0033	Step light package body - small.	\$510		
5380-0035	Step light package body - large.	\$763		
5380-0036	Step light package body LED - small.	\$1,743		
5380-0038	Step light package body LED - large.	\$2,611		
5380-0042	Light recessed step Truck-Lite incandescent (additional). Locate [#LOC].	\$140		
5380-0043	Crew compartment lights (4) red with recessed ABS bezel.	\$1,037		
5380-0044	Step light 2" recessed. (4) step lights installed at the rear turntable access walkway. Bronto only.	\$177		
5380-0045	Light recessed step Truck-Lite LED (additional). Locate [#LOC].	\$214		
5380-0053	Lights under rear intermediate step LED (2). 4" grommet mounted lights. Lights operated with switch on rear of body. Locate switch below driver side intermediate step.	\$632		
5380-0055	Cab and body ground lights to be wired through chassis reverse.	\$91		
5380-0056	Compartment lights to be wired to automatically activate when park brake is set (IPO cab mtd compartment light switch).	\$91		
5380-0057	Light recessed step LED (additional). Locate (1) in line with driver's side discharges and (1) at upper pump panel split.	\$0		
5380-0059	Additional incandescent ground lights. Locate below L1/R1 and L3/R3.	\$615		
5380-0060	Additional LED ground light (EA). Location: Below [#LOC].	\$241		
5380-0061	LED hosebed walkway light package. Includes lighting located to the outboard side of the walkway and (1) at the rear of the walkway facing forward. Lights to be switched with work light switch in cab.	\$823		
5380-0062	Compartment light Federal Signal LED additional (EA). Locate opposite of standard in compartment [#LOC].	\$161		
5380-0063	Compartment light Federal Signal LED additional (EA). Door(s) mounted. Compartment [#LOC].	\$241		
5380-0064	Compartment light package Federal Signal LED for small bodies.	\$1,673		
5380-0065	Compartment light package Federal Signal LED for medium bodies.	\$2,844		
5380-0066	Compartment light package Federal Signal LED for large bodies.	\$4,420		
5380-0067	Ground light package Federal Signal LED - small.	\$1,781		
5380-0068	Ground light package Federal Signal LED - large.	\$2,667		
5380-0069	Step light package body Federal Signal LED - small.	\$1,338		
5380-0070	Step light package body Federal Signal LED - large.	\$2,010		

Item #	Description	Extension	+1/-1	Total
5380-0071	Light Federal Signal recessed step LED (additional). Locate [#LOC].	\$172		
5380-0072	Additional Federal Signal LED ground light (EA). Location: Below [#LOC]	\$226		
5380-0074	Compartment light package Whelen PSC0CDCR LED for large bodies. Light to be stacked vertically on forward side of compartment unless implacable.	\$6,705		
5380-0075	Compartment light incandescent additional (EA). Locate on ceiling of [#LOC].	\$88		
5380-0076	Compartment light deluxe package Whelen PSC0CDCR LED for medium bodies. Light to be stacked vertically on both sides of compartment.	\$9,143		
5380-0077	Compartment light package Amdor Luma-Bar LED for medium bodies. Includes one light per compartment (two if transverse).	\$2,869		
5380-0078	Compartment light Amdor Luma-Bar LED 26-42" long additional (EA). Locate [#LOC].	\$278		
5380-0079	Compartment light Amdor Luma-Bar LED 48-74" long additional (EA). Locate [#LOC].	\$424		
5380-0081	Compartment light package Whelen LED for medium bodies.	\$5,445		
5380-0082	Ground light package Whelen LED - large.	\$3,604		
5380-0083	Step light package Whelen LED - large.	\$3,604		
5380-0084	Ground light package for cab and body - large body. There will be 2 lights under each Compartment opening	\$1,630		
5380-0085	Compartment light package incandescent for small bodies.	\$588		
5380-0086	Ground light package Amdor Luma Bar / Trucklite LED - large. Lights below cab doors to be Luma Bar, lights below bumper and body to be Trucklite.	\$2,741		
5380-0087	Compartment light package Weldon LED for medium bodies.	\$2,339		
5380-0088	Ground light package Weldon LED - small.	\$1,606		
5380-0089	Step light package body Weldon LED - small.	\$1,169		
5380-0090	Compartment light LED (EA). Location: [#LOC].	\$228		
5380-0091	Whelen PSC0CDCR LED strip light. Locate opposite standard in [#LOC].	\$175		
5380-0096	Two (2) Whelen PSC0CDCR LED strip light. Locate two (2) opposite side of standard in [#LOC], one (1) 20" down from top of opening and one (1) 10" up from bottom.	\$350		
5380-0097	Whelen PSC0CDCR LED strip light. Locate one (1) light 15" down from top of opening on opposite side of standard in [#LOC].	\$175		
5380-0098	Compartment light package Whelen PSC0CDCR LED for medium bodies. Light to be stacked vertically on one side of compartment.	\$4,573		
5380-0099	Ladder tunnel light LED (EA).	\$214		
5380-0100	There will be a pair of lights recessed in the ceiling using a poly mounting bezel. Each Lamp will be 7 inch round and be switched near the door opening. Switch plate for lights can accommodate a qty of 6 rocker switches. Lights will alternate side to side and front to rear per color and be evenly spaced from front to rear. Light color will be [#COL] and switched accordingly.	\$538		
5380-0101	Cab (FS) LED ground lighting package with LED step lighting. Includes (1) Federal Signal light per side below the cab lower steps and (1) LED step light below the lower area of the cab for step lighting.	\$0		
5380-0102	Whelen Justice model JE2NFPA 56" with MKEZ7 mounts. All LED (forward facing) lightbar.	\$0		
5380-0103	Federal Signal JetSolaris model JLX6001C 60" LED with red Solaris reflectors with clear domes. Location: Centered on the front cab roof	\$0		
5380-0104	Federal Signal LED lower level body warning light package. Includes (6) LED light heads with bezels located (1) each side forward of the rear wheel well, (1) each side rearward of the rear wheel well and (1) each side on rear of body down low below the taillights (offset outboard).	\$0		
5380-0105	Federal Signal LED lower level cab warning light package. Includes light heads with bezels located (1) each side of hood area and (1) each side forward facing mounted in grill area.	\$0		

Item #	Description	Extension	+1/-1	Total
5380-0106	LED (FS) compartment light package. For use in L1 and R1 compartments.	\$0		
5380-0107	LED (FS) underbody ground lighting. Includes lighting below the forward body and below the rear body	\$0		
5380-0108	Cab (WHLN) LED ground lighting package with LED step lighting. Includes (1) Whelen light per side below the cab lower steps and (1) LED step light below the lower area of the cab for step lighting.	\$0		
5380-0109	LED (Whelen) underbody ground lighting. Includes lighting below the forward body and below the rear body	\$0		
5380-0110	LED (Whelen) compartment light package. For use in L1 and R1 compartments.	\$0		
5380-0111	Compartment light Amdor LED for medical cabinet (EA).	\$278		
5380-0112	There will be an E-One supplied, VanMor installed pair of lights recessed in the ceiling using a poly mounting bezel. Each Lamp will be 7 inch round and be switched near the door opening. Switch plate for lights can accomodate a qty of 6 rocker switches. Lights will alternate side to side and front to rear per color and be evenly spaced from front to rear. Light color will be [#COL] and switched accordingly.	\$122		
5380-0113	Whelen Step light package body LED, 24V Mounted with 2GFLANGEC	\$1,181		
5380-0115	(2) bracket mounted LED lights. Mount along lower rearward edge of trim package (one each side) and position to illuminate the ground area near the pump module. Wire as part of ground lighting.	\$0		
5380-0116	Ground light package Amdor Luma-Bar H2O LED - large.	\$2,066		
5380-0119	There will be ROM Duro Lumen LED lights hung in the command area. Lights will be located on [#LOC].	\$437		
5380-0120	Lighting in the L2 and R2 compartments shall be relocated from their current position to the ceiling between the preconnect and the hose storage cartridge.	\$0		
5380-0121	(2) Incandescent 4" round lights for use with preconnect module. Locate (1) each side on front compartment face down low.	\$196		
5380-0122	(2) Weldon LED 4" round lights for use with preconnect module. Locate (1) each side on front compartment face down low.	\$286		
5380-0123	Incandescent ground light package for cab, body and transverse/preconnect modules. Includes (1) light under each cab crew door (Lights under the driver and crew area exits to activate automatically with door is opened), (1) light under each side of the extended front bumper gravel shield (when applicable), (1) light centered each side below the transverse/preconnect module, (2) lights below rear tailboard area and (1) light centered below the pump operator compartment.	\$669		
5380-0124	Weldon LED ground light package for cab, body and transverse/preconnect modules. Includes (1) light under each cab crew door (Lights under the driver and crew area exits to activate automatically with door is opened), (1) light under each side of the extended front bumper gravel shield (when applicable), (1) light centered each side below the transverse/preconnect module, (2) lights below rear tailboard area and (1) light centered below the pump operator compartment.	\$687		
5380-0125	Incandescent body compartment light package for body and preconnect module. Lights locate (1) each preconnect tool compartment, (2) each for L1/R1, (1) each for L2/R2 and (2) each for L3/R3 (pump operator compartment to have the lights in the lower area only)	\$877		
5380-0126	Incandescent body compartment light package for body and transverse module. Lights locate (4) transverse module- (2) each on forward wall of each opening, (2) each for L1/R1, (1) each for L2/L3 and (2) each for L3/R3 (pump operator compartment to have the lights in the lower area only)	\$786		
5380-0127	LED body compartment light package for body and preconnect module. Lights locate (1) each preconnect tool compartment, (2) each for L1/R1, (1) each for L2/R2 and (2) each for L3/R3 (pump operator compartment to have the lights in the lower area only)	\$1,249		
5380-0128	LED body compartment light package for body and transverse module. Lights locate (4) transverse module- (2) each on forward wall of each opening, (2) each for L1/R1, (1) each for L2/R2 and (2) each for L3/R3 (pump operator compartment to have the lights in the lower area only)	\$1,378		

Item #	Description	Extension	+1/-1	Total
5380-0132	Compartment light Weldon LED additional (EA). Locate opposite of standard in compartment [#LOC].	\$133		
5380-0133	Light recessed step Weldon LED (additional). Locate [#LOC]	\$145		
5380-0134	Additional 2" incandescent step lights. Locate below the cab.	\$0		
5380-0135	Compartment lights shall be ceiling mounted in the R3 and L3 compartment in addition to the current compartment lighting.	\$184		
5380-0136	Compartment light package Amdor Luma-Bar LED for large bodies. Includes one light per compartment (two if transverse).	\$4,545		
5380-0138	Compartment light ROM V3 LED 24-36" long additional (EA). Locate [#LOC].	\$309		
5380-0140	Compartment light ROM V3 LED for medical cabinet (EA).	\$379		
5380-0141	Compartment light package ROM V3 LED for medium bodies. Includes one light per compartment (two if transverse).	\$3,427		
5380-0142	Compartment light package ROM V3 LED for medium bodies. Includes two lights per compartment (four if transverse).	\$6,853		
5380-0144	Compartment light package Amdor Luma-Bar LED for medium bodies. Includes two lights per compartment (four if transverse).	\$5,737		
5380-0145	Compartment light package Amdor Luma-Bar LED for large bodies. Includes two lights per compartment (four if transverse).	\$9,087		
5380-0146	Compartment light Amdor LED additional (EA) ceiling mounted as close to door opening as practical. Location: [#LOC].	\$278		
5380-0147	Compartment light package Weldon LED for large bodies.	\$3,637		
5380-0148	Compartment light package ROM V3 LED for large bodies. Includes one light per compartment (two if transverse).	\$5,450		
5380-0149	Compartment light package ROM V3 LED for large bodies. Includes two lights per compartment (four if transverse).	\$10,895		
5380-0151	Step light 2" LED recessed. (4) step lights installed at the rear turntable access walkway. Bronto only.	\$314		
5380-0152	Incandescent compartment light package. For use with driver full height, officer half side and full height rear.	\$0		
5380-0153	Incandescent compartment light package. For use with driver full height, officer 3/4 side and full height rear.	\$0		
5380-0154	Incandescent compartment light package. For use with driver full height, officer full height and full height rear.	\$0		
5380-0155	Incandescent underbody ground lighting.	\$0		
5380-0156	Incandescent rear step lighting.	\$0		
5380-0157	Incandescent compartment light package. For use with driver full height, officer half side and full height rear.	\$0		
5380-0158	Incandescent compartment light package. For use with driver full height, officer 3/4 side and full height rear.	\$0		
5380-0159	Incandescent compartment light package. For use with driver full height, officer full height and full height rear.	\$0		
5380-0160	Incandescent underbody ground lighting.	\$0		
5380-0161	Light recessed step Truck-Lite incandescent. Locate one each side of top mount walkway.	\$279		
5380-0162	Light recessed step Truck-Lite LED. Locate one each side of top mount walkway.	\$425		
5380-0163	Light recessed step Federal Signal LED. Locate one each side of top mount walkway.	\$343		
5380-0164	LED (Whelen) underbody ground lighting additional (PR). (1) each side below the mid-body. Water Master only.	\$437		
5380-0166	Compartment light Trucklite LED additional (EA). Locate in [#LOC].	\$228		
5380-0167	Rear body TecNiq model Eon step light package.	\$678		
5380-0168	Compartment light package Federal Signal/Amdor LED for large bodies. Includes single Amdor LED light in compartments L1/R1, L2/R2 and Federal LED in remaining compartments.	\$3,674		
5380-0169	TM walkway Truck-Lite incandescent lighting. Includes (2) 4" round lights located (1) each end of the walkway entry.	\$0		
5380-0170	TM walkway and tool compartment Truck-Lite incandescent lighting. Includes (4) 4" round lights located (1) each end of the walkway entry and (1) each inside the tool compartment.	\$0		
5380-0171	TM walkway Federal Signal LED lighting. Includes (2) 4" round lights located (1) each end of the walkway entry.	\$0		
5380-0172	TM walkway and tool compartment Federal Signal LED lighting. Includes (4) 4" round lights located (1) each end of the walkway entry and (1) each inside the tool compartment.	\$0		

Item #	Description	Extension	+1/-1	Total
5380-0174	TM walkway and tool compartment LED lighting. Includes (2) 4" Federal Signal round lights located (1) each end of the walkway entry and (1) Amdor strip each inside the tool compartment.	\$0		
5380-0175	Pre-Connect tool compartment Truck-Lite incandescent lighting. Includes (2) 4" round lights located (1) each inside the tool compartment.	\$0		
5380-0176	Pre-Connect tool compartment Federal Signal LED lighting. Includes (2) 4" round lights located (1) each inside the tool compartment.	\$0		
5380-0179	Dome Lts Red/White 4" LED (each) (6). Each light shall consist of a three-position assembly mounted rocker switch, LED (light emitting diode) 4" grommet mount white dome light, LED (light emitting diode) 4" grommet mount red dome light, and a plastic housing. Lights to be located in pairs down the center of the truck in the interior alternating in color. White light wired through rocker switch at entry door. Red light through light assembly mounted rocker switch.	\$2,581		
5380-0180	There shall be 2 clear LED lights and 2 red LED lights located under the interior upper cabinets above the desk. Lights will alternate red and clear. each color shall have it's own switch. Locate the switches in the Vista display.	\$1,287		
5380-0181	Incandescent body compartment light package for body module. Lights locate (2) each for L1/R1, (1) each for L2/R2 and (2) each for L3/R3.	\$388		
5380-0182	Ground light package EON LED - large.	\$1,495		
5380-0183	TM Walkway lighting TecNiq EON LED. Includes (3) lights with S/S housings low on front of module to illuminate top mount walkway.	\$274		
5380-0184	(2) 4" LED Federal Signal lights with black grommet and brackets. Locate (1) each side below the rear intermediate step. Wire to operate when park brake is set.	\$336		
5380-0185	Compartment light package Amdor Luma-Bar LED for Wildland.	\$1,557		
5380-0186	Hose bed lighting LED for Wildland.	\$612		
5380-0187	Compartment light package ROM V3 LED for small bodies. Includes one light per compartment (two if transverse).	\$2,109		
5380-0188	Compartment light package ROM V3 LED for small bodies. Includes two lights per compartment (four if transverse).	\$4,214		
5380-0189	Compartment light package Amdor Luma-Bar LED for small bodies. Includes one light per compartment (two if transverse).	\$1,790		
5380-0190	Compartment light package Amdor Luma-Bar LED for small bodies. Includes two lights per compartment (four if transverse).	\$3,576		
5380-0192	License plate light LED with chrome housing located at the rear of the body above the intermediate step offset to the driver's side to be used as a step light.	\$159		
5380-0193	Each exterior compt of the apparatus shall be equipped with Weldon model #2631-0000-30 LED clear lens light fixtures and are to have a metal guard to protect fixture from breakage. The exterior compt of the vehicle shall be equipped with Truck Lite Model # Super 44 LED clear lens flush mounted lights mounted on the interior door pan of the compt door and shall have an expanded metal protection guard. Each interior compt of the apparatus shall be equipped with Weldon model #2631-0000-30 LED clear lens light fixtures and are to have a metal guard to protect fixture from breakage.	\$13,747		
5380-0194	(17) Weldon #8048-0000 series, 8-inch diameter 12 volt recessed LED lights with specific colored lenses shall be RECESSED mounted into the ceiling of the walk-in body. The lights shall be switched from rocker switches located at the entrance of the body, (1) switch for RED and (1) switch for CLEAR. (12) lights are to be mounted in the interior walkway (6) lights are to have RED lens and (6) are to have CLEAR lens, lights will run in 2 rows, light color will alternate front to back and side to side. The final (5) lights shall be mounted over the open deck area 'B' and in the ceiling of compartment 'C'. (2) Truck-Lite WHITE LED recessed step lights with clear lens shall be located above the rear entry doors and be of the flush mounting type with a clear lens and the lights shall be activated when the rear doors are opened.	\$3,574		
5380-0195	(2) Weldon model 2631-0000-30 series LED clear work lights with protective guards shall be provided in the winch area.	\$183		



Item #	Description	Extension	+1/-1	Total
5380-0196	The side mounted quartz light heads and upper zone warning lighting shall be recessed into their own individual recessed enclosures to protect the lighting fixtures from damage by objects dragging along the upper body sides. These shall be constructed of unpainted 14 gauge stainless steel with vertically hinged panels for easy access to the back of the fixtures and wiring connections.	\$1,064		
5380-0197	Light upgrade, one (1) 4" LED light shall be added to each of the two (2) battery compartments.	\$305		
5380-0200	Ground light package EON LED - small.	\$1,015		
5380-0201	Ground light package EON LED - medium.	\$1,255		
5380-0202	Step light package body EON LED - large.	\$1,270		
5380-0203	Step light package body EON LED - small.	\$862		
5380-0205	Cab step lighting package. Includes (2) EON LED lights per side.	\$278		
5380-0206	Cab step lighting package. Includes (4) EON LED lights per side.	\$552		
5380-0207	Intermediate pump panel step lights (PR). EON LED lights.	\$140		
5380-0208	Whelen PSC0CDRCR LED strip light. Locate 1 each in the roof top compartments IPO standard.	\$175		
5380-0209	Compartment light Amdor LED for medical cabinet (PR).	\$555		
5380-0210	Compartment light ROM V3 LED for medical cabinet (PR).	\$756		
5380-0212	Lights (PR) Tecniq EON LED lights, 1 each side (driver and officer side) of the speedlay storage compartment.	\$277		
5380-0213	Additional EON LED ground light (EA). Location: Below [#LOC].	\$133		
5380-0214	Compartment light Truck-Lite LED additional (EA). Locate on ceiling of [#LOC].	\$228		
5380-0215	Six (6) 30" Amdor LED strip lights for NFPA hose bed lighting. The perimeter of the hose bed shall be framed on the top surface of the front, left and right side walls. The aluminum perimeter framing shall be used to mount the strip lights (2) each side and (2) in front to provide illumination of the hose bed area. This perimeter framing shall also be used to secure the vinyl hose bed cover and protect the lighting during stow and deploy hose bed operations.	\$2,722		
5380-0216	Ground light package LED for chassis. Includes (6) Trucklite LED lts.	\$1,532		
5380-0217	Compartment light Whelen Fluorent Plus for medical cabinet (PR).	\$784		
5380-0218	Step light package Whelen LED - small.	\$1,994		
5380-0219	Compartment light package, Whelen Fluorent Plus, for large bodies. Includes two lights per compartment (four if transverse).	\$11,662		
5380-0220	Compartment light package, Whelen Fluorent Plus, for medium bodies. Includes two lights per compartment (four if transverse).	\$8,515		
5380-0221	LED body compartment light package for body. Lights locate (2) each for L1/R1, (1) each for L2/R2, (2) each for L3/R3 and (2) each for L4/R4 (pump operator compartment to have the lights in the lower area only)	\$1,378		
5380-0222	Interior light, ceiling mounted, Grote model 61-511 12 volt fluorescent recessed mount white dome light	\$533		
5380-0223	Amdor LED strip lights for NFPA hose bed lighting. The lights to be mounted inside hose bed cover thru cover plate on outer skin. Light will illuminate the hose bed area thru slots in the inner skin.	\$2,722		
5380-0224	Whelen PSC0CDRCR LED strip light. Mount light [#LOC].	\$175		
5380-0225	There will be Six (6) lights centered in ceiling in line evenly spaced using a plastic mounting bezel	\$1,749		
5380-0226	Compartment light Amdor white lumbar. Location: [#LOC].	\$247		
5380-0227	A switch plate for interior lighting controls shall be located [#LOC]. It shall accommodate a quantity of six (6) rocker switches. It will be illuminated and labeled per each switch's function.	\$568		
5380-0228	Stainless steel bolt on light guard to protect hose bed lighting fixture(s) from damage.	\$133		
5380-0229	There will be a pair of Weldon 8049-0000 series, 8 inch diameter 12 volt recessed LED lights with specific colored lenses RECESS mounted into the ceiling of the walk-in body. Each lamp will be 7 inch round and be switched near the door opening. The pair includes a clear and a red fixture.	\$589		

Item #	Description	Extension	+1/-1	Total
5380-0230	There will be a pair of Weldon #1010 series, 7-inch diameter 12 volt recessed incandescent lights with specific colored lenses RECESSED mounted into the ceiling of the walk-in body recessed in the ceiling using a poly mounting bezels. Each Lamp will be 7 inch round and be switched near the door opening. Light color will be [#COL].	\$250		
5380-0231	There will be a pair of Truck-Lite, 4 inch diameter 12 volt LED lights with clear lenses which shall be RECESS mounted into the canopy area above the walk-in body doors. The lights shall be activated when the rear doors are opened.	\$487		
5380-0232	Step light package Whelen 2" LED - small.	\$968		
5380-0233	Step light package Whelen 2" LED - large.	\$1,451		
5380-0235	Ground light package Amdor Luma Bar H2O LED - small.	\$1,095		
5380-0236	Additional LumaBar H2O LED ground light (EA). Location: Below [#LOC].	\$190		
5380-0237	Cab step lighting package. Includes (2) EON LED lights per side IPOS.	\$286		
5380-0238	Compartment light package Amdor Luma-Bar Red LED for small bodies. Includes one light per compartment (two if transverse).	\$1,790		
5380-0239	Whelen PELCC ground light package LED - large.	\$3,228		
5380-0240	Compartment light package Amdor Luma-Bar Red LED for medium bodies. Includes one light per compartment (two if transverse).	\$2,869		
5380-0241	Ground light package TecNiq LED - small.	\$558		
5380-0242	Ground light package TecNiq LED - large.	\$836		
5380-0243	Compartment light package TecNiq LED for medium bodies.	\$961		
5380-0244	Compartment light package TecNiq LED for small bodies.	\$577		
5380-0245	Compartment light ROM V4 LED 24-36" long additional (EA). Locate [#LOC].	\$309		
5380-0246	Compartment light ROM V4 LED 42-72" long additional (EA). Locate [#LOC].	\$516		
5380-0247	Compartment light ROM V4 LED for medical cabinet (EA).	\$379		
5380-0248	Compartment light ROM V4 LED for medical cabinet (PR).	\$756		
5380-0249	Compartment light package ROM V4 LED for small bodies. Includes one light per compartment (two if transverse).	\$2,109		
5380-0250	Compartment light package ROM V4 LED for small bodies. Includes two lights per compartment (four if transverse).	\$4,214		
5380-0251	Compartment light package ROM V4 LED for medium bodies. Includes one light per compartment (two if transverse).	\$3,427		
5380-0252	Compartment light package ROM V4 LED for medium bodies. Includes two lights per compartment (four if transverse).	\$6,853		
5380-0253	Compartment light package ROM V4 LED for large bodies. Includes one light per compartment (two if transverse).	\$5,450		
5380-0254	Compartment light package ROM V4 LED for large bodies. Includes two lights per compartment (four if transverse).	\$10,895		
5380-0255	Compartment light package ROM V4 LED (2) for Wetside tanker. Includes one 12" light per compartment.	\$304		
5380-0256	Compartment light package ROM V4 LED (4) for Wetside tanker with optional rear side compartments. Includes one 12" light per compartment.	\$604		
5380-0257	Compartment light package Amdor Luma-Bar blue LED for large bodies. Includes two lights per compartment (four if transverse).	\$9,087		
5380-0258	Light recessed step TecNiq LED. Locate one each side of top mount walkway.	\$131		
5380-0259	Compartment light ROM V4 LED additional (EA) ceiling mounted as close to door opening as practical. Location: [#LOC].	\$379		
5380-0260	Each exterior compt of the apparatus (with exception of L2) shall be equipped with Weldon model #2631-0000-30 LED clear lens light fixtures and are to have a metal guard to protect fixture from breakage. The exterior compt of the vehicle (with exception of L2) shall be equipped with Truck Lite Model # Super 44 LED clear lens flush mounted lights mounted on the interior door pan of the compt door and shall have an expanded metal protection guard. Each interior compt of the apparatus shall be equipped with Weldon model #2631-0000-30 LED clear lens light fixtures and are to have a metal guard to protect fixture from breakage.	\$12,931		
5380-0261	Dunnage pan lights EON (PR). Evenly spaced on front wall of dunnage pan wired through pump panel lights.	\$140		
5380-0262	Additional EON LED step light (EA). Location: [#LOC].	\$133		

Item #	Description	Extension	+1/-1	Total
5380-0263	Raised bumper lid lights EON (PR). Evenly spaced under extra capacity lid wired through door ajar switch.	\$256		
5380-0264	Upper e-max forward module lights (2 PR). EON LED lights. Locate two (2) on driver and two (2) on officer upper sides of e-max forward module on upper side extrusion above logo panel over backboard storage. For additional lighting at module area wired through work lights switch.	\$280		
5380-0265	Compartment light package TecNiq LED for large bodies.	\$1,153		
5380-0266	Whelen PELCC lights LED (PR). Wired through work light switch. Location: [#LOC].	\$709		
5380-0267	Compartment light package ROM V4 LED for Water Master. Includes two lights per compartment.	\$1,512		
5380-0268	Compartment light (PR) Amdor Luma-Bar LED for small bodies. Includes one light per compartment specified (two if transverse). Locate: L2/R2	\$599		
5380-0269	Light Whelen Super-LED dome model 60CREGCS, Red / White. QTY (6). Light Location: Rehab module ceiling configured as close to sales drawing illustration as possible. Switching: White lights shall be wired to a master on/off rocker switch on the REHAB switch panel located in the corner radio cabinet and through the entry door. The red lights shall be wired through the light assembly switch only.	\$1,954		
5380-0274	Rescue walkway lighting TecNiq EON LED. Includes (3) lights with S/S housings low on side wall(s) of upper body compartments to illuminate walkway. Location: [#LOC].	\$274		
5380-0275	Step light package 2" LED - small.	\$968		
5380-0276	Compartment light package TecNiq T440 4" LED for small bodies.	\$687		
5380-0277	Compartment light package TecNiq T440 4" LED for medium bodies.	\$1,030		
5380-0278	Compartment light package TecNiq T440 4" LED for large bodies.	\$1,375		
5380-0279	Ground light package TecNiq T440 4" LED - small.	\$631		
5380-0280	Ground light package TecNiq T440 4" LED - large.	\$949		
5380-0281	Light recessed step TecNiq T440 4" LED. Locate one each side of top mount walkway.	\$149		
5380-0282	Compartment light TecNiq T440 4" LED additional (EA). Locate opposite of standard in compartment [#LOC]. " If transverse, locate on opposite wall centered between the standard locations 15 inches from compartment edge."	\$117		
5380-0283	Raised bumper lid light EON (EA). Locate under extra capacity lid wired through work light switch.	\$128		
5380-0284	EON step light located (2) each side under horizontal hosebed extrusion to illuminate compartment tops.	\$529		
5380-0285	Step light package body TecNiq T440 4" LED - small.	\$596		
5380-0286	Step light package body TecNiq T440 4" LED - large.	\$895		
5380-0287	Dunnage area lights EON (PR). Evenly spaced on front wall of dunnage area wired through work lights.	\$140		
5380-0288	Compartment light package Amdor Luma-Bar red LED for medium bodies. Includes two lights per compartment (four if transverse).	\$5,737		
5380-0289	Compartment light Amdor red LED for medical cabinet (PR).	\$555		
5380-0290	Compartment light Amdor Luma-Bar red LED 48-74" long additional (EA). Locate [#LOC].	\$424		
5380-0291	Compartment light package Trucklite LED (2) for Wetside tanker. Includes one light per compartment.	\$304		
5380-0292	Ground light package Whelen 3" LED - large.	\$2,151		
5380-0293	Step light package Whelen 3" LED - large.	\$1,601		
5380-0294	Flush mount switch plate for interior lighting controls. The Light switch control panel shall be flush mounted in the specified location. Requires additional sales code for light switch panel.	\$252		
5380-0295	There will be a set of Weldon 8049-0000 series, 8 inch diameter 12 volt recessed LED lights with specific colored lenses RECESS mounted into the ceiling of the walk-in body. Each lamp will be 7 inch round and be switched near the door opening. The pattern consists of (4) four clear fixtures equally spaced on ceiling and (2) red fixtures, (1) one over each work station surface.	\$1,767		
5380-0296	Compartment light package Amdor Luma-Bar blue LED for small bodies. Includes two lights per compartment (four if transverse).	\$3,576		

Item #	Description	Extension	+1/-1	Total
5380-0297	Compartment light Amdor LED blue for medical cabinet (EA).	\$278		
5380-0298	Compartment light package Hansen 10mm LED for medium bodies. Includes two lights per compartment (four if transverse).	\$2,972		
5380-0299	Ground light package red Amdor Luma-Bar H2O LED - large.	\$2,066		
5380-0300	Compartment light package Amdor Luma-Bar red LED for small bodies. Includes two lights per compartment (four if transverse).	\$3,576		
5380-0301	Lighting package, Weldon, LED, 8 inch diameter. Provided (12) twelve Weldon 8049-0000 series, 8 inch diameter 12 volt recessed LED lights with specific colored lenses RECESS mounted into the ceiling of the walk-in body. Each lamp will be 7 inch round and switched near the entry door opening. The color layout configuration spanning from front of body to rear shall be as follows: Driver side: Clear, Clear, Red, Clear, Red, Clear. Officer side: Clear, Clear, Clear, Red, Clear, Clear. Locate: Lights shall run in 4 rows, evenly spaced from front to rear. The forward (2) two lights on each side of body shall be offset from body centerline approximately 21 inches and the remaining (4) four lights to the rear shall be offset from body centerline approximately 14 inches.:	\$3,430		
5380-0302	Additional TecNiq T440 4" LED ground light (EA). Location: Below [#LOC].	\$149		
5380-0303	Compartment light Hansen 10mm LED for medical cabinet (PR).	\$416		
5380-0304	Compartment light Amdor red/white LED for medical cabinet (EA).	\$354		
5380-0305	Compartment light package Amdor Luma-Bar red/white LED for medium bodies. Includes two lights per compartment (four if transverse) and switch accessible to driver for red or white activation.	\$7,872		
5380-0306	One (1) TecNiq Dragon LED light shall be provided in [#LOC].	\$145		
5380-0307	Compartment light package Hansen LED for small bodies. Includes one light per compartment (two if transverse).	\$1,000		
5380-0308	Compartment light package Hansen LED for medium bodies. Includes one light per compartment (two if transverse).	\$1,415		
5380-0309	Compartment light package Hansen LED for large bodies. Includes one light per compartment (two if transverse).	\$3,089		
5380-0310	Compartment light package Hansen LED for small bodies. Includes two lights per compartment (four if transverse).	\$2,000		
5380-0311	Compartment light package Hansen LED for medium bodies. Includes two lights per compartment (four if transverse).	\$2,831		
5380-0312	Compartment light package Hansen LED for large bodies. Includes two lights per compartment (four if transverse).	\$6,118		
5380-0313	Compartment light Hansen 18-37" long additional (EA). Locate [#LOC].	\$205		
5380-0314	Compartment light Hansen LED 49-65" long additional (EA). Locate [#LOC].	\$216		
5380-0315	Compartment light Hansen LED for medical cabinet (EA).	\$206		
5380-0316	Compartment light Hansen LED for medical cabinet (PR).	\$413		
5380-0317	Step light additional. Amdor 20" Luma Bar H2O LED. Location: [#LOC].	\$242		
5380-0318	Whelen model 3SCOCDCR with chrome flange door pan mounted on outboard corners. Location: L2	\$406		
5380-0319	Light Amdor H2O LED 40" long additional (EA). Locate [#LOC].	\$505		
5380-0320	Dunnage pan lights EON (PR). Evenly spaced on rear wall of dunnage pan wired through pump panel lights.	\$140		
5380-0321	Compartment light package ROM V4 LED (8) for Wetside tanker with optional rear side compartments. Includes two 12" light per compartment.	\$1,207		
5380-0322	Additional compartment light ROM V4 LED. (1) 12" light compartment located: [#LOC].	\$152		
5380-0323	The auxiliary steps below the cab doors to have EON LED lights to illuminate the stepping surface and ground below (IPO lights indicated in the main ground light package).	\$0		
5380-0324	Compartment light package ROM V4 LED for small bodies. Includes two lights per side body compartments. B1 has only 1 light. (four if transverse).	\$3,918		
5380-0325	EON LED ladder tunnel light (EA).	\$133		
5380-0326	Compartment light FireTech LED additional (EA) ceiling mounted as close to door opening as practical. Location: [#LOC].	\$453		
5380-0327	Compartment light package FireTech LED for medium bodies. Includes two lights per compartment (four if transverse).	\$7,423		
5380-0328	Ground light package FireTech LED - large.	\$3,736		

Item #	Description	Extension	+1/-1	Total
5380-0329	Additional FireTech LED ground light (EA). Location: Below [#LOC].	\$312		
5380-0330	Compartment light FireTech LED for medical cabinet (EA).	\$494		
5390-0000	Deck light - Unity 12 volt (PR). Location: [#LOC].	\$431		
5390-0001	Hose bed light Unity. Locate at front area of hose bed. Switched with work light switch in cab.	\$210		
5390-0002	Hose bed light Federal Signal GH Scene. Locate at the front area of hose bed. Switched with work light switch in cab.	\$272		
5390-0003	Hose bed light Truck-Lite. Locate at the front area of the hose bed. Switched with work light switch in cab.	\$126		
5390-0004	Crosslay lights Weldon. Locate on each side at rear of crosslay (SM) or forward of crosslay (TM) approx. 16" from side of body.	\$385		
5390-0005	Crosslay light deck Unity. Locate to rear of crosslay (SM) or forward of crosslay (TM).	\$204		
5390-0006	Deck lights, Collins FX-12R (PR). Location: [#LOC].	\$1,228		
5390-0007	Deck/scene light circuit wiring through chassis reverse. Requires rear deck or scene light.	\$91		
5390-0008	Federal Signal GH scene lights (PR). Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$508		
5390-0018	Whelen 600 series 26 degree scenelights (PR) with weatherproof connectors. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$401		
5390-0019	Whelen 700 series 8-32 degree scenelights (PR) with weatherproof connectors. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$394		
5390-0020	Whelen 900 series Gradient Opti-Scenelight (PR) with weatherproof connectors. Switched in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$401		
5390-0022	Crosslay light Truck-Lite. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$126		
5390-0023	Tomar 46H13-C 13 degree scene lights (PR) with weatherproof connectors. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$446		
5390-0024	Deck Light - Truck-Lite (PR). Location: [#LOC].	\$373		
5390-0025	Cab scene lights are to be switched with cab doors in addition to standard.	\$91		
5390-0026	Federal Signal GH Scene cornering lights (PR) wired to turn signals, reverse and work lights. Location: [#LOC]	\$972		
5390-0027	Hosebed light Whelen 600 series 26 degree scene light with Cast Products LH46501 housing. Locate at the front area of hosebed. Switched with worklight switch in cab.	\$250		
5390-0029	Crosslay light Whelen 600 series 26 degree scene light with Cast Products LH46501 housing. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with worklight switch in cab.	\$250		
5390-0030	Deck Lts-Collins FX-6 (PR) Location: [#LOC]	\$1,228		
5390-0031	Crosslay light Federal GH Scene light with Cast Products LH90603 housings (PR). Locate on back of cab 1" below roof between vista windows.	\$726		
5390-0032	(PR) Collins FX-12 w/Internal Poles. Locate (1) each side in deck gun channel. Lights to serve as hosebed/crosslay lighting when applicable.	\$2,138		
5390-0034	Whelen 600 series 26 degree scene lights (PR) with weatherproof connectors. To be used as cornering lights wired to turn signals and four way flashers. Interlock through park brake. Location: [#LOC].	\$401		
5390-0035	Federal Signal GH Scene Light (PR). Locate (1) at the front area of hosebed and (1) rearward of the crosslays. Switched with worklight switch in cab. Includes diamond plate mounting box.	\$920		
5390-0036	Hose bed light circuit wiring through chassis reverse. Requires hose bed light.	\$91		
5390-0037	Code 3 Halogen Octagonal 82BZ scene light(s) with bezel(s).(PR) Seperate switching for Driver and Officer side.[#LOC]	\$550		
5390-0038	4" LED light (black groument) with diamond plate box mount (PR). Locate (1) at front of hosebed and (1) at the crosslay area. Switch with work light switch.	\$835		
5390-0039	Federal Signal GH Scene lights (PR). Switch in cab (driver and officer side facing lights switched together). Locate [#LOC]	\$508		

Item #	Description	Extension	+1/-1	Total
5390-0040	Weldon 4 x 6 HID scene lights (PR) with weatherproof connectors. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,425		
5390-0041	Whelen 900 series Gradient Opti-Scene lights (PR) with diamond plate mounting box. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$604		
5390-0043	Crosslay light Trucklite. Locate forward of crosslay. Switched with work light switch in cab.	\$126		
5390-0044	4" LED light (black groument) with diamond plate box mount at front of hosebed. Switch with work light switch.	\$405		
5390-0045	Kwik Strike 4000 Scene lights. KR-4035X-H-(R or L). Located [#LOC]. All lights to be mounted as high as possible. Switch in cab (driver and officer side facing lights switched separately).	\$687		
5390-0046	Federal Signal GH Scene Light (PR). Locate (1) forward facing for preconnect storage lighting and (1) rearward facing for hosebed storage lighting. Both lights mounted in (1) formed box mounted off forward area of body. Box may shift side to side for best lighting application. both lights switched with worklight switch.	\$920		
5390-0047	Federal Signal GH scene Light. Locate rearward facing for hose bed storage lighting. Mounted in (1) formed box mounted off forward area of body. Box may shift side to side for best lighting application. Light switched with worklight switch.	\$462		
5390-0048	Whelen 600 series gradient Super LED scene lights (PR) with weatherproof connectors. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,174		
5390-0049	Whelen 600 series 26 degree scene lights (PR) with LH46001 castings. Switch in cab (side facing lights switched separately). Locate [#LOC].	\$513		
5390-0050	Whelen 500 series LED scene lights (PR) with weatherproof connectors. To be used as cornering lights wired to turn signals and four way flashers. Interlocked with park brake. Location: [#LOC]	\$985		
5390-0051	Whelen 600 series gradient Super LED scene lights (PR) with weatherproof connectors. To be used as cornering lights wired to turn signals and four way flashers. Location: [#LOC].	\$1,174		
5390-0052	Federal Signal GH Scene lights (PR) with diamond plate mounting box. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$920		
5390-0053	Whelen 700 series 8-32 degree scene lights (PR) with weatherproof connectors. Switch in tillerman cab (driver and officer side lights switched separately) and wired through tillerman cab doors. Locate (1) each side rear of cab doors above windows.	\$481		
5390-0054	Hosebed light Trucklite. Locate (1) each side front of hosebed. Switched with work light switch in cab.	\$250		
5390-0055	Light Federal Signal GH Scene. Locate at the front area of hosebed. Switched with worklight switch in cab. Includes diamond plate mounting box.	\$462		
5390-0056	Crosslay light Weldon. Locate to rear of crosslay (SM) or forward of crosslay (TM). Switched with work light switch in cab.	\$196		
5390-0057	Hosebed light Weldon. Locate at front area of hosebed. Switched with work light switch in cab.	\$196		
5390-0058	Deck Lights - Truck-Lite LED model 81380 (PR). Location: [#LOC].	\$472		
5390-0059	Whelen 600 series 26 degree scene lights (PR) with diamond plate mounting box. Switch in cab (side facing lights switched separately). Locate [#LOC].	\$639		
5390-0060	Deck Light - 24V Whelen LED model PFA14 with bail mount bracket model PBA106 (PR) Location: [#LOC].	\$1,931		
5390-0061	Rear upper tank deck/scene lights wired through chassis reverse.	\$91		
5390-0062	Sides and rear upper tank deck/scene lights wired through chassis reverse.	\$91		
5390-0063	(8) LED scene lighting package. Locate (3) each side of tank and (2) at rear of body/tank. All (8) lights to be wired to operate with chassis transmisson in reverse.	\$533		
5390-0064	Deck light - Unity 24VDC (PR). Location: [#LOC].	\$431		
5390-0066	Whelen 600 series gradient Super LED scene lights (PR) with weatherproof connectors and diamond plate mounting boxes. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,286		

Item #	Description	Extension	+1/-1	Total
5390-0067	Deck light Trucklite. Switched with work light switch in cab. Loc: [#LOC].	\$220		
5390-0068	Havis Shield 12V HID scene lights model KR-4035X-D (PR). Location(s): [#LOC]. Includes switch in cab for side facing lights.	\$1,857		
5390-0069	Whelen M9 Linear Super LED scene lights (PR). Switched in cab (lights mtd on the sides of apparatus to be switched separately). Locate [#LOC].	\$1,915		
5390-0070	Crosslay light Collins FX-12. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable).	\$617		
5390-0071	Hosebed light Collins FX-12. Located center front of hosebed. Switched with work light switch in cab	\$617		
5390-0072	Speedlay Light Federal Signal GH Scene. Locate on front of upper pump module facing downward to illuminate speedlays. Switched with worklight switch in cab.	\$272		
5390-0073	Deck Light - Whelen LED model PFBP12C (PR). Location: [#LOC].	\$1,243		
5390-0074	Hosebed Light Unity. Locate at rear area of hosebed on angle bracket. Switched with work light switch in cab. F118HDT Bronto only.	\$268		
5390-0075	Speedlay light Trucklite. Locate forward area of pump module. Switched with work light switch in cab.	\$126		
5390-0076	Hose bed light Truck-Lite LED model 81380. Locate at front of hose bed. Switched with work light switch in cab.	\$238		
5390-0077	Deck Lt-Collins FX-12R (EA) model KR-SB-312 with lift/push up pole. Due to body mount location a position indicator will not be required. Location(s): [#LOC].	\$1,036		
5390-0078	Whelen 600 series 26 degree scene lights (3) with weatherproof connectors. Wire through work light switch in cab. Locate back of cab evenly spaced up high.	\$601		
5390-0079	Whelen 900 series Gradient Opti-Scene light (EA) with weatherproof connectors. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$203		
5390-0080	Deck Light - Hella Mega Beam LED model 996 136-231 (PR) Location: [#LOC].	\$685		
5390-0081	Deck Light - Grote LED model 63581 (PR) Location: [#LOC].	\$1,955		
5390-0082	Whelen 600 series 26 degree scene 24VDC lights (PR) with weatherproof connectors. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$431		
5390-0083	Federal Signal GH Scene light (EA). Switched with work light switch in cab. Locate up high driver rear of body.	\$255		
5390-0084	Federal GH scene lights (PR) located up high above front cab door handrails. Lights shall be switched separately from the drivers switch panel.	\$505		
5390-0085	Speedlay light package. Includes (4) Kaper2 LED lights mounted (1) each side at speedlay openings to rear of extrusion. Switched with work light switch in cab.	\$534		
5390-0086	Whelen Pioneer LED scene light package/ Trucklite work light. Includes (2) model PFA2, (2) model PFA1 lights with bail mounts and (1) work light. Rear and front lights wired through work light switch in switch panel; side facing lights switched separately. Location(s): (1) PFA2 each side center of tank, (1) PFA1 each side rear facing and (1) work light forward facing on upper tank.	\$5,012		
5390-0087	Whelen M6 Linear Super LED scene lights (PR). Switched in cab (lights mtd on the sides of apparatus to be switched separately). Locate [#LOC].	\$1,376		
5390-0088	Crosslay light Whelen PFBP12C LED. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$623		
5390-0089	Hose bed light Whelen PFBP12C LED. Locate center front of hose bed. Switched with work light switch in cab.	\$623		
5390-0090	Hosebed light Whelen 600 series Super LED scene light with diamond plate box. Locate at the front area of hosebed. Switched with worklight switch in cab.	\$646		
5390-0091	Crosslay light Whelen 600 series 26 degree Super LED scene light with diamond plate box. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with worklight switch in cab.	\$646		
5390-0092	Federal Signal 4" round cornering lights (4) wired to turn signals, reverse and work lights. Location: fixed outrigger covers.	\$898		

Item #	Description	Extension	+1/-1	Total
5390-0093	All tank mounted Deck/Scene lighting to be wired through chassis reverse.	\$270		
5390-0094	Federal Signal GH Scene light (EA). Switched with work light switch in cab. Locate up high center rear of body.	\$255		
5390-0096	Hosebed light Trucklite LED. Locate (1) in each outer hosebed upper front wall (if equipped) and (2) upper front wall of center hosebed. Switched with work light switch in cab.	\$1,011		
5390-0098	Scene light cab brow LED SceneStar 12,800 Lumens, 120 volt location(s): cab brow mounted.	\$1,809		
5390-0102	Crosslay light Truck-Lite LED model 81380. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$238		
5390-0103	Whelen 700 series gradient Super LED scene lights (PR) with weatherproof connectors. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,139		
5390-0104	Light Whelen Pioneer Plus model PFP1 with recess mount. Wired through work light switch in cab. Location(s): [#LOC].	\$1,577		
5390-0105	The NFPA hosebed lighting lights to be located at front of hosebed with one light positioned to each side of the center hosebed divider.	\$0		
5390-0106	Rear deck lighting to be switched in cab with work light switch and with switch on each light.	\$0		
5390-0107	Rear scene lights will be primary NFPA rear lighting and will be switched with work light switch IPO individual switching.	\$0		
5390-0108	The deck light wiring circuit qty of 2 is to activate the rear deck and scene lighting when the chassis transmission is placed into reverse.	\$0		
5390-0109	Work lights, rear cab roof, (3) Truck-Lite halogen, option, Wildland.	\$621		
5390-0110	Hosebed light Grote LED model 63581. Locate center front of hosebed. Switched with work light switch in cab.	\$979		
5390-0111	Crosslay light Grote LED model 63581. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$979		
5390-0112	Utility bed light Trucklite LED model 81380. Locate front of utility area. Switched with work light switch in cab.	\$238		
5390-0113	Cab scene light spacer brackets. Lights are not to be recess mounted into the cab.	\$0		
5390-0114	Whelen M6 Linear Super LED hosebed lights (PR) with weatherproof connectors and diamond plate mounting boxes. Locate equally spaced each side at the front area of hosebed. Switched with work light switch in cab.	\$1,581		
5390-0115	Whelen 600 series gradient Super-LED scene lights (6). Switch in cab (driver and officer side lights switched separately). Lights located (2) each side of body up high (offset forward and rearward) and (2) at rear of body up high. Wetside only.	\$2,334		
5390-0116	Deck lights - Unity 12 volt LED flood (PR). Location: [#LOC].	\$1,049		
5390-0117	Whelen 700 series gradient Super LED scene lights (PR). To be used as cornering lights wired to turn signals reverse and work lights. Location: [#LOC].	\$1,174		
5390-0118	Grote 63581 LED scene lights (6). Switch in cab (driver and officer side lights switched separately). Lights located (2) each side of body up high (offset forward and rearward) and (2) at rear of body up high. Wetside only.	\$4,696		
5390-0119	Light Whelen Pioneer Plus model PFP1 with ROM KR-SB-600-W4 pedestal side mount. Switched with work light switch in cab. Location(s): [#LOC].	\$3,152		
5390-0121	Deck lights LED Rigid-Dually D2, model 50151with defussed lens, 9-36VDC (PR). Location: [#LOC].	\$800		
5390-0122	Whelen 900 series model 90COENZR Super LED Opti-Scene light (PR) with cast products mounting box. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$2,140		
5390-0123	Federal Signal model QL97LEDSCENE LED scene light (PR) with weatherproof connectors. Includes switch accessible to driver (driver and officer side lights switched separately). Locate [#LOC].	\$1,147		
5390-0124	Whelen 600 series gradient Super LED scene lights (3) with weatherproof connectors. Wire through work light switch in cab. Locate back of cab evenly spaced up high.	\$1,758		
5390-0126	Whelen M6 Linear Super LED hosebed light with weatherproof connector and diamond plate mounting box. Locate at the front area of hosebed. Switched with work light switch in cab.	\$792		



Item #	Description	Extension	+1/-1	Total
5390-0127	Light Whelen 600 series 26 degree Super LED scene light. Locate to rear of body, driver side, centered vertically between tail light and upper rear warning. Switched with work-light switch in cab.	\$646		
5390-0128	Scene light kick protection package. Scene lights mounted on body and tank skins above the top deck walking surface shall include an aluminum enclosure to protect the rear of the light from being kicked when walking and working on the top deck. The package shall provide protective covering for all scene lights that are mounted in this position or condition.	\$191		
5390-0129	Hose bed light FRC LED900 with diamond plate mounting box. Locate [#LOC]. Switched with worklight switch in cab.	\$1,066		
5390-0130	Deck light Whelen PAR-36, model PFBP12C LED (PR). Switched with work light switch in cab. Location: [#LOC].	\$1,243		
5390-0131	Crosslay light deck Unity. Locate light on the drivers side rearward of the crosslay door mounted on the Hot Shot II pan cover lid.	\$204		
5390-0132	Warning light Federal Signal QL64-BACKUP (PR) white with clear lens. Surface mounted with bezel. Location: [#LOC]	\$715		
5390-0133	Deck lights - Unity 12 volt LED spot (PR). Location: [#LOC].	\$1,177		
5390-0134	Whelen M9 series Super-LED scene lights (6). Switch in cab (driver and officer side lights switched separately). Lights located (2) each side of body up high (offset forward and rearward) and (2) at rear of body up high. Wetside only.	\$4,265		
5390-0136	Whelen M9LZC Linear Super LED scene lights (PR), includes flange. Switched in cab (lights mounted on the sides of apparatus to be switched separately). Locate [#LOC].	\$1,775		
5390-0137	Whelen M9 Linear Super LED scene lights (PR) with weatherproof connectors and diamond plate mounting boxes. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$2,117		
5390-0139	Crosslay light Whelen PFBP12C LED (PR). Locate on each side at rear of crosslay (SM) or forward of crosslay (TM). Location: [#LOC]. Switched with work light switch in cab.	\$1,243		
5390-0140	Whelen 700 series gradient Super LED scene light (EA) with weatherproof connector(s). Switch in cab (driver and officer side lights if applicable switched separately). Locate [#LOC].	\$559		
5390-0141	Hosebed light Trucklite LED. Locate (1) in driver outer hosebed upper front wall and (2) upper front wall of center hosebed . Switched with work light switch in cab.	\$757		
5390-0142	Fire Research model LED900-Q65 surface mount light. Switch in cab (driver and officer side facing lights switched separately). Locate: [#LOC]	\$1,686		
5390-0143	Crosslay light deck Unity. Locate to driver side rear of crosslay.	\$204		
5390-0144	Unity deck light with model TP-1-I internal pull-up pole. Includes switch on lighthouse and driver side overhead console. Location: [#LOC].	\$691		
5390-0145	EA (1) Collins FX-12 w/Internal Pole. Locate (1) Drivers side in deck gun channel. Light to serve as hosebed/crosslay lighting when applicable.	\$1,069		
5390-0146	Whelen M6 series gradient Super LED scene lights (PR) with weatherproof connectors. To be used as cornering lights wired to turn signals and four way flashers. Location: (1) each side offset rearward of rear most axle.	\$1,713		
5390-0148	Whelen 900 series Gradient Opti-Scene light (PR) with Cast Products 26 degree bezel and weatherproof connectors. Switched in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$541		
5390-0149	Whelen 900 series model 90COENZR Super LED Opti-Scene light (EA) with diamond plate mounting box. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,070		
5390-0150	Whelen 900 series model 90COENZR Super LED Opti-Scene light (EA) with cast products mounting box. Switch in cab (driver and officer side light(s) switched separately). Locate [#LOC].	\$1,070		
5390-0151	Whelen M6 Linear Super LED scene lights (PR) with weatherproof connectors and diamond plate mounting boxes. Location: [#LOC]. Switched with worklight switch in cab.	\$1,581		
5390-0152	Whelen 600 series gradient Super LED surface mounted scene lights (PR) with weatherproof connectors. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,174		

Item #	Description	Extension	+1/-1	Total
5390-0153	Weldon model 3010-2600-30 scene lights (PR). Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$657		
5390-0154	Weldon model 3010-2600-30 scene lights (PR) with diamond plate mounting box. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$872		
5390-0155	Hose bed light Amdor H2O. Locate at the front area of hose bed. SideStacker only. Switched with work light switch in cab.	\$401		
5390-0156	Federal Signal model QL97LEDSCELE LED scene light (EA) with weatherproof connectors. Includes switch accessible to driver (driver and officer side lights switched separately). Locate [#LOC].	\$575		
5390-0157	Amdor Lumabar strip light on each side of the hosebed side upper extrusions. Switched with work light switch in cab.	\$1,365		
5390-0158	Hose bed light Truck-Lite LED model 81380. Locate at rear area of hose bed on angle bracket. Switched with work light switch in cab.	\$268		
5390-0159	Whelen M6 Linear Super LED crosslay light with weatherproof connector and diamond plate mounting box. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$792		
5390-0160	Whelen M6 series gradient Super LED scene lights (PR) with weatherproof connectors. To be used as cornering lights wired to turn signals and four way flashers. Location: (1) each side front bumper gravelshield offset rearward.	\$1,713		
5390-0161	Whelen M9 Linear Super LED scene lights (PR) with weatherproof connectors and smooth plate mounting boxes painted job (2-tone if applicable) color. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$2,180		
5390-0162	Hose bed lights (2) Federal Signal GH Scene. Locate in the upper front wall of the hose bed. One (1) each side equally spaced from the outside of the hose bed. Switched with the work light switch in cab.	\$541		
5390-0163	ROM V4 LED strip lights for NFPA hose bed lighting. The lights to be mounted inside hose bed cover thru cover plate on outer skin. Light will illuminate the hose bed area thru slots in the inner skin.	\$1,937		
5390-0164	Whelen 900 series model 9SC0ENZR Super LED Opti-Scene light (PR) with weatherproof connectors. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,936		
5390-0165	Whelen 900 series model 9SC0ENZR Super LED Opti-Scene light (PR) with diamond plate mounting box. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$2,140		
5390-0166	FRC LED900 Scene light (EA). Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$964		
5390-0167	Hosebed light Federal Signal LED. Locate (2) upper front wall of SideStacker hosebed. Switched with work light switch in cab.	\$394		
5390-0168	Hosebed light Trucklite model 44 LED (5). Locate equally spaced on upper front wall of hosebed . Switched with work light switch in cab.	\$1,263		
5390-0169	Deck light FireTech, model FT-WL3500-60 LED (PR). Switched with work light switch in cab. Location: [#LOC].	\$892		
5390-0170	Whelen M6 Linear Super LED scene light (EA). Switched in cab (lights mtd on the sides of apparatus to be switched separately). Locate [#LOC].	\$689		
5390-0171	Whelen M6 Linear Super LED hosebed lights (PR) with weatherproof connectors and smooth plate mounting boxes painted Durabak black. Locate equally spaced each side at the front area of hosebed. Switched with worklight switch in cab.	\$1,629		
5390-0172	Amdor Lumbar H2O LED strip lights for NFPA hose bed lighting. The lights to be mounted inside hose bed cover thru cover plate on outer skin. Light will illuminate the hose bed area thru slots in the inner skin.	\$1,937		
5390-0173	Federal Signal model 64LEDSCELE LED scene light (PR) with weatherproof connectors. Includes switch accessible to driver (driver and officer side lights switched separately). Locate [#LOC].	\$1,199		
5390-0174	Crosslay lights Whelen Nano 3-LED (PR) with white housings and flood lenses. Locate on each side at rear of crosslay (SM) or forward of crosslay (TM) approx. 16" from side of body.	\$754		
5390-0175	Light Whelen Pioneer Plus model PFP1 with pedestal side mount. Switched with work light switch in cab. Location(s): [#LOC].	\$3,521		

Item #	Description	Extension	+1/-1	Total
5390-0176	Hose bed light ROM V4 LED 42-72" long. Locate forward area of hose bed up high. Switched with work light switch in cab.	\$516		
5390-0177	Crosslay light ROM V4 LED 42-72" long. Locate in module at cross lays. Switched with work light switch in cab.	\$516		
5390-0178	Light Whelen PFBP6C LED. Locate above L2 on compartment top. Switched through ignition.	\$566		
5390-0179	Crosslay lights EON (4). Locate evenly spaced up high on back of cab to illuminate crosslays.	\$546		
5390-0180	Crosslay light Truck-Lite LED model 81380. Locate on the forward upper surface of the pump module over the speedlay module to light from above during hose loading operations. Switched with work light switch in cab.	\$238		
5390-0181	Whelen M6 series gradient Super LED scene lights (PR) with weatherproof connectors. To be used as cornering lights wired to turn signals and four way flashers. Location: [#LOC].	\$1,713		
5390-0182	Crosslay light Amdor H2O. Locate at the front body above crosslay. Switched with work light switch in cab.	\$559		
5390-0183	Crosslay light Truck-Lite LED model 81380. Locate on front of body up high. Switched with work light switch in cab.	\$238		
5390-0184	FireTech 8" 12V double stack mini brow light (PR). Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,334		
5390-0185	Hose bed light Federal Signal 64LEDSCENE. Locate at the front area of hose bed. Switched with work light switch in cab. Includes diamond plate mounting box.	\$714		
5390-0186	FRC SPA900-Q70 Scene light (PR). Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,926		
5390-0187	Whelen 900 series model 9SCOENZR Super LED Opti-Scene light (1 EA) with weatherproof connector. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$968		
5390-0188	Diamond plate mounting boxes (4). For use with scene lights and/or warning lights. Locate on driver and officer side forward and rearward compartment tops outboard; boxes to be full depth of compartment top.	\$1,012		
5390-0189	Whelen 600 series gradient Super LED surface mounted scene lights (EA). Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$587		
5390-0190	Hose bed light Amdor H2O. Locate at the front area of hose bed. Switched with work light switch in cab.	\$560		
5390-0191	Whelen M9 Linear Super LED scene lights (EA). Switched in cab (lights mtd on the sides of apparatus to be switched separately). Locate [#LOC].	\$957		
5390-0192	Hose bed light Amdor H2O. Locate forward facing on directional lightbar box. Switched with work light switch in cab.	\$401		
5390-0193	FRC SPA900-Q70 Scene light (PR) with diamond plate mounting box. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$2,130		
5390-0194	Whelen PELCC crosslay lights LED (PR). Wired through work light switch. Location: (1) each side up high back of cab.	\$709		
5390-0195	Side Body scene lights are to be switched with park brake in addition to standard.	\$91		
5390-0196	FireTech 8" 12V double stack mini brow light (PR) powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,334		
5390-0197	Deck light FireTech, model FT-WL3500-60-C driver, FT-WL3500-60 officer LED (PR). Driver includes rear camera; requires Vista display. Switched with work light switch in cab. Location: [#LOC].	\$1,715		
5390-0198	Hose bed light FRC LED model SPA900-Q70. Locate at front of hose bed. Switched with work light switch in cab.	\$963		
5390-0199	Whelen 700 series gradient Super LED scene lights (PR) with LH37101 castings and weatherproof connectors. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,240		
5390-0200	Federal Signal Commander model COM7K-900 scene light (PR). Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,926		
5390-0201	Hosebed light Whelen model 3SC3CDCR 3" LED. Locate even spaced on upper front wall center hosebed. Switched with work light switch in cab.	\$593		
5390-0202	Code3 model 79SC LED scene light (PR) with chrome bezel (as applicable) and weatherproof connectors. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$1,343		
5390-0203	Hosebed light Trucklite LED. Locate even spaced on front wall of hosebed. Switched with work light switch in cab.	\$757		

Item #	Description	Extension	+1/-1	Total
5390-0204	Whelen M7 Linear Super LED scene lights (PR). Switched in cab (lights mtd on the sides of apparatus to be switched separately). Locate [#LOC].	\$790		
5390-0205	Code3 model 79SCBZ LED scene light (PR) with weatherproof connectors. Switch in cab (driver and officer side facing lights switched separately). Locate [#LOC].	\$1,343		
5390-0206	Whelen M6 series gradient Super-LED scene lights (6). Switch in cab (driver and officer side lights switched separately). Lights located (2) each side of body up high (offset forward and rearward) and (2) at rear of body up high. Wetside only.	\$2,999		
5390-0207	FRC SPA900-Q70 Scene light (EA). Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$963		
5390-0208	Whelen M6 Linear Super LED scene light in a diamond plate box (EA). Switched in cab (lights mtd on the sides of apparatus to be switched separately). Locate [#LOC].	\$689		
5390-0209	Whelen PELCC crosslay lights, LED, set of (3) three. Wired through work light switch. Location: back of cab, up high, evenly spaced.	\$1,063		
5390-0211	Hosebed light Whelen M6 Linear Super LED scene light with diamond plate box. Locate at the front area of hosebed. Switched with worklight switch in cab.	\$748		
5390-0212	Crosslay light Whelen 700 series LED scene light. Locate on front of body/tank. Switched with worklight switch in cab.	\$1,035		
5390-0213	Whelen 700 series LED hosebed lights (3) with weatherproof connectors. Locate evenly spaced on front wall of hosebed up high. Switched with worklight switch in cab.	\$1,458		
5390-0214	Federal Signal model 64LEDSCENE LED scene light (PR) with diamond plate mounting box and weatherproof connectors. Includes switch accessible to driver (driver and officer side lights switched separately). Location: [#LOC].	\$1,382		
5390-0215	Deck Lights - Optronics Model TLL44 (PR). Location: [#LOC].	\$415		
5390-0216	Hose bed light Optronics LED model TLL44 Locate at front of hose bed. Switched with work light switch in cab.	\$238		
5390-0217	Crosslay light Optronics LED model TLL44. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$238		
5390-0218	Hose bed light EON (4) with rubrail extrusion. Locate at front area of hose bed. Switched with work light switch in cab.	\$690		
5390-0219	Hosebed light FireTech model FT-MB-9-TR powder coated black with trunnion mount. Switched with work light switch in cab.	\$812		
5390-0220	Whelen 700 series gradient Super LED scene lights (PR) with weatherproof connectors and diamond plate mounting box. Switch in cab (driver and officer side lights switched separately). Locate [#LOC].	\$1,317		
5390-0221	Whelen M6 Linear Super LED scene lights (PR) with black bezels. Switched in cab (lights mtd on the sides of apparatus to be switched separately). Locate [#LOC].	\$1,376		
5390-0222	Deck light FireTech, model FT-WL3500-60-W LED (PR). Switched with work light switch in cab. Location: [#LOC].	\$892		
5390-0223	Hose bed light LED Rigid-Dually D2, model 50151with defussed lens. Locate at front of hose bed. Switched with work light switch in cab.	\$723		
5390-0224	Crosslay light LED Rigid-Dually D2, model 50151with defussed lens. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$723		
5390-0225	Whelen 900 series gradient Super-LED scene lights (6). Switch in cab (driver and officer side lights switched separately). Lights located (2) each side of body up high (offset forward and rearward) and (2) at rear of body up high. Wetside only.	\$5,285		
5390-0226	Hosebed light Whelen M6 Linear Super LED scene light. Locate at the front area of SideStacker hosebed. Switched with worklight switch in cab.	\$748		
5390-0227	Crosslay light LED TecNiq, model P06-WBFP-1. Locate center back wall of cab up high. Switched with work light switch in cab.	\$208		
5390-0228	Crosslay light LED TecNiq, model P06-WBFP-1. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$208		
5390-0229	Hosebed light TecNiq LED. Locate (2) upper front wall of SideStacker hosebed. Switched with work light switch in cab.	\$298		
5390-0230	Hose bed light FireTech model WL2000 LED. Locate center front of hose bed. Switched with work light switch in cab.	\$268		

Item #	Description	Extension	+1/-1	Total
5390-0231	Crosslay light FireTech model WL2000 LED. Locate to rear of crosslay (SM) and forward of crosslay (TM as applicable). Switched with work light switch in cab.	\$268		
5400-0003	Engine compartment light (EA).	\$148		
5400-0004	Incandescent pump panel light - additional (EA). Location: [#LOC].	\$111		
5400-0005	Pump panel LED light package with (2) Whelen strip lights per side pump panel. Not available on panels over 45" wide. Side mount only.	\$927		
5400-0006	Pump panel LED light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$1,331		
5400-0007	LED pump panel light - additional (EA). Location: [#LOC].	\$228		
5400-0008	(1) pump panel light over the pump control area to be wired to come on when pump shift is placed in pump. (Side mount forward light noted, Top Mount is center light.)	\$48		
5400-0009	Pump panel LED light package - top mount. Includes (2) lights per side pump panel and (3) lights for top mount panel. Side pump panels over 45" wide may require additional lights. Top mount only.	\$1,557		
5400-0010	Incandescent pump compartment light (EA).	\$160		
5400-0011	LED pump compartment light (EA).	\$428		
5400-0012	Light Fluorescent (EA). Locate [#LOC]	\$275		
5400-0016	Spotlight mounted [#LOC] so that light will follow the direction of turret flow.	\$163		
5400-0020	Federal NightFighter light with internal pole. Locate [#LOC]. Switched on light head.	\$1,483		
5400-0021	Federal NightFighter Light with External Pole. Locate [#LOC]. Switched on light head.	\$2,567		
5400-0023	Fog lights amber (PR) installed: [#LOC].	\$240		
5400-0025	Brush guard (PR) in approach panel for single light configuration fog or driving.	\$160		
5400-0026	Fog lights clear (PR) installed [#LOC].	\$316		
5400-0030	Fog Lights, Quartz Halogen (PR) [#COL] and located [#LOC].	\$324		
5400-0031	Pair of Cab Dome Large Lights mounted driver and officer side front. N/A on E-One Chassis. Required on Comm Chassis.	\$88		
5400-0032	Pair of Cab Dome Large Lights mounted driver and officer side Rear. N/A on E-One Chassis or two door commercial chassis. Required on Comm Chassis.	\$88		
5400-0033	Cab Dome Lts Red/White 4" incandescent. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$665		
5400-0034	Dome Lts Red 4" (Ea) [#LOC]. Includes assembly mounted rocker switch.	\$160		
5400-0035	Dome Lts White 4" incandescent. Includes assembly mounted rocker switch. Requires one for each cab door.	\$180		
5400-0037	Dome Lts Red/White Incandescent. Package includes two lights mounted in the front and two mounted in the rear of the cab. White light wire through door and light assembly mounted switch. Red light through light assembly mounted switch.	\$639		
5400-0038	Spotlights, 6" Unity (PR) cab post mount.	\$524		
5400-0039	Spotlight Specialty 2150 hand held located on officer's side of cab dash - hardwired.	\$448		
5400-0041	Spotlight, Federal Visibeam II Remote. If one is selected it will be located centered on cab roof mounted on a bracket. If two are selected, they will be located one each side of cab roof to rear of light bar.	\$790		
5400-0042	Map light, Sunnex [#LOC].	\$384		
5400-0043	Maplight-Little Lt 18" Flex [#LOC]. Includes on/off switch.	\$259		
5400-0044	Tillerman tracking lights (PR) - Chrome pedestal mtd Signal Stat #3763 with green lens #9341G. Locate on cab roof to rear of A/C (on top of vista if equipped) approx. 18" apart (each light to be 9" off centerline of cab). Dim filament to use 24 volt bulb ILO 12 volt bulb (reduce the brightness/glare) and be steady burn with headlights. Bright filament to flash with left/right turn signal.	\$513		

Item #	Description	Extension	+1/-1	Total
5400-0045	Zico cornering light (PR) with polished stainless steel housing model #ZQL-SS-H7614. The lights are to be located each side in the forward area of the tiller axle wheelwell facing forward and be switched from the tiller cab.	\$711		
5400-0046	Pump panel light package with (2) lights per side pump panel. Not available on panels over 45" wide. Side mount only	\$499		
5400-0047	Pump panel light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$749		
5400-0048	Pump panel light package - top mount. Includes (2) lights per side pump panel and (3) lights for top mount panel. Top mount only.	\$869		
5400-0049	Pump panel light package - RLP/MM. Includes (2) lights per side pump panel and (2) lights for angled upper control panel.	\$550		
5400-0050	Pump panel light LED package - RLP/MM. Includes (2) lights per side pump panel and (2) lights for angled upper control panel.	\$918		
5400-0054	Spotlight Specialty 2150 hand held located on officer's side of cab dash w/12V receptacle.	\$448		
5400-0055	Dome Lts White 4" LED. Includes assembly mounted rocker switch. Two in the front of cab and two in the rear of cab.	\$1,588		
5400-0057	Dome Lts red/white 4" LED (4). Lights to be located two front and two rear. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$1,724		
5400-0059	Optronics model QH-3000 handheld 12v spotlight. To be hardwired on officer's side of cab dash.	\$174		
5400-0060	Spotlight Specialty 2150 hand held located on driver's side 3 x 3 post - hardwired.	\$448		
5400-0061	Golight model 2049 remote control spotlight with black housing. If one is selected it will be located centered on cab roof on a pedestal to rear of light bar. If two are selected, they will be located one each side of cab roof to rear of light bar.	\$987		
5400-0062	Code 3 model GLB3200 remote control spotlight with black housing. If one is selected it will be located centered on cab roof on a pedestal to rear of lightbar. If two are selected, they will be located one each side of cab roof to rear of lightbar.	\$1,410		
5400-0064	Dome Lts Red/White 4" LED (5). Lights to be located two front and three rear. White light wired through door and light assembly mounted rocker switch. Red light through light assembly mounted rocker switch.	\$2,151		
5400-0065	Map light, Littlite 18" flexible LED. Location: [#LOC].	\$297		
5400-0066	Light high intensity (HID) 9700 Series JW Speaker light installed [#LOC].	\$809		
5400-0068	Pump panel LED light package with (3) Whelen 500 lights per side pump panel. Center light on each side to be wired through pump engage. Side mount only.	\$1,442		
5400-0069	Map light Sunnex HS 761-00 with frosted lens. Location: Officer overhead console inboard of AC vent.	\$335		
5400-0070	Whelen 700 Series cornering lights (PR) located on ends of bumper gravel shield ahead of warning lights. Lights to have 8-32 degree internal optics and chrome flange. Includes cornering light relay circuits.	\$856		
5400-0071	Spotlight, Collins CL-12-M hand held located on officer's side of cab dash, hardwired. Includes Handlelok 1004 bracket.	\$540		
5400-0072	Lts-Collins FX-12 Location: [#LOC].	\$652		
5400-0073	Code 3 LED 85BZR lights. (4) pair. Locate (2) 85BZR red with clear lenses each side of body outboard of recessed quartz lights, (1) 85BZR amber with clear lenses each side on the rear compartment face up high and (1) 85BZR amber with clear lenses each side on the rear compartment face in-line with bottom area of hosebed. Switch separately from lower and upper level warning lights.	\$1,217		
5400-0074	Pump panel LED light package. Includes (2) Whln LED strip lights driver side above upper panel, (2) Whln LED strip lights officer side mid-way up on upper hinged panel, (2) 4" grommet mount lights on driver side front compt face, (1) in line with side discharges and (1) at upper pump panel split, and (1) 4" grommet mount light on officer side front compt face down low.	\$2,341		

Item #	Description	Extension	+1/-1	Total
5400-0075	Dome Lts Red/White LED/Incandescent. Package includes two red/white incandescent lts mtd in the frt of the cab and two 4" red/white LED lts mtd in the rear of the cab. White lt wired through door and lt assy mounted switch. Red lt wired through lt assy mounted switch.	\$1,181		
5400-0076	Golight model 2020 permanent spotlight. Location: Centered top of lightbar.	\$781		
5400-0077	Hella clear driving lites(PR) in rear departure panel for backup lights and seperate lighting.	\$346		
5400-0078	Pump panel LED light package with (2) lights per side pump panel.	\$1,714		
5400-0080	FRC Night Master light with external push-up pole. Locate [#LOC]. Switched on light head.	\$1,420		
5400-0081	Golight model 2067 remote control spot light with white housing. If one is selected it will be located centered on cab roof on a pedestal to rear of light bar. If two are selected, they will be located one each side of cab roof to rear of light bar.	\$987		
5400-0082	Maplight-Little Lt 18" Flex [#LOC]. Includes dimmer switch.	\$259		
5400-0083	Map light Sunnex HS 761-20 with red lens and dimmer switch. Location: Officer overhead console inboard of AC vent.	\$335		
5400-0084	SpotLt-Fed VisibeamII Remote. If one is select it will be located center on forward vista roof. If two are selected, they will be located one each side front corners of vista cab roof.	\$790		
5400-0085	Enclose pump panel LED light package with (3) lights per side pump panel. Side mount only.	\$1,775		
5400-0086	Spotlight Specialty 2150 hand held located on font of map box - hardwired.	\$448		
5400-0087	Map light Sunnex model HS741-27 with red lens. Location: [#LOC].	\$358		
5400-0088	LED Amdor Luma-Bar pump panel lighting. (1) each side.	\$1,412		
5400-0089	Federal Signal Ultrastar Green LED w/ clear lens. Locate on L1 on compt top. Includes switch on pump panel labeled "Hydrant".	\$781		
5400-0090	Spotlight Specialty 2150 hand held located on officer's side 3 x 3 post - hardwired.	\$448		
5400-0091	Zico cornering light (PR) with polished stainless steel housing model #ZQL-SS-H7614 wired through turn signals. Includes cornering light relay. Lights to be directed downward. Location: (1) each side of gravel shield (forward).	\$1,174		
5400-0092	Weldon pump panel LED light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$1,086		
5400-0093	Golight model 2049 remote control spotlight with black housing (PR) located one each side of cab roof to rear of lightbar. Driver light control located on driver dash switch panel. Officer light control located on officer dash switch panel. (Quest cab only)	\$1,971		
5400-0094	(6) scene lighting package. Locate lights - (2) each side of tank and (2) at rear of tank/body.	\$0		
5400-0095	(2) Additional halogen scene lighting package. Locate lights - (1) each side of tank centered. Wired with standard work light switching.	\$542		
5400-0096	Pump panel light package - top mount. Includes (2) lights per side pump panel and (2) lights for top mount panel.	\$696		
5400-0097	Maplight-Havis Shield 12" Flex LED. Location: [#LOC].	\$288		
5400-0098	Pump panel LED light package with (3) Whelen 4"round lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$1,331		
5400-0099	SM Pump module panel light package. Includes (2) incandescent lights per side of the module (main panel in body compartmetn will have lighting provided seperately).	\$500		
5400-0100	Weldon side mount pump panel light package. Includes (2) LED lights per side of the module (main panel in body compartment will have lighting provided seperately).	\$542		
5400-0103	Fog Lights-Qtz Halogen (PR) Amber and located front of bumper.	\$324		
5400-0104	Spotlight Specialty 2150 hand held located on officer's side, side facing engine cover offset forward below cab dash - hardwired.	\$448		
5400-0105	Weldon pump panel LED lighting package with (3) lights for pump operator panel (with shield) and (3) lights for rear pump panel. Rear Mount only.	\$537		

Item #	Description	Extension	+1/-1	Total
5400-0106	Pump panel incandescent lighting package with (3) lights for pump operator panel (with shield) and (3) lights for rear pump panel. Rear Mount only.	\$749		
5400-0107	Weldon pump panel LED light package - top mount. Includes (2) lights per side pump panel and (3) lights for top mount panel. Side pump panels over 45" wide may require additional lights. Top mount only.	\$1,225		
5400-0108	Cab Dome Large Lights mounted centered over front seat. N/A on E-One Chassis. Required on Comm Chassis.	\$46		
5400-0109	Weldon LED pump panel light - additional (EA). Location: [#LOC].	\$170		
5400-0110	Weldon pump panel light LED package - RLP/MM. Includes (2) lights per side pump panel and (2) lights for angled upper control panel.	\$803		
5400-0111	Whelen 600 series Super LED blue. Locate driver side rear compartment face below upper level warning. Includes switch on pump panel labeled "HYDRANT".	\$593		
5400-0112	Backing light (PR) Innovative Lighting with polished housing model #580-0200-1, light bulb is a halogen MR16. Location: [#LOC].	\$419		
5400-0113	(3) deck light package. Locate Deck Lights - (2) at rear of body and (1) at front of hosebed.	\$0		
5400-0114	Side mount pump module incandescent lighting. Includes (2) pump panel lights - (1) driver side and (1) officer side and (1) pump compartment light.	\$0		
5400-0115	Top mount pump module incandescent lighting. Includes (3) lights located along the upper top mount control panel, (2) side pump panel lights - (1) driver side and (1) officer side, (1) pump compartment light and (2) top mount walkway lights..	\$0		
5400-0116	Light spot hand held Specialty 2150 hardwired on officer side. Custom ES.	\$300		
5400-0117	Side mount pump module lighting package. Includes (2) LED pump panel lights - (1) driver side and (1) officer side and (1) incandescent pump compartment light.	\$0		
5400-0118	Top mount pump module lighting package. Includes (3) LED lights located along the upper top mount control panel, (2) LED side pump panel lights - (1) driver side and (1) officer side, (1) incandescent pump compartment light and (2) incandescent top mount walkway lights.	\$0		
5400-0119	Whelen green LIN6 green battery indicator light. Location: driver side behind cab grille. Light will be interlocked through park brake.	\$353		
5400-0120	(9) LED scene lighting package. Locate lights - (3) each side of tank, (2) at rear of tank/body and (1) at front of tank/body.	\$522		
5400-0121	(7) LED scene lighting package. Locate lights - (2) each side of tank, (2) at rear of tank/body and (1) at front of tank/body.	\$0		
5400-0122	(7) Halogen scene lighting package. Locate lights - (1) forward area of tank, (2) each side of tank and (2) at rear of tank/body.	\$0		
5400-0123	Side mount pump module incandescent lighting. Includes (3) pump panel lights - (2) driver side and (1) officer side.	\$0		
5400-0124	Top mount pump module incandescent lighting. Includes (3) lights located along the upper top mount control panel, (2) side pump panel lights - (1) driver side and (1) officer side and (2) top mount walkway lights.	\$0		
5400-0125	SpotLt-Fed VisibeamII Remote. Officer side of cab roof to rear of lightbar mounted on a bracket.	\$790		
5400-0126	Side mount pump module LED lighting. Includes (3) pump panel lights - (2) driver side and (1) officer side.	\$431		
5400-0127	Top mount pump module LED lighting. Includes (3) lights located along the upper top mount control panel, (2) side pump panel lights - (1) driver side and (1) officer side and (2) top mount walkway lights.	\$988		
5400-0128	Weldon crosslay LED light package with (3) lights. Located on forward wall of light tower shield.	\$543		
5400-0129	Spotlight Collins CL-12-M hand held located on officer's side of cab dash - hardwired. Includes Handlelok 1004 bracket, shipped loose.	\$540		
5400-0130	Spotlight Optronics Blue Eye model KB4003 hand held located on officer's side of cab dash - hardwired.	\$268		



Item #	Description	Extension	+1/-1	Total
5400-0131	Pump panel LED light package Amdor Luma Bar H2O. Includes (1) light per side pump panel (2 driver if split panel). Side mount only.	\$1,087		
5400-0132	Incandescent pump panel and runningboard lighting package. Includes (3) lights shield mounted on the driver side and (1) 4" recessed light mounted on the officer side compartment face.	\$749		
5400-0133	Golight model 2067 remote control spotlight with white housing. Locate (1) each side cab corner outboard of forward facing lightbar without pedestal. Requires additional side facing warning lights to meet NFPA.	\$987		
5400-0134	Federal NightFighter Light with Internal Pole. Locate driver and officer side of pump module rearward of TM control panel.	\$2,966		
5400-0135	Lt HID driving Hella Optilux 4" Xenon installed [#LOC].	\$259		
5400-0136	Pump panel incandescent lighting package with (3) lights for pump operator panel (with shield). Rear Mount only.	\$402		
5400-0137	Pump panel LED light package for side mount eMAX. Includes (6) TecNiq EON lights with S/S housings, located (3) each side above lower side intake/discharge panels. Includes S/S light shields. SM eMAX only.	\$443		
5400-0138	Mounting box/bracket for cab roof mounted spot light(s) to be sized in height so the top of the light does not exceed an overall height restriction.	\$0		
5400-0139	Pump panel LED light package for top mount. Includes (12) TecNiq EON lights with S/S housings, (6) for TM panel and (3) each side for lower side intake / discharge panels. Includes S/S light shields for side panels.	\$791		
5400-0140	Spotlight Collins CL-12-M handheld located to officer's side cab dash area. Light to be hardwired and bracket (Handlelok 1004) to be mounted to the dash area within reach of the officer.	\$540		
5400-0141	Under mount side mount pump panel LED lighting. Includes (3) pump panel lights.	\$354		
5400-0142	Under mount side mount pump panel LED lighting. Includes (4) pump panel lights (3 driver and 1 officer).	\$472		
5400-0143	Pump panel LED light package for side mount. Includes (3) TecNiq EON lights with S/S housings. Includes S/S light shield. Wetside only.	\$354		
5400-0144	ROM V3 pump panel light LED package - RLP/MM. Includes (1) light per side pump panel and (1) light for angled upper control panel.	\$1,016		
5400-0145	Pair of Cab Dome Large Lights mounted driver (clear) and officer (red) side front. N/A on E-One Chassis. Required on Comm Chassis.	\$88		
5400-0146	Additional turn signal lights (PR) on the rear body/engine cover.	\$327		
5400-0147	Light, engine compartment LED IPOS (EA).	\$163		
5400-0148	Maplight-Little Lt 12" Flex LED. Location: [#LOC].	\$297		
5400-0149	Pump panel Amdor H2O LED light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$1,095		
5400-0150	Pump panel LED light package for side mount. Includes (6) Tecniq EON lights with S/S housings located (3) ea side. Includes S/S light shields.	\$443		
5400-0151	Pump compartment light EON LED. Wired to work light.	\$255		
5400-0152	Pump compartment light EON LED. Includes switch on pump operator's panel.	\$255		
5400-0153	Right side discharge panel LED light Tecniq EON with S/S housing. Wetside only.	\$76		
5400-0154	Spotlight Specialty 2150 hand held located on center of cab dash with plug-in connector.	\$448		
5400-0155	Cab Dome Large Light (PR). (1) mounted centered centered in the front and rear headliners. N/A on E-One Chassis. Required on Comm Chassis.	\$88		
5400-0156	Spotlight Collins CL-12-M handheld. Light to be hardwired and bracket (Handlelok 1004) to be mounted to the rear of the center console.	\$540		
5400-0157	Spotlight Whelen PAR46 Super LED hand held located on officer's side of cab dash - hardwired. Mounted to not obstruct driver view of passenger corner mounted mirror (if equipped).	\$735		
5400-0158	Spotlights, 6" Unity LED (EA) cab post mount. Location: Officer side cab A post.	\$611		

Item #	Description	Extension	+1/-1	Total
5400-0159	Optronics model QH-100 handheld 12v spotlight. To be hardwired on officer's side of cab dash.	\$174		
5400-0160	Pump panel LED light package for side mount. Includes (3) Tecniq EON lights with S/S housings. Includes Zolatone black light shield. Wetside only.	\$354		
5400-0161	Spotlight LED Rigid-Dually D2, model 5013, 9-36VDC (EA) mounted [#LOC] so that light will follow the direction of turret flow.	\$417		
5400-0162	Light, Rhino II. One (1) high intensity Model 9710 JW Speaker light shall be mmounted to the Rhino II.	\$891		
5400-0163	Light, Rhino II. One (1) Rigid Dually D2 mounted to the Rhino II.	\$417		
5400-0164	Spotlights, 6" Unity LED (PR) cab post mount.	\$1,219		
5400-0165	Pump compartment light EON LED. Light shall be switched from the cab dash with the work light switch.	\$255		
5400-0166	Fog lights (PR) Perlux 500 series model 05001-5 clear fog Light located [#LOC].	\$702		
5400-0167	(1) pump panel light over the pump control area to be wired to come on when pump shift is placed in pump. (Rearward light.)	\$48		
5400-0168	Whelen LED pump compartment light (EA).	\$325		
5400-0169	Pump panel LED light package for top mount. Includes (10) Tecniq EON lights with S/S housings located (3) ea side and (4) for top mount panel. Includes S/S light shields.	\$752		
5400-0170	Compartment light EON LED. Includes activation switch. Location of light and switch: [#LOC].	\$255		
5400-0171	Compartment light EON LED IPOS. Location of light(s): [#LOC].	\$167		
5400-0172	Pump panel LED light package for rear mount. Includes (3) Tecniq EON lights with S/S housings. Includes S/S light shield. Rear mount only.	\$354		
5400-0173	Spotlight Whelen PAR46 Super LED hand held located on officer's side of cab dash with plug-in connector.	\$735		
5400-0174	Pump panel light package with (3) On Scene Solutions lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$1,264		
5400-0175	Compartment light EON blue LED. Switched with work light switch in cab. Location of light: [#LOC].	\$255		
5400-0176	(7) LED scene lighting package. Locate lights - (1) forward area of tank, (2) each side of tank and (2) at rear of tank/body.	\$940		
5400-0177	Top mount pump module LED lighting Whelen PELCC. Includes (3) lights located along the upper top mount control panel, (2) side pump panel lights - (1) driver side and (1) officer side.	\$2,159		
5400-0178	Pump panel LED light package upgrade IPOS. Includes (3) Tecniq EON lights with S/S housings. Location driver and officer side pump panel.	\$291		
5400-0179	Zico backing lights (PR) with polished stainless steel housing model #ZQL-SS-LED. Location: [#LOC].	\$1,542		
5400-0180	Spotlight, Collins CL-12-M hand held located on officer's side of cab dash, hardwired. Includes Handlelok 1004 bracket which shall be mounted at time of final inspection.	\$540		
5400-0181	Pump panel LED light package for side mount. Includes (6) Tecniq EON lights with S/S housings located (3) ea side. The center light shall be green as wired to activate when pump shift is placed in pump. Includes S/S light shields. Requires separate pump panel light wiring instruction.	\$443		
5400-0182	(1) pump panel light (center light) over the pump control area to be wired to come on when pump shift is placed in pump.	\$48		
5400-0183	Side mount pump module LED lighting. Includes (3) pump panel lights - (2) driver side and (1) officer side.	\$525		
5400-0184	Top mount pump module LED lighting. Includes (3) lights located along the upper top mount control panel, (2) side pump panel lights - (1) driver side and (1) officer side and (2) top mount walkway lights.	\$743		
5400-0185	LED pump compartment light (EA).	\$79		
5400-0186	Interior rescue module dome light Red/White LED (PKG). Package includes (4) TecNiq model E06-WS0R-1 red/white LED lights evenly spaced on ceiling. Includes (1) switch for red and (1) for white lights on interior wall.	\$941		
5400-0187	Map light Sunnex HS 761-00 with frosted lens. Location: Driver and officer overhead console inboard.	\$335		

Item #	Description	Extension	+1/-1	Total
5400-0188	Golight model 30201 remote control HID spot light with white housing. If one is selected it will be located centered on cab roof on a pedestal to rear of light bar. If two are selected, they will be located one each side of cab roof to rear of light bar.	\$1,074		
5400-0189	Golight model 2020 permanent spotlight with white housing. Centered on forward cab roof.	\$987		
5400-0190	Weldon/EON pump panel LED light package with (1) Weldon, (2) EON driver pump panel and (3) Weldon officer pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$1,086		
5400-0191	Class 1 provided / E-ONE installed pump panel and ground lights for pump module. Includes (1) 18" LED strip light, (2) 24" LED strip light and (2) ground lights.	\$963		
5400-0192	Amdor H2O pump panel LED light package - top mount. Includes (2) lights per side pump panel and (3) lights for top mount panel. Side pump panels over 45" wide may require additional lights. Top mount only.	\$1,268		
5400-0193	Golight model 2049 remote control spotlight with black housing. Locate center on forward cab roof.	\$987		
5400-0194	(1) pump panel light (center light) over each side mount pump control area to be wired to come on when pump shift is placed in pump.	\$95		
5400-0195	(9) Whelen Micro Pioneer model MPBB LED scene lighting package. Locate lights - (1) forward area of tank, (3) each side of tank and (2) at rear of tank/body.	\$4,962		
5400-0196	TecNiq LED backing lights (PR) model E960. Location: [#LOC].	\$509		
5400-0197	Four (4) Whelen Super-LED ceiling mounted dome light assemblies model 60CREGCS shall be provided on the ceiling of the TME module.	\$540		
5400-0198	Map light, Sunnex LED model SL9-220. Location: [#LOC].	\$826		
5400-0199	Pump panel light additional EON LED. Locate (2) driver side up high and (2) officer side up high.	\$137		
5400-0200	Spotlights, 6" Unity LED (PR) cab post mount. Includes black housings.	\$1,219		
5400-0201	Location cab roof spot light(s). Single light mounted outboard officer side cab roof centered between light bar and vista. If equipped with (2) spot lights, lights to be mounted (1) each side outboard cab roof centered between light bar and vista. No riser brackets provided; mount light to cab roof.	\$0		
5400-0202	Spotlight Whelen PAR46 Super LED hand held located on officer's side of cab dash - hardwired. Ship bracket loose.	\$735		
5400-0203	Light EON LED. (Pair) Includes activation switch. Locate: Below light bar brackets rear facing on body, up high, (1) light centered below light bar brackets as far aft as possible on each side of body.	\$511		
5400-0204	Map light Sunnex HS 761-00 with frosted lens. Location: officer overhead console inboard.	\$335		
5400-0205	Pump panel light additional EON LED. Locate driver side pump panel above additional switches wired through park brake.	\$137		
5400-0206	Golight model 2067 remote control spotlight with white housing. Locate driver side cab roof ahead of vista. Locate controller center of dash offset to driver.	\$987		
5400-0207	Weldon pump panel LED light package with (3) lights on officer side pump panel. Pump panels over 45" may require additional lights. Side mount only. For use with driver enclosed pump panel only.	\$543		
5400-0208	Pump panel Amdor H2O LED light package with (2) lights per side pump panel. Side mount only.	\$730		
5400-0209	Pump panel Amdor H2O LED red light package with (3) lights per side pump panel. Pump panels over 45" may require additional lights. Side mount only.	\$1,095		
5400-0210	Fog Lights, FireTech FT-WL3500-60 (PR). Location: [#LOC].	\$1,148		
5400-0211	Whelen 600 series Super LED green. Locate driver side rear of body below upper level warning. Includes switch on pump panel labeled "HYDRANT".	\$700		
5400-0212	Pump compartment light EON LED. Requires seperate switching.	\$255		
5400-0213	Map light Sunnex SL9-200B10L. Location: officer overhead console inboard.	\$517		
5400-0214	Walkway lighting in place of standard. Nine(9) equally spaced Whelen OS Series Super-LED white illumination lights shall be provided with a 45 degree bezel.	\$270		

Item #	Description	Extension	+1/-1	Total
5400-0215	Light, Tecniq LED counter top light, (pair). Locate: inside walk in body, (1) one on bottom of each overhead cabinet to illuminate the counter top below on forward bulkhead.	\$170		
5400-0216	Golight model 20214 remote control LED spot light with black housing. Officer side rear of light bar.	\$1,489		
5400-0217	Pump panel LED light package for HP95MM. Includes (9) TecNiq EON lights with S/S housings, (3) for upper control panel and (3) each side for lower side intake / discharge panels.	\$681		
5400-0218	Golight model 20214 remote control LED spot light with black housing. If one is selected it will be located centered on cab roof on a pedestal to rear of lightbar. If two are selected, they will be located one each side of cab roof to rear of lightbar.	\$1,489		
5400-0219	EON LED pump panel light - additional (EA). Location: [#LOC].	\$80		
5400-0220	Handheld Flashlight, Orange Streamlight Survivor LED flashlight with holder and AC/DC charger. Location: [#LOC].	\$283		
5400-0221	Light EON LED. (Pair) Includes activation switch. Locate: Below light bar brackets rear facing on body, up high, (1) light centered below light bar brackets as far aft as possible on each side of body.	\$511		
5400-0222	Pump compartment light Optronics ILL22 Series LED (EA). Includes separate on/off switch inside pump access door / panel. Light circuit to be wired through battery switch.	\$239		
5400-0223	LED pump panel light - additional amber (EA). Location/function: center above pump operator panel wired through pump shift only.	\$170		
5400-0224	Engine compartment light Optronics LED Series ILL22 (EA).	\$148		
5400-0225	Map light Sunnex SL9-200B10L. Location: officer dash outboard.	\$517		
5450-0002	Quartz light Kwik Raze 500W/110V without pole. Location(s): [#LOC]	\$724		
5450-0003	Quartz light KwikRaze 500W/110V model KR-905-I with internal telepole. Location(s): [#LOC]	\$799		
5450-0004	Quartz light KwikRaze 500W/110V model KR-SB-505-W/2-I with external telepole. Location(s): [#LOC]	\$1,254		
5450-0005	Quartz light Kwik Raze 500W/110V portable. Location(s): [#LOC].	\$509		
5450-0006	Quartz light KwikRaze 500W/110V model KR-SB-805-TM-I with external mount tripod telepole. Requires 110V receptacle. Location(s): [#LOC]	\$1,861		
5450-0007	Quartz light Kwik Raze 500W/110V with recess mount. Location(s): [#LOC].	\$1,158		
5450-0008	Quartz light Fire Research Focus 750W/110V model FCA510E-S75-SW with internal pull-up pole. Location(s): [#LOC].	\$1,768		
5450-0009	Quartz light Fire Research Focus 750W/110V model FCA530-S75-SR-SW with side mount push-up pole. Location(s): [#LOC].	\$1,869		
5450-0010	Quartz light Fire Research Focus 1000W/240V model FCA200-M12 with recess mount. Location(s): [#LOC].	\$993		
5450-0011	Quartz light Fire Research Optimum 900W/240V model OPA200-R90 with recess mount. Location(s): [#LOC].	\$1,299		
5450-0012	Quartz light Fire Research Focus 750W/110V model FCA570-S75 without pole. Location(s): [#LOC].	\$1,379		
5450-0015	Quartz light Fire Research Focus 750W/120V model FCA600-S75-ON-FC603 with 40" telescopic tripod pole. Location(s): [#LOC].	\$1,891		
5450-0016	Quartz light Fire Research Focus 750W/110V model FCA540-S75-SW with side mount pull up pole. Location(s): [#LOC].	\$1,837		
5450-0017	Quartz light Fire Research Focus 750W/110V model FCA512-S75-CLP64.5-SW with 64.5" inner pole and 31.5" outer pole. Location(s): [#LOC]	\$1,974		
5450-0019	Quartz light Fire Research Focus 750W/110V model FCA802-S75-01 with brow mount (EA). Location(s): [#LOC].	\$1,069		
5450-0020	Quartz light Fire Research Focus 1500W/240V model FCA600-M15-ON-FC603 with telescopic tripod pole. Location(s): [#LOC].	\$1,993		
5450-0021	Quartz light Fire Research Optimum 750W/110V model OPA570-S75 without pole. Location(s): [#LOC].	\$1,462		
5450-0022	Quartz light Fire Research Optimum 150W/12V model OPA802-HD15-01 with brow mount (EA). Includes switch accessible to driver. Location(s): [#LOC].	\$1,803		
5450-0023	Quartz light Fire Research Optimum 150W/12V model OPA510E-HD15-SW with internal pole. Includes switch accessible to driver. Location(s): [#LOC].	\$2,158		

Item #	Description	Extension	+1/-1	Total
5450-0024	Quartz light Fire Research Optimum 750W/110V model OPA510E-S75-SW with internal pull up pole. Location(s): [#LOC].	\$1,822		
5450-0025	Quartz Light GFE Mfg. 750 watt with Pneumatically Raised External Pole. Location(s): [#LOC]	\$1,950		
5450-0027	Quartz light Fire Research Optimum 750W/110V model OPA512-S75-CLP28-SW with 28" internal through roof push up pole. Location(s): [#LOC]	\$2,056		
5450-0028	Quartz light Fire Research Optimum 750W/110V model OPA530-S75-SR-SW with side mount external pole. Location(s): [#LOC].	\$1,921		
5450-0029	Quartz light Fire Research Optimum 750W/110V model OPA540-S75-SW with side mount pull up pole. Location(s): [#LOC]	\$1,762		
5450-0030	Quartz light Fire Research Optimum 750W/110V model OPA600-S75-ON-OP603 with 40" telescopic tripod pole. Location(s): [#LOC].	\$1,911		
5450-0031	Quartz light Fire Research Optimum 750W/110V model OPA802-S75-01 with brow mount (EA). Location(s): [#LOC].	\$1,143		
5450-0032	Quartz light Fire Research Optimum 900W/240V model OPA600-R90-ON-OP603 with telescopic tripod pole. Location(s): [#LOC]	\$2,031		
5450-0033	Quartz light Fire Research Optimum 150W/12V model OPA530-HD15-SR-SW with side mount external pole. Includes switch accessible to driver. Location(s): [#LOC].	\$2,409		
5450-0034	Quartz light MagnaFire 900W/240V model KR-739-HD with portable base. Requires 220V receptacle. Location(s): [#LOC]	\$746		
5450-0035	Quartz light MagnaFire 900W/240V model KR-1939 with recess mount. Location(s): [#LOC].	\$1,029		
5450-0036	Quartz light MagnaFire 900W/240V model KR-SB-639 without pole. Location(s): [#LOC].	\$1,193		
5450-0037	Quartz light MagnaFire 900W/240V model KR-939-I with internal pole. Location(s): [#LOC].	\$1,135		
5450-0038	Quartz light MagnaFire 900W/240V model KR-SB-539-W/2-I with external pole. Location(s): [#LOC].	\$1,485		
5450-0039	Quartz light MagnaFire 900W/240V model KR-SB-839-TM-I with external mount tripod telepole. Requires 220 volt receptacle. Location(s): [#LOC].	\$1,615		
5450-0040	Quartz light MagnaFire 900W/240V model KR-1339 with low profile mount. Location(s): [#LOC]	\$1,179		
5450-0041	Quartz light MagnaFire 900W/240V model KR-1539 with cab brow mount (EA). Not available in front center due to DOT lights. Location(s): [#LOC].	\$1,047		
5450-0045	Quartz light MagnaFire 750W/120V model KR-736-HD with portable base. Requires 110V receptacle. Location(s): [#LOC]	\$688		
5450-0046	Quartz light MagnaFire 750W/120V model KR-1936 with recess mount. Location(s): [#LOC].	\$1,068		
5450-0047	Quartz light MagnaFire 750W/120V model KR-SB-636 without pole. Location(s): [#LOC].	\$1,236		
5450-0048	Quartz light MagnaFire 750W/120V model KR-936-I with internal pole. Location(s): [#LOC].	\$1,225		
5450-0049	Quartz light MagnaFire 750W/120V model KR-SB-536-W/2-I with external pole. Location(s): [#LOC].	\$1,556		
5450-0050	Quartz light MagnaFire 750W/120V model KR-SB-836-TM-I with external mount tripod telepole. Requires 110V receptacle. Location(s): [#LOC].	\$1,793		
5450-0051	Quartz light MagnaFire 750W/120V model KR-1336 with low profile mount. Location(s): [#LOC]	\$1,100		
5450-0052	Quartz light MagnaFire 750W/120V model KR-1536 with cab brow mount (EA). Location(s): [#LOC].	\$972		
5450-0053	Quartz light MagnaFire 750W/120V model KR-SB-436-I-XL with through body push up pole. Location(s): [#LOC]	\$1,494		
5450-0056	Quartz light KwikRaze 1500W/220V model KR-SB-815-TM-I with external mount tripod telepole. Requires 220V receptacle. Location(s): [#LOC]	\$1,928		
5450-0058	Quartz light Fire Research Optimum 1500W/240V model OPA510E-M15-SW with internal pull-up pole. Location(s): [#LOC].	\$1,946		
5450-0059	Quartz light Fire Research Optimum 750W/110V portable model OPA700-S75-OP703. Location(s): [#LOC].	\$974		
5450-0060	Quartz light Fire Research Focus 750W/120V model FCA300U-S75 with brow mount. Location: Center of cab brow.	\$1,069		
5450-0062	Quartz light MagnaFire 750W/120V model KR-SB-236-I-SW2 SPCL with top raise external pole. Location(s): [#LOC]	\$1,509		
5450-0063	Quartz light Fire Research Optimum 900W/240V model OPA530-R90-SR-SW with bottom raise pole. Location(s): [#LOC].	\$1,921		

Item #	Description	Extension	+1/-1	Total
5450-0064	Quartz light Fire Research Focus 500W/120V model FCA200-S50 with recess mount. Location(s): [#LOC].	\$1,089		
5450-0065	Quartz light Fire Research Optimum 1000W/240V model OPA656-M12-ON-OP603 with telescopic tripod pole. Location(s): [#LOC]	\$2,031		
5450-0066	Quartz light Fire Research Optimum 1500W/240V model OPA512-M15-SW with internal thru roof push up pole. Location(s): [#LOC]	\$2,029		
5450-0067	Quartz light Fire Research Focus 500W/110V model FCA802-S50-01 with brow mount (EA). Light head and mount to be powder coated black. Location(s): [#LOC]	\$1,041		
5450-0068	Quartz light MagnaFire 750W/120V model KR-SB-436-I-XL with through ceiling push up pole (PR). Outer pole to be 12", inner pole to be 48". Both lights to be on one breaker. Includes support tubes on interior of cab and switch each side on rear cab wall to control lights. Location: One each side rear corner of cab roof.	\$3,672		
5450-0069	Quartz light MagnaFire 5000 500W/120V model KR-2555 with cab brow mount (EA). Location(s): [#LOC]. Not available in front center due to DOT lights.	\$860		
5450-0070	Quartz light MagnaFire 5000 500W/120V model KR-SB-555-W/2-I with external pole. Location(s): [#LOC].	\$1,349		
5450-0071	Quartz light Fire Research Optimum 750W/110V model OPA200-S75 with recess mount. Location(s): [#LOC].	\$1,163		
5450-0072	Quartz light Fire Research Optimum 1500W/240V model OPA100 with internal pole. Location(s): [#LOC].	\$1,789		
5450-0073	Quartz light Fire Research Focus 750W/120V model FCA300U-S75 with brow mount. Light head and mount to be powder coated black. Location: Center of cab brow.	\$1,125		
5450-0074	Quartz light timer (ea).	\$163		
5450-0075	Quartz light Fire Research Optimum 900W/240V model OPA510E-R90-SW with top raise pole. Location(s): [#LOC].	\$1,921		
5450-0076	Quartz light MagnaFire 5000 750W/120V model KR-3556 with front cab brow mount (EA). Quest cabs only. Location(s): [#LOC].	\$972		
5450-0077	Quartz light MagnaFire 5000 750W/120V model KR-3656 with side cab brow mount (EA). Quest cabs only. Location(s): [#LOC]	\$972		
5450-0078	Quartz light Fire Research Focus 750W/110V model FCA802-S75-01 with brow mount (EA). Light head and mount to be powder coated black. Location(s): [#LOC]	\$1,125		
5450-0079	Quartz light MagnaFire 750W/120V model KR-1536 with cab brow mount (EA). Light head and mount to be powder coated black. Location(s): [#LOC].	\$1,028		
5450-0080	Quartz light Fire Research Focus 750W/110V model FCA830-S75 with brow mount (EA). Quest and CII LTH aerial cabs only. Location(s): [#LOC].	\$1,069		
5450-0081	Quartz light Fire Research Optimum 750W/110V model OPA656-S75-ON-OP603 with 28" telescopic tripod pole. Location(s): [#LOC]	\$1,911		
5450-0082	Quartz light Fire Research Focus 750W/110V model FCA656-S75-ON-FC603 with 28" telescopic tripod pole. Location(s): [#LOC].	\$1,891		
5450-0083	Quartz light Fire Research Focus 1500W/240V model FCA530-M15-SR-SW with side mount push up pole. Location(s): [#LOC].	\$1,876		
5450-0084	Quartz light Fire Research Focus 150W/12V model FCA510E-D15-SW with internal pole. Includes switch accessible to driver. Location(s): [#LOC].	\$1,343		
5450-0089	Quartz light MagnaFire 900W/240V model KR-SB-539-W/2-I with external pole. Light head to be powder coated black. Location(s): [#LOC].	\$1,540		
5450-0090	Aerial circuit timer.	\$303		
5450-0091	Quartz light Fire Research Optimum 900W/240V model OPA200-R90 with recess mount. Location(s): [#LOC]. Includes plate stand-off box to allow lights to recess without intruding into hosebed area.	\$1,432		
5450-0092	Quartz light Fire Research Focus 750W/110V model FCA530-S75-SR-SW with side mount push-up pole. Light head and mounts to be powder coated black. Location(s): [#LOC].	\$1,925		

Item #	Description	Extension	+1/-1	Total
5450-0094	Quartz light Extenda-Lite 750W/110V model E-4750-EX-TL-UI-EX. Location(s): [#LOC].	\$1,017		
5450-0095	Quartz light Fire Research Focus 150W/12V model FCA300U-D15 with brow mount. Includes switch accessible to driver. Location: center of cab brow.	\$1,233		
5450-0096	Quartz light Fire Research Optimum 1000W/110V portable model OPA700-M10-OP703. Location(s): [#LOC].	\$1,111		
5450-0098	Quartz light Fire Research Optimum 1500W/240V model OPA600-M15-ON-OP603 with telescopic tripod pole. Location(s): [#LOC]	\$2,112		
5450-0099	Quartz light Fire Research Optimum 1500W/240V model OPA200-M15 with recess mount. Location(s):[#LOC].	\$1,186		
5450-0102	Quartz light Fire Research Focus 1000W/120V model FCA530-M10-SR-SW-ON with external push up pole. Location(s): [#LOC].	\$1,993		
5450-0103	Quartz light Beta Extenda-Lite 750W/110V with Tripod. Location(s): [#LOC]. This light is not UL Canadian Listed.	\$916		
5450-0104	Quartz light Extenda-Lite 750W/110V Beta with internal pole. Location(s): [#LOC]. This light is not UL Canadian listed.	\$778		
5450-0105	Quartz light Extenda-Lite 750W/110V with external pole. Location(s): [#LOC]. This light is not UL Canadian Listed.	\$778		
5450-0114	Quartz light Fire Research Focus 1000W/120V model FCA200-M10 with recess mount. Location(s): [#LOC].	\$993		
5450-0115	Light Whelen 12 volt Pioneer Plus model PFP1 with brow mount (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,839		
5450-0116	Quartz light Fire Research Focus 500W/110V model FCA600-S50-ON-FC603 with 40" telescopic tripod pole. Location(s): [#LOC].	\$1,891		
5450-0117	Light Whelen Pioneer Plus model PFP2 12V with brow mount and PFLASH (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,809		
5450-0118	Quartz light Fire Research Focus 1000W/240V model FCA802-M12-01 with brow mount (EA). Location(s): [#LOC].	\$1,135		
5450-0119	The tripod light(s) on the rear will be equiped with a straight blade male cord connector (2 pole 3 wire grounding, Nema 5-15P).	\$28		
5450-0120	Grille guard for Stonco 500W light(s). Locate on light heads facing forward.	\$63		
5450-0121	Quartz light Fire Research Focus 1500W/240V model FCA530-M15-SR-SW-ON with external push up pole. Location(s): [#LOC].	\$1,894		
5450-0122	Light Whelen Pioneer Plus model PFP2 12V with brow mount (EA). Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,670		
5450-0123	Light Whelen Pioneer Plus LED model PFP2 12V with PBAPEDD pedestal mount. Includes switch in cab (side facing lights switched separately). Location(s): [#LOC].	\$2,642		
5450-0124	Light Whelen Pioneer model PFA2 with brow mount (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,146		
5450-0125	Quartz light MagnaFire 5000 750W/120V model KR-2556 with cab brow mount (EA). Location(s): [#LOC].	\$972		
5450-0126	Quartz light Fire Research Focus 750W/110V model FCA642-S75-ON-FC6F3 with 16.625" telescopic tripod pole. Location(s): [#LOC].	\$1,891		
5450-0127	Quartz light Fire Research Focus 150W/12V model FCA802-H15-01 with brow mount (EA). Includes switch accessible to driver. Location(s): [#LOC]	\$1,744		
5450-0128	FRC quartz light head and bracket to be powdered coated job color (EA). Requires paint spray out sent to FRC for color matching.	\$217		
5450-0129	Federal NightFighter (PR) with internal pole. Pump module mounted.	\$2,702		
5450-0130	Quartz light MagnaFire 750W/120V model KR-2556 with cab brow mount (EA). Location(s): [#LOC]. Not available in front center due to DOT lights.	\$972		
5450-0133	Quartz light Fire Research Focus 1000W/240V model FCA510E-M12-SW with internal pull up pole. Location(s): driver and officer side of pump module rearward of crosslays.	\$3,900		

Item #	Description	Extension	+1/-1	Total
5450-0134	Light Whelen Pioneer Plus model PFP2 12V with brow mount powder coated black (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,670		
5450-0135	Quartz light Fire Research Focus 150W/12V model FCA802-H15-01 with brow mount (EA). Light head and mount to be powder coated black. Includes switch accessible to driver. Location(s): [#LOC].	\$1,795		
5450-0138	Light Whelen Pioneer Plus model PFP2AC with Quest brow mount (EA). Location(s): [#LOC].	\$2,615		
5450-0139	Light Whelen Pioneer Plus model PFP1AC 120V with recess mount. Location(s): [#LOC].	\$1,633		
5450-0140	Light Whelen Pioneer model PFA1 with pedistal mount. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,762		
5450-0141	Quartz light Fire Research Optimum 150W/12V model OPA230-H15 with recess mount. Includes switch in cab console. Location(s): [#LOC].	\$1,839		
5450-0143	Light Whelen 12V Pioneer model PFP2 with PBA203 recess mount. Includes switch accessible to driver (side facing lights switched separately). Location: [#LOC].	\$2,540		
5450-0144	Fire Research, FRC Evolution 12V LED scene light model FCA530-V15-SW-H with external push-up pole. Includes switch in cab accessible to driver. Location: [#LOC].	\$2,707		
5450-0145	Light Whelen Pioneer Plus model PFP1 12V with recess mount. Includes switch accessible to driver (side facing lights switched separately). Location(s): [#LOC].	\$1,577		
5450-0152	Pair FRC LTA530-DT 250W 12V lights with side mount push up pole. (1) each side front compartment face.	\$1,679		
5450-0153	Light Whelen Pioneer Plus model PFP1 with bail mount. Includes switch in cab accessible to driver (side facing lights switched seperately). Location(s): [#LOC].	\$1,577		
5450-0154	Fire Research Evolution 12V LED scene light model FCA510E-V15-SW with internal pull-up pole. Includes switch accessible to driver. Location: [#LOC].	\$2,707		
5450-0155	Fire Research Evolution 12V LED scene light model FCA802-V15 with brow mount (EA). Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,329		
5450-0156	Quartz light Fire Research Evolution 12V LED model FCA300U-V15 with brow mount. Includes switch accessible to driver. Location: center of cab brow.	\$2,247		
5450-0157	Quartz light Fire Research Optimum 150W/12V model OPA530-HD15-SR-SW with side mount external pole. Includes individual switch in cab on center console. Location(s): [#LOC]	\$2,409		
5450-0158	Light Whelen Pioneer model PFP2AC 120V with external bottom raise pole mount (ROM model KR-SB-5PFP2AC-W/2-I). Location(s): driver and officer side back of cab.	\$2,742		
5450-0159	Tripod light will have a household plug on the end ILO a twist lock plug.	\$0		
5450-0160	Quartz light Fire Research Focus 300W/12V model FCA530-D30-SR-SW with side mount external pole. Includes switch accessible to driver. Location(s): driver and officer side, (1) each side on body offset forward.	\$1,895		
5450-0161	**OBS** Light Whelen 12V Pioneer model PCP2 with internal push-up pole mount (Havis KR-SB-4PCP2-S-I). Includes switch on light head. Location(s): [#LOC].	\$2,734		
5450-0162	Light Whelen Pioneer Plus model PFP2AC 120V with brow mount (EA). Location(s): [#LOC].	\$2,615		
5450-0166	Light Whelen Pioneer Plus model PFP2AC 120V with recess mount. Location(s): [#LOC].	\$3,032		
5450-0167	Light Whelen Pioneer Plus model PFP2 12V with Quest brow mount (EA). Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,670		
5450-0168	Floodlight Whelen/ROM model KR-SB-8PFP2-SL-I-TM with external mount tripod telepole. Location(s): [#LOC].	\$3,287		
5450-0169	Quartz light MagnaFire 750W/120V model KR-SB-836-TM-SL-I with external mount tripod telepole. Requires 110V receptacle. Location(s): [#LOC].	\$1,793		
5450-0170	Fire Research Evolution 12V LED model FCA210-V12 with recess mount. Includes switch in cab accessible to driver. Location(s): [#LOC].	\$2,147		
5450-0171	Light Whelen Pioneer model PFA1 with PBA103 recess mount. Includes switch accessible to driver. Location: [#LOC].	\$1,577		



Item #	Description	Extension	+1/-1	Total
5450-0172	Light Whelen Pioneer Plus model PFP1 12V with vertical bail mount. Includes switch in cab accessible to driver (side facing lights switched separately). Location(s): [#LOC].	\$1,577		
5450-0174	Light Whelen Pioneer Plus model PFP1AC 120V with recess mount. Location(s): [#LOC].	\$1,633		
5450-0175	Light Whelen Pioneer Plus model PFP2AC 120V with brow mount powder coated black (EA). Location(s): [#LOC].	\$2,615		
5450-0176	Light Whelen Pioneer Plus LED model PFP2 12V with pedestal mount powder coated black. Includes switch in cab (side facing lights switched separately). Location(s): [#LOC].	\$2,642		
5450-0177	(Replaced with sales code 5450-209)Quartz light Fire Research Spectra 12V LED model SPA830-Q20 powder coated black with brow mount. Includes switch accessible to driver. Location: [#LOC].	\$2,886		
5450-0178	Light Fire Research Spectra LED 12V model SPA570-Q20 without pole powder coated black. Includes switch accessible to driver. Location(s): [#LOC].	\$2,993		
5450-0179	Light Whelen Pioneer model PFA2 with brow mount powder coated FLNA3225E-1 (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,218		
5450-0180	(Replaced with sales code 5450-0208)Quartz light Fire Research Spectra 12V LED model SPA830-Q20 with brow mount. Includes switch accessible to driver. Location: [#LOC].	\$2,828		
5450-0181	Light Fire Research Spectra 12V LED model SPA510E-Q20-SW with internal pull-up pole. Includes switch accessible to driver. Location(s): [#LOC].	\$3,239		
5450-0182	Light Fire Research Spectra LED 12V model SPA580-Q20 side fixed mount. Includes switch accessible to driver. Location(s): [#LOC].	\$2,993		
5450-0183	Fire Research Spectra 12V LED scene light model SPA530E-Q20-SW-H with external push-up pole. Includes switch in cab accessible to driver. Location: [#LOC].	\$3,236		
5450-0184	Light Whelen Pioneer model PFP2AC 120V powder coated FLNA3225E-1 with external bottom raise pole mount painted FLNA3225E-1 (ROM model KR-SB-5PFP2AC-W/2-I). Location(s): [#LOC].	\$2,860		
5450-0185	Light Whelen Pioneer model PFA1 with brow mount (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,395		
5450-0186	Light Whelen Pioneer model PFA1 with vertical bail mount. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,299		
5450-0187	There will be a 30 amp L14-30 twist lock plug with 2' of 10/3 wire from the Breaker box to be plugged into dealer supplied 3000K generator.	\$97		
5450-0188	Quartz light MagnaFire 5000 500W/120V model KR-SB-555-W/2-I-SL with (special length) external pole. Location(s): [#LOC].	\$1,349		
5450-0189	Light Whelen Pioneer Plus model PFP1AC 120V with brow mount (EA). Location(s): [#LOC].	\$1,861		
5450-0190	Fire Research Spectra 12V LED model SPA260-Q15 with surface mount. Includes switch accessible to driver. Location: [#LOC].	\$2,180		
5450-0191	Light Fire Research Spectra 120V LED model SPA600-K20-ON-SPA603 with 40" telescopic tripod pole. Location(s): :[#LOC].	\$3,734		
5450-0192	Light Fire Research Spectra 120V LED model SPA830-K20 with universal brow mount (EA). Location: [#LOC].	\$2,828		
5450-0193	Light Fire Research Spectra LED 110V model SPA510-K20 with internal pull-up pole. Location(s): [#LOC].	\$2,891		
5450-0194	**OBS** Light Whelen Pioneer model PCP2 with PBA203 recess mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,590		
5450-0195	Whelen Micro Pioneer Series Super LED Work/Scene Light Model MPR15W with 15 degree recess mount (EA). Includes switch accessible to driver (side facing lights switched separately). Location: [#LOC].	\$856		
5450-0196	Brow light brackets (not housing) shall be painted FLNA 10219. This shall include forward, rear and side facing if so equipped.	\$204		

Item #	Description	Extension	+1/-1	Total
5450-0197	Light Whelen Pioneer model PFP2 12V powder coated FLNA3225E-1 red with internal top raise pole mount (ROM model KR-9PFP2-S). Includes switch on light head. Location: [#LOC].	\$2,494		
5450-0198	Light Whelen Pioneer Plus model PFP2 12V with brow mount powder coated FLNA3225E-1 red (EA). Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,784		
5450-0199	Light Whelen Pioneer Plus model PFP1 12V with vertical bail mount powder coated FLNA3225E-1 red. Includes switch in cab accessible to driver (side facing lights switched separately). Location(s): [#LOC].	\$1,692		
5450-0200	Fire Research Spectra 120V LED scene light model SPA530-K20-SW-H with external push-up pole. Location: [#LOC].	\$3,236		
5450-0201	Light Fire Research Spectra LED 12V model SPA570-Q20 without pole. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,993		
5450-0202	Fire Research Spectra 120V LED model SPA260-K15 with surface mount. Location: [#LOC].	\$2,635		
5450-0203	Quartz light ExtendaLite 750W/120V model ELBE-750-PS-SM2-UI-PS-SW with telescopic external push-up pole. Location(s): [#LOC]	\$1,364		
5450-0204	Light Whelen Micro Pioneer Plus model MPBW with bail mount. Includes switch in cab accessible to driver (side facing lights switched separately). Location: [#LOC].	\$862		
5450-0207	Light Whelen Pioneer Plus LED model PFP2 120V with pedestal mount powder coated black. Location(s): [#LOC].	\$2,841		
5450-0208	Fire Research Spectra 12V LED model SPA802-Q20-02 with brow mount (EA). Includes switch accessible to driver. Location: [#LOC].	\$2,828		
5450-0209	Fire Research Spectra 12V LED model SPA802-Q20-02 with brow mount, powder coated black (EA). Includes switch accessible to driver. Location: [#LOC].	\$2,886		
5450-0210	Light Fire Research Spectra LED 240V model SPA570-J20 without pole. Location(s): [#LOC].	\$2,993		
5450-0211	Light Fire Research Spectra 240V LED model SPA512-J20-SW with internal thru roof push up pole. Includes switch accessible to driver. Location(s): [#LOC].	\$3,446		
5450-0212	Quartz light Fire Research Focus 1500W/240V model FCA570-M15 without pole. Location(s): [#LOC].	\$1,505		
5450-0214	Light Whelen Pioneer Plus model PFP1 12V powder coated black with vertical bail mount. Includes switch in cab accessible to driver (side facing lights switched separately). Location(s): driver and officer side rear of body up high.	\$1,577		
5450-0215	Light Whelen 12V Pioneer model PFP2 powder coated black with PBA203 recess mount. Includes switch accessible to driver (side facing lights switched separately). Location: driver and officer side centrally located in center area recessed into roof top compartment raise.	\$2,540		
5450-0216	Quartz light Fire Research Spectra 120V LED model SPA802-K20-02 with brow mount (EA). Location: [#LOC].	\$2,828		
5450-0217	Light Fire Research Spectra LED 120V model SPA570-K20 without pole. Location(s): [#LOC].	\$2,993		
5450-0218	Fire Research Evolution 12V LED model FCA210-V12 with recess mount powder coated black. Includes switch in cab accessible to driver. Location(s):[#LOC].	\$2,197		
5450-0219	Fire Research Evolution 12V LED scene light model FCA802-V15 with brow mount powder coated black (EA). Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,380		
5450-0220	Quartz light MagnaFire 750W/120V model KR-1936 with recess mount in diamond plate mounting box. Location(s): [#LOC].	\$1,267		
5450-0221	Quartz light MagnaFire 5000 750W/120V model KR-2556 with cab brow mount (EA). Light head to be powder coated black. Location(s): [#LOC].	\$1,063		
5450-0222	Quartz light MagnaFire 750W/120V model KR-1336 with low profile mount. Light head to be powder coated black. Location(s): [#LOC]	\$1,203		
5450-0223	Quartz light MagnaFire 750W/120V model KR-SB-536-W/2-I with external pole. Light head to be powder coated black. Location(s): [#LOC].	\$1,616		
5450-0224	Quartz light Fire Research Focus 1000W/120V model FCA600-M10-ON-6F3 with telescopic tripod pole. Location(s): [#LOC].	\$2,045		

Item #	Description	Extension	+1/-1	Total
5450-0226	Light Whelen Pioneer Plus model PFP1AC 120V with vertical bail mount. Location(s): [#LOC].	\$1,791		
5450-0227	Light Whelen Pioneer Plus LED model PFP1 12V with PBAPEDD pedestal mount. Includes switch in cab (side facing lights switched separately). Location(s): [#LOC].	\$1,882		
5450-0230	Floodlight Whelen/ROM model KR-SB-8PFP2AC-I-TM with external mount tripod telepole. Pole length required shall be determined upon mounted location. Requires 110V receptacle. Location(s): [#LOC].	\$3,287		
5450-0231	Light Whelen Pioneer Plus LED model PFP2 12V with PBAPEDD pedestal mount powder coated black housing, mounting brackets applicable shall also be black. Includes switch in cab (side facing lights switched separately). Location(s): [#LOC].	\$2,696		
5450-0232	Light Whelen Pioneer Plus model PCP2AFSB 120VAC flood/spot with brow mount powder coated black (EA). Location(s): [#LOC].	\$2,693		
5450-0233	Light Whelen Pioneer Plus model PCP2ASFB 120VAC spot/flood with brow mount powder coated black (EA). Location(s): [#LOC].	\$2,693		
5450-0234	Light Whelen Pioneer Plus model PCP2AFSB 120VAC flood/spot with pedestal mount powder coated black. Location(s): [#LOC].	\$2,689		
5450-0235	Light Whelen Pioneer Plus model PCP2ASFB 120VAC spot/flood with pedestal mount powder coated black. Location(s): [#LOC].	\$2,689		
5450-0239	**OBS** Light Whelen Pioneer Plus model PCP2 flood/spot with pedestal mount (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,689		
5450-0240	Light Whelen Pioneer Plus model PFP2 12V with Quest brow mount (EA) powder coated black. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,670		
5450-0241	Light Whelen Pioneer Plus model PFP2 12V with International Truck Cab center brow mount model PBAINTC. Includes switch in cab accessible to driver.	\$2,670		
5450-0242	Fire Research Spectra 12V LED model SPA260-Q15 powder coated black with surface mount. Includes switch accessible to driver. Location: [#LOC].	\$2,241		
5450-0243	Quartz light Fire Research Spectra 120V LED model SPA260-K15 powder coated black with surface mount. Location: [#LOC].	\$2,695		
5450-0244	Light Whelen Pioneer Plus LED model PCP3 12V combination flood and 8 degree spotlight with pedestal mount adapter. Includes switch in cab (side facing lights switched separately). Location(s): [#LOC].	\$3,008		
5450-0245	Light Whelen Pioneer Plus model PFP2AC 120V with brow mount (EA). Location(s): [#LOC].	\$2,615		
5450-0246	Light Whelen Micro Pioneer Plus model MPBB with bail mount powder coated black. Includes switch in cab accessible to driver (side facing lights switched separately). Location: [#LOC].	\$862		
5450-0247	Quartz light MagnaFire 750W/120V model KR-1936 with recess mount powder coated black. Location(s): [#LOC].	\$1,116		
5450-0248	Quartz light Fire Research Optimum 1000W/240V model OPA510E-M12-SW with internal pull up pole. Location(s): [#LOC].	\$1,946		
5450-0252	Light Whelen Pioneer model PFA2 with PBA203 recess mount. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,287		
5450-0254	Fire Research Evolution 12V LED model FCA830-V15 brow mount powder coated black. Quest cab only. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location [#LOC].	\$2,231		
5450-0255	Light Fire Research Evolution LED 12V model FCA580-V15 side fixed mount. Includes switch accessible to driver. Location(s): [#LOC].	\$2,205		
5450-0256	Floodlight Whelen PFP1AC 120v with external mount tripod telepole. Requires 110V receptacle. Location(s): [#LOC].	\$2,992		
5450-0257	Light Whelen Pioneer model PFP2 12V with external bottom raise pole mount. Includes switch accessible to driver. Location(s): [#LOC].	\$2,945		

Item #	Description	Extension	+1/-1	Total
5450-0258	Light Whelen Pioneer Plus model PFP2 12V with internal top raise pole mount. Includes switch accessible to driver. Location: [#LOC].	\$2,664		
5450-0259	Floodlight Whelen PFP2AC 110V with external mount 50" tripod telepole. Requires 110V receptacle. Location(s): [#LOC].	\$3,705		
5450-0260	Light Whelen Pioneer model PCP2AP 120V with external bottom raise pole mount. Location(s): [#LOC].	\$3,334		
5450-0261	Light Whelen Pioneer model PFP2AC 120V with external bottom raise pole mount. Location(s): [#LOC].	\$3,066		
5450-0262	Light Whelen Pioneer model PFP2 12V with external bottom raise pole mount. Includes switch accessible to driver. Location(s): [#LOC].	\$2,962		
5450-0263	Light Whelen Pioneer Plus model PCP2 12V flood/spot with brow mount powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,693		
5450-0264	Light Whelen Pioneer Plus LED model PFP2 120V with pedestal mount. Location(s): [#LOC].	\$2,841		
5450-0265	Light Whelen Pioneer model PFP2AC 120V with internal top raise pole mount. Location: [#LOC].	\$2,994		
5450-0266	Light Whelen Pioneer Plus model PFP2 12V with recess mount. Includes switch accessible to driver (driver and officer switched seperately) and diamond plate mounting boxes for recess mount. Location: [#LOC].	\$2,861		
5450-0267	Light Whelen 150W/120V with portable base. Requires 110V receptacle. Location(s): [#LOC].	\$2,765		
5450-0268	Light Fire Research Spectra LED 120V model SPA570-K20 without pole powder coated black. Location(s): [#LOC].	\$3,052		
5450-0269	Light Fire Research Spectra LED 110V model SPA510-K20 with internal pull-up pole powder coated black. Location(s): [#LOC].	\$2,951		
5450-0270	Fire Research Evolution 12V LED scene light model FCA510E-V15-SW with internal pull-up pole powder coated black. Includes switch accessible to driver. Location: [#LOC].	\$2,768		
5450-0271	Akron SceneStar 120V LED model ELSS-XLAC-SM2-PS-UI-TL. Location: [#LOC].	\$2,642		
5450-0272	Light Whelen Pioneer model PFP2AC 120V powder coated black with internal bottom raise pole mount. Location: [#LOC].	\$2,994		
5450-0273	Quartz light Fire Research Optimum 1500W/240V model OPA642-M15-ON-603 with 16.625" telescopic tripod pole. Location(s): [#LOC].	\$1,985		
5450-0274	Fire Research Spectra 12V LED scene light model SPA530E-Q20-SW-H with external push-up pole powder coated black. Includes switch in cab accessible to driver. Location: [#LOC].	\$3,296		
5450-0275	Light Fire Research Spectra 120V LED model SPA600-K20-ON-SPA603 with 40" telescopic tripod pole powder coated black. Location(s): [#LOC].	\$3,793		
5450-0276	Akron SceneStar 12V LED model ELSS-XLDC-PU-UI-TL. Location:[#LOC].	\$2,306		
5450-0277	Light Whelen Pioneer model PFP2 12V powder coated black with external bottom raise pole mount. Includes switch accessible to driver. Location(s) [#LOC].	\$2,945		
5450-0278	Light Whelen Pioneer Plus model PFP2 12V with recess mount. Location(s): [#LOC].	\$3,032		
5450-0279	Floodlight Whelen PFP2AC 110V powder coated black with external mount 40" tripod telepole. Requires 110V receptacle. Location(s): [#LOC].	\$3,705		
5450-0280	Light Whelen Pioneer model PFP1AC 120V with internal top raise pole mount. Location: [#LOC].	\$2,139		
5450-0281	Quartz light Fire Research Focus 1000W/240V model FCA300U-M12 with roof mount. Location(s): [#LOC].	\$1,135		
5450-0282	**OBS** Light Whelen Pioneer model PCP2 12V powder coated black with external bottom raise pole mount. Includes switch accessible to driver. Location(s) [#LOC].	\$2,945		
5450-0283	Light Whelen Pioneer Plus model PFP2 12V powder coated black with internal top raise pole mount. Includes switch accessible to driver. Location: [#LOC].	\$2,664		
5450-0284	Light Whelen 150W/120V with portable base powder coated black. Requires 110V receptacle. Location(s): [#LOC].	\$2,765		
5450-0285	Floodlight Whelen PFP2AC 110V with external mount custom length tripod telepole. Requires 110V receptacle. Location(s): [#LOC].	\$3,705		

Item #	Description	Extension	+1/-1	Total
5450-0287	Light Whelen 12 volt Pioneer Plus model PFP1 with brow mount (EA) powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,839		
5450-0288	Light Whelen Pioneer Plus model PFP1 powder coated black with bail mount. Includes switch in cab accessible to driver (side facing lights switched seperately). Location(s): [#LOC].	\$1,577		
5450-0289	Light Whelen Pioneer model PFP1 12V with external bottom raise custom length pole. Includes switch accessible to driver. Location(s): [#LOC].	\$2,049		
5450-0290	Light Whelen Pioneer model PFP1 12V with internal top raise pole mount. Includes switch accessible to driver. Location: [#LOC].	\$1,977		
5450-0291	Light Whelen Slimline Pioneer Plus model PSL2 12V with International driver and officer brow mount. Includes switch in cab accessible to driver.	\$1,734		
5450-0292	Light FireTech model FT-SL-15-110-W 120V with internal top raise pole mount (ROM model KR-900-I) pre-assembled from vendor. Location: [#LOC].	\$2,872		
5450-0293	FireTech 72" 12V brow light with integrated marker lights. Includes switch accessible to driver. Replaces front brow marker lights. Requires special bracket 5450-0340 on aerials with waterway trough. Not available on aerials with deep trough.	\$4,510		
5450-0294	Light Whelen Pioneer Max model PCP3 12V with Whelen external bottom raise pole mount. Includes switch accessible to driver. Location(s): [#LOC].	\$3,358		
5450-0295	LED scene light ExtendaLite 220W/12V model ELSS-XLDC-PS-SM2-UI-SW with telescopic external push-up pole. Includes switch accessible to driver in cab. Location(s): [#LOC].	\$2,597		
5450-0296	Fire Research Evolution 12V LED scene light model FCA570-V15 without pole. Includes switch in cab accessible to driver. Location: [#LOC].	\$2,292		
5450-0297	Light Fire Research Spectra LED 110V model SPA700-K20 with portable mount. Requires 110V receptacle. Location(s): [#LOC].	\$2,736		
5450-0298	Light Whelen Pioneer Plus model PFP1 12V with recess mount with painted stainless steel box. Includes switch accessible to driver (side facing lights switched separately). Location(s): [#LOC].	\$1,815		
5450-0299	Light Whelen Pioneer Plus model PFP1AC 120V with brow mount (EA) powder coated black. Location(s): [#LOC].	\$1,861		
5450-0300	Light Whelen Pioneer Plus model PFP2AC 120V with recess mount. Locate [#LOC]. Includes diamond plate mounting box for recess mount.	\$3,227		
5450-0301	Light Fire Research Spectra 120V LED model SPA656-K20-ON-SPA603 with 28" telescopic tripod pole. Location(s): [#LOC].	\$3,734		
5450-0302	Light Fire Research Spectra 120V LED model SPA642-K20-ON-SPA603 with 16" telescopic tripod pole. Location(s): [#LOC].	\$3,734		
5450-0303	Light Whelen Pioneer model PFP2AC 120V with external top raise pole mount. Location(s): [#LOC].	\$3,066		
5450-0304	Light Whelen Pioneer Plus model PFP2 12V with bail mount. Includes switch in cab accessible to driver (side facing lights switched seperately). Location(s): [#LOC].	\$2,357		
5450-0305	Akron SceneStar 12V LED model ELSS-SLDC-PU-UI-TL. Location: [#LOC].	\$2,222		
5450-0306	Light Whelen Pioneer Plus model PCP2AFSP 120VAC flood/spot with pedestal mount. Location(s): [#LOC].	\$2,981		
5450-0307	Light Whelen Pioneer Plus 12V model PCP2 flood/spot with pedestal mount powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,689		
5450-0308	Light Whelen Slimline Pioneer Plus model PSL2 12V with Freightliner center brow mount. Includes switch in cab accessible to driver.	\$1,734		
5450-0309	Light Whelen Pioneer Plus 12V model PFP2 flood with pedestal mount. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,619		

Item #	Description	Extension	+1/-1	Total
5450-0310	Fire Research Spectra 120V LED model SPA260-K15 with surface mount and diamond plate mounting box. Location: [#LOC].	\$2,826		
5450-0312	Quartz light Fire Research Optimum 1000W/240V model OPA530-M12-SR-SW-ON with external push up pole. Location(s): [#LOC].	\$1,765		
5450-0313	FireTech 11" 12V double stack brow light powder coated white. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$1,508		
5450-0314	FireTech 11" 12V double stack bracket mounted light. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$1,508		
5450-0315	Quartz light Fire Research Optimum 750W/110V model OPA642-S75-ON-603 with 16.625" telescopic tripod pole. Location(s): [#LOC].	\$1,911		
5450-0316	Light Whelen Pioneer model PFP1 12V with PBA103 recess mount in painted smooth plate boxes. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$1,833		
5450-0317	Quartz light Fire Research Focus 1000W/120V model FCA530-M10-CL50-SR-SW-ON with external push up pole. Location(s): [#LOC].	\$1,993		
5450-0318	Fire Research Spectra Max 12V LED model SPA260-Q20 with surface mount. Includes switch accessible to driver. Location: [#LOC].	\$2,422		
5450-0319	Akron SceneStar 12V LED model ELSS-XLDC-SM2-PS-UI-TL. Includes switch accessible to driver. Location: [#LOC].	\$2,642		
5450-0320	Light Whelen Pioneer Plus model PFP1 12V powder coated black with recess mount. Includes switch accessible to driver (side facing lights switched separately). Location(s): [#LOC].	\$1,577		
5450-0321	FireTech 72" 12V brow light with integrated marker lights and black housing. Includes switch accessible to driver. Replaces front brow marker lights. Requires special bracket 5450-0340 on aerials with waterway trough. Not available on aerials with deep trough.	\$4,510		
5450-0322	Light Fire Research Spectra Max 120V LED model SPA642-K28-ON-SPA603 with 16" telescopic tripod pole. Location(s): [#LOC].	\$3,734		
5450-0323	Light Whelen Pioneer Plus model PFP2AC 120V powder coated black with recess mount. Location(s): [#LOC].	\$3,032		
5450-0324	**OBS** Light Whelen Pioneer model PCP2 powder coated black with PBA203 recess mount in fabricated diamond plate boxes. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,793		
5450-0325	Light Whelen Pioneer model PCP2 with chrome surface mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,296		
5450-0326	Fire Research Spectra 12V LED model SPA260-Q15 with surface mount and diamond plate mounting box. Location: [#LOC].	\$2,383		
5450-0327	Light Whelen Pioneer model PFP2AC 120V with internal bottom raise pole mount. Location: [#LOC].	\$2,994		
5450-0328	Federal Signal Commander 12V LED scene light model COMLC15K-510E-SW with internal pull-up pole. Includes switch accessible to driver. Location: [#LOC].	\$2,707		
5450-0329	Fire Research Spectra 120V LED model SPA260-K15 with surface mount and smooth plate painted mounting box. Location: [#LOC].	\$2,947		
5450-0330	Diamond plate mounting boxes (4). For use with scene lights and warning lights. Locate on driver side forward and rearward compartment tops outboard; boxes to be full depth of compartment top. Officer side forward and rearward upper body corners.	\$1,012		
5450-0331	Quartz light Fire Research Focus 500W/110V model FCA802-S50-01 with brow mount (EA). Location(s): [#LOC].	\$1,041		
5450-0332	Light Whelen Pioneer model PFP2AC 120V powder coated black with external bottom raise pole mount. Location(s): [#LOC].	\$3,066		
5450-0333	Quartz light KwikRaze 1500W/220V model KR-93D-I-NCW with internal telepole. Location(s): [#LOC].	\$1,087		
5450-0334	Akron SceneStar 120V LED model ELSS-XLAC-RM recess mount. Location: [#LOC].	\$2,221		

Item #	Description	Extension	+1/-1	Total
5450-0335	LED light Akron SceneStar 220W/12V model ELSS-XLDC-BL. Includes switch accessible to driver. Location(s): [#LOC].	\$2,422		
5450-0336	Quartz light Fire Research Focus 500W/120V model FCA300U-S50 with brow mount. Location: Center of cab brow.	\$1,069		
5450-0337	FireTech 35" 12V mini brow light with white housing. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$2,245		
5450-0338	FireTech 21" recessed mini brow light. Includes 115v to 24v power supply (mounted seperately from light). Location: [#LOC]	\$2,660		
5450-0339	FireTech 46" 12V brow light with black housing. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC]	\$2,645		
5450-0340	Extended brow light brackets for use with FireTech front brow light with standard cab trough.	\$291		
5450-0341	FireTech 72" 12V scene light with black housing. Includes switch accessible to driver. Side facing lights switched seperately. Location: [#LOC].	\$4,301		
5450-0342	Light shield for FireTech 72" scene light (EA). Smooth aluminum painted Durabak black. Location: [#LOC].	\$379		
5450-0343	Light Whelen 12V Pioneer model PFP2 powder coated black with PBA203 recess mount. Includes switch accessible to driver (side facing lights switched separately). Location: [#LOC].	\$2,540		
5450-0344	Light Whelen Slimline Pioneer Plus model PSL2 12V with recess mount. Includes switch in cab accessible to driver (side facing lights switched seperately). Location: [#LOC].	\$1,489		
5450-0345	Quartz light Fire Research Optimum 750W/110V model OPA200-S75 with recess mount with diamond plate box. Location(s): [#LOC].	\$1,353		
5450-0346	FireTech 72" 12V brow lights with integrated marker lights for Quest. Includes (3) 24" brow lights with switch accessible to driver. Replaces front brow marker lights. Not available on aerials with deep trough.	\$4,510		
5450-0347	Quartz light Fire Research Optimum 750W/110V portable model OPA700-S75-OP703 powder coated black. Location(s): [#LOC].	\$1,058		
5450-0348	Light Whelen Slimline Pioneer Plus model PSL2 12V with pedestal mount. Includes switch in cab accessible to driver (side facing lights switched seperately). Location: [#LOC].	\$1,561		
5450-0349	Floodlight Whelen PFP2AC 110V powder coated black with external mount 50" tripod telepole. Requires 110V receptacle. Location(s): [#LOC].	\$3,705		
5450-0350	Light Whelen Pioneer model PFP1AC 120V with external bottom raise pole mount. Location(s): [#LOC].	\$2,555		
5450-0351	**OBS** Light Whelen Pioneer model PCP2 with PBA203 recess mount in smooth plate mounting boxes painted job (2-tone if applicable) color. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,840		
5450-0352	Light Fire Research Spectra 120V LED model SPA512-K20-CLP64.5-SW with 64.5" inner pole and 31.5" outer pole. Location(s): [#LOC]	\$3,325		
5450-0353	Light Fire Research Spectra 12V LED model SPA850-Q20 with flat mount. Location: [#LOC].	\$2,757		
5450-0354	Fire Research Spectra 120V LED model SPA260-K20 with surface mount. Location: [#LOC].	\$2,857		
5450-0355	Fire Research Spectra 120V LED scene light model SPA540-K20-CL-SW-H powder coated black with external pull-up pole. Location: [#LOC].	\$3,290		
5450-0356	Quartz light Fire Research Evolution 12V LED model FCA300U-V15 with brow mount powder coated black. Includes switch accessible to driver. Location: center of cab brow.	\$2,296		
5450-0357	Light FireTech model FT-SL-15-W 12V with internal top raise pole mount (ROM model KR-900-I) pre-assembled from vendor. Includes switch in cab accessible to driver (side facing lights switched seperately). Location: [#LOC].	\$2,728		
5450-0358	FireTech 27" 12V mini brow light with white housing. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$1,924		
5450-0359	Federal Signal Commander 12V LED scene light model COMM15K-530-SW-H with external push-up pole. Includes switch in cab accessible to driver. Location: [#LOC].	\$2,707		

Item #	Description	Extension	+1/-1	Total
5450-0360	Federal Signal Commander 12V LED scene light model COM15K-802 with brow mount (EA). Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,329		
5450-0361	FireTech 11" 12V double stack brow light powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$1,508		
5450-0362	FireTech 21" 12V recessed mini brow light model FT-MB-2.18-W. Location: [#LOC].	\$2,242		
5450-0363	Light Whelen Pioneer model PCP15M1C with chrome surface mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$1,355		
5450-0364	Light Whelen Pioneer Plus model PFP2 12V with recess mount. Includes switch accessible to driver (driver and officer switched separately) and aluminum smooth plate painted job color mounting boxes for recess mount. Location: [#LOC].	\$3,093		
5450-0365	FireTech 42" 12V mini brow light. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,448		
5450-0366	Fire Research Spectra Max 12V LED model SPA802-Q28-02 with brow mount (EA). Includes switch accessible to driver. Location: [#LOC].	\$3,083		
5450-0368	No exposed wire connection for FireTech 72" 12V brow light with integrated marker lights. Locate: Front of cab roof.	\$280		
5450-0369	No exposed wire connection for FireTech 12V mini brow light. Locate: Roll up door header, B1.	\$280		
5450-0370	Light Whelen Pioneer Plus model PFP2 12V with vertical bail mount. Includes switch in cab accessible to driver (side facing lights switched separately). Location(s): [#LOC].	\$2,245		
5450-0371	Light Fire Research Spectra MS 12V LED model SPA510E-R14-SW with internal pull-up pole. Includes switch accessible to driver. Location(s): [#LOC].	\$2,219		
5450-0372	Fire Research Mini-Spectra 12V LED scene light model SPA530-R14-CL-SW-H with external push-up pole. Location: [#LOC].	\$2,452		
5450-0373	FireTech 46" 12V brow light with white housing. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,645		
5450-0374	FireTech 42" 12V mini brow light with black housing. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,448		
5450-0375	Light Fire Research Spectra Max LED 12V model SPA570-Q28 without pole. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$3,116		
5450-0376	Light Fire Research Spectra MS 120V LED model SPA600-T14-ON-SPA603 with 40" telescopic tripod pole. Location(s): [#LOC].	\$2,579		
5450-0377	Light Whelen Slimline Pioneer Plus model PSL2 12V with Freightliner driver/officer brow mounts (PR). Includes switch in cab accessible to driver.	\$3,109		
5450-0378	Light Whelen Pioneer model PCP2SM2C with smooth plate mounting box painted job color (two-tone job color if applicable). Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,508		
5450-0379	Light Whelen Pioneer model PCP2SM2C with diamond plate mounting box. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,390		
5450-0380	Light Whelen Pioneer model PCPSM1B with black surface mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$1,355		
5450-0381	FireTech 15" 12V mini double stacked trunnion mount light. Includes switch in cab (driver and officer side facing lights switched separately). Location:[#LOC].	\$1,525		
5450-0382	FireTech 72" 12V brow light powder coated job color (two-tone color if applicable) with integrated marker lights. Includes switch accessible to driver. Replaces front brow marker lights. Not available on aerials with deep trough.	\$5,077		



Item #	Description	Extension	+1/-1	Total
5450-0383	Light Whelen Pioneer model PFP2AC 120V powder coated black with external bottom raise pole mount. Location(s): [#LOC].	\$3,066		
5450-0384	Light Whelen Pioneer Plus model PFP2AC 120V powder coated FLNA3225E-1 red with brow mount (EA). Location(s): [#LOC].	\$2,698		
5450-0385	**OBS** Light Whelen Pioneer model PCP2 powder coated black with PBA203 recess mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,590		
5450-0386	Quartz light Fire Research Focus 1000W/240V model FCA510E-M12-SW with internal pull up pole. Location(s): [#LOC].	\$1,832		
5450-0387	FireTech 21" 12V double stack brow light powder coated black with combo spot/flood optics. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$2,192		
5450-0388	Fire Research Mini-Spectra 120V LED scene light model SPA530-T14-SW-H with external push-up pole. Location: [#LOC].	\$2,338		
5450-0389	FireTech 31" 12V mini brow light with black housing. Includes switch in cab (driver and officer side facing lights switched separately). Location [#LOC].	\$2,092		
5450-0390	FireTech 20" 12V mini brow light. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$1,318		
5450-0391	Light Whelen Pioneer model PCP2SM2B with black surface mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,296		
5450-0392	Light Whelen Pioneer model PCP2SM2B with black housing and diamond plate mounting box. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,390		
5450-0393	Light Whelen Pioneer model PCP2SM2B with black housing and painted smooth plate mounting box. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,450		
5450-0394	Fire Research Spectra Max 12V LED model SPA802-Q28-02 with brow mount (EA) powder coated black. Includes switch accessible to driver. Location: [#LOC].	\$3,142		
5450-0395	FireTech 35" 12V mini brow light with black housing. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$2,245		
5450-0396	FireTech 27" 12V mini brow light with black housing. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC]	\$1,924		
5450-0397	Light Whelen Pioneer Plus model PFP2 12V with recess mount. Includes switch accessible to driver (driver and officer switched separately) with aluminum smooth plate mounting boxes painted job color for recess mount. Location: [#LOC].	\$3,093		
5450-0398	Light Whelen Pioneer Plus LED model PFP1 120V with pedestal mount. Location(s): [#LOC].	\$2,217		
5450-0399	Light Whelen Pioneer Plus 12V model PFP1 flood with side mount pedestal bracket. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): Rearward upper body panel officer side (inboard of warning lights if equipped)	\$1,985		
5450-0400	Light Whelen Pioneer Plus 12V model PFP1 flood with side mount pedestal bracket powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,985		
5450-0401	Light Whelen Pioneer Plus model PFP2 12V with internal bottom raise pole mount. Includes switch accessible to driver. Location: [#LOC].	\$2,961		
5450-0402	Light Whelen PCP3AP1 225W/120V with portable base. Requires 110V receptacle. Location(s): [#LOC].	\$3,092		
5450-0403	Light Whelen Pioneer Max model PCP3 120V with Whelen external bottom raise pole mount. Location(s): [#LOC].	\$3,358		
5450-0404	Light Fire Research Spectra Max LED 120V model SPA570-K28 without pole. Location(s): [#LOC].	\$3,116		
5450-0405	Fire Research Mini Spectra 12V LED model SPA802-R14-02 with brow mount (EA). Includes switch accessible to driver. Location: [#LOC].	\$1,903		
5450-0406	Fire Research, FRC Evolution 12V LED scene light model FCA530-V15-SW-H with external push-up pole powder coated black. Includes switch in cab accessible to driver. Location: [#LOC].	\$2,752		

Item #	Description	Extension	+1/-1	Total
5450-0407	Quartz light Fire Research Spectra 120V LED model SPA802-K20-02 with brow mount (EA) powder coated black. Location: [#LOC].	\$2,882		
5450-0408	Light Whelen Pioneer Plus 12V model PFS2 flood/spot with pedestal mount powder coated FLNA3225E-1 red. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,790		
5450-0409	Light Whelen Pioneer Plus model PFS2 flood/spot with brow mount powder coated FLNA3225E-1 red (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,794		
5450-0410	Light Whelen 12 volt Pioneer Plus model PFS1 flood/spot with brow mount powder coated FLNA3225E-1 red (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,940		
5450-0411	Light shield for FireTech 72" scene light (EA). Smooth aluminum painted black. Location: [#LOC].	\$379		
5450-0412	Light Whelen Pioneer model PFP1 12V powder coated black with PBA103 recess mount in painted smooth plate boxes. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$1,833		
5450-0413	Light Fire Research Spectra 12V LED model SPA510E-Q20-SW with internal pull-up pole powder coated black. Includes switch accessible to driver. Location(s): [#LOC].	\$3,293		
5450-0414	Light FireTech model FT-SL-30-B 12V with internal top raise pole mount (ROM model KR-900-I) pre-assembled from vendor powder coated black. Includes switch in cab accessible to driver (side facing lights switched separately). Location: [#LOC].	\$3,355		
5450-0415	FireTech 65" 12V brow light with black housing. Includes switch accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$3,817		
5450-0416	Light Whelen 12V Pioneer Plus model PFS2 flood/spot with brow mount (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,693		
5450-0417	Light Whelen 12V Pioneer Plus model PFS2 flood/spot with Quest brow mount (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,693		
5450-0418	Light Whelen 12V Pioneer model PFS2 with external bottom raise pole mount. Includes switch accessible to driver. Location(s) [#LOC].	\$2,945		
5450-0419	Light Whelen 12V Pioneer Plus model PFS2 flood/spot with pedestal mount. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,689		
5450-0420	Light Whelen 12V Pioneer model PFS2 with PBA203 recess mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,590		
5450-0421	Light Whelen 12 volt Pioneer Plus model PTP1 spot light with brow mount (EA) powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,839		
5450-0422	Light Whelen Pioneer Plus model PFP1 12V with vertical bail mount powder coated black. Includes switch in cab accessible to driver (side facing lights switched separately). Location(s): [#LOC].	\$1,577		
5450-0423	Light Whelen Pioneer model PFS2 powder coated black with PBA203 recess mount in smooth plate mounting boxes painted job (2-tone if applicable) color. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,840		
5450-0424	Light Whelen 12V Pioneer model PFS2 powder coated black with PBA203 recess mount. Includes switch in cab accessible to driver (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,590		
5450-0425	Light Whelen Pioneer model PFP1 12V powder coated black with internal top raise pole mount. Includes switch accessible to driver. Location: [#LOC].	\$1,977		
5450-0426	Light Whelen Pioneer Plus model PCP2 120V with bail mount. Location(s): [#LOC].	\$2,357		
5450-0427	Light Whelen Pioneer Plus model PFP2AC 120V with bail mount powder coated black. Location(s): [#LOC].	\$2,653		
5450-0428	Light Whelen 12V Pioneer Plus model PFS2 flood/spot with brow mount powder coated black (EA). Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,693		

Item #	Description	Extension	+1/-1	Total
5450-0429	Light Whelen 12V Pioneer Plus model PFS2 flood/spot with pedestal mount powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$2,689		
5450-0430	FireTech 35" 12V mini brow light with white housing. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$2,245		
5450-0431	Recess mounting for FireTech scene light. Location: [#LOC].	\$469		
5450-0432	Light Whelen Pioneer Plus model PFP1 12V w/bail mount platform mounted. Includes hardwired switch on platform console. Location(s): [#LOC].	\$1,625		
5450-0433	Light Whelen 12 volt Pioneer Plus model PFS1 with brow mount (EA) powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location(s): [#LOC].	\$1,839		
5450-0434	FireTech 46" 12V front brow light with white housing on commercial cab. Includes fabricated high light bar mounts, brow light mount between light bar mounts and switch accessible to driver.	\$3,425		
5450-0435	Light Whelen Pioneer Plus model PCP2AFSB 120VAC flood/spot with brow mount (EA). Location(s): [#LOC].	\$2,791		
5450-0436	FireTech 15" 12V mini double stacked trunnion mount light powder coated black. Includes switch in cab (driver and officer side facing lights switched separately). Location: [#LOC].	\$1,525		
5450-0437	Akron Revel 12V LED model ELRE-SLDC-PU-UI-TL. Includes switch accessible to driver. Location: [#LOC].	\$1,876		
5450-0438	FireTech 72" 12V scene light. Includes switch accessible to driver. Side facing lights switched seperately. Location: [#LOC].	\$4,510		
5450-0439	Light Whelen PCP3AP1 120V with external mount tripod telepole powder coated black. Requires 110V receptacle. Location(s): [#LOC].	\$4,347		
5450-0440	Light Whelen Slimline Pioneer Plus model PSL2 12V with brow mount powder coated black. Includes switch in cab accessible to driver. Location: [#LOC].	\$1,734		
5450-0441	FireTech model FT-SL-X-15 LED flood light on aerial style bracket. Includes switch accessible to driver. Location: [#LOC].	\$2,239		
5450-0442	Kwik-Raze 500 Series external push up pole. Includes up indicator switch. Requires seperate light head option. Location: [#LOC].	\$766		
5450-0443	Firetech FT-SL-15-FT-W LED scene light. Head only (Requires separate pole option). Location: [#LOC].	\$1,929		
5450-0444	Firetech FT-SL-18-FT-W LED scene light. Head only (Requires separate pole option). Location: [#LOC].	\$2,081		
5450-0445	Firetech FT-SL-30-FT-W LED scene light. Head only (Requires separate pole option). Location: [#LOC].	\$2,494		
5470-0000	Receptacle twist lock 15A/110V 3 wire NEMA L5-15 with cover plate. Location: [#LOC].	\$361		
5470-0001	Receptacle twist lock 20A/110V 3 wire NEMA L5-20 with cover plate. Location: [#LOC].	\$377		
5470-0002	Receptacle twist lock 30A/110V 3 wire NEMA L5-30 with cover plate. Location: [#LOC].	\$405		
5470-0003	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate. Location: [#LOC].	\$329		
5470-0004	Receptacle household 20A/110V duplex 3-prong NEMA 5-20 with cover plate interior mounted wired to inlet receptacle. Location: [#LOC].	\$355		
5470-0005	Receptacle household 15A/110V Daniel Woodhead duplex 3 wire NEMA 5-15 w/Daniel Woodhead cover plate. Location: [#LOC]	\$655		
5470-0006	Receptacle twist lock 15A/110V Daniel Woodhead 3 wire NEMA L5-15 w/Daniel Woodhead cover plate. Location: [#LOC]	\$589		
5470-0007	Receptacle twist lock 15A/220V Daniel Woodhead 3 wire NEMA L6-15 w/Daniel Woodhead cover plate. Location: [#LOC]	\$743		
5470-0008	Receptacle twist lock 20A/110V Daniel Woodhead 3 wire NEMA L5-20 w/Daniel Woodhead cover plate. Location: [#LOC].	\$606		
5470-0009	Receptacle twist lock 20A/220V Daniel Woodhead 3 wire NEMA L6-20 w/Daniel Woodhead cover plate. Location: [#LOC]	\$802		

Item #	Description	Extension	+1/-1	Total
5470-0010	Receptacle twist lock 20A 110V/220V Daniel Woodhead 4 wire NEMA L14-20 w/Daniel Woodhead cover plate. Location: [#LOC]	\$831		
5470-0011	Receptacle twist lock 15A/220V 3 wire NEMA L6-15 with cover plate. Location: [#LOC]	\$525		
5470-0012	Receptacle twist lock 20A/220V 3 wire NEMA L6-20 with cover plate. Location: [#LOC].	\$525		
5470-0013	Receptacle twist lock 20A 110V/220V 4 wire NEMA L14-20 with cover plate. Location: [#LOC].	\$714		
5470-0014	Receptacle twist lock 30A/220V 3 wire NEMA L6-30 with cover plate. Location: [#LOC].	\$714		
5470-0015	Receptacle twist lock 30A 110V/220V 4 wire NEMA L14-30 with cover plate. Location: [#LOC]	\$707		
5470-0016	Receptacle shoreline 30A/110V with auto transfer switch. The receptacle shall be located [#LOC].	\$1,208		
5470-0017	Receptacle household 20A/110V duplex 3-prong NEMA 5-20 with cover plate. Location: [#LOC].	\$343		
5470-0018	Receptacle shoreline 50A/220V with auto transfer switch. The receptacle shall be located [#LOC].	\$1,219		
5470-0019	Receptacle FirePower 20A/110V model FP-11 with cover plate. Location: [#LOC].	\$416		
5470-0020	Receptacle 12V military with A pin Positive, B pin Negative, C pin Blank. Location: [#LOC]	\$285		
5470-0021	12 volt power point wired battery hot. Location [#LOC]	\$70		
5470-0023	Fuse 15A in B1 compt for 12V power point receptacle.	\$109		
5470-0024	Receptacle 15A/110V duplex with (1) 3-prong NEMA 5-15 and (1) twist lock NEMA L5-15 with cover plate. Location: [#LOC].	\$385		
5470-0025	Receptacle household 30A/110V 3-prong NEMA 5-30 with cover plate. Location: [#LOC]	\$392		
5470-0026	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate interior mounted wired to inlet receptacle. Location: [#LOC].	\$329		
5470-0027	Household switch with weaterproof cover located near receptacle at [#LOC]. Switch to operate single leg of this duplex receptacle.	\$592		
5470-0028	Receptacle household 20A/110V Daniel Woodhead duplex 3 wire NEMA 5-20 w/Daniel Woodhead cover plate. Location: [#LOC].	\$674		
5470-0029	Receptacle Hubbell twist lock 20A 110V/250V 3 wire NON-NEMA with cover plate. Location: [#LOC].	\$448		
5470-0030	Receptacle twist lock 15A/110V 3 wire NEMA L5-15 with yellow Daniel Woodhead cover plate. Location: [#LOC].	\$440		
5470-0031	Receptacle twist lock 15A/110V duplex 3 wire NEMA L5-15 with yellow Daniel Woodhead cover plate. Location: [#LOC]. Top duplex will be hooked to toogle switch next to it.	\$743		
5470-0032	Receptacle 12V Marinco model 2018BR with model 2018MB cover wired battery hot. Includes model 2018BP male connector. Location: [#LOC].	\$498		
5470-0034	Receptacle shoreline 50A/220V. The receptacle shall be located [#LOC]. No additional breaker box is included in this code.	\$327		
5470-0035	Receptacle shoreline 50A/220V with auto transfer switch. The receptacle shall be located outside driver's door next to handrail. Transfer switch will be hooked up to all receptacles that power the Trip Lite power strips, interior receptacles, A/C, and the refridgerator. Items that should be included in this are the electronics rack and the smart board	\$1,219		
5470-0036	9 outlet Stanley model 31610 household 15A/110V power strip wired to inlet receptacle. Location: [#LOC].	\$214		
5470-0037	6 outlet household 15A/110V power strip wired to inlet receptacle. Location: in upper cabinets above the desk	\$247		
5470-0039	Receptacle NON-NEMA locking 20A 120V/250V Daniel Woodhead model 67W08 w/Daniel Woodhead cover plate. Location: [#LOC].	\$831		
5470-0040	Receptacle twist lock 50A/220V 3 wire NEMA L6-50 with cover plate. Location: [#LOC].	\$868		
5470-0041	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate interior mounted wired to inlet receptacle. Location: R1 forward wall 24" up.	\$329		
5470-0042	Auto-Eject receptacle inlet 30 amp 120 volt with auto transfer switch. The receptacle shall be located [#LOC] and with a [#COL] cover.	\$1,757		

Item #	Description	Extension	+1/-1	Total
5470-0043	Engraved color coded metal tags to identify all interior and exterior electrical outlets, attached with adhesive and stainless steel rivets. Tags to indicate output amperage, voltage and phase.	\$227		
5470-0044	8 outlet household 15A/110V power strip with timer wired to generator. Location: driver side interior counter top.	\$356		
5470-0045	Receptacle Hubbell twist lock NON-NEMA 30A 120V/240V 2-pole 4 wire with gray cover plate. Model HBL2720. Location: L1 forward wall down low, L2 upper back wall and R1 rearward wall down low.	\$707		
5470-0046	Receptacle twist lock Hubbell NON-NEMA 20A/110V 3 wire with yellow cover plate; model HBL7310b. Location: (1) L2 forward wall down low, (1) R2 rearward wall down low, (1) each side below cab transverse compt forward, (1) each side below cab transverse compt rearward, (2) on drivers side rear compt face, (2) roof top forward compt, upper left side wall.	\$377		
5470-0047	6 outlet household 15A/110V power strip wired to inlet receptacle. Location: [#LOC].	\$247		
5470-0048	Service 30A/220V 4 wire with junction box. Location: [#LOC].	\$552		
5470-0049	Receptacle household 15A/110V double gang (four outlets) 3-prong NEMA 5-15 with cover plate interior mounted wired to inlet receptacle. Location:[#LOC].	\$655		
5470-0051	6 outlet household 20A/110V power strip wired to inlet receptacle. Location: [#LOC].	\$247		
5470-0052	Receptacle straight blade 15A/220V 3 wire NEMA 6-15R with cover plate. Location: [#LOC]	\$525		
5470-0053	Receptacle inlet 110 VAC, L5-30 Amp twist lock with a [#COL] cover. Location: [#LOC].	\$330		
5470-0054	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate interior mounted wired to generator (not wired to inlet/shoreline). Location: [#LOC].	\$329		
5470-0055	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate. This receptacle shall be GFCI protected and have a push button reset on the receptacle. Location: [#LOC].	\$358		
5470-0056	Receptacle straight blade, NEMA 6-15R with cover plate, mounted in place. This receptacle shall not include 220VAC 15 Amp wiring. Location: [#LOC]	\$525		
5470-0057	Receptacle household 20A/110V duplex 3-prong NEMA 5-20 with cover plate interior mounted wired to generator (not wired to inlet/shoreline). Location: [#LOC].	\$343		
5470-0058	Receptacle twist lock Hubbell NON-NEMA 20A/110V 3 wire with yellow cover plate; model HBL7310B. Location: [#LOC].	\$377		
5470-0059	Receptacle household 20A/110V GFCI duplex 3-prong NEMA 5-20 with cover plate. Location: [#LOC].	\$387		
5470-0060	Receptacles household 15A/110V duplex 3-prong NEMA 5-15 and 20A/110V twist lock receptacle NEMA L5-20 with cover plates. The receptacles shall be GFCI protected. The 5-15 receptacle shall have a push button reset on the receptacle, the L5-20 shall be GFCI protected at the breaker. Location: (1) set of (2) 5-15 and (1) L5-20 GFCI receptacles each side in cab wheel well area.	\$919		
5470-0061	Grainger model 2MV42; 6 outlet household 15A/110V power strip wired to inlet receptacle. Location: [#LOC].	\$387		
5470-0062	Receptacle twist lock Hubbell NON-NEMA 20A/110V 3 wire with yellow cover plate; model HBL7310b. Location: (1) L2 forward wall down low, (1) R2 rearward wall down low, (1) each side of cab down low just ahead of rear doors above warning light, (1) on drivers side rear compt face, (2) roof top forward compt, upper left side wall.	\$377		
5470-0063	6 outlet household 15A/110V power strip wired to generator. Includes tag "Wired to Generator Only". Location: rear engine cover.	\$247		
5470-0064	Receptacle twist lock 15A/110V 3 wire NEMA L5-15 with cover plate. interior mounted wired to inlet receptacle. Location: Inside walk in body compartment DS2, low on back wall as far forward as possible. REF customer drawing.	\$361		
5470-0065	Receptacle twist lock 15A/110V 3 wire NEMA L5-15 with cover plate. interior mounted wired to inlet receptacle. Location: Inside walk in body compartment OS2, low on back wall as far forward as possible. REF customer drawing.	\$361		
5470-0066	12 volt power point wired battery hot. Location: in rear walkin body, on forward wall, above desk, driver side.	\$70		
5470-0067	12 volt power point wired battery hot. Location: Inside walkin body compartment DS2, low on back wall as far forward as posable. REF customer drawing	\$70		

Item #	Description	Extension	+1/-1	Total
5470-0068	12 volt power point wired battery hot. Location: Inside walkin body compartment OS2, low on back wall as far forward as posable. REF customer drawing	\$70		
5470-0069	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate. Location: In rear walkin body, on forward wall, above desk, driver side.	\$329		
5470-0070	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate. Location: Inside walkin body, driver side, 6 inches above counter top and centered in space forward of DS2. For dealer installed refrigerator. Ref customer drawing.	\$329		
5470-0071	Receptacle household 15A/110V duplex 3-prong NEMA 5-15 with cover plate interior mounted wired to inlet receptacle and shall include as part of the receptacle 15 amp over current protection. This receptacle shall be GFCI protected and have a push button reset on the receptacle. Location: [#LOC].	\$389		
5470-0072	Each receptacle shall be labeled to identify the power source (Shoreline, Generator).	\$142		
5470-0073	Receptacle Hubbell twist lock NON-NEMA 30A 120V/240V 2-pole 4 wire with gray cover plate. Model HBL2720. Location: L1 forward wall down low and R1 rearward wall down low.	\$707		
5470-0074	8 outlet household 15A/110V power strip wired to shoreline. Location: [#LOC].	\$356		
5470-0075	Receptacle household 30A/220V 3 wire NEMA 6-30 with cover plate. Location: [#LOC].	\$714		
5470-0076	Receptacle Hubbell twist lock 15A/110V 3 wire NEMA L5-15 with cover plate. Location: [#LOC].	\$448		
5470-0077	Receptacle Hubbell twist lock 20A/250V 4 wire NEMA L15-20 with cover plate. Location: [#LOC].	\$448		
5470-0078	Receptacle twist lock Hubbell NON-NEMA 20A/110V 3 wire with yellow cover plate; model HBL7310b. Location: (1) L2 forward wall down low, (1) R2 rearward wall down low, (1) each side of cab below transverse compt rearward, (1) on drivers side rear compt face, (2) roof top forward compt, upper left side wall.	\$377		
5470-0079	Receptacle shoreline 100A/220V with manual transfer switch for Breathing Air Compressor. The receptacle shall be located in R1 low on forward wall.	\$3,478		
5470-0080	Receptacle; Schuko 250V model 70310 with weatherproof cap. Location: [#LOC].	\$525		
5470-0081	Receptacle household 20A/110V duplex 3-prong NEMA 5-20 with cover plate exterior mounted wired to inlet receptacle. Location: [#LOC].	\$355		
5470-0082	Receptacle 20A/220V 3 wire NEMA 6-20 with cover plate wired to inlet receptacle. Location: [#LOC].	\$525		
5470-0083	Receptacle inlet 100A 208V 3 phase. Wired to a 3 pole 100A manual transfer switch. Locate: R1, forward wall.	\$4,731		
5470-0084	Receptacle household 20A/110V double gang (four outlets) 3-prong NEMA 5-20 with cover plate interior mounted wired to inlet receptacle. Location: [#LOC].	\$692		
5470-0085	Receptacle inlet 30amp twist lock with a yellow cover dedicated to aerial tip receptacle. Location: L4 backwall up high	\$632		
5470-0086	Receptacle twist lock 15A/110V 3 wire NEMA L5-15 with cover plate wired to inlet receptacle. Location: [#LOC].	\$361		
5500-0002	Code3 V-con #3672 siren on cab dash.	\$755		
5500-0003	Code3 V-con #3692 siren on cab dash.	\$755		
5500-0004	Code3 V-Con #3692 siren recessed mounted.	\$870		
5500-0005	Federal Signal electronic EQ2B-EF siren. Includes 200 watt speaker with square "E-ONE" grille. Speaker location: [#LOC].	\$4,383		
5500-0006	Federal electronic e-Q2B siren. Includes "Q" grille. Speaker location: [#LOC].	\$4,969		
5500-0007	Federal MS4000 siren recessed mounted.	\$989		
5500-0008	Federal PA300 siren located in cab as space permits.	\$686		
5500-0009	Federal PA300 electronic siren recessed mounted.	\$817		
5500-0010	Federal Q2B siren - flush mounted in bumper. Location: [#LOC].	\$3,492		
5500-0011	Federal Q2B siren - Pedestal mounted on bumper. Location: [#LOC].	\$3,146		
5500-0012	Prewire for Federal Q2B mechanical siren. Driver side front bumper.	\$326		
5500-0014	Unitrol #480K siren.	\$1,862		
5500-0015	Whelen model 295SLSA1 siren with microphone (replaced 295HFSA1).	\$1,085		

Item #	Description	Extension	+1/-1	Total
5500-0016	Code 3 V-Con #3672 siren recessed mounted.	\$870		
5500-0017	Whelen model 295HF5M1 siren with mechanical siren tone and microphone. N/A in California.	\$1,191		
5500-0019	Code 3 #3997 siren. Requires (1) 200 watt or (2) 100 watt speakers.	\$2,000		
5500-0020	Federal PA4000 siren recessed mounted. Includes horn ring select switch (Tap II / DOT / electronic air horn sound) on face of siren. Note: Switch will be non-functional when E-ONE installed horn ring select switch is supplied.	\$873		
5500-0021	The Q2B siren brake controller to be located within reach of the officer.	\$0		
5500-0022	Federal PA300 siren mounted on electrical access panel between the driver and officer front seats.	\$817		
5500-0023	Unitrol model UTM1 siren with option to disable Hi/Low feature (UOP09). Route radio re-broadcast cable to officer side overhead for OCFA radio installation.	\$872		
5500-0024	The electronic siren control is to be located on the [#LOC].	\$0		
5500-0025	The e-Q2B siren control is to be located in the [#LOC].	\$0		
5500-0027	Signal Vehicle Products model SS741MG siren recessed mounted.	\$688		
5500-0028	Integrated Siren System with dual control heads, separate PA controls with remote microphone and volume switch.	\$1,000		
5500-0030	Code 3 #3997R siren. Requires (1) 200 watt or (2) 100 watt speakers.	\$2,000		
5500-0031	Whelen model 295HFSA7 siren with microphone.	\$1,695		
5500-0032	Federal / Unitrol #U480K-4 siren.	\$1,796		
5500-0033	Federal Unitrol siren wiring to be: Pos 1) NFPA Blocking mode lights, Pos 2) NFPA Responding mode lights, Pos 3) Warning lights, siren, and Q2B.	\$0		
5500-0034	Federal Rumbler secondary siren. Includes amp, timer, and two speakers mounted under vehicle. Requires control switch.	\$1,430		
5500-0036	Whelen model 295HFSC9 siren with microphone. N/A in California.	\$1,362		
5500-0037	Federal PA300 siren recessed mounted. Microphone to be removed and a plug is to be installed in the wiring hole	\$817		
5500-0038	Federal / Unitrol #UTM4 siren.	\$1,816		
5500-0039	Federal Unitrol siren wiring to be: Pos 1) Amber warning lights, Pos 2) NFPA Blocking mode lights, Pos 3) NFPA responding mode, emitter, siren and airhorn foot switches. All positions shut-off AM/FM weatherband radio. Note: Unitrol replaces all individual warning light switches.	\$0		
5500-0040	Powercall DX5200 siren control. For use with (1) 200 watt speaker or up to (2) 100W speakers.	\$1,090		
5500-0041	Federal electronic Q2B-EF siren. Includes two (2) ES100 speakers with square "E-ONE" grilles. Speaker location: [#LOC].	\$4,535		
5500-0044	Whelen model 295HFSA7 siren with microphone. Microphone to be removed (shipped loose) and a plug is to be installed in the wiring hole.	\$1,695		
5500-0045	Whelen model 295SLSC1 siren with plug-in microphone. N/A in California.	\$1,085		
5500-0046	Federal siren and speaker package. Includes (1) PA300 siren in center of center overhead console and (1) ES100 speaker driver side in bumper.	\$0		
5500-0047	Q2B mechanical pedestal mounted siren. Located on the driver side of the bumper extension. Requires 20" bumper ext. Includes (2) foot switches- (1) driver and (1) officer side and an electric siren brake switch located on the switch panel. Custom ES.	\$2,577		
5500-0048	Federal PA300 100W siren recessed mounted.	\$766		
5500-0049	Whelen Howler secondary siren. Includes amp, timer, and two speakers mounted under vehicle.	\$1,446		
5500-0050	Integrated Siren System with dual control heads. No microphone or volume control.	\$1,000		
5500-0051	Federal PA300R siren with single control. PA control and volume switch located on electrical access panel.	\$982		
5500-0052	Federal PA640 electronic siren recessed mounted.	\$817		
5500-0053	Code3 V-Con #3692 siren on cab console.	\$1,245		
5500-0054	Federal / Unitrol #UTM1 siren.	\$1,313		

Item #	Description	Extension	+1/-1	Total
5500-0055	Federal Signal model MNCT-NY noise cancelling plug-in microphone; wired through primary siren. Location: Accessible to driver.	\$267		
5500-0057	Federal SmartSiren Platinum model SSP3000-NYPD.	\$2,585		
5500-0058	Federal SmartSiren wiring to be: Pos 1) #17 program on light bar, all body warning lights, grill mounted Viper lts, and cab side facing 6x4 warning lts, Pos 2) Position 1 lights, #18 program on light bar, rear beacons, intersecting Vipers and front quad warning lts, Pos 3) Position 1 & 2 lights, #18 program on light bar, wig-wag and Message board with default NYPD program.	\$0		
5500-0059	Whelen model 295SL100 siren with microphone (replaced 295HF100).	\$1,024		
5500-0060	Whelen Howler secondary siren. Includes amp, timer, and two speakers mounted under gravelshield.	\$1,446		
5500-0061	Additional wiring instructions: leave additional wiring for siren, dealer to relocate siren after deliver to customer supplied center console between front seats.	\$424		
5500-0062	Screaming Eagle flange mount siren in bumper. Location: [#LOC].	\$3,516		
5500-0063	Federal electronic Q2B-EF siren. Includes two ES100 speakers. Speaker location: [#LOC].	\$4,535		
5500-0064	Federal Rumbler secondary siren. Includes amp, timer, and two speakers mounted under vehicle with heavy duty E-One fabricated brackets. Requires control switch.	\$1,675		
5500-0065	Remove EQ2B head and replace with blank panel. Remove push button EQ2B switches and replace with hole plugs. Ship head unit and switches loose with unit. Wire microphone through Smart Siren. NYPD only.	\$139		
5500-0066	Whelen model 295SLSA1 siren without microphone.	\$1,085		
5500-0067	Whelen model 295SLSC1 siren without microphone. N/A in California.	\$1,085		
5500-0068	Pre-wire for Tomar Emitter. Coil 4' of wire in driver's overhead panel.	\$326		
5500-0069	Prewire for Federal Q2B mechanical siren. Officer side front bumper.	\$326		
5500-0070	Federal Signal electronic EQ2B-EF siren. Includes 200 watt speaker with "EF" grille. Speaker location: [#LOC].	\$4,383		
5500-0071	Federal Q2B siren - flush mounted in bumper. Includes diamond plate housing for siren to forward face. Freightliner cabs w/OEM bumper only. Location: driver side front bumper.	\$3,706		
5500-0072	Powercall X71 siren control. For use with (1) 100W speaker. Locate switch on officer side switch panel.	\$690		
5500-0073	The Federal ESS siren microphone is to be located in the [#LOC].	\$0		
5500-0074	Whelen model 295HFS2 siren with flush mount siren head, remote amplifier and microphone. N/A in California.	\$1,248		
5500-0075	Carson SA-400M siren recessed mounted.	\$1,345		
5500-0076	Federal Q2B siren - flush mounted in bumper. Includes diamond plate housing for siren to space outward to clear in bumper options. Location: center front bumper.	\$3,706		
5500-0077	Federal Q2B siren - flush mounted in bumper. For use with commercial chassis w/OEM chrome bumper only. Location: driver side front bumper. This option voids bumper warranty.	\$3,841		
5500-0078	Federal Q2B siren - flush mounted in bumper. For use with commercial chassis w/OEM chrome bumper only. Location: Officer side front bumper. This option voids bumper warranty.	\$3,841		
5500-0079	Dealer provided and installed siren. Does not include speaker.	\$0		
5500-0080	Federal Q2B siren - Recess mounted in bumper. Front of grille behind circular bumper cut-out. Requires 12" heavy duty bumper. Location: [#LOC].	\$4,121		
5500-0081	Powercall 6 Adam siren. For use with (1) 200 watt speaker or (2) 100W speakers.	\$1,064		
5500-0082	The e-Q2B amplifier is to be located in the officer side wheel well medical cabinet ceiling.	\$0		
5500-0083	Carson SA-441M remote siren.	\$1,639		
5500-0084	Whelen Alpha12S siren located [#LOC] with a Federal Signal ES100 speaker located on the driver side rear of body.	\$1,499		
5500-0085	Screaming Eagle nesting eagle mount siren in bumper. Location: [#LOC].	\$3,975		
5500-0086	Federal Q2B siren - flush mounted in bumper. Includes diamond plate housing for siren to forward face. Freightliner cabs w/OEM bumper only. Location: officer side front bumper.	\$3,706		



Item #	Description	Extension	+1/-1	Total
5500-0087	Federal Q2B siren - flush mounted in bumper. Includes brushed stainless steel housing for siren to forward face. Freightliner cabs w/OEM bumper only. Location: driver side front bumper.	\$3,839		
5500-0088	Q2B Siren Focuser, chrome plated housing to direct sound forward.	\$799		
5500-0089	Federal PA300R siren with single control. No PA control.	\$982		
5500-0090	Whelen model 295SDA1 siren with flush mount siren head, microphone and remote amplifier. Siren head to control directional bar (in place of seperate controller) when equipped. Requires (1) 200 watt speaker or (2) 100 watt speakers.	\$1,492		
5510-0001	BP100 Speaker installed in [#LOC]	\$444		
5510-0002	Speaker Federal BP200 mounted through bumper. Location: [#LOC].	\$1,367		
5510-0003	Speaker Federal CP100S pedestal mounted. Location: [#LOC].	\$893		
5510-0006	Speaker Federal ES100-MSBMT. Location: [#LOC].	\$531		
5510-0007	Speaker Cast Products SA2401 100W thru bumper. Location: [#LOC].	\$597		
5510-0008	Speaker Cast Products SA3501 100W through bumper. Location: [#LOC].	\$661		
5510-0009	Federal TS100-N speaker mounted on pump panel.	\$540		
5510-0012	Speaker Federal TS100 through bumper with E-ONE grille. Location: [#LOC].	\$634		
5510-0013	Speaker Federal Dynamax MS100-EF thru bumper. Location: [#LOC].	\$634		
5510-0015	Speaker Federal Dynamax MS100. Located Officer's side behind Tow hook. Navistar 4400 chassis only with '07 engine.	\$634		
5510-0016	Code 3 PB100C electronic siren speaker recessed in front bumper. Location: [#LOC].	\$622		
5510-0017	Speaker Cast Products SA2403 100W thru bumper. Location: [#LOC].	\$597		
5510-0018	**OBS** (use 5510-0049) Whelen SA122FMP electronic siren speaker recessed in front bumper. Location: [#LOC].	\$656		
5510-0019	University Sound speaker model MIS8C with seperate on / off switch. Locate on driver side upper module area with wire terminating in the center overhead console.	\$400		
5510-0020	Special wiring requirements for the driver side Whelen SA122FMP speaker run wire to center of dash with 48" coil of additional wire for connection to radios.	\$0		
5510-0021	Speaker Federal TS100-N mounted on driver side front compartment face.	\$540		
5510-0022	Whelen SA314P electronic siren speaker face mounted. Location: [#LOC].	\$634		
5510-0023	Speaker Atkinson Dynamics (Federal) mounted on pump panel.	\$727		
5510-0024	** OBS** Speaker Federal TS100 thru bumper with Electric F grill. Location: [#LOC].	\$725		
5510-0025	Speaker Federal Dynamax MS100. Location: [#LOC]	\$410		
5510-0026	Code 3 FM100C electronic siren speaker recessed in front bumper. Location: [#LOC].	\$716		
5510-0027	Speaker volume control on pump panel for pump panel mtd speaker. Locate next to speaker. Includes 16-18 gauge audio cable run from volume control to center overhead area, leave a 30" coil of wire.	\$515		
5510-0028	Speaker Federal Dynamax ES100. Located officer's side behind tow hook. Navistar 4400 chassis only.	\$634		
5510-0029	Speaker, Federal Signal Dynamax ES100 with "E-ONE" grille through bumper. Location: [#LOC].	\$634		
5510-0030	Speaker Federal Dynamax ES100. Location: [#LOC].	\$410		
5510-0031	Whelen SA314P electronic siren speaker recessed in front bumper with polished trim ring. Location: [#LOC].	\$884		
5510-0032	Speaker Cast Products SA*3806 100W thru bumper. Location: [#LOC]. Ford chassis only.	\$668		
5510-0033	Wheln UnderPro SA31101P/D speakers (pair) with natural finish. Includes E-ONE supplied brackets (as required) for mounting under the driver and officer side non-extended front bumper.	\$893		
5510-0034	Whelen SA315P electronic siren speaker mounted behind front bumper cut-out. Location: [#LOC].	\$586		
5510-0036	Federal MS100 speaker, Center bumper, E-ONE grille logo, Wildland	\$504		
5510-0037	Federal MS100 speakers, pair, center bumper, E-ONE grilles, Wildland	\$925		
5510-0038	Speaker Federal Dynamax ES100 with "E-ONE" grille. Located Driver side recess behind pump panel.	\$689		
5510-0039	Speaker, Federal Signal Dynamax ES100-NYPD through bumper. Location: driver side front bumper inboard of frame.	\$622		
5510-0041	Speaker, Federal Signal Dynamax ES100. Location: [#LOC].	\$634		

Item #	Description	Extension	+1/-1	Total
5510-0042	Speaker Atkinson Dynamics (Federal) model AD-SF-25 flush mounted with volume controls. Location: [#LOC].	\$803		
5510-0043	BP200 speaker cut-out with "EF" grille on officer side of front bumper inboard of frame.	\$0		
5510-0044	Whelen SA315P electronic siren speaker located behind front bumper. Location: [#LOC].	\$586		
5510-0045	Speaker, Federal Signal Dynamax ES100 with "E-ONE" grille. Location: [#LOC].	\$634		
5510-0046	Speaker Federal BP100 mounted through bumper. Location: [#LOC].	\$868		
5510-0047	Speakers (Pair), Federal Signal Dynamax ES100 through bumper with smooth plate grille painted same color as the heavy duty bumper and sufficient surface area for lettering. Locate both speakers next to each other center of the bumper with one common grill covering them.	\$1,501		
5510-0048	Speaker, Federal Signal Dynamax ES100-NYPD through bumper. Location: officer side front bumper inboard of frame for PA300 redundant siren.	\$622		
5510-0049	Whelen SP123BMC electronic siren speaker recessed in front bumper. Location: [#LOC].	\$656		
5510-0050	Speaker, PowerCall Fenix with "E-ONE" grille through bumper. Location: [#LOC].	\$448		
5510-0051	Wheln UnderPro SA31101P/D speaker (single) with natural finish. Includes E-ONE supplied brackets (as required) for mounting under the officer side non-extended front bumper.	\$481		
5550-0006	Whelen LED 6/2/2 lower level warning light package. Includes (6) 600 series (2) 400 series and (2) 500 series light heads w/weatherproof connectors. Locate side facing lights: [#LOC].	\$3,758		
5550-0007	Whelen LED 8/2 lower level warning light package. Includes (8) 600 series and (2) 500 series light heads w/weatherproof connectors. Locate side facing lights: [#LOC].	\$4,048		
5550-0008	Whelen strobe/LED 6/2/2 lower level warning light package. Includes (6) 600 series strobes, (2) 400 series strobes and (2) 500 series LED light heads w/weatherproof connectors and required power supplies. Locate side facing lights: [#LOC].	\$3,626		
5550-0009	Whelen 600 series LED lower level warning light package. Includes (8) LED light heads w/weatherproof connectors. Locate per NFPA 1901.	\$3,560		
5550-0010	Whelen 600 series LED lower level warning light package. Includes (10) LED light heads w/weatherproof connectors. Locate side facing lights: [#LOC].	\$4,452		
5550-0011	Whelen 600 series strobe lower level warning light package. Includes (8) strobe lights w/weatherproof connectors and required power supplies. Locate per NFPA 1901.	\$3,148		
5550-0012	Whelen 600 series strobe lower level warning light package. Includes (10) strobe lights w/weatherproof connectors and required power supplies. Locate side facing lights: [#LOC].	\$4,189		
5550-0013	Federal Signal strobe/halogen lower level warning light package. Includes (8) strobe, (2) GH1F halogen lts and required power supplies. Locate side facing lights: [#LOC].	\$3,535		
5550-0014	Federal Signal GS5 strobe lower level warning light package. Includes (10) Lights and required power supplies. Locate side facing lights: [#LOC].	\$4,035		
5550-0021	Federal Signal GL5 LED lower level warning light package. Includes Ten (10) GL5-R lights. Locate side facing lights: [#LOC].	\$3,229		
5550-0025	Federal GS5 strobe lower level warning light package. Includes (8) lights and required power supplies. Located per NFPA 1901.	\$3,170		
5550-0026	Federal Signal GS5/GS2 strobe lower level warning light package. Includes (4) GS2 series and (4) GS5 series strobe light heads. Locate per NFPA 1901.	\$2,521		
5550-0028	Code3 strobe/halogen 6/4 lower level warning light package. Includes (6) 40 series strobe lights and (4) OL135 halogen lights and required power supplies. Locate side facing lights: [#LOC].	\$5,461		
5550-0029	Code3 halogen 4/6 lower level warning light package. Includes Includes (6) 41 series and (4) OL135 halogen lights. Locate side facing lights: [#LOC].	\$2,744		
5550-0030	Code3 model 65 red LED lower level warning light package. Includes (10) LED lights. Locate side facing lights: [#LOC].	\$4,705		

Item #	Description	Extension	+1/-1	Total
5550-0049	Code3 LED 6/2/2 lower level warning light package. Includes (8) model 65 red LED and (2) LXEX1F-R LED lights. Includes chrome bezels where applicable. Locate side facing lights: [#LOC].	\$3,722		
5550-0051	Flash rate for Federal LED lower level warning lights to be set at pattern 1, (76 QFPM).	\$0		
5550-0052	Flash rate for Federal LED lower level warning lights to be set at pattern 2, (102 TFPM).	\$105		
5550-0053	Flash rate for Federal LED lower level warning lights to be set at pattern 8, (150 FPM).	\$105		
5550-0054	Whelen 600 series Super LED lower level warning light package. Includes (10) red LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,534		
5550-0055	Federal Signal QuadraFlare LED lower level warning light package. Includes (10) QL64XF-R LED light heads with bezels. Locate side facing lights: [#LOC].	\$2,956		
5550-0059	Whelen Super LED lower level warning light package. Includes (8) red 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0060	Code3 LED 6/2/2 lower level warning light package. Includes (4) 65BZR, (2) 65FR, (2) 85BZR low on rear and (2) LXEX1F-R. Locate side facing lights: [#LOC]	\$4,122		
5550-0062	Federal Signal strobe lower level warning light package. Includes (8) GS5 strobes and (2) GS2 strobes lts. Locate side facing lights: [#LOC].	\$4,035		
5550-0063	Whelen Super LED lower level warning light package. Includes (8) 600 Series, (2) 400 Series and chrome flanges. For use with commercial chassis w/o ext bumper. Locate side facing lights: [#LOC].	\$3,617		
5550-0066	Tomar lower level warning light package. Includes RECT-46 LED in front quad bezels (to alternate flash, drv side blue, ofc side red), RECT-79SS on ends of bumper gravel shield (clear frt, red rear) in angled forward bezel, RECT-37SS on side of cab down low just ahead of rear cab doors and in rear ww offset forward (red frt/ blue rear), RECT-25 LED (red) in rubrail side facing at rear of body, RECT-46 LED (drv side blue / ofc side red) rear facing down low, three 780-1228-WP power supplies, 930DM-LED-LB flasher for frt lts, and chrome flanges on applicable lts.	\$8,816		
5550-0067	Flash rate for Federal QuadraFlare LED lower level warning lights to be set at pattern 4, (75 QFPM).	\$105		
5550-0068	Flash rate for Federal QuadraFlare LED lower level warning lights to be set at pattern 1, (FedPulse 75).	\$0		
5550-0069	Flash rate for Federal QuadraFlare LED lower level warning lights to be set at pattern 5, (150 DFPM).	\$105		
5550-0070	Whelen LED lower level NFPA warning light package (includes upper rear compartment face mounted lights that are wired into lower level switching). Includes (14) lights (8/6).	\$5,837		
5550-0071	Whelen LED 6/4 lower level warning light package. Includes (6) 600 series and (4) 500 series light heads w/weatherproof connectors. Locate side facing lights: [#LOC].	\$3,758		
5550-0072	Whelen 600 series Super LED lower level warning light package. Includes (8) red/amber and (2) red LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,984		
5550-0073	Whelen Super LED lower level warning light package. Includes (8) 600 Super LED light heads and (2) 900 Super LED light heads w/chrome flanges where applicable. Locate side facing lights: [#LOC].	\$3,889		
5550-0074	Whelen Super LED 4/2/2/2 lower level warning light package. Includes (4) 600, (2) 900 split, (2)700 split and (2) 500 LED light heads w/weatherproof connectors. Locate side facing lights: at forward most position (900), centered in rear wheelwell (700), and in rubrail (500) side facing at rear of body.	\$5,141		
5550-0077	Federal Signal QuadraFlare LED upper level side warning light package. Includes (4) QL64XF red LED light heads with bezels. Located 2 side facing on Driver and Officer side upper rear corners.	\$1,425		
5550-0082	Federal Signal QuadraFlare LED upper level rear warning light package. Includes (4) QL64XF red LED light heads with bezels. Located (2) driver and (2) officer upper rear corners.	\$1,425		
5550-0083	Federal Signal QuadraFlare LED upper level rear warning light package. Includes (2) QL64XF red LED light heads with bezels. Located (1) driver and (1) officer upper rear corners.	\$715		

Item #	Description	Extension	+1/-1	Total
5550-0086	Whelen 900 series Super LED upper level side warning light package. Includes (2) red Whelen 900 Super LED model 90RR5FRR lights. Includes weatherproof connectors. Located (1) on the driver and (1) on the officer side upper rear side corners.	\$1,303		
5550-0087	Whelen 900 series strobe upper level side warning light package. Includes (2) Whelen 900 series strobe lights model 90F000RR with red lenses. Includes weatherproof connectors. Located 1 on the Driver and 1 on the Officer side upper rear corners.	\$556		
5550-0088	Whelen 900 series Super LED upper level rear panel warning light package. Includes (2) red Whelen 900 Super LEDs lights, model 90RR5FRR. Includes weatherproof connectors. Located (1) driver and (1) officer upper rear corners.	\$1,303		
5550-0089	Whelen 900 series strobe upper level rear warning light package. Includes (2) Whelen 900 series strobe lights model 90F000AU with Amber lenses. Includes weatherproof connectors. Located (1) Driver and (1) Officer upper rear corners.	\$556		
5550-0091	Whelen strobe/LED 6/2/2 lower level warning light package. Includes (6) 600 series strobes, (2) 700 series strobes and (2) 500 series LED light heads w/weatherproof connectors and required power supplies. Locate side facing lights: [#LOC].	\$3,707		
5550-0092	Whelen strobe/LED 6/2/2 lower level warning light package. Includes (6) 600 series super LED, (2) 700 series split lens strobes and (2) 500 series super LED light heads w/weatherproof connectors and required power supplies. Locate side facing lights: [#LOC]	\$4,227		
5550-0093	Whelen Super LED lower level warning light package. Includes (6) 600 LED red light heads, (2) 400 LED red light heads and (2) 500 red LED light heads w/chrome flanges. Locate side facing lights: [#LOC]	\$3,186		
5550-0094	Federal Signal strobe lower level warning light package. Includes (8) GS5 strobes and (2) GS2 strobes lts. All lenses to be blue except mid body which are red. Locate side facing lights: [#LOC]	\$4,035		
5550-0095	Whelen Super LED lower level warning light package. Includes (7) 600 red LED light heads, and (3) 600 blue LED light head w/chrome flanges. Locate side facing lights: [#LOC]	\$3,534		
5550-0096	Weldon Diamondback V46 LED lower level warning light package. Includes (10) red LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,590		
5550-0097	Whelen 400 series linear Super LED lower level warning light package. Includes (10) red LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$5,404		
5550-0099	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads, (4) red/clear 600 split LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,438		
5550-0100	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads and (4) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0101	Whelen Super LED lower level warning light package. Includes (6) 600 red LED light heads, (2) 900 red LED light heads and (2) 500 red LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,510		
5550-0102	Whelen Super LED lower level warning light package. Includes (6) 600 LED light heads, (2) 900 LED light heads and (2) 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,510		
5550-0103	Whelen Super LED lower level warning light package. Includes (8) 600 Super LED light heads and (4) 500 Super LED light heads w/chrome flanges where applicable. Locate side facing lights: [#LOC].	\$4,606		
5550-0104	Whelen 600 series Super LED lower level warning light package. Includes (8) red and (2) red/white LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,123		
5550-0106	Whelen Super LED lower level warning light package. Includes (6) 600 red LED light heads, (2) 400 amber LED light heads and (2) 500 red LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,186		
5550-0107	Whelen Super LED lower level warning light package. Includes (8) red 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		

Item #	Description	Extension	+1/-1	Total
5550-0109	Federal Signal QuadraFlare LED lower level warning light package. Includes (5) QL64XF-R LED light heads with bezels and (5) QL64XF-B LED light heads with bezels. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$2,956		
5550-0110	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads, (4) blue 600 LED light heads, (1) red 500 LED light head and (1) blue 500 LED light head. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$3,340		
5550-0112	Federal Signal QuadraFlare LED upper level side warning light package. Includes (2) QL97XF red LED light heads with bezels. Located (1) side facing on Driver and Officer side upper rear corners.	\$1,029		
5550-0113	Federal Signal QuadraFlare LED upper level rear warning light package. Includes (2) QL97XF red LED light heads with bezels. Located (1) Driver and (1) Officer upper rear corners.	\$1,029		
5550-0114	Weldon Diamondback V46 LED lower level warning light package. Includes (10) red LED light heads w/clear lenses and chrome flanges. Locate side facing lights: [#LOC].	\$3,590		
5550-0117	Whelen Super LED lower level warning light package. Includes (6) 600 Super LED light heads (2 red forward/2 red rearward/2 amber rearward) and (6) side facing 500 Super LED red light heads w/chrome flanges where applicable. Requires additional side facing lights midship to meet blocking mode. Locate side facing lights: [#LOC].	\$4,556		
5550-0118	Whelen LED lower level cab warning light package. Includes light heads with bezels located (1) each side of hood area and (1) each side forward facing mounted in grill area.	\$0		
5550-0119	Whelen LED lower level body warning light package. Includes (6) LED light heads located (1) each side forward of the rear wheel well, (1) each side rearward of the rear wheel well and (1) each side on rear of body down low below the taillights (offset outboard).	\$0		
5550-0120	Whelen Super LED lower level warning light package. Includes (10) [#COL] 600 light heads w/chrome flanges on all (10) lights. Locate side facing lights: [#LOC].	\$3,340		
5550-0121	Whelen Super LED lower level warning light package. Includes (10) Blue 600 LED light heads w/chrome flanges on all (10) lights. Locate side facing lights: [#LOC].	\$3,340		
5550-0122	Whelen 24V Super LED lower level warning light package. Includes (10) Blue 600 LED light heads w/chrome flanges and bezels. Locate side facing lights: [#LOC].	\$3,591		
5550-0123	Whelen M6 Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red 500 Super LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,720		
5550-0124	Federal Signal GS5 [#COL] strobe lower level warning light package. Includes (10) Lights and required power supplies. Two NFPA Required Front and Two Rear lights. Locate side facing lights: [#LOC].	\$2,460		
5550-0125	Whelen M6RC Super LED lower level warning light package. Includes (8) red M6RC LED light heads and (2) red 500 Super LED light heads w/chrome flanges and clear lenses. Locate side facing lights: [#LOC].	\$3,720		
5550-0127	Federal Signal QuadraFlare LED lower level warning light package. Includes (10) QL64XFC-R LED light heads with clear lenses and bezels. Locate side facing lights: [#LOC].	\$2,956		
5550-0128	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads, (2) red LIN3 lights and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0129	Whelen 600 series Super LED lower level warning light package. Includes (5) red LED light heads w/chrome flanges and (5) blue LED light heads w/chrome flanges. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$3,534		
5550-0130	Weldon Diamondback V46W-C/V26W-C LED lower level warning light package. Includes (8) red V46 LED light heads w/clear lenses and (2) red V26 LED light heads w/clear lenses. Locate side facing lights: [#LOC].	\$3,467		
5550-0131	Whelen Super LED lower level warning light package. Includes (8) 600 LED light heads (7 red, 1 blue rear facing officer side) and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		

Item #	Description	Extension	+1/-1	Total
5550-0132	Whelen Super LED lower level warning light package. Includes (8) red 600 LED light heads and (2) red TIR3 LED light heads grommet mounted. Locate side facing lights: [#LOC].	\$3,181		
5550-0133	Whelen 500 Series Super LED upper level rear warning light package. Includes (4) red Whelen 500 Super LED TIR6 lights with chrome bezels and clear lenses. Includes weatherproof connectors. Locate (1) rear facing each side up high, (1) side facing each side up high rearward on the body.	\$1,164		
5550-0134	Federal Signal GL5 [#COL] LED lower level warning light package. Includes ten (10) GL5-R lights. Locate side facing lights: [#LOC].	\$2,460		
5550-0135	Whelen Super LED lower level warning light package with clear lenses. Includes (6) red 600 LED light heads, (2) red/clear 600 split LED light heads (side facing forward position) and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,102		
5550-0136	Federal Signal LED lower level body warning light package. Includes (6) LED light heads with bezels located (1) each side above area forward of the rear wheel well on hose tray, (1) each side rearward of the rear wheel well and (1) each side on rear of body down low below the taillights (offset outboard).	\$0		
5550-0138	Federal Signal LED lower level cab warning light package. Includes (4) Model 3605 light heads. Lights mounted per NFPA.	\$0		
5550-0139	Whelen Super LED lower level cab warning light package. Includes (2) 600 LED red light heads and (2) 400 LED red light heads with flanges.	\$0		
5550-0140	Whelen Super LED lower level body warning light package. Includes (4) 600 LED red light heads and (2) 500 LED red light heads with flanges.	\$0		
5550-0141	Federal Signal Impaxx LED lower level body warning light package. Includes (6) Impaxx LED light heads with bezels located (1) each side below the forward body compartment (offset rearward), (1) each side below the rearward body compartments (offset rearward) and (1) each side on rear of body down low below the taillights (offset outboard).	\$0		
5550-0142	Federal Signal Impaxx LED lower level cab warning light package. Includes (4) Impaxx LED light heads with bezels located (1) each side of hood area and (1) each side forward facing mounted in grill area.	\$0		
5550-0143	Whelen Super LED lower level cab warning light package. Includes (4) LIN3 LED.	\$0		
5550-0144	Whelen Super LED lower level body warning light package. Includes (6) LIN3 light heads located (1) each side below the forward body compartment (offset rearward), (1) each side below the rearward body compartments (offset rearward) and (1) each side on rear of body down low below the taillights (offset outboard).	\$0		
5550-0145	Federal LED lower level cab warning light package. Includes (4) QL64 QuadraFlare LED light heads with red lenses. Custom ES.	\$0		
5550-0146	Whelen Super LED lower level cab warning light package. Includes (4) 600 Super LED light heads with red lenses. Custom ES.	\$0		
5550-0147	Whelen Super LED lower level warning light package with clear lenses. Includes (4) 600 LED light heads (2-red, 2-blue), (4) 900 LED light heads (2-red, 2-blue) and (2) 500 TIR6 LED light heads (1-red, 1-blue) w/chrome flanges. Locate side facing lights: [#LOC].	\$4,252		
5550-0148	Whelen M6 Super LED lower level warning light package. Includes (6) red M6RC LED light heads with clear lenses and chrome flanges, (4) split red/clear M6D light heads with clear lenses and chrome flanges. See specifications for locations of split lights. Locate side facing lights: [#LOC].	\$4,248		
5550-0149	Whelen M6 Super LED lower level warning light package. Includes (10) red M6R LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,191		
5550-0152	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R red LED light heads with bezels and (2) forward facing QL64SFC-RC split red/clear LED light heads with bezels. Locate side facing lights: [#LOC].	\$3,067		

Item #	Description	Extension	+1/-1	Total
5550-0153	Whelen M series Super LED lower level warning light package with clear lenses. Includes (4) M6 LED light heads (2-red, 2-blue), (4) M9 LED light heads (2-red, 2-blue) and (2) 500 TIR6 LED light heads (1-red, 1-blue) w/chrome flanges. Locate side facing lights: [#LOC].	\$4,583		
5550-0154	Whelen M6 Super LED lower level warning light package. Includes (1) red M6RC LED light head with clear lens and chrome flange, (1) blue M6BC with clear lens and chrome flange and (8) split red/clear M6D light heads with clear lenses and chrome flanges. Locate side facing lights: [#LOC].	\$4,548		
5550-0155	Whelen Super LED lower level warning light package with clear lenses. Includes (8) 600 LED light heads (6 red, 2 blue; (1) forward and (1) rearward facing officer side) and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0158	Federal Signal Viper EXT LED upper level rear warning light package. Includes (9) Viper EXT red LEDs; (5) center upper body rear facing, (2) driver upper body corner side facing and (2) officer upper body corner side facing.	\$2,194		
5550-0159	Whelen M6 Super LED lower level warning light package. Includes (6) M6RC red LED light heads with clear lenses, (2) M9RC red LED light heads with clear lenses and (2) red 500 Super LED light heads w/chrome flanges and clear lenses. Locate side facing lights: [#LOC].	\$4,781		
5550-0160	Whelen M-Series Super LED upper level rear warning light package. Includes (2) red Super LED model M9RC lights with weatherproof connectors and clear lenses. Located rear of body (1) Driver and (1) Officer side upper body..	\$1,366		
5550-0161	Whelen M-Series Super LED upper level side warning light package. Includes (2) red Super LED model M9RC lights with weatherproof connectors and clear lenses. Located side of body (1) on the Driver and (1) on the Officer side upper rear side corners.	\$1,366		
5550-0162	Federal Signal QuadraFlare LED lower level body warning light package. Includes (4) QL64XF-R LED light heads with bezels and (4) red IMPAXX LED light heads. IMPAXX lights shall be located, 1 on the front of the cab each side and 1 as far forward on the front fenders each side. QuadraFlare LED lights shall be located, 2 centrally locate on the body each side and 2 on the rear each side.	\$1,969		
5550-0163	Whelen M6 Super LED lower level warning light package. Includes (8) red/blue M6J LED light heads and (2) red/blue 500 Super LED light heads w/chrome flanges and clear lenses. Locate side facing lights: at forward most position, in rear wheelwell offset to front, and side facing at rear of body in rubrail if equipped.	\$4,137		
5550-0164	Whelen 600 series Super LED lower level warning light package. Includes (10) red LED light heads w/clear lenses and chrome flanges. Locate side facing lights: [#LOC].	\$3,534		
5550-0165	Code 3, LED warning light package, base, Wildland	\$8,350		
5550-0166	Whelen LED warning light package, option. Wildland	\$6,920		
5550-0167	Federal LED warning light package, option, Wildland	\$5,801		
5550-0169	Federal Signal QuadraFlare LED lower level warning light package. Includes (10) QL64XF-B blue LED light heads with bezels. Locate side facing lights: [#LOC].	\$2,956		
5550-0170	Whelen Super LED lower level warning light package. Includes (8) 600 Series (4) red & (4) blue, (2) 400 Series (1) red & (1) blue and chrome flanges alternating in colors. Locate side facing lights: at forward most position, in rear wheelwell offset to front, and on tailboard mounted light box above rear tailboard. Lights will alternate color from light to light. All lights will have clear lenses with colored LEDs.	\$3,534		
5550-0171	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads, (4) blue 600 LED light heads, (1) red 500 LED light head and (1) blue 500 LED light head. Lights to be driver side red, officer side blue; see specification. Locate side facing lights: [#LOC].	\$3,340		
5550-0172	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads, (2) red LIN3 lights and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights at forward most position and in wheelwell offset to the rear. Wetside Tanker Only.	\$2,635		

Item #	Description	Extension	+1/-1	Total
5550-0173	Whelen M6 Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0174	Warning lights facing rearward shall be moved up in place of standard location.	\$0		
5550-0175	Federal Signal QuadraFlare/Viper EXT LED lower level warning light package. Includes (12) QL64XF-NYPD LED light heads with chrome bezels and (2) Viper EXT LED light heads. Light color and locations; Front: QL64 white Inboard and red outboard of upper quad bezel. Side facing: (1) Viper EXT model VPX802-5-NYPD white each side of gravel shield, (1) QL64 red each side above cab wheel well, (1) QL64 red each side L1/R1 primary door low offset forward, (1) QL64 red each side L2/R2 secondary door low offset rearward and (1) QL64 red each side L4/R4 secondary door low offset rearward. Side facing lights to recessed (except bumper mounted and over cab wheel well). No rear facing in package.	\$6,029		
5550-0176	Federal Signal QuadraFlare LED upper level warning light package. Includes (10) QL97XF-R-NYPD red LED light heads with chrome bezels and (2) QL97XF-B-NYPD blue LED light heads with chrome bezels. Light locations; Side facing: (1) red each side forward upper body corners below quartz light in recess, (1) red each side rearward upper body corners below quartz light in recess, (1) red each side upper centered below quartz light in recess. Rear facing: (1) red each side up high inboard of Whelen scene lights, (1) red each side above rear tail lights and (1) blue above the lower red warning lights.	\$5,912		
5550-0177	Federal Signal Impaxx/Quadraflare LED lower level warning light package. Includes (4) Impaxx LED light heads with bezels and (4) QL64XF-R LED light heads with bezels. Location: (1) Impaxx each side forward facing, (1) Impaxx each side forward side facing, (1) Quadraflare each side in rear wheel well offset rearward and (1) Quadraflare each side facing rearward.	\$2,219		
5550-0178	Whelen Super LED lower level warning light package with clear lens. Includes (8) red 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0179	Whelen LED 4/2/2 lower level warning light package. Includes (4) 600 series and (2) 400 series light heads and (2) LIN3 series light w/weatherproof connectors. Locate (2) Whelen 400 series lights forward facing, (2) Whelen LIN3 series on forward side face, (2) Whelen 600 series on tailboard mounted light box above rear tailboard w/weatherproof connectors and (2) Whelen 600 series rear facing. Locate per NFPA 1901.	\$3,560		
5550-0180	Whelen M6 Super LED lower level warning light package. Includes (10) red M6 LED light heads w/clear lenses and chrome flanges. Locate side facing lights: [#LOC].	\$4,191		
5550-0181	Whelen Super LED lower level warning light package with clear lenses. Includes (8) red/clear M6 split LED light heads and (2) split red/clear M2 LED light heads w/chrome flanges. State of Maryland only. Locate side facing lights: [#LOC].	\$4,588		
5550-0182	Whelen LED lower level warning light package. Includes (10) red LIN3 lights w/chrome flanges. Locate side facing lights: [#LOC].	\$2,018		
5550-0183	Whelen M6 Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red TIR3 LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0184	Color modification for Whelen Super LED lower level warning light package. Color: all red except two (2) forward facing cab lights shall be split lens red/clear.	\$0		
5550-0185	Whelen Super LED lower level warning light package. Includes ten (10) 600 light heads w/chrome flanges on all ten (10) lights. Color: all red except two (2) forward facing cab lights shall be split lens red/clear. Locate side facing lights: [#LOC].	\$3,340		
5550-0186	Whelen M Series Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0187	Whelen Super LED lower level warning light package. Includes (2) red 600 LED light heads, (2) red LIN3 lights and (4) red 500 LED light heads w/chrome flanges. Locate side facing lights: at forward most position, and side facing at rear of body in rubrail if equipped.	\$2,521		



Item #	Description	Extension	+1/-1	Total
5550-0188	Whelen M6 Super LED lower level warning light package. Includes (6) red M6R and (4) blue M6B LED light heads w/chrome flanges. See specifications for color locations. Locate side facing lights: [#LOC].	\$4,191		
5550-0189	Whelen Super LED lower level warning light package. Includes (7) red 600 LED light heads, (1) blue 600 LED light heads and (2) red 500 LED light heads. Locate side facing lights: [#LOC].	\$3,340		
5550-0190	Federal Signal QuadraFlare LED lower level warning light package. Includes (5) QL64XF-R LED light heads with bezels and (5) QL64XF-B LED light heads with bezels. Lights to alternate red/blue around unit; see specificaton. Locate side facing lights: [#LOC].	\$2,956		
5550-0191	Weldon Diamondback V46/V79 LED lower level warning light package. Includes (8) red V46 LED light heads w/clear lenses and (2) red V79 LED light heads w/clear lenses. Locate side facing lights: [#LOC].	\$4,212		
5550-0192	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R LED light heads with bezels and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0193	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels and (4) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,458		
5550-0194	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XF-R LED light heads, (4) QL64XF-B LED light heads, (1) IMPAXX LED model IPX302-3 light head and (1) IMPAXX LED model IPX302-4 light head. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$2,697		
5550-0197	Weldon Diamondback LED lower level warning light package. Includes (4) red V46 LED light heads w/clear lenses, (4) red V79 LED light heads w/clear lenses and (2) red V26 LED light heads w/clear lenses. Locate side facing lights: [#LOC].	\$4,715		
5550-0198	Federal Signal level warning light package, IMPAXX LED. Includes (10) red model IPX302-4 w/ bezel (chrome). Locate side facing lights: [#LOC].	\$1,921		
5550-0199	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$2,672		
5550-0200	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R LED light heads with bezels. Locate side facing lights: [#LOC].	\$2,366		
5550-0201	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels (chrome) and (2) IMPAXX LED model IPX302-4 light heads with bezels (chrome). Locate side facing lights: [#LOC].	\$2,648		
5550-0202	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R LED light heads with bezels (chrome) and (2) IMPAXX LED model IPX302-4 light heads with bezels (chrome). Locate side facing lights: [#LOC].	\$2,648		
5550-0203	Whelen LED 4/4 lower level warning light package. Includes (4) 600 series and (4) LIN3 series light heads w/weatherproof connectors. Locate (2) Whelen LIN3 series lights forward facing, (2) Whelen LIN3 series on forward side face, (2) Whelen 600 series in wheelwell and (2) Whelen 600 series rear facing. Locate per NFPA 1901.	\$2,760		
5550-0204	Whelen 600 series Super LED lower level warning light package. Includes (8) red LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$2,829		
5550-0205	Whelen M6 Super LED lower level warning light package. Includes (8) red M6R LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,354		
5550-0206	Whelen M6 Super LED lower level warning light package. Includes (6) red M6R LED light heads w/chrome flanges and (2) M2R LED light heads with chrome flanges. Locate side facing lights: [#LOC].	\$3,102		
5550-0207	Whelen Super LED lower level warning light package. Includes (5) red 600 LED light heads (1) blue 600 LED light head at rear officer side and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,388		
5550-0208	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XF-R LED light heads with bezels (chrome) and (8) IMPAXX LED model IPX302-4 light heads with bezels (chrome). Locate side facing lights: [#LOC].	\$2,877		
5550-0209	Federal Signal LED lower level cab warning light package. Includes IPX302-4 light heads with bezels (chrome) located (1) each side of hood area and (1) each side QL64XF-R with bezels (chrome) forward facing mounted in grill area.	\$0		

Item #	Description	Extension	+1/-1	Total
5550-0210	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) Quadraflare light heads, (7) QL64XF-R (red) LED lights and (1) QL64XF-B (blue) LED light with bezels and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0211	Whelen Super LED lower level warning light package with clear lenses. Includes (8) 600 LED light heads (4 red driver's side, 4 blue officer's side) and (2) 500 LED light heads (1 red driver's side, 1 blue officer's side)w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0212	Whelen 900 series Super LED upper level rear panel warning light package. Includes (2) Whelen 900 Super LED lights with clear lens. (1) red model 90RRF5CR driver's side and (1) blue model 90BBF5CR officer's side. Includes weatherproof connectors. Located upper rear corners.	\$1,303		
5550-0213	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads, (2) red LIN3 lights and (2) red 500 LED light heads w/chrome flanges and clear lenses. Locate side facing lights: [#LOC].	\$3,340		
5550-0214	Whelen Super LED lower level warning light package with clear lens. Includes (7) red 600 LED light heads, (1) blue 600 LED light heads and (2) red 500 LED light heads. Locate side facing lights: [#LOC].	\$3,340		
5550-0215	Whelen 900 series Super LED upper level side warning light package with clear lens. Includes (2) red Whelen 900 Super LED lights. Includes weatherproof connectors. Located (1) on the driver and (1) on the officer side upper rear body panels.	\$1,303		
5550-0216	Whelen 900 series Super LED upper level rear panel warning light package with clear lens. Includes (1) red, (1) blue Whelen 900 Super LEDs lights. Includes weatherproof connectors. Located (1) red on driver and (1) blue on officer upper rear corners.	\$1,303		
5550-0217	Federal Signal QuadraFlare LED lower level warning light package. Includes (2) QL64XF-R LED light heads with bezels (chrome) and (6) IMPAXX LED model IPX302-4 light heads with bezels (chrome). Locate side facing lights: [#LOC].	\$2,290		
5550-0218	Federal Signal IMPAXX LED lower level warning light package. Includes (10) IPX302 [#COL] LED light heads w/chrome bezels. Locate side facing lights: [#LOC].	\$1,650		
5550-0219	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads,(2) blue 600 LED light heads, (2) red LIN3 lights and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0220	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels and (4) IMPAXX LED model IPX602-R light heads. Locate side facing lights: [#LOC].	\$2,955		
5550-0221	Whelen M6 Super LED lower level warning light package. Includes (4) red M6RC LED light heads, (2) split red/clear M6D light heads and (2) red Vertex VTX609R LED light heads w/chrome flanges. See specification for location of split lights. Locate side facing lights: [#LOC].	\$4,226		
5550-0222	Federal Signal QuadraFlare LED upper level warning light package. Includes (8) QL64XF-R LED light heads with bezels. Locate side facing lights: [#LOC].	\$2,366		
5550-0223	Whelen 900 series Super LED upper level side warning light package. Includes (2) red Whelen 900 Super LED model 90RRF5RR lights. Includes weatherproof connectors. Located (1) on the driver and (1) on the officer side upper forward side corners.	\$1,303		
5550-0224	Whelen LED 4/4 lower level warning light package. Includes (4) 600 series and (4) LIN3 series light heads w/weatherproof connectors. Locate (2) Whelen LIN3 series lights forward facing (driver red, officer blue), (2) red Whelen LIN3 series on forward side face, (2) red Whelen 600 series in wheelwell and (2) Whelen 600 series rear facing (driver red, officer blue). Locate per NFPA 1901.	\$2,760		
5550-0225	Whelen M6 Super LED lower level warning light package. Includes (8) red M6RC LED light heads with clear lens and (2) red M2RC LED light heads with clear lens. Locate side facing lights: [#LOC].	\$3,720		
5550-0226	Whelen LED lower level warning light package. Includes (8) red LIN3 lights w/chrome flanges. Locate side facing lights forward point most practical location and rear most practical location (in rub rail if applicable).	\$1,557		

Item #	Description	Extension	+1/-1	Total
5550-0227	Whelen M6/M7/600/IONWR Super LED lower level warning light package. Includes (2) red M6R LED light heads, (4) split red/clear M7D light heads, (2) 600 Series Super LED light heads, Red with clear lenses and (2) red IONWR LED light heads. See specification for location of split lights. Locate side facing lights: [#LOC].	\$4,386		
5550-0228	Whelen M Series Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red M7R LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0229	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XF-R LED light heads with bezels and (6) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,458		
5550-0230	Whelen LED 4/4 lower level warning light package with red lights and clear lenses. Includes (4) 600 series and (4) LIN3 series light heads w/weatherproof connectors. Locate (2) Whelen LIN3 series lights forward facing, (2) Whelen LIN3 series on forward side face, (2) Whelen 600 series in wheelwell and (2) Whelen 600 series rear facing. Locate per NFPA 1901.	\$2,760		
5550-0231	Federal Signal IMPAXX LED lower level body warning light package. Includes (8) IMPAXX LED light heads with bezels. IMPAXX lights shall be located, (1) on the front of the cab each side and (1) as far forward on the front fenders each side, (2) centrally located on the body each side and (2) on the rear compartment face each side. Mini Pumper Only.	\$1,576		
5550-0232	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XFC-R LED light heads with bezels, (4) QL64SFC-RC LED light heads with bezels and (2) IMPAXX LED model IPX300-4 light heads. See specification for detail of lighting locations. Locate side facing lights: at forward most position, centered in rear wheel well, and side facing at rear of body in rubrail if equipped.	\$3,430		
5550-0233	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads, (2) red LIN3 lights and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0234	Whelen M6RC Super LED lower level warning light package. Includes (8) red M6RC LED light heads and (2) red 500 Super LED light heads w/chrome flanges and clear lenses. Locate side facing lights: [#LOC].	\$3,720		
5550-0235	Code 3 NFPA warning light package. Includes X58A red/blue lightbar, (8) 65 LED lights (4 red, 4 blue), (2) LXEX1F LED lights (1 red, 1 blue) and (2) 550 rotators (1 red, 1 blue)	\$525		
5550-0236	Whelen M6 Super LED lower level warning light package. Includes (6) red M6R LED light heads, (2) blue M6B LED light heads (1 officer front and 1 officer rear facing) and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0237	Whelen LED lower level cab warning light package. Includes light heads with bezels located (1) each side facing on hood or at forward most point as practical and (1) each side forward facing mounted in grill area.	\$0		
5550-0238	Federal Signal QuadraFlare LED lower level warning light package. Includes (3) QL64XF-R LED light heads, (3) QL64XF-B LED light heads, (2) IMPAXX LED model IPX302-3 light head and (2) IMPAXX LED model IPX302-4 light head. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$2,697		
5550-0239	Whelen Super LED lower level body warning light package. Includes (2) 600 series light heads located forward facing on grill and (8) LIN3 light heads located (1) each side of cab forward most point (as applicable) (1) each side below the forward body compartment (offset rearward), (1) each side below the rearward body compartments (offset rearward) and (1) each side on rear of body down low below the taillights (offset outboard).	\$0		
5550-0240	Whelen Super LED lower level warning light package. Includes (8) red 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0241	Whelen M6 Super LED lower level warning light package. Includes (6) M6R red LED light heads, (2) M9R red LED light heads and (2) red M2R red Super LED light heads. Locate side facing lights: [#LOC].	\$4,781		
5550-0242	Whelen Super LED lower level warning light package. Includes (8) 600 LED light heads (6) Red/Blue (2) Red /White with clear lenses and (2) red 500 LED light heads with clear lenses and chrome flanges. Locate side facing lights: [#LOC].	\$3,775		
5550-0243	Whelen M Series Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red M7R LED light heads. Locate side facing lights: [#LOC].	\$3,720		

Item #	Description	Extension	+1/-1	Total
5550-0244	(Do not use. Will not meet NFPA requirements)Whelen M6 Super LED lower level warning light package. Includes (8) split red/clear M6D LED light heads and (2) red TIR3 LED light heads. Locate side facing lights: [#LOC].	\$3,938		
5550-0245	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads, (4) blue 600 LED light heads, (1) red 500 LED light head and (1) blue 500 LED light head all with clear lenses. Lights to be driver side blue, officer side red; see specification. Locate side facing lights: [#LOC].	\$3,340		
5550-0246	Whelen Super LED lower level cab warning light package. Includes (4) LIN3 LED (2) red driver side and (2) blue officer side.	\$0		
5550-0247	Whelen Super LED lower level body warning light package. Includes (6) LIN3 light heads (5 red, 1 blue) located (1) each side below the forward body compartment (offset rearward), (1) each side below the rearward body compartments (offset rearward) and (1) each side on rear of body down low below the taillights (offset outboard).	\$0		
5550-0248	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (8) QL64XF-R LED light heads with bezels and (2) IMPAXX LED model IPX300-4 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0249	Whelen M6 Super LED lower level warning light package. Includes (5) red M6R LED light heads, (2) M6J split red/blue LED light heads, (1) blue M6B LED light head (officer front) and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$4,213		
5550-0250	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads, (4) red LIN3 lights and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$2,877		
5550-0251	Whelen 600 series Super LED lower level warning light package. Includes (10) LED light heads w/chrome flanges. (5) Red, (5) blue alternating. Locate side facing lights: [#LOC].	\$3,534		
5550-0252	Whelen 600 series Super LED lower level warning light package. Includes (8) red LED light heads with clear lenses and (2) split red/blue LED light heads with clear lenses. Locate side facing lights: [#LOC].	\$3,596		
5550-0253	Whelen M-Series Super LED upper level rear warning light package. Includes (2) Super LED M9 series lights, (1) red Super LED model M9RC light on the officer side, (1) blue Super LED model M9BC light on the driver side with weatherproof connectors and clear lenses. Located (1) Driver and (1) Officer upper rear corners.	\$1,366		
5550-0254	Whelen M6 Super LED lower level warning light package. Includes (4) red M6RC LED light heads with clear lenses and chrome flanges, (4) split red/clear M6D light heads with clear lenses and chrome flanges and (2) red M2RC LED light heads. See specifications for locations of split lights. Locate side facing lights: [#LOC].	\$4,218		
5550-0255	Whelen 900 series Super LED upper level rear panel warning light package with clear lens. Includes (2) red Whelen 900 Super LEDs lights, model 90RR5FCR. Includes weatherproof connectors. Located Rear of body (1) driver and (1) officer upper rear corners.	\$1,303		
5550-0256	Federal Signal QuadraFlare LED upper level rear warning light package. Includes (2) QL97XF (1) blue and (1) red LED light heads with bezels. Located (1) blue on the driver and (1) red on the officer side of upper rear corners.	\$1,029		
5550-0257	Whelen M6 Super LED lower level warning light package. Includes (10) red/blue M6J LED light heads w/chrome flanges and clear lenses. Locate side facing lights: [#LOC].	\$4,137		
5550-0258	Whelen M6 Super LED lower level warning light package. Includes (4) red M6R LED light heads, (4) blue M6B LED light heads, (1) red M2R LED light head and (1) blue M2B LED light head. Driver side red, officer side blue. Locate side facing lights: [#LOC].	\$3,720		
5550-0259	Federal Signal Impaxx LED lower level cab warning light package. Includes (6) Impaxx LED light heads with bezels located (1) each side of hood area, (1) each side forward facing mounted in grill area and (1) each side of the gravel shield.	\$0		
5550-0260	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XF-R LED light heads, (4) QL64XF-B LED light heads, (1) IMPAXX LED model IPX302-3 light head and (1) IMPAXX LED model IPX302-4 light head. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$2,697		

Item #	Description	Extension	+1/-1	Total
5550-0261	Whelen M6 Super LED lower level warning light package. Includes (10) M6RC red LED with clear lens light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,191		
5550-0262	Whelen M6 Super LED lower level warning light package. Includes (10) blue M6B LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,191		
5550-0263	Whelen Super LED lower level warning light package with clear lenses. Includes (6) red M6RC LED light heads w/chrome flanges, (4) red M9RC led light heads. Locate side facing lights: at forward most position, in rear wheelwell offset to front, and on tailboard mounted light box above rear tailboard.	\$4,916		
5550-0264	Power Arc LED 4/2/2/2 red/white/blue/yellow lower level warning light package. Includes (4) P14SM, (2) M90DHL (1-WR, 1-BW), (2)M90FK and (2) LED210. See specifications for exact locations and colors. Locate side facing lights: [#LOC].	\$6,692		
5550-0265	Whelen M6 Super LED lower level warning light package. Includes (4) red M6R LED light heads, (4) blue M6B LED light heads, (1) red M2R LED light head and (1) blue M2B LED light head. Alternate red/blue around unit. Locate side facing lights: [#LOC].	\$3,720		
5550-0266	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels, (2) QL64SFC-WR and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$3,387		
5550-0267	Whelen Super LED lower level warning light package. Includes (8) red 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0268	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads and (4) red TIR3 LED light heads surface and grommet mounted. Locate side facing lights: [#LOC].	\$3,181		
5550-0269	Federal Signal QuadraFlare LED lower level warning light package. Includes (5) QL64XF-R LED light heads with bezels, (3) QL64XF-B LED light heads with bezels and (2) QL64XF-A LED light heads with bezels. Lights to located as per specificaton. Locate side facing lights: [#LOC].	\$2,956		
5550-0270	Federal Signal Impaxx LED lower level body warning light package. Includes (6) Impaxx LED light heads with bezels located (1) each side below the forward body compartment (offset forward), (1) each side below the rearward body compartments (offset rearward) and (1) each side on rear of body down low below the taillights (offset outboard).	\$743		
5550-0271	Whelen Super LED lower level body warning light package. Includes (6) LIN3 light heads located (1) each side below the forward body compartment (offset forward), (1) each side below the rearward body compartments (offset rearward) and (1) each side on rear of body down low below the taillights (offset outboard).	\$650		
5550-0272	Federal Signal Impaxx LED lower level cab warning light package. Includes (4) Impaxx LED light heads wiith bezels located (1) each side of hood area and (1) each side forward facing mounted in grill area.	\$498		
5550-0273	Whelen Super LED lower level cab warning light package. Includes (4) LIN3 LED.	\$434		
5550-0274	Federal Signal QuadraFlare LED lower level warning light package. Includes (7) QL64XF-R LED light heads, (1) QL64XF-G light head and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,962		
5550-0275	Whelen M6 Super LED lower level warning light package. Includes (6) red M6R LED light heads and (4) red M2R LED light heads. Locate side facing lights: [#LOC].	\$3,543		
5550-0276	Code3 LED 6/2/2 lower level warning light package. Includes (8) model 65 red LED and (2) LXEX1F red LED lights all with clear lenses. Includes chrome bezels where applicable. Locate side facing lights: [#LOC].	\$3,722		
5550-0277	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (8) QL64XFC-R red LED light heads with bezels and (2) IMPAXX LED model IPX600-B blue light heads. Locate side facing lights: [#LOC].	\$2,721		
5550-0278	Federal Signal QuadraFlare LED lower level warning light package. Includes (7) QL64XF-R LED, (1) QL64XF-B LED light head with bezel (driver rear facing), and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: at forward most position, centered in rear wheel well, and side facing at rear of body in rubrail if equipped.	\$2,648		
5550-0279	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels and (4) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,458		

Item #	Description	Extension	+1/-1	Total
5550-0280	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-B LED light heads with bezels and (2) IMPAXX LED model IPX302-3 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0281	Whelen M6 Super LED lower level warning light package. Includes (6) red M6R LED light heads, (2) red 600 LED light heads and (2) red TIR3 LED light heads. Locate side facing lights: [#LOC].	\$3,554		
5550-0282	Whelen M6 Super LED lower level warning light package. Includes (8) red M6R and (2) blue M6B LED light heads w/chrome flanges. See specifications for color locations. Locate side facing lights: [#LOC].	\$4,191		
5550-0283	Code3 LED 8/2 red/blue lower level warning light package. Includes (8) model 65 LED and (2) LXEX1F LED lights. See specification for exact locations. Includes chrome bezels where applicable. Locate side facing lights: [#LOC].	\$3,722		
5550-0284	Whelen 900 series Super LED upper level rear panel warning light package, (1) with red lens and (1) with blue lens. Includes weatherproof connectors. Located (1) blue on driver and (1) red on officer upper rear corners.	\$1,303		
5550-0285	Whelen M6 Super LED lower level warning light package. Includes (7) red M6R LED light heads, (1) green M6G and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$3,779		
5550-0286	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (6) QL64SFC-RR LED light heads with bezels, (2) QL64SFC-WR and (2) IMPAXX LED model IPX300-4 light heads. See specification for exact locations. Locate side facing lights: [#LOC].	\$3,512		
5550-0287	Whelen Super LED lower level warning light package. Includes (6) red M6R LED light heads, (2) red 600 LED light heads and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0288	Whelen Super LED lower level warning light package. Includes (6) 600 LED light heads; (3) red/(3) blue, (2) 900 LED light heads; (1) red/(1) blue and (2) 500 LED light heads; (1) red/(1) blue w/chrome flanges. See specifications for exact locations of lights. Locate side facing lights: [#LOC].	\$3,510		
5550-0289	Whelen M6/M7/M2/M9 Super LED lower level warning light package with clear lenses. Includes (2) red M6RC LED light heads, (4) red M7RC light heads, (2) red M2RC LED light heads and (2) red M9RC LED light heads. See specification for exact locations lights. Locate side facing lights: [#LOC].	\$4,349		
5550-0290	Whelen M6 Super LED lower level warning light package. Includes (6) red M6RC LED light heads, (2) split red/amber M6K light heads and (2) red M2RC LED light heads. Locate side facing lights: [#LOC].	\$4,108		
5550-0291	Whelen Super LED lower level warning light package. Includes (6) red M6RC LED light heads with clear lenses, (2) red 600 LED light heads with clear lenses and (2) red M2RC LED light heads with clear lenses. Locate side facing lights: [#LOC].	\$3,720		
5550-0292	Whelen M6 Super LED lower level warning light package. Includes (8) red M6RC LED light heads with clear lens and (2) red TIR3 LED light heads. Locate side facing lights: [#LOC].	\$3,628		
5550-0293	Whelen Super LED lower level warning light package with clear lenses. Includes (8) red 600 LED light heads and (2) red TIR3 LED light heads grommet mounted. Locate side facing lights: [#LOC].	\$3,181		
5550-0294	Whelen Super LED lower level warning light package with clear lenses. Includes (8) red/blue M6J split LED light heads and (2) split red/blue M2J LED light heads. Locate side facing lights: [#LOC].	\$4,588		
5550-0295	Whelen M6 Super LED lower level warning light package. Includes (6) red M6RC LED light heads, (2) red 6RBRC Rota-Beam LED and (2) red M2RC LED light heads with clear lenses. Locate side facing lights: [#LOC].	\$4,398		
5550-0296	Whelen LED upper level rear warning light package. Includes (1) rear facing Dominator Plus model DP88000 red and (2) 700 series Super LED; (1) driver upper body corner side facing and (1) officer upper body corner side facing.	\$2,559		
5550-0297	Whelen M series Super LED lower level warning light package. Includes (4) M6R red LED light heads, (4) M9 (2 red, 2 amber) LED light heads and (2) red M2R red Super LED light heads. Locate side facing lights: [#LOC].	\$4,737		
5550-0298	Whelen M6 Super LED lower level warning light package. Includes (6) M6RC red LED light heads, (2) M9 (1 red, 1 blue) LED light heads w/clear lenses and (2) red M2RC red Super LED light heads. Locate side facing lights: [#LOC].	\$4,781		
5550-0299	Whelen M6 Super LED lower level warning light package. Includes (7) red M6R and (3) blue M6B LED light heads w/chrome flanges. See specifications for color locations. Locate side facing lights: [#LOC].	\$4,191		

Item #	Description	Extension	+1/-1	Total
5550-0300	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XF-R LED light heads with bezels and (6) IMPAXX LED model IPX302-4 light heads with bezels. Locate side facing lights: [#LOC].	\$2,458		
5550-0301	Whelen LED lower level warning light package with clear lenses. Includes (4) 600 Super LED red light heads with bezels and (6) LIN3 LED red light heads with bezels. Locate side facing lights: [#LOC].	\$2,740		
5550-0302	Federal Signal QuadraFlare LED lower level cab warning light package. Includes (4) QL64XF-R LED light heads with bezels.	\$1,265		
5550-0303	Whelen LED lower level cab warning light package with clear lenses. Includes (4) 600 Super LED red light heads with bezels.	\$1,489		
5550-0304	Whelen M6 Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red PSR00FRR Super LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,720		
5550-0305	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels, (2) QL64SFC-WR and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$3,387		
5550-0306	Whelen Super LED lower level warning light package. Includes (8) red 600 LED light heads and (2) red 500 LED light heads w/black flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0307	Whelen M6 Super LED lower level warning light package. Includes (8) red M6RC LED light heads with clear lens and (and (2) red TIR3 LED light heads grommet mounted with clear lenses. Locate side facing lights: [#LOC].	\$3,720		
5550-0308	Federal Signal QuadraFlare LED lower level warning light package. Includes (2) QL64SFC-RC LED split lens light heads with bezels (4) QL64XF-R LED light heads with bezels and (4) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: at forward most position, centered in rear wheel well, and side facing at rear of body in rubrail if equipped.	\$2,552		
5550-0309	Whelen Super LED lower level warning light package. Includes (6) 600 LED light heads, (4 red, 2 blue) and (4) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0310	Whelen M6 Super LED lower level warning light package. Includes (6) M6RC red LED light heads, (2) M9RC red LED light heads (rear facing) and (2) red M2RC red Super LED light heads. Locate side facing lights: [#LOC].	\$4,781		
5550-0311	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (7) red M6RC LED light heads, (1) blue M6BC light head and (2) blue M2BC LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0312	Whelen M6 Super LED lower level warning light package. Includes (4) M6RC red LED light heads, (2) M9RC red LED light heads and (4) red M2RC red Super LED light heads. Locate side facing lights: [#LOC].	\$4,709		
5550-0313	Whelen Super LED lower level warning light package with clear lenses. Includes (8) 600 LED light heads (1 red, 7 blue) and (2) blue 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0314	Whelen Super LED lower level warning light package with clear lens. Includes (5) red 600 LED light heads, (3) blue 600 LED light heads and (2) red 500 LED light heads. Locate side facing lights: [#LOC].	\$3,340		
5550-0315	Power Arc LED 4/4/2 lower level warning light package. Includes 210LED-1B frt dr side, 210LED-2R frt off side, 210LED-2R rr dr side, 210LED-1B rr off side and (4) P14SM; (2) red, (2) blue. Locate side facing lights: [#LOC].	\$4,995		
5550-0316	Whelen M6 Super LED lower level warning light package. Includes (8) red M6RC LED light heads with clear lens and (2) red PSR00FRR LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0317	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (4) M6V2 (2 red, 2 blue) LED light heads (4) M6 (2 red, 2 blue) LED light heads and (2) TIR3 (1 red, 1 blue) LED light heads. See specifications for exact locations. Locate side facing lights: [#LOC].	\$5,562		
5550-0318	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads, (2) red M6V2R LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,413		
5550-0319	Whelen Super LED lower level warning light package with clear lenses. Includes (4) 600 LED light heads (2-red, 2-blue), (4) 600 split LED light heads (2-red/clear, 2-red/blue) and (2) 500 split red/blue TIR6 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,486		

Item #	Description	Extension	+1/-1	Total
5550-0320	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads. (2) blue 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0321	Federal Signal QuadraFlare LED lower level warning light package. Includes (2) QL64XF-R red LED light heads, (4) QL64SFC-RC split red/clear LED light heads, (2) QL64XF-B LED (rear facing) light heads and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$3,062		
5550-0322	Power Arc LED 4/2/2/2 red/white/blue/yellow lower level warning light package. Includes (2)P14SM, (2)M90DHL(1-WR, 1-BW), (2)M90FK, (2)LED210 and (2)PP2-R. See specifications for exact locations and colors. Locate side facing lights: [#LOC].	\$6,692		
5550-0323	Whelen Super LED lower level warning light package with clear lenses. Includes (8) red/blue 600 split LED light heads and (2) TIR3 (1 red, 1 blue) LED light heads w/chrome flanges. Locate side facing lights: at forward most position, centered in rear wheel well, and side facing at rear of body in rubrail if equipped.	\$3,795		
5550-0324	Whelen 600 series Super LED lower level warning light package. Includes (5) driver red LED light heads w/chrome flanges and (5) officer blue LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,534		
5550-0325	Whelen M6 Super LED lower level warning light package. Includes (4) red M6R LED light heads, (4) red 6RBR Rota-Beam LED and (2) red 5V1R LED light heads. Locate side facing lights: [#LOC].	\$5,085		
5550-0326	Whelen M6 Super LED lower level warning light package. Includes (6) red M6R LED light heads, (2) split red/clear M6D LED light heads and (2) red TIR3 LED light heads. Locate side facing lights: [#LOC].	\$3,607		
5550-0327	Whelen LED lower level warning light package. Includes (10) LIN3 lights (driver red, officer blue) w/chrome flanges. Locate side facing lights: [#LOC].	\$2,018		
5550-0328	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (6) red M6RC LED light heads, (2) blue M6BC LED light heads (1 officer front and 1 officer rear facing) and (2) red TIR3 LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0329	Whelen Super LED lower level warning light package. Includes (6) red M6R LED light heads, (2) blue M6B LED light heads and (2) red TIR6 series Super LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,191		
5550-0330	Federal Signal QuadraFlare LED lower level warning light package. Includes (9) QL64XF-R LED light heads with bezels and (1) QL64XF-B LED light head with bezel. Locate side facing lights: at forward most position, in rear wheelwell offset to front, and on tailboard mounted light box above rear tailboard.	\$2,956		
5550-0331	Whelen Super LED lower level warning light package with clear lenses. Includes (8) red 600 LED light heads and (2) WIOND split red/clear LED light heads grommet mounted. Locate side facing lights: [#LOC].	\$3,296		
5550-0332	Federal Signal QuadraFlare LED lower level warning light package. Includes (7) QL64XF-R (red) LED lights and (1) QL64XF-B (blue) LED light with bezels and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0333	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads and (4) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0334	Whelen Super LED 4/2/2/2 lower level warning light package with clear lenses. Includes (4) M6RC red, (2) M9D split red/clear, (2) M7RC red and (2) M2RC red LED light heads w/weatherproof connectors. See specification for exact light locations. Locate side facing lights: [#LOC].	\$4,201		
5550-0335	Whelen M6 Super LED lower level warning light package. Includes (4) red M6RC LED light heads, (2) split red/clear M6D light heads, (2) red 6RBRC Rota-Beam LED and (2) red M2RC LED light heads with clear lenses. Locate side facing lights: [#LOC].	\$4,451		
5550-0336	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (7) red M6RC LED light heads, (1) green M6GC and (2) red M2R CLED light heads. Locate side facing lights: [#LOC].	\$3,779		
5550-0337	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (7) QL64SFC-RR LED light heads with bezels, (1) QL64SFC-GR and (2) Viper EXT LED model VPX800-4 light heads. See specification for exact locations. Locate side facing lights: [#LOC].	\$3,512		



Item #	Description	Extension	+1/-1	Total
5550-0338	Whelen Super LED lower level warning light package with clear lenses. Includes (4) red M6RC LED light heads w/chrome flanges, (6) red M9RC led light heads. Locate side facing lights: [#LOC].	\$5,651		
5550-0339	Whelen M6 Super LED lower level warning light package. Includes (6) M6RC red LED light heads, (2) M9RC red LED light heads (side facing) and (2) red M2RC red Super LED light heads. Locate side facing lights: [#LOC].	\$4,781		
5550-0340	Whelen Super LED lower level warning light package with clear lenses. Includes (4) red 600 LED light heads, (4) blue 600 LED light heads, (1) red 500 LED light head and (1) blue 500 LED light head. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$3,340		
5550-0341	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (4) red M6V2RC LED light heads, (4) red M6RC LED light heads and (2) red M2RC LED light heads. Locate side facing lights: [#LOC].	\$5,773		
5550-0342	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XF-R LED light heads, (4) QL64XF-B LED light heads, (1) IMPAXX LED model IPX302-3 light head and (1) IMPAXX LED model IPX302-4 light head. Driver red, officer blue. Locate side facing lights: [#LOC].	\$2,697		
5550-0343	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (8) QL64XF-R LED light heads with bezels and (2) IMPAXX LED model IPX300-4 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0344	Whelen M6 Super LED lower level warning light package. Includes (6) red M6R LED light heads and (4) red 6RBR Rota-Beam LED light heads. Locate side facing lights: [#LOC].	\$4,812		
5550-0345	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels and (4) IMPAXX LED model IPX602-R light heads. Locate side facing lights: [#LOC].	\$2,955		
5550-0346	Whelen 600 Super LED lower level warning light package. Includes (6) red 600 LED light heads, (2) red 6RBR Rota-Beam LED and (2) red 500 LED light heads. Locate side facing lights: [#LOC].	\$4,063		
5550-0347	Whelen Super LED lower level warning light package. Includes (10) 600 light heads w/chrome flanges on all (10) lights. Color: (9) Red and (1) Amber. Locate side facing lights: [#LOC].	\$3,340		
5550-0348	Federal Signal QuadraFlare LED lower level warning light package. Includes (4) QL64XF-R LED light heads with bezels, (2) QL64SFC-RC LED light heads with bezels and (4) IMPAXX LED model IPX300-4 light heads. See specification for detail of lighting locations. Locate side facing lights: [#LOC].	\$2,858		
5550-0349	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (2) red M6V2RC LED light heads (4) red M6RC LED light heads, (2) split red/clear M6D LED light heads and (2) red M2RC LED light heads. Locate side facing lights: [#LOC].	\$4,903		
5550-0350	Whelen M6 Super LED lower level warning light package. Includes (4) red M6RC LED light heads with clear lenses and chrome flanges, (2) split red/clear M6D light heads with clear lenses, (2) split red/clear M7D light heads with clear lense and chrome flanges and (2) red M2RC LED light heads. See specifications for locations of split lights. Locate side facing lights: [#LOC].	\$4,218		
5550-0351	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (2) red M6V2RC LED light heads (4) red M6RC LED light heads, (2) split red/clear M6D LED light heads and (2) red M2RC LED light heads. Locate side facing lights: [#LOC].	\$4,903		
5550-0352	Whelen Super LED lower level warning light package with clear lenses. Includes (8) 600 LED light heads (6 red,2 blue; (1) forward and (1) rearward facing driver side) and (2) blue 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0353	Whelen M6 Super LED lower level warning light package. Includes (6) M6RC LED light heads, (2) M6V2RC LED light heads and (2) TIR3 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,660		
5550-0354	Whelen M Series Super LED lower level warning light package. Includes (8) red M6RC LED light heads and (2) red M2RC LED light heads with clear lenses. Locate side facing lights: [#LOC].	\$3,720		

Item #	Description	Extension	+1/-1	Total
5550-0355	Federal Signal Impaxx LED lower level warning light package. Includes (10) Impaxx LED light heads with bezels located (1) each side of hood area, (1) each side forward facing mounted in grill area, (1) each side below the forward body compartment (offset rearward), (1) each side below the rearward body compartments (offset rearward) and (1) each side on rear of body down low below the taillights (offset outboard).	\$2,179		
5550-0356	Whelen LED lower level warning light package. Includes (9) red LIN3 lights, (1) blue LIN3 light w/chrome flanges. Locate side facing lights: [#LOC].	\$2,018		
5550-0357	Code3 Prizm II model 468R red LED lower level warning light package with chrome bezels (as applicable). Includes (10) LED lights. Locate side facing lights: [#LOC].	\$3,429		
5550-0358	Code3 Prizm II model 468CR red LED lower level warning light package with chrome bezels (as applicable) and clear lenses. Includes (10) LED lights. Locate side facing lights: [#LOC].	\$3,429		
5550-0359	Code3 Prizm II 8/2 red LED lower level warning light package. Includes (8) model 468R red LED and (2) model LXEX1F-R red LED. Locate side facing lights: [#LOC].	\$3,362		
5550-0360	Code3 Prizm II 8/2 red LED lower level warning light package with clear lenses. Includes (8) model 468CR red LED and (2) model LXEX1F-R red LED. Locate side facing lights: [#LOC].	\$3,362		
5550-0361	Whelen Super LED lower level warning light package with clear lenses. Includes (6) red 600 LED light heads and (4) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0362	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (5) QL64XFC-R LED light heads with bezels and (5) QL64XFC-B LED light heads with bezels. Lights to alternate red/blue around unit; see specificaton. Locate side facing lights: [#LOC].	\$2,956		
5550-0363	Whelen Super LED lower level warning light package with clear lenses. Includes (4) red 600 LED light heads, (4) blue 600 LED light heads, (1) red 500 LED light head and (1) blue 500 LED light head. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$3,340		
5550-0364	Whelen 600 series Super LED lower level warning light package with clear lenses. Includes (5) red LED light heads w/chrome flanges and (5) blue LED light heads w/chrome flanges. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$3,534		
5550-0365	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (6) QL64XFC-R LED light heads with bezels and (4) IMPAXX LED model IPX300-4 light heads. Locate side facing lights: [#LOC].	\$2,458		
5550-0366	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (4) QL64XFC-R LED light heads, (4) QL64XFC-B LED light heads, (1) IMPAXX LED model IPX300-3 light head and (1) IMPAXX LED model IPX300-4 light head. Lights to alternate red/blue around unit; see specification. Locate side facing lights: [#LOC].	\$2,697		
5550-0367	Federal Signal level warning light package, IMPAXX LED. Includes (10) red model IPX300-4 w/ bezel (chrome) and clear lenses. Locate side facing lights: [#LOC].	\$1,921		
5550-0368	Whelen M6 Super LED lower level warning light package. Includes (6) red M6J split red/blue LED light heads with clear lenses and chrome flanges and (2) M2J split red/blue LED light heads with clear lenses and chrome flanges. Locate side facing lights: [#LOC].	\$3,191		
5550-0369	Whelen Super LED lower level warning light package. Includes (8) 600 LED light heads (6 red, 2 blue rear facing) and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0370	Whelen M6 Super LED lower level warning light package. Includes (6) red M6RC LED light heads with clear lenses and chrome flanges, (2) split red/clear M6D light heads with clear lenses and chrome flanges and (2) M2RC red light heads with clear lenses. See specifications for location of split lights. Locate side facing lights: [#LOC].	\$4,075		
5550-0371	Whelen M6 Super LED lower level warning light package. Includes (6) red M6RC LED light heads with clear lenses and chrome flanges, (2) split red/clear M6D light heads with clear lenses and chrome flanges and (2) WIONR red light heads with clear lenses. See specifications for location of split lights. Locate side facing lights: [#LOC].	\$4,075		

Item #	Description	Extension	+1/-1	Total
5550-0372	Whelen Super LED lower level warning light package. Includes (8) 600 LED light heads (7 red,1 blue rear facing driver side) and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0373	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (8) QL64XF-R LED light heads with bezels and (2) IMPAXX LED model IPX300-4 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0374	Whelen M6 Super LED lower level warning light package. Includes (4) M6RC red LED light heads, (2) M9RC red LED light heads, (2) M2RC red Super LED light heads & (2) M4RC red light heads. Locate: M4 side facing lights at forward most position, M6 side facing lights in wheelwell off set forward & M2 aft side facing lights in rub rail.	\$4,736		
5550-0375	Whelen M6 Super LED lower level warning light package. Includes (8) red M6RC LED light heads with clear lens and (2) red WIONR LED light heads. Locate side facing lights: [#LOC].	\$3,926		
5550-0376	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R LED light heads with bezels and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$2,648		
5550-0377	Whelen 600 series Super LED lower level warning light package with clear lenses. Includes (9) red LED light heads w/chrome flanges and (1) blue LED light head w/chrome flange. Locate side facing lights: [#LOC].	\$3,534		
5550-0378	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (6) red M6RC LED light heads, (2) split red/clear M6D LED light heads and (2) red TIR3 LED light heads. Locate side facing lights: [#LOC].	\$3,607		
5550-0379	Whelen Super LED lower level warning light package with clear lenses. Includes (6) red/clear M6 split LED light heads, (2) red M6 LED light heads and (2) split red/clear Micron LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,588		
5550-0380	Whelen M series Super LED lower level warning light package. Includes (4) red 600 Super LED light heads, (4) red M6V2R LED light heads and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$5,428		
5550-0381	Whelen M6 Super LED lower level warning light package. Includes (4) red M6V2R LED light heads, (4) red M6 (3R/1B) LED light heads and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$5,773		
5550-0382	Whelen M6 Super LED lower level warning light package. Includes (6) red M6RC LED light heads with clear lenses, (2) red 600 LED light heads with clear lenses and (2) WIOND split red/clear light heads with clear lenses grommet mounted. Locate side facing lights: [#LOC].	\$4,075		
5550-0383	Whelen M6 Super LED lower level warning light package. Includes (4) red M6V2R LED light heads, (4) red M6R LED light heads and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$5,773		
5550-0384	Whelen M6 Super LED lower level warning light package. Includes (4) red M6V2R LED light heads, (4) red M6R LED light heads and (2) red 5V1R LED light heads. Locate side facing lights: [#LOC].	\$6,087		
5550-0385	Federal Signal QuadraFlare LED lower level warning light package. Includes (6) QL64XF-R LED light heads with bezels, (2) QL97XF-R and (2) IMPAXX LED model IPX302-4 light heads. Locate side facing lights: [#LOC].	\$3,387		
5550-0386	Whelen M6 Super LED lower level warning light package. Includes (2) red M6V2R LED light heads, (4) split red/clear M6D LED light heads with clear lenses, (2) red M6R LED light heads and (2) red M2R LED light heads. See specifications for exact locations. Locate side facing lights: [#LOC].	\$4,971		
5550-0387	Whelen Super LED lower level warning light package. Includes (4) red 600 LED light heads, (4) red 6RBR Rota-Beam LED and (2) red TIR6 LED light heads. Locate side facing lights: [#LOC].	\$4,581		
5550-0388	Whelen M6 Super LED lower level warning light package. Includes (6) red M6V2R LED light heads and (4) red M6R LED light heads. Locate side facing lights: [#LOC].	\$6,920		
5550-0389	Whelen M6 Super LED lower level warning light package. Includes (2) red M6V2R LED light heads, (6) red M6R LED light heads and (2) red M2R LED light heads. Locate side facing lights: [#LOC].	\$4,660		
5550-0390	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R LED light heads with bezels and (2) Micro Pulse model MPS1200U-RR LED light heads. Locate side facing lights: [#LOC].	\$2,751		
5550-0391	Whelen M6 Super LED lower level warning light package. Includes (5) red M6R LED light heads, (3) blue M6B light heads and (2) red M2R LED light heads. See specifications for exact locations. Locate side facing lights: [#LOC].	\$3,720		

Item #	Description	Extension	+1/-1	Total
5550-0392	Whelen 600 series Super LED lower level warning light package. Includes (8) red LED light heads w/chrome flanges and clear lenses. Locate side facing lights: [#LOC].	\$2,829		
5550-0393	Whelen Super LED lower level warning light package. Includes (6) red 600 LED light heads. (2) blue 600 LED light heads and (2) red 500 LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,340		
5550-0394	Whelen M6 Super LED lower level warning light package. Includes (8) red M6RC LED light heads and (2) red 6RBRC Rota-Beam LED with clear lenses. Locate side facing lights: [#LOC].	\$4,452		
5550-0395	Whelen M6 Super LED lower level warning light package. Includes (4) split red/blue M6J LED light heads, (2) red M6RC LED light heads, (2) blue M6BC LED light head and (2) red M2RC LED light heads with clear lenses. See specifications for exact locations of lighting. Locate side facing lights: [#LOC].	\$4,284		
5550-0396	Whelen M6 Super LED lower level warning light package. Includes (7) red M6R LED light heads, (1) blue M6B light head and (2) blue M2B LED light heads. Locate side facing lights: [#LOC].	\$3,720		
5550-0397	Power Arc LED 4/2/2 red/white/blue lower level warning light package with clear lenses. Includes (2) MP13-BW, (2) M90DHL (1-WR, 1-BW) and (4) M90 (3 red, 1 blue). See specifications for exact locations and colors. Locate side facing lights: at forward most position and centered in rear wheel well.	\$5,670		
5550-0398	Federal Signal QuadraFlare LED lower level warning light package. Includes (8) QL64XF-R LED light heads, (1) QL64XF-B LED light head and (1) QL64XF-A LED light head with bezels. Locate side facing lights: [#LOC].	\$2,956		
5550-0399	Whelen M6 Super LED lower level warning light package with clear lenses. Includes (6) red M6V2RC LED light heads, (2) red M6RC LED light heads and (2) red M2RC LED light heads. Locate side facing lights: [#LOC].	\$6,325		
5550-0400	Whelen Super LED lower level warning light package with clear lenses. Includes (8) red/blue 600 split LED light heads and (2) red/blue 500 split LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$4,199		
5550-0401	Whelen M6 Super LED lower level warning light package. Includes (8) red M6R LED light heads and (2) red Micron Super LED light heads w/chrome flanges. Locate side facing lights: [#LOC].	\$3,720		
5550-0402	Federal Signal QuadraFlare LED lower level warning light package with clear lenses. Includes (6) QL64XFC-R red LED light heads with bezels, (2) QL64XFC-RC split red/clear LED light heads with bezels and (2) IMPAXX LED model IPX300-4 light heads. Locate side facing lights: [#LOC].	\$2,782		
5600-0001	Beacon light [#COL] 4 bulb rotator shall be installed [#LOC].	\$524		
5600-0002	Warning light Whelen 600 series strobe (PR) [#COL]. Requires power pack or option with spare power pack outlets. Includes weatherproof connectors. Requires engineering approval for NFPA applications. Location(s): [#LOC]	\$527		
5600-0005	Warning light Whelen 700 series strobe (PR) [#COL]. Requires power pack or option with spare power pack outlets. Includes weatherproof connectors. Requires engineering approval for NFPA applications. Location(s): [#LOC]	\$521		
5600-0008	Warning light Whelen 900 series strobe (PR) [#COL]. Requires power pack or option with spare power pack outlets. Includes weatherproof connectors. Requires engineering approval for NFPA applications. Location(s): [#LOC]	\$527		
5600-0011	Whelen power supply model UPS64LX 4Place 75Watt strobe.	\$679		
5600-0012	Whelen power supply model ISP148 eight (8) place 140watt strobe.	\$1,591		
5600-0013	Whelen power supply model ISP188 eight (8) place 180watt strobe.	\$1,702		
5600-0014	Warning light Whelen 400 series LED (PR) red. Surface mounted. Includes weatherproof connectors. Location: [#LOC]	\$631		
5600-0015	Warning light Whelen 400 series LED (PR) blue. Surface mounted with weatherproof connectors. Location: [#LOC] Requires engineering approval for NFPA applications.	\$1,290		
5600-0016	Warning light Whelen 500 series LED (PR) amber. Location: [#LOC] Surface mounted with weatherproof connector. Requires engineering approval for NFPA applications.	\$516		
5600-0017	Warning light Whelen 500 series LED (PR) red. Surface mounted with weatherproof connector. Location: [#LOC]	\$516		
5600-0018	Warning light Whelen 500 series LED (PR) blue. Location: [#LOC] Surface mounted with weatherproof connector. Requires engineering approval for NFPA applications.	\$888		

Item #	Description	Extension	+1/-1	Total
5600-0019	Warning light Whelen 500 series LED (PR) green. Location: [#LOC] Surface mounted with weatherproof connector. Requires engineering approval for NFPA applications.	\$1,218		
5600-0020	Warning light Whelen 600 series LED (PR) amber. Location: [#LOC] Surface mounted with weatherproof connector. Requires engineering approval for NFPA applications.	\$919		
5600-0021	Warning light Whelen 600 series LED (PR) red. Surface mounted with weatherproof connector. Location: [#LOC]	\$919		
5600-0022	Warning light Whelen 700 series LED (PR) red. Surface mounted with weatherproof connector. Location: [#LOC]	\$804		
5600-0023	Warning light Whelen 900 series LED (PR) amber. Location: [#LOC] Surface mounted with weatherproof connector. Requires engineering approval for NFPA applications.	\$1,663		
5600-0024	Warning light Whelen 900 series LED (PR) red. Surface mounted with weatherproof connector. Location: [#LOC]	\$1,663		
5600-0025	Warning light Whelen 600 series halogen (PR) [#COL]. Includes weatherproof connectors. Requires engineering approval for NFPA applications. Location(s): [#LOC]	\$426		
5600-0027	Warning light Whelen 900 series halogen (PR) [#COL]. Includes weatherproof connectors. Requires engineering approval for NFPA applications. Location(s): [#LOC]	\$426		
5600-0029	Code3 Model 550 rotating (PR) with [#COL] domes. Location: [#LOC].	\$455		
5600-0030	Code3 Model #550/#41. Includes (2) #550's with red domes and (2) #41 lights with [#COL] lenses. Total four (4) lights at rear upper. Location of Model 550 lights: [#LOC].	\$1,172		
5600-0031	Code 3 / PSE Oscilaser warning light (PR). Lights are to be located on front of cab in the inboard position of the quad bezel.	\$706		
5600-0032	Code3 model #85BZR red LED warning light with chrome bezel (PR). Location: [#LOC]	\$1,767		
5600-0033	Whelen beacon with halogen rotator and 700 series strobe (PR) Model B6R with red domes and [#COL] strobes. Location [#LOC]. Requires power pack.	\$1,006		
5600-0034	Federal model SY12FS Sentry (PR) with [#COL] domes. Location: [#LOC].	\$456		
5600-0036	Federal model IVP100 Vector pod (PR) with [#COL] domes. Location: [#LOC].	\$543		
5600-0038	Federal Model IVP200F Vector pod warning light (PR) with [#COL] filters. Location: [#LOC].	\$591		
5600-0040	Whelen beacon Model RB6PAP (PR) with amber lenses. Located one (1) each side at rear. Location: [#LOC]	\$555		
5600-0041	Warning light Federal Signal GS2 strobe (PR) [#COL]. Requires power pack or option w/spare power pack outlets. Requires engineering approval for NFPA applications. Location(s): [#LOC].	\$508		
5600-0046	Warning light Federal Signal GH1F halogen (PR) [#COL]. Location(s): [#LOC]	\$381		
5600-0048	Warning light Federal Signal GL5 LED (PR) red. Location: [#LOC]	\$752		
5600-0049	Warning light Federal Signal GS5 strobe (PR) [#COL]. Requires power pack or option w/spare power pack outlets. Requires engineering approval for NFPA applications. Location(s): [#LOC]	\$464		
5600-0051	Warning light Federal Signal GL5 LED (PR) amber. Location: [#LOC].	\$776		
5600-0052	Federal Signal SPS4-NFPA (4) place 90 watt strobe power supply. Required when using Federal Signal strobes.	\$674		
5600-0053	Federal Signal SPS8-NFPA (8) place 192 watt strobe power supply. Required when using Federal Signal strobes.	\$1,199		
5600-0061	Mars 888 pedestal mounted traffic clearing light on front of cab centered below windshield. Lens color: clear.	\$1,114		
5600-0062	Warning light Roto Ray 200 with red lenses. N/A on commercial chassis. Locate on front of cab centered below windshield.	\$1,924		
5600-0063	Warning light Roto Ray 200 with (2) red and (1) clear lenses. N/A on commercial chassis. Locate on front of cab centered below windshield.	\$1,924		
5600-0066	Whelen beacon Model 1200 self contained strobe with [#COL] dome (EA). Location: [#LOC].	\$451		
5600-0067	Federal Signal Model #100 beacon (PR) with [#COL] domes. Location: [#LOC].	\$581		
5600-0071	Whelen 900 Series Bezel (PR) shall be installed [#LOC]	\$185		
5600-0072	Whelen 600 Series Bezel (PR) shall be installed [#LOC]	\$172		
5600-0073	Whelen 700 Series Bezel (PR) shall be installed [#LOC]	\$172		

Item #	Description	Extension	+1/-1	Total
5600-0074	Opticom Emitter 3M #792H. Emitter and control only. Wire through parking brake. Location: [#LOC].	\$3,559		
5600-0075	Opticom Emitter 3M #592 Chrome. Emitter and dash control only. Wire through parking brake. Location: [#LOC].	\$4,229		
5600-0078	Whelen Super LED beacon (PR) model L31H with [#COL] domes. Location [#LOC].	\$2,198		
5600-0079	Whelen beacon with halogen rotator and 700 series LED (PR) Model B6TM with red domes and [#COL] LEDs. Location [#LOC].	\$1,665		
5600-0080	Whelen beacon with LED upper beacon and 700 series Super LED (PR) model B6LED with red domes and [#COL] LEDs. Location: [#LOC].	\$3,368		
5600-0081	Code 3 / PSE Oscilaser warning light clear (PR). Lights are to be located on front of cab above quad bezels.	\$740		
5600-0083	Warning light Code3 LXEX1F-R LED (PR). Surfaced mounted with clear lens. Location: [#LOC]	\$838		
5600-0084	Federal model #100 beacon (EA) with [#COL] dome. Location: [#LOC].	\$296		
5600-0085	Tomar strobe preemption emitter with chrome housing. Includes pedestal mount and switch accessible to driver. Wire through parking brake. Location: [#LOC].	\$1,738		
5600-0086	Whelen beacon model RB6T (PR) with [#COL] domes. Location: [#LOC].	\$473		
5600-0087	Warning light Code 3 65BZA LED (PR) amber. Surface mounted with bezel. Location: [#LOC]	\$677		
5600-0088	Warning light Code 3 65BZR LED (PR) Red. Surface mounted with bezel. Location: [#LOC]	\$677		
5600-0089	Warning Light Code3 model #65BZRW split red/clear LED with chrome bezel (PR). Location: [#LOC].	\$888		
5600-0090	Warning light Federal Signal QuadraFlare QL64XF LED (PR) red. Surface mounted with bezel. Location: [#LOC].	\$715		
5600-0092	Opticom Emitter 3M #792HF. Emitter with filter and control only. Wire through parking brake. Location: [#LOC].	\$3,559		
5600-0093	Whelen beacon with halogen rotator and 700 series scene (PR) Model B6TH*Z1P. Dome color: [#COL]. Location [#LOC].	\$1,404		
5600-0094	Warning light Federal Signal QL64XF LED (PR) amber. Surface mounted with bezel. Location: [#LOC].	\$715		
5600-0095	Federal Ultrastar [#COL] beacon. Location [#LOC].	\$320		
5600-0098	Warning light Whelen 600 series Super LED (PR) amber. Location: [#LOC].	\$712		
5600-0099	Warning light Whelen 600 series Super LED (PR) red. Location: [#LOC].	\$712		
5600-0100	Warning light Whelen 600 series Super LED (PR) blue with clear lens. Location: [#LOC].	\$712		
5600-0101	Whelen beacon with halogen rotator and 700 series LED (PR) Model B6TM with amber dome on driver side, red dome officer side and [#COL] LEDs. Location [#LOC].	\$1,665		
5600-0104	Warning light Whelen 700 series LED (PR) red. Surface mounted with weatherproof connector. Location: [#LOC]	\$804		
5600-0105	Hazard (door ajar) light 2" LED. Location: [#LOC].	\$42		
5600-0106	Warning light Roto Ray LED with (2) red and (1) clear lights. Locate on front of cab centered below windshield.	\$3,267		
5600-0107	Warning light Roto-Ray LED with red lenses. Locate on front of cab centered below windshield.	\$3,267		
5600-0108	Light Code 3 model 2118-NFPA-2 (PR). Located one each side on rear upper of body.	\$2,151		
5600-0109	Warning light Whelen 500 series LED (4) red. Surface mounted with weatherproof connector. Flashing lights wired through door ajar. Location: One on each of the interior cab doors (outboard position).	\$1,028		
5600-0111	Warning light Whelen 600 series Super LED (PR) white with clear lens. Location: [#LOC].	\$805		
5600-0112	Warning light Whelen 600 series LED (PR) blue. Surface mounted. Location: [#LOC]	\$1,056		
5600-0113	Code 3 Optix 3 LED lights. Locate (1) each side at rear mounted to upper rear warning light brackets. Lights to be amber and switched with the upper rear warning lights.	\$746		
5600-0114	Tomar RECT-79S (4) two red, two blue and one 780-1228-WP power supply. Includes RECT-79-SMFP chrome bezels. Lights to be located one each side at rear above tail lights (drv side blue, ofc side red) and one each side at rear up high (drv side red, ofc side blue). Lights to flash in an "X" pattern.	\$2,521		
5600-0115	Tomar RECT-46 LED (PR) one red, one blue. Includes Tomar 930DM-LED-LB flasher and RECT-46LBZ chrome bezels. Locate up high on rear of body just below compartment top (drv side red, ofc side blue). Lights to flash in an "X" pattern with the lower level warning lights.	\$1,172		
5600-0117	Whelen Ultra Freedom Micro Edge LED (PR) model MCFLED25 clear lens with red LEDs. Location [#LOC].	\$2,287		

Item #	Description	Extension	+1/-1	Total
5600-0118	Warning light Whelen 500 series TIR6 Super LED (PR) red. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC].	\$601		
5600-0119	Code 3 LED module and body lower level warning lights. Locate 45BZR red with clear lenses (1) each side below pump module, (1) each side centered in rear wheel well and (1) each in rubrail below L3/R3 offset rearward. Locate 65BZR red with clear lenses (1) each side rear compartment face mounted in taillight bezel.	\$1,524		
5600-0121	Upper rear warning lights. Code 3 MX718A1 (Pr). Clear Upper / Clear Lower lens with (1) 50W standard and (1) 50W fast red rotators. The Optix LED module to be amber drivers side and red officers side. (1) takedown light each side will activate when truck is in reverse and when the scene light switch is activated. Location: (1) each side rearward on roof top compartments	\$1,770		
5600-0122	Light Code 3 model 2122NFPA1 (PR) 22.5" long. Red LED with clear lens. Location: one each side on rear body compartment top.	\$4,550		
5600-0123	Warning light Code 3 LXEX2F-AA LED (PR) amber. Surface mounted with bezel. Location: (1) each side rear compartment face up high	\$912		
5600-0124	Warning light Code 3 LXEX1F-R LED (PR) red. Surface mounted with bezel. Location: [#LOC]	\$828		
5600-0125	Code3 model 780 LED flasher. Flasher will control lower level warning lights ipo multiplexing	\$1,937		
5600-0126	Body Whelen strobe power supply located in R1 on rear wall just below offset.	\$142		
5600-0128	Warning light Whelen 600 series split Super LED (PR) red/amber. Location: [#LOC]	\$922		
5600-0129	Warning light Whelen 600 series split Super LED (PR) red/clear. Location: [#LOC].	\$992		
5600-0130	Whelen model UFM8 LED flasher (PR). Flashers will control lower level warning lights ipo internal flashers. Locate (1) in cab and (1) in body.	\$1,311		
5600-0131	Light Whelen model PSR00FRR LED (PR) red. Location: [#LOC].	\$453		
5600-0132	Warning light Federal Signal QL64XF LED (PR). (1) red and (1) green. Location: Red driver and green officer in front quad inboard of NFPA warning light	\$953		
5600-0133	Warning light Whelen 900 series Super LED model 90RR5FRR (PR) red. Location: [#LOC].	\$1,398		
5600-0134	Warning light Whelen 600 series LED red/clear. Surface mounted with weatherproof connector(PR). Location: [#LOC]	\$924		
5600-0135	Whelen Super LED beacon Model L31H with [#COL] domes. Location [#LOC].	\$705		
5600-0137	Warning light Whelen 700 series Super LED (PR) red/clear. Surface mounted with weatherproof connector. Location: [#LOC]	\$936		
5600-0138	Warning light Whelen LIN3 series Super LED (PR) red with clear lens. Surface mounted RFLANGCD bezel with weatherproof connector. Location: [#LOC]	\$448		
5600-0139	Whelen beacon with LED upper beacon and 700 series Super LED (PR) model B6LED with red LEDs/clear domes and [#COL] LEDs/clear lenses. Location: [#LOC].	\$3,368		
5600-0140	Warning light circuit wiring through chassis reverse. All warning lights.	\$91		
5600-0141	Lights warning Tomar LED red/white(clear) Rect-37L Series (PR). [#LOC].	\$769		
5600-0142	Warning light Whelen 900 series Super LED model 90RA5FCR (PR) split red (bottom) / amber (top) with clear lenses. Location: [#LOC]	\$1,398		
5600-0143	Warning lights Whelen 600 series Super LED (PR) red w/clear lens. Location: [#LOC].	\$712		
5600-0144	Warning light Whelen 500 series TIR6 Super LED (PR) blue. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC]	\$601		
5600-0147	Warning light Whelen 600 series LED (PR). Red driver, blue officer surface mounted with weatherproof connector. Location: [#LOC]	\$988		
5600-0149	Hazard (door ajar) light, 2.5" incandescent. Location: [#LOC].	\$0		
5600-0151	Whelen Ultra Freedom Micro Edge LED (PR) (1) driver Model MCFLED25 clear lense with red LEDs and (1) officer MCFLED22 clear lense with blue LEDs. Requires additional upper level warning lights to meet NFPA. Location: [#LOC].	\$2,450		

Item #	Description	Extension	+1/-1	Total
5600-0152	Warning light Whelen 500 series LED (PR) green. Includes switch on pump panel labeled "Ready for Water" Location: (1) centered between grille and windshield on slope, (1) driver side (inside of beavertail if so equipped) up high below hosebed opposite officer discharge.	\$917		
5600-0153	Warning light Whelen 600 series split Super LED (PR) red/blue driver, red/amber officer. Location: [#LOC].	\$922		
5600-0154	Warning light Whelen 600 series Super LED (PR). Red driver, blue officer surface mounted with weatherproof connector. Location: [#LOC].	\$712		
5600-0156	Warning light Federal Signal QL64XF LED (PR) green. Surface mounted with bezel. Location: [#LOC].	\$787		
5600-0157	Federal Model SY12FS Sentry with green dome. Includes switch on driver overhead. Location: pole mounted center rear cab roof.	\$462		
5600-0160	Warning light Federal Signal QL97XF LED (PR) red. Surface mounted with bezel (if applicable). Location: [#LOC].	\$1,029		
5600-0161	Warning light Federal Signal QL97XF LED (PR) amber. Surface mounted with bezel (if applicable). Location: [#LOC]	\$1,029		
5600-0162	Warning light Federal Signal QL64XF LED (PR) blue. Surface mounted with bezel. Location: [#LOC].	\$715		
5600-0164	Warning light Federal Signal QL64XF LED (PR) white. Surface mounted with bezel. Location: [#LOC].	\$827		
5600-0165	Warning light Whelen 500 series Super Linear LED (PR) green. Location: [#LOC].	\$634		
5600-0166	Warning light Whelen 600 series Super LED (PR) green. Location: [#LOC].	\$938		
5600-0168	Fed QuadraFlare QL97SC-RA Red/Amber split color LED lights located on rear of body up high. Red on top on left side and bottom on right side to simulate "X" pattern. Includes external flasher.	\$1,286		
5600-0169	Warning light Whelen 900 series Super LED driver side amber / officer side red model 90AA5FAR / 90RR5FRR. Location: [#LOC].	\$1,398		
5600-0171	Warning light Whelen LIN3 series Super LED (PR) amber with clear lens. Surface mounted RFLANGCD bezel with weatherproof connector. Location: [#LOC]	\$448		
5600-0172	Warning light Whelen 900 series Super LED model 90AA5FAR (PR) amber. Location: [#LOC].	\$1,398		
5600-0174	Warning light Whelen 900 series Super LED model 90RR5FRR (2) (PR) red. Location: (1) each side rear compartment face up high and (1) each side mounted to the side body towards rear. All wired as part of upper rear warning lights.	\$2,874		
5600-0175	Warning light Whelen 700 series Super LED (PR) red. Location: [#LOC].	\$712		
5600-0176	Mars 888 pedestal mounted traffic clearing lights with clear lenses located one each side of cab above outer quad bezel.	\$2,225		
5600-0177	Whelen model UFM8 LED flasher (3). Flashers will control warning lights ipo internal flashers. Locate (1) in cab and (2) in body.	\$1,965		
5600-0178	Warning light Whelen 400 series TIR Super LED (PR) white. Surface mounted 4TSMAC bezel. Location: [#LOC].	\$721		
5600-0179	Warning light Whelen 400 series TIR Super LED (PR) Red. Surface mounted 4TSMAC bezel. Location: [#LOC].	\$657		
5600-0181	Warning light Federal Signal Model 360501 LED w/ bezel (PR). Surfaced mounted with blue driver and red officer lenses. Location: [#LOC].	\$661		
5600-0182	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with amber domes and [#COL] LEDs. Location [#LOC]	\$3,368		
5600-0183	Warning light Whelen 600 series Super LED (PR). blue driver, green officer surface mounted with weatherproof connector. Location: [#LOC].	\$826		
5600-0184	Warning light Federal Signal QL64XF LED (PR). (1) red driver, (1) blue officer. Surface mounted with bezel. Location: [#LOC]	\$715		
5600-0185	Federal Model IVP100 Vector pod (PR) located at the rear cab corners. Driver side to be amber with switch on driver's switch panel and automatically turn off when warning lts are on. Officer side to be blue with switch on driver's switch panel.	\$909		
5600-0187	Warning light Federal Signal QL97XF LED (PR). (1) red driver, (1) blue officer. Surface mounted with bezel (if applicable). Location: [#LOC].	\$1,029		



Item #	Description	Extension	+1/-1	Total
5600-0188	Federal Ultrastar LED beacon. Location [#LOC], color will be [#COL].	\$352		
5600-0189	Federal Intelli model 650205 LED flasher (PR). Flashers will control lower level warning lights ipo internal flashers. Locate (1) in cab and (1) in body.	\$1,039		
5600-0190	Warning light Whelen 600 series Super LED (PR). Blue driver, amber officer surface mounted with weatherproof connector. Location: [#LOC].	\$712		
5600-0191	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with amber driver and red officer domes and [#COL] LEDs. Location [#LOC].	\$3,368		
5600-0192	Warning light Weldon Diamondback V26W-C00R LED (PR) red w/ clear lenses. Location: [#LOC].	\$551		
5600-0193	Warning light Weldon Diamondback V46W-C00R LED (PR) red w/ clear lenses. Location: [#LOC].	\$675		
5600-0194	Whelen Super LED beacon Model L11H with amber dome. Includes switch in cab accessible to the driver. Location: center of rear cab roof.	\$974		
5600-0195	Code3 model XP9501NFPA1 (PR) red LED with clear domes. Location: [#LOC].	\$2,418		
5600-0196	Fed QuadraFlare QL64SC-RC Red/White split color LED lights in ptd smooth plt alum box above the grille. Red on top on left side and bottom on right side to simulate "X" pattern. Wired to lower zone lighting and switched off with parking brake. Includes ext flasher.	\$1,901		
5600-0197	Warning light Whelen 600 series Super LED (PR). red driver, green officer surface mounted with weatherproof connector. Location: [#LOC].	\$826		
5600-0198	Whelen PE215 emitter. Emitter and control only. Wire through parking brake. Location: [#LOC].	\$1,024		
5600-0199	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with red driver and blue officer domes and [#COL] LEDs. Location [#LOC].	\$3,368		
5600-0200	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with red driver and amber officer domes and [#COL] LEDs. Location [#LOC].	\$3,368		
5600-0201	Warning light Whelen 900 series Super LED model 90RB5FCR (PR) split red / blue with clear lense. Location: [#LOC].	\$1,398		
5600-0202	Warning light Weldon Diamondback V46W-C00R LED (PR) red w/ clear lenses. Includes diamond plate mounting box. Location: [#LOC].	\$1,088		
5600-0203	Federal Model SY12FS Sentry (PR)- red driver/amber officer. Location: Upper rear tank.	\$0		
5600-0204	Whelen beacon Model RB6 (PR)- red driver/amber officer. Location: upper rear tank.	\$0		
5600-0205	Warning light Federal Signal GL1F-B LED (PR) blue. Location: [#LOC].	\$677		
5600-0206	Whelen Micro 400 Super LED (PR) model MC40ED3. Driver side red with red lenses, officer side red side facing with red lenses side and forward; amber rear facing with amber lens. Location [#LOC].	\$2,923		
5600-0208	Warning light Whelen 600 series 24V Super LED (PR) blue with clear lens. Location: [#LOC] Mounted with 6EFLANGE	\$848		
5600-0209	Warning light Whelen 600 series Super LED (PR) [#COL] with clear lens. Location: [#LOC]	\$712		
5600-0210	Whelen Ultra Freedom Micro Edge LED (PR) Model MCFLED25 clear lense with red LEDs. Location each side at top rear of body.	\$0		
5600-0211	Hazard (door ajar) light .75" LED red. Location: [#LOC].	\$0		
5600-0212	Lights warning Tomar LED Blue/white(clear) Rect-37L Series (PR). Location: a (PR) on front bumper and a (PR) on the rear bumper	\$769		
5600-0213	Whelen beacon with halogen rotator and 700 series LED (PR) Model B6TM with red dome on driver side, amber dome officer side and [#COL] LEDs. Location [#LOC].	\$1,665		
5600-0215	Power Arc (PR) Model LED210 yellow with clear lenses. Location: [#LOC].	\$1,475		
5600-0216	Warning light Whelen M9 series Super LED (PR) red. Location: [#LOC].	\$1,611		
5600-0217	Power Arc (PR) Model LED210 red with clear lenses. Location: [#LOC].	\$1,475		

Item #	Description	Extension	+1/-1	Total
5600-0218	Warning light Whelen 600 series strobe (PR) Red. Requires power pack or option with spare power pack outlets. Includes weatherproof connectors. Requires engineering approval for NFPA applications. Location(s): Driver's and Officer's side bumper next to headlights.	\$527		
5600-0219	Warning light Whelen 600 series strobe (PR) Red. Requires power pack or option with spare power pack outlets. Includes weatherproof connectors. Requires engineering approval for NFPA applications. Location(s): Driver's and Officers Side Rear Bumper	\$527		
5600-0220	Warning light Federal Signal Dual Viper. Blue light and blue lens cover. Location: mount in front of rear view mirror	\$418		
5600-0221	Warning light Whelen LIN3 series Super LED (4) red with clear lens. Surface mounted RFLANGCD bezel with weatherproof connector. Location: 2 each side of ford logo on the front grill above and below center brush guard bar.	\$892		
5600-0222	Whelen Super LED beacon Model L31H pole mounted with green dome. Includes switch in officer overhead labeled "Command". Location: center of cab roof to rear of lightbar.	\$1,094		
5600-0223	Warning light Code 3 378ABZ LED (PR) amber. Surface mounted with bezel. Location: [#LOC].	\$805		
5600-0225	Code3 Model #550 (PR) - red driver/amber officer. Location: upper rear tank.	\$0		
5600-0226	Warning light Federal Signal Model 360501-04 LED w/ bezel (PR). Surfaced mounted with red lens. Location: [#LOC].	\$473		
5600-0227	Warning light Whelen 600 series Super LED (PR). Red driver, blue officer surface mounted with clear lenses and weatherproof connector. Location: [#LOC].	\$712		
5600-0228	Warning light Whelen 900 series Super LED (PR) with clear lenses. (1) model 90RR5FCR red driver and (1) model 90BB5FCR blue officer. Each light shall have a clear lense w/ colored LEDs. Location: [#LOC].	\$1,398		
5600-0229	Warning light Whelen 500 series TIR6 Super LED (PR) red driver, blue officer with clear lenses. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC]	\$601		
5600-0230	Warning light Whelen 600 series Super LED (PR) blue with blue lens. Location: [#LOC].	\$712		
5600-0231	Warning light Whelen 600 series Super LED (EA) red. Location: below scene light on driver rear compt face.	\$358		
5600-0232	Federal Model SY12FS Sentry (PR)- red driver/amber officer. Location: Upper rear body.	\$0		
5600-0233	Whelen beacon Model RB6 (PR)- red driver/amber officer. Location: upper rear body.	\$0		
5600-0234	Warning light Whelen Dominator series LED model D844000 red driver/blue officer with clear lenses. Location: [#LOC]. Wire through lower level warning.	\$1,070		
5600-0235	Hazard (Occupant Detection System) light. Whelen M4 Super LED. Center in overhead console.	\$303		
5600-0236	Whelen beacon with LED upper beacon and 700 series Super LED (PR) model B6LED with blue driver and red officer domes and [#COL] LEDs. Location: [#LOC].	\$3,368		
5600-0237	Warning light Whelen M7RC Linear Super LED (PR) red with clear lense. Location: [#LOC].	\$790		
5600-0238	Warning light Whelen 600 series Super LED (PR). (1) red steady burn front driver side below windshield and (1) flashing amber driver side above tail lights to meet California DOT requirements.	\$712		
5600-0239	Whelen Ultra Freedom Micro Edge LED (PR) Model MCFLED25 clear lense with red LEDs. Location: (1) each side at rear of tank.	\$1,787		
5600-0240	Warning light Whelen M4R LED (4) red. Surface mounted with weatherproof connector. Flashing lights wired through door ajar. Location: One on each of the interior cab doors (outboard position).	\$1,408		
5600-0241	Warning light Whelen M6R series Linear Super LED (PR) red. Location: [#LOC].	\$813		
5600-0242	Warning light Whelen M6 series Linear Super LED (PR) split red/amber with clear lens. Location: [#LOC].	\$891		
5600-0243	Warning light Whelen 500 series split TIR6 Super LED (PR) red/amber. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC].	\$688		
5600-0244	Whelen Micro 400 Super LED (PR) model MC40ED3. Driver side red with clear lenses, officer side red side facing with clear lenses side and forward; amber rear facing with clear lens. Location [#LOC].	\$2,923		
5600-0245	Warning light Federal Signal QL64XF LED (PR) red with clear lens. Surface mounted with bezel. Location: [#LOC]	\$715		

Item #	Description	Extension	+1/-1	Total
5600-0246	Warning light, Whelen 600 series Super LED (EA) red steady burn. Location: on cab front bumper approximately centered, or slightly off center to the driver's side if turret or plumbing will not allow centered position.	\$179		
5600-0248	Warning light Whelen M9 series Super LED (PR) red driver, blue officer with clear lenses. Location: [#LOC].	\$1,611		
5600-0249	Warning light Whelen M6 series Linear Super LED (PR) red driver, blue officer with clear lenses. Location: [#LOC].	\$813		
5600-0250	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with red LED/clear dome driver and blue LED/clear dome officer and [#COL] LEDs/clear lenses. Location: [#LOC].	\$3,368		
5600-0251	3m Opticom GPS vehicle system kit. Includes antenna, radio and control unit. Wired through park brake.	\$9,798		
5600-0252	Hazard (door ajar) light Federal Signal Fire Bolt strobe. Location: [#LOC].	\$285		
5600-0253	Warning light Federal Signal QL97XF LED (PR). (1) red driver, (1) amber officer. Surface mounted with bezel (if applicable). Location: [#LOC]	\$1,029		
5600-0254	Warning light Federal Signal QL97XF LED (PR). (1) amber driver, (1) red officer. Surface mounted with bezel (if applicable). Location: [#LOC]	\$1,029		
5600-0255	Warning light Whelen 900 series Super LED driver side red model (90RR5FRR) / officer side amber (90AA5FAR). Location: [#LOC]	\$1,398		
5600-0256	Warning light Whelen M-Series Super LED model M9J (PR) red/blue. Surface mounted with weatherproof connector. Location: [#LOC].	\$1,611		
5600-0257	Warning light Whelen M6 series Linear Super LED (PR) split red/blue with clear lens. Location: [#LOC].	\$891		
5600-0258	Warning light Whelen M9RC series Super LED (PR) red with clear lens. Location: [#LOC].	\$1,366		
5600-0259	Warning light Whelen M6BC series Linear Super LED (PR) blue with clear lens. Location: [#LOC].	\$813		
5600-0260	Warning light Weldon Diamondback V46W-C00A LED (PR) amber w/ clear lenses. Location: [#LOC].	\$675		
5600-0261	Whelen Super LED beacon Model L40 with [#COL] domes. Location [#LOC].	\$594		
5600-0262	Warning light Whelen 900 series Super LED model 90RA5FCR (PR) split red / amber with clear lense. Location: [#LOC].	\$1,083		
5600-0263	Whelen Super LED beacon Model L31H with green dome. Includes switch on pump operator panel labeled "Command". Location: centered rear cab roof.	\$1,094		
5600-0264	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with blue LED/clear dome driver and red LED/clear dome officer and 700 series [#COL] LEDs/clear lenses. Location: [#LOC].	\$3,368		
5600-0265	Hazard light, 2.5" incandescent additional amber. Location and function: center overhead for light tower. Wired through audible alarm if equipped.	\$42		
5600-0266	Whelen Super LED beacon (PR) model L31H with red driver, blue officer LED and clear domes. Location rear upper body on aerial style brackets.	\$2,198		
5600-0267	Warning light Whelen Dominator series LED with red driver/blue officer with clear lenses. Location: [#LOC]. Wire through lower level warning.	\$1,089		
5600-0268	Mars 888 pedestal mounted traffic clearing light located one each side of cab outboard above the outer quad bezel on contoured pedestal bracket. Lens color(s): driver red, officer clear.	\$2,653		
5600-0269	Whelen Super LED beacon (PR) model L31H with red driver, amber officer LED and clear domes. Location [#LOC].	\$2,198		
5600-0270	Warning light Whelen 500 series vetical linear Super LED (PR) red with clear lens. Surface mounted with weatherproof connector. Location: [#LOC].	\$712		
5600-0271	Warning light Whelen 500 series TIR6 Super LED (PR) red with clear lens. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC].	\$601		
5600-0272	Hazard (door ajar) light Federal Signal 2.5" LED model 607120-04. Location: [#LOC].	\$70		
5600-0273	Warning light Whelen 900 series Super LED (PR). (1) model 90RR5FCR red driver and (1) model 90BB5FCR blue officer. Each light shall have a clear lense w/ colored LEDs. Location: side facing (1) each side upper front body panels and side facing (1) each side upper rear body panels.	\$1,398		

Item #	Description	Extension	+1/-1	Total
5600-0274	Warning light Whelen 900 series Super LED (PR). (1) model 90RR5FCR red driver and (1) model 90BB5FCR blue officer. Each light shall have a clear lense w/ colored LEDs. Location: Rear facing up high on the rear one above each other.	\$1,398		
5600-0275	Warning light Whelen M6AC series Linear Super LED (PR) amber with clear lens. Location: [#LOC].	\$813		
5600-0276	Whelen Ultra Freedom Micro Edge LED (PR) model MCFLED clear lens with amber driver / red officer LEDs. Location [#LOC].	\$2,287		
5600-0277	Warning light Whelen M6C series Linear Super LED (PR) white. Location: [#LOC].	\$813		
5600-0280	Warning light Federal Signal Viper EXT Model VPX802-5-NYPD LED w/ chrome bezel (PR). Surfaced mounted with clear lens. Location: (1) each side lower front cab corner ahead of drip rail and (1) each side below bumper guide between gussets. Lights will be triple flash pattern.	\$715		
5600-0281	Warning light Federal Signal Viper EXT Model VPX802-4-NYPD LED w/ chrome bezel (PR). Surfaced mounted with red lens. Location: (1) each side on cab grille, (1) each side, side facing, midway on vertical rear body panel behind rear body doors and (1) each side rear of body below tail lights. Special flasher requirements for all warning lights.	\$646		
5600-0282	Federal Intelli model 650302 LED flasher (6). Flashers will control lower warning lights ipo internal flashers. Flashers will be wired with switches per NYPD. Requires Engineering approval.	\$2,956		
5600-0283	Door ajar warning light package. (3) guarded toggle switches with Weldon 9186-2300-20 indicator lights. Switching as follows: (1) rear entry door, (1) escape hatch lid and (1) all other cab and body doors. Functioning: Toggles in up position as standard; flip down to override ajar buzzer. Indicator lights and buzzer wired through battery switch; not through park brake.	\$617		
5600-0284	Whelen Super LED beacon (PR) model L31H with blue driver, red officer LED and clear domes. Location [#LOC].	\$2,198		
5600-0285	Warning light Roto-Ray LED with (1) red, (1) blue and (1) clear lenses. Locate on front of cab centered below windshield.	\$3,267		
5600-0286	Warning light Whelen M6RC series Super LED (PR) red with clear lens. Location: [#LOC].	\$777		
5600-0287	Warning light Whelen Dominator Plus model DP880000 with (8) red LINZ6 LEDs. Location: [#LOC]. Wire through lower level warning.	\$1,789		
5600-0288	Whelen red TIR3 LED light heads (2). Locate in rubrails below compartments L1 and R1.	\$340		
5600-0289	Warning light Whelen 900 series Super LED model 90BB5FBR (PR) blue. Location: [#LOC].	\$1,398		
5600-0290	Warning light Whelen 600 series Super LED (PR) red with diamond plate mounting boxes. Location: [#LOC].	\$915		
5600-0291	Warning light Roto Ray LED with (1) red, (1) green and (1) white lights. Locate on front of cab centered below windshield.	\$3,267		
5600-0292	Warning light Whelen 900 series Super LED model 90RR5FRC (PR) red w/ clear lens. Location: [#LOC].	\$1,398		
5600-0293	Light Whelen model PSC00FCR LED (PR) white. Lights are wired to reverse and respective turn signal. Location: (1) each side below L1/R1 just ahead of rear wheels in rubrail (if equipped).	\$1,040		
5600-0294	Warning light Federal Signal IMPAXX model IPX600-R red LED w/ bezel (PR). Surfaced mounted with clear lens. Location: [#LOC].	\$550		
5600-0295	Warning lights Weldon Diamondback V79W-C10A LED amber w/ clear lenses (PR). Location: [#LOC].	\$956		
5600-0296	Warning light Weldon Diamondback V46W-C LED (PR) red driver, amber officer w/ clear lenses. Location: [#LOC].	\$675		
5600-0297	Warning light Whelen Dominator series LED model D860020 red/white. Includes R/W/R/R/R/W/R LEDs with clear lenses. Location: [#LOC]. Wire through lower level warning.	\$1,075		
5600-0298	Warning light Power Arc model M90FK-W LED (PR). Color: White. Location: [#LOC].	\$1,177		
5600-0299	Warning light Federal Signal IMPAXX LED model IPX302-4 w/ bezel (PR). Surfaced mounted with red lens. Location: [#LOC].	\$378		
5600-0300	Warning lights Weldon Diamondback V79W-C00R LED red w/ clear lenses (PR). Location: [#LOC].	\$956		
5600-0301	Warning light Whelen M2 Super LED warning lights. Includes (2) red M2R LED light heads w/chrome flanges (if applicable). Location: [#LOC].	\$648		

Item #	Description	Extension	+1/-1	Total
5600-0302	Warning light Whelen M2 Super LED warning lights. Includes (2) red M2RC LED light heads with clear lenses and chrome flanges (if applicable). Location: [#LOC].	\$648		
5600-0305	Warning light Whelen M6 series Linear Super LED (PR) amber driver, red officer with clear lenses. Location: [#LOC].	\$813		
5600-0306	Opticom Emitter 3M 794H. LED emitter and control only. Location and activation: [#LOC].	\$2,740		
5600-0307	Warning light Whelen 600 series LED (PR) with clear lens. Red driver, blue officer surface mounted with weatherproof connector. Location: [#LOC]	\$988		
5600-0308	The GPS control unit shall be located below the center overhead panel offset to the driver's side.	\$0		
5600-0309	Warning light Whelen Vertex Super LED warning lights. Includes (2) red model VTX609R LED light heads with clear lens, w/chrome flanges model VTXFC. Location: [#LOC].	\$606		
5600-0310	Warning light Whelen M6 series Linear Super LED (PR) split red/clear with clear lens. Location: [#LOC].	\$891		
5600-0311	Warning light Whelen 900 series Super LED model 90AA5FCR (PR) amber with clear lenses. Location: [#LOC].	\$1,398		
5600-0312	Light Whelen model PSA00FAR LED (PR) amber. Location: [#LOC].	\$453		
5600-0313	Warning light Whelen 900 series Super LED with clear lens model 90BB5FCR (PR) blue. Location: [#LOC].	\$1,398		
5600-0314	Federal Signal Vision LED rotating beacons model VSLR-IPX-R1R21 with rear facing IPX6 red LED warning light (Requires additional rear facing warning lights for NFPA compliance). Location: [#LOC].	\$2,751		
5600-0315	Whelen Micro Liberty LED (PR) (1) driver Model MCSLED2R clear lense with red LEDs and (1) officer MCSLED2B clear lense with blue LEDs. Location: [#LOC].	\$1,926		
5600-0316	Warning light Whelen M4AC Super-LED lights (PR) amber with clear lenses. Location: [#LOC].	\$1,042		
5600-0317	Whelen Super LED beacon (PR) model L31H with red driver, blue officer LED and clear domes. Location: [#LOC].	\$2,198		
5600-0318	Whelen Ultra Freedom Micro Edge LED (PR) (1) officer Model MCFLED25 clear lense with red LEDs and (1) driver MCFLED22 clear lense with blue LEDs. Requires additional upper level warning lights to meet NFPA. Location: [#LOC].	\$2,450		
5600-0320	Warning light Whelen ION series Super LED (2) red and (1) white with clear lens. Location: [#LOC].	\$1,077		
5600-0321	Mars 888 pedestal mounted traffic clearing light located one each side of cab outboard above the outer quad bezel on contoured pedestal brkt. Lens color: clear.	\$2,653		
5600-0322	Warning light Whelen M7D series Linear Super LED (PR) split red/clear with clear lens. Location: [#LOC].	\$902		
5600-0323	Warning light Whelen M4A LED (2) amber. Surface mounted with weatherproof connector. Location: [#LOC].	\$718		
5600-0325	Code3 model 9088EFA 88" rear light bar. Includes (14) REF3 red LED modules and (6) REF8 red LED modules. Location: [#LOC].	\$4,847		
5600-0326	Whelen red TIR3 LED light heads (2). Locate in rear tailboard, one (1) each side below the tail lights.	\$340		
5600-0327	Warning light Whelen Dominator series LED model D880000 red with clear lenses. Location: [#LOC]. Wire through lower level warning.	\$1,070		
5600-0328	Warning light Whelen M7 series Linear Super LED (PR) white light with clear lens. Location: [#LOC].	\$790		
5600-0329	Warning light Whelen M6CC series Super LED (PR) white with clear lens. Location: [#LOC].	\$777		
5600-0330	Warning light Federal Signal IMPAXX model IPX602-R red LED w/ bezel (PR). Surfaced mounted with red lens. Location: [#LOC].	\$550		
5600-0331	Federal Signal Vision LED rotating beacons model VSLR-R with red LED warning light(s) and red lenses (Requires additional rear facing warning lights for NFPA compliance). Location: [#LOC].	\$2,056		
5600-0332	Mars 888 pedestal mounted traffic clearing light located (1) each side of cab outboard above the outer quad bezel on contoured pedestal bracket. Driver side red, officer side clear.	\$2,653		
5600-0333	Warning light Whelen M9 series Super LED (PR) red driver, amber officer. Location: [#LOC].	\$1,611		
5600-0334	Warning light Whelen IONWR series Super LED red in color. Location: [#LOC].	\$740		
5600-0336	Warning light Roto Ray LED with (1) red, (1) amber and (1) clear lights. Locate on front of cab centered below windshield.	\$3,267		
5600-0337	Warning light Federal Signal QuadraFlare QL64XF LED PR (1) blue (1) red. Surface mounted with bezel. Location: [#LOC].	\$715		

Item #	Description	Extension	+1/-1	Total
5600-0338	Warning light Whelen M9 series Super LED (PR) red officer, amber driver. Location: [#LOC].	\$1,611		
5600-0339	Warning light Whelen 600 series Super LED (PR). Red officer, blue driver surface mounted with weatherproof connector. Location: [#LOC].	\$712		
5600-0340	Warning light Whelen M6 series Linear Super LED (PR) red driver, blue officer. Location: [#LOC].	\$813		
5600-0341	Warning light Whelen 600 series split Super LED (PR) red/blue with clear lens. Location: [#LOC].	\$922		
5600-0342	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with blue driver and amber officer domes and [#COL] LEDs. Location [#LOC].	\$3,368		
5600-0343	Whelen red TIR3 LED light heads (2). Locate in rubrail below pump module offset forward.	\$340		
5600-0345	Warning light Federal Signal IMPAXX LED model IPX300-4 w/ bezel (PR). Surfaced mounted red LEDs with clear lens. Location: [#LOC].	\$378		
5600-0346	All warning lights to have black bezels ipo chrome where applicable.	\$0		
5600-0347	Warning light Whelen 900 series Super LED blue driver, amber officer. Location: [#LOC].	\$1,398		
5600-0348	Whelen beacon Model RB6 (PR)- red driver/blue officer. Location: upper rear body.	\$0		
5600-0349	Whelen red TIR3 LED light heads (2). Locate on front cab hood corners, one (1) each side. Commerical chassis only.	\$340		
5600-0350	Hazard (door ajar) light Whelen Vertex red LED model VTX609R w/chrome bezel. Location: [#LOC].	\$305		
5600-0351	Warning light Whelen M-Series Super LED model M9A (PR) amber. Surface mounted with weatherproof connector. Location: [#LOC].	\$1,366		
5600-0352	Warning light Whelen M6G series Linear Super LED (PR) green. Location: [#LOC].	\$1,043		
5600-0353	Warning light Whelen M6 series Super LED (PR) amber. Location: [#LOC].	\$813		
5600-0354	Warning lights Whelen LINZ6 LEDs (PR) red in color with chrome bezels if applicable. Location: [#LOC].	\$542		
5600-0355	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with blue domes and [#COL] LEDs. Location: [#LOC].	\$3,368		
5600-0356	Federal Signal Pulsator LED beacon pole mounted with green dome. Mounted on a ROM external push/pull KR-SB-500-W4-I series pole with a flat surface to accommodate beacon mounting. Includes switch in officer overhead labeled "Command". Location: driver side rear of cab.	\$1,689		
5600-0357	Warning light Whelen M6 series Linear Super LED (PR) red driver, green officer. Location: [#LOC].	\$813		
5600-0358	Warning light Federal Signal Viper EXT Model VPX802-4 LED w/ bezel rear upper level package. Includes (9) surfaced mounted with red lens; (5) up high rear of body and (2) side facing on each side of body up high and rearward (as applicable).	\$2,898		
5600-0359	Warning light Federal Signal IMPAXX LED model IPX302 w/ bezel (PR) (driver blue, officer red). Surfaced mounted with colored lens. Location: [#LOC].	\$378		
5600-0360	Warning light Federal Signal QuadraFlare QL64XF LED (EA) red. Light to be steady burn to meet California DOT requirements. Surface mounted with bezel. Location: [#LOC].	\$320		
5600-0361	Warning light Whelen M-Series Super LED model M9AC (PR) amber with clear lens. Surface mounted with weatherproof connector. Location: (1) each side above tail lights.	\$1,366		
5600-0362	Power Arc beacon (PR) Model LEDB210 with [#COL] domes. Location: [#LOC].	\$1,449		
5600-0363	Warning light Code3 XT6RB split red/blue LED (PR). Surfaced mounted with clear lens. Location: [#LOC].	\$426		
5600-0364	Warning light Roto Ray LED with (2) green and (1) clear lights. Locate on front of cab centered below windshield.	\$3,267		
5600-0365	Warning light Federal Signal QL64SFC split LED (PR) red/clear. Surface mounted with bezel. Location: [#LOC].	\$900		
5600-0366	Warning light Whelen 500 series TIR6 Super LED (2) blue and (3) amber. Surface mounted 5TSMAC bezel with weatherproof connector. Lights to activate when park brake is set in blocking mode. Location: [#LOC].	\$1,501		
5600-0367	Warning light Whelen 600 series Super LED (PR) amber with clear lens. Location: [#LOC].	\$712		
5600-0368	Warning light Whelen M6A series Linear Super LED (PR) amber. Location: [#LOC].	\$813		

Item #	Description	Extension	+1/-1	Total
5600-0369	Whelen Ultra Freedom Micro Edge LED (PR) model MCFLED2 clear lens with red driver / amber officer LEDs. Location: [#LOC].	\$2,287		
5600-0370	Warning light Whelen M-Series Super LED model M9AC (PR) amber with clear lens. Surface mounted with weatherproof connector. Location: [#LOC].	\$1,366		
5600-0371	Whelen Ultra Freedom Micro Edge LED (PR) model MCFLED2RB clear lens with (1) red/(1) blue LEDs. Location: [#LOC].	\$2,287		
5600-0372	Light Code 3 model DB2-2PZNFPA2 (PR) with clear lenses. Located: [#LOC].	\$2,294		
5600-0373	Warning Light Code3 model #65BZCB blue LED with clear lens and chrome bezel (PR). Location: [#LOC].	\$1,278		
5600-0374	Warning light Federal Signal QL64XFC LED (PR) blue with clear lenses. Surface mounted with bezel. Location: [#LOC].	\$715		
5600-0375	Warning light Federal Signal IMPAXX model IPX600-B blue LED w/ bezel (PR). Surfaced mounted with clear lens. Location: [#LOC].	\$550		
5600-0377	Federal Signal Vision LED rotating beacons model VSLR-R2A02 with rear facing IPX6 amber LED warning light. Location: [#LOC].	\$2,751		
5600-0378	Warning light Code 3 65BZCR LED (PR) Red with clear lens. Surface mounted with bezel. Location: [#LOC]	\$677		
5600-0379	Warning light Federal Signal QL97XFC-R LED (PR) red with clear lenses. Surface mounted with bezel (if applicable). Location: [#LOC].	\$1,029		
5600-0380	Warning light Federal Signal QL64SFC split LED (PR) driver red/clear, officer red/green. Surface mounted with bezel. Location: [#LOC].	\$900		
5600-0381	Hazard (seat belt warning) blue light 2" LED. Location: Adjacent to door ajar light.	\$42		
5600-0382	Warning light Signal Technology Cross X red (PR). Includes rear facing block-out of light. Location: (1) each side bottom of cab mirror.	\$655		
5600-0383	Warning light Whelen 900 series Super LED (PR). (1) model 90RR5FRR red driver and (1) model 90BB5FBR blue officer. Location: [#LOC].	\$1,398		
5600-0384	Tomar model RECT-79-TSMF bezel (PR) for Whelen 900 series lights. Lights to be angled forward. Location: driver and officer gravel shield mounted lights.	\$214		
5600-0385	Whelen Super LED ROTA-BEAM beacon (PR) model R316 Series [#COL] domes. Location [#LOC].	\$2,394		
5600-0386	Warning light Whelen M2 Super LED warning lights. Includes (2) amber M2A LED light heads w/chrome flanges (if applicable). Location: [#LOC].	\$648		
5600-0387	Whelen amber TIR3 LED light heads (2). Locate [#LOC].	\$340		
5600-0388	Hazard (light tower ajar) amber light 2" LED. Location: [#LOC].	\$42		
5600-0389	Warning light Whelen M4RC Super-LED lights (PR) red with clear lenses. Location: [#LOC].	\$623		
5600-0390	Mars 888 LED pedestal mounted traffic clearing light located one each side of cab outboard above the outer quad bezel on contoured pedestal brkt. Lens color: clear.	\$4,207		
5600-0391	Warning light Whelen M4R Super-LED lights (PR) red. Location: [#LOC].	\$623		
5600-0392	Whelen Ultra Freedom Micro Edge LED (PR) model MCFLED2 clear lens with blue driver / red officer LEDs. Location (1) each side of body on rearward compartment top.	\$2,228		
5600-0393	Warning light Whelen M6GC series Linear Super LED (PR) green with clear lenses. Location: [#LOC].	\$830		
5600-0394	Federal LED beacon. Model LP800 (PR) [#COL]. Location: [#LOC].	\$1,238		
5600-0395	Warning light Whelen M-Series Super LED model M9K (PR) red/amber. Surface mounted with weatherproof connector. Location: (1) on each side up high rear of body.	\$1,611		
5600-0396	Warning light Whelen Dominator series LED model D66000 red with clear lenses. Location: [#LOC]. Wire through lower level warning.	\$950		
5600-0397	Warning light Whelen WIONA series Super LED amber in color (ea). Locate rear of body below directional lightbar wired through reverse.	\$371		

Item #	Description	Extension	+1/-1	Total
5600-0398	Warning light Whelen 500 series TIR6 Super LED (PR)1-red driver, 1-green officer. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC].	\$601		
5600-0399	Warning light Whelen M9 series Super LED (PR) red with diamond plate mounting boxes. Location: [#LOC].	\$1,724		
5600-0400	Warning light Whelen IONWA series Super LED amber in color. Location: [#LOC].	\$740		
5600-0401	Warning light Whelen M6B series Linear Super LED (PR) blue. Location: [#LOC].	\$813		
5600-0402	Warning light Whelen M9 series Super LED (PR) blue driver, red officer with clear lenses. Location: [#LOC].	\$1,611		
5600-0403	(Do Not use. Converted in error)Whelen beacon with LED upper beacon and 700 series LED (PR) Model B6LED with red domes and split red / amber LEDs. Location: rear upper body on aerial style brackets.	\$3,454		
5600-0404	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with amber LED/clear dome driver and red LED/clear dome officer and [#COL] LEDs/clear lenses. Location: [#LOC].	\$3,368		
5600-0405	Warning light Whelen M9 series Super LED (PR) red with (1) officer side diamond plate mounting box. Location: driver side facing upper body corner, officer rear compartment top outboard.	\$1,670		
5600-0406	Warning light Whelen 500 series TIR6 Super LED (2) blue and (3) red. Surface mounted 5TSMAC bezel with weatherproof connector. Lights to activate when park brake is set in blocking mode. Location: [#LOC].	\$1,501		
5600-0407	Whelen Ultra Freedom Micro Edge LED (PR) model MCFLED red lens with red LEDs. Location [#LOC].	\$2,287		
5600-0408	Warning light Federal Signal QL97XF LED (PR) red with diamond plate mounting box. Surface mounted with bezel (if applicable). Location: [#LOC].	\$1,231		
5600-0409	Whelen beacon with LED upper beacon and 700 series Super LED (PR) model B6LED with red domes and 700 series Super LED scene lights rear facing. Location: [#LOC].	\$3,554		
5600-0410	Warning light Whelen 600 series Super LED (PR) red with black flange. Location: [#LOC].	\$712		
5600-0411	Install customer supplied Opticom GPS system. Labor only; all components to be provided. See sales for locations.	\$874		
5600-0412	Warning light Federal Signal QL64XF LED (EA) white. Surface mounted with bezel. Location: [#LOC].	\$415		
5600-0413	Warning light Federal Signal IMPAXX model IPX600-W white LED w/ bezel (PR). Surfaced mounted with clear lens. Location: Front cab corners adjacent to existing fixtures.	\$628		
5600-0414	Warning light Whelen 900 series Super LED (PR). (1) model 90RR5FRR red officer and (1) model 90BB5FBR blue driver. Location: [#LOC].	\$1,398		
5600-0415	Warning/Scene light Whelen M9V2R Super LED (PR) red. Location: [#LOC].	\$2,345		
5600-0416	Whelen warning lights. Includes (8) ION individual lights (6 red, 2 amber)on 12" centers with grommet mounts. Lenses from front to rear: R/R/A/R/R/A/R/R. Wired through upper level warning and on with park brake. Location: side facing, driver and officer side of body.	\$3,069		
5600-0417	Enclose bottom of aerial style bracket for no exposed wiring.	\$110		
5600-0418	Warning light Whelen 500 series TIR6 Super LED red. Surface mounted 5TSMAC bezel with weatherproof connector. Light to be steady burn while the parking brake is disengaged. Location: Centered in front cab grill	\$350		
5600-0419	Mars 888 LED pedestal mounted traffic clearing light located one each side of cab outboard above the outer quad bezel on contoured pedestal brkt. Lens color: Red.	\$4,207		
5600-0420	Power Arc (PR) Model LED210 driver blue, officer red. Location: [#LOC].	\$1,475		
5600-0421	Whelen beacon with Rota-Beam LED upper beacon and M7 series Super LED (PR) model B63M7 with red domes and [#COL] LEDs. Location: [#LOC].	\$3,651		
5600-0422	Warning light Whelen WIONR series Super LED red in color (PR). Locate [#LOC].	\$661		
5600-0423	Warning light Whelen Rota-Beam series model 6RBRC Super LED (PR) red with clear lenses. Location: [#LOC].	\$1,136		
5600-0424	Warning light Whelen M6 series Linear Super LED (PR) blue driver, red officer with clear lenses. Location: [#LOC].	\$813		
5600-0425	Code 3 / PSE Oscilaser warning light red (PR). Lights are to be located on front of cab above quad bezels.	\$740		
5600-0426	Warning/Scene light Whelen M9V2 Super LED (PR) red driver, blue officer with clear lenses. Location: [#LOC].	\$2,345		
5600-0427	Warning light Whelen M9 series Super LED (PR) blue driver, red officer. Location: [#LOC].	\$1,611		



Item #	Description	Extension	+1/-1	Total
5600-0428	Warning light Whelen 500 series split TIR6 Super LED (PR) red/blue. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC].	\$688		
5600-0429	Warning/Scene light Whelen M9V2 Super LED (PR) red driver, blue officer. Location: [#LOC].	\$2,345		
5600-0430	Whelen Rota-Beam LED lights (3) red/blue/red with clear lenses and smooth plate mounting box painted upper 2-tone job color. Location: centered below windshield.	\$2,170		
5600-0431	Warning light Whelen 600 series Super LED (PR). Amber driver, blue officer surface mounted with weatherproof connector and clear lenses. Location: [#LOC].	\$712		
5600-0432	Warning light Whelen 600 series Super LED (PR). Red officer, blue driver surface mounted with clear lenses and weatherproof connector. Location: [#LOC].	\$712		
5600-0433	Power Arc (PR) Model LED180 blue. Location: [#LOC].	\$1,475		
5600-0434	Warning light Whelen 600 series split Super LED (PR) red/blue with clear lens. Location: each side rear of body up high.	\$922		
5600-0435	Light Whelen PS strip LED (PR) red driver, blue officer with clear lenses. Location: [#LOC].	\$632		
5600-0436	Federal Signal Sentry branch guard (PR).	\$185		
5600-0437	Hazard (door ajar) light Whelen M2WR red LED w/black bezel. Location: [#LOC].	\$324		
5600-0438	Warning light Whelen 5V1R Super LED (PR) red with chrome flange (as applicable). Surface mounted with weatherproof connector. Location: [#LOC].	\$978		
5600-0439	Warning light Whelen Rota-Beam series model 6RBB Super LED (PR) blue. Location: [#LOC].	\$1,136		
5600-0440	Warning light Whelen Rota-Beam series model 6RBR Super LED (PR) red. Location: [#LOC].	\$1,136		
5600-0441	Warning light Whelen 500 series TIR6 Super LED (PR) amber. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC].	\$601		
5600-0442	Warning light Whelen M9RC series Super LED (PR) red with clear lens and black housing. Location: [#LOC].	\$1,366		
5600-0443	Warning/Scene light Whelen M9V2 Super LED (PR) red driver, blue officer. Includes black bezels. Location: [#LOC].	\$2,345		
5600-0444	Door mounted warning light Truck-Lite amber LED (PR). Compartment L5/R5 upper and lower outboard (to alternate flash). Wired through door ajar circuit.	\$276		
5600-0445	Warning light Roto Ray LED with (1) red, (1) amber and (1) green lights. Locate on front of cab centered below windshield.	\$3,267		
5600-0446	Warning light Whelen M2 Super LED warning lights. Includes (2) blue M2BC LED light heads, (blue LEDs, clear lens) w/chrome flanges (if applicable). Location: [#LOC].	\$648		
5600-0447	Whelen beacon with Rota-Beam LED upper beacon and M7 series Super LED (PR) model B63M7 with red domes/clear lenses and [#COL] LEDs. Location: [#LOC].	\$3,651		
5600-0448	Warning light Whelen Rota-Beam series model 6RB Super LED (PR) driver blue, officer red. Location: [#LOC].	\$1,136		
5600-0449	Warning light Whelen WIONK series Super LED split red/amber in color (PR). Locate [#LOC].	\$661		
5600-0450	Warning light Whelen WIOND series Super LED split red/clear in color (PR). Locate [#LOC].	\$661		
5600-0451	Warning light Whelen 600 series Super LED. Four (4) red LEDs with smooth plate mounting boxes painted job color (boxes are as required dependent upon location). All four (4) lights shall be activated from a single dash mounted rocker switch. Location: One (1) pair mounted on the cab brow. One (1) pair mounted on or near the corner of the front bumper, one (1) each side.	\$1,997		
5600-0452	Warning light Federal Signal QL97XF LED (PR). (1) blue driver, (1) red officer. Surface mounted with bezel (if applicable). Location: [#LOC].	\$1,029		
5600-0453	Fed QuadraFlare QL97SF-RB Red/Blue split color LED lights. Surface mounted with bezel (if applicable). Location: [#LOC].	\$1,286		
5600-0454	Warning light Whelen 900 series Super LED driver side red model (90RR5FCR) / officer side amber (90AA5FCR) with clear lenses. Location: [#LOC]	\$1,398		

Item #	Description	Extension	+1/-1	Total
5600-0455	Warning light Whelen 900 series Super LED driver side amber model (90AA5FCR) / officer side red (90RR5FCR). Location: [#LOC]	\$1,398		
5600-0456	Tomar Scorpion LED beacon (PR) model BCN-CR1 with clear domes. Location: [#LOC].	\$2,130		
5600-0457	Mars 888 LED pedestal mounted traffic clearing light on front of cab centered below windshield. Lens color: clear.	\$1,891		
5600-0458	Warning light Whelen Vertex Super LED warning lights. Includes (2) split red/clear model VTX609D LED light heads with clear lenses and chrome flanges. Location: [#LOC].	\$606		
5600-0459	Warning light Whelen M-Series Super LED model M9K (PR) red/amber. Surface mounted with weatherproof connector. Location: [#LOC].	\$1,611		
5600-0460	Mars 888 pedestal mounted traffic clearing light located one each side of cab outboard of the outer quad bezel on contoured pedestal bracket. Lens color(s): driver red, officer clear.	\$2,653		
5600-0461	Warning light Whelen WIONSM series Super LED driver split red/green, officer split red/amber in color (PR). Locate (1) each side rear facing centered between DOT lights and corner in rubrail if equipped.	\$663		
5600-0462	Warning light Whelen M6 series Linear Super LED (PR) red driver, green officer with clear lenses. Location: [#LOC].	\$813		
5600-0463	Warning light Federal Signal Viper EXT model VPX800-4 red LED w/ bezel (PR). Surfaced mounted with clear lens. Location: [#LOC].	\$646		
5600-0464	Warning light Power Arc model M90 LED (PR). Color: Red. Location: [#LOC].	\$1,177		
5600-0465	Warning light Whelen M9BC series Super LED (PR) blue with clear lens. Location: [#LOC].	\$1,366		
5600-0466	Whelen beacon Model RB6 (PR)- red driver/blue officer. Location: upper rear tank.	\$0		
5600-0467	Whelen beacon with LED upper beacon and M7 series Super LED (PR) model B6LED with driver amber, officer red domes and [#COL] LEDs. Location: [#LOC].	\$3,444		
5600-0468	Warning/ground light Whelen M6V2RC series Linear Super LED (PR) red with clear lenses. Location: [#LOC].	\$1,691		
5600-0469	Warning light Roto Ray LED with (2) red w/ clear lenses and (1) clear lights. Locate on front of cab centered below windshield.	\$3,267		
5600-0470	Whelen beacon with Rota-Beam LED upper beacon and 700 series Super LED (PR) model B6370 with red domes and [#COL] LEDs. Location: [#LOC].	\$3,574		
5600-0471	Diamond plate shield above officer side rear beacon.	\$260		
5600-0472	Federal Signal Vision LED rotating beacons model VSLR with driver red LED warning light and officer amber LED warning light. (Requires additional rear facing warning lights for NFPA compliance). Location: [#LOC].	\$2,056		
5600-0473	Warning light Whelen WIONL series Super LED split red/green in color (PR). Locate [#LOC].	\$754		
5600-0474	Hazard (door ajar) light Whelen 700 series Super LED (PR) w/chrome bezel. Driver doors red, officer doors amber. Location: AC cover.	\$712		
5600-0475	Warning light Whelen WIONSMCR series Super LED red. Location: [#LOC].	\$661		
5600-0476	Warning/Scene light Whelen M9V2R Super LED (6) red. Lights located (2) each side of body up high (offset forward and rearward) and (2) at rear of body up high. Wetside only.	\$7,036		
5600-0477	Light Whelen model PSB00FBR LED (PR) blue. Location: [#LOC].	\$751		
5600-0478	Warning light Whelen M4D Super-LED lights (PR) red-clear split lenses. Location: [#LOC].	\$803		
5600-0479	Smooth plate mounting box painted job color for use with M9 fixtures. Location(s): driver and/or officer side rear and side facing upper level warning light.	\$418		
5600-0480	Warning light Whelen Dominator series LED model D63030 red/white with clear lenses. Location: [#LOC]. Wire through lower level warning.	\$950		
5600-0481	Code3 Arch model A36 [#COL] LED beacon (PR). Location: [#LOC].	\$2,689		
5600-0482	Warning light Whelen WIONSMCD Super LED (3) split red/clear. Location: [#LOC].	\$1,077		
5600-0483	Code3 Arch model A36 [#COL] LED beacon (PR). Location: [#LOC].	\$2,689		
5600-0484	Warning light Power Arc model M90SM LED (PR). Color: [#COL] . Location: [#LOC].	\$1,286		

Item #	Description	Extension	+1/-1	Total
5600-0485	Warning light Federal Signal QL64SFC split LED (PR) red/blue. Surface mounted with bezel. Location: [#LOC].	\$712		
5600-0486	Warning light Whelen 500 series TIR6 Super LED (2) amber and (3) red. Surface mounted 5TSMAC bezel with weatherproof connector. Lights to activate when park brake is set in blocking mode. Location: rear of body below hosebed.	\$1,501		
5600-0487	Warning light bezel (PR). Fabricated bezel on radius cab corner painted job color.	\$459		
5600-0488	Warning/Scene light Whelen M9V2RC Super LED (PR) red with clear lenses. Location: [#LOC].	\$2,345		
5600-0489	Command Light. Federal Signal Pulsator LED beacon pole mounted with green dome. Mounted on a ROM external push/pull KR-SB-500-W4-I series pole with a flat surface to accommodate beacon mounting. Switching to be provided within Vista display. Location: Body forward face corner on driver side.	\$1,689		
5600-0490	Warning light Whelen M9RC series Super LED (PR) red with clear lenses and diamond plate mounting boxes. Location: [#LOC].	\$1,724		
5600-0491	Warning light Whelen Micron Super LED (PR) split red/clear. Surface mounted chrome bezel with weatherproof connector. Location: [#LOC].	\$639		
5600-0492	Warning light Whelen Micron Super LED (PR) split red/amber. Surface mounted chrome bezel with weatherproof connector. Location: [#LOC].	\$639		
5600-0493	Mars 888 LED pedestal mounted traffic clearing light located one each side of cab outboard above the outer quad bezel on contoured pedestal brkt. Lens color: driver red, officer clear.	\$4,207		
5600-0494	Whelen red TIR3 LED light heads (2). Grommet mount in running board below pump module offset forward.	\$340		
5600-0495	Warning light Whelen 600 series Super LED (PR). Red driver, amber officer surface mounted with weatherproof connector. Location: [#LOC].	\$712		
5600-0496	Warning light Whelen M9 series Super LED (PR) red driver, blue officer. Location: [#LOC].	\$1,611		
5600-0497	Diamond plate warning/scene light mounting box, full compartment top depth (PR). Location: [#LOC].	\$481		
5600-0498	Painted smooth plate warning/scene light mounting box (two-tone if equipped). Location: [#LOC].	\$481		
5600-0499	Warning/ground and/or scene light Whelen M6V2R series Linear Super LED (PR) red. Location: [#LOC].	\$1,691		
5600-0500	Warning light Whelen M6 series Super LED (PR) red/amber driver, red/blue officer. Surface mounted with weatherproof connector. Location: [#LOC].	\$891		
5600-0501	Federal 10" Navigator LED beacons (PR) clear lenses with (2) red, (1) red/amber LED reflectors. Location: [#LOC].	\$2,296		
5600-0502	Warning light Federal Signal Micro Pulse model MPS1200U-RR red LED w/ bezel (PR). Location: [#LOC].	\$536		
5600-0503	Light Whelen PS strip LED (PR) blue driver, red officer with clear lenses. Location: [#LOC].	\$632		
5600-0504	Warning/ground light Whelen M6V2 series Linear Super LED (4); (2) red, (2) amber alternating. Wired through lower level warning, scene lights wired through park brake and reverse. Location: center rear of body above B1.	\$3,381		
5600-0505	Hazard (park brake set) light 2" amber LED. Location: [#LOC].	\$42		
5600-0506	Warning light Whelen M9 series Super LED (PR) red officer, amber driver with clear lenses. Location: [#LOC].	\$1,611		
5600-0507	Light Whelen model PSB00FCR LED (PR) blue with clear lens. Location: [#LOC].	\$751		
5600-0508	Warning light Whelen Vertex Super LED warning lights. Includes (1) red model VTX609R LED light head with clear lens, w/chrome flange model VTXFC. Location: interior door pan of L2 centered outboard. Wired through door ajar.	\$303		
5600-0509	Warning light Whelen M2 Super LED warning lights. Includes (2) blue M2B LED light heads w/chrome flanges (if applicable). Location: [#LOC].	\$648		
5600-0510	Warning light Whelen Rota-Beam series model 6RB Super LED (PR) with clear lenses; driver blue, officer red. Location: [#LOC].	\$1,136		
5600-0511	Federal Signal Vision LED rotating beacons model VSLR with driver red dome/rear facing IPX6 and officer amber dome/ rear facing IPX6 LED warning lights. Location: [#LOC].	\$2,751		
5600-0512	Warning light Whelen M6 series Linear Super LED (PR) red driver, amber officer. Location: [#LOC].	\$813		

Item #	Description	Extension	+1/-1	Total
5600-0513	Warning light Whelen TIR6/LIN3 rear upper level package. Includes (4) red rear facing up high TIR6 with clear lenses and (1) red LIN3 with clear lenses each side, side facing, up high and rearward (as applicable) of body. Requires supplemental side facing lights for NFPA compliancy.	\$1,506		
5600-0514	Warning light Whelen M-Series Super LED model M9M (PR) blue/amber with clear lenses. Surface mounted with weatherproof connector. Location: [#LOC].	\$1,611		
5600-0515	Warning light Whelen Rota-Beam series model 6RBC Super LED (PR) white Location: [#LOC].	\$1,136		
5600-0516	Federal NVG10 Navigator LED warning light (PR) with [#COL] lenses. Location: [#LOC].	\$1,820		
5600-0517	Federal NVG10 Navigator LED warning light (PR) with clear lenses and [#COL] LED reflectors. Location: [#LOC].	\$1,820		
5600-0518	Power Arc (PR) Model LED210 blue with clear lenses. Location: [#LOC].	\$1,475		
5600-0519	Power Arc (PR) Model LED210 driver red, officer blue with clear lenses. Location: [#LOC].	\$1,475		
5600-0520	Power Arc (PR) Model LED180 red with clear lenses. Location: [#LOC].	\$1,475		
5600-0521	Warning light Power Arc model M90FK-RC LED (PR). Color: Red with clear lens. Location: [#LOC].	\$1,177		
5600-0522	Warning light Whelen Rota-Beam series model 6RB Super LED (PR) driver red, officer blue. Location: [#LOC].	\$1,136		
5600-0523	Warning light Code 3 378ABZ LED (PR) red. Surface mounted with bezel. Location: [#LOC].	\$805		
5600-0524	Power Arc warning light LED (PR) Model P14SM. Color: Red with clear lenses. Location: [#LOC].	\$1,091		
5600-0525	Power Arc warning light LED (PR) Model P14SM. Color: Blue with clear lenses. Location: [#LOC].	\$1,091		
5600-0526	Warning light Federal Signal QL64XF LED (PR) red with diamond plate mounting boxes. Location: [#LOC].	\$918		
5600-0527	Warning light Whelen M6 series Linear Super LED (PR) blue driver, red officer. Location: [#LOC].	\$813		
5600-0528	Power Arc warning light LED (PR) Model P14SM with diamond plate box. Color: (1) red, (1) blue with clear lenses. Location: red officer side upper forward body corner, blue officer side upper rearward body corner.	\$1,269		
5600-0529	Power Arc warning light LED (PR) Model P6NT. Color: Red driver blue officer with clear lenses. Location: [#LOC].	\$787		
5600-0530	Power Arc warning light LED (PR) Model P6NT-BC. Color: Blue with clear lenses. Location:[#LOC].	\$787		
5600-0531	Power Arc warning light LED (PR) Model MP13SM. Color: white/blue driver, white/red officer with clear lenses. Location: (1) each side front bumper inboard of frame rails.	\$1,320		
5600-0532	Warning light Whelen M6RC series Super LED (PR) red with clear lens and diamond plate mounting box. Location: [#LOC].	\$954		
5600-0533	Warning light Whelen Rota-Beam series model 6RBRC Super LED (PR) red with clear lenses and diamond plate mounting boxes. Location: [#LOC].	\$1,314		
5600-0534	Warning light Whelen 500 series split TIR6 Super LED (PR) blue/amber officer, red/amber driver. Surface mounted 5TSMAC bezel with weatherproof connector. Location: [#LOC].	\$688		
5600-0535	Warning light Whelen 900 series split Super LED (PR) driver blue/amber, ofdficer amber/red with clear lenses. Location: [#LOC]	\$1,398		
5600-0536	Federal Signal Vision LED rotating beacons model VSLR with blue driver, red officer LED warning light(s) (Requires additional rear facing warning lights for NFPA compliance). Location: [#LOC].	\$2,056		
5600-0537	Warning light Federal Signal IMPAXX model IPX602-R red / white LED w/ bezel (PR). Surfaced mounted with red lens. Location: [#LOC].	\$582		
5600-0538	Warning light Federal Signal Micro Pulse model MPS300U-RR red LED w/ bezel (PR). Location: [#LOC].	\$410		
5600-0539	Fed QuadraFlare QL97SF-RA Red/Amber split color LED lights. Surface mounted with bezel (if applicable). Location: [#LOC].	\$1,286		
5600-0540	Warning light Roto Ray 200 with (2) red and (1) green lense. N/A on commercial chassis. Locate on front of cab centered below windshield.	\$1,924		
5600-0541	Painted smooth plate mounting box (two-tone if equipped) for Whelen Dominator light bar on front of cab.	\$704		
5600-0542	Warning light Whelen M6 series Linear Super LED (PR) split red/clear with clear lens and diamond plate mounting box. Location: [#LOC].	\$1,093		

Item #	Description	Extension	+1/-1	Total
5600-0543	Whelen beacon with LED upper beacon and 700 series Super LED (PR) Model B6LED with red LED/clear dome driver and amber LED/clear dome officer and [#COL] LEDs/clear lenses. Location: [#LOC].	\$3,368		
5600-0544	Light, Hazard (jacks down) light Whelen Vertex amber LED model VTX609A w/chrome bezel. Location: center overhead.	\$305		
5600-0545	Warning light Whelen 400 series TIR Super LED (PR) split red/blue with clear lenses. Surface mounted 4TSMAC bezel. Location: [#LOC].	\$837		
6100-0000	Ladder HM100 with waterway to 80 ft. Includes partial fly section K-bracing, left side console with cover, split steps at tip and jack leg flood lights.	\$273,378		
6100-0001	Ladder HM100 without waterway. Includes partial fly section K-bracing, left side console with cover, split steps at tip and jack leg flood lights.	\$239,974		
6100-0002	Ladder 110 with waterway to 87'. Includes partial fly section K-bracing, left side console with cover, split steps at tip and jack leg flood lights.	\$273,464		
6100-0003	Ladder 110 without waterway. Includes partial fly section K-bracing, left side console with cover, split steps at tip and jack leg flood lights.	\$240,061		
6100-0004	Platform 95 Rear-Mount. Includes left side console and jack leg flood lights.	\$435,610		
6100-0005	Ladder HP75 with waterway. Includes left side console with cover, split steps at tip and jack leg flood lights.	\$222,427		
6100-0006	Ladder HP100. Includes pinned waterway, left side console with cover, split steps at tip and jack leg flood lights.	\$342,457		
6100-0007	Ladder CR100 with waterway. Includes left side console with cover, split steps at tip and jack leg flood lights.	\$337,202		
6100-0008	Platform HP95 Mid-Mount. Includes driver side console, level assist and jack leg flood lights.	\$459,280		
6100-0009	Ladder HP100 SideStacker. Includes pinned waterway, left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$343,555		
6100-0010	Ladder CR100 SideStacker with waterway. Includes left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$338,302		
6100-0011	Platform 95 SideStacker. Includes left side console, turntable mansaver bars and jack leg flood lights.	\$436,740		
6100-0012	Platform Bronto F118HDT-ER. Less monitor, heat shields and wood pads. Includes first boom lifting eye, 40 AMP converter and 6 wire intercom cable run from base to tip. Requires artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$625,606		
6100-0013	** (OBS - use 6100-0055) ** Platform Bronto F100RLP. Less monitor, heat shields, hydraulic pumps and wood pads. Includes first boom lifting eye, 40 amp converter and 6-wire intercom cable run from base to tip. Requires artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$444,589		
6100-0014	** (OBS - use 6100-0056) ** Platform Bronto F114RLP. Less monitor, heat shields, hydraulic pumps and wood pads. Includes first boom lifting eye, 40 amp converter and 6-wire intercom cable run from base to tip. Requires artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$505,809		
6100-0015	Aerial boom 50' Mid-Mount. Includes monitor, rescue ladder, split steps at tip and jack leg flood lights.	\$166,838		
6100-0016	Ladder HP100 tiller. Includes pinned waterway, console cover, split steps at tip and jack leg flood lights. Hydraulic reservoir on tractor chassis to have access panel on front of reservoir to service suction strainer.	\$492,756		
6100-0017	** (OBS - use 6100-0057) ** Platform Bronto F134RLP. Less monitor, heat shields, hydraulic pumps and wood pads. Includes first boom lifting eye, 40 amp converter and 6-wire intercom cable run from base to tip. Requires artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$654,266		
6100-0018	Platform HP100 with SideStacker T/T. Includes left side console, turntable mansaver bars and jack leg flood lights.	\$436,740		
6100-0019	Platform HP100 with full turntable. Includes left side console, turntable mansaver bars and jack leg flood lights.	\$436,740		
6100-0020	Ladder HM100 with waterway to tip. Includes full fly section K-bracing, left side console with cover, split steps at tip and jack leg flood lights.	\$277,594		
6100-0021	(OBS) 65' Snozzle Model HS-2 with dual monitors. Locate individual jack switch plates on driver and officer side front compt face.	\$280,314		

Item #	Description	Extension	+1/-1	Total
6100-0022	Mounting - 65' Snozzle torque box and aerial. Includes PTO, hyd pump, pump brkt, pump shaft, hyd hoses, water tank pass-thoughts for boom support, and boom support for Snozzle supplied boom support bracket.	\$11,006		
6100-0023	65' Snozzle Model HS-1 with single monitor. Includes auto nozzle leveling, HID tip light, strobe and tracking lights, and individual jack switch plates on driver and officer side front compt face.	\$255,795		
6100-0024	65' Snozzle Model HS-2 with dual monitors. Includes auto nozzle leveling, HID tip light, strobe and tracking lights, and individual jack switch plates on driver and officer side front compt face.	\$273,117		
6100-0025	Aerial chassis components for 95-Platform/CR100/110H/135. Requires customer supplied aerial and aerial overhaul/upgrade package.	\$173,885		
6100-0026	Raise aerial turntable pedestal and boom support 1" (Required on HP100 Platform with long or extended cab).	\$3,297		
6100-0027	Ladder HP78 500 lb tip load with waterway. Includes left side console with cover, split steps at tip and jack leg flood lights.	\$225,135		
6100-0028	Ladder HP78 750 lb tip load with waterway. Includes left side console with cover, split steps at tip and jack leg flood lights.	\$225,135		
6100-0030	Lower aerial turntable pedestal and boom support 6in (HM100/110/LTH100). Top of turntable support to top of torque box to be 36.25in.	\$1,001		
6100-0031	Ladder 110' SideStacker with waterway to 87'. Includes partial fly section K-bracing, left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$274,565		
6100-0032	Lower aerial turntable pedestal and boom support 3" (HP100/HPS105 ladder). Top of turntable support to top of torque box to be 35.813".	\$1,001		
6100-0033	Ladder CR137 with waterway to 110'. Includes left side console with cover, split steps at tip and jack leg flood lights.	\$349,692		
6100-0034	Ladder CR137 SideStacker with waterway to 110'. Includes left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$350,792		
6100-0035	Lower aerial turntable pedestal and boom support (CR100/95-Platform). Top of turntable support to top of torque box to be 32.875" (for use with a 58" high body).	\$1,001		
6100-0036	Ladder HM100 with waterway to tip for SideStacker body. Includes full fly section K-bracing, left side console with cover, split steps at tip and jack leg flood lights.	\$278,696		
6100-0037	Ladder HP100. For use with center rear staircase body. Includes pinned waterway, rear handrail extension (PR) on turntable, left side console with cover, split steps at tip and jack leg flood lights.	\$342,803		
6100-0038	Lower aerial turntable pedestal and boom support 3in (HM100/110/LTH100). Top of turntable support to top of torque box to be 39.25in.	\$1,001		
6100-0039	Lower aerial turntable pedestal and boom support 4". For use with 65" high body.	\$627		
6100-0040	Platform HP100 (2000 GPM capacity) with SideStacker T/T. Includes perimeter flow w/way pipe, 5" swivel, 5" lower w/way piping, left side console, turntable mansaver bars and jack leg flood lights.	\$439,040		
6100-0041	Raise aerial turntable pedestal and boom support 2". Top of turntable support to top of torque box to be 36". (Required on Industrial HP100 Platform 750 gallon or greater tank).	\$3,365		
6100-0042	Ladder LTH100 without waterway. Includes left side console with cover, adjustable height turntable handrails, split steps at tip and jack leg flood lights.	\$238,688		
6100-0043	Lower aerial turntable pedestal and boom support 2" (HP100 Platform). Top of turntable support to top of torque box to be 32".	\$1,001		
6100-0044	Ladder LTH100 with waterway to tip. Includes left side console with cover, adjustable height turntable hand rails, split steps at tip and jack leg flood lights.	\$276,308		
6100-0045	Ladder HP75 with waterway. Includes left side console with smooth plate cover, split steps at tip and jack leg flood lights.	\$222,427		
6100-0046	Raise aerial 50' mid-mount boom pedestal and boom support 5". For use with 85" high body.	\$2,500		

Item #	Description	Extension	+1/-1	Total
6100-0047	Ladder LTH100 with waterway to 80 ft. Includes left side console with cover, adjustable height turntable hand rails, split steps at tip and jack leg flood lights.	\$272,125		
6100-0048	Lower aerial turntable pedistal and boom support 7". For use with 62" high body.	\$627		
6100-0049	Aerial boom 50' Mid-Mount. Includes rescue ladder, split steps at tip and jack leg flood lights. Requires monitor option.	\$154,553		
6100-0050	There shall be no visible raw diamond plate (unpainted) on the aerial turntable. The following items on the turntable to be diamond plate painted black durabak: turntable console, turntable deck and access step.	\$927		
6100-0051	Raise aerial turntable pedistal and boom support 1". Top of turntable support to top of torque box to be 36.875". (Applicable to 95P/CR100/CR137 w/sidestacker style frame cut).	\$3,297		
6100-0052	Raise aerial turntable pedistal and boom support 2". Top of turntable support to top of torque box to be 37.875". (Applicable to 95P/CR100/CR137 w/sidestacker style frame cut).	\$3,297		
6100-0053	Hinged turntable console cover IPOS. Cover to be diamond plate with hinge on outboard side mounted to tube style pedestal mount. Includes modified left side turntable handrail.	\$566		
6100-0054	Ladder HPS105. For use with SideStacker body. Includes pinned waterway, left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$343,555		
6100-0055	Platform Bronto F100RLP. Includes GCS controls, water flow and pressure and floor temp in displays. Requires artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$493,080		
6100-0056	Platform Bronto F114RLP. Includes GCS controls, water flow and pressure and floor temp in displays. Requires artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$540,498		
6100-0057	Platform Bronto F134RLP. Includes GCS controls, water flow and pressure and floor temp in displays. Requires artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$611,124		
6100-0059	Platform Bronto F116 RLP+. Includes variable jacking, hyd oil cooler and water flow and pressure and floor temp in displays. Requires ultrasonic collision guard option, artic oil for units operating in sub zero conditions and tropical oil for units operating in dry desert conditions.	\$600,358		
6100-0061	Ladder HP100 SideStacker w/o waterway. Includes left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$313,087		
6100-0062	Ladder HPS105. Includes pinned waterway, left side console with cover, split steps at tip and jack leg flood lights.	\$342,457		
6100-0063	LINE-X package for Aerial Turntable: Includes turntable console, turntable deck platework and access steps and any other storage boxes or brackets fabricated out of diamond plate installed on the turntable.	\$1,068		
6100-0064	Aerial turntable control console's exterior aluminum plate work to be smooth plate IPO diamond plate and painted job color.	\$1,319		
6100-0065	Lower aerial turntable pedestal and boom support 1" (HP100 Platform). Top of turntable support to top of torque box to be 33".	\$533		
6100-0066	Platform HP100 with full turntable. Includes OEM controls, left side roll top console, turntable mansaver bars and jack leg flood lights.	\$425,116		
6100-0067	Turntable control pedestal to be full diamond plate IPO tube style pedestal mount. Includes diamond plate cover hinged to front and access door at lower area.	\$1,711		
6100-0068	Platform 95 Rear-Mount. Includes platform with angled corners, left side turntable console and jack leg flood lights.	\$435,610		
6100-0069	Platform 95 SideStacker. Includes platform with angled corners, left side turntable console and jack leg flood lights.	\$436,740		
6100-0070	Aerial turntable rotation drive motor cover exterior aluminum plate work to be smooth plate IPO diamond plate and painted job color.	\$660		
6100-0071	Platform HP100 with SideStacker T/T. Includes OEM controls, left side roll top console, turntable mansaver bars and jack leg flood lights.	\$425,116		
6100-0072	Platform HPS100 with full turntable. Includes left side console, turntable mansaver bars and jack leg flood lights.	\$436,740		
6100-0073	Platform HPS100 with SideStacker T/T. Includes left side console, turntable mansaver bars and jack leg flood lights.	\$436,740		

Item #	Description	Extension	+1/-1	Total
6100-0074	Turntable control pedestal to be full diamond plate IPO tube style pedestal mount. Includes diamond plate cover hinged to side and access door at lower area.	\$1,711		
6100-0075	Platform HP100 with full turntable. Includes left side roll top console and jack leg flood lights. Note chains IPO mansaver bars at turntable handrails.	\$436,021		
6100-0076	Locate aerial rotation drive on driver side IPOS. Includes modified turntable control console to incorporate the rotation drive cover.	\$448		
6100-0077	Extensions for aerial and aerial jack grease fittings. Extensions to be routed to three groups (left torque box, right torque box and aerial).	\$1,287		
6100-0078	Raise aerial turntable pedestal and boom support 3". Top of turntable support to top of torque box to be 41.812". (Applicable to HP100 w/sidestacker style frame cut).	\$3,297		
6100-0079	Diamond plate catwalk w/gator grip each side of HP95 mid-mount platform bucket.	\$1,649		
6100-0080	Platform HP95 Mid-Mount. Console in platform to be on right side offset to rear. Includes driver side roll top turntable console, level assist and jack leg flood lights.	\$463,758		
6100-0081	Turntable handrails to be standard height, non-adjustable IPO standard. Applies to LTH100 only.	\$0		
6100-0082	Top of turntable support to top of torque box to be 42.25in. (Metro 100).	\$3,430		
6100-0083	Aerial turntable control console's exterior aluminum plate work to be smooth plate IPO diamond plate and painted two-tone job color.	\$1,319		
6100-0084	Ladder HM100 SideStacker with waterway to 80 ft. Includes partial fly section K-bracing, left side console with cover, turntable mansaver bars, split steps at tip and jack leg flood lights.	\$274,479		
6100-0085	Hinged turntable console cover IPOS. Cover to be smooth plate, painted FLNA 4145 black, with hinge on outboard side mounted to tube style pedestal mount. Includes modified left side turntable handrail.	\$702		
6150-0000	Cold weather package for aerial hydraulic system.	\$3,102		
6150-0001	Aerial hydraulic filter isolation kit.	\$439		
6150-0002	Aerial hydraulic reservoir to be located in lower L1 compt.	\$1,142		
6150-0003	Gauge aerial hydraulic oil level. Electronic display to be located [#LOC].	\$675		
6150-0004	Extended length outrigger foot (PR). Required with 33k rear axle.	\$413		
6150-0005	Aerial hydraulic oil reservoir to be stainless steel IPOS. Includes flange type hyd fittings. Not for use in southern climates.	\$2,019		
6150-0006	Gauge aerial hydraulic oil level. Electronic display to be located on upper rear surface of turntable control console	\$939		
6150-0007	Aerial hydraulic reservoir to be located front center of body on "H" style bracket.	\$1,142		
6150-0008	Integral outrigger pad extensions (4). 15" x 20" x .5" steel plate welded to std jack foot plates.	\$508		
6150-0009	Cold weather package for shared aerial hydraulic system.	\$317		
6150-0010	Aerial hydraulic cooler to be located left side of turntable ahead of control console.	\$0		
6150-0011	Aerial hydraulic sight level gauge IATS. To be located on forward face of aerial reservoir viewable from a hinged door facing outboard behind compartment plate work.	\$724		
6150-0012	Extended length outrigger foot (4). Required with >54k rear axle on HP100 Platform.	\$170		
6150-0014	Aerial hydraulic pump - variable displacement.	\$4,639		
6150-0015	Aerial hydraulic pump to have drive through provision. For use with up to 10kw Harrison, 10kw Smartpower and 15kw Onan.	\$593		
6150-0016	Special aerial hydraulic reservoir/location due to customer's requirements.	\$1,343		
6150-0017	Aerial hydraulic reservoir to be located in lower L2 compt.	\$1,142		
6150-0018	Aerial hydraulic reservoir to be located in lower L3 compt.	\$1,142		
6150-0019	Forward drop down and lock jacks shall be provided with same larger ground pads (PR) as those provided for rear drop down jacks. Only applies to 95' mid mount platform.	\$361		



Item #	Description	Extension	+1/-1	Total
6150-0020	Aerial hydraulic pump to be upgraded to a variable displacement style pump with a drive through provision. For use with up to 10kw Harrison generator only. HP95MM with 260WB only.	\$3,020		
6200-0017	Camera color, fixed lens.	\$1,099		
6300-0000	Monitor Akron electric 1000GPM for RLP/HDT. Includes 24v motors, tip controls, base controls and a butterfly valve. Sidesweep is 45 degrees left and right.	\$14,725		
6300-0001	Monitor Elkhart electric 1000 GPM for ladder. Includes tip and base controls.	\$13,353		
6300-0002	Monitor Akron electric 1000 GPM for ladder. Includes tip and base controls.	\$13,231		
6300-0003	Monitor Elkhart electric 1000GPM for platform. Includes tip controls, base controls and a butterfly valve.	\$13,231		
6300-0004	Monitor Elkhart electric 1250GPM. Includes tip controls, base controls and a butterfly valve.	\$13,231		
6300-0005	Monitor Akron electric 1000GPM for platform. Includes tip controls, base controls and butterfly valve.	\$12,828		
6300-0007	Monitor Akron electric 1250GPM for platform. Includes tip controls, base controls and butterfly valve.	\$13,416		
6300-0009	Monitor Elkhart dual for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric and (1) manual monitor, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$20,087		
6300-0010	Monitor Akron dual for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric and (1) manual monitor, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$20,543		
6300-0011	1000 GPM Akron electric monitor for Tiller ladder. Includes auto-stow, tip and base controls.	\$14,747		
6300-0012	Monitor Akron dual for Bronto. Rated at 1250 GPM. Includes (1) electric and (1) manual monitor, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 45 degrees outward and 22.5 degrees inward.	\$20,541		
6300-0013	Monitor TFT electric 1000GPM for platform with powder coated silver finish. Includes tip controls, base controls and butterfly valve.	\$16,036		
6300-0014	Monitor TFT electric 1250GPM with powder coated silver finish. Includes tip controls, base controls and a butterfly valve. Monitor to have multiple flow ratings based on position.	\$16,036		
6300-0015	Monitor TFT dual for platform with powder coated silver finish. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric and (1) manual monitor, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$21,431		
6300-0016	Monitor TFT electric 1000 GPM for ladder with a powder coated silver finish. Includes tip and base controls.	\$13,231		
6300-0017	Monitor painted silver from OEM.	\$0		
6300-0018	Monitor painted job color.	\$484		
6300-0020	Monitor Akron electric 1250GPM with SabreMaster nozzle. Includes tip controls, base controls and a butterfly valve.	\$14,636		
6300-0023	Monitor Akron electric 1000GPM with SabreMaster nozzle for RLP/HDT. Includes automatic stow, 24v motors, tip controls, base controls and a butterfly valve. Sidesweep is 45 degrees left and right.	\$16,924		
6300-0024	Monitor Akron electric 1000GPM with SabreMaster nozzle for platform. Includes tip controls, base controls and butterfly valve.	\$14,636		
6300-0025	Monitor Elkhart Scorpion RF 1000GPM for ladder. Includes (1) handheld control, OEM transmitter with tip and base controls.	\$16,919		
6300-0026	Snuzzle monitor nozzle(s) to be Akron Akromatic. (Snuzzle supplied)	\$0		
6300-0027	Snuzzle monitor nozzle(s) to be Elkhart SM-1000E. (Snuzzle supplied)	\$0		
6300-0028	Snuzzle monitor nozzle(s) to be TFT. (Snuzzle supplied)	\$0		
6300-0029	Monitor painted two-tone (secondary) job color.	\$484		
6300-0030	Monitor Akron dual for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric with SabreMaster nozzle and (1) manual monitor, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$21,761		

Item #	Description	Extension	+1/-1	Total
6300-0031	Monitor Akron 3578 electric 1000GPM for ladder. Includes 3499 stack tips, 3485 steam shaper and base controls.	\$12,829		
6300-0032	Monitor Akron electric 1000GPM with SabreMaster nozzle for ladder. Includes tip and base controls.	\$14,599		
6300-0033	Monitor Akron electric 1500GPM. Side sweep limited to 45 degrees. Up sweep limited to 30 degrees. Includes tip controls, base controls and a butterfly valve.	\$14,113		
6300-0034	Monitor Akron electric 1250GPM. Includes 3499 stack tips, 3485 steam shaper, tip controls, base controls and a butterfly valve.	\$12,593		
6300-0035	Monitor Akron electric 1250GPM for 95-Platform. Side sweep limited to 45 degrees. Up sweep limited to 30 degrees. Includes tip controls, base controls and butterfly valve.	\$13,416		
6300-0036	Monitor Elkhart electric 1000GPM for Bronto HDT. Includes tip controls, base controls and a butterfly valve. Side sweep is 45 degrees left and right.	\$13,231		
6300-0037	Monitor Akron 3578 electric 1000GPM for ladder. Includes base controls. Does not include nozzle or tips. For use with dept supplied 3499 stack tips and 3485 steam shaper (to be noted on the NFPA exceptions document).	\$12,043		
6300-0038	Semi-Automatic stow upgrade for TFT monitor on aerial ladder. Includes switch with indicator light at aerial turntable control console. Requires use of TFT control sys IPO OEM.	\$0		
6300-0039	Semi-Automatic stow upgrade for TFT monitor on aerial ladder. Includes switches with indicator lights at aerial turntable and pump panel control stations. Requires use of TFT control sys IPO OEM.	\$873		
6300-0040	Semi-automatic stow upgrade for Akron monitor on aerial. Includes switch with indicator light at aerial control console(s).	\$837		
6300-0041	Monitor controls on pump operators panel. Ladders only.	\$1,003		
6300-0042	Monitor Akron electric 1500GPM for ladder. Includes tip and base controls. Side sweep limited to 45 degrees.	\$13,859		
6300-0043	Monitor TFT dual for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric and (1) manual monitor w/stacked tips, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$20,805		
6300-0044	Monitor Akron electric 1000GPM StreamMaster XT with SabreMaster nozzle for ladder. Includes tip controls, base controls and stow feature.	\$17,126		
6300-0045	Monitor Elkhart dual for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (2) manual monitors, (2) butterfly valves. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$13,714		
6300-0046	Wireless control for Akron monitor on aerial. Includes (1) transmitter.	\$2,285		
6300-0047	Monitor painted FLNA3225 red.	\$484		
6300-0048	Wireless control for TFT Monitor on aerial. Includes (1) transmitter and stainless steel mounting bracket.	\$2,862		
6300-0049	Monitor TFT electric 1000GPM for ladder with a powder coated silver finish. Includes stacked tips with tip and base controls.	\$12,256		
6300-0050	Monitor TFT electric 1000GPM for ladder. Includes shut off valve at tip (VUM) with 2.5" aux discharge valve. Includes tip and base controls. Monitor has a powder coated silver finish. Requires high flow W/W relief vlv.	\$15,533		
6300-0051	Monitor Elkhart dual for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric Scorpion EXM w/SM-1250 nozzle and (1) manual Scorpion monitor w/handwheels and ST-195 stacked tips, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$21,536		
6300-0052	Monitor TFT electric 1000GPM for ladder (with reduced extension pipe at 2.75" long). Includes shut off valve at tip (VUM) with 2.5" aux discharge valve. Includes tip and base controls. Monitor has a powder coated silver finish. Requires high flow W/W relief vlv.	\$15,948		
6300-0053	Monitor Akron electric 1250GPM for ladder. Includes tip and base controls. Side sweep limited to 45 degrees.	\$13,231		

Item #	Description	Extension	+1/-1	Total
6300-0054	Monitor TFT electric 1250GPM with powder coated silver finish. Includes tip controls, base controls and electric VUM with dual outlets (1) pointed out and (1) pointed in. VUM to be controlled from platform and turntable control consoles.	\$16,301		
6300-0055	Manual monitor painted silver from OEM. Electric monitor painted job color. Applies to dual monitor platforms only.	\$365		
6300-0056	Monitor Akron dual for platform. Rated at 2000 GPM on the HP100 Pltfrm. Includes (1) electric monitor with 5178 nozzle, (1) manual monitor with 5170 nozzle, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward at 1500 flow. Greater flows have restricted sweep.	\$21,660		
6300-0057	Monitor TFT dual electric for platform with powder coated silver finish. 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (2) electric monitors, (2) manual VUM valves with (1)2.5" gated elbow outlet including 2.5" x 1.5" reducer w/cap, tip/base controls with monitor selector switch. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$26,363		
6300-0058	Monitor TFT dual electric for platform with powder coated silver finish. Rated at 1500 GPM on 95-Pltfrm and 2000 GPM on HP100 Pltfrm. Includes (2) electric monitors, (2) VUM valves with (1)2.5" gated elbow outlet including 2.5" x 1.5" reducer w/cap, tip/base controls and monitor selector switch. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$26,363		
6300-0059	Monitor Elkhart dual electric for platform. Rated at 2000 GPM on HP100 Pltfrm. Includes (2) electric monitors, (2) butterfly valves, tip/base controls and monitor selector switch. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$28,359		
6300-0060	Monitor TFT electric 1250GPM with powder coated silver finish. Waterway rated at 1250gpm with M-ERP2000-NN nozzle. Includes tip controls, base controls and a butterfly valve.	\$16,912		
6300-0061	Monitor TFT electric 1250GPM for ladder. Includes shut off valve at tip (VUM) with reduced extension pipe at 2.75" long and 2.5" aux discharge valve . Side sweep set at 45 degrees. Includes tip and base controls. Monitor has a powder coated silver finish. Requires 4" waterway discharge and high flow W/W relief vlv.	\$15,533		
6300-0062	Monitor TFT electric 1500GPM for ladder with a powder coated silver finish. Side sweep set at 45 degrees. Requires 4" waterway discharge. Includes tip and base controls.	\$13,231		
6300-0063	Monitor TFT dual electric for platform with powder coated silver finish. Rated at 1500 GPM on 95-Pltfrm and 2000 GPM on HP100 Pltfrm. Includes (2) electric monitors w/2000gpm nozzles, (2) VUM valves with (1)2.5" gated elbow outlet including 2.5" x 1.5" reducer w/cap, tip/base controls and monitor selector switch. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$27,796		
6300-0064	Monitor TFT Typhoon RC electric w/extended range 1000GPM for ladder. Includes tip and base controls. Monitor has a powder coated silver finish.	\$13,594		
6300-0065	Monitor TFT Typhoon RC electric w/extended range 1000GPM for 50' boom. Includes tip and base controls. Monitor has a powder coated silver finish.	\$12,288		
6300-0066	Monitor Elkhart Cobra EXM 1250GPM for 95-Platform. Side sweep limited to 45 degrees. Up sweep limited to 30 degrees. Includes tip controls, base controls and butterfly valve.	\$12,790		
6300-0067	Dual Akron Forestry Monitors. Includes Akron Forestry 3462 with a 3293 low flow adjustable nozzle (one each side of bumper). Includes Akron 6035 Joystick (located one each side in cab) on center console, 2" electric valve (1 for each turret), and quick disconnects on each side of bumper.	\$18,467		
6300-0068	Monitor TFT electric 1250GPM with powder coated silver finish. Includes tip controls, base controls and manual VUM with dual outlets.	\$14,252		
6300-0069	Monitor Elkhart Scorpion electric 1500GPM for ladder. Includes tip and base controls. Side sweep limited to 45 degrees.	\$15,588		
6300-0070	Monitor TFT Typhoon RC electric w/extended range 1000GPM for ladder. Includes shut off valve at tip (VUM) with 2.5" aux discharge valve. Includes tip and base controls. Monitor has a powder coated silver finish. Requires high flow W/W relief vlv.	\$15,193		

Item #	Description	Extension	+1/-1	Total
6300-0071	Monitor TFT dual for platform with powder coated silver finish. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric and (1) manual monitor, (2) manual VUM valves with (1)2.5" gated elbow outlet including 2.5" x 1.5" reducer w/cap, tip/base controls. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$21,874		
6300-0072	Monitor Elkhart Cobra EXM 1000GPM for ladder. Includes tip and base controls.	\$11,906		
6300-0073	Semi-automatic stow upgrade for Elkhart Scorpion monitor on aerial. Includes switch with indicator light at aerial control console(s).	\$672		
6300-0074	Monitor Elkhart electric 1000 GPM with ST-195 triple stack tips IPO fog nozzle. Includes tip and base controls.	\$11,105		
6300-0075	Task Force 2.5 Master Stream 1250 Series M-R1250-NN Manual Nozzle	\$1,601		
6300-0076	Monitor Akron StreamMaster II electric with SabreMaster nozzle 1250GPM for platform. Includes tip controls, base controls and a butterfly valve. Monitor to have multiple flow ratings based on position.	\$14,382		
6300-0077	Monitor Akron StreamMaster II w/5177 electric nozzle 1000 GPM for ladder. Includes tip and base controls.	\$12,227		
6300-0078	Monitor Akron StreamMaster II electric with 5177 nozzle 1000GPM. Includes 24v motors, tip controls, base controls, auto stow and a butterfly valve. Sidesweep is 45 degrees left and right.	\$12,121		
6300-0079	Monitor Akron StreamMaster II electric with SabreMaster nozzle 1000GPM. Includes 24v motors, tip controls, base controls auto stow and a butterfly valve. Sidesweep is 45 degrees left and right.	\$13,875		
6300-0080	Monitor Akron dual StreamMaster II for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric and (1) manual monitor, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 90 degrees outward and 22.5 degrees inward. Monitors to have multiple flow ratings based on position.	\$20,250		
6300-0081	Platform to be configured for dual monitors, driver side to be capped off for dealer installed 3" valve.	\$1,264		
6300-0082	Akron Electric Ladder Pipe style 1494 w/5177 nozzle and wireless remote control. Battery, control modules and power receptacle to be mounted to aluminum plates one each side outside fly.	\$19,024		
6300-0083	Monitor Akron electric 1250GPM. Includes 2499 stack tips, 3485 steam shaper, tip controls, base controls and a butterfly valve. Applies to HP100 Platform only.	\$12,732		
6300-0084	Monitor TFT electric 1500GPM for ladder with a powder coated silver finish. Side sweep set at 45 degrees. Requires 4" waterway discharge. Includes tip and base controls.	\$13,231		
6300-0085	Monitor Akron StreamMaster II w/1577 SabreMaster electric nozzle 1000 GPM for ladder. Includes tip and base controls.	\$13,442		
6300-0086	Monitor TFT manual 2000GPM with powder coated silver finish. Waterway rated at 1250gpm. Includes manual VUM and dual outlets with CFD threads.	\$11,767		
6300-0087	Monitor Akron electric StreamMaster II with 1577 SaberMaster nozzle and Task Force Tips VUM w/dual outlets rated at 1250gpm Platform. Includes tip and base controls.	\$16,336		
6300-0088	Monitor TFT electric 1000GPM with powder coated silver finish. Includes tip controls, base controls and manual VUM with single outlet.	\$12,956		
6300-0089	Monitor Elkhart manual 1250GPM. Includes Scorpion 8294-02 monitor w/handwheels, X-Stream SM-2000 manual nozzle and a butterfly valve.	\$7,031		
6300-0090	Akron Electric Ladder Pipe style 1494 w/5177 nozzle, wireless remote control and mounting fixture.	\$19,575		
6300-0091	Monitor Akron dual for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric with SabreMaster nozzle and (1) manual monitor with 3499 stacked tips and 3485 stream shaper, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$20,938		
6300-0092	Monitor Akron Apollo style 3426 manual 1250GPM with tiller arm control for platform. Includes butterfly valve.	\$4,499		

Item #	Description	Extension	+1/-1	Total
6300-0093	Monitor TFT dual electric for platform with powder coated silver finish. Rated at 1250 GPM on 95-Pltfrm and 1500 GPM on HP100 Pltfrm. Includes (2) electric monitors w/1250gpm nozzles, tip/base controls and monitor selector switch. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward.	\$24,802		
6300-0094	Monitor Akron 3483 Manual with 5160 nozzle.	\$7,154		
6300-0095	Monitor Akron electric StreamMaster II with 1577 SaberMaster nozzle and Task Force Tips VUM w/single outlet rated at 1000gpm ladder. Includes tip and base controls.	\$15,018		
6300-0096	Monitor TFT manual 1250/1500 GPM with powder coated silver finish. Includes a butterfly valve. Monitor to have multiple flow ratings based on position.	\$6,214		
6300-0097	Monitor TFT electric 1500GPM with powder coated silver finish. Includes tip controls, base controls and a butterfly valve. Monitor to have multiple flow ratings based on position.	\$16,036		
6300-0098	Monitor TFT electric for platform 1500GPM with powder coated silver finish. Includes tip controls, base controls and manual VUM with dual 2.5" aux discharge valves. Monitor to have multiple flow ratings based on position. HP100 Platform, HPS100 Platform and HP95 MM Platform only.	\$16,546		
6300-0099	Akron Electric Ladder Pipe style 1494 w/5177 nozzle. Battery, control modules and power receptacle to be mounted to aluminum plates one each side outside fly. Includes controls at tip and turntable console.	\$16,223		
6300-0100	Monitor TFT electric for platform 1250/1500GPM with powder coated silver finish. Includes stacked tips, tip controls, base controls and manual VUM with dual 2.5" aux discharge valves. Monitor to have multiple flow ratings based on position. HP100 Platform, HPS100 Platform and HP95 MM Platform only.	\$15,457		
6300-0101	Monitor Akron dual StreamMaster II for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric and (1) manual monitor w/stacked tips, (2) butterfly valves and tip/base controls for the electric monitor. Monitor sweep is 90 degrees outward and 22.5 degrees inward. Monitors to have multiple flow ratings based on position.	\$19,645		
6300-0102	Monitor Akron dual electric for platform. Rated at 1500 GPM on 95-Pltfrm and 2000 GPM on HP100 Pltfrm. Includes (2) StreamMaster II electric monitors with 1577 SaberMaster nozzles, (2) butterfly valves, dual controls (seperate control for each monitor) in platform bucket and monitor selector switch (A/B) at turntable console. Monitor sweep is 67.5 degrees outward and 22.5 degrees inward at 2000 flow. Greater flows have restricted sweep.	\$25,056		
6300-0103	Monitor TFT Typhoon RC electric w/extended range 1500GPM for ladder. Includes shut off valve at tip (VUM) with 2.5" aux discharge valve. Side sweep set at 45 degrees. Requires 4" waterway discharge and high flow W/W relief valve. Includes tip and base controls. Monitor has a powder coated silver finish.	\$15,193		
6300-0104	Monitor TFT dual electric for platform with powder coated silver finish. 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (2) electric monitors, (2) manual VUM valves with (2) 2.5" gated elbow outlets (1) pointed out and (1) pointed in, 2.5" x 1.5" reducer w/cap, seperate controls for each monitor in platform and monitor selector switch (A/B) at turntable console. Note 2.5" outlets and 2.5" side of reducers to have N.Y. Corp threads ODM 3.00 and TPI 8.00. Monitor sweep is 90 degrees outward and 22.5 degrees inward. Monitors to have multiple flow ratings based on position.	\$27,865		
6300-0105	Monitor Akron dual StreamMaster II for platform. Rated at 1250 GPM on the 92 Pltfrm and 1500 GPM on the HP95MM and HP100 Pltfrm. Includes (1) electric W/5177 automatic nozzle and (1) electric monitor w/stacked tips, tether control and storage box, (2) butterfly valves and tip/base controls for the driver side electric monitor only. Monitor sweep is 90 degrees outward and 22.5 degrees inward. Monitors to have multiple flow ratings based on position.	\$22,452		
6300-0106	Monitor TFT electric 1000GPM for ladder. Includes shut off valve at tip (VUM) with 2.5" aux discharge valve, stacked tips with tip and base controls. Monitor has a powder coated silver finish. Requires high flow W/W relief vlv.	\$13,721		
6350-0000	Pinned waterway - upgrade. Waterway pins to section 2 or 3 on HP75 / HP78 and pins to section 3 or 4 on LTH100, HM100 and CR100.	\$8,544		
6350-0001	Nozzle Guard.	\$892		

Item #	Description	Extension	+1/-1	Total
6350-0002	Elkhart 2.5" valve for platform. Valve to be located at the [#LOC].	\$1,737		
6350-0003	Waterway drain for RLP/HDT/Snozzle.	\$582		
6350-0004	Relief valve Hale P30 for RLP/HDT aerial waterway.	\$1,789		
6350-0005	Rear 4" NST waterway inlet for rear mounted aerials. Includes chrome cap.	\$1,179		
6350-0006	2.5" Waterway Class 1 pressure gauge 30-0-600. Locate next to waterway inlet.	\$228		
6350-0007	3.5" Waterway Class 1 pressure gauge. Locate next to waterway inlet.	\$258		
6350-0008	Waterway shut-off valve. Mounted to allow waterway to be used as a discharge. (Available on 1000 GPM waterway only - N/A with Waterous pumps on 4-jack aerials.)	\$1,570		
6350-0009	Right side 4" NST waterway inlet for Mid-Mount Boom or Platform. Includes chrome cap.	\$1,718		
6350-0010	Flowminder with single readout and totalizer for the aerial waterway to be located at the aerial control station.	\$2,871		
6350-0011	Flowminder with dual readout and totalizer for the aerial waterway to be located at each aerial control station.	\$4,498		
6350-0012	Akron 2.5" valve for platform. Valve to be located at the [#LOC].	\$1,915		
6350-0013	2.5" NST Chrome cap and chain for platform discharge valve.	\$63		
6350-0014	2.5" chrome elbow with 2.5" x 1.5" reducer and 1.5" cap for platform / ladder discharge valve.	\$317		
6350-0015	Dual 4" NST waterway inlets for Mid-Mount Platform. Includes chrome caps.	\$3,106		
6350-0016	Dual 4" NST waterway inlets located (1) each side on trailer gooseneck. Includes chrome 4" caps. Also includes (2) 1.5" drain valves. To be hard piped down low on front corners of trailer body and terminated with a 1.5" MNST adaptor and cap. Outlet to point inward toward frame.	\$3,604		
6350-0017	4" Waterway inlet valve (PR). Includes 4" Akron ball valves w/handwheel controls and 4" FNST x 5" Storz droop elbows. Locate (1) each side on waterway inlet. Handwheel to be positioned above valve facing forward.	\$8,612		
6350-0018	Akron 1.5" valve for platform. Valve to be located inside the right rear of platform plumbed to hose box.	\$1,746		
6350-0019	2.5" Waterway Class 1 pressure gauge 30-0-400. Locate next to waterway inlet.	\$228		
6350-0020	Dual read 2.5" Waterway Class 1 pressure gauge (30-0-600 psi/100-0-4140 KPA). Locate next to waterway Inlet.	\$228		
6350-0021	Dual read 3.5" Waterway Class 1 pressure gauge (30-0-600 psi/100-0-4140 KPA). Locate next to waterway Inlet.	\$306		
6350-0022	Relief valve Akron model 59 for Snozzle waterway.	\$757		
6350-0023	Position Waterway Drain Valve Handle at a 45 degree angle when open valve handle is up and closed down	\$0		
6350-0024	3.5" Waterway Class 1 pressure gauge 30-0-400. Locate next to waterway inlet.	\$258		
6350-0025	2.5" Noshok Waterway pressure gauge 30-0-600. Locate next to waterway inlet.	\$245		
6350-0026	2.5" Stainless steel RedHead 45 degree elbow with 2.5" x 1.5" chrome brass reducer and 1.5" chrome brass cap for platform discharge valve.	\$518		
6350-0027	Auxiliary waterway inlet isolation valve - 4" handwheel controlled Akron. Mounted to allow aux inlet to be connected while flowing waterway from on-board pump. Includes relief valve and bleeder outboard of 4" valve.	\$4,502		
6350-0028	4" Waterway inlet valve (PR). Includes 4" Akron ball valves w/handwheel controls and 4" FNST x 4" Storz droop elbows. Locate (1) each side on waterway inlet. Handwheel to be positioned above valve facing forward.	\$8,434		
6350-0029	Rear 4" NST waterway inlet (PR) for rear mounted aerials. Includes 4" Akron handwheel controled shut-off vlvs, relief vlvs and chrome caps. Available only on CR100/92RM and HP100 Platform WOP, inlet replaces small compts at lower rear of body.	\$11,818		
6350-0030	2.5" CSA Chrome cap and chain for platform discharge valve.	\$117		
6350-0031	Auxiliary waterway inlet isolation valve - 4" electric controlled Akron. Mounted to allow aux inlet to be connected while flowing waterway from on-board pump. Includes relief valve and bleeder outboard of 4" valve.	\$4,996		
6350-0033	Waterway inlet shut-off valve - 4" electric controlled Akron. Mounted below ladder tunnel between torque box and rear of body. Includes relief valve and bleeder outboard of 4" valve. Note: Std aerial relief valve to be located ahead of 4" valve. Applies to rear side staircase style bodies only.	\$4,996		
6350-0034	3.5" Waterway Class 1 pressure gauge 0 to 300. Locate next to waterway inlet.	\$258		

Item #	Description	Extension	+1/-1	Total
6350-0035	2.5" LED Class 1 Pressure Gauge (30-0-400). Waterway, Color: [#COL]	\$277		
6350-0036	3.5" Waterway pressure gauge Ashcroft Gauge. Locate next to waterway inlet.	\$258		
6350-0037	2.5" Waterway Class 1 pressure gauge 0 to 300. Locate next to waterway inlet.	\$228		
6350-0038	Relief valve Hale P30 for aerial waterway. Required with tip vlv option. For use with three section aerial only.	\$1,164		
6350-0039	Akron 2.5" valve for ladder tip. Includes alum manifold and butterfly valve to shut-off monitor. Requires high flow W/W relief vlv. HP78 only.	\$3,206		
6350-0040	2.5" Waterway Span pressure gauge 30 to 600. Locate next to waterway inlet.	\$228		
6350-0041	Waterway inlet check valve 4" (PR). Includes bleeder outboard of valve. Locate on driver and officer side.	\$1,580		
6350-0042	Dual read 3.5" Waterway Class 1 pressure gauge (30-0-400 psi/100-0-2758 KPA). Locate next to waterway Inlet.	\$306		
6350-0043	Auxiliary waterway inlet isolation valve - 4" electric controlled Akron. Mounted to allow aux inlet to be connected while flowing waterway from on-board pump. Includes bleeder outboard of 4" valve. Control to at the pump operator panel.	\$4,469		
6350-0044	3.5" Waterway Span pressure gauge 30 to 600. Locate next to waterway inlet.	\$260		
6350-0045	Pressure gauge Class1 digital for the aerial waterway. Gauge to be located at the aerial turntable control station.	\$1,286		
6350-0046	2.5" Waterway Class 1 pressure gauge 0-600. Locate next to waterway inlet.	\$228		
6350-0047	2.5" Pressure Gauge Dual Read (0-400 PSI/-0-2700KPA). Waterway Color: [#COL].	\$283		
6350-0048	Waterway shut-off valve 4" Akron elect model 9313. Mounted to allow waterway inlet to be used as a discharge. Master control to be located adjacent to the auxiliary waterway inlet, slave control located on turntable console.	\$5,594		
6350-0049	2.5" FNST x 2.5" MCSA Chrome elbow with 2.5" FCSA x 1.5" MNPSH reducer and 1.5" cap for platform / ladder discharge valve.	\$317		
6350-0050	2.5" Pressure Gauge Dual Read (30-0-600 psi/100-0-4140 KPA). Locate next to waterway inlet Color: [#COL].	\$227		
6350-0051	2.5" Waterway Class 1 pressure gauge 0 to 300. Locate on aerial turntable console rear facing.	\$291		
6350-0052	2.5" chrome elbow with 2.5" FNST x 1.5" MNPSH reducer and 1.5" cap for platform / ladder discharge valve.	\$311		
6350-0053	Locate rear waterway drain on officer side of body to rear of rear outrigger ahead of auxiliary jack pad bracket.	\$0		
6350-0054	3.5" Waterway Class 1 pressure gauge 0-400. Locate next to waterway inlet.	\$256		
6350-0055	Vacuum breaker for waterway.	\$429		
6350-0056	Waterway shut-off valve - 4" electric controlled Elkhart unibody. Mounted in waterway riser piping.	\$4,991		
6350-0057	Rear 5" NST waterway inlet for rear mounted high flow aerals. Piping to run on top of torque box and "Y" into waterway pipe below swivel. Includes chrome cap.	\$1,805		
6350-0058	Rear 5" NST waterway inlet for rear mounted aerals. Includes chrome cap. Requires TB with 5" wway pipe.	\$1,805		
6350-0059	The rear waterway drain to be controlled by a cable IPOS. Locate control at rear body adjacent to waterway inlet.	\$393		
6350-0060	3.5" Waterway Class 1 pressure gauge. Locate next to waterway inlet. Color: [#COL].	\$278		
6350-0061	3.5" Waterway compound pressure gauge (30-0-400). Color: [#COL].	\$403		
6350-0062	Rear 5" NST waterway inlet with 4" plumbing for rear mounted aerals. Includes chrome cap.	\$1,256		
6350-0063	Relief valve Hale P40 for aerial waterway IPOS. Required with tip vlv option. For use with four section aerial only.	\$1,435		
6350-0064	Elkhart 2.5" valve for ladder tip. Includes alum manifold and butterfly valve to shut-off monitor. Requires high flow W/W relief vlv.	\$3,206		
6350-0065	2.5" Noshok Waterway pressure gauge 0 to 300. Locate next to waterway inlet.	\$245		
6350-0066	Relocate Flowminder to the center of the three positions on the aerial turntable console.	\$0		
6350-0067	2.5" Innovative Controls stainless steel case pressure gauge (0-400) with color code bezel. Locate next to waterway inlet.	\$162		
6350-0068	2.5" Innovative Controls stainless steel case dual read pressure gauge (0-2750KPA/0-400PSI) with color code bezel. Locate next to waterway inlet.	\$162		
6350-0069	2.5" Innovative Controls brass case pressure gauge (0-400) with color code bezel. Locate next to waterway inlet.	\$185		

Item #	Description	Extension	+1/-1	Total
6350-0070	4" Innovative Controls stainless steel case pressure gauge (0-400) with color code bezel. Locate next to waterway inlet.	\$252		
6350-0071	4" Innovative Controls stainless steel case dual read pressure gauge (0-2750KPA/0-400PSI) with color code bezel. Locate next to waterway inlet.	\$252		
6350-0072	4" Innovative Controls brass case pressure gauge (0-400) with color code bezel. Locate next to waterway inlet.	\$361		
6350-0073	2.5" Innovative Controls brass case dual read pressure gauge (0-2750KPA/0-400PSI) with color code bezel. Locate next to waterway inlet.	\$185		
6350-0074	4" Innovative Controls brass case dual read pressure gauge (0-2750KPA/0-400PSI) with color code bezel. Locate next to waterway inlet.	\$361		
6350-0075	Rear 4" NST waterway inlet for rear mounted aerials to be flush. Includes chrome cap.	\$1,179		
6350-0076	4" Innovative Controls stainless steel case pressure gauge (30-0-400) with color code bezel. Locate next to waterway inlet.	\$252		
6350-0077	Front 5" NST waterway inlet for rear mounted aerials. Piping to "Y" into waterway pipe below swivel. Includes chrome cap.	\$5,865		
6350-0078	Waterway shut-off valve - 4" electric Akron valve with 9323 controller. Mounted in a way to allow rear waterway inlet to be used as a rear discharge.	\$5,332		
6350-0079	Waterway drain for RLP/HDT/Snozzle. The waterway drain valve to be located on the waterway piping, and to be controlled by a cable IPOS. Locate control at rear body adjacent to waterway inlet.	\$751		
6350-0080	4" NST rear waterway inlet to be in a recessed aluminum rear access plate to allow specified adapter to be installed without affecting the overall length of the vehicle (see shop order for OAL and adapter details).	\$419		
6350-0081	Elkhart 2.5" valve for platform (PR). Includes chrome 90 degree swivel with 1.5" reducer and cap. Outlet threads to be CFD (Chicago). Valves to be located one each side of monitor.	\$4,286		
6350-0082	Akron 2.5" valve for platform QST threads. Valve to be located at the [#LOC].	\$1,915		
6350-0083	Akron 1.5" valve with NSPH threads for platform. Valve to be located inside the right rear of platform plumbed to hose box.	\$1,746		
6350-0084	Waterway drain 90 degree elbow to be flush with rubrail.	\$0		
6350-0085	4" Innovative Controls brass base Nite-Glo pressure gauge 0-400 with color code bezel. Locate next to waterway inlet.	\$508		
6350-0086	Waterway 1.5" Drain Valve Electric/Air Actuated with two switch controls. Switch located (1) at the rear, and (1) at the turntable.	\$956		
6350-0087	Chrome 2.5" x 1.5" reducer with 1.5" cap for platform discharge valve.	\$213		
6350-0088	Rear 4.5" NST waterway inlet with 4" plumbing for rear mounted aerials. Includes chrome cap.	\$1,230		
6350-0089	2.5" Innovative Controls stainless steel case pressure gauge (0-300) with color code bezel. Locate next to waterway inlet.	\$162		
6350-0090	Platform discharge valve handle to be inboard and shorten handle.	\$63		
6350-0091	Rear 4" NST waterway inlet for rear mounted aerials. Intake located low on officer side at rear of body with piping routed up to outside of tunnel to enter into top of ladder tunnel, connecting in to swivel. Includes stainless steel piping and chrome cap.	\$2,292		
6350-0092	2.5" Innovative Controls Nite-Glo brass case pressure gauge (0-400) and color code bezel with red light gauge illumination. Locate next to waterway inlet.	\$367		
6350-0093	Rear 6" NST waterway inlet with 4" plumbing for rear mounted aerials. Includes chrome cap.	\$1,582		
6350-0094	Akron 2.5" valve for platform with CSA threads. Valve to be located at the [#LOC].	\$1,915		
6350-0095	2.5" FCSA x 2.5" MCSA Chrome elbow with 2.5" FCSA x 1.5" MNPSH reducer and 1.5" cap for platform / ladder discharge valve.	\$317		
6400-0000	Breathing air platform with (2) 300CF cylinders. Includes low air alarm.	\$10,233		
6400-0001	Breathing air platform with (2) 444CF cylinders. Includes low air alarm.	\$11,549		



Item #	Description	Extension	+1/-1	Total
6400-0002	Breathing air platform with (2) 509CF cylinders. Includes low air alarm.	\$14,416		
6400-0003	Breathing air platform with (1) 444CF cylinder. Includes low air alarm.	\$8,665		
6400-0004	Breathing air ladder with (1) 300CF cylinder. Includes low air alarm.	\$9,960		
6400-0005	Breathing air ladder with (2) 300CF cylinders. Includes low air alarm.	\$12,180		
6400-0006	Breathing air ladder with (1) 444CF cylinder. Includes low air alarm.	\$10,098		
6400-0007	Fill hose 50' 2250 PSI for 300CF cylinders.	\$989		
6400-0008	Fill hose 50' 5000 PSI for 444CF cylinders.	\$1,152		
6400-0009	Fill hose 50' 10,000 PSI for 509CF cylinders.	\$1,413		
6400-0010	Additional breathing air outlet at turntable console. Includes filter.	\$762		
6400-0011	Breathing air outlets additional in platform (PR).	\$284		
6400-0012	Breathing air ladder with (2) 444CF cylinders. Includes low air alarm.	\$13,499		
6400-0013	Breathing air platform with (1) 509CF cylinder. Includes low air alarm.	\$10,771		
6400-0014	Breathing air ladder with (1) 509CF cylinder. Includes low air alarm.	\$12,207		
6400-0015	Fill hose 100' 5000 PSI for 444CF cylinders.	\$2,302		
6400-0016	Breathing air outlets, additional (PR) on ladder fly section. These outlets shall be piped from the tip manifold back down to the lower end of the fly where the outlets will be mounted. It will align at the monitor when the ladder is fully extended.	\$1,655		
6400-0017	Mount breathing air bottle as low as possible on side of base.	\$0		
6400-0018	Breathing air platform with (2) 444CF cylinders. Includes low air alarm. Bottles shall be the same model year as the apparatus.	\$11,549		
6400-0019	Fill hose 100' 10,000 PSI for 509CF cylinders.	\$2,823		
6500-0000	Hose box for 50' of 1.75" DJ hose located [#LOC].	\$726		
6500-0001	Hose box for 50' of 2.5" DJ hose [#LOC].	\$732		
6500-0011	Pike pole tube for 6' pole on ladder. Location: [#LOC].	\$305		
6500-0012	Pike pole tube for 8' pole on ladder. Location: [#LOC].	\$305		
6500-0013	Pike pole tube for 10' pole on ladder. Location: [#LOC].	\$305		
6500-0014	Pike pole tube for 12' pole on ladder. Location: [#LOC].	\$305		
6500-0015	Mansaver safety bars mounted at turntable (PR).	\$2,033		
6500-0016	Lifting eyes on platform (PR). Not available on Bronto.	\$367		
6500-0017	Lifting arm for Mid-Mount platform.	\$684		
6500-0018	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on 95 RM platforms. Includes brackets to mount stokes on base of ladder. With a center hosebed or without a pump, the stokes basket shall mount on the right side of the base section opposite the breathing air bottles. With a side hosebed, the stokes basket shall mount on the right side of the base section ahead of the sign plate. Stokes not included.	\$1,406		
6500-0019	Axe bracket mounted on aerial. For use with a 6 lb. axe only. Location: [#LOC].	\$509		
6500-0020	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on 95 MM platforms. Stokes not included.	\$1,700		
6500-0023	Dual rope roller for aerial.	\$2,845		
6500-0024	Lifting eye at tip of ladder. N/A on HM100 with pinned wway to tip.	\$504		
6500-0025	Rear hand rail extension (PR) on turntable for center access step on rear of the body. HP75 / HP78 center hose bed only.	\$352		
6500-0026	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on HP100 platform. Includes brackets to mount stokes to base section right side ahead of sign plate (if equipped). Stokes not included.	\$2,444		
6500-0027	Lifting eye / tie-off package for HP/HPS100 Platform. Includes lifting eyes each side (below mainrail) at tip of base and a tie-off point on each turntable trunnion.	\$2,297		
6500-0028	Rappelling rope guides located each side on front hand rail of platform. HP95 and HP100 Platforms only.	\$288		

Item #	Description	Extension	+1/-1	Total
6500-0030	Hard suction storage box (PR) with nylon straps. (1) each side of ladder base section. Outer wall to be used as sign plate. Color: [#COL]	\$2,218		
6500-0031	Hose box for 10' of 1.75" DJ hose located [#LOC].	\$691		
6500-0032	Vogel auto lube system for aerial device (up to 8 points). Includes Dia Plt cover w/slot to view grease level.	\$3,115		
6500-0033	Mansaver safety bars w/o padded cover mounted at turntable (PR).	\$2,107		
6500-0034	(OBS) Automatic nozzle leveling (tip nozzle only) - Snozzle supplied. Includes On-Off switch.	\$2,754		
6500-0035	Piercing nozzle for Snozzle - Snozzle supplied.	\$11,260		
6500-0037	Storage box with hinged lid & butterfly latch for miscellaneous items, rated for 10lb. capacity. Approx size: 8W x 8L x 20D. Box location: [#LOC].	\$509		
6500-0038	Stokes basket mounting bracket outside base section. Location: left side ahead of sign plate.	\$929		
6500-0039	Equipment mounting plate 6" W x height of ladder section. Loc: Outboard on right side of fly approx 11" from tip. Permanent mounted equipment not to exceed 5 lbs.	\$505		
6500-0040	Hose box for 100' of 1.75" DJ hose located [#LOC].	\$775		
6500-0041	Diamond plate storage box with hinged lid for chain saw. Saw to store with blade extended thru dealer supplied slot in sub floor. Located on officer side of aerial turntable.	\$844		
6500-0042	Stokes basket mounting bracket outside base section. Location: right side rear of sign plate.	\$929		
6500-0043	Retaining pin for pike pole storage tube. Pin to prevent pike pole from vibrating out of stored position on ladder section.	\$117		
6500-0044	Center turntable handrail to flare outward approx 8" to provide additional working space. HP100 SideStacker ladder only.	\$1,236		
6500-0045	Handrails 50' boom - folding. Lowers travel height approx 7.5". Includes switch and wiring to hazard light in cab.	\$7,595		
6500-0046	Mask box in platform for two masks. Box is in addition to box supplied with breathing air system.	\$490		
6500-0047	Retraction stops to be positioned so tip of fly is flush with tip of base.	\$0		
6500-0048	Turntable handrails - adjustable. Height to be able to be adjusted to allow for low height stations. Provide two settings, approx 2" and 4" lower than std.	\$1,220		
6500-0049	Lifting eyes each side at tip of base. Rating is 400 lbs ea, 800 lbs pr.	\$1,562		
6500-0050	Stokes basket receiver for use with Junkin model JSA-200 stokes on 95-Platform. Includes brackets to mount stokes on base of ladder. With a center hosebed or without a pump, the stokes basket shall mount on the right side of the base section opposite the breathing air bottles. With a side hosebed, the stokes basket shall mount on the right side of the base section ahead of the sign plate. Stokes not included.	\$1,406		
6500-0051	Stokes basket mounting bracket outside base section. Location: right side ahead of sign plate.	\$929		
6500-0052	Stokes basket mounting bracket outside base section. Location: left side rear of sign plate.	\$929		
6500-0053	Hose box for 25' of 1.75" DJ hose located [#LOC].	\$698		
6500-0054	Guard for quartz light on front of platform (EA). 1/8" Aluminum plate around top and sides of light.	\$254		
6500-0055	Lifting eyes each side at tip of base. Rating is 1000 lbs ea, 2000 lbs pr.	\$1,562		
6500-0056	HD Slide pad system for HP75/78. Includes (4) side guides and (4) HD rung pads on both the base and lower fly sections.	\$0		
6500-0057	Left & Right side turntable handrails to flare out to rear, to provide additional working space. HP100 platform with full turntable only.	\$1,468		
6500-0058	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on HP100 platform. Stokes and base mounting brackets not included.	\$1,875		
6500-0059	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on HP100 platform. Includes brackets to mount stokes to base section left side ahead of sign plate (if equipped). Stokes not included.	\$2,444		
6500-0060	Heavy duty safety belt anchor points in platform (6). Anchors to be rated for 300# with a six foot long maximum shock lanyard.	\$1,028		

Item #	Description	Extension	+1/-1	Total
6500-0061	Reducer 3.5"F x 2.5"M with mtg bracket. Locate at tip on right side.	\$884		
6500-0062	Stokes basket receiver for use with Junkin MIL-8131-WM Stokes on HP100 platform. Includes brackets to mount stokes to base section right side ahead of sign plate (if equipped). Stokes not included.	\$2,444		
6500-0063	Stokes basket receiver for use with Cascade model CT-PSS1 Stokes on 95 RM platforms. Includes brackets to mount stokes on base of ladder. With a center hosebed or without a pump, the stokes basket shall mount on the right side of the base section opposite the breathing air bottles. With a side hosebed, the stokes basket shall mount on the right side of the base section ahead of the sign plate. Stokes not included.	\$1,406		
6500-0064	Diamond plate storage box with hinged lid for power cut saw. Box to be approx 32L x 16W x 20H located on right side of aerial turntable. Includes notch(es) as required for turntable handrail clearance. CR100/92Pltfrm with full T/T only.	\$898		
6500-0065	Storage box with hinged lid & butterfly latch for miscellaneous items. Approx size: 6W x 14L x 15D. Box location:right side tip of ladder base.	\$663		
6500-0066	Turntable bearing lube fitting to be located at rear of body behind turntable access door (applies to HP75/78 only)	\$0		
6500-0067	PAC TRAC postive locking bracket (PR) for 8' pike pole on ladder includes stop plate to prevent the pole from sliding. location: right side of base horizontally mounted behind sign plate.	\$408		
6500-0068	PAC TRAC postive locking bracket (PR) for 10' pike pole on ladder includes stop plate to prevent the pole from sliding. location: right side of base horizontally mounted behind sign plate.	\$408		
6500-0069	PAC TRAC postive locking bracket (PR) for 12' pike pole on ladder includes stop plate to prevent the pole from sliding. location: right side of base horizontally mounted behind sign plate.	\$408		
6500-0070	Diamond plate storage box with hinged lid for chain saw. Box to be approx 33L x 12W x 16D located on right side of aerial turntable. HP100L/CR100/137L/92Pltfrm with full T/T only.	\$898		
6500-0071	PAC TRAC postive locking bracket (PR) for 12' Boston Rake on ladder. Includes stop plate to prevent the rake from sliding. location: left side of base horizontally mounted behind sign plate.	\$408		
6500-0072	Guard shall be provided at tip for intercom speaker to protect against damage.	\$210		
6500-0073	Guard shall be provided at tip for ladder controls to protect against damage.	\$210		
6500-0074	Axe bracket mounted on aerial. For use with a 8 lb axe only. Location: [#LOC].	\$661		
6500-0075	Stokes basket mounting bracket for Rescue Tech 1 Model# 620124 outside base section. Location: left side ahead of sign plate.	\$929		
6500-0076	PAC TRAC positive locking bracket (PR) for storing 10' attic ladder on ladder base includes stop plate to prevent the attic ladder from sliding. Location: right side of base horizontally mounted behind sign plate.	\$621		
6500-0077	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on 95 MM platforms. Stokes and storage brackets on side of base not included.	\$1,127		
6500-0078	Lifting eye at tip of ladder (250lb rating).	\$504		
6500-0079	Stokes basket receiver for use with Junkin Model MIL-8131-W Stokes on 95 MM platforms. Stokes and storage brackets on side of base not included.	\$1,127		
6500-0080	Storage box with hinged lid & butterfly latch for miscellaneous items, rated for 30lb. capacity. Approx size: 5.5W x 18L x 40D. Box location: [#LOC].	\$664		
6500-0081	Hose box for (2) 50' rolls of 1.75" DJ hose. Position box on platform so vent holes are to the inside IPO outside. Location: [#LOC].	\$775		
6500-0082	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on 95 RM platforms. Includes brackets to mount stokes to the inside of the aerial sign plate on the right side of the base section. Stokes not included.	\$2,019		
6500-0083	PAC TRAC positive locking brackets, four (4) for two (2) 8' pike poles on ladder includes stop plate to prevent the pole from sliding. Location: Two (2) brackets right side and two (2) left side of base horizontally mounted behind sign plate for one (1) pike pole each side.	\$815		

Item #	Description	Extension	+1/-1	Total
6500-0084	Stokes basket receiver for use with CMC Rescue-CMC Pro Series Model #726112-T1 Stokes basket on HP100 platform. Includes brackets to mount stokes to base section right side ahead of sign plate (if equipped). Stokes not included.	\$2,444		
6500-0085	Stokes basket receiver only for HP100 platform. Stokes and base mounting brackets not included.	\$1,875		
6500-0086	Stokes basket storage box for Ferno Washington model 71 stokes on aerial base section. Includes hinged lid with gas springs & notch to clear extension system components. Locate right side on side of base section ahead of sign plate (if equipped). HP100 platform only	\$2,770		
6500-0087	Stokes basket storage box for Ferno Washington model 71 stokes on aerial base section. Box to be aluminum smooth plate with swirl finish includes hinged lid with gas springs & notch to clear extension system components. Locate right side on side of base section ahead of sign plate (if equipped). HP100 platform only	\$2,920		
6500-0088	Each jack leg shall include a "NO STEP" label.	\$135		
6500-0089	PAC TRAC positive locking brackets, four (4) for two (2) 8' pike poles with D-Handles on inside of left side of ladder fly section.	\$815		
6500-0090	Stokes basket mounting bracket outside base section for Ferno Titan Tapered basket. Location: right side ahead of sign plate.	\$929		
6500-0091	Diamond plate storage box with hinged lid to outside for Cutters Edge saw. Box to be approx 36" long x 16" wide x 16" deep includes butterfly latch, gas shock hold-open and chrome grab handle. Locate right side of base section forward of sign plate.	\$1,126		
6500-0092	Smooth plate aluminum storage box with hinged lid for chain saw. Saw to store with bar extended thru dealer supplied slot in sub floor. Located outside to right rear of platform.	\$2,049		
6500-0093	Pike pole tube for 6' Firehooks NY Roofhook on ladder. Location: [#LOC].	\$305		
6500-0094	Stokes basket mounting bracket for Tranverse Advantage Basket Model# 11-0125 outside base section. Location: right side ahead of sign plate.	\$929		
6500-0095	Diamond plate storage box with hinged lid to outside for (1) Cutter's Edge saw or (1) chain saw. Box to be approx 38L x 15W x 16D includes butterfly latch, gas shock hold-upen, chrome grab handle & notch to clear extension system components if applicable. Capacity 25lb. with tag attached to lid. Locate on driver's side of aerial base at tip.	\$1,467		
6500-0096	PAC TRAC postive locking bracket (PR) for 12' pike pole on ladder includes stop plate to prevent the pole from sliding. location: left side of base horizontally mounted behind sign plate.	\$408		
6500-0097	Zico QUIC-BAR/Axe mounting bracket MB-B/A less stop. Does not include QUIC-BAR or Axe. Location inside platform IPO axe bracket. HP100 Platform.	\$631		
6500-0098	PAC TRAC Ironslok Halligan/Axe tool mounting bracket model# K5003. Does not include halligan or Axe. Location inside platform IPO axe bracket. Platform applications only.	\$634		
6500-0099	Stokes basket receiver for use with Traverse Rescue Titan Tapered SS Stokes (Model# 11-0100) on 95 RM platforms. Includes brackets to mount stokes on base of ladder. With a center hosebed or without a pump, the stokes basket shall mount on the right side of the base section opposite the breathing air bottles. With a side hosebed, the stokes basket shall mount on the right side of the base section ahead of the sign plate. Stokes not included.	\$1,406		
6500-0100	PAC TRAC positive locking brackets, five (5) for two (2) pike poles, (1) 8' & (1) 12'. Locate both on left side of ladder fly section.	\$903		
6500-0101	PAC TRAC positive locking brackets, two (2) for one (1) 8' pike pole with D-Handle on inside of left side of ladder fly section.	\$398		
6500-0102	PAC TRAC positive locking brackets (PR), for one (1) 5' pike pole with D-Handle on inside of right side of ladder fly section.	\$398		

Item #	Description	Extension	+1/-1	Total
6500-0103	Stokes basket receiver for use with CMC Rescue-Stainless Steel Rescue Litter Model #726100 Stokes basket on 95 RM platforms. Includes brackets to mount stokes on base of ladder. With a center hosebed or without a pump, the stokes basket shall mount on the right side of the base section opposite the breathing air bottles. With a side hosebed, the stokes basket shall mount on the right side of the base section ahead of the sign plate. Stokes not included.	\$1,406		
6500-0104	PAC TRAC postive locking bracket (PR) for 6' pike pole on ladder includes stop plate to prevent the pole from sliding. location: right side of base horizontally mounted behind sign plate.	\$408		
6500-0105	PAC TRAC postive locking bracket (PR) for 8' pike pole on ladder includes stop plate to prevent the pole from sliding. location: left side of base horizontally mounted behind sign plate.	\$408		
6500-0106	PAC TRAC positive locking brackets, two (2) for one (1) 6' pike pole with D-Handle on inside of right side of ladder fly section.	\$398		
6500-0107	Tie off eye on outrigger (4). Includes (2) 1" x 2.5" slots on each tie off eye. Locate on pivot side of outer jack tube. Rated at 9000lbs. each. For use with criss cross under slung jacks only. Note requires fixed outrigger cover's bottom edge raised to match bottom of body.	\$1,876		
6500-0108	Aerial turntable handrails shall be removable IPO standard. Includes pin to fix upper removable handrail to lower handrail sleeve permanently attached to turntable.	\$582		
6500-0109	PAC TRAC positive locking brackets, two (2) for one (1) 6' pike pole on inside of right side of ladder fly section.	\$398		
6500-0110	Stokes basket receiver for use with Junkin JSA-300CS Stokes on HP100 platform. Includes brackets to mount stokes to base section right side ahead of sign plate (if equipped). Stokes not included.	\$2,444		
6500-0111	Bolt-on ladder tip. Steel aerials only.	\$0		
6500-0112	Bolt-on ladder tip with 10 degree downward tilt. Steel aerials only.	\$0		
6500-0113	Stokes basket receiver for use with Cascade Rescue Professional Series tapered one piece Titanium litter on HP100 platform. Includes brackets to mount stokes to base section right side ahead of sign plate (if equipped). Stokes not included.	\$2,444		
6500-0114	Smooth plate w/swirl finish storage box with hinged lid to outside for (1) Cutter's Edge saw or (1) chain saw. Box to be approx 38L x 15W x 16D includes butterfly latch, gas shock hold-upen, chrome grab handle & notch to clear extension system components if applicable. Capacity 25lb. with tag attached to lid. Locate on driver's side of aerial base at tip.	\$1,617		
6500-0115	Stokes basket mounting bracket outside base section for a Ferno model 71 stokes basket. Location: right side rear of sign plate.	\$929		
6500-0116	Tie-off steel loops (PR) for aerial. Includes tie-off point on each turntable trunnion below heel pin.	\$416		
6500-0117	Lifting eyes each side on bolt-on ladder tip. Rating is 250 lbs ea / 500 lbs pr.	\$522		
6500-0118	Pike pole tube for 6' NY hook on ladder. Location: [#LOC].	\$305		
6500-0119	PAC TRAC postive locking bracket (PR) for 6' pike pole on ladder includes stop plate to prevent the pole from sliding. location: left side of base horizontally mounted behind sign plate.	\$408		
6500-0120	PAC TRAC positive locking brackets four (4), for one 14' pike pole. Locate on right side on inside fly section.	\$748		
6500-0121	Stokes basket storage box fabricated from smooth plate aluminum with swirl finish for Ferno Washington model 71 stokes and also sized to accommodate stokes basket receivers on aerial base section. Includes hinged lid with gas springs & notch to clear extension system components. Locate right side on side of base section ahead of sign plate (if equipped). HP100 platform only.	\$3,397		
6500-0122	Mask style storage box outside to rear of platform for (2) safety harnesses. Approximate size is 6W x 18L x 15D. Box is in addition to box supplied with breathing air system.	\$651		
6500-0123	PAC TRAC positive locking brackets (PR) for 6' trash hook w/D-ring on inside of left side of ladder fly section. Includes aluminum smooth plate boot for trash hook head storage for safety concerns.	\$689		
6500-0124	PAC TRAC postive locking bracket (PR) for 6' pike pole on ladder includes stop plate to prevent the pole from sliding. location: left side of base horizontally mounted behind sign plate.	\$408		

Item #	Description	Extension	+1/-1	Total
6500-0125	PAC TRAC positive locking bracket (PR) for 10' pike pole on ladder includes stop plate to prevent the pole from sliding. location: left side of base horizontally mounted behind sign plate.	\$408		
6500-0126	Smooth plate storage box with hinged lid to outside for Cutters Edge saw. Box to be approx 36" long x 16" wide x 16" deep includes butterfly latch, gas shock hold-open and chrome grab handle. Finish to be swirled. Locate right side of base section rearward of sign plate.	\$1,126		
6500-0127	Akron ladder pipe mounting fixture. Fixture to be mounted at final inspection.	\$551		
6500-0128	PAC TRAC positive locking brackets, four (4) for two (2) 12' pike poles on ladder includes stop plate to prevent the pole from sliding. Location: both pike poles left side of base horizontally mounted behind sign plate.	\$815		
6500-0129	Aerial breathing air system's mask box to be shipped loose. Mask box to be dealer/customer installed in order to meet current version of NFPA.	\$0		
6500-0130	Stokes basket receiver for use with Junkin JSA-200 Stokes on 95 RM platforms. Includes brackets to mount stokes on base of ladder. With a center hosebed or without a pump, the stokes basket shall mount on the right side of the base section opposite the breathing air bottles. With a side hosebed, the stokes basket shall mount on the right side of the base section ahead of the sign plate. Stokes not included.	\$1,406		
6500-0131	Hose box for 25' of 1.50" DJ hose located [#LOC].	\$726		
6500-0132	Smooth plate storage box with hinged lid to outside for miscellaneous storage. Box to be approx 38" long x 15" wide x 15" deep includes butterfly latch, gas shock hold-open and chrome grab handle. Finish to be swirled. Locate right side of base section rearward of sign plate.	\$1,126		
6500-0133	Diamond plate storage box with hinged lid to outside for miscellaneous/Axe storage. Box to be approx 40L x 15W x 18D includes axe bracket with clamp, butterfly latch, gas shock hold-upen, chrome grab handle & notch to clear extension system components if applicable. Capacity 45lb. with tag attached to lid. Locate on driver's side of aerial base at tip.	\$1,708		
6500-0134	Smooth plate storage box with hinged lid to outside for miscellaneous tool storage. Box to be approx 14" long x 6" wide x 38" deep includes thumb latch. Finish to be swirled. Locate left side of platform.	\$1,126		
6500-0135	Stokes basket receiver for use with CMC Rescue-Stainless Steel Rescue Litter Model #726100 Stokes basket on HP100 platform. Includes brackets to mount stokes to base section right side ahead of sign plate (if equipped). Stokes not included.	\$2,444		
6500-0136	Standard mask box for breathing air system to be located on right side behind platform bucket.	\$0		
6500-0137	Stokes basket diamond plate storage box on aerial base section. Includes hinged lid with gas springs & notch to clear extension system components. Locate right side on base section rearward of sign plate (if equipped).	\$2,770		
6500-0138	Stokes basket mounting bracket outside base section for a Ferno model 71 stokes basket. Location: left side ahead of sign plate.	\$929		
6500-0139	Storage box diamond plate with hinged lid & butterfly latch for 50' of 1.75" DJ hose, rated for 50lb. capacity. Approx size: 8W x 25L x 12D. Floor to have extruded alum slats. Locate right side ahead of aerial sign plate on side of base section.	\$895		
6500-0140	Stokes basket diamond plate storage box on aerial base section. Includes hinged lid & notch to clear extension system components. Locate right side forward of sign plate on base section.	\$2,920		
6500-0141	PAC TRAC positive locking bracket for 6' Trash Hook w/D-ring handle. Includes fabricated aluminum smooth plate boot for trash hook head storage. Location: right side tip of base section.	\$689		
6500-0142	Diamond plate storage box with hinged lid for power cut saw. Box to be approx 32L x 16W x 20H located on left side of aerial turntable. Includes notch(es) as required for turntable handrail clearance. CR100/92Pltfrm with full T/T only.	\$898		
6500-0143	Hose box for 50' of 1.75" DJ hose located Driver Side. Drain holes on the bottom only.	\$780		
6500-0144	Tie off eye on outrigger (4). Includes (2) 1" x 2.5" slots on each tie off eye. Locate on pivot side of outer jack tube. Painted orange and rated at 9000lbs each. For use with criss cross under slung jacks only. Note requires fixed outrigger cover's bottom edge raised to match bottom of body.	\$2,147		

Item #	Description	Extension	+1/-1	Total
6500-0145	Lifting eye / tie-off package for HP100 Platform. Includes lifting eyes each side (ahead of mainrail) at tip of base and a tie-off point on each turntable trunnion.	\$2,297		
6500-0146	Diamond plate storage box with hinged lid for miscellaneous storage. Box to be approx 18L x 18W x 11D, includes butterfly latch and chrome grab handle. Locate at final inspection.	\$817		
6500-0147	Belt box on platform for two belts. Box to be mounted on officer side of platform.	\$490		
6500-0148	Stokes basket receiver for use with Ferno Washington Model 71 Stokes on 95 RM platforms. Includes brackets to mount stokes to side of base section. The stokes basket shall mount on the right side of the base section to rear of the sign plate (if applicable). Stokes not included.	\$1,406		
6500-0149	Stokes basket storage brackets for use with [#COL] Stokes. The stokes basket shall mount to the base section on the [#LOC]. Stokes not included.	\$447		
6500-0150	Stokes basket receiver for 95-Platform & HP95 Mid-Mount platforms. Stokes and storage brackets on side of base not included.	\$1,532		
6500-0151	Stokes basket receiver for HP/HPS100 Platforms. Stokes and storage brackets on side of base not included.	\$1,668		
6500-0152	(2) PAC TRAC positive locking brackets for Halligan tool. Includes fabricated aluminum smooth plate boot for wedge/pick head storage. Location: left side tip of base section.	\$744		
6500-0153	Stokes basket storage box on aerial base section. Includes hinged lid. Locate right side to rear of sign plate.	\$2,920		
6550-0000	Outrigger warning lights (4). Trucklite Model 60015R.	\$256		
6550-0001	Outrigger warning lights (PR) LED. Truck-Lite model 91R.	\$384		
6550-0002	Outrigger warning lights (4) LED. Truck-Lite model 91R.	\$762		
6550-0003	Whelen 700 Series [#COL] strobe lights on platform (PR). The lights shall be switched with aerial master and located one each side on the [#LOC].	\$1,212		
6550-0004	Whelen strobe lights at ladder tip (PR) with [#COL] lenses. Switched with aerial master.	\$1,222		
6550-0006	Code3 45R LED red warning lights (4). Located down low across front of platform, wired to the upper level warning lights.	\$1,815		
6550-0007	Whelen 700 series LED red warning lights (4). Located down low across front of platform wired to upper level lights.	\$1,951		
6550-0009	Whelen 700 Series [#COL] LED lights on platform (PR). The lights shall be switched with aerial master and located one each side on [#LOC].	\$804		
6550-0010	Outrigger warning lights (PR). Trucklite Model 60015R.	\$131		
6550-0011	Outrigger warning lights (PR). Weldon Model 1010.	\$131		
6550-0012	Outrigger warning lights (PR) in rubrail.	\$114		
6550-0013	Federal QL64XF LED red warning lights (4). Located down low across front of platform wired to upper level warning lights.	\$1,494		
6550-0014	Whelen 600 Super LED red warning lights (4). Located down low across front of platform wired to upper level lights.	\$1,620		
6550-0015	Code3 65R LED red warning lights (4). Located down low across front of platform, wired to the upper level warning lights.	\$1,629		
6550-0016	Federal QL64XF [#COL] LED warning lights on platform (PR). The lights shall be switched with aerial master and located one each side on [#LOC].	\$699		
6550-0017	Whelen 600 Super LED [#COL] LED warning lights on platform (PR). The lights shall be switched with aerial master and located one each side on [#LOC].	\$763		
6550-0018	Code 3 65 [#COL] LED warning lights on platform (PR). The lights shall be switched with aerial master and located one each side on [#LOC].	\$721		
6550-0019	Outrigger warning lights (PR) LED. Whelen 600 Super LED.	\$712		
6550-0020	Whelen 500 Series TIR6 Super-LED lights at ladder tip (PR) with red lenses. Switched with aerial master.	\$959		
6550-0021	Outrigger warning lights (PR) Trucklite model 21 LED in rubrail.	\$181		

Item #	Description	Extension	+1/-1	Total
6550-0022	LED warning lights on the sides of the platform to be switched with either upper level warning or aerial master warning.	\$255		
6550-0023	Federal IMPAXX model IPX 302 [#COL] LED lights (4) with clear lenses at ladder tip. Lights located (2) each side, (1) side facing and (1) forward facing. Lights to be synchronized together and switched with aerial master.	\$1,367		
6550-0024	Outrigger warning lights (PR) Trucklite model 21 LED in rubrail.	\$181		
6550-0025	Whelen 500 Series TIR6 Super-LED lights at ladder tip (PR) with blue lenses. Switched with aerial master.	\$959		
6550-0026	Whelen 600 Super LED red and blue warning lights (4). Located down low across front of platform alternating red/blue wired to upper level lights.	\$1,620		
6550-0027	Code 3 model 468 [#COL] LED warning lights with clear lenses on platform (PR). The lights shall be switched with aerial master and located one each side on [#LOC].	\$746		
6550-0028	Whelen M4RC Super-LED lights at ladder tip (PR) with clear lenses. Switched with aerial master.	\$1,042		
6550-0029	Outrigger warning lights (PR) LED. Federal Signal Quadraflare LED.	\$715		
6550-0030	Whelen M6J Super LED red/blue warning lights (4) with clear lenses. Located down low across front of platform wired to upper level lights.	\$1,861		
6550-0031	Whelen M6J Super LED split red/blue warning lights on platform (PR) with clear lenses. The lights shall be switched with aerial master and located one each on platform.	\$891		
6550-0032	Whelen M6 Super LED red warning lights (4). Located down low across front of platform wired to upper level lights.	\$1,671		
6550-0033	Whelen M6 Super LED [#COL] warning lights on platform (PR). The lights shall be switched with aerial master and located [#LOC].	\$813		
6550-0034	Outrigger warning lights (4) LED. Whelen M9RC red with clear lens.	\$2,731		
6550-0035	**OBS use 6550-0063** Whelen VTC3R Vetex Super-LED lights at ladder tip (PR). Red with clear lenses and chrome bezels. Switched with aerial master.	\$639		
6550-0036	Whelen 600 Super LED [#COL] LED warning lights on platform (PR). The lights shall be switched with upper level warning and located one each side on [#LOC].	\$763		
6550-0037	Outrigger warning lights (4) LED. Federal Signal Quadraflare LED.	\$1,426		
6550-0038	Whelen 600 Super LED split red/clear warning lights (4). Located down low across front of platform wired to upper level lights.	\$2,007		
6550-0039	Whelen M6 Super LED red and blue warning lights with clear lens (4). Located down low across front of platform red outboard, blue inboard wired to upper level lights.	\$1,671		
6550-0040	Additional LED outrigger warning lights (8). Lts to be recessed on inward facing front and rear ends of each outrigger cover.	\$428		
6550-0041	Outrigger warning lights (4) LED. Whelen M6 Super LED.	\$1,625		
6550-0042	Warning light Whelen Dominator Plus model DP4ARAR with (4) LINZ6 LEDs Amber, Red, Amber, Red. Location: [#LOC]. The light shall be switched with emergency lighting.	\$1,346		
6550-0043	Whelen M6 [#COL] Super LED warning light (EA). Location: [#LOC]. The light shall be switched with aerial master power.	\$686		
6550-0044	Additional LED outrigger warning lights (4). Lts to be recessed on inward facing front and rear ends of each outrigger cover.	\$216		
6550-0045	Whelen 600 Super LED red warning lights (4) with clear lenses. Located down low across front of platform wired to upper level lights.	\$1,620		
6550-0046	Federal QL64XFC LED red warning lights (4)with clear lenses. Located down low across front of platform wired to upper level warning lights.	\$1,494		
6550-0047	Outrigger warning lights (PR) LED. Federal Signal Quadraflare red LED with clear lenses.	\$715		
6550-0048	** OBS ** (use 6550-0063) Whelen VTC6R Vertex Super-LED lights at ladder tip (PR). Red with clear lenses and chrome bezels. Switched with aerial master.	\$639		



Item #	Description	Extension	+1/-1	Total
6550-0049	Whelen M6 series Super LED red warning lights with clear lenses model number M6RC (4). Located down low across front of platform wired to upper level lights.	\$1,671		
6550-0050	Whelen 500 Series TIR6 Super-LED lights at ladder tip (PR) red with clear lenses. Switched with aerial master.	\$959		
6550-0051	Whelen 500 Series LIN6 Super-LED lights at ladder tip (PR) with green lenses. Switched with aerial master.	\$1,103		
6550-0052	Federal QL64SFC-RB LED split red/blue warning lights (4). Located down low across front of platform wired to upper level warning lights.	\$1,689		
6550-0053	Whelen M6K Super LED split red/amber warning lights with clear lenses on platform (PR). The lights shall be switched with aerial master and located [#LOC].	\$902		
6550-0054	Whelen M6 Super LED (2) M6R red and (2) M6CC white with clear lens for total of (4) four warning lights. Locate clear lens inboard and red lens outboard down low across front of platform wired to upper level lights.	\$1,656		
6550-0055	Whelen M6 Series Super-LED lights at ladder tip (PR) with blue lenses. Switched with aerial master.	\$1,036		
6550-0056	Whelen 500 Series LIN6 Super-LED lights at ladder tip (PR) with clear lenses. Switched with aerial master.	\$1,103		
6550-0057	** OBS ** (Replaced by VTX609) Whelen VTC6R Vertex Super-LED lights at ladder tip (PR). Blue with clear lenses and chrome bezels. Switched with aerial master.	\$639		
6550-0058	Outrigger warning lights (PR) LED. Whelen M6 Super LED.	\$813		
6550-0059	** OBS ** (Replaced by VTX609) Whelen VTC6R Vertex Super-LED lights at ladder tip (PR). Red with clear lenses and black bezels. Switched with aerial master.	\$639		
6550-0060	Whelen M6D Super LED red/clear warning lights (4) with clear lenses. Located down low across front of platform wired to upper level lights.	\$1,861		
6550-0061	Light Whelen model PSR00FRR LED (PR) red. Location: [#LOC].	\$453		
6550-0062	Whelen M7 Super LED [#COL] warning lights on platform (PR). The lights shall be switched with aerial master and located [#LOC].	\$813		
6550-0063	Whelen VTX609R Vertex Super-LED lights at ladder tip (PR). Red with clear lenses and chrome bezels. Switched with aerial master.	\$682		
6550-0064	Whelen 5V1R Super-LED lights at ladder tip (PR) with red lenses. Switched with aerial master.	\$978		
6550-0065	Federal QL64XFC [#COL] LED warning lights with clear lenses on platform (PR). The lights shall be switched with aerial master and located [#LOC].	\$699		
6550-0066	Outrigger warning lights (4) LED. Whelen M9V2RC red with clear lens. Scene lights wired through outrigger deployment switch(es) and scene light switch.	\$4,690		
6550-0067	Outrigger warning lights (4) LED. Whelen M6RC Super LED with clear lenses.	\$1,625		
6550-0068	Whelen M6 Super LED warning lights (4) with clear lenses; (2) M6D split red/clear outboard, (2) M6RC red inboard. Located down low across front of platform wired to upper level lights.	\$1,861		
6550-0069	Outrigger warning lights (4) LED. Whelen 600 Super LED red with clear lenses.	\$1,419		
6550-0070	Code3 65RW LED split red/whitre warning lights (4). Located down low across front of platform, wired to the upper level warning lights.	\$2,237		
6550-0071	Outrigger warning lights (4) LED. TecNiq T600 red LED grommet mounted. Requires side facing lights.	\$558		
6550-0072	Whelen M6 Super LED warning lights (4) with clear lenses.; (2) M6D split red/clear inboard, (2) M6RC red outboard. Located down low across front of platform wired to upper level lights.	\$1,861		
6550-0073	Whelen M6 Super LED warning lights (4); (2) M6D split red/clear with clear lenses outboard, (2) M6R red inboard with red lenses. Located down low across front of platform wired to upper level lights.	\$1,861		
6550-0074	Whelen M2BC Super LED blue with clear lens warning lights on platform (PR). The lights shall be switched with aerial master and located one each on platform (side facing) up high offset forward.	\$648		
6550-0075	Whelen VTX609B Vertex Super-LED lights at ladder tip (PR). Blue with clear lenses and chrome bezels. Switched with aerial master.	\$682		

Item #	Description	Extension	+1/-1	Total
6550-0076	Outrigger warning lights (PR) LED. Whelen M9V2RC red with clear lens. Scene lights wired through outrigger deployment switch(es) and scene light switch.	\$2,345		
6550-0077	Whelen 500 Series TIR6 Super-LED lights at ladder tip (PR) with amber lenses. Switched with aerial master.	\$959		
6550-0078	Whelen M6 Super LED (2) M6RC red and (2) M6BCC blue with clear lens for total of (4) four warning lights. Locate red driver, blue officer down low across front of platform wired to upper level lights.	\$1,656		
6550-0079	Whelen VTX609B Vertex Super-LED light at left side ladder tip (EA). Blue with clear lense and chrome bezel. Switched with aerial master.	\$341		
6550-0080	Outrigger warning lights (4) LED. Whelen M6V2RC Super LED.	\$3,381		
6560-0000	Outrigger flood light (4) RLP/HDT. Trucklite with rubber housing.	\$277		
6560-0001	Ladder climbing lights. Lens colors shall be [#COL].	\$3,048		
6560-0002	Spot light 12V located [#LOC].	\$505		
6560-0003	Flood light 12V located [#LOC].	\$505		
6560-0004	Collins light FX-12 located [#LOC].	\$652		
6560-0005	Flood lights Unity at base (PR).	\$591		
6560-0006	Collins light FX-12 at base (PR).	\$1,426		
6560-0007	Flood lights Unity jib boom (PR) RLP/HDT.	\$591		
6560-0008	Quartz light 500W with pole platform. Hardwired. Requires 110V twist lock at tip option. The light shall be located [#LOC].	\$778		
6560-0009	Quartz light 500W at tip. Hardwired. Requires 110V twist lock at tip option. The light shall be located [#LOC].	\$415		
6560-0010	Quartz light 750W Magnafire model KR1436 platform mounted. Requires 110 volt twistlock receptacle at tip option. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$1,136		
6560-0011	Quartz light 750W Magnafire with pole model KR236-S mounted at platform. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$1,604		
6560-0012	Quartz light 750W Magnafire model KR636-S. Requires 110-volt receptacle at tip option. The light shall be located [#LOC].	\$1,287		
6560-0013	Quartz light 750W Magnafire permanently mounted recessed in the center of the bottom heat shield on the platform. Requires 110 receptacle at tip option. Includes hardwired switch on platform console. Midmount only.	\$1,053		
6560-0014	Quartz light 750W Magnafire (PR) permanently mounted recessed in the front corners of the bottom heat shield on the platform. Requires 110 receptacle at tip option. Includes hardwired switch on platform console. Midmount only.	\$2,106		
6560-0016	Quartz light Fire Research Focus 750W/110V model FCA540-S75-CLP37-ON-SW with 37" pull up pole. The light shall be located [#LOC].	\$1,845		
6560-0017	Quartz light Fire Research Focus 750W/110V model FCA300-S75 with aerial mount. The light shall be located [#LOC].	\$1,197		
6560-0018	Quartz light Fire Research Focus 750W/110V model FCA570-S75-ON without pole. The light shall be located [#LOC].	\$1,414		
6560-0019	Quartz light Fire Research Optimum 750W/110V model OPA570-S75-ON without pole. The light shall be located [#LOC].	\$1,498		
6560-0021	Collins light at tip. 24 volt. Light to be located [#LOC].	\$726		
6560-0022	Collins light at base (PR). 24 volt.	\$1,571		
6560-0023	Collins light on jib boom (PR). 24 volt.	\$1,571		
6560-0026	Quartz light Fire Research Optimum 750W/110V model OPA540-S75-CLP37-ON-SW with 37" pull up pole. The light shall be located [#LOC].	\$1,921		
6560-0028	Grille guard for Magnafire light(s) on aerial.	\$179		
6560-0029	Ladder climbing lights Truck-lite LED. Lens colors shall be [#COL].	\$3,423		
6560-0030	Grille guard for Optimum light(s) on aerial.	\$174		
6560-0031	Quartz light 750W Magnafire 5000 model KR656-S. Requires 110-volt twist lock receptacle at tip option. The light shall be located [#LOC].	\$1,287		

Item #	Description	Extension	+1/-1	Total
6560-0032	Locate spot, flood and /or quartz lights on ladder fly section as far back from tip as possible.	\$0		
6560-0033	Quartz light Fire Research Focus 750W/110V model FCA200-S75 (PR) permanently mounted recessed in the front corners of the bottom heat shield on the platform. Requires 110 receptacle at tip option. Includes hardwired switch on platform console. Midmount only.	\$2,390		
6560-0034	Three way switching for quartz light on front of platform to allow light to be controlled from platform console, turntable console or cab. Includes 12v/110v relay and switches at platform and base consoles. Requires add'l 12v switch option in cab.	\$835		
6560-0035	Mount spot / flood light(s) on ladder fly section to forward upright to allow ladder to retract fully. HM100/110 with special retraction stops only.	\$0		
6560-0036	Quartz light MagnaFire 70W/12V model KR-1331-S low profile permanent mount with angle bracket. Includes switch on light. Location(s): [#LOC].	\$1,744		
6560-0037	Collins light FX-6 located [#LOC]. No switch at lighthouse.	\$652		
6560-0038	Additional turntable console lights (PR). Locate (1) each side ahead of aerial controls. HP100 platform only.	\$125		
6560-0039	Additional floor strip light in platform (EA). Location: [#LOC].	\$130		
6560-0040	Whelen model PSBP12C LED spot light located [#LOC].	\$674		
6560-0041	Whelen LED model PFBP12C at base (PR).	\$1,243		
6560-0042	Quartz light 750W Magnafire 5000 model KR1456 platform mounted. Requires 110 volt twistlock receptacle at tip option. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$1,123		
6560-0043	Quartz light Fire Research Focus 500W/110V model FCA200-S50 permanently mounted recessed in the center of the bottom heat shield on the platform. Requires 110 receptacle at tip option. Midmount only.	\$1,089		
6560-0044	Quartz light Fire Research Optimum 750W/110V model OPA200-S75 recess mount. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$1,368		
6560-0045	Outrigger flood lights LED (4) IPOS. Truck-Lite model 81380.	\$837		
6560-0046	Outrigger flood lights LED (2) IPOS. Truck-Lite model 81380.	\$419		
6560-0047	Quartz light Fire Research Focus 750W/110V model FCA300-S75 permanently mounted low on right side of platform, offset to front facing down. Includes hardwired switch on platform console. Requires 110 receptacle at tip option. RLP only.	\$1,290		
6560-0048	Collins light FX-HID located [#LOC].	\$741		
6560-0049	Collins light FX-HID at base (PR).	\$1,607		
6560-0051	Quartz light Fire Research Focus 1000W/240V model FCA570-M12-ON without pole. The light shall be located [#LOC].	\$1,506		
6560-0052	Quartz light 900W Magnafire with 30" pole model KR239-S mounted at platform. Requires 220V at tip option. The light shall be located [#LOC].	\$1,656		
6560-0053	(No longer used; See sales code 6560-0040) Whelen PSBP12C LED spot light located [#LOC].	\$623		
6560-0054	Quartz light 12V 70W Magnafire with pole model KR231-S mounted at platform. The light shall be located [#LOC].	\$1,879		
6560-0057	Outrigger flood lights LED (4). Whelen model PFBS6.	\$1,410		
6560-0058	Light Whelen Pioneer model KR-14PFP2AC platform mounted. Requires 110 volt twistlock receptacle at tip option. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,308		
6560-0059	Light Whelen 12V Pioneer Plus model PSP1 spot light with PBAPED pedestal mount. Location: [#LOC].	\$1,882		
6560-0062	Fire Research Evolution 12V LED model FCA570-V15-ON without pole. The light shall be located [#LOC].	\$2,421		
6560-0065	Whelen model PFBP12C LED flood light located [#LOC].	\$622		
6560-0066	Light Fire Research Spectra 120V LED model SPA540-K20-CLP37-ON-SW with 37" pull up pole. The light shall be located [#LOC].	\$3,642		
6560-0067	Light Fire Research Spectra LED 120V model SPA570-K20 permanent mount. Requires 110-volt twist lock receptacle at tip option. Location(s): [#LOC].	\$3,090		

Item #	Description	Extension	+1/-1	Total
6560-0068	Light Fire Research Spectra 120V LED model SPA850-K20 with flat mount. Location: [#LOC].	\$2,757		
6560-0069	Light Whelen Pioneer Plus LED model PFP2 12V platform mounted. Includes hardwired switch on platform console. The light shall be located [#LOC]. NOTE: requires engineering approval when combined with 110VAC and/or breathing air at the platform.	\$4,364		
6560-0070	Quartz light 750W Magnafire model KR-2656 recess mount. Requires 110 receptacle at tip option. Includes hardwired switch on platform console. The light shall be located center front of platform.	\$866		
6560-0071	Ladder climbing lights Luma-Bar Pathfinder LED strip (both sides of 3 section ladder). Color: blue.	\$8,505		
6560-0072	Light Whelen Pioneer Plus model PFP2AC 120V with recess mount. Requires 110-volt receptacle at tip option. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,967		
6560-0073	Light Whelen Pioneer Plus model PFP2AC w/bail mount permanently mounted recessed in the center of the bottom heat shield on the platform. Requires 110-volt receptacle at tip option. Includes hardwired switch on platform console. Midmount only.	\$2,797		
6560-0074	Whelen model PSBP12C LED spot lights (PR). Located: on the left and right side of aerial base.	\$1,342		
6560-0075	Federal Signal QL97LEDSCENE LED scene light (EA) with weatherproof connectors. Switch on platform console. Locate [#LOC].	\$1,537		
6560-0076	Fire Research Evolution 12V LED model FCA300-V15 with aerial mount. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,172		
6560-0077	Ladder climbing lights LED strip (one side of 3 section ladder). Color:[#COL].	\$3,118		
6560-0078	Ladder climbing lights Luma Bar Pathfinder LED strip for HP75/78 ladder (one side). Color: [#COL].	\$4,652		
6560-0079	Ladder climbing lights Luma Bar Pathfinder LED strip for HP75/78 ladder (both sides). Color: [#COL].	\$9,304		
6560-0080	Ladder climbing lights Luma Bar Pathfinder LED strip for 4 section aerial (one side). Color: [#COL].	\$5,152		
6560-0081	Ladder climbing lights Luma-Bar Pathfinder LED strip for 4 section aerial (both sides). Color: [#COL].	\$10,303		
6560-0082	Ladder climbing lights Luma Bar Pathfinder LED strip for CR137 (one side). Color: [#COL].	\$8,511		
6560-0083	Ladder climbing lights Luma Bar Pathfinder LED strip for CR137 (both sides). Color: [#COL].	\$17,020		
6560-0084	Ladder climbing lights Luma-Bar Pathfinder LED strip for 95-Platform and HP100 Platform (one side). Color: [#COL].	\$5,297		
6560-0085	Ladder climbing lights Luma Bar Pathfinder LED strip for 95-Platform and HP100 Platform (both sides). Color: [#COL].	\$10,594		
6560-0086	Quartz light Fire Research Focus 1500W/240V model FCA540-M15-CLP37-ON-SW with 37" pull up pole. [#LOC].	\$1,968		
6560-0087	Quartz light Fire Research Focus 1500W/240V model FCA570-M15 without pole. Location(s): [#LOC].	\$1,762		
6560-0088	Light Whelen Pioneer Plus model PFP1AC w/bail mount platform mounted. Requires 110-volt receptacle at tip option. Includes hardwired switch on platform console. Location(s): [#LOC].	\$1,793		
6560-0089	Light Whelen model PSR00XRR LED (EA) red 3rd brake light. Location: [#LOC].	\$228		
6560-0090	LED floodlight Whelen Pioneer with pole model KR-SB-2PFP1-W2-S-SL mounted at platform. Switched at lighthouse and base console. Lights shall be located: [#LOC].	\$1,995		
6560-0091	LED floodlight Whelen Pioneer with pole model KR-SB-2PFP2AC-W2-S-SL powder coated black mounted at platform. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$2,727		
6560-0092	Wire guard for FRC Evolution light(s) on aerial. Location: [#LOC].	\$174		
6560-0093	Light Whelen Pioneer Plus model PFP2AC powder coated black with permanent mount (ROM model KR-SB-6PFP2AC) powder coated black. Requires 110-volt receptacle at tip option. Location(s): [#LOC].	\$2,444		
6560-0094	Light Whelen Pioneer model KR-14PFP2AC platform mounted powder coated black. Requires 110 volt twistlock receptacle at tip option. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,308		
6560-0095	Light Whelen Pioneer Plus model PFP1 w/bail mount platform mounted. Includes hardwired switch on platform console. Location(s): [#LOC].	\$1,567		
6560-0097	Light Fire Research Spectra LED 12V model SPA570-Q20 permanent mount. The light shall be fitted with a weather-resistant switch and hard-wired to the aerial tip power circuit. Location(s): [#LOC].	\$2,993		

Item #	Description	Extension	+1/-1	Total
6560-0098	Turntable work lighting shall be upgraded to LED IPOS.	\$247		
6560-0099	Upgrade (4) inclinometer lights to LED. Grote model G6151.	\$73		
6560-0100	Whelen LED model PFBP12C at jib boom (PR) RLP/HDT.	\$1,243		
6560-0101	Aerial turntable control panel EON LED lights IPOS.	\$239		
6560-0102	Light Whelen Pioneer Plus model PFP2AC with permanent mount. Requires 110V receptacle at tip option. Location(s): [#LOC].	\$2,444		
6560-0103	Whelen Pioneer PFP2AC 110V LED floodlight with pole mounted at platform. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$3,079		
6560-0104	Light Whelen Pioneer Plus 12V model PFP1P1 with PBAPEDD pedestal mount. Switched at light head and base console. Location(s): [#LOC].	\$1,749		
6560-0105	Light Whelen Pioneer Plus 120V model PFP1AP1 with PBAPEDA pedestal mount. Requires 110 volt twist lock receptacle at tip option. Location(s): [#LOC].	\$1,937		
6560-0106	Quartz light Fire Research Spectra 12V LED model SPA260-Q15 with surface mount and on/off sw on platform console. The light shall be located [#LOC].	\$2,242		
6560-0107	Light Fire Research Spectra 120V LED model SPA540-K20-CLP37-ON-SW with 37" pull up pole powder coated black. The light shall be located [#LOC].	\$3,701		
6560-0108	Light Fire Research Spectra 120V LED model SPA850-K20 with flat mount powder coated black. Location: [#LOC].	\$2,817		
6560-0109	Quartz light Fire Research Spectra 12V LED model SPA260-Q15 with surface mount powder coated black and on/off sw on platform console. The light shall be located [#LOC].	\$2,302		
6560-0110	Ladder climbing lights Federal Signal MicroPulse6 LED for 4 section aerial (one side). Color: [#COL].	\$4,431		
6560-0111	Quartz light 500W Magnafire 5000 model KR655-S. Requires 110-volt twist lock receptacle at tip option. The light shall be located [#LOC].	\$1,061		
6560-0112	Flood lights Whelen 12V PFP1 at base (PR) with pedestal mount.	\$3,825		
6560-0113	Light Whelen Pioneer Plus 120V model PFP1AP1 with PBAPEDA pedestal mount located at tip of base section (PR). Requires 110 volt twist lock receptacle at tip option.	\$3,994		
6560-0114	Luma Bar Pathfinder 20" LED strip to illuminate aerial pedestal's control panel. Applies only to diamond plate turntable consoles.	\$1,363		
6560-0115	Light Fire Research Spectra LED 12V model SPA540-Q15-CLP37-ON-SW with 37" pull up pole. The light shall be located [#LOC].	\$2,959		
6560-0116	Light Whelen Pioneer Plus 120V model PSP1AP1 with PBAPEDA pedestal mount. Requires 110 volt twist lock receptacle at tip option. Location(s): [#LOC].	\$2,192		
6560-0117	Light Fire Research Spectra 12V LED model SPA540-Q15-CLP37-ON-SW with 37" pull up pole powder coated black. The light shall be located [#LOC].	\$3,701		
6560-0118	Light Rigid Industries 12V E2-Series 20" LED. Includes aluminum plate shield. Switched at turntable console. N/A with lifting eye at tip. Location: mounted below aerial at tip of fly section.	\$2,065		
6560-0119	Light Rigid Industries Spot/Flood 12V E-Series 10" LED (PR). Includes aluminum plate shields. Switched at turntable console. Location: One each side at tip of fly section mounted parallel to main rail facing down.	\$1,799		
6560-0120	Flood lights Whelen Micro Pioneer model MPBW at base (PR).	\$1,794		
6560-0121	Light Whelen Pioneer Plus model PFP1AC w/bail mount permanently mounted recessed in the center of the bottom heat shield on the platform. Requires 110-volt receptacle at tip option. Includes hardwired switch on platform console. Midmount only.	\$2,290		
6560-0122	Ladder climbing lights Luma-Bar Pathfinder LED strip for 4 section aerial (both sides). Color: Blue (base, 2nd & 3rd, fly)/Amber fly section from folding steps to tip.	\$12,224		
6560-0123	Whelen LED model PFBP12C at tip of base (PR).	\$1,243		

Item #	Description	Extension	+1/-1	Total
6560-0124	Whelen Pioneer PFP1AC 110V LED floodlight with pole mounted at platform. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$2,254		
6560-0125	Flood/Spotlight Whelen PCP2AC 110V with external mount 30" tripod telepole. Includes 110V 20A twistlock receptacle. Location(s): [#LOC]	\$4,048		
6560-0126	Marker lights additional amber LED Trucklite Model 35 (PR). Location: [#LOC]	\$188		
6560-0127	FireTech model FT-WL3500-FT-W LED flood/spot light. Includes hardwired switch on turntable console. Location: left and right side of base section.	\$1,613		
6560-0128	FireTech model FT-WL3500-FT flood/spot LED light at jib boom (PR) RLP/HDT.	\$1,613		
6560-0129	Outrigger flood light (4) RLP/HDT. Truck-Lite LED model 81380.	\$876		
6560-0130	Whelen Pioneer PFP2AC 110V LED floodlight with pole mounted at platform powder coated black. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$3,079		
6560-0131	Light Whelen Pioneer Plus 12V model PFP1P1 with PBAPEDD pedestal mount powder coated black. Switched at light head and base console. Location(s): [#LOC].	\$1,749		
6560-0132	Akron SceneStar 12V LED model ELSS-SLDC-SB-SW with non-telescoping swivel base. Switched at light head and base console. The light shall be located [#LOC].	\$1,911		
6560-0133	Light Whelen Pioneer Plus 120V model PFP1AP1 with PBAPEDA pedestal mount powder coated black. Requires 110 volt twist lock receptacle at tip option. Location(s): [#LOC].	\$1,937		
6560-0134	Flood/Spotlight Whelen PCP2AC 110V with external mount 30" tripod telepole. Includes 110V 15A twistlock receptacle. Location(s): [#LOC]	\$4,048		
6560-0135	Rigid Industries model 24421 LED spot light. Includes hardwired switch on turntable console. Location: left and right side of base section.	\$2,200		
6560-0136	Light Rigid Industries model 24411 LED flood light w/bail mount platform mounted. Includes hardwired switch on platform console. Location(s): [#LOC].	\$1,101		
6560-0137	Light Whelen Pioneer Plus model PFP1 with PBA103 recess mount. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$1,577		
6560-0138	Whelen Pioneer PFP2 12V LED floodlight with pole mounted at platform. Includes switch on light head. The light shall be located [#LOC]	\$2,834		
6560-0139	Whelen Pioneer PCP2AC 110V LED floodlight with pole mounted at platform. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$3,079		
6560-0140	**OBS** Light Whelen Pioneer Plus model PCP2AC flood/spot with side pedestal mount. Location(s): [#LOC].	\$3,162		
6560-0141	FireTech 11" 12V double stack bracket mounted light at tip. Includes switch on platform console. Location: [#LOC].	\$1,508		
6560-0142	FireTech model FT-WL3500-FT-W LED flood/spot light. Includes switch on lighthouse and turntable console. Location: [#LOC].	\$806		
6560-0143	Quartz light Fire Research Focus 1000W/110V model FCA540-M10-CLP37-ON-SW with 37" pull up pole. The light shall be located [#LOC].	\$1,689		
6560-0144	Light Fire Research Mini Spectra LED 120V model SPA570-T14 permanent mount. Includes switch at lighthouse. Requires 110-volt twist lock receptacle at tip option. Location(s): [#LOC].	\$2,301		
6560-0145	Quartz light Fire Research Spectra 12V LED model SPA260-Q20 with surface mount and on/off sw on platform console. The light shall be located [#LOC].	\$2,484		
6560-0146	FRC LED model SOBRITE at base (PR).	\$1,681		
6560-0147	FireTech model FT-WL3500-60 LED flood light. Includes hardwired switch on turntable console. Location: left and right side tip of base.	\$1,613		
6560-0148	Ladder climbing lights Luma Bar Pathfinder LED strip for CR137 (both sides). Color: Green (base, 2nd, 3rd & 4th, fly)/Amber fly from folding steps to tip.	\$18,940		

Item #	Description	Extension	+1/-1	Total
6560-0149	Sign plate illumination lights. (5) EON lights equally spaced at top of each sign plate. Lights wired through marker light switch in cab.	\$1,718		
6560-0150	Light Whelen Pioneer Plus model PCP2 120V flood/spot with black housing and recess mount. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,967		
6560-0151	Light Whelen Pioneer Plus model PFP1AC with black housing and bail mount platform mounted. Requires 110-volt receptacle at tip option. Includes hardwired switch on platform console. Location(s): [#LOC].	\$1,793		
6560-0152	Flood/Spotlight Whelen PCP2AC 110V powder coated black with external mount 30" tripod telepole. Includes 110V 20A twistlock receptacle. Location(s): [#LOC]	\$4,048		
6560-0153	Light Rigid Industries model 50131 LED Dually D2 spotlight w/bail mount. Location(s): [#LOC].	\$625		
6560-0154	FRC model SOBRITE LED flood light located [#LOC].	\$841		
6560-0155	Outrigger flood light (4) RLP/HDT. Grote Trilliant Cube LED model 63981.	\$1,380		
6560-0156	Light Whelen Pioneer Plus model PFP2AC with permanent mount powder coated black. Requires 110V receptacle at tip option. Location(s): [#LOC].	\$2,444		
6560-0157	Whelen model 3SCOCDRC platform lights (PR) in place of standard platform floor lighting.	\$406		
6560-0158	Whelen Pioneer PFP1AC 110V LED floodlight powder coated black with pole mounted at platform. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$2,254		
6560-0159	Quartz light Fire Research Spectra LED 110V model SPA260-K15 with surface mount. Requires 110-volt twist lock receptacle at tip option. The light shall be located [#LOC].	\$2,635		
6560-0160	Whelen Pioneer PFP2AC 110V LED floodlight with internal pole mounted at right side of turntable.	\$3,311		
6560-0161	Light Fire Research Mini-Spectra 120V LED model SPA540-T14-CLP37-ON-SW with 37" pull up pole. The light shall be located [#LOC].	\$2,338		
6560-0162	Light Whelen Pioneer Plus model PFP2 12V with permanent mount powder coated black. Requires engineering approval. Location(s): [#LOC].	\$2,824		
6560-0163	Light Whelen Micro Pioneer model MPPWCS low profile pedestal mount. Switched at light head and base console. Location(s): [#LOC].	\$923		
6560-0164	Light Rigid Industries Marine Dually XL model 32311 LED flood light platform mounted (PR). Includes bail mounts and hardwired switch on platform console. Locate one each side below front platform step.	\$1,052		
6560-0165	Floodlight Whelen PFP1AC 110V with external mount 30" tripod telepole. Includes 110V 20A twistlock receptacle. Location(s): [#LOC]	\$3,277		
6560-0166	Light Whelen Pioneer Plus model PFP2AC 120V with recess mount powder coated black. Requires 110-volt receptacle at tip option. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,967		
6560-0167	Light Whelen Pioneer Plus model PCP2AC flood/spot with pedestal mount. Location(s): [#LOC].	\$3,162		
6560-0168	Light Whelen Pioneer Plus model PFP2 12V with recess mount. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,708		
6560-0169	Light Rigid Industries Spot/Flood 12V E-Series 10" LED (PR). Includes aluminum plate shields. Switched at turntable console. Location: One each side forward and rearward of sign plates on base section.	\$1,799		
6560-0170	Light Whelen Pioneer Plus model PCP2 120V flood/spot with recess mount. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$2,967		
6560-0171	Light Fire Research Mini Spectra LED 12V model SPA570-R14 permanent mount powder coated black. The light shall be fitted with a weather-resistant switch and hard-wired to the aerial tip power circuit. Location(s): [#LOC].	\$1,965		
6560-0172	Light Whelen 12V Pioneer Plus model PFS1 spot/flood w/bail mount platform mounted. Includes hardwired switch on platform console. Location(s): [#LOC].	\$1,567		
6560-0173	Light Whelen 12V Pioneer Plus model PFS2 flood/spot with pedestal mount. Switched at light head and base console. Location(s): [#LOC].	\$2,689		

Item #	Description	Extension	+1/-1	Total
6560-0174	Light Whelen Micro Pioneer Plus with black housing model MPBB with bail mount platform mounted. Includes hardwired switch on platform console. Location: [#LOC].	\$862		
6560-0175	Light Whelen 12V Pioneer Plus model PFS1 spot/flood w/recess mount. Includes hardwired switch on platform console. Location(s): [#LOC].	\$1,567		
6560-0176	Light Whelen Micro Pioneer model MPPBCS low profile pedestal mount powder coated black. Switched at light head and base console. Location(s): [#LOC].	\$923		
6560-0177	Light Fire Research Spectra Max 120V LED model SPA540-K28-CLP37-ON-SW with 37" pull up pole. The light shall be located [#LOC].	\$3,843		
6560-0179	Whelen Pioneer PCPACAC 110V LED sopt/floodlight with pole mounted at platform powder coated black. Requires 110V twist lock receptacle at tip option. The light shall be located [#LOC].	\$3,079		
6560-0180	Light Whelen Pioneer Slimline model PSL2 12V powder coated black with recess mount. Includes hardwired switch on platform console. The light shall be located [#LOC].	\$1,489		
6560-0181	Light Whelen Pioneer Plus 12V model PFP1P1 with PBAPEDD pedestal mount. Switched at light head and base console. Location(s): (1) each side tip of 3rd section.	\$3,497		
6560-0182	FireTech model FT-SL-X-15 LED flood light. Includes switch on lighthouse and turntable console. Location: [#LOC].	\$2,239		
6560-0183	Light Fire Research Mini Spectra LED 120V model SPA570-T14 permanent mount powder coated black. Includes switch at lighthouse. Requires 110-volt twist lock receptacle at tip option. Location(s): [#LOC].	\$2,352		
6560-0184	FireTech model FT-WL3500-FT-B LED flood/spot light. Includes hardwired switch on turntable console. Location: left and right side of base section.	\$1,613		
6570-0001	Outrigger alarm RLP/HDT. Preco with warble tone.	\$311		
6570-0003	110V/15A twist lock receptacle at tip.	\$3,255		
6570-0007	Intercom Speaker - additional located at the monitor.	\$823		
6570-0008	Intercom aerial 2-way. Atkinson Dynamics (Federal). Speaker to be located to rear of platform on Bronto units.	\$1,819		
6570-0009	Intercom aerial 3-way. Atkinson Dynamics (Federal). Speaker to be located to rear of platform on Bronto units.	\$3,644		
6570-0010	Aerial Information System (AIS) for ladder.	\$8,884		
6570-0011	Aerial Information System (AIS) for ladder. Includes engine information.	\$9,883		
6570-0012	Aerial Information System (AIS) for platform.	\$11,603		
6570-0013	Aerial Information System (AIS) for platform. Includes engine information.	\$13,030		
6570-0014	Class1 aerial information center.	\$4,348		
6570-0015	110V/20A twist lock receptacle at tip.	\$3,255		
6570-0017	Duplex receptacle at tip with (1) 3-prong NEMA 5-15 and (1) twist lock NEMA L5-15 receptacle.	\$3,309		
6570-0018	Extension alarm for aerial. Alarm to sound at turntable console when aerial is near full extension.	\$652		
6570-0019	Platform floor lights additional (4). Lights to match standard floor lights.	\$278		
6570-0020	Camera package for Snuzzle - Snuzzle supplied. Includes infrared thermal imaging camera mounted on tip nozzle with wide angle lens and polarity control, fixed lens color camera mounted on tip nozzle and 10.4" Flat Screen Litton weatherproof monitor. Camera monitor location: [#LOC].	\$34,704		
6570-0021	Duplex receptacle at tip with 3-prong NEMA 5-15 outlets.	\$3,309		
6570-0022	Air horn switch at aerial turntable control console. Switch to be labeled "Air Horn".	\$162		
6570-0023	Firepower receptacle at tip.	\$3,293		
6570-0024	Laser jack pad spotting lights (4).	\$5,361		
6570-0025	DVD 2-Channel recorder for Snuzzle cameras. Location: [#LOC].	\$6,235		
6570-0026	Laser jack pad spotting lights (2).	\$2,951		
6570-0028	Air horn switch at aerial turntable control console. Switch to be a red button type and be labeled "Air Horn".	\$162		
6570-0029	Light with alarm on turntable console for low eng oil press, high water temp, low voltage and low air press.	\$413		



Item #	Description	Extension	+1/-1	Total
6570-0030	110V/20A duplex household receptacle at tip.	\$3,255		
6570-0031	Mount tip intercom speaker on ladder fly section to forward upright to allow ladder to retract fully. HM100/110 with special retraction stops only.	\$0		
6570-0032	Aerial Information System (AIS) for ladder. Includes engine information. System will not display extension or available tip load due to temporarily disconnected pull encoder. To be reconnected once updated HP78 software is loaded into system.	\$9,883		
6570-0033	Air horn switch at aerial turntable control console. Switch to be labeled "Evacuation Alert".	\$162		
6570-0034	Additional 110V/20A twist lock receptacle at tip. Requires 110v to tip option. Location: opposite standard at tip.	\$377		
6570-0035	110V/15A twist lock receptacle at tip. Wiring from breaker box to tip to be 220V.	\$3,380		
6570-0036	Akron 9313 auxiliary waterway discharge vlv control on turntable console. Requires waterway discharge with Akron electric valve and three available collector rings.	\$1,395		
6570-0037	Kaper2 LED light in override control area.	\$0		
6570-0038	Cradle alignment light on turntable console.	\$636		
6570-0039	110V/20A twist lock receptacle at tip. Wiring from breaker box to tip to be 220V.	\$3,380		
6570-0040	110V/30A twist lock receptacle at tip.	\$3,380		
6570-0041	110V receptacle at tip to be mounted outboard of inside working area of fly section to provide clear space inside fly section.	\$142		
6570-0042	120V/250V 20A Daniel Woodhead Non-NEMA model 67W08 receptacle at tip.	\$3,709		
6570-0043	110V/20A twist lock receptacle at tip. Receptacle power is provided via inlet receptacle (not generator/breaker box). Includes a [#COL] cover. Location: [#LOC].	\$3,380		
6570-0044	Aerial information displays located at TT and platform console.	\$4,348		
6570-0045	Switch at aerial turntable control console to disable flashing light at aerial tip. Switch to be labeled "Flashing Light"	\$162		
6570-0046	12 VDC junction box located outside of platform near the breathing air block (no outlet, power source only). This 12 VDC circuit shall be activated with aerial master.	\$366		
6570-0047	(2) 110v circuits to tip. (1) with a 20A twist lock recept in platform and (1) to supply power to quartz lights. Both to include 15A breakers. Aramco Bronto only.	\$3,255		
6570-0048	(2) 110v circuits to tip. (1) with a 20A household recept in platform and (1) to supply power to quartz lights. Both to include 15A breakers. Aramco Bronto only.	\$3,255		
6570-0049	Additional 110V/20A household receptacle at tip. Requires 110v to tip option. Location: opposite standard at tip	\$377		
6570-0050	Aerial Information Center (AIC) for 95-Platform and HP95MM.	\$4,620		
6570-0051	110V/15A Hubble twist lock receptacle at tip. Includes grey weatherproof cover.	\$3,255		
6570-0052	12 volt power point wired battery hot at tip.	\$70		
6570-0053	Relocate intercom base and tip volume knobs and talk switch from center console to console lid.	\$0		
6570-0054	Deadman foot switch at turntable for aerial controls.	\$355		
6570-0055	Additional programming instructions: momentary laser jack pad switch to be provided with 30 second timer.	\$291		
6570-0056	Additional rung alignment light. Whelen model 3SA00FAR amber light. Locate on aerial control panel where intercom controls typically mount.	\$313		
6570-0057	Platform alignment lights on rear of platform. One visible from turntable console and one from cab.	\$716		
6570-0058	12 Volt connector at ladder tip for Akron electric ladder pipe.	\$97		
6570-0059	Q2B switch at aerial turntable control console. Switch to be labeled "Evacuation Alert".	\$162		
6570-0060	Reel at tip of base for providing power to ladder tip.	\$5,400		
6570-0061	Additional 12volt power shall be provided to the ladder tip. The power cabling shall consist of two (2) 2-gage wires run to the ladder tip in flexible tracking.	\$3,753		

Item #	Description	Extension	+1/-1	Total
6570-0062	Command Light LCAS Laser Collision Avoidance System w/Stainless Steel Armor guard (PR) model #LC130. Wired to aerial master. Locate one each side at tip of ladder.	\$4,423		
6570-0063	Generator switch on Bronto control panels to be wired to turn on / off the E-ONE installed hyd generator. Switches provided by Bronto.	\$201		
6570-0064	110V/15A Daniel Woodhead twist lock receptacle at tip.	\$3,481		
6570-0065	Aerial battery volt gauge on turntable.	\$452		
6570-0066	12 volt power point wired battery hot. Location aerial turntable.	\$70		
6570-0067	Command Light LCAS Laser Collision Avoidance System (EA) model #LC130. Wired to aerial master. Locate driver side at tip of ladder.	\$2,212		
6570-0068	Aerial Information Center (AIC) for 95-Platform and HP95MM. Turntable location only.	\$4,129		
6570-0069	Additional rung alignment light at tip of ladder. Whelen model 3SA00FAR amber light. Locate on aerial control panel where intercom controls typically mount.	\$313		
6570-0070	Whelen model UFM8 LED flasher. Flasher will control warning lights ipo internal flashers.	\$655		
6570-0071	Aerial Information Center (AIC) for 95-Platform and HP95MM. Includes AACS style jack tags and lights.	\$5,065		
6570-0072	Revised aerial wiring to tip to support customer required power option of 12V to tip to supply 15amps.	\$3,220		
6600-0000	Folding ladder bracket. Locate inside the right side fly section for a FL-10.	\$688		
6600-0001	Slide out roof ladder bracket. Locate outside base section for a [#LOC]. Available on 95RM, 110, CR100 and HM100.	\$2,091		
6600-0002	Roof ladder bracket J style mount. Locate outside base section for a [#LOC]. Available on HP75/78, HP100, and HP95.	\$2,153		
6600-0003	Roof ladder bracket lift out. Locate inside the left side fly section for a PRL-12. Avail on 95-Platform, 95MM and HP100 Platform.	\$396		
6600-0004	Lift out style roof ladder bracket. Locate outside base section for a [#LOC]. Available on 95RM, 110, CR100 and HM100.	\$2,091		
6600-0005	Roof ladder bracket lift out. Locate inside the left side fly section for a PRL-14. Avail on 95-Platform, 95MM and HP100 Platform.	\$396		
6600-0006	Roof ladder bracket lift out. Locate inside the left side fly section for a PRL-16. Avail on 95-Platform, 95MM and HP100 Platform.	\$396		
6600-0008	Roof ladder bracket lift out. Locate inside the left side fly section for a 775A-12. Avail on HP100P, 95RM and 95MM.	\$396		
6600-0009	Parapet roof ladder bracket for platform. For use with Alcolite and Duo Safety roof ladders (not included). Available on HP100 Platform, HP95MM Platform and 95-Platform with angle corners.	\$2,167		
6600-0010	** OBS** (use 6600-0009) Parapet roof ladder bracket for platform. For use with Alcolite and Duo Safety roof ladders (not included). Available on HP95 MM Pltfrm only.	\$2,167		
6600-0011	Roof ladder bracket lift out. Locate inside the right side fly section for a 775A-10. Avail on HP100P, 95RM and 95MM.	\$396		
6600-0012	In addition to the lift-out ladder bracket in the fly section a guard plate shall be installed on the inside of the fly section. To guard against the roof ladder hooks from accidentally following into the ladder fly structure when the aerial is extending or retracting.	\$166		
6600-0013	Roof ladder bracket lift out. Locate inside the right side fly section for a PRL-14. Avail on 95-Platform, 95MM and HP100 Platform.	\$396		
6600-0014	Shift aerial ladder bracket(s) and sign plates rearward on ladder base one vertical.	\$0		
6600-0015	Lift out style roof ladder bracket. Locate outside base section for a 16' roof ladder PRL-16 on left side of base section. Includes additional bracket for ladder support. Available on 95RM, 110, CR100 and HM100.	\$2,794		
6600-0016	Roof ladder bracket lift out. Locate inside the left side fly section for a 775-DR 12'. Avail on HP100P, 95RM and 95MM.	\$396		
6600-0017	Roof ladder bracket lift out. Locate inside the left side fly section for a 775A-14. Avail on HP100P, 95RM and 95MM.	\$396		
6600-0018	Roof ladder bracket lift out. Locate inside the left side fly section for a PRL-20. Avail on HP100 Platform only.	\$396		
6600-0019	Roof ladder bracket lift out. Locate inside the left side fly section for a 775A-14. Available on HP100 platform only for modified tip weight.	\$396		

Item #	Description	Extension	+1/-1	Total
6600-0020	Lift out style roof ladder bracket. Locate outside base section for a 16' roof ladder PRL-16 on right side of base section. Includes additional bracket for ladder support. Available on HP75/78.	\$2,794		
6600-0021	Parapet roof ladder bracket for platform bolt-on IPO pinned.	\$0		
6600-0022	Roof ladder bracket lift out. Locate inside the right side fly section for a PRL-14. Avail on HP100 Platform only due to reduced calculated weight.	\$396		
6750-0000	Aerial sign plates 10 x 144 (PR). Available on Booms, HP75 and HP100 only. Does not include lettering. Color: [#COL].	\$1,768		
6750-0001	Aerial sign plates 16 x 144 (PR). Available on LTH100, HP100L, HPS105L, HP95 and HP100P only (requires 6750-0014 for special bracket on HP100P if there are not ladder brackets on each side). Does not include lettering. Color: [#COL]	\$1,984		
6750-0002	Aerial sign plates 22 x 144 (PR). Available on HM100, HM110, 95, CR100 and CR137 only. Does not include lettering. Color: [#COL].	\$2,198		
6750-0004	Aerial sign plates 12 x 144 (PR). Available on HP78, HP100 and HP100 platform only. Does not include lettering. Color: [#COL].	\$1,841		
6750-0005	Aerial sign plate 9 x 266 - Snuzzle supplied. Right side of booms only. Does not include lettering. Color: [#COL]	\$1,117		
6750-0006	Aerial sign plates 16 x 144 driver and 12 x 144 officer. Does not include lettering. Color: Job color.	\$2,032		
6750-0007	Sign plate for rear of aerial turntable handrails. To be two piece painted smooth aluminum plate split in the center and hinged on each side. Does not include lettering. Color: [#COL]	\$930		
6750-0009	Aerial sign plates 10 x 168 (PR). Available on HP75/78. Does not include lettering. Color: [#COL]	\$2,064		
6750-0010	Brackets for 22" x 144" aerial sign plate. For use with roof ladder bracket on opposite side. Available on aerials with aerial external extension system.	\$1,902		
6750-0011	Aerial sign plates 22 x 144 (PR) un-painted. Available on HM100, HM110, 95 and CR100 only. Does not include lettering.	\$1,888		
6750-0012	Paint aerial sign plate with approved metallic paint color.	\$224		
6750-0013	Sign plate for rear of aerial turntable handrails. Single piece un-painted smooth aluminum plate. Does not include hinges or lettering.	\$566		
6750-0014	Brackets to allow for a larger than standard sign plate on a HP style device. Does not include sign plates.	\$293		
6750-0015	Aerial sign plate / hard suction hose storage box pkg. Includes a 12 x 144 sign plate on left side of base and a hard suction storage box with nylon straps on right side of base. Outer wall of box to be used as sign plate. Does not include lettering. Color: job color.	\$2,083		
6750-0016	Aerial sign plates 16 x 120 (PR). Available on HP95 only. Does not include lettering. Color: [#COL]	\$1,913		
6750-0017	Sign plate 12" x 18" (PR) shall be bolted to the outside of the fly section painted FLNA4006 white. Locate at tip of fly section, one each side.	\$431		
6750-0018	Aerial sign plate / hose storage box pkg. Includes a 22 x 144 sign plate on right side of base and a hose storage box w/hinged cover on outboard side of base. Box to be smooth plt approx 5" wide x 140" long x 22" deep. Lid to be hinged on outboard side with a gas shock hold-open / hold-close. Floor to have extruded alum slats. Outer wall of box to be used as sign plate. Does not include lettering. Color: FLNA 4030 White.	\$2,759		
6750-0019	Aerial sign plates 12 x 144 (PR). Available on HP78, HP100 and HP100 platform only. Does not include lettering. Unpainted.	\$1,564		
6750-0020	Sign plate for rear of aerial turntable handrails. Single piece painted smooth aluminum plate. Does not include hinges or lettering. Color: [#COL].	\$653		
6750-0021	Brackets to allow for a larger than standard aerial sign plate. Requires roof ladder bracket on opposite side. Does not include sign plates.	\$293		
6750-0022	Aerial sign plates 10 x 144 (PR) with beveled edges. Available on Booms, HP75 and HP100 only. Does not include lettering. Color: Job Color.	\$1,945		
6750-0023	Brackets to allow for a 22" x 144" aerial sign plate on a HP100 Platform. Requires roof ladder bracket on opposite side. Does not include sign plates.	\$293		

Item #	Description	Extension	+1/-1	Total
6750-0024	Removable number plate with mounting brackets (PR). Locate (1) each side of the platform. Plate to be painted job color. Lettering and/or graphics not included.	\$643		
6850-0002	Pump panel control station. HP75 / HP78 and 50' rear mount boom.	\$4,177		
6850-0003	Ladder tip controls.	\$12,331		
6850-0004	Short Jack System HP75 / HP78.	\$9,787		
6850-0005	Lock for ladder controls. 50/HP75/HM100/HP100/CR100/110 only.	\$313		
6850-0006	Additional handheld jack controller at rear of body. Locate in rear jack control box. Includes selector switch at aerial master panel.	\$2,699		
6850-0008	Platform leveling system to allow adjustment of platform pivot angle from cab. Includes light on back of platform visible by driver to indicate platform is in alignment with ladder.	\$2,852		
6850-0009	Hinged cover for platform control console. Diamond plate with rubber hood latch to hold closed.	\$500		
6850-0010	Connector for handheld jack control at rear of body. Loc: [#LOC]	\$605		
6850-0011	Gas spring for aerial ladder console cover. To hold cover open at 90 degrees to the side.	\$200		
6850-0012	Hinged cover for platform control console. Swirl finish smooth plate with gas spring hold-open.	\$622		
6850-0014	Aerial control station (add'l) located at pump operator's panel. Includes upgrade to elect / hyd aerial control system and monitor controls at pump panel.	\$15,599		
6850-0015	Aerial turntable console lowered approx 4" to allow for stations with arched doors.	\$1,057		
6850-0016	**OBS - use 3310-0096** Doors for aerial switch panels at rear of body. Finish to match rear of body.	\$549		
6850-0017	Envelope controls HP100 Platform. Forward extension of aerial to be restricted due to 260" wheelbase.	\$798		
6850-0018	Vinyl turntable console control cover in place of standard. Color: [#COL].	\$0		
6850-0019	Vinyl platform console control cover. Color: [#COL].	\$297		
6850-0020	Aerial control stations (add'l) located at pump operator's panel and ladder tip. Includes upgrade to elect / hyd aerial control system and monitor controls at pump panel. Tip controls to be "creep" style.	\$19,005		
6850-0021	Additional handheld jack controller at front of cab. Locate in front bumper officer side tray. Includes selector switch at aerial master panel.	\$2,699		
6850-0022	Turntable handrails to have chains IPO Mansaver bars.	\$0		
6850-0023	Retraction stops for ladder. Required to allow for nozzle guard on HP75/78 with 225-230 WB S/A and all T/A.	\$564		
6850-0024	Handheld jack controller at rear of body. Locate in rear jack control box. This is in addition to standard aerial master panel also at rear of body.	\$2,244		
6850-0025	Advanced Aerial Control System - Ladder. Includes monitor stow / deploy, cradle alignment It and display with flowmeter.	\$16,327		
6850-0026	Direct hydraulic aerial control system.	\$0		
6850-0027	Ladder tip controls. For use with AACS only.	\$2,322		
6850-0028	Ladder controls at pump panel. For use with AACS only.	\$3,437		
6850-0029	Short Jack System HP75 / HP78. For use with AACS only.	\$5,394		
6850-0030	Aerial control station at top of body (Add'l). 50' Mid-Mount boom.	\$3,813		
6850-0031	Advanced Aerial Control System - Ladder. Includes color display at turntable, body protection, monitor stow / deploy, cradle alignment It.	\$30,953		
6850-0032	Advanced Aerial Control System - Ladder. Includes cradle alignment It and display.	\$14,684		
6850-0033	Retraction stops for ladder. Required to allow for TFT monitor with VUM on HP100 ladder with 240 WB.	\$564		
6850-0034	Graphic aerial display at pump operator's panel. For use with deluxe AACS with pump panel aerial controls only.	\$917		
6850-0035	Color aerial display at pump operator's panel. For use with deluxe AACS with pump panel aerial controls only.	\$3,179		
6850-0036	Wireless aerial controls (in addition to standard). For use with deluxe AACS only.	\$11,941		

Item #	Description	Extension	+1/-1	Total
6850-0037	Advanced Aerial Control System - Platform. Includes monitor stow / deploy, cradle alignment It and display with flowmeter.	\$4,620		
6850-0038	Advanced Aerial Control System - Platform. Includes color display at turntable and platform, body protection, monitor stow / deploy, cradle alignment It.	\$13,030		
6850-0039	AACS Ramp settings - Special. All three settings to be programmed at the standard .5 second ramp.	\$448		
6850-0040	Color aerial display at pump operator's panel. For use with deluxe AACS without pump panel aerial controls on the panel.	\$5,417		
6850-0041	Advanced Aerial Control System - Tiller. Includes short jack capability, monitor stow / deploy, cradle alignment It and display with flowmeter.	\$21,721		
6850-0042	Roll-top multi-level turntable console mounted to tube style pedestal mount. Cover to be 3-piece design. (95-platform, HP95 MM Platform and HP/HPS100 Platform only)	\$0		
6850-0043	Diamond plate turntable console mounted to tube style pedestal mount. Includes side hinged diamond plate cover with hinge on outboard side. Includes modified left side turntable handrail. (95-platform and HP/HPS100 Platform only)	\$0		
6850-0044	Multi-level turntable console mounted to tube style pedestal mount. Cover to be 1-piece design that pivots forward. (95-platform and HP/HPS100 Platform only)	\$272		
6850-0045	Retraction stops for ladder. Required to allow for TFT monitor with VUM on HP75/78 ladder with 230 WB.	\$564		
6850-0046	Retraction stops for HPS105 steel ladder. Required to allow for 250 WB.	\$564		
6850-0047	Ladder tip controls switch panel relocated approx. 14" rearward at second bay on right side of tip. Applies only to HP75/78.	\$440		
6850-0048	Diamond plate storage box with hinged drop down door and push button latch. Approximate size: 12" wide x 10.5" tall x 14" deep. Located below turntable console mounted between tube style pedestal mounts. Available only on HP100 platform with pedestal style turntable console.	\$574		
6850-0049	Remove mansaver bar from driver side turntable access opening and replace with chain. Note this applies only to driver side access.	\$0		
6900-0000	Aerial flow test - 3rd party.	\$527		
6900-0001	Aerial 2003 NFPA Certification	\$4,089		
6900-0002	Aerial 2009 NFPA Certification.	\$4,225		
6900-0003	Aerial flow test - 3rd party. Performed by UL. Requires UL aerial certification.	\$0		
6900-0004	Aerial 2009 NFPA Certification. Performed by UL.	\$8,889		
6900-0005	Aerial flow test - 3rd party.	\$527		
6900-0006	Aerial flow test - 3rd party.	\$527		
6900-0007	Aerial 2016 NFPA Certification.	\$4,225		
7200-0103	Inlet valve gated w/relief and elbow. 4"FNST x 4" STORZ and cap. (Kocheck Model 40K40204)	\$2,732		
7300-0000	Reducer Chrome 2.5"FNST x 1.5"MNST.	\$85		
7300-0001	A 2.5 Storz x 1.5 Storz reducer shall be shipped loose.	\$78		
7500-0000	Ziamatic Air Pack Bracket (2PHS) Model #UN-6-30-2PHS. Shipped loose.	\$363		
7500-0001	Ziamatic Air Pack Bracket (FPHS) Model #UN-6-30-3-FPHS. Shipped loose.	\$368		
7500-0002	Universal air pack bottle bracket (EA). Shipped loose.	\$177		
7500-0004	Bracket SCBA Lifeguard SmartDock Gen2 restraint system. Ship Loose.	\$573		
7600-0009	Pike Pole Mounting Tube Style (Each)	\$259		
7800-0000	Alco-Lite 8' Folding Ladder without shoes.	\$360		
7800-0002	Alco-Lite FL-10, 10' folding ladder without shoes.	\$301		
7800-0003	10' folding Duo-Safety 585-A ladder.	\$469		

Item #	Description	Extension	+1/-1	Total
7800-0004	Aluminum Cast Bracket for Duo Safety Folding Ladder - For 8' or 10'	\$499		
7800-0005	Alco-Lite CJL-14 Combo Ladder A-Frame/Extension.	\$661		
7800-0006	Alco-Lite PRL-12 roof ladder.	\$479		
7800-0007	Alco-Lite PRL-14' roof ladder.	\$511		
7800-0008	14' roof ladder, Duo-Safety 775-A.	\$706		
7800-0009	Duo-Safety 16' 875-A roof ladder.	\$546		
7800-0010	Alco-Lite PRL-16' roof ladder.	\$614		
7800-0011	Alco-Lite PRL-18 Roof Ladder	\$665		
7800-0012	Alco-Lite TRL-20 Roof Ladder	\$973		
7800-0013	Alco-Lite AEL-12 Attic Extension Ladder	\$637		
7800-0014	Alco-Lite PEL-16 Extension Ladder	\$829		
7800-0016	Alco-Lite PEL-24' 2-section extension ladder.	\$1,043		
7800-0017	Alco-Lite PEL3-24 extension ladder.	\$1,504		
7800-0018	Extension ladder, Duo-Safety 900-A, 24' 2-section.	\$1,122		
7800-0019	Vertical Ladder Bracket	\$531		
7800-0020	Adjustable Track for Ladder Bracket	\$279		
7800-0021	Alco-Lite PEL-28' extension ladder.	\$1,355		
7800-0022	Alco-Lite PEL-30 Extension Ladder	\$1,458		
7800-0023	Alco-Lite PEL3-35' 3-section extension ladder.	\$1,843		
7800-0024	Alco-Lite PEL-35' extension ladder.	\$1,682		
7800-0025	Duo-Safety 1225-A 35' 3-section extension ladder.	\$1,868		
7800-0026	Alco-Lite TEL3-40P Extension Ladder w/Stay Poles	\$3,580		
7800-0027	Little Giant model 17 ladder.	\$856		
7800-0028	Alco-Lite PEL-14 14' 2-Section Extension Ladder.	\$802		
7800-0029	Alco-Lite PEL-20 Extension Ladder.	\$969		
7800-0031	Little Giant Model 22 ladder.	\$811		
7800-0032	Alco-Lite FL-10, 10' folding ladder w/safety shoes.	\$301		
7800-0033	Duo-Safety 20' 2-section extension ladder 900-A.	\$1,140		
7800-0035	Little Giant Model 26 Ladder.	\$1,061		
7800-0037	Ladder Extension Duo-Safety 3-Section 35 Foot Model 1225-A with a Wellington Puritan #G5732S0600K02 Halyard.	\$1,801		
7800-0038	Alco-Lite PRL-20' roof ladder.	\$721		
7800-0039	Duo-Safety 1225-A 30' 3 Section Extension Ladder	\$1,713		
7800-0040	Alco-Lite PEL3-28 Extension Ladder	\$1,589		
7800-0041	Duo-Safety 1200-A, 28' 2-section extension ladder.	\$1,376		
7800-0042	Alco-Lite FEL-24 2-section fiberglass extension ladder.	\$1,826		
7800-0043	Duo-Safety 12' 775-A roof ladder.	\$471		
7800-0044	Alco-Lite PEL-12 Extension Ladder	\$703		
7800-0045	Duo-Safety 1200-A 35' 2 Section Extension Ladder	\$1,729		
7800-0046	Duo-Safety 300-A 13' combination ladder.	\$623		
7800-0047	Duo-Safety 925-A 26' 3-section extension ladder.	\$1,245		
7800-0048	Alco-Lite CJL-10 Combo Ladder A-Frame/Extension	\$534		
7800-0049	Duo-Safety 1525-A 40' 3 Section Extension Ladder w/stay poles.	\$2,921		
7800-0050	Duo-Safety 525-C 40' 3 Section Extension Truss Ladder without stay poles.	\$2,870		
7800-0051	Duo-Safety 20' 875-A Roof Ladder	\$687		

Item #	Description	Extension	+1/-1	Total
7800-0052	Duo-Safety 18' 875-A Roof Ladder	\$617		
7800-0053	Alco-Lite AEL-14 Attic Extension Ladder.	\$717		
7800-0054	Alco-Lite TEL-40 extension ladder.	\$2,601		
7800-0055	Alco-Lite PEL3-40 Extension Ladder w/o stay poles.	\$2,459		
7800-0056	Alco-Lite TEL-35 Extension Ladder	\$2,235		
7800-0057	Alco-Lite TEL-28 Extension Ladder	\$1,775		
7800-0058	Alco-Lite TEL-40P Extension Ladder with Staypoles.	\$3,036		
7800-0059	Alco-Lite TEL-50P Extension Ladder with Staypoles.	\$3,599		
7800-0060	Alco-Lite TEL3-50P Extension Ladder w/Stay Poles	\$4,191		
7800-0061	Alco-Lite PRL-8 Roof Ladder.	\$440		
7800-0062	Alco-Lite PRL-10 Roof Ladder.	\$446		
7800-0063	12' Folding Duo-Safety Ladder	\$214		
7800-0064	Duo-Safety 1525-A 40' 3 Section Extension Ladder without stay poles.	\$2,387		
7800-0065	Duo-Safety 24' 2-Section YGE-2 Fiberglass Extension Ladder	\$1,601		
7800-0066	Duo-Safety 14' YGR Fiberglass Roof Ladder.	\$826		
7800-0067	Duo-Safety 10' 775-A Roof Ladder	\$426		
7800-0068	14' Fresno Duo-Safety ladder, model 701	\$813		
7800-0069	Alco-Lite PEL3-35P Extension Ladder w/Stay Poles.	\$1,949		
7800-0070	Alco-Lite PEL3-30 3 Section Extension Ladder	\$1,561		
7800-0071	Duo-Safety 20' 875-A Roof Ladder with mud guard attached.	\$687		
7800-0072	Duo-Safety 1200-A 28' 2 Section Extension Ladder with mud guard attached.	\$1,435		
7800-0073	Duo-Safety 1200-A 35' 2 Section Extension Ladder with mud guard attached.	\$1,787		
7800-0074	Duo-Safety 3-section 16' extension ladder, Wildland	\$1,007		
7800-0075	Duo Safety 3 Section 20' Extension Ladder, Wildland	\$1,180		
7800-0076	Duo-Safety 1200-A 35' 2 Section Extension Ladder. Special custom length ladder 1" shorter than standard in closed position.	\$1,729		
7800-0077	Duo-Safety 925-A 22' 3 Section Extension Ladder	\$1,220		
7800-0078	Alco-Lite FL-10, 10' folding ladder without shoes and handles.	\$301		
7800-0079	Duo-Safety 1200-A 28' 2 Section Extension Ladder, special width 22" wide.	\$1,533		
7800-0080	Aluminum Cast Bracket for Alcolite Folding Ladder - For 8' or 10'	\$499		
7800-0081	Extension ladder, Werner D7124-2LV, 24' 2-section with leveling feet.	\$1,628		
7800-0082	Alco-Lite FRL-14' roof ladder.	\$622		
7800-0083	Alco-Lite FEL-24' 2-section extension ladder.	\$1,358		
7800-0084	Alco-Lite PEL3-40 Extension Ladder with stay poles.	\$2,628		
7800-0085	14' roof ladder, Duo-Safety 775-DR. Includes folding steel roof hooks on both ends with prong feet.	\$746		
7800-0086	Alco-Lite CJL-12 Combo Ladder A-Frame/Extension.	\$604		
7800-0087	Alco-Lite FEL3-35 3-section fiberglass extension ladder.	\$2,010		
7800-0088	10' roof ladder, Duo-Safety 775-DR. Includes folding steel roof hooks on both ends with prong feet.	\$657		
7800-0089	Duo-Safety 16' roof ladder 875-DR. Includes folding steel roof hooks on both ends with prong feet.	\$851		
7800-0090	Little Giant model 13 ladder. Classic style	\$699		
7800-0091	8' folding Duo-Safety 585-A ladder.	\$354		
7800-0092	Duo-Safety 1225-A 28' 3-Section Extension Ladder	\$1,376		
7800-0093	Extension ladder, Duo-Safety 1000-A, 14' 2-section.	\$609		
7800-0094	Extension ladder, Duo-Safety 1000-A, 10' 2-section.	\$475		

Item #	Description	Extension	+1/-1	Total
7800-0095	Duo-Safety 20' roof ladder 875-DR. Includes folding steel roof hooks on both ends with prong feet.	\$985		
7800-0096	Duo-Safety 775-DR 12' roof ladder. Includes folding steel roof hooks on both ends with prong feet.	\$672		
7800-0097	10' Fresno Duo-Safety ladder, model 701	\$791		
7800-0098	Duo-Safety 14'-28' 1275-FR Folding Roof Ladder.	\$1,237		
7800-0099	Extension ladder, Duo-Safety 1000-A, 16' 2-section.	\$1,062		
7900-0268	Poly box's, White. 3/8" polypropylene with carry handles will be provided. Includes: (8) boxes 8T x 14W x 24D & (2) boxes 8T x 14W x 24D. Locate: L6.	\$4,435		
8100-0001	Paint end of fly section high visibility orange. Includes nozzle guard (if equipped).	\$538		
8100-0062	Paint Sample Spray Out - Dealer is responsible for returning written approval prior to order release. Base color of cab / chassis.	\$0		
8100-0063	Cab paint break - standard. Break is 31.5" below the drip rail on Typhoon X and CII X cabs. Pre-07' emission Typhoon cab break is 33.5" below the drip rail. Quest std paint break is 41.375" up from bottom of cab.	\$0		
8100-0064	Cab paint break - standard with dip to grille. Break is 31.5" inches below the drip rail on Typhoon X and CII X cabs. Pre-07' emission Typhoon cab break is 33.5" below the drip rail.	\$0		
8100-0065	Paint chassis frame rails, springs, cross-members, fire pump, drivelines, fuel and air tanks, axles, front bumper extensions with brackets and front suction piping (if applicable) shall be painted: [#COL].	\$2,197		
8100-0070	Paint valve ends job color.	\$560		
8100-0071	Undercoating E-ONE.	\$343		
8100-0072	Touch up paint, (1) pint. Dupont paint job color.	\$109		
8100-0084	All applicable pump/pre-connect application modules are to have a job color finish. Includes upper and lower pump modules, crosswalk module and/or speedlay/pre-connect module (as applicable). Rear mounted body/pump module to be painted job color.	\$715		
8100-0085	Paint end of fly section job color. Includes nozzle guard (if equipped).	\$538		
8100-0087	Paint Sample Spray Out - Dealer is responsible for returning written approval prior to order release. Two-tone cab color.	\$0		
8100-0088	Painted trim stripe on chassis wheels (per axle). Color to be: [#COL].	\$209		
8100-0089	All applicable pump/pre-connect application modules are to have a sanded finish (not painted job color). Includes upper and lower pump modules, crosswalk module and/or speedlay/pre-connect module (as applicable). Rear mounted body/pump module to be painted job color.	\$0		
8100-0091	Paint entire front of body job color. Stainless steel bodies only.	\$2,559		
8100-0092	Paint entire rear of body job color. Stainless steel bodies only.	\$2,559		
8100-0096	Paint rear tow eye assemblies job color IPO black.	\$325		
8100-0097	Paint the pump job color.	\$684		
8100-0100	Special paint break. See sketch / drawing / photo in sales file.	\$226		
8100-0101	Paint exterior surface of outer steel wheels. DuPont paint. Color: [#COL].	\$0		
8100-0102	Chassis axle ends to be painted job color.	\$359		
8100-0107	Prep and re-paint existing body (and applicable body components/door(s)). Color to match lower cab primary color.	\$10,813		
8100-0108	Front wheels to be painted on the inboard side (same color as outboard side).	\$368		
8100-0109	Rear wheels (4) to be painted on the inboard side (same color as outboard side). Includes outboard side of the inboard wheels.	\$735		
8100-0111	Breathing air bottle(s) to be painted metallic color IPOS yellow. Color: L0679EG Metallic blue	\$202		
8100-0112	Paint Wheels [#COL] alternating in quarter selections of the rim	\$1,451		
8100-0113	Paint all exterior surfaces includes customer supplied mounted or mounted loose equipment Dupont 796132	\$11,191		



Item #	Description	Extension	+1/-1	Total
8100-0114	Snuzzle booms to be painted a non-standard color by Snuzzle. Includes booms, waterway piping and lift cylinders. Color to be [#COL].	\$0		
8100-0115	Paint valve ends 767681EG Black.	\$560		
8100-0116	Rear body surface to have a sanded finish (not painted job color). Includes hinged doors that do not have discrete sales codes and removable panels.	\$0		
8100-0117	Paint cab/body with approved metallic paint color.	\$3,231		
8100-0136	Chassis shall be painted Dupont L1419 EB Orange.	\$0		
8100-0154	Paint upper Cab DuPont 767681 EG Black. Freightliner.	\$1,836		
8100-0165	Paint lift cylinders, extension cylinders and upper turntable steelwork job color (does not apply to TT deck). If cab is two-tone, color to match upper cab.	\$632		
8100-0166	Painted stripe - 12" wide and straight on front, sides and rear of cab and body. Color: [#COL]. Location: [#LOC].	\$5,260		
8100-0167	Cab paint break - standard. Located at the lower edge of the cab door windows and extends to full length of cab.	\$0		
8100-0168	All rearward facing access door(s) and pump//bleeder panel(s) to be painted job color.	\$1,092		
8100-0169	Painted stripe - 4" wide hockey stripe, straight across front and may contour as it transitions from Cab to Body on each side. Color: [#COL]. Location: [#LOC].	\$5,260		
8100-0170	Painted Stripe - 6" wide with "Z". Stripe straight on front, sides and rear of cab and body. "Z" location to be specified by customer. Color: [#COL]. Location: [#LOC].	\$5,260		
8100-0172	Paint body two tone color. Paint break will be just above door drip rail. DuPont paint. Color: [#COL].	\$2,267		
8100-0173	Paint mid-mount boom body module job color.	\$1,123		
8100-0174	Painted stripe - 12" wide hockey stripe, straight across front and may contour as it transitions from Cab to Body on each side. Color: [#COL]. Location: [#LOC].	\$6,574		
8100-0176	Paint E-ONE chassis cab - Sikkens paint. Color: [#COL].	\$6,541		
8100-0177	Paint cab Sikkens two-tone. Upper area of cab to be painted [#COL].	\$1,474		
8100-0181	Paint body two-tone color - Sikkens paint: Color: [#COL].	\$2,267		
8100-0184	Paint body stainless steel -Small. Sikkens paint. Color: [#COL].	\$6,124		
8100-0185	Paint body stainless steel - Large. Sikkens paint. Color: [#COL].	\$9,096		
8100-0186	Paint exterior surface of outer steel wheels. Sikkens paint. Color: [#COL].	\$0		
8100-0187	All extrusions will be painted job color. All rear body panels (plate) to have a sanded finish (not painted job color). Includes hinged doors that do not have discrete sales codes and removable panels.	\$0		
8100-0188	Durabak coating for all cab and body handrails.	\$1,675		
8100-0222	Paint all roll up door header plate(s) job color.	\$925		
8100-0223	The pump/ladder/hardsuction access door and recessed box for directional lightbar to be painted job color	\$362		
8100-0224	The front of the cab is to have the area directly behind the bolt-on grille paint FLNA 4145 Black. Note this is a CIIX/HUSH style cab.	\$0		
8100-0225	Paint the pump. Color: [#COL].	\$684		
8100-0227	Standard paint process for the exterior of stainless steel bodies. Sikkens paint. Color: [#COL].	\$2,014		
8100-0230	Painted stripe - 10" wide hockey stripe, straight across front and may contour as it transitions from Cab to Body on each side. Color: [#COL]. Location: [#LOC].	\$6,574		
8100-0231	Undercoating E-One chassis only.	\$255		
8100-0232	Paint aerial monitor / nozzle guard high visibility orange.	\$314		
8100-0244	Paint cab DuPont L6636EG Red. Tradition LT.	\$0		
8100-0245	Paint cab DuPont L6572EG Red.	\$0		
8100-0246	Paint cab DuPont L0006EG White.	\$0		
8100-0247	Paint cab DuPont 766281EG Yellow.	\$0		

Item #	Description	Extension	+1/-1	Total
8100-0255	Paint cab DuPont P2450EG Red.	\$0		
8100-0256	Paint cab DuPont P2452EG Red.	\$0		
8100-0257	Paint cab DuPont P2451EG Red.	\$0		
8100-0258	Paint cab DuPont P2454EG Lime Green.	\$0		
8100-0259	Paint cab DuPont P2518EG Lime Green.	\$0		
8100-0260	Paint cab DuPont P2519EG Lime Green.	\$0		
8100-0261	Paint cab DuPont 766710EG Yellow.	\$0		
8100-0303	Paint body DuPont L6636EG Red.	\$0		
8100-0304	Paint body DuPont L6572EG Red.	\$0		
8100-0305	Paint body DuPont L0006EG White.	\$0		
8100-0306	Paint body DuPont 766281EG Yellow.	\$0		
8100-0307	Paint body FLNA 3204 Red.	\$0		
8100-0308	Paint body FLNA 3225 Red.	\$0		
8100-0309	Paint body FLNA 4006 White.	\$0		
8100-0310	Paint body FLNA 1219 Yellow.	\$0		
8100-0311	Paint cab Sikkens FLNA 3204 red. Custom ES.	\$0		
8100-0312	Paint cab Sikkens FLNA 3225 red. Custom ES.	\$0		
8100-0313	Paint cab Sikkens FLNA 4006 white. Custom ES.	\$0		
8100-0314	Paint cab Sikkens FLNA 1219 yellow. Custom ES.	\$0		
8100-0320	Paint body FLNA 6051 Lime Green.	\$0		
8100-0321	Paint body FLNA 3035 Red.	\$0		
8100-0322	Paint body FLNA 3047 Red.	\$0		
8100-0323	Paint body FLNA 3221 Red.	\$0		
8100-0324	Paint body FLNA 6257 Lime Green.	\$0		
8100-0325	Paint body FLNA 6074 Lime Green.	\$0		
8100-0326	Paint body FLNA 1218 Yellow.	\$0		
8100-0327	Paint cab Sikkens FLNA 3047 Red. Custom ES.	\$0		
8100-0328	Paint cab Sikkens FLNA 3035 Red. Custom ES.	\$0		
8100-0329	Paint cab Sikkens FLNA 3221 Red. Custom ES.	\$0		
8100-0330	Paint cab Sikkens FLNA 6257 Lime Green. Custom ES.	\$0		
8100-0331	Paint cab Sikkens FLNA 6051 Lime Green. Custom ES.	\$0		
8100-0332	Paint cab Sikkens FLNA 6074 Lime Green. Custom ES.	\$0		
8100-0333	Paint cab Sikkens FLNA 1218 Yellow. Custom ES.	\$0		
8100-0350	Paint body FLNA 4145 Black.	\$0		
8100-0354	Paint lift cylinders, extension cylinders and upper turntable steelwork primary job color (does not apply to TT deck).	\$0		
8100-0355	Paint lift cylinders, extension cylinders and upper turntable steelwork to match the "two tone" sale code color (does not apply to TT deck).	\$0		
8100-0356	Paint lift cylinders, extension cylinders and upper turntable steelwork FLNA4006 white (does not apply to TT deck).	\$0		
8100-0361	Rear body surface to have a painted job color finish. Includes hinged doors that do not have discrete sales codes and removable panels.	\$1,017		
8100-0362	Paint body two tone color. Paint break will be just above the body compartment top. Sikkens paint. Color: [#COL].	\$2,267		
8100-0363	Breathing air bottle(s) to be painted non-standard color IPOS yellow. Color: [#COL].	\$135		
8100-0364	Paint tank - Small - For Wetside tankers products. Sikkens paint. Color: [#COL].	\$3,682		
8100-0365	Paint tank - Large - For Wetside tankers products. Sikkens paint. Color: [#COL].	\$5,123		

Item #	Description	Extension	+1/-1	Total
8100-0366	Breathing air bottle(s) to be painted metallic color IPOS yellow. Color: FLNA90163 Metallic black	\$202		
8100-0367	Paint lift cylinders, extension cylinders and upper turntable steelwork metallic primary job color (does not apply to TT deck).	\$460		
8100-0370	All applicable pump/pre-connect application modules to have a swirled finish (non-clear coated).	\$855		
8100-0372	Paint cab two-tone with approved metallic flake paint color.	\$809		
8100-0373	Front cab grille mesh painted FLNA4001 white with [#COL] painted letters. Sales to provide detail of letters to provide.	\$705		
8100-0375	LizardSkin under cab insulation. Includes all exterior under cab surfaces exposed to interior crew compartment.	\$3,731		
8100-0376	Side facing extrusions of pump module to have swirled finished.	\$204		
8100-0377	Body to be unpainted.	\$0		
8100-0378	Undercoating, None, Stainless Steel body.	\$0		
8100-0379	Paint front and rear axle hubs, lugs and lug nuts chassis black. Wheels to be painted seperately.	\$0		
8100-0380	Fuel tank, neck and cap painted Sikkens FLNA6220 Green.	\$214		
8100-0382	Interior of front bumper trays and running board suction trays to be painted with black Durabak. Includes driver side, officer side and center front bumper trays. Driver side and officer side running board suction trays.	\$705		
8100-0384	Aluminum fenderettes on rear wheel well to be painted job color.	\$464		
8100-0386	FRP painted exterior panels IPO standard paint process for stainless steel bodies. Available only on stainless steel aerial bodies that have rollup doors. Provides a credit versus the standard painting process. Sikkens paint. Color [#COL].	-\$7,307		
8100-0387	Chassis frame and component undercoating prior to body load.	\$892		
8100-0388	Chassis fuel tank to have undercoating applied prior to installation on frame.	\$240		
8100-0389	Standard paint process for the exterior of large stainless steel bodies. Sikkens paint. Color: [#COL].	\$4,986		
8100-0394	Paint body two-tone color. Paint break will be just above the body compartment opening. Sikkens paint. Color: [#COL].	\$2,267		
8100-0395	Pinned waterway reel to be painted job color. Note: Since reel is painted as a complete unit, it will not be covered under the 10 year paint warranty.	\$646		
8100-0396	Undercoating E-ONE. To be applied after customer final inspection.	\$343		
8100-0398	Paint swivel chute job color.	\$755		
8100-0401	Paint front and rear axle hubs primary job color.	\$1,550		
8100-0402	Paint glad hand handles below front and/or rear of the unit. Red for emergency spring brakes and blue for service brakes.	\$0		
8100-0403	Black Durabak coating on fuel tank.	\$485		
8100-0405	Deck gun monitor shall be painted job color. Sikkens paint. Color: [#COL].	\$309		
8100-0406	Paint foam discharge and intake valves [#COL].	\$560		
8100-0407	Striping shall be painted as laid out and defined by customer. Refer to specific instruction, sketches and dimensions within the shop order file.	\$9,187		
8100-0408	Paint body two tone color. Paint break will be just above the upper compartment top of forward full height compartment(s) and horizontal extrusion in-line with compartment top. Sikkens paint. Color: [#COL].	\$2,267		
8100-0410	Black Durabak coating on pump master drain bracket.	\$57		
8100-0411	Turntable deck to be painted black durabak IPO grey.	\$0		
8100-0412	Zolatone finish gray in color for the upper pump module on the officer side where the E-ONE logo is mounted	\$218		
8100-0413	Front cab grille mesh painted FLNA4006 white with [#COL] painted letters. Sales to provide detail of letters to provide.	\$705		
8100-0416	Front cab grille mesh painted with the waving United States flag.	\$1,802		
8100-0418	Wheels to be painted job color.	\$1,467		
8100-0420	Paint body FLNA 1574 Yellow.	\$0		
8100-0421	Paint air conditioning condenser cover. Color: [#COL].	\$923		
8100-0422	Monitor painted [#COL].	\$484		

Item #	Description	Extension	+1/-1	Total
8100-0423	Paint breathing air cylinder(s) color: [#COL].	\$460		
8100-0425	Rear ladder tunnel doors upgraded to be painted rather than sanded. Color shall be: [#COL]. Applicable rear body Chevron package shall not be applied on painted door surfaces.	\$209		
8100-0426	The driver and officer side roof top compartment interiors shall be painted Scorpion Black (smooth finish).	\$682		
8100-0427	Finish specific areas as called for with Scorpion black. See separate sale codes to determine Scorpion finish on smooth aluminum IPO diamond plate areas affected.	\$0		
8100-0428	FRP painted upper side sheet exterior panels IPO standard paint process for stainless steel bodies. Available only on stainless steel tanker bodies that have lower hinged doors and painted body. Provides a credit versus the standard painting process. Sikkens paint. Color: [#COL].	-\$1,551		
8100-0429	Paint lift cylinders, extension cylinders and upper turntable steelwork (does not apply to TT deck). Color: [#COL].	\$0		
8100-0430	The rear cab wall extrusion shall be painted job color. Option applies with rear wall diamond plate overlay	\$284		
8100-0431	Brow light brackets (not housing) shall be painted [#COL]. This shall include forward, rear and side facing if so equipped.	\$204		
8100-0432	Paint turntable console top (does not include console base/mounting). Color: [#COL].	\$0		
8100-0434	Paint body FLNA 30179 Red.	\$0		
8100-0436	All applicable pump/pre-connect application modules are to have a job color finish. Paint the entire pump module inside and outside before loading onto the chassis.	\$1,427		
8100-0438	Paint body NAV4816 Yellow.	\$0		
8100-0439	Painted crosswalk area to include all smooth plate and flat extruded surfaces exposed to the exterior forward and rearward of the crosswalk area.	\$715		
8100-0449	Rear inboard wheels (2) to be painted on the outboard side (same color as outer wheels). Allowing for wheels to be rotated on the rear axle.	\$367		
8100-0452	Paint cab DuPont L4374EB Yellow.	\$0		
8100-0453	Paint body FLNA 11194 Yellow.	\$0		
8100-0455	Painted letter on cab grille (EA) - 8". CIIX cabs only. Color: [#COL].	\$134		
8100-0456	Paint all applicable roll up door header plate(s) 2-tone job color.	\$925		
8100-0457	Paint body two-tone color - Sikkens paint. Locate at the bottom of roll-up door header. Color: [#COL].	\$2,267		
8100-0458	Special paint break body two-tone color - Sikkens paint: Color: [#COL]. See sketch / drawing / photo in sales file.	\$2,267		
8100-0459	The ground ladder brackets, pike pole tubes and folding ladder trough to be painted job color	\$755		
8100-0460	Paint pump module two tone inline with body.	\$254		
8100-0461	Location of body paint break: 14.5" down from top of body.	\$0		
8100-0464	Paint lift cylinders, extension cylinders and upper turntable steelwork metallic two-tone job color (does not apply to TT deck).	\$460		
8100-0465	Paint body two-tone color - Paint break will be just above door drip rail. Sikkens paint: Color: [#COL].	\$0		
8100-0466	Brushed stainless steel exterior panels IPO standard paint process for stainless steel bodies. Available only on stainless steel rescue pumper bodies that have rollup doors. Provides a credit versus the standard painting process.	-\$3,671		
8100-0467	Paint chassis frame rails, springs, cross-members, fire pump, drivelines, air tanks, axles, front bumper extensions with brackets and front suction piping (if applicable) shall be painted: [#COL]. Does not include fuel tank.	\$2,197		
8100-0468	FRP painted exterior panels replacement set for stainless steel tanker bodies. Provides the standard painting process on the panels. Sikkens paint. Color: [#COL].	\$2,771		
8100-0470	Paint body FLNA 3225E-1 Red.	\$0		
8100-0471	Paint body FLNA 51519 Blue.	\$0		
8100-0472	Paint intake valve ends 767681EG Black. (DO NOT PAINT PLUGS & SWIVELS)	\$280		
8100-0474	Paint end of fly section orange down to folding steps. Includes nozzle guard (if equipped).	\$945		

Item #	Description	Extension	+1/-1	Total
8100-0476	Brackets painted Durabak black. Includes rear aerial style brackets, rear camera cover.	\$204		
8100-0477	Paint front cab grille upper two tone job color.	\$777		
8100-0479	SCBA doors on the rear body wheel well panels to be painted to match the body color.	\$321		
8100-0480	Upper panels rearward of upper module storage compartment to be aluminum smooth plate painted job color.	\$283		
8100-0481	Black Linex coating on top of the of standard diamond plate: Install on; Pump panel running boards, body compartment tops, enhanced extended compartment steps and rear tailboard.	\$3,918		
8100-0482	Paint end of fly section orange. Includes nozzle guard (if equipped).	\$538		
8100-0483	Paint bolt-on tip orange IPOS. Includes nozzle guard (if equipped). Steel aerials only.	\$149		
8100-0484	Paint aerial ladder (Sikkens). Steel aerials only. Color: [#COL].	\$0		
8100-0486	Pinned waterway reel to be painted to match the "two tone" sale code color. Note: Since reel is painted as a complete unit, it will not be covered under the 10 year paint warranty.	\$646		
8100-0487	Paint bolt-on tip job color IPOS. Includes nozzle guard (if equipped). Steel aerials only.	\$149		
8100-0488	Paint rear tow eye assemblies yellow IPO black.	\$325		
8100-0489	Monitor shall be painted [#COL].	\$560		
8100-0490	Paint end of fly section orange down to folding steps. Includes nozzle guard (if equipped).	\$945		
8100-0491	Front cab grille mesh painted FLNA4145 black with [#COL] painted letters. Sales to provide detail of letters to provide.	\$705		
8100-0494	LINE-X for Mansaver safety bars at turntable. Color: Black. Only apply to bar, knuckle to remain unpainted.	\$141		
8100-0495	LINE-X: One or more components installed on this unit shall have LINE-X coating. Color shall be Black unless otherwise specified.	\$0		
8100-0496	Paint FRP body panels two-tone color. Paint break will be just above the body compartment opening. Sikkens paint. Color: [#COL].	\$613		
8100-0497	Aerial Turntable deck and handrails to be painted LINE-X Black IPOS.	\$0		
8100-0498	Paint upper FRP body panels two-tone color. Paint break will be just above the body compartment opening. Sikkens paint. Color: FLNA9550 Dark Grey Metallic	\$613		
8100-0499	The hard suction storage tray(s) to be painted FLNA 9550 Dark Grey Metallic.	\$217		
8100-0501	Paint each body compartment lower door opening edge with Scorpion polyurethane coating. Color: Job Color	\$1,623		
8100-0505	Lifting eye on the Bronto's main boom to be painted safety orange.	\$277		
8100-0506	Paint all plumbing black. Pump, valves, and piping.	\$1,280		
8100-0509	Rear body FRP panels to be painted.	\$280		
8100-0510	Painted stripe - 12" wide hockey stripe, straight across front and may contour as it transitions from Cab to Body on each side. Color: FLNA60444 Lime Green. Location: Bottom of stripe centered on upper quad bezel and straight back. Hockey Stripe portion located on rear cab door transitioning down 23" and straight back on body sides.	\$6,574		
8100-0513	Paint aerial platform (Sikkens). Includes platform framework above catwalk and all heat shields. Color: [#COL].	\$3,110		
8100-0515	Paint front tow eye and rear frame mounted tow eye assemblies job color IPO black.	\$400		
8100-0517	Tie off eyes on outriggers to be painted bright orange.	\$460		
8100-0518	Paint all body compartment drip rails (hinged and/or rollup door) job color.	\$925		
8100-0522	Paint front tow eye assemblies job color IPO black.	\$231		
8100-0523	Paint rear 3-way receiver assembly job color IPO black.	\$549		
8100-0525	Paint air tanks the following colors; Wet tank: Yellow, Primary: Orange, Secondary: Green, Auxiliary: Black.	\$531		
8100-0526	Paint front and rear axle hubs upper two-tone job color.	\$1,550		
8100-0527	Front cab grille mesh painted with the non-waving United States flag.	\$1,802		
8100-0528	Durabak: One or more components installed on this unit shall have Durabak coating. Color shall be Black unless otherwise specified.	\$0		
8100-0529	Hose bed interior side walls and hose bed dividers to be painted to match the body color.	\$754		

Item #	Description	Extension	+1/-1	Total
8100-0530	Body - Miscellaneous paint instruction; Rear of body officer side upper M9 warning light enclosure and hose bed crossover light bar to be painted job color red.	\$0		
8100-0532	Pinned waterway reel to be painted FLNA4145 Black. Note: Since reel is painted as a complete unit, it will not be covered under the 10 year paint warranty.	\$646		
8100-0533	Paint all roll up door header plate(s) screws job color.	\$224		
8100-0534	Paint all roll up door header plate(s) and side tracks job color.	\$1,155		
8100-0535	Front cab grille mesh painted FLNA3626 Red with [#COL] painted letters. Sales to provide detail of letters to provide.	\$705		
8100-0536	SCBA and fuel fill doors on the rear body wheel well panels to be painted to match the body color.	\$321		
8100-0538	Paint break painted on chassis stripe - 1/2" Wide - [#COL].To be located 1" above existing paint break if so equipped or at the same approximate position (when there is not a paint break).	\$1,599		
8100-0539	Paint break painted on body stripe - 1/2" Wide - [#COL].To be located 1" above existing paint break if so equipped or at the same approximate position (when there is not a paint break).	\$2,135		
8100-0540	Commercial cab two tone. Upper paint color [#COL]	\$0		
8100-0544	Paint pump anode(s) exterior side as located in fire pump yellow for easy location identification during inspections	\$107		
8100-0545	Front cab grille mesh painted FLNA4040 white with [#COL] painted letters. Sales to provide detail of letters to provide.	\$705		
8100-0546	Pinned waterway reel to be painted FLNA91733 Silver. Note: Since reel is painted as a complete unit, it will not be covered under the 10 year paint warranty.	\$646		
8100-0547	Paint bottom (2) rungs of base section orange.	\$263		
8100-0548	Paint body entry door to match lower body color. Do not 2-tone door.	\$0		
8100-0549	Paint air tanks the following colors; Wet tank: Black, Primary: Green, Secondary: Blue and Aux.: Yellow.	\$531		
8100-0550	Finish specific areas as called for with Scorpion colored product. See separate sale codes to determine Scorpion finish and color on smooth aluminum IPO diamond plate areas affected.	\$0		
8100-0551	Grille mesh painted. The cab front grille mesh shall be painted. See sketch / drawing / photo in sales file.	\$1,802		
8100-0552	FRP painted upper side sheet exterior panels IPO standard paint process for stainless steel bodies. Available only on stainless steel pumper bodies that have lower hinged doors and painted body. Provides a credit versus the standard painting process. Sikkens paint. Color: [#COL].	-\$1,551		
8100-0553	SCBA bottle storage door(s) in rear wheel well painted job color. (Door only).	\$684		
8100-0554	Aerial Turntable handrails to be painted LINE-X Black IPOS.	\$0		
8100-0555	Paint break painted on chassis stripe - 1/8" Wide - [#COL].To be located 1/4" below existing paint break chassis stripe if so equipped or at the same approximate position (when there is not a paint break).	\$1,599		
8100-0559	Paint FRP side sheets of tank for Wetside tankers, includes FRP side sheets and trim. Sikkens paint. Color: [#COL].	\$4,781		
8100-0561	Scorpion: One or more components installed on this unit shall have Scorpion coating.	\$0		
8100-0562	Rear side compartment surface to be painted job color outside of beavertail area. Use with unpainted rear body with beavertails.	\$0		
8150-0007	The interior of the cab to be painted Zolatone black.	\$0		
8150-0008	Zolatone for Removable Toolboard.	\$90		
8150-0009	Paint Interior Cab Plexstone Finish CFR	\$0		
8150-0010	The interior of the cab to be paint OTO gray	\$0		
8150-0011	The interior of the cab to be painted Zolatone gray.	\$0		
8150-0012	The interior of the backboard storage compartment to be painted OTO gray. Includes inside surfaces of backboard doors and upper cover plate.	\$715		
8150-0013	Compartments shall have Zolatone finish.	\$302		
8150-0014	The interior of the cab to be paint Zolatone gray. Custom ES.	\$0		

Item #	Description	Extension	+1/-1	Total
8150-0019	Black Durabak coatings on interior walkway floor and extrication compartment interior. Extrication compartment interior coating to include shelves, trays and associated mounting brackets.	\$0		
8150-0020	Black Durabak coating on interior of transverse cab compartment.	\$0		
8150-0021	The interior of the backboard storage compartment to be painted Zolatone gray. Includes inside surfaces of backboard doors and upper cover plate.	\$715		
8150-0022	The interior of the cab to be painted Zolatone "Dark Red" 20-78.	\$0		
8150-0023	Interior cab handrails/window bars painted safety yellow.	\$267		
8150-0024	The lower area of the painted cab interior door panels to be masked off and left un-painted for reflective material.	\$0		
8150-0025	LINE-X package for Cab Interior, see specification for details. Cab door panels, steps and step wells are not included in this package.	\$1,210		
8150-0026	The interior of the cab to be painted Zolatone black.	\$0		
8150-0027	Transverse compartment behind the vehicle's driver and passenger area in the cab shall be coated with black duraback to help insulate noise. NYPD only.	\$1,161		
8150-0028	The interior of the cab to be have black Scorpion polyurethane coating.	\$572		
8150-0030	The interior of the cab to be painted Zolatone Silver Gray 20-72.	\$0		
8150-0031	The cab interior shall have gray finish. Note: Gray Line-X finish is prone to fading and might change color over time.	\$950		
8150-0032	The body compartment interior (and mounted components if applicable package is selected) shall have gray finish. Note: Gray Line-X finish is prone to fading and might change color over time.	\$950		
8150-0033	LINE-X package for Deluxe Cab Interior, see specification for details. Steps and step wells are not included in this package.	\$2,347		
8150-0034	Line-X cab interior components shall be provided with Red Line-X. Note: Red Line-X finish is prone to fading and might change color over time.	\$3,310		
8200-0014	Sign "Stay Back 500FT" with black reflective lettering. Locate below rear of body.	\$158		
8200-0068	Painted letter on cab grille (EA) - 18". Color: [#COL].	\$152		
8300-0001	NFPA required reflective striping to be dealer/customer applied.	\$0		
8300-0037	Chevron "V" style 4" Scotchlite striping on rear of body. Includes rear facing extrusions, panels and doors inboard/outboard of the beavertails(if applicable). Colors to be [#COL].	\$4,017		
8300-0052	Chevron "V" style Scotchlite striping on rear of body outboard of beavertails (if equipped). Colors to be [#COL].	\$1,191		
8300-0058	Chevron "V" style 4" Scotchlite striping on rear B1 compt door, (3) stripes. Colors to be red/white/black pinstripe.	\$1,041		
8300-0061	Chevron "A" style 6" individual Scotchlite striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be [#COL].	\$2,119		
8300-0062	Chevron "A" style Scotchlite striping on rear of body outboard of beavertails (if equipped). Colors to be [#COL].	\$1,191		
8300-0077	Chevron "A" style Scotchlite striping on rear B1 compt door. Colors to be [#COL].	\$2,012		
8300-0081	Chevron "A" style 3M "Diamond Grade" striping on rear of body outboard of beavertails (if equipped). Colors to be [#COL].	\$1,490		
8300-0084	Chevron "A" style 6" printed sheet Scotchlite striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be [#COL].	\$1,654		
8300-0093	Chevron "A" style 6" printed sheet Scotchlite striping on front bumper. Colors to be [#COL].	\$682		
8300-0098	Rear reflective chevron striping to be dealer/customer applied.	\$0		
8300-0099	Chevron "A" style 6" printed sheet Scotchlite striping on rear of body between beavertails. Colors to be [#COL]	\$1,301		
8300-0100	Chevron "V" style 4" Scotchlite striping on rear ladder tunnel door(s) only. Colors to be [#COL].	\$1,031		
8300-0103	Chevron "A" style 6" Scotchlite striping on rear B1 compt door. Colors to be [#COL].	\$2,012		
8300-0104	Chevron "V" style 3" Scotchlite striping on rear of body. Colors to be Red/White/Blue.	\$4,017		
8300-0106	Chevron "A" style 6" Scotchlite striping on rear of tank. Colors to be Yellow/Red.	\$0		

Item #	Description	Extension	+1/-1	Total
8300-0109	Chevron "A" style 6" 3M "Diamond Grade" striping on rear of body. Includes rear facing extrusions, panels and doors inboard/outboard of the beavertails(if applicable). Colors to be [#COL].	\$5,021		
8300-0111	Chevron "A" style 6" individual Scotchlite striping on rear of body except for the pump/ladder tunnel access door. Colors to be [#COL].	\$4,017		
8300-0112	Chevron "A" style 6" Scotchlite striping on rear facing side of the slide out room. Colors to be [#COL].	\$2,012		
8300-0113	Special graphics package. Includes 6" white stripe with 1" strip below (1/2" spacing and bottom of upper strip flush with top of bumper) straight back and hockey stick up on L1/R1. Lower 1" strip to overlap upper strip (cut-out)on lower body and then go under on upper body (cut-out)and straight back.	\$2,993		
8300-0114	Chevron "A" style 6" individual Scotchlite striping full width on rear of body. Includes rear facing compartment face, extrusions, panels and doors. Does not include center lower pump panel. Colors to be [#COL].	\$2,119		
8300-0115	Chevron "A" style 6" printed pattern Scotchlite striping full width on rear of body. Includes rear facing compartment face, extrusions, panels and doors. Does not include center lower pump panel. Colors to be [#COL].	\$1,654		
8300-0116	Chevron "A" style 6" printed pattern Scotchlite striping on the upper center pump/storage access. Colors to be [#COL].	\$517		
8300-0117	Chevron "A" style 6" individual Scotchlite striping on the upper center pump/storage access. Colors to be [#COL]	\$711		
8300-0120	Chevron "A" style 6" 3M "Diamond Grade" striping on front bumper. Colors to be [#COL].	\$2,075		
8300-0123	Chevron "A" style 6" printed pattern NFPA Scotchlite striping. Provided to driver and officer rear compartment face, smooth plate panels and/or doors outboard and above the center rear compartment opening and the vertical hosebed extrusions (terminate just above the upper hand rail stanchion). The vertical and horizontal extrusions inboard of the vertical hose bed extrusions shall remain visible with a sanded finish. Colors to be [#COL].	\$651		
8300-0124	Chevron "A" style 6" printed pattern NFPA Scotchlite striping for rearend compartment door. Colors to be [#COL].	\$594		
8300-0142	Chevron "A" style 6" individual Scotchlite striping on front bumper. Colors to be [#COL].	\$852		
8300-0144	Chevron "A" style 6" 3M "Diamond Grade" striping full width on rear of body (does not include the B1 door). Includes rear facing extrusions, panels and doors. Colors to be [#COL].	\$2,112		
8300-0145	Chevron "A" style 6" 3M "Diamond Grade" striping on front bumper. Colors to be [#COL].	\$1,010		
8300-0146	Chevron "A" style 6" 3M "Diamond Grade" striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be [#COL].	\$2,784		
8300-0150	Chevron "A" style 6" printed sheet Scotchlite striping on rear of body. Includes rear facing extrusions, panels and doors inboard/outboard of the beavertails (if applicable). Colors to be [#COL].	\$1,439		
8300-0152	Chevron "A" style 6" 3M "Diamond Grade" Scotchlite striping full width on rear of body. Includes rear facing compartment face, extrusions, panels and doors. Does not include center lower pump panel. Colors to be [#COL].	\$2,784		
8300-0153	Chevron "A" style 6" 3M "Diamond Grade" Scotchlite striping on the upper center pump/storage access. Colors to be [#COL].	\$880		
8300-0154	Chevron "A" style 6" 3M "Diamond Grade" striping on rear of body. Includes rear facing extrusions, panels and doors inboard of the beavertails(if applicable). Colors to be [#COL].	\$2,435		
8300-0160	Chevron "A" style 6" printed sheet Scotchlite striping on front and rear faces of overhead ladder rack. Colors to be [#COL].	\$483		
8300-0164	Chevron "A" style 8" individual Scotchlite striping on rear of body. Includes rear facing extrusions, panels and doors inboard/outboard of the beavertails(if applicable). Colors to be [#COL].	\$2,307		
8300-0165	Chevron "A" style 6" printed sheet Scotchlite striping on outer panel of beavertails. Colors to be [#COL].	\$512		
8300-0166	Diamond Grade reflective tape on (4) outriggers. Striping to alternate in an "A" pattern when viewed from the front or rear of the truck. Colors to be: [#COL].	\$1,030		
8300-0168	Chevron "A" style 6" individual Scotchlite striping stitched to vinyl hosebed cover end flap. Colors to be [#COL]	\$852		
8300-0173	Chevron "A" style 6" Scotchlite striping on rear of Wildland body. Colors to be Yellow/Red.	\$1,706		
8300-0176	Chevron "A" style 6" printed sheet Scotchlite striping on rear of Wetside tank. Colors to be [#COL].	\$1,301		



Item #	Description	Extension	+1/-1	Total
8300-0177	Chevron "A" style 6" printed sheet Scotchlite striping on rear of Wetside body (on panels only - not tank). Colors to be [#COL].	\$1,301		
8300-0179	Chevron "A" style 6" printed sheet Scotchlite striping on rear of body. Includes rear facing extrusions, panels, inboard/outboard of the beavertails (if applicable). Does not include the rear door(s). Colors to be Yellow/Red.	\$1,366		
8300-0184	Special rear flag style chevron striping on rear of apparatus. Includes triangular area of blue Scotchlite (with white reflective stars) at top center with individual 6" red and white Scotchlite stripes at a 45 degree angle on remaining area (sloping down from left to right). Ref photo of SO 134676.	\$2,320		
8300-0185	Chevron "A" style 6" printed sheet Scotchlite striping on rear of Wetside body and tank. Colors to be [#COL].	\$2,080		
8300-0190	Chevron "A" style 6" 3M "Diamond Grade" striping on rear of body (does not include the B1 door). Includes rear facing extrusions, panels and doors inboard/outboard of the beavertails(if applicable). Colors to be [#COL].	\$2,112		
8300-0193	Chevron "A" style 3M "Diamond Grade" Dots in 6" striping pattern on rear of body (does not include the B1 door). Includes rear facing extrusions, panels and doors inboard of the beavertails (if applicable). Colors to be [#COL].	\$3,146		
8300-0201	Chevron "A" style 6" 3M "Diamond Grade" striping on ladder rack lowering arms. The Chevron shall be applied to the rear and forward arm surfaces only. Colors to be [#COL].	\$397		
8300-0203	Chevron "A" style 6" individual Scotchlite striping on rear of body and rear of tank. Colors to be [#COL]. Wetside Only	\$2,119		
8300-0204	Chevron "A" style 6" 3M "Diamond Grade" striping on (4) outriggers. Colors to be [#COL].	\$1,401		
8300-0207	Chevron "A" style printed sheet 6" striping for sign plate at rear turntable handrails. Colors to be [#COL].	\$347		
8300-0208	Chevron "A" style 6" Scotchlite striping on bottom of platform oriented with base of chevron to hinged side. Colors to be Red/Yellow.	\$1,018		
8300-0214	Chevron "A" style 6" printed sheet Scotchlite striping stitched to vinyl hosebed cover end flap. Colors to be [#COL]	\$512		
8300-0215	Gold reflective tape on 2 outriggers.	\$255		
8300-0227	Diamond Grade reflective tape on (2) outriggers. Striping to alternate in an "A" pattern when viewed from the front or rear of the truck. Colors to be: [#COL].	\$818		
8300-0228	Printed reflective striping on (2) outriggers. Striping to alternate in an "A" pattern when viewed from the front or rear of the truck. Colors to be: [#COL].	\$364		
8300-0236	Special graphics package. Includes 6" white stripe with 1" gold strip below (bottom of 1" gold stripe aligned approximately 1/4" above the top of bumper) straight back and hockey stick up on front body panels. Lower 1" strip to overlap upper strip (cut-out) on lower body and then go under on upper body (cut-out) and straight back.	\$2,993		
8300-0238	Printed reflective striping on (4) outriggers. Striping to alternate in an "A" pattern when viewed from the front or rear of the truck. Colors to be: [#COL].	\$440		
8300-0243	Chevron "A" style printed sheet 6" Scotchlite striping on bottom of platform oriented with base of chevron to hinged side. Colors to be Red/Yellow.	\$812		
8300-0248	Chevron "A" style 6" printed sheet Scotchlite striping on entire rear of body. Includes rear facing extrusions, panels, doors and rear driver and officer compartment face. Colors to be [#COL].	\$2,150		
8300-0255	Chevron "A" style 6" 3M "Diamond Grade" Scotchlite striping on the rear side of the pull out tool board in L3. Colors to be Red/Fluorescent Yellow Green.	\$401		
8300-0258	Chevron "A" style 6" Blue 3M Scotchlite and 983-71 Yellow 3M "Diamond Grade" striping on rear of body. Includes rear facing extrusions, panels and doors inboard/outboard of the beavertails (if applicable).	\$2,784		
8300-0259	Chevron "A" style 3M Diamond Grade striping in rubrail. Colors to be: [#COL]	\$780		
8300-0263	Printed reflective striping on outboard facing surface only for the (8) jack leg covers. Includes (4) outrigger covers and (4) fixed painted plate filler panels. Striping to alternate in an "A" style 6" pattern when viewed from the side of the truck. Colors to be: [#COL].	\$310		
8300-0268	Chevron "A" style 6" printed sheet Scotchlite striping full width on rear of body. Includes rear facing extrusions and panels. Does not include the rear door(s). Colors to be [#COL].	\$1,366		

Item #	Description	Extension	+1/-1	Total
8300-0271	Chevron "A" style 6" 3M "Diamond Grade" striping on interior of front bumper lid. Colors to be [#COL].	\$1,010		
8300-0273	Chevron "A" style 6" Reflexite V98 striping on front bumper. Colors to be [#COL].	\$892		
8300-0274	Chevron "A" style 6" Reflexite V98 striping full width on rear of body. Includes rear facing extrusions, panels and doors. Colors to be [#COL].	\$2,367		
8300-0275	Chevron "A" style 6" Reflexite V98 striping full width on rear of body. Includes rear facing compartment face, extrusions, panels and doors. Does not include center lower pump panel. Colors to be [#COL].	\$2,367		
8300-0277	Chevron "A" style 6" Reflexite V98 striping on rear of rear of Wetside tank. Colors to be [#COL].	\$1,403		
8300-0278	Chevron "A" style 6" Reflexite V98 striping on rear of Wetside body (on panels only - not tank). Colors to be [#COL].	\$1,403		
8300-0280	Chevron "A" style 6" Reflexite V98 striping on (2) outriggers. Striping to alternate in an "A" pattern when viewed from the front or rear of the truck. Colors to be: [#COL].	\$769		
8300-0281	Chevron "A" style 6" Reflexite V98 striping on (4) outriggers. Striping to alternate in an "A" pattern when viewed from the front or rear of the truck. Colors to be: [#COL].	\$1,025		
8300-0282	Chevron "A" style 6" printed pattern NFPA Scotchlite striping. Includes driver and officer rear compartment face, smooth plate panels and/or doors outboard and above the center rear compartment opening. Does not include center rear compartment or extrusions. Colors to be [#COL].	\$959		
8300-0285	Chevron "A" style 6" printed sheet Scotchlite striping full width on rear of body. Includes rear facing body panels, smooth plate trim panels and internal access door(s). Does not include B1 door face. Colors to be [#COL].	\$1,290		
8300-0286	Chevron "A" style 6" Reflexite V98 striping full width on rear of body (does not include the B1 door and/or center aerial ladder tunnel door). Includes rear facing extrusions, panels and doors. Colors to be [#COL].	\$2,141		
8300-0292	Chevron "A" style 6" Reflexite V98 striping on rear of body. Includes rear facing extrusions, panels and doors inboard of beavertails (if equipped). Does not include rear facing outboard compartment faces. Colors to be [#COL].	\$2,134		
8300-0299	Diamond grade reflective striping on outboard facing surface only for the (8) jack leg covers. Includes (4) outrigger covers and (4) fixed painted plate filler panels. Striping to alternate in an "A" style 6" pattern when viewed from the side of the truck. Colors to be: [#COL].	\$310		
8300-0306	Chevron "A" style 6" Reflexite V98 striping on ladder rack lowering arms. The Chevron shall be applied to the rear and forward arm surfaces only. Colors to be [#COL].	\$335		
8300-0308	Chevron "A" style 6" 3M "Diamond Grade" striping on the lower body door panels, approx 6" high. Colors to be [#COL]	\$77		
8300-0315	Chevron "A" style 6" printed sheet pattern NFPA Scotchlite striping. Includes driver and officer rear compartment face, smooth plate panels and/or doors outboard and above the center rear compartment opening. Does not include center rear compartment door. Colors to be [#COL].	\$959		
8300-0316	Chevron "A" style 6" individual Scotchlite striping full width on rear of body. Includes driver and officer rear compartment face, smooth plate panels and/or doors outboard and above the center rear compartment opening. Does not include rear compartment door. Colors to be [#COL].	\$1,525		
8300-0317	Chevron "A" style 6" individual Scotchlite striping pattern per NFPA for rear compartment door. Colors to be [#COL].	\$778		
8300-0321	Chevron "A" style 6" printed sheet Scotchlite striping on rear of body between beavertails below full width intermediate step. Colors to be [#COL].	\$1,301		
8300-0329	Chevron "A" style 6" 3M "Diamond Grade" striping full width on rear of body; half height from bottom per NFPA/ULC requirements. Includes rear facing extrusions, panels and doors. Colors to be [#COL].	\$1,609		
8300-0330	Single NFPA Scotchlite Stripe - upto 6" wide and straight on cab and the body. Size, color and location as specified by the customer.	\$861		
8300-0331	Single NFPA Scotchlite Stripe - upto 6" wide with hockey, Z, S or other customer specific design. Stripe to be installed on cab and the body. Size, color and location as specified by the customer.	\$1,361		
8300-0332	Single NFPA Scotchlite Stripe - larger than 6" wide and straight on the cab and body. Size, color and location as specified by the customer.	\$1,401		

Item #	Description	Extension	+1/-1	Total
8300-0333	Single NFPA Scotchlite Stripe - larger than 6" wide hockey, Z, S or other customer specific design. Stripe to be installed on the cab and body. Size, color and location as specified by the customer.	\$2,323		
8300-0343	Chevron "A" style 6" 3M "Diamond Grade" striping on the lower area of the vertically hinged interior body door pans, approx 12" high. Note compartments with double doors will apply only to primary door or door pan that faces rearward. Colors to be [#COL].	\$155		
8400-0019	Chevron "A" style 6" printed sheet Scotchlite striping on rear of body (outboard rearward facing smooth plate panels of the rear compartment door and the rear driver and officer compartment face). Colors to be red and yellow.	\$0		
8400-0020	Chevron "A" style 6" printed sheet Scotchlite striping on rear of body (outboard rearward facing smooth plate panels of the rear compartment door and the rear driver and officer compartment face). Colors to be Red and Yellow.	\$0		
8600-A	Misc. equipment allowance	\$1,087		
8600-B	Misc. mounting allowance	\$1,087		
8600-C	Misc. tool bracket allowance	\$1,087		
8600-D	Misc. unpublished option allowance	\$1,087		
9100-0000	Warranty 1 year standard	-\$4,347		
9100-0002	Warranty 2 year standard	\$0		
9100-0003	Warranty lifetime frame	\$0		
9100-0004	Warranty 10 year structural	\$0		
9100-0005	Warranty 10 year stainless steel plumbing	\$0		
9100-0007	Warranty 20 year aerial device structural	\$0		
9100-0019	Warranty 10 year paint (Sikkens)	\$0		
9100-0008	Standard 3 Year Warranty	\$4,347		
9100-0009	Standard 4 Year Warranty	\$8,694		
9100-0010	Standard 5 Year Warranty	\$13,041		
9100-0034	Hale five (5) Year warranty	\$3,804		
9100-0042	Lifetime polypropylene warranty.	\$0		
9100-0043	10 Year stainless steel plumbing warranty.	\$0		
9100-0044	10 Year Limited paint, corrosion perforation warranty.	\$0		
9100-0045	10 Year Limited paint, corrosion perforation warranty - for Sikkens paint.	-\$7,607		
9100-0046	10 Year Non Prorated Paint and Perforation Warranty - For Sikkens Paint.	\$0		
9100-0048	10 Year/50,000 Mile Structural Warranty, Integral Tank Body - Statement of Warranty.	\$0		
9100-0052	Structural Warranty, 10 Year Cab / 15 Year Stainless Steel Body - Statement of Warranty.	\$0		
9100-0054	15 Year/100,000 Mile Structural Warranty - Statement of Warranty.	\$5,977		
9100-0055	15 Year Stainless Steel Plumbing Warranty - Statement of Warranty.	\$3,804		
9100-0056	15 Year Limited Paint and Perforation Warranty - For Sikkens Paint.	\$13,212		
9100-0058	12 Year body non-pro-rated paint and perforation warranty, 10 year cab non-pro-rated paint and perforation warranty - For Sikkens Paint.	\$11,942		
9100-0060	20 Year Frame Rail Corrosion Warranty. Includes Liners (if equipped).	\$0		
9100-0061	20 Year Frame Corrosion Warranty. Includes Rails, Liners (if equipped), Crossmembers, Front Frame Extensions and Battery Tray Brackets.	\$0		
9100-0066	Allison 10 year warranty	\$2,717		
9100-0067	10 Year non prorated cab paint warranty.	\$0		
9100-0068	10 Year non prorated body paint warranty. For pumper, single axle tanker and single axle rescue products with aluminum body and pan doors.	\$0		

Item #	Description	Extension	+1/-1	Total
9100-0069	10 Year non prorated body paint warranty. For pumper, single axle tanker and single axle rescue products with aluminum body and all roll-up doors. (Painted roll-up doors covered under seperate warranty)	\$0		
9100-0072	10 Year non prorated body paint warranty. For pumper, single axle tanker and single axle rescue products with stainless steel body and pan doors.	\$0		
9100-0073	12 Year non prorated body paint warranty. For products with stainless steel body, FRP panels and all roll-up doors. (Painted roll-up doors covered under seperate warranty)	\$0		
9100-0085	Premium 2000+ extended warranty for fire apparatus with a water pump - 24 months / unlimited miles.	\$4,130		
9100-0086	Premium 2000+ extended warranty for fire apparatus with a water pump - 36 months / unlimited miles.	\$5,216		
9100-0087	Premium 2000+ extended warranty for fire apparatus with a water pump - 48 months / unlimited miles.	\$6,521		
9100-0088	Premium 2000+ extended warranty for fire apparatus with a water pump - 60 months / unlimited miles.	\$7,390		
9100-D	Extend Cummins engine warranty to 10 years	\$1,630		
9100-H	Hale extented warranty (parts/labor)	\$1,630		
9100-I	Premium 2000 warranty	\$1,087		
9300-0000	Vehicle Familiarization Aerial	\$5,137		
9300-0009	Manuals Operation & Service CD	\$369		
9300-0010	Waterous Compressed Air Foam System training.	\$3,839		
9300-0016	Approval drawings STD	\$0		
9300-0017	Manuals Printed (Set).	\$1,035		
9300-0018	Manuals, Operator and Service CD-ROM (additional set).	\$59		
9300-0025	Inspection trip prior to unit(s) shipping.	\$0		
9300-0026	The unit(s) have a penalty clause for late delivery. Requires signed approval from Sales.	\$0		
9300-0027	Prebuild Conference. To be conducted with the customer by Sales and Engineering.	\$0		
9300-0028	The unit(s) are required to deliver on:	\$0		
9300-0029	Manuals. (3) each printed for the engine, transmission and pump. Complete repair and maintenance manuals.	\$2,289		
9300-0030	Mid-Point Inspection.	\$0		
9300-0031	Dash panel layout approval drawings	\$597		
9300-0032	Manuals printed (3).	\$1,478		
9300-0038	Manuals, operator, service and exploded view parts CD-ROM.	\$397		
9300-0039	Manuals printed (set) with exploded view parts.	\$1,035		
9300-0040	As built electrical drawings.	\$2,774		
9300-0041	As built plumbing drawings.	\$3,466		
9300-0044	Transmission programming print-out - provided at delivery.	\$135		
9300-0045	Manuals Printed (Set). Includes (1) service, (1) parts and (5) operation manuals.	\$1,035		
9300-0046	Unit to have post production wheel alignment.	\$314		
9300-0302	Manuals Operation / Service CD.	\$0		
9300-0303	Approval Drawings - Top View of body and pump module section of the vehicle.	\$314		
9300-0304	Manuals printed (1).	\$974		
9300-0305	Advent/Hot Shot Foam System Training.	\$4,898		
9300-0306	Approval Drawings-Additional views. Top view of body and pump module areas. Detailed top view of the interior cab view layout.	\$627		
9300-0307	Safety Product DVD.	\$7,273		
9300-0308	Tilt-Table Testing. Provide readings for both sides.	\$0		
9300-0311	Parts and service manuals for Cummins engine and Allison EVS transmission.	\$631		
9300-0312	Inspection / adjustment visit for an aerial ladder / platform (6/12/24 month).	\$9,604		

Item #	Description	Extension	+1/-1	Total
9300-0313	Vendor layout of cascade system to include air panel shall be supplied.	\$0		
9300-0314	The center of gravity test results from the tilt table shall be documented and entered on the files tab and shop order folder(s). If multiple units or orders are made, results from 1 candidate is sufficient (unless otherwise specified).	\$0		
9300-0315	Vehicle familiarization aerial (Domestic) additional per day.	\$1,177		
9300-0316	Fire Apparatus Safety Guide published by FAMA, latest edition.	\$0		
	TOTAL OPTIONS			
	Performance Bond Overage			
	BASE MODEL PRICE			
	TOTAL FCAM/MAPC PRICE			
	Trade			
	Multi-Unit Discount			