






Bicycle Security Systems



2020 MAPC PRICE LIST



BICYCLE SECURITY SOLUTIONS THAT REFLECTS YOUR VISION

BICYCLE LOCKERS

| | |
|---------------------------|----|
| <i>MadLocker</i> | 13 |
| <i>Pie MadLocker</i> | 13 |
| <i>Vertical MadLocker</i> | 14 |
| <i>Narrow MadLocker</i> | 14 |

BICYCLE STORAGE

| | |
|-----------------------------|----|
| <i>Bike Boost</i> | 15 |
| <i>Horizontal</i> | 15 |
| <i>Bike Tier</i> | 16 |
| <i>Vertical</i> | 16 |
| <i>Wall Rack - Vertical</i> | 17 |
| <i>Z Rack</i> | 18 |
| <i>Bike Stand</i> | 18 |

BICYCLE SHELTERS AND SHEDS

| | |
|------------------------------------|----|
| <i>Shed for Vertical Storage</i> | 19 |
| <i>Shed for Horizontal Storage</i> | 19 |
| <i>Bike Kits for Storage Sheds</i> | 19 |
| <i>Bike Repair Shed</i> | 20 |
| <i>Ashton</i> | 20 |
| <i>Wingra</i> | 20 |

BICYCLE RACKS

| | |
|----------------------------------|----|
| <i>Finn</i> | 4 |
| <i>Lofty</i> | 4 |
| <i>Cyc Bircac</i> | 4 |
| <i>Stout</i> | 5 |
| <i>Metro</i> | 5 |
| <i>Genesis</i> | 5 |
| <i>Circa 2000</i> | 5 |
| <i>Advocate</i> | 6 |
| <i>Advocate Mini</i> | 6 |
| <i>Highwheeler</i> | 6 |
| <i>Phoenix</i> | 6 |
| <i>Orion</i> | 7 |
| <i>Opal</i> | 7 |
| <i>Sentry</i> | 7 |
| <i>'U' Racks</i> | 8 |
| <i>Square 'U' Racks</i> | 8 |
| <i>'U' Racks on Rails</i> | 9 |
| <i>'U' Racks on Rails Square</i> | 9 |
| <i>'U' Racks on Rails U-Two</i> | 10 |
| <i>Post and Ring</i> | 10 |
| <i>Meter Rack</i> | 10 |

CORRALS, REPAIR STANDS, ETC.

| | |
|---------------------------------|----|
| <i>Skateboard Rack</i> | 18 |
| <i>Bike Corral</i> | 11 |
| <i>Corral Accessories</i> | 11 |
| <i>RepairSTAN</i> | 12 |
| <i>PHIL-UP</i> | 12 |
| <i>Grout Covers</i> | 12 |
| <i>Mounting Hardware</i> | 21 |
| <i>Materials & Finishes</i> | 21 |

☞ **Quick Ship** Items with a ☞ indicate items will ship in 5 - 7 business days from receipt of order.

These items are only available in Black Powder Coat or Galvanized Finishes for quantities of 5 or Less.

Standard/economy shipping unless otherwise noted or discussed

TERMS AND CONDITIONS

WE ARE A SUPPLIER ONLY: As a supplier only, we are not subject to subcontractor terms and conditions or retainage fees. The customer is responsible for completeness, accuracy and conformity to their plans and specifications. We will not proceed with orders until all details such as materials, options, colors, etc. are complete and accurate.

ORDER ACCEPTANCE: All orders must be in writing and are subject to acceptance by Graber Manufacturing, Inc. (Graber Manufacturing) Waunakee, Wisconsin. No verbal orders will be accepted.

PURCHASE ORDER TERMS: All terms and conditions of any purchase order, or other writing, issued by the buyer which are inconsistent with, additional to, or different from the terms and conditions set forth here, are null and void. The signing of any such buyer purchase order by Graber Manufacturing, Inc. only indicates the acknowledgement of order.

PRICES: All prices are FOB Graber Manufacturing's factory and are in U.S. dollars unless otherwise indicated on quote. Prices are subject to change without notice. Shipments will be made at prices prevailing at the time of the shipment. All out of state (Non-Wisconsin) taxes are the responsibility of the buyer.

PAYMENT TERMS: Full payment is due at the time an order is placed unless buyer is a tax-supported government entity or a company with approved credit. If buyer is a tax-supported government entity or a company with approved credit net is due 30 days from date of invoice. Service charge of 1.5% per month on all invoices after 30 days. Graber Manufacturing accepts American Express, Master Card and VISA when order is placed (credit card fees of 3% may be accessed if used at other times). Graber Manufacturing reserves the right to change payment terms at any time if necessary.

CANCELLATION: Cancellation of orders will not be accepted without prior written authorization. Cancellations are subject to a 30% to 100% charge depending on costs incurred by Graber Manufacturing at time of cancellation. Special custom orders cannot be cancelled.

RETURNS: Returned product will not be accepted without prior written authorization. A return of standard product is subject to a 30% to 70% restocking charge. Returned product must be received in the same condition as originally shipped and must be shipped with freight charges prepaid by buyer. Special custom product cannot be returned.

FREIGHT: Freight charges as determined by the carrier may be prepaid and added to the invoice if desired. Unless specific instructions are given, shipment is made in the way considered best by Graber Manufacturing. Shipping weights are approximate.

LOSS OR DAMAGE: Graber Manufacturing is not responsible for loss or damage in transit. Freight carrier is an agent of the customer. Claims must be filed with the carrier. Be sure to note any shortage on the original freight bill before signing and also have the truck driver sign. Be sure to note any damage or marks indicating possible concealed damage on the original freight bill before signing and also have the truck driver sign.

SPECIFICATIONS: Graber Manufacturing reserves the right to discontinue or change the design and specification of units, and to ship the revised product without notice when such changes have been made.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BY GRABER MANUFACTURING. ANY DESCRIPTION OF THE GOODS CONTAINED IN THIS AGREEMENT IS FOR THE SOLE PURPOSE OF IDENTIFYING THE GOODS, IS NOT PART OF THE BASIS OF THE BARGAIN, AND DOES NOT CONSTITUTE A WARRANTY THAT THE GOODS SHALL CONFORM TO THAT DESCRIPTION. NO AFFIRMATION OF FACT OR PROMISE MADE BY THE SELLER, WHETHER OR NOT IN THIS AGREEMENT, SHALL CONSTITUTE A WARRANTY THAT THE GOODS WILL CONFORM TO THE AFFIRMATION OR PROMISE. BUYER AFFIRMS THAT HE HAS NOT RELIED UPON SELLER'S SKILL OR JUDGMENT TO SELECT OR FURNISH GOODS FOR ANY PARTICULAR PURPOSE, AND THIS SALE IS MADE WITHOUT ANY WARRANTY BY SELLER THAT THE GOODS ARE SUITABLE FOR ANY PARTICULAR PURPOSE.

DIRECTIONS FOR USE: Due to the potential of misuse of the goods sold under this agreement, it is agreed that our products must be installed as manufactured.

A. Modifications of Products: Any modification that becomes necessary must be designed by a qualified engineer and performed in accordance with his design and under the engineer's supervision. Graber Manufacturing cannot be responsible for the structural integrity of the product or for any costs incurred in modifications performed without our written approval.

B. Errors and Corrections: Errors in construction and design on the part of Graber Manufacturing must be reported immediately. Graber Manufacturing must be given sufficient time to inspect the product and correct any problem before the products are corrected or installed at the project site. Charge backs will not be accepted for products that are corrected without allowing Graber Manufacturing the opportunity to make the corrections itself or without specific written approval of Graber Manufacturing.

CONSEQUENTIAL DAMAGES. IN NO EVENT SHALL THE COMPANY BE LIABLE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGE TO OTHER PROPERTY CAUSED BY ANY DEFECT IN THIS PRODUCT. INCONVENIENCE, LOSS OF GOOD WILL, LOST PROFITS OR REVENUE, LOSS OF USE OF THIS PRODUCT, COST OF SUBSTITUTIVE PRODUCTS OR MODIFICATIONS, DOWNTIME COSTS, OTHER EQUIPMENT COSTS OR CLAIMS OF ANY PARTY DEALING WITH PURCHASER FOR SUCH DAMAGES, RESULTING FROM THE USE OF THIS PRODUCT, OR ANY OTHER LEGAL THEORY.

AUTHORITY OF SELLER'S AGENTS: No agent, employee or representative of the Seller has any authority to bind the Seller to any affirmation, representation or warranty concerning the goods sold under this agreement, and unless an affirmation, representation or warranty made by an agent, employee or representative is specifically included within this written agreement, it has not formed a part of the basis of this bargain and shall not in any way be enforceable.

MODIFICATIONS: This agreement can be modified or rescinded only by writing signed by both of the parties or by duly authorized agents.

INTERPRETATION - PAROL EVIDENCE: This writing is intended by the parties as a final expression of their agreement and is intended also as a complete and exclusive statement of the terms of their agreement. Acceptance or acquiescence in a course of performance rendered under this agreement shall not be relevant to determine the meaning of this agreement even though the accepting or acquiescing party has knowledge of the nature of the performance and opportunity for objection. Whenever a term defined by the Uniform Commercial Code is used in this agreement the definition contained in the code is to control.


WAIVER: No claim or right arising out of a breach of this contract can be discharged in whole or in part by a waiver or renunciation of the claim or right unless the waiver or renunciation is supported by consideration and is in writing signed by the aggrieved party.

TIME FOR BRINGING ACTION: Any action for breach of this contract must be commenced within 2 years after the cause of action has accrued.


APPLICABLE LAW: This agreement shall be governed by Wisconsin Law and the Uniform Commercial Code. Wherever the term "Uniform Commercial Code" is used, it shall be construed as meaning the Uniform Commercial Code as adopted in the State of Wisconsin as effective and in force on the date of this agreement.

PLACE OF SUIT/VENUE: Any suit under this contract shall be in the Circuit Court of Dane County, Wisconsin.

ACCEPTANCE: Acceptance of this offer must be made on its exact terms and if additional or different terms are proposed by Buyer no contract shall come into existence without offerer's assent to the counteroffer.

Finn™

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|---|
| FIN-2-G | \$143.20 (22) | \$183.20 (26) | Finn (2 Bikes) - 1 $\frac{7}{8}$ " OD - 5' 6" L - Galvanized |
| FIN-2-P | 143.20 (22) | 183.20 (26) | Finn (2 Bikes) - 1 $\frac{7}{8}$ " OD - 5' 6" L - Powder Coated |
| FIN-2-S | 447.20 (22) | 495.20 (26) | Finn (2 Bikes) - 1 $\frac{7}{8}$ " OD - 5' 6" L - Stainless Steel |


Lofty™

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|--|
| LBR-2-G | \$135.20 (27) | \$175.20 (26) | Lofty (2 Bikes) - 2 $\frac{3}{8}$ " OD - 27" L - Galvanized |
| LBR-2-P | 135.20 (27) | 175.20 (26) | Lofty (2 Bikes) - 2 $\frac{3}{8}$ " OD - 27" L - Powder Coated |
| LBR-2-S | 423.20 (27) | 471.20 (26) | Lofty (2 Bikes) - 2 $\frac{3}{8}$ " OD - 27" L - Stainless Steel |

Cyc Bicrac™

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|---|
| CYB-4-G | \$423.20 (128) | \$463.20(65) | Cyc Bicrac (2 To 4 Bikes) - 6' 3" L - Galvanized |
| CYB-4-P | 423.20 (128) | 463.20 (65) | Cyc Bicrac (2 To 4 Bikes) - 6' 3" L - Powder Coated |
| CYB-4-PS | 1,047.20 (128) | 1,095.20 (65) | Cyc Bicrac (2 To 4 Bikes) - 6' 3" L - Powder Coated Stainless Steel |

1 $\frac{7}{8}$ " OD and 1 $\frac{5}{8}$ " OD Structural Steel Tubing (1 $\frac{1}{2}$ " and 1 $\frac{1}{4}$ " Pipe)




STR-2-WI-SF

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|-------------|-------------------------------|-----------------------------|---|
| STR-2-RP*-G | \$231.20 (33) | \$247.20 (28) | Stout (2 Bikes) With Recycled Plastic Profile - Galvanized |
| STR-2-RP*-P | 231.20 (33) | 247.20 (28) | Stout (2 Bikes) With Recycled Plastic Profile - Powder Coated |
| STR-2-WI*-G | 247.20 (34) | 263.20 (29) | Stout (2 Bikes) With Ipe Wood Profile - Galvanized |
| STR-2-WI*-P | 247.20 (34) | 263.20 (29) | Stout (2 Bikes) With Ipe Wood Profile - Powder Coated |

Profile Board is available in Recycled Plastic Brown (RPB), Cedar (RPC), Grey (RPG), Weathered Redwood (RPW) or Ipe Wood (WI). Please contact us for other options.

12 W x 2 ½ D x 36" H

Metro™




MET-2-SF

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|---|
| MET-2-G | \$167.20 (28) | \$191.20 (25) | Metro (2 Bikes) - 1 x 3" - 15" L - Galvanized |
| MET-2-P | 167.20 (28) | 191.20 (25) | Metro (2 Bikes) - 1 x 3" - 15" L - Powder Coated |
| MET-2-ES | 423.20 (28) | 455.20 (25) | Metro (2 Bikes) - 1 x 3" - 15" L - Electro Polished Stainless Steel |

Genesis™



GNS-8-SF




2 ½" OD Structural Steel Tubing (2" Pipe)

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|--|
| GNS-2-G* | \$127.20 (29) | \$167.20 (30) | 1 Hoop Genesis (2 Bikes) - 2' 6" L - Galvanized |
| GNS-2-P* | 127.20 (29) | 167.20 (30) | 1 Hoop Genesis (2 Bikes) - 2' 6" L - Powder Coated |
| GNS-2-S* | 415.20 (29) | 463.20 (30) | 1 Hoop Genesis (2 Bikes) - 2' 6" L - Stainless Steel |
| GNS-4-G | 415.20 (64) | 455.20 (66) | 2 Hoop Genesis (4 Bikes) - 4' 3" L - Galvanized |
| GNS-4-P | 415.20 (64) | 455.20 (66) | 2 Hoop Genesis (4 Bikes) - 4' 3" L - Powder Coated |
| GNS-4-S | 1,055.20 (64) | 1,103.20 (66) | 2 Hoop Genesis (4 Bikes) - 4' 3" L - Stainless Steel |
| GNS-6-G | 615.20 (94) | 655.20 (96) | 3 Hoop Genesis (6 Bikes) - 6' 5" L - Galvanized |
| GNS-6-P | 615.20 (94) | 655.20 (96) | 3 Hoop Genesis (6 Bikes) - 6' 5" L - Powder Coated |
| GNS-6-S | 1,439.20 (94) | 1,487.20 (96) | 3 Hoop Genesis (6 Bikes) - 6' 5" L - Stainless Steel |
| GNS-8-G | 807.20 (124) | 847.20 (126) | 4 Hoop Genesis (8 Bikes) - 8' 8" L - Galvanized |
| GNS-8-P | 807.20 (124) | 847.20 (126) | 4 Hoop Genesis (8 Bikes) - 8' 8" L - Powder Coated |
| GNS-8-S | 1,823.20 (124) | 1,871.20 (126) | 4 Hoop Genesis (8 Bikes) - 8' 8" L - Stainless Steel |

Circa 2000™




CIR-8-SF



1 ½" OD Structural Steel Tubing (1 ½" Pipe)

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|--|
| CIR-2-G* | \$87.20 (20) | \$127.20 (22) | 1 Hoop Circa 2000 (2 Bikes) - 1' 10" L - Galvanized |
| CIR-2-P* | 87.20 (20) | 127.20 (22) | 1 Hoop Circa 2000 (2 Bikes) - 1' 10" L - Powder Coated |
| CIR-2-S* | 247.20 (20) | 295.20 (22) | 1 Hoop Circa 2000 (2 Bikes) - 1' 10" L - Stainless Steel |
| CIR-4-G | 295.20 (32) | 419 (34) | 2 Hoop Circa 2000 (4 Bikes) - 4' L - Galvanized |
| CIR-4-P | 295.20 (32) | 419 (34) | 2 Hoop Circa 2000 (4 Bikes) - 4' L - Powder Coated |
| CIR-4-S | 703.20 (32) | 751.20 (34) | 2 Hoop Circa 2000 (4 Bikes) - 4' L - Stainless Steel |
| CIR-6-G | 375.20 (47) | 415.20 (49) | 3 Hoop Circa 2000 (6 Bikes) - 6' 8" L - Galvanized |
| CIR-6-P | 375.20 (47) | 415.20 (49) | 3 Hoop Circa 2000 (6 Bikes) - 6' 8" L - Powder Coated |
| CIR-6-S | 935.20 (47) | 985.20 (49) | 3 Hoop Circa 2000 (6 Bikes) - 6' 8" L - Stainless Steel |
| CIR-8-G | 471.20 (62) | 511.20 (64) | 4 Hoop Circa 2000 (8 Bikes) - 9' 4" L - Galvanized |
| CIR-8-P | 471.20 (62) | 511.20 (64) | 4 Hoop Circa 2000 (8 Bikes) - 9' 4" L - Powder Coated |
| CIR-8-S | 1,223.20 (62) | 1,271.20 (64) | 4 Hoop Circa 2000 (8 Bikes) - 9' 4" L - Stainless Steel |




ADB-4-SF

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|--|
| ADB-4-G | \$439.20 (128) | \$487.20 (65) | Advocate (2 To 4 Bikes) - 6' L - Galvanized |
| ADB-4-P | 439.20 (128) | 487.20 (65) | Advocate (2 To 4 Bikes) - 6' L - Powder Coated |
| ADB-4-PS | 1,063.20 (128) | 1,111.20 (65) | Advocate (2 To 4 Bikes) - 6' L - Powder Coated Stainless Steel |

1 7/8" OD and 1 5/8" OD Structural Steel Tubing (1 1/2" and 1 1/4" Pipe)

Advocate Mini™




ADM-2-SF

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|----------|-------------------------------|-----------------------------|---|
| ADM-2-G | \$287.20 (27) | \$311.20 (27) | Advocate Mini (2 Bikes) - 34" L - Galvanized |
| ADM-2-P | 287.20 (27) | 311.20 (27) | Advocate Mini (2 Bikes) - 34" L - Powder Coated |
| ADM-2-PS | 687.20 (27) | 719.20 (27) | Advocate Mini (2 Bikes) - 34" L - Powder Coated Stainless Steel |

3/4" Rod, 2" Square, and 1 5/8" OD Steel Tubing (1 1/4" Pipe)

Highwheeler



HWL-2-SF




HWL-HB-2-SF


| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|-------------|-------------------------------|-----------------------------|--|
| HWL-2-G | \$311.20 (38) | \$351.20 (35) | Highwheeler (2 Bikes) - 4' 3" L - Galvanized |
| HWL-2-P | 311.20 (38) | 351.20 (35) | Highwheeler (2 Bikes) - 4' 3" L - Powder Coated |
| HWL-2-ES | 727.20 (38) | 775.20 (35) | Highwheeler (2 Bikes) - 4' 3" L - Electro Polish Stainless Steel |
| HWL-HB-2-G | 399.20 (48) | 439.20 (45) | Highwheeler with Handlebars (2 Bikes) - 4' 3" L - Galvanized |
| HWL-HB-2-P | 399.20 (48) | 439.20 (45) | Highwheeler with Handlebars (2 Bikes) - 4' 3" L - Powder Coated |
| HWL-HB-2-ES | 807.20 (48) | 855.20 (45) | Highwheeler with Handlebars (2 Bikes) - 4' 3" L - Electro Polish Stainless Steel |

1 7/8" OD and 1 5/8" OD Structural Steel Tubing (1 1/2" and 1 1/4" Pipe)



Phoenix™



PHX-SNG-2-SF



PHX-2-SF




| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Stainless (-S) Price (Wt.) | Electro Polish (-ES) Price (Wt.) | Description (Capacity) |
|---------------|-----------------------------------|---|----------------------------------|--|--|
| PHX-SNG-2-IG* | \$81.75 (17) | \$81.75 (17) | \$246.75 (17) | \$231.75 (17) | Phoenix (2 Bikes) - Single Bend - In Ground |
| PHX-SNG-2-SF* | 111.75 (17) | 111.75 (17) | 284.25 (17) | 269.25 (17) | Phoenix (2 Bikes) - Single Bend - Surface Mount |
| PHX-SNG-4* | 231.75 (57) | 231.75 (57) | 576.75 (57) | 546.75 (57) | 2 Loop Phoenix (4 Bikes) - Single Bend 3' L |
| PHX-SNG-6 | 359.25 (89) | 359.25 (89) | 876.75 (89) | 839.25 (89) | 3 Loop Phoenix (6 Bikes) - Single Bend 5' 6" L |
| PHX-SNG-8 | 494.25 (131) | 494.25 (131) | 1,169.25 (131) | 1,124.5 (131) | 4 Loop Phoenix (8 Bikes) - Single Bend 8' L |
| PHX-SNG-10 | 621.75 (169) | 621.75 (169) | 1,469.25 (169) | 1,409.25 (169) | 5 Loop Phoenix (10 Bikes) - Single Bend 10' 6" L |
| PHX-2-IG* | 96.75 (19) | 96.75 (19) | 269.25 (19) | 239.25 (19) | Phoenix (2 Bikes) - In Ground |
| PHX-2-SF* | 126.75 (19) | 126.75 (19) | 306.75 (19) | 276.75 (19) | Phoenix (2 Bikes) - Surface Mount |
| PHX-4* | 239.25 (61) | 239.25 (61) | 584.25 (61) | 554.25 (61) | 2 Loop Phoenix (4 Bikes) 3' L |
| PHX-6 | 381.75 (93) | 381.75 (93) | 891.75 (93) | 854.25 (93) | 3 Loop Phoenix (6 Bikes) 5' 6" L 1,146.75 |
| PHX-8 | 516.75 (139) | 516.75 (139) | 1,199.25 (139) | (139) | 4 Loop Phoenix (8 Bikes) 8' L 1,439.25 (179) |
| PHX-10 | 651.75 (179) | 651.75 (179) | 1,506.75 (179) | | 5 Loop Phoenix (10 Bikes) 10' 6" L |
| URAIL-CON | 75 (22) | N/A | N/A | N/A | 'U' Rail Connector (2 ea.) 24" L - Galvanized |

Note: **Rails Are Galvanized** for both the Powder Coated, Galvanized, and Stainless Steel Loops.

Racks are Available with Loops **Welded to Rails**.


1 7/8" OD Steel Tubing (1 1/2" Pipe) and 3" 'C' Channel



ORN-2-SF




ORN-LB-2-SF



ORNS-2-SF

| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|---------------|-------------------------------|-----------------------------|--|
| ORN-2-G* ☼ | \$179.25 (35) | \$216.75 (32) | Orion (2 Bikes) - 2 3/8" OD - 36" L - Galvanized |
| ORN-2-P* ☼ | 179.25 (35) | 216.75 (32) | Orion (2 Bikes) - 2 3/8" OD - 36" L - Powder Coated |
| ORN-2-S* | 509.25 (35) | 554.25 (32) | Orion (2 Bikes) - 2 3/8" OD - 36" L - Stainless Steel - Satin #4 |
| ORN-2-ES* | 486.75 (35) | 531.75 (32) | Orion (2 Bikes) - 2 3/8" OD - 36" L - Electro Polished Stainless Steel |
| ORN-LB-2-G* | 201.75 (43) | 239.25 (40) | Orion with Lean Bar (2 Bikes) - 2 3/8" OD - 36" L - Galvanized |
| ORN-LB-2-P* | 201.75 (43) | 239.25 (40) | Orion with Lean Bar (2 Bikes) - 2 3/8" OD - 36" L - Powder Coated |
| ORN-LB-2-ES* | 531.75 (43) | 576.75 (40) | Orion with Lean Bar (2 Bikes) - 2 3/8" OD - 36" L - Electro Polished Stainless Steel |
| ORNS-2-G* | 284.25 (60) | 321.75 (55) | Orion (2 Bikes) - 2" Square - 36" L - Galvanized |
| ORNS-2-P* | 284.25 (60) | 321.75 (55) | Orion (2 Bikes) - 2" Square - 36" L - Powder Coated |
| ORNS-2-ES* | 576.75 (60) | 621.75 (55) | Orion (2 Bikes) - 2" Square - 36" L - Electro Polished Stainless Steel |
| ORNS-LB-2-G* | 306.75 (68) | 344.25 (63) | Orion with Lean Bar (2 Bikes) - 2" Square - 36" L - Galvanized |
| ORNS-LB-2-P* | 306.75 (68) | 344.25 (63) | Orion with Lean Bar (2 Bikes) - 2" Square - 36" L - Powder Coated |
| ORNS-LB-2-ES* | 621.75 (68) | 666.75 (63) | Orion with Lean Bar (2 Bikes) - 2" Square - 36" L - Electro Polished Stainless Steel |

Opal™




OPR-2-SF

1 5/8" Steel Tubing


| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|-----------|-------------------------------|-----------------------------|---|
| OPR-2-G* | \$119.20 (16) | \$143.20 (18) | Opal (2 Bikes) - 25" L - Galvanized |
| OPR-2-P* | 119.20 (16) | 143.20 (18) | Opal (2 Bikes) - 25" L - Powder Coated |
| OPR-2-ES* | 311.20 (16) | 343.20 (18) | Opal (2 Bikes) - 25" L - Electro Polish Stainless Steel |

Sentry™



SEN-DBL-3

U.S. Patent Nos. 9,145,180




1 1/2" Square Steel Tubing, 2" "C" Channel
and 3/4" Dia. Steel Rod

| Item No. | Price (Wt) | Description (Capacity) |
|------------------------|----------------|--|
| Park One Side | | |
| SEN-1-SF-G* | 127.20 (21) | Sentry (1 Bike) - Surface Mount - Galvanized |
| SEN-1-SF-P* | 127.20 (21) | Sentry (1 Bike) - Surface Mount - Powder Coated |
| SEN-SNG-2-G* | 287.20 (51) | Sentry (2 Bikes) - Rail Mount, Park One Side - 35" L - Galvanized |
| SEN-SNG-2-P* | 287.20 (51) | Sentry (2 Bikes) - Rail Mount, Park One Side - 35" L - Powder Coated |
| SEN-SNG-3-G | 415.20 (80) | Sentry (3 Bikes) - Rail Mount, Park One Side - 5' 5" L - Galvanized |
| SEN-SNG-3-P | 415.20 (80) | Sentry (3 Bikes) - Rail Mount, Park One Side - 5' 5" L - Powder Coated |
| SEN-SNG-4-G | 559.20 (109) | Sentry (4 Bikes) - Rail Mount, Park One Side - 7' 11" L - Galvanized |
| SEN-SNG-4-P | 559.20 (109) | Sentry (4 Bikes) - Rail Mount, Park One Side - 7' 11" L - Powder Coated |
| SEN-SNG-5-G | 703.20 (138) | Sentry (5 Bikes) - Rail Mount, Park One Side - 10' 5" L - Galvanized |
| SEN-SNG-5-P | 703.20 (138) | Sentry (5 Bikes) - Rail Mount, Park One Side - 10' 5" L - Powder Coated |
| SEN-SNG-CON-G* | 48 (5) | Rails (2ea.) For Connecting Park One Side Sentry™ Racks - 25" - Galvanized |
| Park Both Sides | | |
| SEN-DBL-2-G* | 255.20 (43) | Sentry (2 Bikes) - Rail Mount, Park Both Sides - 23" L - Galvanized |
| SEN-DBL-2-P* | 255.20 (43) | Sentry (2 Bikes) - Rail Mount, Park Both Sides - 23" L - Powder Coated |
| SEN-DBL-3-G* | 399.20 (68) | Sentry (3 Bikes) - Rail Mount, Park Both Sides - 35" L - Galvanized |
| SEN-DBL-3-P* | 399.20 (68) | Sentry (3 Bikes) - Rail Mount, Park Both Sides - 35" L - Powder Coated |
| SEN-DBL-5-G | 655.20 (115) | Sentry (5 Bikes) - Rail Mount, Park Both Sides - 5' 5" L - Galvanized |
| SEN-DBL-5-P | 655.20 (115) | Sentry (5 Bikes) - Rail Mount, Park Both Sides - 5' 5" L - Powder Coated |
| SEN-DBL-7-G | 911.20 (162) | Sentry (7 Bikes) - Rail Mount, Park Both Sides - 7' 11" L - Galvanized |
| SEN-DBL-7-P | 911.20 (162) | Sentry (7 Bikes) - Rail Mount, Park Both Sides - 7' 11" L - Powder Coated |
| SEN-DBL-9-G | 1,175.20 (209) | Sentry (9 Bikes) - Rail Mount, Park Both Sides - 10' 5" L - Galvanized |
| SEN-DBL-9-P | 1,175.20 (209) | Sentry (9 Bikes) - Rail Mount, Park Both Sides - 10' 5" L - Powder Coated |
| SEN-DBL-CON-G* | 48 (3) | Rails (2ea.) For Connecting Park Both Sides Sentry™ Racks - 12" - Galvanized |

Note: **All Rails Are Galvanized** for Powder Coated, Galvanized or Stainless Steel Loops.

'U' Racks



Custom Lean Bars Available
Please Call for Quote



| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|--|-------------------------------|-----------------------------|--|
| 1 1/8" OD Tubing 20" Long | | | |
| U190-G*☼ | \$69.30 (20) | \$90.30 (21) | 'U' Rack (2 Bikes) - 20" L - Galvanized |
| U190-P*☼ | 69.30 (20) | 90.30 (21) | 'U' Rack (2 Bikes) - 20" L - Powder Coated |
| U190-ES* | 202.30 (20) | 230.30 (21) | 'U' Rack (2 Bikes) - 20" L - Electro Polish Stainless Steel |
| U190-S* | 216.30 (20) | 244.30 (21) | 'U' Rack (2 Bikes) - 20" L - Stainless Steel |
| U190-LB-S16* | 370.30 (34) | 398.30 (35) | 'U' Rack with Lean Bar (2 Bikes) - 20" L - 316 SS Electro Polish Stainless Steel |
| 1 1/8" OD Tubing 24" Long | | | |
| U24-G*☼ | 76.30 (21) | 97.30 (22) | 'U' Rack (2 Bikes) - 24" L - Galvanized |
| U24-P*☼ | 76.30 (21) | 97.30 (22) | 'U' Rack (2 Bikes) - 24" L - Powder Coated |
| U24-ES* | 209.30 (21) | 237.30 (22) | 'U' Rack (2 Bikes) - 24" L - Electro Polish Stainless Steel |
| U24-S* | 223.30 (21) | 251.30 (22) | 'U' Rack (2 Bikes) - 24" L - Stainless Steel |
| 1 1/8" OD Tubing 30" Long | | | |
| UX190-G*☼ | 83.30 (23) | 104.30 (24) | 'U' Rack (2 Bikes) - 30" L - Galvanized |
| UX190-P*☼ | 83.30 (23) | 104.30 (24) | 'U' Rack (2 Bikes) - 30" L - Powder Coated |
| UX190-ES* | 251.30 (23) | 279.30 (24) | 'U' Rack (2 Bikes) - 30" L - Electro Polish Stainless Steel |
| UX190-S* | 265.30 (23) | 293.30 (24) | 'U' Rack (2 Bikes) - 30" L - Stainless Steel |
| 2 3/8" OD Tubing 22" Long | | | |
| U238-G*☼ | 97.30 (26) | 118.30 (27) | 'U' Rack (2 Bikes) - 22" L - Galvanized |
| U238-P*☼ | 97.30 (26) | 118.30 (27) | 'U' Rack (2 Bikes) - 22" L - Powder Coated |
| U238-ES* | 293.30 (26) | 321.30 (27) | 'U' Rack (2 Bikes) - 22" L - Electro Polish Stainless Steel |
| U238-S* | 307.30 (26) | 335.30 (27) | 'U' Rack (2 Bikes) - 22" L - Stainless Steel |
| 2 3/8" OD Tubing 30" Long | | | |
| UX238-G*☼ | 111.30 (29) | 132.30 (30) | 'U' Rack (2 Bikes) - 30" L - Galvanized |
| UX238-P*☼ | 111.30 (29) | 132.30 (30) | 'U' Rack (2 Bikes) - 30" L - Powder Coated |
| UX238-ES* | 335.30 (29) | 363.30 (30) | 'U' Rack (2 Bikes) - 30" L - Electro Polish Stainless Steel |
| UX238-S* | 363.30 (29) | 391.30 (30) | 'U' Rack (2 Bikes) - 30" L - Stainless Steel |
| Lean Bar (-LB) (-G) or (-P) (-ES) Lean Bar Upcharge \$21 \$42 Lean | | | GROUT COVER (GC-190) (GC-238) \$20 Each |

'U' Racks are 34" High

1 1/8" and 2 3/8" OD Steel Tubing (1 1/2 and 2" Pipe)r

Bars add additional stability for locking bikes.

Square 'U' Racks




| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|---|-------------------------------|-----------------------------|---|
| 2" Square Tubing 19" Long | | | |
| U200-G*☼ | \$104.30 (35) | \$125.30 (36) | 'U' Rack (2 Bikes) - 19" L - Galvanized |
| U200-P*☼ | 104.30 (35) | 125.30 (36) | 'U' Rack (2 Bikes) - 19" L - Powder Coated |
| U200-ES* | 328.30 (35) | 356.30 (36) | 'U' Rack (2 Bikes) - 19" L - Electro Polish Stainless Steel |
| 2" Square Tubing 31" Long | | | |
| UX200-G*☼ | 118.30 (39) | 139.30 (40) | 'U' Rack (2 Bikes) - 31" L - Galvanized |
| UX200-P*☼ | 118.30 (39) | 139.30 (40) | 'U' Rack (2 Bikes) - 31" L - Powder Coated |
| UX200-ES* | 377.30 (39) | 405.30 (40) | 'U' Rack (2 Bikes) - 31" L - Electro Polish Stainless Steel |
| Lean Bar (-LB) (-G) or (-P) (-ES) Lean Bar Upcharge \$21 \$42 | | | GROUT COVER (GC-200) \$20 Each |

Lean Bars add additional stability for locking bikes.


'U' Racks are 34" High

2" Square Steel Tubing

'U' Racks on Rails



U190-8



UX238-6

30" Clearance Between Loops

'U' Racks are 34" High

1 7/8" and 2 3/8" OD Steel Tubing (1 1/2" and 2" Pipe)
and 3" 'C' Channel

Most Racks are Available with 'U's **Welded to Rails**.

Welding to Rails will Increase Freight Charges Significantly.
(Not Available with Stainless or Electro Polished.


| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Stainless (-S) Price (Wt.) | E. Polish SS (-ES) Price (Wt.) | Description (Capacity) |
|---------------------------------|--------------------------------|-----------------------------------|-------------------------------|-----------------------------------|--|
| 1 7/8" OD Loops 20" Wide | | | | | |
| U190-4* | \$223.30 (61) | \$223.30 (61) | \$545.30 (61) | \$517.30 (61) | 2 Loops (4 Bikes) 3' L |
| U190-6 | 356.30 (99) | 356.30 (99) | 832.30 (99) | 797.30 (99) | 3 Loops (6 Bikes) 5' 6" L |
| U190-8 | 482.30 (138) | 482.30 (138) | 1,119.30 (138) | 1,070.30 (138) | 4 Loops (8 Bikes) 8' L |
| U190-10 | 608.30 (177) | 608.30 (177) | 1,406.30 (177) | 1,343.30 (177) | 5 Loops (10 Bikes) 10' 6" L |
| 1 7/8" OD Loops 24" Wide | | | | | |
| U24-4* | 237.30 (63) | 237.30 (63) | 573.30 (63) | 552.30 (63) | 2 Loops (4 Bikes) 3' L |
| U24-6 | 377.30 (102) | 377.30 (102) | 874.30 (102) | 846.30 (102) | 3 Loops (6 Bikes) 5' 6" L |
| U24-8 | 510.30 (142) | 510.30 (142) | 1,175.30 (142) | 1,133.30 (142) | 4 Loops (8 Bikes) 8' L |
| U24-10 | 650.30 (182) | 650.30 (182) | 1,483.30 (182) | 1,420.30 (182) | 5 Loops (10 Bikes) 10' 6" L |
| 1 7/8" OD Loops 30" Wide | | | | | |
| UX190-4* | 265.30 (64) | 265.30 (64) | 657.30 (64) | 636.30 (64) | 2 Loops (4 Bikes) 3' L |
| UX190-6 | 405.30 (105) | 405.30 (105) | 993.30 (105) | 958.30 (105) | 3 Loops (6 Bikes) 5' 6" L |
| UX190-8 | 545.30 (145) | 545.30 (145) | 1,336.30 (145) | 1,280.30 (145) | 4 Loops (8 Bikes) 8' L |
| UX190-10 | 685.30 (185) | 685.30 (185) | 1,602.30 (185) | 1,539.30 (185) | 5 Loops (10 Bikes) 10' 6" L |
| 2 3/8" OD Loops 22" Wide | | | | | |
| U238-4* | 279.30 (73) | 279.30 (73) | 727.30 (73) | 685.30 (73) | 2 Loops (4 Bikes) 3' L |
| U238-6 | 426.30 (117) | 426.30 (117) | 1,091.30 (117) | 1,049.30 (117) | 3 Loops (6 Bikes) 5' 6" L |
| U238-8 | 580.30 (162) | 580.30 (162) | 1,462.30 (162) | 1,413.30 (162) | 4 Loops (8 Bikes) 8' L |
| U238-10 | 734.30 (207) | 734.30 (207) | 1,840.30 (207) | 1,770.30 (207) | 5 Loops (10 Bikes) 10' 6" L |
| 2 3/8" OD Loops 30" Wide | | | | | |
| UX238-4* | 307.30 (77) | 307.30 (77) | 832.30 (77) | 797.30 (77) | 2 Loops (4 Bikes) 3' L |
| UX238-6 | 475.30 (124) | 475.30 (124) | 1,259.30 (124) | 1,217.30 (124) | 3 Loops (6 Bikes) 5' 6" L |
| UX238-8 | 643.30 (171) | 643.30 (171) | 1,693.30 (171) | 1,616.30 (171) | 4 Loops (8 Bikes) 8' L |
| UX238-10 | 804.30 (218) | 804.30 (218) | 2,106.30 (218) | 2,002.30 (218) | 5 Loops (10 Bikes) 10' 6" L |
| Connector | | | | | |
| URAIL-CON | 70 (22) | N/A | N/A | N/A | 'U' Rail Connector (2 ea.) 24" L - Galv. |

| Lean Bar (-LB) | (-G) or (-P) | (-ES) |
|--|--------------|-------|
| Lean Bar Upcharge for 2 Loops (4 Bikes) | \$42 | \$84 |
| Lean Bar Upcharge for 3 Loops (6 Bikes) | 63 | 126 |
| Lean Bar Upcharge for 4 Loops (8 Bikes) | 84 | 168 |
| Lean Bar Upcharge for 5 Loops (10 Bikes) | 105 | 210 |


Note: **All Rails Are Galvanized**
for Powder Coated, Galvanized
or Stainless Steel Loops.

Lean Bars add additional stability for locking bikes.

Square 'U' Racks on Rails



UX200-6



UX200-LB-4
With Lean Bar

30" Clearance Between Loops

'U' Racks are 34" High

2" Square Steel Tubing and 3" 'C' Channel


Most Racks are Available with 'U's **Welded to Rails**.

Welding to Rails will Increase Freight Charges Significantly.
(Not Available with Stainless or Electro Polished.

| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | E. Polish Stainless (-ES) Price (Wt.) | Description (Capacity) |
|--|--------------------------------|-----------------------------------|--|---|
| 2" Square Loops 19" Wide | | | | |
| U200-4* | \$293.30 (92) | \$293.30 (92) | \$769.30 (92) | 2 Loops (4 Bikes) 3' L |
| U200-6 | 454.30 (147) | 454.30 (147) | 1,161.30 (147) | 3 Loops (6 Bikes) 5' 6" L |
| U200-8 | 608.30 (201) | 608.30 (201) | 1,560.30 (201) | 4 Loops (8 Bikes) 8' L |
| U200-10 | 769.30 (255) | 769.30 (255) | 1,959.30 (255) | 5 Loops (10 Bikes) 10' 6" L |
| 2" Square Loops 30" Wide | | | | |
| UX200-4* | 321.30 (100) | 321.30 (100) | 860.30 (100) | 2 Loops (4 Bikes) 3' L |
| UX200-6 | 496.30 (158) | 496.30 (158) | 1,308.30 (158) | 3 Loops (6 Bikes) 5' 6" L |
| UX200-8 | 671.30 (216) | 671.30 (216) | 1,749.30 (216) | 4 Loops (8 Bikes) 8' L |
| UX200-10 | 846.30 (274) | 846.30 (274) | 2,197.30 (274) | 5 Loops (10 Bikes) 10' 6" L |
| Connector | | | | |
| URAIL-CON | 70 (22) | N/A | N/A | 'U' Rail Connector (2 ea.) 24" L - Galvanized |
| Lean Bar (-LB) | | | | |
| Lean Bar Upcharge for 2 Loops (4 Bikes) | \$42 | \$84 | | |
| Lean Bar Upcharge for 3 Loops (6 Bikes) | 63 | 126 | | |
| Lean Bar Upcharge for 4 Loops (8 Bikes) | 84 | 168 | | |
| Lean Bar Upcharge for 5 Loops (10 Bikes) | 105 | 210 | | |

Note: **All Rails Are Galvanized**
for Powder Coated, Galvanized
or Stainless Steel Loops.

Lean Bars add additional stability for locking bikes.



UT160-6

U-Two Racks are 34" H x 16" W


30" Clearance Between Loops

1 5/8" OD Steel Tubing (1 1/4" Pipe) and 2" 'C' Channel

Racks are Available with 'U's **Welded to Rails**.


Welding to Rails will Increase Freight Charges Significantly.

Note: **All Rails Are Galvanized**
for Powder Coated, Galvanized
or Stainless Steel Loops.




| Item No. | Price (Wt) | Description (Capacity) |
|---------------|--------------|---|
| UT160-2-IG-G* | \$55.30 (11) | 1 Loop U-Two (2 Bikes) - 16" L - In Ground Mount- NO RAILS - Galvanized |
| UT160-2-IG-P* | 55.30 (11) | 1 Loop U-Two (2 Bikes) - 16" L - In Ground Mount - NO RAILS - Powder Coated |
| UT160-2-SF-G* | 69.30 (11) | 1 Loop U-Two (2 Bikes) - 16" L Surface Mount - NO RAILS - Galvanized |
| UT160-2-SF-P* | 69.30 (11) | 1 Loop U-Two (2 Bikes) - 16" L Surface Mount - NO RAILS - Powder Coated |
| UT160-4-G* | 174.30 (42) | 2 Loop U-Two (4 Bikes) - 35" L - Galvanized |
| UT160-4-P* | 174.30 (42) | 2 Loop U-Two (4 Bikes) - 35" L - Powder Coated |
| UT160-6-G | 258.30 (64) | 3 Loop U-Two (6 Bikes) - 5' 5" L - Galvanized |
| UT160-6-P | 258.30 (64) | 3 Loop U-Two (6 Bikes) - 5' 5" L - Powder Coated |
| UT160-8-G | 335.30 (86) | 4 Loop U-Two (8 Bikes) - 7' 11" L - Galvanized |
| UT160-8-P | 335.30 (86) | 4 Loop U-Two (8 Bikes) - 7' 11" L - Powder Coated |
| UT160-10-G | 426.30 (108) | 5 Loop U-Two (10 Bikes) - 10' 5" L - Galvanized |
| UT160-10-P | 426.30 (108) | 5 Loop U-Two (10 Bikes) - 10' 5" L - Powder Coated |
| UT-CON-G* | 42 (20) | Rails (2 ea.) for Connecting U-Two Racks - 25" L - Galvanized |

Post and Ring



PAR-2-SF



PARBC-2-SF




GROUT COVER
(GC-238) \$20 Each


| Item No. | In Ground (-IG) Price (Wt) | Surface (-SF) Price (Wt) | Description (Capacity) |
|-------------|-------------------------------|-----------------------------|--|
| PAR-2-G* | \$111.75 (53) | \$134.25 (37) | Post and Ring (2 Bikes) - 35" H - Galvanized |
| PAR-2-P* | 111.75 (53) | 134.25 (37) | Post and Ring (2 Bikes) - 35" H - Powder Coated |
| PAR-2-ES* | 291.75 (53) | 321.75 (37) | Post and Ring (2 Bikes) - 35" H - Electro Polish Stainless Steel |
| PARBC-2-G* | 134.25 (54) | 156.75 (38) | Post and Ring With Ball Cap (2 Bikes) - 40" H - Galvanized |
| PARBC-2-P* | 134.25 (54) | 156.75 (38) | Post and Ring With Ball Cap (2 Bikes) - 40" H - Powder Coated |
| PARBC-2-ES* | 336.75 (54) | 366.75 (38) | Post and Ring With Ball Cap (2 Bikes) - 40" H - Electro Polish Stainless Steel |

2 3/8" OD and 1 5/8" OD Structural Steel Tubing (2" and 1 1/4" Pipe)

Meter Rack



MR-238




MR

| Item No. | Price (Wt) | Description (Capacity) |
|-----------|-------------|---|
| MR-158-G* | \$81.75 (9) | Meter Rack (2 Bikes) Clamp Mount for 1 5/8" OD Post - Galvanized |
| MR-158-P* | 81.75 (9) | Meter Rack (2 Bikes) Clamp Mount for 1 5/8" OD Post - Powder Coated |
| MR-238-G* | 81.75 (9) | Meter Rack (2 Bikes) Clamp Mount for 2 3/8" OD Post - Galvanized |
| MR-238-P* | 81.75 (9) | Meter Rack (2 Bikes) Clamp Mount for 2 3/8" OD Post - Powder Coated |
| MR-G* | 74.25 (8) | Meter Rack (2 Bikes) Bolt Mount Direct to Post - Galvanized |
| MR-P* | 74.25 (8) | Meter Rack (2 Bikes) Bolt Mount Direct to Post - Powder Coated |
| VCC | 15 (0) | Vinyl Cushion Coating - Upcharge |

12 3/4" Dia. 3/8" Thick Solid Steel One Piece Rack

Bike Corral




| Item No. | Price (Wt) | Description (Capacity) |
|------------|----------------|--|
| PSBR-10-G | \$903.20 (251) | Parking Stall Bike Rack - (10 Bikes) - (1 Ea U190-10-G with 2 Ea Vehicle Stops and Delineators) |
| PSBR-10-P | 903.20 (251) | Parking Stall Bike Rack - (10 Bikes) - (1 Ea U190-10-P with 2 Ea Vehicle Stops and Delineators) |
| PSBR-10-PS | 1,711.20 (251) | Parking Stall Bike Rack - (10 Bikes) - (1 Ea U190-10-PS with 2 Ea Vehicle Stops and Delineators) |
| PSBR-10-S | 1,783.20 (251) | Parking Stall Bike Rack - (10 Bikes) - (1 Ea U190-10-S with 2 Ea Vehicle Stops and Delineators) |

Corral Accessories




| Item No. | Price (Wt) | Description |
|----------|----------------|--|
| PS-MK | \$239.20 (112) | Parking Stall Marking Kit - (2 Ea Vehicle Stops and 2 Ea Delineators) |
| PS-PVS | 79.20 (53) | Parking Stall 6 Ft. Rubber Vehicle Stop For Asphalt - (1 Ea Black and Yellow and 4 Spikes) |
| PS-D42* | 39.20 (3) | Parking Stall Delineator - (1 Ea 3 1/4" OD x 42" Delineator and Pins) |

RepairSTAN™



BRS-SF




BRS-WM


| Item No. | Surface (-SF) Price (Wt) | Wall Mount (-WM) Price (Wt) | Description |
|----------|-----------------------------|--------------------------------|--|
| BRS-G | \$551.65 (80) | \$373.15 (11) | RepairSTAN Bicycle Repair Stand - Galvanized |
| BRS-P | 551.65 (80) | 373.15 (11) | RepairSTAN Bicycle Repair Stand - Powder Coated |
| BRS-ES | 730.15 (80) | NA | RepairSTAN Bicycle Repair Stand - Electro Polish Stainless |

RepairSTAN™ includes:
 Allen Wrenches: 2.5, 3, 4, 5, 6, 8mm
 Adjustable Wrench
 Headset Wrench
 Pedal Wrench
 Open Wrenches: 8, 9, 10, 11mm
 Tire Lever
 Phillips Screwdriver
 Straight Screwdriver

PHIL-UP™



PUP-SF



PUPN-SF

| Item No. | Price (Wt) | Description |
|----------|---------------|---|
| PUP-ES* | \$619.65 (22) | PHIL-UP Bicycle Tire Pump - With Pressure Gauge - Surface Mount - Electro Polish Stainless |
| PUP-PS* | 662.15 (22) | PHIL-UP Bicycle Tire Pump - With Pressure Gauge - Surface Mount - Powder Coated Stainless |
| PUPN-ES* | 509.15 (21) | PHIL-UP Bicycle Tire Pump - WITHOUT Pressure Gauge Surface Mount - Electro Polish Stainless |
| PUPN-PS* | 551.65 (21) | PHIL-UP Bicycle Tire Pump - WITHOUT Pressure Gauge Surface Mount - Powder Coated Stainless |

PHIL-UP™ includes manual air pump with Presta and Schrader valve head.

Grout Covers




GC-238

| Item No. | Price (Wt) | Description |
|----------|------------|--|
| GC-158* | \$20 (1) | Grout Cover - 2 pc Cast Aluminum - 1 5/8" OD - In Ground or Surface Mount - One per Support Post |
| GC-190* | 20 (1) | Grout Cover - 2 pc Cast Aluminum - 1 7/8" OD - In Ground or Surface Mount - One per Support Post |
| GC-238* | 20 (1) | Grout Cover - 2 pc Cast Aluminum - 2 3/8" OD - In Ground or Surface Mount - One per Support Post |
| GC-200* | 20 (1) | Grout Cover - 2 pc Cast Aluminum - 2" Square - In Ground or Surface Mount - One per Support Post |


Covers up to 7" Round Flange

The 2 piece Grout Cover may be used for existing installations.



ML1F-1

No Divider, 1 Door
(1 - 2 Bike Capacity)




ML2F-2

1 Divider, 2 Doors
(2 Bike Capacity)





Lockers Ship Unassembled.
Lockers can be Stand Alone or Grouped.
No Common Wall Construction.
Lockers Include Connector Plates.

All Lockers are 39" W x 75" L x 46" H
Stacked Lockers are 39" W x 75" L x 92" H



Stacked


| Without Floor | | With Floor | | Description (Capacity) |
|---------------|------------------|------------|------------------|--|
| Item No. | Price (Wt) | Item No. | Price (Wt) | |
| ML1-1-P | \$1,359.15 (330) | ML1F-1-P | \$1,529.15 (360) | MadLocker (1 Unit - 1 Bike) - (No Divider, 1 Door) |
| ML2-2-P | 1,529.15 (391) | ML2F-2-P | 1,699.15(421) | MadLocker (1 Unit - 2 Bikes) - (Divider, 2 Doors) |
| ML1T-1-P | 1,359.15 (330) | NA | | Top Stacked MadLocker (1 Unit - 1 Bike) - (No Divider, 1 Door) |
| ML2T-1-P | 1,529.15 (391) | NA | | Top Stacked MadLocker (1 Unit - 2 Bikes) - (Divider, 2 Doors) |



Please Specify If Lockers Are to Be Stacked.

Pie MadLocker™


| Without Floor | | With Floor | | Description (Capacity) |
|---------------|------------------|------------|------------------|--|
| Item No. | Price (Wt) | Item No. | Price (Wt) | |
| MLP-1-P | \$1,359.15 (255) | MLPF-1-P | \$1,529.15 (275) | Pie Shaped MadLocker (1 Unit - 1 Bike) |
| MLPT-1-P | 1,359.15 (255) | NA | | Top Stacked Pie Shaped MadLocker (1 Unit - 1 Bike) |




MLP-1

Lockers Ship Unassembled.
Lockers can be Stand Alone or Grouped.
No Common Wall Construction.
Lockers Include Connector Plates.


All Pie Lockers are 39" W x 75" L x 46" H
Stacked Lockers are 39" W x 75" L x 92" H




4 Each MLP



8 Each MLP




16 Each MLP




8 Each MLP

Please Specify If Lockers Are to Be Stacked.




Stacked



MLVF-1

No Divider, 1 Door
(1 Bike Capacity)



Lockers Ship Unassembled.
Lockers can be Stand Alone or Grouped.
No Common Wall Construction.
Lockers Include Connector Plates.


All Vertical Lockers are 31" W x 47 L x 79" H

Narrow MadLocker™

Without Floor

With Floor


| Item No. | Price (Wt) | Item No. | Price (Wt) | Description (Capacity) |
|----------|------------|----------|------------|------------------------|
|----------|------------|----------|------------|------------------------|



MLNF-1

No Divider, 1 Door
(1 Bike Capacity)


| | | | | |
|----------|------------------|----------|------------------|--|
| MLN-1-P | \$1,359.15 (320) | MLNF-1-P | \$1,529.15 (340) | Narrow MadLocker (1 Unit - 1 Bike) |
| MLNT-1-P | 1,359.15 (320) | N A | | Top Stacked Narrow MadLocker (1 Unit - 1 Bike) |



Lockers Ship Unassembled.
Lockers can be Stand Alone or Grouped.
No Common Wall Construction.
Lockers Include Connector Plates.

All Narrow Lockers are 31" W x 75" L x 46" H

Stacked Lockers are 31" W x 75" L x 92" H



Stacked


Please Specify If Lockers Are to Be Stacked.

MadLocker™ Options


Standard:
Helmet / Clothes Hook
Stainless Steel Padlock and U-Lock Locking Handle

Other Options:
Locker Numbers
Customizable Perforated Window (Safety View)
Perforated Doors
Two Tone Colors
Galvanized Floors
Stackable
Pop Out T-Handle Lock

Locking Options:




Padlock Locking Handle




Pop Out T-Handle
Add \$ 34 / Door

Door Options:




Solid
Door
(Standard)



Full Perforated Door
(Safety View)
(-PDF) Add \$85/ Door



Perforated "Bike" Door
(Safety View)
(-PDB) Add \$59.50/ Door




BBS-SNG-6


**9 FT. Minimum
Ceiling Height Clearance**

| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Description (Capacity) |
|---------------|--------------------------------|-----------------------------------|---|
| BBS-SNG-4 | \$1,775.65 (345) | \$1,877.65 (345) | Bike Boost Storage - Load from One Side - (4 Bikes) |
| BBS-SNG-4-AO | 1,724.65 (295) | 1,826.65 (295) | Bike Boost Storage ADD ON - Load from One Side - (4 Bikes) |
| BBS-DBL-8 | 3,186.65 (545) | 3,390.65 (545) | Bike Boost Storage - Load from Both Sides - (8 Bikes) |
| BBS-DBL-8-AO | 3,110.15 (495) | 3,314.15 (495) | Bike Boost Storage ADD ON - Load from Both Sides - (8 Bikes) |
| BBS-SNG-6 | 2,659.65 (470) | 2,812.65 (470) | Bike Boost Storage - Load from One Side - (6 Bikes) |
| BBS-SNG-6-AO | 2,583.15 (420) | 2,736.15 (420) | Bike Boost Storage ADD ON - Load from One Side - (6 Bikes) |
| BBS-DBL-12 | 4,767.65 (780) | 5,073.65 (780) | Bike Boost Storage - Load from Both Sides - (12 Bikes) |
| BBS-DBL-12-AO | 4,699.65 (730) | 5,005.65 (730) | Bike Boost Storage ADD ON - Load from Both Sides - (12 Bikes) |


Other Lengths are Available Upon Request



BBS-SNG-6-AO




BBS-DBL-12



BBS-DBL-12-AO


Horizontal Storage




BSH-1-WM

| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Description (Capacity) |
|-------------|--------------------------------|-----------------------------------|---|
| BSH-1-WM | \$152.15 (32) | \$177.65 (32) | Bike Storage - Horizontal Wall Mount - (1 Bike) |
| BSH-4-FS | 1,053.15 (219) | 1,155.15 (219) | Bike Storage - Horizontal Freestanding - (4 Bikes) |
| BSH-4-FS-AO | 1,010.65 (195) | 1,112.65 (195) | Bike Storage ADD ON - Horizontal Freestanding - (4 Bikes) |
| BSH-6-FS | 1,469.65 (300) | 1,622.65 (300) | Bike Storage - Horizontal Freestanding - (6 Bikes) |
| BSH-6-FS-AO | 1,418.65 (276) | 1,571.65 (276) | Bike Storage ADD ON - Horizontal Freestanding - (6 Bikes) |
| BSH-8-FS | 1,877.65 (382) | 2,081.65 (382) | Bike Storage - Horizontal Freestanding - (8 Bikes) |
| BSH-8-FS-AO | 1,835.15 (358) | 2,039.15 (358) | Bike Storage ADD ON - Horizontal Freestanding - (8 Bikes) |
| BSH-8-WM | 1,605.65 (266) | 1,809.65 (266) | Bike Storage WALL MOUNT - Horizontal Freestanding - (8 Bikes) |


Other Lengths are Available Upon Request




BSH-8-FS



BSH-8-FS-AO



BSH-8-WM



BSH-8-FS


**9 FT. Minimum
Ceiling Height Clearance**

See Page 8 for Wall Mounting Channel


See Page 27 for Wall Mounting Fasteners

Bike Storage Tier


16




BST-10



BSTN-10



BST-6




BST-8


**8 FT. Minimum
Ceiling Height Clearance**

| Item No. | Price (Wt) | Description (Capacity) |
|-----------|----------------|--|
| BST-6-B | \$653.65 (150) | Bike Storage Tier - Locking - (6 Bikes) - Black Powder Coated |
| BST-8-B | 823.65 (190) | Bike Storage Tier - Locking - (8 Bikes) - Black Powder Coated |
| BST-10-B | 985.15 (231) | Bike Storage Tier - Locking - (10 Bikes) - Black Powder Coated |
| BSTN-6-B | 526.15 (144) | Bike Storage Tier - NON LOCKING - (6 Bikes) - Black Powder Coated |
| BSTN-8-B | 645.15 (182) | Bike Storage Tier - NON LOCKING - (8 Bikes) - Black Powder Coated |
| BSTN-10-B | 772.65 (221) | Bike Storage Tier - NON LOCKING - (10 Bikes) - Black Powder Coated |


Vertical Storage



BSV-1-WM



BSV-4-FS




BSV-4-FS-AO

**8 FT. Minimum
Ceiling Height Clearance**

| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Description (Capacity) |
|-------------|--------------------------------|-----------------------------------|---|
| BSV-1-WM* ☼ | \$75.65 (7) | \$75.65 (7) | Bike Storage - Vertical Wall Mount (1 Bikes) |
| BSV-2-FS | 407.15 (122) | 407.15 (122) | Bike Storage - Vertical Freestanding (2 Bikes) |
| BSV-2-FS-AO | 373.15 (88) | 373.15 (88) | Bike Storage ADD ON - Vertical Freestanding (2 Bikes) |
| BSV-3-FS | 483.65 (122) | 483.65 (122) | Bike Storage - Vertical Freestanding (3 Bikes) |
| BSV-3-FS-AO | 441.15 (88) | 441.15 (88) | Bike Storage ADD ON - Vertical Freestanding (3 Bikes) |
| BSV-4-FS | 534.65 (142) | 534.65 (142) | Bike Storage - Vertical Freestanding (4 Bikes) |
| BSV-4-FS-AO | 483.65 (107) | 483.65 (107) | Bike Storage ADD ON - Vertical Freestanding (4 Bikes) |

See Page 8 for Wall Mounting Channel


17 *Wall-Rack Vertical*




WRK-1-WM



WRKN-1-WM



WRK-3-FS




WRK-4-FS

| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Description (Capacity) |
|---------------|--------------------------------|-----------------------------------|---|
| WRK-1-WM* ☼ | \$92.65 (15) | \$92.65 (15) | Wall-Rack - With Locking Bar - Wall Mount (1 Bike) |
| WRKF-1-WM* ☼ | 109.65 (17) | 109.65 (17) | Wall-Rack - Fat Tire - With Locking Bar - Wall Mount (1 Bike) |
| WRK-2-FS | 441.15 (120) | 441.15 (120) | Wall-Rack - With Locking Bar - Freestanding (2 Bikes) |
| WRK-2-FS-AO | 407.15 (85) | 407.15 (85) | Wall-Rack - With Locking Bar ADD ON - Freestanding (2 Bikes) |
| WRK-3-FS | 534.65 (135) | 534.65 (135) | Wall-Rack - With Locking Bar - Freestanding (3 Bikes) |
| WRK-3-FS-AO | 492.15 (100) | 492.15 (100) | Wall-Rack - With Locking Bar ADD ON - Freestanding (3 Bikes) |
| WRK-4-FS | 602.65 (156) | 602.65 (156) | Wall-Rack - With Locking Bar - Freestanding (4 Bikes) |
| WRK-4-FS-AO | 551.65 (121) | 551.65 (121) | Wall-Rack - With Locking Bar ADD ON - Freestanding (4 Bikes) |
| WRKN-1-WM* ☼ | 75.65 (12) | 75.65 (12) | Wall-Rack - NON LOCKING - Wall Mount (1 Bike) |
| WRKNF-1-WM* ☼ | 92.65 (14) | 92.65 (14) | Wall-Rack - Fat Tire - NON LOCKING - Wall Mount (1 Bike) |
| WRKN-2-FS | 407.15 (114) | 407.15 (114) | Wall-Rack - NON LOCKING - Freestanding (2 Bikes) |
| WRKN-2-FS-AO | 373.15 (79) | 373.15 (79) | Wall-Rack - NON LOCKING ADD ON - Freestanding (2 Bikes) |
| WRKN-3-FS | 483.65 (126) | 483.65 (126) | Wall-Rack - NON LOCKING - Freestanding (3 Bikes) |
| WRKN-3-FS-AO | 441.15 (92) | 441.15 (92) | Wall-Rack - NON LOCKING ADD ON - Freestanding (3 Bikes) |
| WRKN-4-FS | 534.65 (145) | 534.65 (145) | Wall-Rack - NON LOCKING - Freestanding (4 Bikes) |
| WRKN-4-FS-AO | 483.65 (110) | 483.65 (110) | Wall-Rack - NON LOCKING ADD ON - Freestanding (4 Bikes) |

See Below for Wall Mounting Hardware

Bicycle Storage

Wall Mounting Channel



WCS-36



WMC


| Item No. | Price (Wt) | Description |
|-----------|-------------|--|
| WCS-36-G* | \$18.66 (5) | Wall Channel (1 ea.) 1 5/8" Strut x 36" L - Galvanized |
| WCS-72-G* | 33.96 (11) | Wall Channel (1 ea.) 1 5/8" Strut x 72" L - Galvanized |
| WCS-144-G | 62.86 (21) | Wall Channel (1 ea.) 1 5/8" Strut x 144" L - Galvanized |
| WMC-G* | 43.31 (2) | 12 ea. Rack Mounting Hardware (Clip & Bolt) - (Need 2 per Bike) - Galvanized |

Skateboard Rack


18



SRS-4-WM



SRS-SNG-4-SF



SRS-DBL-8-SF


All Proprietary Rights Reserved

| Item No. | Wall Mount (-WM) | In Ground (-IG) | Surface (-SF) | Description (Capacity) |
|--------------|------------------|-----------------|---------------|--|
| | Price (Wt) | Price (Wt) | Price (Wt) | |
| SRS-4-WM-G* | \$215.20 (20) | N/A | N/A | Skateboard Rack (4 Boards) - Wall Mount - Galvanized |
| SRS-4-WM-P* | 215.20 (20) | N/A | N/A | Skateboard Rack (4 Boards) - Wall Mount - Powder Coated |
| SRS-SNG-4-G* | N/A | \$311.20 (43) | \$351.20 (42) | Skateboard Rack (4 Boards) - One Sided - Galvanized |
| SRS-SNG-4-P* | N/A | 311.20 (43) | 351.20 (42) | Skateboard Rack (4 Boards) - One Sided - Powder Coated |
| SRS-DBL-8-G* | N/A | 543.20 (48) | 583.20 (47) | Skateboard Rack (8 Boards) - Double Sided - Galvanized |
| SRS-DBL-8-P* | N/A | 543.20 (48) | 583.20 (47) | Skateboard Rack (8 Boards) - Double Sided - Powder Coated |
| SRS-FS-2-G* | N/A | N/A | 56 (28) | Rails For 2 ea. Surface Racks (Surface Mount) - 3' L - Galvanized |
| SRS-FS-3-G* | N/A | N/A | 104 (49) | Rails For 3 ea. Surface Racks (Surface Mount) - 5' 6" L - Galvanized |
| SRS-FS-4-G* | N/A | N/A | 144 (70) | Rails For 4 ea. Surface Racks (Surface Mount) - 8' L - Galvanized |




GROUT COVER
(GC-200) \$20 Each


Z Rack



ZR-1




ZRC-1




| Item No. | Price (Wt) | Description (Capacity) |
|----------|-------------|--|
| ZR-1-P* | \$30.56 (1) | Z Rack - Wall Mount (1 Bike) - Powder Coated Grey with Black PVC Coated Hook |
| ZRC-1-P* | 50.96 (2) | Z Rack - Wall Mount (1 Bike) - With 6ft. Locking Cable - Powder Coated Grey with Black Padded Hook |

Bike Stand




BKS-1




| Item No. | Price (Wt) | Description (Capacity) |
|----------|--------------|---|
| BKS-1-P* | \$76.46 (12) | Bike Stand (1 Bike) - Formed Steel Wheel Plate - Powder Coated Grey with Black Padded Support |

Shed for Vertical Bike Storage




SHD-V12 136 W x 48 L x 100" H

| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Description |
|---------------|--------------------------------|-----------------------------------|--|
| SHD-V12 | \$1,648.15 (384) | \$,818.15 (384) | Shed ONLY - For Vertical Bike Storage Kits - 4ft x 12ft |
| SHD-V12-BACK | 255 (28) | 255 (28) | Back Polycarbonate Wall for Shed |
| SHD-V-SIDE | 102 (9) | 102 (9) | 4 Ft. Side Polycarbonate Wall for Shed - Each |
| SHD-V-SEAT-RP | 195.50 (43) | 195.50 (43) | 4 Ft. Seat for Side Wall - 3 x 4 Recycled Plastic - Each |
| SHD-V-SEAT-WI | 340 (58) | 340 (58) | 4 Ft. Seat for Side Wall - 3 x 4 Ipe - Each |




Shed for Horizontal Bike Storage




SHD-H12 136 W x 96 L x 113" H

| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Description |
|---------------|--------------------------------|-----------------------------------|---|
| SHD-H12 | \$2,107.15 (595) | \$2,277.15 (595) | Shed ONLY - For Horizontal Bike Storage Kits - 8ft x 12ft |
| SHD-H12-BACK | 255 (28) | 255 (28) | Back Polycarbonate Wall for Shed |
| SHD-H-SIDE | 212.50 (22) | 212.50 (22) | 8 Ft. Side Polycarbonate Wall for Shed - Each |
| SHD-H-SEAT-RP | 365.50 (105) | 365.50 (105) | 8 Ft. Seat for Side Wall - 3 x 4 Recycled Plastic - Each |
| SHD-H-SEAT-WI | 629 (135) | 629 (135) | 8 Ft. Seat for Side Wall - 3 x 4 Ipe - Each |




Bike Kits for Storage Sheds


| Item No. | Galvanized (-G) Price (Wt.) | P. Coated (-P) Price (Wt.) | Description (Capacity) |
|----------------|--------------------------------|-------------------------------|--|
| SHD-BSV-4-KIT | \$347.65 (78) | \$347.65 (78) | Bike Kit - Vertical Mount (4 Bikes) with Mounting Channel for SHD-V(H)12 |
| SHD-BSV-8-KIT | 772.65 (115) | 772.65 (115) | Bike Kit - Vertical Mount (8 Bikes) with Mounting Channel for SHD-V(H)12 |
| SHD-WRK-4-KIT | 492.15 (94) | 492.15 (94) | Bike Kit - Wall Rack With Locking Bar (4 Bikes) with Mounting Channel for SHD-V(H)12 |
| SHD-WRK-8-KIT | 917.15 (148) | 917.15 (148) | Bike Kit - Wall Rack With Locking Bar (8 Bikes) with Mounting Channel for SHD-V(H)12 |
| SHD-WRKN-4-KIT | 424.15 (86) | 424.15 (86) | Bike Kit - Wall Rack NON Locking (4 Bikes) with Mounting Channel for SHD-V(H)12 |
| SHD-WRKN-8-KIT | 806.65 (132) | 806.65 (132) | Bike Kit - Wall Rack NON Locking (8 Bikes) with Mounting Channel for SHD-V(H)12 |
| SHD-BSH-8-KIT | 1,614.15(319) | 1,809.65 (319) | Bike Kit - Horizontal Wall Mount (8 Bikes) with Mounting Channel for SHD-H12 |
| SHD-BSH-16-KIT | 2,600.15 (592) | 2,974.15 (592) | Bike Kit - Horizontal Wall Mount (16 Bikes) with Mounting Channel for SHD-H12 |



SHD-BSV-8-KIT




SHD-WRK-8-KIT




SHD-BSH-16-KIT

Bike Repair Shed

20



70 W x 48 L x 100" H





Bike Repair Shed includes:
 6 ft. Galvanized Frame and Shaded PolyCarbonate Roof
 Shaded PolyCarbonate Back Wall
 4 ft. Seat with Recycled Plastic 3x4 Boards
 (See page 27 (-RP) for Color Options)
 BRS-WM-P RepairSTAN™ - Wall Mount
 PUP-ES PHIL-UP Stainless Steel Tire Pump with Pressure Gauge





| Item No. | Galvanized (-G) Price (Wt.) | Powder Coated (-P) Price (Wt.) | Description |
|----------------|--------------------------------|-----------------------------------|--|
| SHD-BR | \$2,634.15 (325) | \$2,846.65(325) | Bike Repair Shed - 4ft x 6ft |
| SHD-BR-SEAT-WI | 144.50 (20) | 144.50 (20) | Up Charge for 4 Ft. Seat with 3 x 4 lpe Boards |

Ashton™ Shelter



| Item No. | Price (Wt) | Description |
|--------------|-------------------|---------------------------------------|
| SHL-ASH-12-G | \$12,205.15 (860) | Ashton Shelter -12 ft.- Galvanized |
| SHL-ASH-12-P | 13,429.15 (860) | Ashton Shelter -12 ft.- Powder Coated |

Wingra™ Shelter



| Item No. | Price (Wt) | Description |
|--------------|-------------------|---------------------------------------|
| SHL-WIN-12-G | \$10,369.15 (590) | Wingra Shelter -12 ft.- Galvanized |
| SHL-WIN-12-P | 11,406.15 (590) | Wingra Shelter -12 ft.- Powder Coated |



Spike



Stud







Drop-In Anchor



Asphalt Spike

| Item No. | Description | 3 pack (-3) | 4 pack (-4) | 6 pack (-6) | Bulk (-25) |
|-----------|--|-------------|-------------|-------------|------------|
| | | Price | Price | Price | Price |
| RS3830-S* | Spike 3/8" x 3" - Tamper Resistant Concrete Anchor - Stainless Steel | \$15.74 | \$19.94 | \$29.24 | \$114.22 |
| RS3830-Z* | Spike 3/8" x 3" - Tamper Resistant Concrete Anchor - Zinc Plated | 6.07 | 7.19 | 10.94 | 42.59 |
| RS3850-Z* | Spike 3/8" x 5" - Tamper Resistant Concrete Anchor - Zinc Plated | 7.69 | 10.42 | 14.77 | 57.29 |
| RS1235-Z* | Spike 1/2" x 3-1/2" - Tamper Resistant Concrete Anchor - Zinc Plated | 9.22 | 11.32 | 16.57 | 72.44 |
| RS1265-Z* | Spike 1/2" x 6-1/2" - Tamper Resistant Concrete Anchor - Zinc Plated | 17.62 | 22.57 | 33.07 | 136.19 |
| RT3835-S* | Stud 3/8" x 3-1/2" - Removable Concrete Anchor - Stainless Steel | 7.27 | 8.77 | 12.82 | 49.79 |
| RT3835-Z* | Stud 3/8" x 3-1/2" - Removable Concrete Anchor - Zinc Plated | 3.00 | 3.89 | 5.69 | 22.72 |
| RT3850-S* | Stud 3/8" x 5" - Removable Concrete Anchor - Stainless Steel | 10.19 | 12.59 | 18.44 | 71.54 |
| RT3850-Z* | Stud 3/8" x 5" - Removable Concrete Anchor - Zinc Plated | 4.19 | 5.02 | 7.42 | 28.94 |
| RT1237-S* | Stud 1/2" x 3-3/4" - Removable Concrete Anchor - Stainless Steel | 10.42 | 12.89 | 18.89 | 73.42 |
| RT1237-Z* | Stud 1/2" x 3-3/4" - Removable Concrete Anchor - Zinc Plated | 4.86 | 5.92 | 8.77 | 33.97 |
| RT1255-S* | Stud 1/2" x 5-1/2" - Removable Concrete Anchor - Stainless Steel | 15.74 | 19.94 | 29.24 | 121.57 |
| RT1255-Z* | Stud 1/2" x 5-1/2" - Removable Concrete Anchor - Zinc Plated | 5.09 | 6.22 | 9.22 | 35.77 |
| DA3820-S* | Drop-In Anchor 3/8" x 2" with Removable Bolt - Stainless Steel | 13.87 | 17.54 | 24.89 | 100.27 |
| DA3820-Z* | Drop In Anchor 3/8" x 2" with Removable Bolt - Zinc Plated | 11.92 | 15.22 | 22.34 | 87.07 |
| DA1220-S* | Drop-In Anchor 1/2" x 2" with Removable Bolt - Stainless Steel | 21.82 | 27.82 | 40.64 | 160.27 |
| DA1220-Z* | Drop-In Anchor 1/2" x 2" with Removable Bolt - Zinc Plated | 17.09 | 21.82 | 31.87 | 123.97 |
| AP1200-G* | Asphalt POSITIONING Spike 3/8 x 12" - Galvanized | NA | 9.59 | NA | NA |
| HL3820-S* | 3/8" x 3" Hex Lag Bolt - Stainless Steel | NA | NA | NA | 17.92 |
| HL3820-Z* | 3/8" x 3" Hex Lag Bolt - Zinc Plated | NA | NA | NA | 6.74 |


Spike
Tamper Resistant

Stud
Removable

Drop-In Anchor
Removable

Materials and Finishes

Galvanized and Powder Coated racks shall be constructed of ASTM A53 Structural Steel.
Stainless Steel racks shall be constructed of ASTM A312 TP 304 Stainless Steel.

Finish / Material:

- (-G) - Hot-Dipped Galvanized After Fabrication
- (-P) - Super TGIC Polyester Powder Coat
- (-T) - Thermoplastic Powder Coat Color
- (-S) - Stainless Steel
- (-PS) - Powder Coated Stainless Steel
- (-ES) - Electro Polished Stainless Steel
- (-VCC) - Plastisol Coating

Galvanized (-G)

Rack shall be hot-dipped galvanized after fabrication for a utility finish. The rack shall have vent holes for dipping into the hot molten zinc tank. The rack shall weather in appearance similar to a battleship grey color.

For Very Corrosive Environments 316 Stainless Steel (-S16) is available on most racks.
Please Call for Quote and Availability.

Stainless Steel (-S)

Rack shall be polished to Satin #4.

Electro Polished Stainless Steel (-ES)

Rack shall be electro polished.

Black Vinyl Cushion Coating (-VCC)

Rack shall be dipped with a plastisol coating after complete fabrication. The color shall be black. Other colors available upon request.

Super TGIC Powder Coat (-P)

Rack shall be powder coated after complete fabrication with an electrostatically applied super polyester powder coating. The color shall be ____ (list color). To ensure powder coat adhesion, steel shall be free of any scale, paint, varnish, or rust. Substrate preparation prior to powder coating shall include a chemical wash and rinse followed with an iron phosphate treatment.

Stocked Super TGIC Powder Coat Colors

Bronze, Silver, Platinum, Grey, Storm Metallic, Gun Metal, Black, White, Mesa Tan, Yellow, Green, Forest Green, Lexington Green, Red, Berry, Patriot Blue, Midnight Blue.

Call for other custom finishes.

Thermoplastic Powder Coat (-T)

Rack shall be powder coated after complete fabrication with Thermoplastic polyethylene coating. The color shall be ____ (list color). To ensure powder coat adhesion, steel shall be free of any scale, paint, varnish, or rust. Substrate preparation prior to powder coating shall include a chemical wash and rinse followed with an iron phosphate treatment.
(Thermoplastic is not available in all colors.)

Powder Coated Stainless Steel (-PS)

Rack shall be polished and then coated with an electrostatically applied super TGIC polyester powder. The color shall be ____ (list color).

Recycled Plastic (-RP)

High-density polyethylene material (HDPE) made from post-consumer recycled plastic containers.

Color Options: Brown (RPB), Cedar (RPC), Grey (RPG), Weathered Redwood (RPW)

Ipe (-WI)

Pronounced "ee-pay," this olive-brown wood from South America weathers to a beautiful silver grey. Three times harder than oak, ipe is the perfect choice for outdoors, where it resists weather, heavy use and vandalism.

The following Express Limited Warranty supplements the terms and conditions of our Quotation, Order Acknowledgement, and/or Invoice.

IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, GRABER MANUFACTURING, INC. PROVIDES THE FOLLOWING LIMITED WARRANTY.

Madrax division of Graber Manufacturing, Inc., ("Madrax") warrants products it manufactures against defects in materials or workmanship for a period of one year from the date of invoice.

Madrax warrants its bicycle lockers against structural failure for a period of one year from the date of invoice.

Madrax warrants its powder coated and powder coated stainless steel products against corrosion for a period of one year from the date of invoice.

Madrax warrants its hot dipped galvanized and stainless steel products against corrosion for a period of five years from the date of invoice.

Madrax warrants its Phil-Up bicycle tire pump against defects for one year from the date of invoice.

Thomas Steele division of Graber Manufacturing, Inc., ("Thomas Steele") warrants products it manufactures against defects in material or workmanship for a period of five years from the date of invoice.

Thomas Steele warrants its umbrellas against structural failure for a period of one year from the date of invoice.

Madrax and Thomas Steele warrant their metal products against structural failure for a period of twenty years from the date of invoice.

Madrax and Thomas Steele warrant their recycled plastic against rotting, splitting or cracking for a period of twenty years from the date of invoice.

Madrax and Thomas Steele warrant their components that are wood or cosmetic in nature against defects in material or workmanship for a period of one year from the date of invoice. Splitting, checking, and warping of wood are natural occurrences of wood and are not covered by this warranty.

Madrax and Thomas Steele warrant custom products on a per product basis.

These warranties do not cover any defects or failure due to vandalism, negligence, abuse, accidents, lack of maintenance or improper installation.

Unless previously approved, in writing by Graber Manufacturing, Inc., this warranty does not cover any defects or failure due to products tampered with or altered, modified or repaired by anyone.

Specific Conditions and Limitations:

1. Warranties only apply to products on invoices paid within Graber Manufacturing, Inc.'s terms and conditions.
2. Damages resulting in whole or in part from natural disasters, including fire, wind, acts of war, terrorism, or nuclear disaster are not covered by the warranty.
3. The warranty will not apply if Graber Manufacturing, Inc. is not notified within 10 calendar days of product failure.
4. This warranty is subject to the duty of the buyer and any subsequent purchaser or user to inspect the product before installation for defects, including defects or damage which may have been incurred on-site or in transportation. Any failure to completely inspect the product will void this warranty.
5. Graber Manufacturing, Inc.'s obligation under this warranty will be limited to repair or replacement, at Graber Manufacturing, Inc.'s option, of products found in Graber Manufacturing, Inc.'s reasonable judgment to have been defective in workmanship or materials. Transportation charges for return of the alleged defective product will be assumed by Graber Manufacturing, Inc. only if returned by the buyer in strict accordance with written instructions of Graber Manufacturing, Inc. and at Graber Manufacturing, Inc.'s request. Graber Manufacturing, Inc. will assume transportation charges for shipment of repaired or replaced product to the buyer, but will not be responsible for the cost of labor for removal or installation of the alleged defective product or any replacement.
6. All claims made under the terms of this warranty must be received in writing along with a copy of the original invoice. Claims must be sent to Graber Manufacturing, Inc., 1080 Uniek Drive, Waunakee, WI 53597.

The warranties described herein shall be the sole and exclusive warranties granted by Graber Manufacturing, Inc., and shall be the sole and exclusive remedy available to the purchaser. Correction of defects, in the manner and for the period of time described herein, shall constitute complete fulfillment of all liabilities and responsibilities of Graber Manufacturing, Inc., to the purchaser with respect to the product and shall constitute full satisfaction of all claims, whether based on contract, negligence, strict liability or otherwise. In no event shall Graber Manufacturing, Inc., be liable, or in any way responsible, for any damages or defects in the product which were caused by repairs or attempted repairs performed by anyone other than an authorized servicer. Nor shall Graber Manufacturing, Inc., be liable, or in any way responsible, for any incidental or consequential, economic or property damage.

Want to know more?

Spending a few minutes at our website can save you hours of research. Cut your specification writing time while getting the bicycle security systems that set the standard for security, durability and aesthetics. Visit www.madrax.com.

- View our complete product line (shown in all their various configurations)
- Designed to help architects, engineers and facility owners/managers
- Get CSI specifications and CAD details for all products
- BIM models available on selected items



Find us on
Facebook

facebook.com/madraxbikeracks



LinkedIn

linkedin.com/company/madrax-bike-racks



twitter

twitter.com/madraxbikeracks



Instagram

instagram.com/madrax_bikeracks

Looking for other Site Furnishings for your project?

Visit www.thomas-steele.com.

FOR MORE INFORMATION:

800.448.7931

1080 Uniek Drive, Waunakee, WI 53597

P: 608.849.1080

F: 608.849.1081

E: sales@madrax.com



Prices and specifications subject to change without notice.

©2020 *Graber Manufacturing, Inc.*

Printed in the U.S.A



1905-0106