

Minimum Quality Requirements

In order for a Bid to receive further consideration, Bidder must unconditionally check “Yes” to each Quality Requirement below. A Bid will be rejected in its entirety if a Bidder fails to check “Yes”, or who modifies, qualifies, or limits its affirmative response in any way.

Circle “Yes” or “No” for each of the following requirements:

- a. Actively engaged in the manufacture, sale or service of ambulances and equipment.

Yes No

- b. The Bidder of the IFB has at least one service facility located within fifty miles of the state line of the Commonwealth of Massachusetts.

Yes No

- c. The Bidder has a service facility that simultaneously accommodates three or four ambulances in various states of prep., installation, and services.

Yes No

- d. Respondent is able to perform, on-site, at least 75% of warranty and non-warranty services on the ambulances. Those Warranty and non-warranty services not performed by the Bidder on-site are performed by other qualified subcontractors that are identified in the bid documents. **Excluding any warranty services that must be performed by an authorized component warranty service provider, e.g. authorized Allison warranty service center.

Yes No

- e. A minimum of **sixty** of substantially the same types and classifications that are being offered have been delivered to and are presently in use (front line service), in fire departments in the United States AND appear on the List of Ambulance and Vehicle Deliveries required under Tab 3 – References since calendar year 2023 to present.

Yes No

- f. The Manufacturer possesses and presents documented evidence of a minimum of five (5) years experience performing work consistent with the subject of this IFB.

Yes No

- g. The Dealer possesses and presents documented evidence of a minimum of five (5) years experience performing work consistent with the subject of this IFB and is able to document proof of status as Manufacturer’s authorized dealer for the ambulance or vehicles offered.

Yes No

- h. The Service Provider has a minimum five years of continuous ownership and management and is able to document proof of status as Manufacturer's authorized service provider for the ambulance or vehicles offered.

Yes No

- i. The Service Provider possesses and presents documented evidence of a minimum of five (5) years experience performing work consistent with the subject of this IFB and is able to document proof of status as Manufacturer's authorized service provider for the ambulance or vehicles offered.

Yes No

- j. At least two technicians of the Service Provider's technical have received direct training by the Ambulance Manufacturer.

Yes No

- k. The Service Provider employs at least two technicians with Ambulance Technician Level Requirements for Level I (A-4, A-5, E-0, E-1) or higher as evidenced by current test certificates (obtained within the past 5 years).

Yes No

- l. Legally in possession of and physically occupying a facility or facilities suited to providing the sales and service support required of the business volume anticipated by this IFB.

Yes No

- m. In possession or control of an existing public website used to market the products and services offered.

Yes No

Authorized Agent of the Bidder:

Signature (blue ink please)

Printed Name

Title

Date

Name (as used for tax filing)

SS# or Federal ID#